

1 ViT-B/16

Table 1: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R^u_E	R^p_E	$R^+_{\bar{E}}$	$R^+_{\bar{E}}$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	5000	0.018	0.239933	0.038467	0.3076	0.0246	0.014733	0.007933	0.043933
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	5000	0.011733	0.290133	0.0286	0.359	0.02	0.008533	0.0072	0.0416
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	5000	0.0156	0.3034	0.0364	0.3704	0.0188	0.0092	0.0068	0.0414
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	5000	0.015867	0.263467	0.033467	0.3294	0.020533	0.011867	0.008133	0.0416
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Ind	11	11	5000	0.0168	0.2804	0.0382	0.3494	0.0222	0.0132	0.009	0.0446
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	5000	0.016867	0.255467	0.035133	0.322067	0.0258	0.014667	0.009133	0.044467
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Ind	11	11	5000	0.0176	0.272	0.0374	0.338	0.0268	0.0178	0.0126	0.0478
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	5000	0.018267	0.252733	0.037733	0.320067	0.0236	0.0116	0.008	0.044267
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	5000	0.0188	0.2692	0.0386	0.3404	0.027	0.0144	0.0112	0.0466
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	5000	0.0188	0.255533	0.0364	0.322667	0.022467	0.010867	0.0082	0.042133
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Ind	11	11	5000	0.0176	0.273	0.0358	0.3416	0.025	0.0154	0.012	0.046

Table 2: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	R^e_C	R^e_P	$R^e_{C_2}$	$R^e_{C_3}$	R^e_P	R^e_E	R^e_P	R^e_P	$R^e_{C_2}$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.0398	0.0344	0.0124	0.054267	-0.2694	-0.232133	-0.098933	-0.104	-0.308
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.041467	0.030867	0.0154	0.054467	-0.2978	-0.256333	-0.1152	-0.101533	-0.335533
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.035	0.027	0.012	0.0512	-0.2936	-0.2504	-0.1004	-0.1002	-0.332
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.0418	0.0338	0.017133	0.054333	-0.2894	-0.249533	-0.107733	-0.097333	-0.329733
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.0412	0.0364	0.0136	0.0534	-0.2848	-0.2488	-0.1004	-0.1034	-0.3236
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.047667	0.039333	0.0192	0.0572	-0.2852	-0.243267	-0.104867	-0.097933	-0.325933
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.0524	0.0412	0.0196	0.0582	-0.2892	-0.2442	-0.1002	-0.1046	-0.3308
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.0472	0.036733	0.016733	0.0564	-0.282733	-0.2436	-0.103867	-0.097067	-0.322067
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.0508	0.0388	0.019	0.0596	-0.283	-0.2474	-0.0996	-0.1004	-0.319
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.0458	0.038133	0.0182	0.055067	-0.2846	-0.247467	-0.103933	-0.095867	-0.3248
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.0474	0.0418	0.019	0.0564	-0.2908	-0.2502	-0.0988	-0.1034	-0.3294

Table 3: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	R^p_C	R^s_C	R^p_{ϕ}	F^p_{switched}	F^s_{switched}	C^p_{switched}	C^s_{switched}	F^p_{switched}	F^s_{switched}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	-0.267133	-0.1072	-0.1078	0.0426	0.509333	0.078267	0.6156	0.032733	0.472067
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	-0.293333	-0.1258	-0.106867	0.031733	0.587933	0.070067	0.694533	0.020267	0.546467
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	-0.2906	-0.1156	-0.1072	0.0344	0.597	0.0714	0.7024	0.0248	0.5538
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	-0.29	-0.121467	-0.1044	0.0364	0.552867	0.075267	0.659133	0.027733	0.513
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Ind	11	11	-0.2872	-0.1092	-0.1106	0.039	0.5652	0.0794	0.673	0.03	0.5292
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	-0.2832	-0.115267	-0.104733	0.042667	0.540667	0.0828	0.648	0.031533	0.498733
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Ind	11	11	-0.2842	-0.11	-0.1122	0.0444	0.5612	0.0898	0.6688	0.0354	0.5162
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	-0.282867	-0.114267	-0.100867	0.041867	0.535467	0.084933	0.642133	0.029867	0.496333
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	-0.2844	-0.1032	-0.1058	0.0458	0.5522	0.0894	0.6594	0.0332	0.5166
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	-0.285933	-0.114	-0.1012	0.041267	0.540133	0.0822	0.647467	0.029667	0.503
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Ind	11	11	-0.2888	-0.1086	-0.1088	0.0426	0.5638	0.0832	0.671	0.033	0.5232

Table 4: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	C^p unturbed	C^p perturbed	F^a unturbed	F^a perturbed	C^s unturbed	C^s perturbed	F^a unturbed	F^a perturbed	C^s unturbed
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.072867	0.574733	0.025933	0.338867	0.050867	0.4148	0.061933	0.343933	0.092733
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.059467	0.652333	0.018933	0.405333	0.044	0.4848	0.053333	0.391667	0.083067
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.0634	0.661	0.0224	0.4038	0.0484	0.486	0.057	0.4036	0.0876
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.067267	0.6194	0.024	0.3712	0.0506	0.450867	0.057467	0.3608	0.0878
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.0746	0.6366	0.0258	0.3808	0.0518	0.4586	0.0614	0.3838	0.0916
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.074467	0.605267	0.026	0.360333	0.054333	0.437333	0.061333	0.3534	0.092333
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.0786	0.6222	0.0302	0.3722	0.057	0.448	0.0654	0.3766	0.0956
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.074467	0.602933	0.026267	0.3566	0.054467	0.434333	0.062533	0.3498	0.094133
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.0774	0.6248	0.03	0.3688	0.0576	0.4436	0.0654	0.3696	0.0982
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.074533	0.6086	0.027	0.359467	0.0546	0.436667	0.060933	0.3514	0.091467
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.0776	0.6304	0.0296	0.3718	0.0548	0.4502	0.0636	0.3764	0.0922

Table 5: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$C^*_{\text{out-of-dataset}}$	$SD(F)$	$SD(\hat{F})$	$SD(C)$	$SD(\hat{C})$	$SD(R^*_\epsilon)$	$SD(R^*_\epsilon)$	$SD(R^*_\epsilon)$	$SD(R^*_\epsilon)$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.4154	0.001114	0.003668	0.001102	0.005126	0.0002	0.003602	0.001301	0.003009
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.465867	0.0037	0.015421	0.003704	0.015275	0.000721	0.001973	0.001587	0.001908
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.4776								
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.4338	0.003885	0.008016	0.003384	0.01029	0.003717	0.002274	0.003372	0.000872
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.46								
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.4268	0.002572	0.008401	0.003361	0.008003	0.0006	0.002053	0.000808	0.004937
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.4502								
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.420933	0.00261	0.005948	0.002802	0.006307	0.003027	0.002107	0.000872	0.003443
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.4462								
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.423867	0.003292	0.005493	0.004104	0.007905	0.004046	0.002485	0.000346	0.002003
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.4504								

Table 6: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{C}}^e)$	$SD(R_{\mathcal{C}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$	$SD(R_{\mathcal{D}}^e)$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.002706	0.001908	0.003816	0.003523	0.002987	0.009864	0.001604	0.006161	0.005671
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.002603	0.001604	0.002433	0.001361	0.012549	0.011518	0.006744	0.0037	0.012971
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11									
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.002458	0.00151	0.000808	0.001102	0.003274	0.005529	0.008271	0.004801	0.004658
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Ind	11	11									
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.001206	0.003602	0.000346	0.004104	0.004015	0.006463	0.006329	0.000987	0.003402
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Ind	11	11									
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.001114	0.003301	0.002053	0.003995	0.002831	0.003305	0.007433	0.00127	0.002419
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Ind	11	11									
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.002987	0.003009	0.002905	0.001419	0.0024	0.008723	0.003717	0.000231	0.001908
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Ind	11	11									

Table 7: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R^p_{\mathcal{C}})$	$SD(R^s_{\mathcal{C}})$	$SD(R^a_{\mathcal{C}})$	$SD(F^p_{\text{perurbed}})$	$SD(F^s_{\text{perurbed}})$	$SD(C^p_{\text{perurbed}})$	$SD(C^s_{\text{perurbed}})$	$SD(C^a_{\text{perurbed}})$	$SD(F^p_{\text{perurbed}})$	$SD(F^s_{\text{perurbed}})$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.0141	0.00302	0.005703	0.0012	0.005033	0.003802	0.003412	0.004411	0.009078	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.013366	0.006409	0.004168	0.003557	0.016529	0.005873	0.015945	0.003301	0.020547	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11										
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.007937	0.007855	0.004276	0.00394	0.008891	0.00569	0.009653	0.002344	0.007977	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Ind	11	11										
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.005246	0.006694	0.002212	0.002023	0.006987	0.00453	0.00803	0.000611	0.00611	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Ind	11	11										
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.004636	0.008663	0.001858	0.000416	0.003449	0.003911	0.004692	0.001629	0.006149	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Ind	11	11										
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.006313	0.006609	0.000917	0.000808	0.006531	0.002498	0.007966	0.000808	0.01113	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Ind	11	11										

Table 8: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.001102	0.010403	0.000231	0.003781	0.003972	0.003811	0.004086	0.009603	0.004041
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.004969	0.021887	0.002139	0.022046	0.004911	0.021097	0.005601	0.017668	0.005065
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11									
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.003101	0.010054	0.000872	0.016179	0.002646	0.017994	0.004509	0.01253	0.003418
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Ind	11	11									
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.003951	0.006503	0.001778	0.012067	0.003107	0.011395	0.005746	0.009226	0.004244
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Ind	11	11									
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.002532	0.009717	0.003062	0.006102	0.0045	0.006839	0.005255	0.005923	0.004239
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Ind	11	11									
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.001172	0.011972	0.003639	0.004908	0.006129	0.007885	0.003208	0.005437	0.003331
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Ind	11	11									

Table 9: ImageNet-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C_{\text{parameter}}^*)$	Selected Individual
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.010806	{ "C": "CheferTransformer Attribution", "Cbar": "Gradient Attention Rollout", "F": "Integrated Gradients", "Fbar": "Gradient Attention Rollout" }
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.018785	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11		
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.01311	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Ind	11	11		
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.0102	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Ind	11	11		
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.007842	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Ind	11	11		
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.007015	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Ind	11	11		

Table 10: ImageNet–ViT-B/16

Cell	Dataset	Model	Distance Model	Selected Size	Candidate Count	Forced Fallback	Selection Rule	Scope	Alpha	Selected Methods	Ordered Methods	Prefix P Values	Task Id	Task Digest	Artifact Root	Manifest Content Digest	Manifest Assumption Id
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Spearman	11	11	True	Largest Not Rejected	Global In Sample	0.05	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Partial Shap", "Attention GradCAM", "Feature Attribution", "Saliency", "Input", "FullLRP"]	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Partial Shap", "Attention GradCAM", "Feature Attribution", "Saliency", "Input", "FullLRP"]	["{"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}]]	select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}]]	80045daad33b054ed1817f57fa47576d9cfad0727af0870477a5a7e2a589edc87823ef0d18	selection/imagenet100--ViT-B16/Spearman/80045Daad3Co674Ed1817F577A4757A08F07Bfb5752F45E57436E663722B2734	4c60d2988836b0ebc4e36d9cfad0727af0870477a5a7e2a589edc87823ef0d18	paper-assumptions-v1
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	11	11	True	Largest Not Rejected	Global In Sample	0.05	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Partial Shap", "Attention GradCAM", "Feature Attribution", "Saliency", "Input", "FullLRP"]	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Partial Shap", "Attention GradCAM", "Feature Attribution", "Saliency", "Input", "FullLRP"]	["{"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}]]	select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}, {"size":2,"select--value":0.002}]]	d8f42b59616240b19a049c493914185f160d52e03a654674a603c68648903d8b	selection/imagenet100--ViT-B16/Kendall/D8F42B596161A0B19A0497493914189Db60D52E03Ae54674A603C68648903D8B	e0a185596705c9dc4d436b89cd59a7e832268a3599a3dccc6a05ea67e5e044ec	paper-assumptions-v1

Table 11: ImageNet–ViT-B/16

Cell	Dataset	Model	Distance Model	Selected Size	Manifest Assumpti on Digest
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Spearman	11	1c7b548112db6d5428f6 de085c24e9480fb37feb 4de4f9cc49617c6493ae 9bad
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	11	1c7b548112db6d5428f6 de085c24e9480fb37feb 4de4f9cc49617c6493ae 9bad

Table 12: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R^s_F	R^s	R^s_C	R^s_R	R^s_F
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	5000	0.0838	0.095	0.1336	0.1426	0.0106	0.1072	0.0264	0.133	0.0058
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	5000	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	5000	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Spearman	5000	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	5000	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	5000	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	5000	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Spearman	5000	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	5000	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	5000	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	5000	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	5000	0.0838	0.095	0.1336	0.1426	0.0106	0.1072	0.0264	0.133	0.0058
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	5000	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	5000	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Kendall	5000	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	5000	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	5000	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	5000	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Kendall	5000	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	5000	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	5000	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	5000	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756

Table 13: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R^p_p	R^p_c	R^p_o	R^p_e	R^s_p	R^s_c	R^s_o	R^s_e	R^u_p	R^u_c	R^u_o
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	0.0742	0.0232	0.104	0.002	0.013	0.0078	0.0198	0.0224	0.0758	0.0334	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	0.1808	0.096	0.2214	0.024	0.066	0.0322	0.0812	0.0632	0.2696	0.0788	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	0.1808	0.096	0.2214	0.024	0.066	0.0322	0.0812	0.0632	0.2696	0.0788	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Spearman	0.1228	0.1014	0.1616	0.0266	0.04	0.0368	0.0544	0.0736	0.2438	0.095	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	0.1228	0.1014	0.1616	0.0266	0.04	0.0368	0.0544	0.0736	0.2438	0.095	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	0.1096	0.1036	0.1464	0.0324	0.0378	0.04	0.048	0.0714	0.2106	0.0926	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	0.1096	0.1036	0.1464	0.0324	0.0378	0.04	0.048	0.0714	0.2106	0.0926	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Spearman	0.132	0.1036	0.172	0.0308	0.0516	0.04	0.066	0.0696	0.238	0.0886	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	0.132	0.1036	0.172	0.0308	0.0516	0.04	0.066	0.0696	0.238	0.0886	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	0.1222	0.1018	0.1586	0.0342	0.0466	0.041	0.056	0.072	0.2358	0.0904	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	0.1222	0.1018	0.1586	0.0342	0.0466	0.041	0.056	0.072	0.2358	0.0904	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	0.0742	0.0232	0.104	0.002	0.013	0.0078	0.0198	0.0224	0.0758	0.0334	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	0.1808	0.096	0.2214	0.024	0.066	0.0322	0.0812	0.0632	0.2696	0.0788	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	0.1808	0.096	0.2214	0.024	0.066	0.0322	0.0812	0.0632	0.2696	0.0788	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Kendall	0.1228	0.1014	0.1616	0.0266	0.04	0.0368	0.0544	0.0736	0.2438	0.095	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	0.1228	0.1014	0.1616	0.0266	0.04	0.0368	0.0544	0.0736	0.2438	0.095	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	0.1096	0.1036	0.1464	0.0324	0.0378	0.04	0.048	0.0714	0.2106	0.0926	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	0.1096	0.1036	0.1464	0.0324	0.0378	0.04	0.048	0.0714	0.2106	0.0926	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Kendall	0.132	0.1036	0.172	0.0308	0.0516	0.04	0.066	0.0696	0.238	0.0886	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	0.132	0.1036	0.172	0.0308	0.0516	0.04	0.066	0.0696	0.238	0.0886	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	0.1222	0.1018	0.1586	0.0342	0.0466	0.041	0.056	0.072	0.2358	0.0904	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	0.1222	0.1018	0.1586	0.0342	0.0466	0.041	0.056	0.072	0.2358	0.0904	

Table 14: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R_s	Selected Sources
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	0.0766	57bb17968a060f98f694 a0b56eb36b9ca69d9868 afa0a3222bf4cffb4ce5 6b7e
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	0.2848	57bb17968a060f98f694 a0b56eb36b9ca69d9868 afa0a3222bf4cffb4ce5 6b7e
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	0.2848	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Spearman	0.2556	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	0.2556	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	0.2166	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	0.2166	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Spearman	0.2434	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	0.2434	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	0.2418	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	0.2418	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	0.0766	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	0.2848	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	0.2848	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Kendall	0.2556	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	0.2556	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	0.2166	57bb17968a060f98f694 a0b56eb36b9ca69d9868 afa0a3222bf4cffb4ce5 6b7e
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	0.2166	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Kendall	0.2434	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	0.2434	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	0.2418	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	0.2418	

Table 15: ImageNet-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R^s_F	R^s	R^s_C	R^s	R^s_F
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	5000	0.0838	0.095	0.1336	0.1426	0.0722	-0.2274	0.0822	-0.281	0.0546
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	5000	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	5000	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Spearman	5000	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	5000	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	5000	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	5000	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Spearman	5000	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	5000	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	5000	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	5000	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	5000	0.0838	0.095	0.1336	0.1426	0.0722	-0.2274	0.0822	-0.281	0.0546
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	5000	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	5000	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Kendall	5000	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	5000	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	5000	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	5000	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Kendall	5000	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	5000	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	5000	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756
ImageNet-ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	5000	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756

Table 16: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R^p_p	R^p_c	R^p_o	R^p_e	R^s_p	R^s_c	R^s_o	R^s_e	R^u_p	R^u_c	R^u_o	R^u_e
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	-0.1718	0.0664	-0.2234	0.0262	-0.0506	0.0186	-0.0772	0.0792	-0.2328	0.0932		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	-0.1808	0.096	-0.2214	0.024	-0.066	0.0322	-0.0812	0.0632	-0.2696	0.0788		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	-0.1808	0.096	-0.2214	0.024	-0.066	0.0322	-0.0812	0.0632	-0.2696	0.0788		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Spearman	-0.1228	0.1014	-0.1616	0.0266	-0.04	0.0368	-0.0544	0.0736	-0.2438	0.095		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	-0.1228	0.1014	-0.1616	0.0266	-0.04	0.0368	-0.0544	0.0736	-0.2438	0.095		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	-0.1096	0.1036	-0.1464	0.0324	-0.0378	0.04	-0.048	0.0714	-0.2106	0.0926		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	-0.1096	0.1036	-0.1464	0.0324	-0.0378	0.04	-0.048	0.0714	-0.2106	0.0926		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Spearman	-0.132	0.1036	-0.172	0.0308	-0.0516	0.04	-0.066	0.0696	-0.238	0.0886		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	-0.132	0.1036	-0.172	0.0308	-0.0516	0.04	-0.066	0.0696	-0.238	0.0886		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	-0.1222	0.1018	-0.1586	0.0342	-0.0466	0.041	-0.056	0.072	-0.2358	0.0904		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	-0.1222	0.1018	-0.1586	0.0342	-0.0466	0.041	-0.056	0.072	-0.2358	0.0904		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	-0.1718	0.0664	-0.2234	0.0262	-0.0506	0.0186	-0.0772	0.0792	-0.2328	0.0932		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	-0.1808	0.096	-0.2214	0.024	-0.066	0.0322	-0.0812	0.0632	-0.2696	0.0788		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	-0.1808	0.096	-0.2214	0.024	-0.066	0.0322	-0.0812	0.0632	-0.2696	0.0788		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Kendall	-0.1228	0.1014	-0.1616	0.0266	-0.04	0.0368	-0.0544	0.0736	-0.2438	0.095		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	-0.1228	0.1014	-0.1616	0.0266	-0.04	0.0368	-0.0544	0.0736	-0.2438	0.095		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	-0.1096	0.1036	-0.1464	0.0324	-0.0378	0.04	-0.048	0.0714	-0.2106	0.0926		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	-0.1096	0.1036	-0.1464	0.0324	-0.0378	0.04	-0.048	0.0714	-0.2106	0.0926		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Kendall	-0.132	0.1036	-0.172	0.0308	-0.0516	0.04	-0.066	0.0696	-0.238	0.0886		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	-0.132	0.1036	-0.172	0.0308	-0.0516	0.04	-0.066	0.0696	-0.238	0.0886		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	-0.1222	0.1018	-0.1586	0.0342	-0.0466	0.041	-0.056	0.072	-0.2358	0.0904		
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	-0.1222	0.1018	-0.1586	0.0342	-0.0466	0.041	-0.056	0.072	-0.2358	0.0904		

Table 17: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R^s C	F^s perurbed	F^s perurbed	C^s perurbed	C^s perurbed	F^s perurbed	F^s perurbed	C^s perurbed	C^s perurbed	F^s perurbed
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	-0.2414	0.156	0.3224	0.2158	0.4236	0.1384	0.2668	0.2	0.366	0.11
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	-0.2848	0.1416	0.3662	0.2136	0.465	0.1314	0.2982	0.1992	0.3958	0.0882
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	-0.2848	0.1416	0.3662	0.2136	0.465	0.1314	0.2982	0.1992	0.3958	0.0882
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Spearman	-0.2556	0.1264	0.4088	0.1928	0.5092	0.117	0.3484	0.1816	0.4482	0.0744
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	-0.2556	0.1264	0.4088	0.1928	0.5092	0.117	0.3484	0.1816	0.4482	0.0744
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	-0.2166	0.1346	0.4294	0.203	0.531	0.1264	0.378	0.1892	0.4782	0.0824
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	-0.2166	0.1346	0.4294	0.203	0.531	0.1264	0.378	0.1892	0.4782	0.0824
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Spearman	-0.2434	0.1372	0.4084	0.2074	0.5102	0.1282	0.3492	0.1928	0.4518	0.0846
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	-0.2434	0.1372	0.4084	0.2074	0.5102	0.1282	0.3492	0.1928	0.4518	0.0846
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	-0.2418	0.135	0.4054	0.2034	0.5078	0.1244	0.3558	0.1866	0.4552	0.083
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	-0.2418	0.135	0.4054	0.2034	0.5078	0.1244	0.3558	0.1866	0.4552	0.083
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	-0.2414	0.156	0.3224	0.2158	0.4236	0.1384	0.2668	0.2	0.366	0.11
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	-0.2848	0.1416	0.3662	0.2136	0.465	0.1314	0.2982	0.1992	0.3958	0.0882
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	-0.2848	0.1416	0.3662	0.2136	0.465	0.1314	0.2982	0.1992	0.3958	0.0882
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Kendall	-0.2556	0.1264	0.4088	0.1928	0.5092	0.117	0.3484	0.1816	0.4482	0.0744
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	-0.2556	0.1264	0.4088	0.1928	0.5092	0.117	0.3484	0.1816	0.4482	0.0744
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	-0.2166	0.1346	0.4294	0.203	0.531	0.1264	0.378	0.1892	0.4782	0.0824
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	-0.2166	0.1346	0.4294	0.203	0.531	0.1264	0.378	0.1892	0.4782	0.0824
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Kendall	-0.2434	0.1372	0.4084	0.2074	0.5102	0.1282	0.3492	0.1928	0.4518	0.0846
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	-0.2434	0.1372	0.4084	0.2074	0.5102	0.1282	0.3492	0.1928	0.4518	0.0846
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	-0.2418	0.135	0.4054	0.2034	0.5078	0.1244	0.3558	0.1866	0.4552	0.083
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	-0.2418	0.135	0.4054	0.2034	0.5078	0.1244	0.3558	0.1866	0.4552	0.083

Table 18: ImageNet–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	$F^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$F^s_{\text{perturbed}}$	$F^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	Selected Sources
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Spearman	0.1456	0.1522	0.2198	0.163	0.3278	0.2268	0.384	81fbe3ad271a7f8aea40 3c4a5cdafec0a30f2fb3 0352af70f8e0dbfb2f0c 46cc
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Spearman	0.1834	0.1354	0.2556	0.1274	0.387	0.182	0.4592	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Spearman	0.1834	0.1354	0.2556	0.1274	0.387	0.182	0.4592	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Spearman	0.2656	0.117	0.341	0.1214	0.4694	0.1752	0.5422	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Spearman	0.2656	0.117	0.341	0.1214	0.4694	0.1752	0.5422	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Spearman	0.3062	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Spearman	0.3062	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Spearman	0.2688	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Spearman	0.2688	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Spearman	0.2802	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Spearman	0.2802	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Best Individual	Best Individual	Kendall	0.1456	0.1522	0.2198	0.163	0.3278	0.2268	0.384	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	Naive	Kendall	0.1834	0.1354	0.2556	0.1274	0.387	0.182	0.4592	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Simple Averaging	NOISE	Kendall	0.1834	0.1354	0.2556	0.1274	0.387	0.182	0.4592	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	Naive	Kendall	0.2656	0.117	0.341	0.1214	0.4694	0.1752	0.5422	81fbe3ad271a7f8aea40 3c4a5cdafec0a30f2fb3 0352af70f8e0dbfb2f0c 46cc
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Borda	NOISE	Kendall	0.2656	0.117	0.341	0.1214	0.4694	0.1752	0.5422	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	Naive	Kendall	0.3062	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Kemeny	NOISE	Kendall	0.3062	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	Naive	Kendall	0.2688	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	RRF	NOISE	Kendall	0.2688	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	Naive	Kendall	0.2802	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	
ImageNet–ViT-B/16	ImageNet	ViT-B/16	ViT	Test	Schulze	NOISE	Kendall	0.2802	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	

Table 19: ImageNet-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Simple Averaging	F	quality	0.0852	clean__selected_best_individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Simple Averaging	Fbar	quality	0.0966	clean__selected_best_individual	0.095	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Simple Averaging	C	quality	0.132	clean__selected_best_individual	0.1336	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Simple Averaging	Cbar	quality	0.1484	clean__selected_best_individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Simple Averaging	R_F_g	robustness	0.0672	clean__selected_best_individual	0.0722	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.2204	clean__selected_best_individual	0.2274	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Simple Averaging	R_C_g	robustness	0.0826	clean__selected_best_individual	0.0822	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.2718	clean__selected_best_individual	0.281	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.0548	clean__selected_best_individual	0.0546	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.1706	clean__selected_best_individual	0.1718	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.0714	clean__selected_best_individual	0.0664	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.2192	clean__selected_best_individual	0.2234	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Simple Averaging	R_F_s	robustness	0.0234	clean__selected_best_individual	0.0262	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.0636	clean__selected_best_individual	0.0506	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Simple Averaging	R_C_s	robustness	0.0214	clean__selected_best_individual	0.0186	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.0818	clean__selected_best_individual	0.0772	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Simple Averaging	R_F_a	robustness	0.0772	clean__selected_best_individual	0.0792	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.198	clean__selected_best_individual	0.2328	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Simple Averaging	R_C_a	robustness	0.0934	clean__selected_best_individual	0.0932	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.2052	clean__selected_best_individual	0.2414	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Simple Averaging	F	quality	0.0852	naive_q11	0.0642	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Simple Averaging	Fbar	quality	0.0966	naive_q11	0.1174	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Simple Averaging	C	quality	0.132	naive_q11	0.1032	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Simple Averaging	Cbar	quality	0.1484	naive_q11	0.1744	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Simple Averaging	R_F_g	robustness	0.0672	naive_q11	0.0774	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.2204	naive_q11	0.2488	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Simple Averaging	R_C_g	robustness	0.0826	naive_q11	0.1104	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.2718	naive_q11	0.2906	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.0548	naive_q11	0.0672	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.1706	naive_q11	0.1808	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.0714	naive_q11	0.096	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.2192	naive_q11	0.2214	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Simple Averaging	R_F_s	robustness	0.0234	naive_q11	0.024	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.0636	naive_q11	0.066	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Simple Averaging	R_C_s	robustness	0.0214	naive_q11	0.0322	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.0818	naive_q11	0.0812	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Simple Averaging	R_F_a	robustness	0.0772	naive_q11	0.0632	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.198	naive_q11	0.2696	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Simple Averaging	R_C_a	robustness	0.0934	naive_q11	0.0788	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.2052	naive_q11	0.2848	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Simple Averaging	F	quality	0.0852	NOISE__spearman	0.0642	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Simple Averaging	Fbar	quality	0.0966	NOISE__spearman	0.1174	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Simple Averaging	C	quality	0.132	NOISE__spearman	0.1032	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Simple Averaging	Cbar	quality	0.1484	NOISE__spearman	0.1744	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Simple Averaging	R_F_g	robustness	0.0672	NOISE__ spearman	0.0774	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.2204	NOISE__ spearman	0.2488	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Simple Averaging	R_C_g	robustness	0.0826	NOISE__ spearman	0.1104	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.2718	NOISE__ spearman	0.2906	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.0548	NOISE__ spearman	0.0672	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.1706	NOISE__ spearman	0.1808	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.0714	NOISE__ spearman	0.096	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.2192	NOISE__ spearman	0.2214	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Simple Averaging	R_F_s	robustness	0.0234	NOISE__ spearman	0.024	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.0636	NOISE__ spearman	0.066	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Simple Averaging	R_C_s	robustness	0.0214	NOISE__ spearman	0.0322	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.0818	NOISE__ spearman	0.0812	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Simple Averaging	R_F_a	robustness	0.0772	NOISE__ spearman	0.0632	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.198	NOISE__ spearman	0.2696	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Simple Averaging	R_C_a	robustness	0.0934	NOISE__ spearman	0.0788	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.2052	NOISE__ spearman	0.2848	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Simple Averaging	F	quality	0.0852	NOISE__ kendall	0.0642	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Simple Averaging	Fbar	quality	0.0966	NOISE__ kendall	0.1174	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Simple Averaging	C	quality	0.132	NOISE__ kendall	0.1032	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Simple Averaging	Cbar	quality	0.1484	NOISE__ kendall	0.1744	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Simple Averaging	R_F_g	robustness	0.0672	NOISE__ kendall	0.0774	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.2204	NOISE__ kendall	0.2488	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Simple Averaging	R_C_g	robustness	0.0826	NOISE__ kendall	0.1104	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.2718	NOISE__ kendall	0.2906	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.0548	NOISE__ kendall	0.0672	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.1706	NOISE__ kendall	0.1808	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.0714	NOISE__ kendall	0.096	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.2192	NOISE__ kendall	0.2214	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Simple Averaging	R_F_s	robustness	0.0234	NOISE__ kendall	0.024	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.0636	NOISE__ kendall	0.066	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Simple Averaging	R_C_s	robustness	0.0214	NOISE__ kendall	0.0322	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.0818	NOISE__ kendall	0.0812	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Simple Averaging	R_F_a	robustness	0.0772	NOISE__ kendall	0.0632	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.198	NOISE__ kendall	0.2696	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Simple Averaging	R_C_a	robustness	0.0934	NOISE__ kendall	0.0788	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.2052	NOISE__ kendall	0.2848	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Borda	F	quality	0.0864	clean__ selected_best_individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Borda	Fbar	quality	0.0928	clean__ selected_best_individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Borda	C	quality	0.1352	clean__ selected_best_individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Borda	Cbar	quality	0.146	clean__ selected_best_individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Borda	R_F_g	robustness	0.073	clean__ selected_best_individual	0.0722	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.223	clean__ selected_best_individual	0.2274	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Borda	R_C_g	robustness	0.0846	clean__selected_best_individual	0.0822	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.272	clean__selected_best_individual	0.281	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Borda	R_F_p	robustness	0.0544	clean__selected_best_individual	0.0546	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.1684	clean__selected_best_individual	0.1718	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Borda	R_C_p	robustness	0.0684	clean__selected_best_individual	0.0664	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.2136	clean__selected_best_individual	0.2234	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Borda	R_F_s	robustness	0.0288	clean__selected_best_individual	0.0262	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.0616	clean__selected_best_individual	0.0506	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Borda	R_C_s	robustness	0.0252	clean__selected_best_individual	0.0186	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.081	clean__selected_best_individual	0.0772	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Borda	R_F_a	robustness	0.076	clean__selected_best_individual	0.0792	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.2034	clean__selected_best_individual	0.2328	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Borda	R_C_a	robustness	0.091	clean__selected_best_individual	0.0932	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.2096	clean__selected_best_individual	0.2414	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Borda	F	quality	0.0864	naive_q11	0.0478	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Borda	Fbar	quality	0.0928	naive_q11	0.2256	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Borda	C	quality	0.1352	naive_q11	0.0802	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Borda	Cbar	quality	0.146	naive_q11	0.2866	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Borda	R_F_g	robustness	0.073	naive_q11	0.0786	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.223	naive_q11	0.1832	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Borda	R_C_g	robustness	0.0846	naive_q11	0.1126	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.272	naive_q11	0.2226	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Borda	R_F_p	robustness	0.0544	naive_q11	0.0692	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.1684	naive_q11	0.1228	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Borda	R_C_p	robustness	0.0684	naive_q11	0.1014	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.2136	naive_q11	0.1616	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Borda	R_F_s	robustness	0.0288	naive_q11	0.0266	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.0616	naive_q11	0.04	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Borda	R_C_s	robustness	0.0252	naive_q11	0.0368	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.081	naive_q11	0.0544	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Borda	R_F_a	robustness	0.076	naive_q11	0.0736	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.2034	naive_q11	0.2438	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Borda	R_C_a	robustness	0.091	naive_q11	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.2096	naive_q11	0.2556	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Borda	F	quality	0.0864	NOISE__spearman	0.0478	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Borda	Fbar	quality	0.0928	NOISE__spearman	0.2256	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Borda	C	quality	0.1352	NOISE__spearman	0.0802	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Borda	Cbar	quality	0.146	NOISE__spearman	0.2866	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Borda	R_F_g	robustness	0.073	NOISE__spearman	0.0786	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.223	NOISE__spearman	0.1832	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Borda	R_C_g	robustness	0.0846	NOISE__spearman	0.1126	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.272	NOISE__spearman	0.2226	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Borda	R_F_p	robustness	0.0544	NOISE__spearman	0.0692	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.1684	NOISE__spearman	0.1228	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Borda	R_C_p	robustness	0.0684	NOISE__spearman	0.1014	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.2136	NOISE__spearman	0.1616	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Borda	R_F_s	robustness	0.0288	NOISE__spearman	0.0266	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.0616	NOISE__spearman	0.04	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Borda	R_C_s	robustness	0.0252	NOISE__spearman	0.0368	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.081	NOISE_spearman	0.0544	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Borda	R_F_a	robustness	0.076	NOISE_spearman	0.0736	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.2034	NOISE_spearman	0.2438	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Borda	R_C_a	robustness	0.091	NOISE_spearman	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.2096	NOISE_spearman	0.2556	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Borda	F	quality	0.0864	NOISE_kendall	0.0478	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Borda	Fbar	quality	0.0928	NOISE_kendall	0.2256	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Borda	C	quality	0.1352	NOISE_kendall	0.0802	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Borda	Cbar	quality	0.146	NOISE_kendall	0.2866	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Borda	R_F_g	robustness	0.073	NOISE_kendall	0.0786	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.223	NOISE_kendall	0.1832	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Borda	R_C_g	robustness	0.0846	NOISE_kendall	0.1126	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.272	NOISE_kendall	0.2226	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Borda	R_F_p	robustness	0.0544	NOISE_kendall	0.0692	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.1684	NOISE_kendall	0.1228	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Borda	R_C_p	robustness	0.0684	NOISE_kendall	0.1014	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.2136	NOISE_kendall	0.1616	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Borda	R_F_s	robustness	0.0288	NOISE_kendall	0.0266	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.0616	NOISE_kendall	0.04	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Borda	R_C_s	robustness	0.0252	NOISE_kendall	0.0368	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.081	NOISE_kendall	0.0544	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Borda	R_F_a	robustness	0.076	NOISE_kendall	0.0736	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.2034	NOISE_kendall	0.2438	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Borda	R_C_a	robustness	0.091	NOISE_kendall	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.2096	NOISE_kendall	0.2556	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Kemeny	F	quality	0.0864	clean_selected_best_individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Kemeny	Fbar	quality	0.0928	clean_selected_best_individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Kemeny	C	quality	0.1352	clean_selected_best_individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Kemeny	Cbar	quality	0.146	clean_selected_best_individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Kemeny	R_F_g	robustness	0.073	clean_selected_best_individual	0.0722	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.223	clean_selected_best_individual	0.2274	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Kemeny	R_C_g	robustness	0.0846	clean_selected_best_individual	0.0822	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.272	clean_selected_best_individual	0.281	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Kemeny	R_F_p	robustness	0.0544	clean_selected_best_individual	0.0546	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.1684	clean_selected_best_individual	0.1718	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Kemeny	R_C_p	robustness	0.0684	clean_selected_best_individual	0.0664	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.2136	clean_selected_best_individual	0.2234	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Kemeny	R_F_s	robustness	0.0288	clean_selected_best_individual	0.0262	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.0616	clean_selected_best_individual	0.0506	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference clean_ selected_best_ individual	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Kemeny	R_C_s	robustness	0.0252	clean_ selected_best_ individual	0.0186	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.081	clean_ selected_best_ individual	0.0772	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Kemeny	R_F_a	robustness	0.076	clean_ selected_best_ individual	0.0792	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.2034	clean_ selected_best_ individual	0.2328	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Kemeny	R_C_a	robustness	0.091	clean_ selected_best_ individual	0.0932	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.2096	clean_ selected_best_ individual	0.2414	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Kemeny	F	quality	0.0864	naive_q11	0.05	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Kemeny	Fbar	quality	0.0928	naive_q11	0.2684	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Kemeny	C	quality	0.1352	naive_q11	0.0856	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Kemeny	Cbar	quality	0.146	naive_q11	0.3318	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Kemeny	R_F_g	robustness	0.073	naive_q11	0.0846	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.223	naive_q11	0.161	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Kemeny	R_C_g	robustness	0.0846	naive_q11	0.1174	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.272	naive_q11	0.1992	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Kemeny	R_F_p	robustness	0.0544	naive_q11	0.0764	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.1684	naive_q11	0.1096	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Kemeny	R_C_p	robustness	0.0684	naive_q11	0.1036	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.2136	naive_q11	0.1464	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Kemeny	R_F_s	robustness	0.0288	naive_q11	0.0324	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.0616	naive_q11	0.0378	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Kemeny	R_C_s	robustness	0.0252	naive_q11	0.04	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.081	naive_q11	0.048	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Kemeny	R_F_a	robustness	0.076	naive_q11	0.0714	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.2034	naive_q11	0.2106	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Kemeny	R_C_a	robustness	0.091	naive_q11	0.0926	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.2096	naive_q11	0.2166	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Kemeny	F	quality	0.0864	NOISE_ spearman	0.05	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Kemeny	Fbar	quality	0.0928	NOISE_ spearman	0.2684	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Kemeny	C	quality	0.1352	NOISE_ spearman	0.0856	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Kemeny	Cbar	quality	0.146	NOISE_ spearman	0.3318	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Kemeny	R_F_g	robustness	0.073	NOISE_ spearman	0.0846	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.223	NOISE_ spearman	0.161	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Kemeny	R_C_g	robustness	0.0846	NOISE_ spearman	0.1174	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.272	NOISE_ spearman	0.1992	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Kemeny	R_F_p	robustness	0.0544	NOISE_ spearman	0.0764	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.1684	NOISE_ spearman	0.1096	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Kemeny	R_C_p	robustness	0.0684	NOISE_ spearman	0.1036	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.2136	NOISE_ spearman	0.1464	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Kemeny	R_F_s	robustness	0.0288	NOISE_ spearman	0.0324	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.0616	NOISE_ spearman	0.0378	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Kemeny	R_C_s	robustness	0.0252	NOISE_ spearman	0.04	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.081	NOISE_ spearman	0.048	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Kemeny	R_F_a	robustness	0.076	NOISE_ spearman	0.0714	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.2034	NOISE_ spearman	0.2106	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Kemeny	R_C_a	robustness	0.091	NOISE_ spearman	0.0926	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.2096	NOISE_ spearman	0.2166	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Kemeny	F	quality	0.0864	NOISE_ kendall	0.05	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Kemeny	Fbar	quality	0.0928	NOISE_ kendall	0.2684	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Kemeny	C	quality	0.1352	NOISE_ kendall	0.0856	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Kemeny	Cbar	quality	0.146	NOISE_ kendall	0.3318	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Kemeny	R_F_g	robustness	0.073	NOISE_ kendall	0.0846	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.223	NOISE_ kendall	0.161	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Kemeny	R_C_g	robustness	0.0846	NOISE_kendall	0.1174	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.272	NOISE_kendall	0.1992	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Kemeny	R_F_p	robustness	0.0544	NOISE_kendall	0.0764	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.1684	NOISE_kendall	0.1096	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Kemeny	R_C_p	robustness	0.0684	NOISE_kendall	0.1036	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.2136	NOISE_kendall	0.1464	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Kemeny	R_F_s	robustness	0.0288	NOISE_kendall	0.0324	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.0616	NOISE_kendall	0.0378	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Kemeny	R_C_s	robustness	0.0252	NOISE_kendall	0.04	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.081	NOISE_kendall	0.048	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Kemeny	R_F_a	robustness	0.076	NOISE_kendall	0.0714	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.2034	NOISE_kendall	0.2106	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Kemeny	R_C_a	robustness	0.091	NOISE_kendall	0.0926	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.2096	NOISE_kendall	0.2166	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	RRF	F	quality	0.0872	clean_selected_best_individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	RRF	Fbar	quality	0.092	clean_selected_best_individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	RRF	C	quality	0.1356	clean_selected_best_individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	RRF	Cbar	quality	0.1442	clean_selected_best_individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	RRF	R_F_g	robustness	0.0736	clean_selected_best_individual	0.0722	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.2246	clean_selected_best_individual	0.2274	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	RRF	R_C_g	robustness	0.0862	clean_selected_best_individual	0.0822	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.2736	clean_selected_best_individual	0.281	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	RRF	R_F_p	robustness	0.0526	clean_selected_best_individual	0.0546	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.1692	clean_selected_best_individual	0.1718	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	RRF	R_C_p	robustness	0.0676	clean_selected_best_individual	0.0664	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.2162	clean_selected_best_individual	0.2234	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	RRF	R_F_s	robustness	0.026	clean_selected_best_individual	0.0262	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.0642	clean_selected_best_individual	0.0506	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	RRF	R_C_s	robustness	0.0224	clean_selected_best_individual	0.0186	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.0828	clean_selected_best_individual	0.0772	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	RRF	R_F_a	robustness	0.0764	clean_selected_best_individual	0.0792	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.204	clean_selected_best_individual	0.2328	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	RRF	R_C_a	robustness	0.0902	clean_selected_best_individual	0.0932	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.2102	clean_selected_best_individual	0.2414	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	RRF	F	quality	0.0872	naive_q11	0.0538	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	RRF	Fbar	quality	0.092	naive_q11	0.2172	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	RRF	C	quality	0.1356	naive_q11	0.0892	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	RRF	Cbar	quality	0.1442	naive_q11	0.2798	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint	Value	Reference	Reference	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	RRF	R_F_g	robustness	0.0736	naive_q11	0.0834	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.2246	naive_q11	0.1912	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	RRF	R_C_g	robustness	0.0862	naive_q11	0.1182	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.2736	naive_q11	0.2304	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	RRF	R_F_p	robustness	0.0526	naive_q11	0.0744	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.1692	naive_q11	0.132	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	RRF	R_C_p	robustness	0.0676	naive_q11	0.1036	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.2162	naive_q11	0.172	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	RRF	R_F_s	robustness	0.026	naive_q11	0.0308	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.0642	naive_q11	0.0516	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	RRF	R_C_s	robustness	0.0224	naive_q11	0.04	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.0828	naive_q11	0.066	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	RRF	R_F_a	robustness	0.0764	naive_q11	0.0696	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.204	naive_q11	0.238	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	RRF	R_C_a	robustness	0.0902	naive_q11	0.0886	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.2102	naive_q11	0.2434	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	RRF	F	quality	0.0872	NOISE_spearman	0.0538	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	RRF	Fbar	quality	0.092	NOISE_spearman	0.2172	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	RRF	C	quality	0.1356	NOISE_spearman	0.0892	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	RRF	Cbar	quality	0.1442	NOISE_spearman	0.2798	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	RRF	R_F_g	robustness	0.0736	NOISE_spearman	0.0834	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.2246	NOISE_spearman	0.1912	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	RRF	R_C_g	robustness	0.0862	NOISE_spearman	0.1182	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.2736	NOISE_spearman	0.2304	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	RRF	R_F_p	robustness	0.0526	NOISE_spearman	0.0744	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.1692	NOISE_spearman	0.132	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	RRF	R_C_p	robustness	0.0676	NOISE_spearman	0.1036	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.2162	NOISE_spearman	0.172	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	RRF	R_F_s	robustness	0.026	NOISE_spearman	0.0308	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.0642	NOISE_spearman	0.0516	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	RRF	R_C_s	robustness	0.0224	NOISE_spearman	0.04	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.0828	NOISE_spearman	0.066	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	RRF	R_F_a	robustness	0.0764	NOISE_spearman	0.0696	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.204	NOISE_spearman	0.238	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	RRF	R_C_a	robustness	0.0902	NOISE_spearman	0.0886	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.2102	NOISE_spearman	0.2434	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	RRF	F	quality	0.0872	NOISE_kendall	0.0538	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	RRF	Fbar	quality	0.092	NOISE_kendall	0.2172	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	RRF	C	quality	0.1356	NOISE_kendall	0.0892	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	RRF	Cbar	quality	0.1442	NOISE_kendall	0.2798	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	RRF	R_F_g	robustness	0.0736	NOISE_kendall	0.0834	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.2246	NOISE_kendall	0.1912	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	RRF	R_C_g	robustness	0.0862	NOISE_kendall	0.1182	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.2736	NOISE_kendall	0.2304	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	RRF	R_F_p	robustness	0.0526	NOISE_kendall	0.0744	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.1692	NOISE_kendall	0.132	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	RRF	R_C_p	robustness	0.0676	NOISE_kendall	0.1036	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.2162	NOISE_kendall	0.172	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	RRF	R_F_s	robustness	0.026	NOISE_kendall	0.0308	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.0642	NOISE_kendall	0.0516	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	RRF	R_C_s	robustness	0.0224	NOISE_kendall	0.04	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.0828	NOISE_kendall	0.066	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	RRF	R_F_a	robustness	0.0764	NOISE_kendall	0.0696	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.204	NOISE_kendall	0.238	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	RRF	R_C_a	robustness	0.0902	NOISE_kendall	0.0886	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.2102	NOISE_kendall	0.2434	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Schulze	F	quality	0.0864	clean_selected_best_individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Schulze	Fbar	quality	0.0928	clean_selected_best_individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Schulze	C	quality	0.1352	clean_selected_best_individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Schulze	Cbar	quality	0.146	clean_selected_best_individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Schulze	R_F_g	robustness	0.073	clean_selected_best_individual	0.0722	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.223	clean_selected_best_individual	0.2274	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Schulze	R_C_g	robustness	0.0846	clean_selected_best_individual	0.0822	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.272	clean_selected_best_individual	0.281	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Schulze	R_F_p	robustness	0.0544	clean_selected_best_individual	0.0546	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.1684	clean_selected_best_individual	0.1718	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Schulze	R_C_p	robustness	0.0684	clean_selected_best_individual	0.0664	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.2136	clean_selected_best_individual	0.2234	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Schulze	R_F_s	robustness	0.0288	clean_selected_best_individual	0.0262	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.0616	clean_selected_best_individual	0.0506	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Schulze	R_C_s	robustness	0.0252	clean_selected_best_individual	0.0186	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.081	clean_selected_best_individual	0.0772	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Schulze	R_F_a	robustness	0.076	clean_selected_best_individual	0.0792	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.2034	clean_selected_best_individual	0.2328	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Schulze	R_C_a	robustness	0.091	clean_selected_best_individual	0.0932	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.2096	clean_selected_best_individual	0.2414	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Schulze	F	quality	0.0864	naive_q11	0.0488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Schulze	Fbar	quality	0.0928	naive_q11	0.2336	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Schulze	C	quality	0.1352	naive_q11	0.0848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Schulze	Cbar	quality	0.146	naive_q11	0.2966	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Schulze	R_F_g	robustness	0.073	naive_q11	0.0862	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.223	naive_q11	0.1718	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Schulze	R_C_g	robustness	0.0846	naive_q11	0.1186	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.272	naive_q11	0.2112	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Schulze	R_F_p	robustness	0.0544	naive_q11	0.0756	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.1684	naive_q11	0.1222	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Schulze	R_C_p	robustness	0.0684	naive_q11	0.1018	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.2136	naive_q11	0.1586	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Schulze	R_F_s	robustness	0.0288	naive_q11	0.0342	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.0616	naive_q11	0.0466	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Schulze	R_C_s	robustness	0.0252	naive_q11	0.041	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.081	naive_q11	0.056	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Schulze	R_F_a	robustness	0.076	naive_q11	0.072	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.2034	naive_q11	0.2358	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Schulze	R_C_a	robustness	0.091	naive_q11	0.0904	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.2096	naive_q11	0.2418	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Schulze	F	quality	0.0864	NOISE_spearman	0.0488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Schulze	Fbar	quality	0.0928	NOISE_spearman	0.2336	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Schulze	C	quality	0.1352	NOISE_spearman	0.0848	max	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Schulze	Cbar	quality	0.146	NOISE_ spearman	0.2966	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Schulze	R_F_g	robustness	0.073	NOISE_ spearman	0.0862	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.223	NOISE_ spearman	0.1718	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Schulze	R_C_g	robustness	0.0846	NOISE_ spearman	0.1186	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.272	NOISE_ spearman	0.2112	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Schulze	R_F_p	robustness	0.0544	NOISE_ spearman	0.0756	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.1684	NOISE_ spearman	0.1222	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Schulze	R_C_p	robustness	0.0684	NOISE_ spearman	0.1018	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.2136	NOISE_ spearman	0.1586	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Schulze	R_F_s	robustness	0.0288	NOISE_ spearman	0.0342	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.0616	NOISE_ spearman	0.0466	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Schulze	R_C_s	robustness	0.0252	NOISE_ spearman	0.041	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.081	NOISE_ spearman	0.056	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Schulze	R_F_a	robustness	0.076	NOISE_ spearman	0.072	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.2034	NOISE_ spearman	0.2358	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Schulze	R_C_a	robustness	0.091	NOISE_ spearman	0.0904	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.2096	NOISE_ spearman	0.2418	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Schulze	F	quality	0.0864	NOISE_ kendall	0.0488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Schulze	Fbar	quality	0.0928	NOISE_ kendall	0.2336	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Schulze	C	quality	0.1352	NOISE_ kendall	0.0848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Schulze	Cbar	quality	0.146	NOISE_ kendall	0.2966	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Schulze	R_F_g	robustness	0.073	NOISE_ kendall	0.0862	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.223	NOISE_ kendall	0.1718	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Schulze	R_C_g	robustness	0.0846	NOISE_ kendall	0.1186	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.272	NOISE_ kendall	0.2112	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Schulze	R_F_p	robustness	0.0544	NOISE_ kendall	0.0756	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.1684	NOISE_ kendall	0.1222	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Schulze	R_C_p	robustness	0.0684	NOISE_ kendall	0.1018	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.2136	NOISE_ kendall	0.1586	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Schulze	R_F_s	robustness	0.0288	NOISE_ kendall	0.0342	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.0616	NOISE_ kendall	0.0466	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Schulze	R_C_s	robustness	0.0252	NOISE_ kendall	0.041	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.081	NOISE_ kendall	0.056	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Schulze	R_F_a	robustness	0.076	NOISE_ kendall	0.072	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.2034	NOISE_ kendall	0.2358	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Schulze	R_C_a	robustness	0.091	NOISE_ kendall	0.0904	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.2096	NOISE_ kendall	0.2418	min	Better

Table 20: ImageNet-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	Methods	F	$\bar{F}$	C	$\bar{C}$	R^p_{Chefer}	R^p_{Tran}	$R^p_{\text{Transformer}}$	R^p_{Rollout}	R^p_{Gradient}	$R^p_{\text{Attention}}$	$R^p_{\text{Attribution}}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	Dual Geometry Noise	2	["Gradient Attribution", "CheferTranformer Attribution"]	0.0852	0.0966	0.132	0.1484	0.0672	0.2204	0.0826	0.2718	0.0548	0.1706	0.0714
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Borda	Dual Geometry Noise	2	["Gradient Attribution", "CheferTranformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	0.223	0.0846	0.272	0.0544	0.1684	0.0684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kemeny	Dual Geometry Noise	2	["Gradient Attribution", "CheferTranformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	0.223	0.0846	0.272	0.0544	0.1684	0.0684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	RRF	Dual Geometry Noise	2	["Gradient Attribution", "CheferTranformer Attribution"]	0.0872	0.092	0.1356	0.1442	0.0736	0.2246	0.0862	0.2736	0.0526	0.1692	0.0676
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Schulze	Dual Geometry Noise	2	["Gradient Attribution", "CheferTranformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	0.223	0.0846	0.272	0.0544	0.1684	0.0684

Table 21: ImageNet–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	$R_{\mathcal{D}}^*$	$R_{\mathcal{D}}^*$	R_E^*	$R_{\mathcal{C}}^*$	$R_{\mathcal{D}}^*$	$R_{\mathcal{C}}^*$	R_E^*	$R_{\mathcal{C}}^*$	$R_{\mathcal{D}}^*$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	Dual Geometry Noise	2	0.2192	0.0234	0.0636	0.0214	0.0818	0.0772	0.198	0.0934	0.2052
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	Dual Geometry Noise	2	0.2136	0.0288	0.0616	0.0252	0.081	0.076	0.2034	0.091	0.2096
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	Dual Geometry Noise	2	0.2136	0.0288	0.0616	0.0252	0.081	0.076	0.2034	0.091	0.2096
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	Dual Geometry Noise	2	0.2162	0.026	0.0642	0.0224	0.0828	0.0764	0.204	0.0902	0.2102
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	Dual Geometry Noise	2	0.2136	0.0288	0.0616	0.0252	0.081	0.076	0.2034	0.091	0.2096

Table 22: ImageNet–ViT-B/16

Group Dimension	Group Value	Measure	Endpoints	Excluded Zero Clean Boundaries	Wins	Ties	Losses	Win Rate	Mean NOISE	Mean NAIVE	Mean Difference	Median Difference
Overall	All	A	640	0	469	39	132	0.732812	0.452892	0.426762	0.02613	0.013929
Overall	All	Q	640	0	127	310	203	0.198437	0.843397	0.846121	-0.002724	0
Overall	All	G	640	0	425	30	185	0.664062	0.590378	0.572137	0.018241	0.012502
Geometry	NOISE-K	A	320	0	214	23	83	0.66875	0.447236	0.426762	0.020475	0.011605
Geometry	NOISE-K	Q	320	0	49	155	116	0.153125	0.839543	0.846121	-0.006578	0
Geometry	NOISE-K	G	320	0	192	16	112	0.6	0.585161	0.572137	0.013024	0.008906
Geometry	NOISE-S	A	320	0	255	16	49	0.796875	0.458548	0.426762	0.031786	0.016326
Geometry	NOISE-S	Q	320	0	78	155	87	0.24375	0.847252	0.846121	0.001131	0
Geometry	NOISE-S	G	320	0	233	14	73	0.728125	0.595595	0.572137	0.023458	0.01612
Cell	DermaMNIST-ResNet-18	A	160	0	104	18	38	0.65	0.413823	0.406371	0.007452	0.006916
Cell	DermaMNIST-ResNet-18	Q	160	0	22	90	48	0.1375	0.793295	0.803071	-0.009776	0
Cell	DermaMNIST-ResNet-18	G	160	0	84	16	60	0.525	0.558124	0.552566	0.005558	0.00359
Cell	DermaMNIST-ViT-B/16	A	160	0	70	20	70	0.4375	0.470379	0.469939	0.00044	0
Cell	DermaMNIST-ViT-B/16	Q	160	0	27	60	73	0.16875	0.877105	0.884256	-0.007151	0
Cell	DermaMNIST-ViT-B/16	G	160	0	55	13	92	0.34375	0.599925	0.600957	-0.001032	-0.000538
Cell	ImageNet-ResNet-18	A	160	0	137	0	23	0.85625	0.496722	0.469438	0.027284	0.031843
Cell	ImageNet-ResNet-18	Q	160	0	39	80	41	0.24375	0.812409	0.814995	-0.002586	0
Cell	ImageNet-ResNet-18	G	160	0	128	0	32	0.8	0.628333	0.611403	0.016929	0.022846
Cell	ImageNet-ViT-B/16	A	160	0	158	1	1	0.9875	0.430644	0.3613	0.069345	0.044877
Cell	ImageNet-ViT-B/16	Q	160	0	39	80	41	0.24375	0.890781	0.882162	0.008618	0
Cell	ImageNet-ViT-B/16	G	160	0	158	1	1	0.9875	0.575131	0.523623	0.051508	0.046306
Rule	Borda	A	128	0	93	8	27	0.726562	0.453264	0.425375	0.027889	0.016037
Rule	Borda	Q	128	0	25	62	41	0.195312	0.845777	0.848649	-0.002873	0
Rule	Borda	G	128	0	85	8	35	0.664062	0.590026	0.570834	0.019192	0.015577
Rule	Kemeny	A	128	0	104	8	16	0.8125	0.461085	0.425041	0.036044	0.021968
Rule	Kemeny	Q	128	0	20	62	46	0.15625	0.848248	0.852649	-0.004401	0
Rule	Kemeny	G	128	0	94	7	27	0.734375	0.597992	0.573777	0.024215	0.018785
Rule	RRF	A	128	0	95	9	24	0.742188	0.459029	0.430432	0.028598	0.019214
Rule	RRF	Q	128	0	27	62	39	0.210938	0.845835	0.848603	-0.002768	0
Rule	RRF	G	128	0	87	7	34	0.679688	0.595753	0.575579	0.020174	0.016809
Rule	Schulze	A	128	0	99	6	23	0.773438	0.457597	0.427735	0.029862	0.015907
Rule	Schulze	Q	128	0	24	62	42	0.1875	0.844968	0.848161	-0.003193	0
Rule	Schulze	G	128	0	86	5	37	0.671875	0.594291	0.57383	0.020461	0.019537
Rule	Simple Averaging	A	128	0	78	8	42	0.609375	0.433484	0.425226	0.008257	0.001855
Rule	Simple Averaging	Q	128	0	31	62	35	0.242188	0.83216	0.832543	-0.000383	0
Rule	Simple Averaging	G	128	0	73	3	52	0.570312	0.573829	0.566666	0.007162	0.001469
Metric	C	A	160	0	130	5	25	0.8125	0.235397	0.220297	0.015101	0.011985
Metric	C	Q	160	0	26	80	54	0.1625	0.766951	0.77309	-0.006139	0
Metric	C	G	160	0	107	1	52	0.66875	0.411791	0.398947	0.012845	0.012893
Metric	Cbar	A	160	0	120	8	32	0.75	0.572949	0.531761	0.041188	0.0281
Metric	Cbar	Q	160	0	43	50	67	0.26875	0.845468	0.849271	-0.003803	0
Metric	Cbar	G	160	0	109	6	45	0.68125	0.686305	0.661284	0.025021	0.01781
Metric	F	A	160	0	120	5	35	0.75	0.243922	0.227401	0.016522	0.01198
Metric	F	Q	160	0	21	100	39	0.13125	0.857996	0.862183	-0.004187	0
Metric	F	G	160	0	113	2	45	0.70625	0.436868	0.421013	0.015856	0.013696
Metric	Fbar	A	160	0	99	21	40	0.61875	0.7593	0.72759	0.03171	0.004836
Metric	Fbar	Q	160	0	37	80	43	0.23125	0.903175	0.89994	0.003234	0
Metric	Fbar	G	160	0	96	21	43	0.6	0.826548	0.807306	0.019242	0.003817
Noise	A	A	160	0	143	3	14	0.89375	0.391845	0.352173	0.039672	0.019188
Noise	A	Q	160	0	65	60	35	0.40625	0.763842	0.747725	0.016117	0
Noise	A	G	160	0	132	0	28	0.825	0.521881	0.487109	0.034682	0.023838
Noise	G	A	160	0	106	13	41	0.6625	0.458924	0.439154	0.01977	0.007812
Noise	G	Q	160	0	22	80	58	0.1375	0.807618	0.81805	-0.010431	0
Noise	G	G	160	0	94	11	55	0.5875	0.584233	0.573649	0.010584	0.00565
Noise	P	A	160	0	106	16	38	0.6625	0.465449	0.445013	0.020436	0.004444
Noise	P	Q	160	0	20	80	60	0.125	0.847572	0.856296	-0.008724	0
Noise	P	G	160	0	90	13	57	0.5625	0.599936	0.588599	0.011337	0.001782
Noise	S	A	160	0	114	7	39	0.7125	0.495349	0.470707	0.024642	0.0181
Noise	S	Q	160	0	20	90	50	0.125	0.954557	0.962414	-0.007856	0
Noise	S	G	160	0	109	6	45	0.68125	0.655462	0.639101	0.016361	0.01453

Table 23: ImageNet–ViT-B/16

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparis on Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	0d64a16068 14863fdb0e b4034ee3e2 270a5e0ea6 6fd94c06ad b9954c936c a65d	c7d7be9190 133c853930 5fd2d69ea 13cb4c9075 a1ee81eb33 2af0ef815d 2c69	7464bbdd7a 81f09c6d31 3c7eb3a313 efda2e4164 335da8fcb5 f8b984b861 e50f	Spearman	NOISE-S	Simple Averaging	g	0.172476	0.160254	0.012223	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	567067e0dd 69f65be1ff e23e40ef28 92374e7727 750496ff4c 43f2faacfc 4482	b2b877cc8b 18fd91b2ea fe298c7cf2 9c14b5fd71 7c22dbb943 42b2b3d00b 492e	6fe978b730 78c35204ce c4a8b7725b 11daa2ebc8 68978bbaff 43f2fa34cb c59c	Spearman	NOISE-S	Simple Averaging	g	0.64124	0.585559	0.055681	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	ed7a2d3bd8 f0eb533c4f ae25bd2136 cf0d43425f 42cc84cb06 a72dbbce9f 2d4c	a8188879db abcadfa886 b1bc598958 ede50d0224 e53b06dafb ae49d89ee5 0a91	840eb84c76 a51ec9776d 7b4cd8c942 bb65845058 864864f08e f7cd9fefe2 a125	Spearman	NOISE-S	Simple Averaging	g	0.2146	0.2136	0.001	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	730f0524b5 300fd83353 c92487a081 13af45c14c 532f092248 7c3582f381 ab50	015448e5f5 6021f44159 9945df8b42 52cc76db79 c6adef0ede b7e6c8fcc9 5edd	a1840e5974 770f55b5b 9cf059c0ed 2d3b92b670 621facceb5 7ca051ac0b 6a32	Spearman	NOISE-S	Simple Averaging	g	0.5798	0.535	0.0448	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	a6af76bec9 661d824146 5977e288bf 4b7812b47a c54128d081 5f50fb8c9e 6e54	71827748ae c9de924da6 118cdad7f5 91d54cd93f 6cf6c2bf4e fb49ff680d 039e	c0930110a3 b3314302aa 2399dd1d65 9585c00a33 47fd75e92d bdcc4acflc 1582	Spearman	NOISE-S	Simple Averaging	p	0.158014	0.148307	0.009707	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	2432e3c014 d54a37b91b ca36b4ac74 50fe0d6ea3 1592688b1c f87818a03c 9bf3	5b2763e35a 2b7694fe8c 476887fc75 e7b93ef527 6ea9f19f8f c2a30e5dfd 3be4	ae0c5737a6 3ce49b8ad5 a3b64a6b0c d4c1fd4737 9ab4d0a00e fb07eebb1 f7df	Spearman	NOISE-S	Simple Averaging	p	0.69842	0.663431	0.034989	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	1e016111cf a60fa233a9 f9cdfeb7b4 75c103c76a 44f23fd990 e52dfb97b1 a0b4	ac8934f9ce 7c1dded0f2 53d10f8107 80215339e3 344f3cb3b3 e386a18528 0566	edf6b68c9f 8caa93f60b 9f37c7af20 d225224baa 717fadcb29 f8199a223 ba45	Spearman	NOISE-S	Simple Averaging	p	0.2034	0.1992	0.0042	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	aeaeab7106a 4267e9bc85 2fa842ba09 ad8628fb9b d935179b14 e5f819d73b 2a2c	f72413040e a2951fda4c d0a79bcc56 6f292a5557 cf15eb1c14 073d5f7f53 60bd	e0043f849f e560350cdb 4ed7710520 05b06a9d1f 81c63a78bc 958adbe4e7 eeb8	Spearman	NOISE-S	Simple Averaging	p	0.6324	0.6042	0.0282	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	d866d4c4b2 09c7c1600f a97ffd8a92 6a8b9db9bd b2c5e6deba 7cce5807a6 0b45	7351700f28 87adfc82a1 da9d17cb46 73b531640e 2ff0c93914 c88a8984fb e213	d736ef7833 044480724a e4d2b62db9 6c07afb0a7 5355ea22fd 5a8b8d2c9f 31af	Spearman	NOISE-S	Simple Averaging	s	0.119709	0.097222	0.022487	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	4320decc428 846ac0060 75311c309c 5c38fe0c92 a07a52303d 7e5fb45978 1de3	3a30dfe910 766bc89880 d669395295 a2fa4329f7 8e5bbe45a9 1f25027359 9d98	fb6fda38da a6772bfdf5 8169224bc3 e205485127 20b2f54857 8807ce2489 57b0	Spearman	NOISE-S	Simple Averaging	s	0.823413	0.79784	0.025573	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	75d1874a8e 65ad3a6483 0a9f64c3a1 899e5e6af9 3284122990 8fdcac32af 333a	83ac9725a2 72e7d92967 8c15901411 0324130001 7697a2d764 371ba8da14 a566	cca3f7da11 93d5976caf 85a17fe2c 2332b3a0ae ae269f563d 54dc869566 9253	Spearman	NOISE-S	Simple Averaging	s	0.1534	0.1354	0.018	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	dcc3cb61e7 3e0c4dd58a 291a309acf 9b08d518f9 fac12c5e94 76ee54b701 2099	0edb78b0f2 553fle0087 6e4ac4c62e 058bed00df ce66224bd6 267e22f611 91d5	f2a5584c35 a0f95f370d b88d19b97a 5ca8cc2cc4 351eab9c80 023b81a856 ab16	Spearman	NOISE-S	Simple Averaging	s	0.7698	0.7444	0.0254	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	e874e200aeb5794fb47db364b62f1d139081e0d02fb6e91136bbe131c071767	da6218e1ca914dabab7e09506f3574188ca2cc805171c489abca2f008f4c72bf0	10a6b46d3d269ec0dd92527c697873c44227d296eb87de8abca07d5050d6ca5	Spearman	NOISE-S	Simple Averaging	a	0.1777538	0.139448	0.03831	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	ad8742b1f6165d47b152b2d86541f50cdad44fe035b638169d174daa6b77883	09c76a75f783cb057c2404742390381683e7d595e5f612c0a6d6f9a9cfe9beeb	a4217beb42a0933fed34808df8394fdc346c704f3a08fe6d373e02bc9ba58ef	Spearman	NOISE-S	Simple Averaging	a	0.677539	0.576401	0.101138	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	9fb1d70c4211fa6c49a0b37929fc341ff21b98c33a5127b2cea380ae61934	449fa841276bc44b31184b1da2e9bb332943a511b58494dd738b2c82e4da02a9	9c46513c8dd42b2feeb5c60e8b1e46e997910a59e5c12ef6faefc98ec3d94b43f99cbbbd98	Spearman	NOISE-S	Simple Averaging	a	0.2254	0.182	0.0434	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	b0e218609c7779e21cd8e82b2b2479161e91ded2b016f9e12e994ad46bce6845b0c911acd3	c0779e21cd8e82b2b2479161e91ded2b016f9e12e994ad46bce6845b0c911acd3	047f6e7af12b6c324fb281cca8087206ee462452bd147a13c792a56beb4c8129	Spearman	NOISE-S	Simple Averaging	a	0.4644	0.5408	0.1056	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	ad66b3d1339985ef92bfad81ade2d8bc184305c276d47d30685568d191dbeaa	33972727889b7364d0d361b3a7b6b897c248782ae4ecf275578ee10cf28171e7	d42b2feeb5c60e8b1e46e997910a59e5c12ef6faefc98ec3d94b43f99cbbbd98	Spearman	NOISE-S	Borda	g	0.180398	0.143051	0.037347	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	26bbf9dcea16eebf3ffa3bba240c7ffe0ba19aeb13b0d4f3139444227e634b3	b126fb6a84b2a821f2538c23c4d004d25d319e6fb0164f3e624c14e5ff4dabde	2dd483e94b1a46916158d64cba8b6fd6430b11218e3cb4eb094a5a6c405f6cda	Spearman	NOISE-S	Borda	g	0.642598	0.537347	0.105251	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	8442d18ad7facb87f1c36110849b662a34e4ff0d11a0c0648926a407240c613c	5801c1d681c68f463d306dfd77edc71e5bdcf3caeb48083a536682b9731141f0	b99ac91a9f9fd377edc5b2f003ea410455a70712c1cd579462651765fa3c452d	Spearman	NOISE-S	Borda	g	0.2198	0.1928	0.027	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	6dda25c770e742d10438bc4a2c2d8ec1ad468e00c1fb34e46c60c7261b0aa726	6352a8d2338040193145e296b1436081b14b3967459d13f0721d7b130503b726	1f2cf08042d47b4729168fbbba35e7cfce7b525c6843387e633644daae96b7e7	Spearman	NOISE-S	Borda	g	0.582	0.4908	0.0912	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	6c994ad9b61591a7639d67dcd0932cb06587ef37307c5f54905b345f3db3e2f	bcbdbfc282743397ee2ff80e957f59c3ed7bf06f469433199653f24bc058d273	c40f8f81983bf7a34baccef25dc2931014a65464bbb481e6af8cdfb48b00d042	Spearman	NOISE-S	Borda	p	0.158916	0.132054	0.026862	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	94b46973f903fde8041123c19c7340ac1a1a7952c28dd42c3461559e6f8ff0e2	09e78417506636f2789128c684d0bb26210dd0d545cc6489adecee498f382c54d	da413b071c2602aa5084a5a99aa0696119423f7abf473e9c63f2b0df5b8e26ba	Spearman	NOISE-S	Borda	p	0.705192	0.606772	0.09842	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	9dd488e021aae582bb7859995cc39a3c0f1d68d7be777af8484a05e7dc6e00d	40156990b0138761f7f0b66475b6e8b6200a5c3697b15662a6d8be4312a7cb0f8cbe01be	a58339684cb66475b6e8b6200a5c3697b15662a6d8be4312a7cb0f8cbe01be	Spearman	NOISE-S	Borda	p	0.2036	0.1816	0.022	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	a0b9715d14adc70a1062ce2bcb1b723379464fe4db1d6a715845cbee789b517	5b97145b6901e950dcc43516ac37a683ca8484fe79d45676649a4a35095e22435	c740aa548ba83630cd39e122f3e972353b5e5efb045680a650bc3b18775fada5	Spearman	NOISE-S	Borda	p	0.6404	0.5518	0.0886	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	3aeb2482c944777c16b174e8114bf779f0abb3027fe7a0789e77e0ff81669ae7	7318db32612e33b01d971f0237008ad8421e68f1ee38604ad5e05f4e4ec7ad3	027dcc6c0678a6ced785b19985ba88fb12eddc6584fe7fb56e44fbd93aea6a5c	Spearman	NOISE-S	Borda	s	0.126984	0.082011	0.044974	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	8b736fb4cf67f8fab2220282d2c216b15e67249b3125c0f37a7cba6409022760	4ab126104f134ab15ecb358aab307fd270189704184969791e9e53e605c77ca7c	54f21c5eb41ea02e4addd2a5875090d257da0135b1be2265fa75bf278cc298f	Spearman	NOISE-S	Borda	s	0.829806	0.707231	0.122575	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	5e55bce288ae91d7bba250629576ae5d090e0e980aeb8eebc366d287136285b0	757180e733e4419ed2be788376fb3cb04f1895842d0474e2a51f553bac54fba	4d7020c49b7fab2e5273aef70aa435b0369499ea52bee71ebe216951c004a596	Spearman	NOISE-S	Borda	s	0.1604	0.117	0.0434	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	6e189510ea13ed9169b08a3a77751a02affb1a3c73ecb7d4719f177687db63	95007c2b9fa51617376dac98e57b2ef64b5b2cc638456e55a08eb735be2fd406	d9757877b4626d09081c870761552894a2b74d9139efeca69cc9f113d717937	Spearman	NOISE-S	Borda	s	0.773	0.659	0.114	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	36156305241f5b5edff686ea7df85a3c79a429fbf77a14b0a1bc6a4defeb1d7	140574c3afd98139bb3824f3505ca24d1659f650d4846550455f766156b99244	93897a7f498044c89efb44f90a12ceb2aac043db417db676aa1fa6ee75b7300d	Spearman	NOISE-S	Borda	a	0.177758	0.132881	0.044877	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	1192b3bc1dfb4089a9fb22c018dc308aa42c77d1007e25300acefcc4b28cb398a	7fd782cb699d43b1bdea22c286901ec21c076951cd70edeeda5b5db60fddd86d39fb7dd48d	05e16f2489b3151a95a7c21c076951cd70edeeda5b5db60fddd86d39fb7dd48d	Spearman	NOISE-S	Borda	a	0.675788	0.486208	0.18958	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	ab9abce48f9f8f822f92361312d4c778787b564083ce22f16810bfbcb144e5c2d	fc39f6852550f9b0722a8701c1744c40c0f4ed0aef643a7de37a50034ca1be26b73bfb6a71	8558a029ce50f9b0722a53d3deaeff139a21380cef643a7de30d64a0b74a2a6a1a04d8a4c	Spearman	NOISE-S	Borda	a	0.2262	0.1752	0.051	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	1ab0c3f2a6d20a8b218ccfc46df4d46d0bbd4a2eb4425e36a467e095d6bc9828	22acd5bed7c8510621dc2f89d01283ab5502708b84a33c51d3ec036b01730c06	248b2958c52143d02ce0d67f011e296301ec3c19aa5a4e06689f2596c2f79d4bd	Spearman	NOISE-S	Borda	a	0.6444	0.4578	0.1866	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	bb7fec12bf959050da2538fb411a5502fba23d209d9e74cdf469175e78218c72	f500c956b161e75bf2af47b4107fb07853479e66ec6fb7bc209793968d995a1b	60b0394fd4e088e200c3bb07a771c4be0abc6e9889a01d47b9d77aacc58fa0dd	Spearman	NOISE-S	Kemeny	g	0.180398	0.152331	0.028067	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	7a72201c68fe623d08c27ca480fca9a286e5c955daf656d0417af7681bca6cd3	293cf4e0e58bcdfad6829184f78340b8f51c8e7236eec976c95a3d555fd4c4a8	71bcc31d5f1be72c40ab49927be7f1c5f935f9d9d62520ea9a1c3ee28f321e63	Spearman	NOISE-S	Kemeny	g	0.642598	0.514033	0.128565	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	906167983631f42ce85c52a9cf8dc9ad7a70f027fd4a308a1ec06da4b6ed41ac	2b6f4b4a56e88236c9e85019a6c3eefad7a70f02709a603c258dfd8da0918dc4b	746f9f934e10974ceb1360cd547b9d05ac16f9c01c2893ac5a7c2fed7ee5cca	Spearman	NOISE-S	Kemeny	g	0.2198	0.203	0.0168	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	97c3dbbe01643d834cae9842c750e46d3422f45fb58d2016bf3ba3b74852d6	ac92ad147cae50cca601e9b9c9c09f5d47293d398b7778c428c8576b6da3e74	10901975ba54f42227c1e516e197fe2c8d38bbd3fd6be65c19ab3ff423c1e8b	Spearman	NOISE-S	Kemeny	g	0.582	0.469	0.113	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	0f0b3b123bba14557f626175f3209b292d9b2d8673be4c095272e0ba70d5195e	6e1029dc17992f35e8e9ade9112c7521c0ef43b6e484692c658e550950ce67ad	d857730784900fbc72d11a15479daf096714735070de75ac4558b910efd1d639	Spearman	NOISE-S	Kemeny	p	0.158916	0.142664	0.016253	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	508083df6dc5fd3be56df240d62ad27bc34d5f571ca1dc479346f45b01eb6f8	e2510450bdba60bd246a1510063e51f38e3bab6bea3995c2e83468346f5eac46	eeaf6fb5c0b7e33325dcbdc55796ff27bcb9b930dd2f27dc38813f	Spearman	NOISE-S	Kemeny	p	0.705192	0.573363	0.131828	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparis on Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	32649804fa 91917c697c e66b96a509 8bd0bede03 5bfe88b878 86ee0a3b1f b2dd	1a009f29d1 c3ef1ad79d 8f4394fd9d d4d4c8bdee0 73d61e6ece 71c03662a0 b831	e4b549a761 c71d3c3659 3d56b5af06 8dd3ac359f ba8e334d11 1689ab047 cf90	Spearman	NOISE-S	RRF	g	0.5822	0.4898	0.0924	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	c6eb78bd55 765a048685 1e9ecda092 a26fe6abc5 dc002a806c 4b98996adf fbee	a9851a6fbf f0ccc3e2a8 0e3c264928 78b1c099b8 50aa5ebd8c 32a1ebe0f8 dfe8	ffaa0f96f4 d4c762ece8 f9069e7608 58691932a9 9537ac17eb 62fcb3c3fc 3937	Spearman	NOISE-S	RRF	p	0.157788	0.144695	0.013093	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	fc1e8a2ea0 551db11235 20e3183bb2 1648781d94 00010b003b 0c765b73f2 b58d	1d393ac36a 22361fed62 50d58864bb 3a97ed9c3c a6945004ea 76e0e74c1a ec14	f94e909f57 14d6678f70 7713894060 8acbb33ee2 e3b815a53d 3405f7e375 ecd0	Spearman	NOISE-S	RRF	p	0.705192	0.605869	0.099323	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	5fdacce367 ecd83d5f3e befe815f0e 895ccd02ca 045e02ff44 8af45625e2 1c63	c26d43e79 852063ecfb 90c65bc8ae d97c37840d 00c432df6f b3de61d8d3 c0c3	bbf677ef48 6b4fca3fe6 e3867aa5ea 69fa99595c 6bb0401fbe efe116c413 abab	Spearman	NOISE-S	RRF	p	0.2032	0.1928	0.0104	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	24dd0278e9 12ed79be84 47a7d2a2a5c 577ac1ae51 e7a3f3ea8c 5daae4605b 3001	0f41252ff7 fa3a66482f 68a7d576a4 4a66fe9b4a 5a81084776 e87506fdaa b5dd	de6a52734a 331da80d06 d0072e0b43 ea9e83a39b 9d299c5a27 1d7f5c1954 9752	Spearman	NOISE-S	RRF	p	0.6396	0.5482	0.0914	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	4ddf122822 3c35836fc4 f0e22d2c0c 8d03d7bd3a e5c4b327b8 c19f8add3d babb	c9140cf49c 905da10c17 a5e04036f0 6e703499f4 0bddab548a aa6525bd0f b43f	370c34ac7d 262ea4996f 09142c306c 4d5d1a209 a9d87248cc 50fa86955a b62f	Spearman	NOISE-S	RRF	s	0.12478	0.093254	0.031526	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	57b90356f3 dcdaa75a56 086a9efc63 f970b7fee6 ada8165899 06ace48f27 be39	63909013a3 081eaa046 6e43aa641e 7590535011 338dd03d4a cab632281a 045e	50a6732e7b de2244214a a71f564385 09d87e19ad 2c3d353c7f1 ee365f9dbe 1574	Spearman	NOISE-S	RRF	s	0.827822	0.703704	0.124118	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	14742fc522 ff43271b61 ae90e67cf2 bf320bbd11 dfce18bb49b 7f8862ca7a 610e	fe229e441 04852c298a fecbc4b310 bc7b8be63f e35f8776b1 fc6cee9833 a543	93ab0897b2 e24f16fb1a 431e73a2b8 90b67d9390 313b90b448 b51b6b9268 2168	Spearman	NOISE-S	RRF	s	0.158	0.1292	0.0288	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	c7a33115d5 e74b07bb77 cb3e43d917 570e4f6e7f b10f7e5cba 85a0a79339 abc9	6d50674866 10a858a809 2c3d99f70f bfd7f6b3f3 17cc2a6407 5d47e9d267 24b6	fe4572d326 d461224d85 8f5641be4a ba5e9427e0 7323175dc5 9c8223104a fafa	Spearman	NOISE-S	RRF	s	0.773	0.6542	0.1188	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	c52495bb6d 0e8b0e5b4d 947e7f75f3 9ef71ebbd3 9ac93be509 d05538387 e8e1	6fb4ef7bfc 718a68fd21 ecf4cb1063 e8778bf5f5 0676203422 ec45ebaea6 b0b3	54b56f6744 a68930f077 b145dd8aa9 f2ccab0a2d c67b997239 d44e173514 637e	Spearman	NOISE-S	RRF	a	0.179072	0.13507	0.044002	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	a0a4151020 cb9db02c5 f158f44a1a 6c3d2686c1 39f88adf7a 996ea00d9e 6b03	acdf1fec31 c1837885e0 dcdc423da2 81e198d83b c63fc888d3 bab3750a44 c7fd	55dcc2a2ec a5a0b38b35 7da3196b5 3fedce557 78a01714a5 22d8f3eed0 32f1	Spearman	NOISE-S	RRF	a	0.676007	0.501751	0.174256	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	0f082cc5de d5d93196bc 6f420b7d38 38e4dbb4df cba8d538a7 0e3ee223c4 d116	1746ab939a a5e04a616a 8eb224d3e8 e70a06b5403 ec21321c58 d9de603830 2d15	5afdfe429f ba77060237 811e09ab6b d910ee9a49 2760bab41e feb25bd8db 187a	Spearman	NOISE-S	RRF	a	0.2258	0.1778	0.048	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	5b15c47cbb 9694ef2d7e 4a8ee8d3d0 ac5cbac26e 096eeeff77 71272fee41 d066	0c819a0229 bbf044504a 240b4dc5ba 4ef85fc399 37c4933d8a 2c43c46746 a261	cbd633a269 fc428ef1b3 5bb8050269 c369f8554b 0ad096c36e 5a2843cee4 53be	Spearman	NOISE-S	RRF	a	0.6456	0.4768	0.1688	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	280ab8cc71adde90528608aacad65720149eb5eb9891901dbd92d20011ffbcc1	d6a3b07a240b01bd028db2bac172637dc0bb3bbeeaf40518b538d2482ad5d6437	919e8c8a6e67c247e2acd1caec4c89f9dd28d173d6b6d0f0be92742e0b309017	Spearman	NOISE-S	Schulze	a	0.675788	0.486208	0.18958	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	b191b63bd6173861fdbb998e17760820f11c488962cecade258bd0006e6345efb	5c4a4391e78a3b3c59025fccf71fa4cf5e80954c325892facae08b552dd8a87a	4d4f17d9dd3611447d9fcf865a580a4dde27253f4dfl83f3cb5710928b60460	Spearman	NOISE-S	Schulze	a	0.2262	0.1752	0.051	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	4124c542b3de3a2947546257e1c3c69db11547538baa2816c70b6a97147ef7b1	7f7eb04373383246b0b29f7ae18b0ee6c28c1cb68d2b5267217db52c335165ad	cc0f049be02b0fe450c6d29db31c9ec6a004c0faeebf44b795bf40c632085488	Spearman	NOISE-S	Schulze	a	0.6444	0.4616	0.1828	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	f6daed741e176274df7c5ee73d32f18fb9d63a093648b4b6e054e3c53a78abaa	714f090623899e58df7aeb6b5c8975b272d80b89bc86caa24f9cfc3901f064d4	7464b4b7da81f09c6d31c7eb3a313efda2e4164335da8fcb5f8b984b861e50f	Kendall	NOISE-K	Simple Averaging	g	0.176777	0.160254	0.016523	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	f555b5a871c231440628f1cc33a3b0281044baf6c2cecebe2315ce245feb3521b	39a42675ccca074f66268b40bf2ed9dbbdad426a01c8c829dbf82c59b870c48	6fe9787b3078c35204cec4a8b7725b11daa2cbcb868978bbaff43f2fa34bc5c9c	Kendall	NOISE-K	Simple Averaging	g	0.627433	0.585559	0.041874	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	f5436e4604a8a1f6806a11365e4f6a736e22ca431c6072b654d5e39bdd6b99e9	a459e32a7a92eb1aa01a72de89a4c5552cd9cad9a776885e08f31a1c0bc80a9f	840eb84c76a51ec9f76da51ec9f76d7b4cd8c942bb65845058864864f08ef7cd9fefe2a125	Kendall	NOISE-K	Simple Averaging	g	0.2278	0.2136	0.0142	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	93fec70985e7c4dedbc69ca6931af853e952b45ca09aea84ee0d73457c773e1f	f3ec02993069e9315e26dff80745cf039d5958d40d98a12b4bf624d696d1272	a18d0e5974770f55b5b9cf059c0ed2d3b92b670621facb457ca051ac0b6a32	Kendall	NOISE-K	Simple Averaging	g	0.5724	0.535	0.0374	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	24427318c7d98331e500b946de73be32d61ad7f96a2edb35a935e013acaf1809	4b232dd18e5d86094b15e2c5586bab349df4a51cbade1ec46a109b815e0893ec	c0930110a3b3314302aa2399dd1d659585e00a3347fd75e92dbdc4acflc1582	Kendall	NOISE-K	Simple Averaging	p	0.160045	0.148307	0.011738	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	e055fbcdd0e4b0461d8762f3f285f43b584e14869b0546bacf96cf8f9609ae15	84a4fa9cb2bf8cda26cc77747c689d417a235d86d39bfd7c4cbf101686e36d0a	ae0c5737a63ce49b8ad5a3b64e6b0cd4c1fd47379ab4d0a00efb07eeeb1f7df	Kendall	NOISE-K	Simple Averaging	p	0.694357	0.663431	0.030926	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	c35744342844f01184d03674af0a2992c0f3eef7b1d963f84874799add30709	5fe195062949eb1b7bb3f302f2fd56ddd8e021edbd7b7b8c54dde72420f407c6	ed4fb68e9f8caa93f60bf937c7af20d225224baa71f7adcb29ff8199a223ba45	Kendall	NOISE-K	Simple Averaging	p	0.2134	0.1992	0.0142	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	aa5487dd925e40bc61862674d4041fd24656b4c2445170c505dee572361a2254	1d5867bb4ade25e1cccd9047a61a7dc0030437b10bacc33337eb74f0d5a551b6	e0043f849fe560350cdbe4ed771052005b06a9d1f81c63a78bce958adbe4e7eeb8	Kendall	NOISE-K	Simple Averaging	p	0.6322	0.6042	0.028	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	f2303b7f5dfde7c2fce67fd0e0d8be0199e2b3cc278bdfc063f1a5b45719832	cfcec80ddecb44def1cefbbed185e1025cb6e580f5d30e995d0437efc7a7e41	d73gef7833044480724ae4d2b62db96e07fab0a75355ea22fd5a8b8d2c9f31af	Kendall	NOISE-K	Simple Averaging	s	0.114638	0.097222	0.017416	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	a03ef25d0e2286bcdc281b66c5f5046dc1a286e66ac5968ef56523ed3b28abbc	70e9af10f1bf6da38da0a6772b1fd58169224bc38d846b15cb0da35e346d523ced3b28be6c	fb6da38daa6772b1fd58169224bc3e20548512720b2f548578807ce248957b0	Kendall	NOISE-K	Simple Averaging	s	0.830467	0.79784	0.032628	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	e377c15131 28cea82c35 71823270ed 340f5033ed 101500199f 763f9ff5e3 884a	d7850a4210 845bd9b9ca 0bb9b25a48 5ae3ef1faf aa0312afbf b418ddb61e 5621	cca3f7da11 93d5976caf 8f5a17e62c 2332b3a0ae ae269f563d 54dc869566 9253	Kendall	NOISE-K	Simple Averaging	s	0.152	0.1354	0.0166	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	498b82c0ee d20500b345 a2a5eb407d d2a3e36389 0c1e6b4173 b931c324f 07a2	3568fccc75 90b52b82c1 91592b01e0 9f5066b5ae 7039560634 e348ad2c9c 8beb	f2a5584c35 a0f95f370d b88d19b97a 5ca8cc2cc4 351eab9c80 023b81a856 ab16	Kendall	NOISE-K	Simple Averaging	s	0.776	0.7444	0.0316	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	d2052ba56c d80d98d1ad d5cb3ad563 d2c2be999c a92202f8ee 580431770c 9015	f70c08d3e2 0a014a3d0c ee1ebb5122 d0d1ea99ee c7720abd2c d4aeda4b41 7015	10a6b4643d 269ec0dd92 527c697873 cf444227d2 96eb87de8a ca07d5050d 6ca5	Kendall	NOISE-K	Simple Averaging	a	0.162653	0.139448	0.023205	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	75deceef9b 3b8008ef46 fb047bec7b 9004f51252 359ac75526 902702a1b0 131b	b2221aa19e cda7da0eaa ff14b3c456 96b6ce26fe 6afb0e4305 d82ad7c2e4 1317	aa4217beb42 a0933fefd3 4808df8394 fdc346c704 f3a08fe6d3 73e02bc9ba 58ef	Kendall	NOISE-K	Simple Averaging	a	0.675788	0.576401	0.099387	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	7e580a878f dd9c4d2365a 88180cda4b0 0799127c2b 794cdfae3b 4830d25167 af68	99f6116f51 bb79d207ee 7e4cdcdaed 7bf81274ac 75659da93b 759e62fd3b 1ba0	9c46513c8d fecdf71e0ca c2b0c0e983 fe92a9af60 a198197b4a 339b460be6 c4f1	Kendall	NOISE-K	Simple Averaging	a	0.2126	0.182	0.0306	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	56f1c1deca 5ae60f914c 3cb4a454fc 3f70ab339a e2f04d6b99 14dd2a28b2 669e	926cb21b3e 3f7410213e 709c3f5982 cb29823f73 f1906ac330 4a080e142d ac02	047f6e7af1 2b6e324fb2 81cca08872 06ee462452 bd147a13c7 92a56beb4c 8129	Kendall	NOISE-K	Simple Averaging	a	0.6484	0.5408	0.1076	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	603cd22898 823e7b4cb2 bc6823bff9 b4f74a63a6 eafcf24c373 d6a53dab89 f92b	236ddb41ae 41951d52dd 16ea16fccc d7db444912 3266322dc5 30232e6423 931e	d42b2feeb5 c60c8b1e46 e997910a59 e5c12e6fa efe98ec3d9 4b43f99cbb b498	Kendall	NOISE-K	Borda	g	0.147352	0.143051	0.004301	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	6186673cfe 792867b401 2a29bc2471 0a1466c32a df9034d0db ca029bc2a8 3bb6	debb1fd9f9 7a9c1f89e6 acb1f24243 e6285fe7ba 9df0c0c56b 99a8f713fa 82a3	2dd483e94b 1a46916158 d64cba8bfd f6430b1121 8e3cb4eb09 4a5a6c405f 6cda	Kendall	NOISE-K	Borda	g	0.598234	0.537347	0.060887	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	5789b44431 a343b2ea3d 6f13221b40 9fda354a6d 137b73cba1 a4d860eb67 cb95	a9bdce7678 61f523f1a6 fb34b36448 c6937e3988 308fda3846 fb3f3e458f b91b	b99ac91a9f 9fd377edc5 b2f003ea41 0455a70712 c1cd579d62 651765fa3c 452d	Kendall	NOISE-K	Borda	g	0.1978	0.1928	0.005	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	081a31be0b ce9d11d4ae e12ad5f3af b4885e8682 511d3effb1 7184153f26 896c	00584cbfe7 bc5805c97b dcb093f08d 7837f49d2b 1f5fba0d2 2cfc5e7f31 1a9b	12c0f8042 d47b472916 8fbbba35e7 cfce7b525c 6843387e63 3644daae96 bfe7	Kendall	NOISE-K	Borda	g	0.546	0.4908	0.0552	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	0138a485ba b9a14daad7 a2ba99d0e58 901d894597 0a1d1b0a52 343f1ef793 3b89	177ccf8db5 7062123018 e2ba6b292d 95f704e967 005cbf1c6a 1452c2cc0c 2045	c40f8f8198 3bf7a34bac ce25dc293 1014a5464 bbb481e6af 8cdfb8b00 d042	Kendall	NOISE-K	Borda	p	0.128894	0.132054	-0.00316	loss
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	6f93057525 09a87c2fb9 8e92d2784a 2aaeb9c5c9 1bb099bb32 9a797516ef 73da	9dad40d8e6 5864893a59 70fa6c4e0c 3f111009d0 0e24d2a29e 7f420df63b a8a4	da413b071c 2602ae5084 a5a99aa069 6119423f7a bf473e9c63 f2b0df5b8e 26ba	Kendall	NOISE-K	Borda	p	0.672686	0.606772	0.065914	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	0a66c240a1 3aaaea30f8 f58738cc40 24e4c934ee bd547b2439 aba39d0bd5 911f	a816657586 57f61b25fc 8b3d24d9cc 019701ff79 a25ecd5f89 d756e0cc17 1c3c	e58339684c bb6475b6e8 e564d6d755 0ba01be447 6747c3e14e e1d403aec23 65a9	Kendall	NOISE-K	Borda	p	0.186	0.1816	0.0044	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	0284fc588566e70997f7f744f6ec923f7d477b21d95542dedde989aa9cb97f0c1	185d75cb31dce676dd49a88ad9aanda793555b949b544f339811841af54c8867	c740aa548ba3630cd39e122f3e972353b5e5efb9d558ba550bc3b18775fada5	Kendall	NOISE-K	Borda	p	0.6138	0.5518	0.062	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	d5e2f66fca0a804c0c3d0d617ba9283d00399f66e43a89d5502a8557acaebac7	c5bea205ebd5f545a244a0412fee04c4f320892adf008eeceeb35ef8cd9bb32	027d4cc60678a6ced785b19985ba88fb12eddc6584fe7fb56e44fbd93aea6a5c	Kendall	NOISE-K	Borda	s	0.082011	0.082011	0	tie
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	a712d20c11744fe2f0b5e57d5f11e34b6bd78129feaa5c55138bc3f634f97e7b	70834fcf37a81f56e52ec1e80b17d4c05232bbb37a41c1e1847a77a88b087e7b	54f21c5eb41ea02e4addd2a58750900257da0135bbbe2265fa75b7f28cc298f	Kendall	NOISE-K	Borda	s	0.813492	0.707231	0.106261	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	efc2b9c5d3299dd3bf0d55c048e2bb4742aa74152744b599efb811f617360c85	6070f6dea958ed7dcfb1652f48a6eb9969186aec9d73bc3ad8aaf6a0b06dd	447020cd9b7fab2e5273aef70aa435b0369499ea52bee71ebe216951c004a596	Kendall	NOISE-K	Borda	s	0.1192	0.117	0.0022	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	901470e0ec797a2f77f818309a2c34ee42a5d70f1469e05eefbed0ec2358f0dc	1489c87c7fe07c198b918309a2c3484e051d52040dd8964d35dfb5ad65da2bd	d9757877b4626409081c870761552894a2b7449139efeca69cc9f113d717937	Kendall	NOISE-K	Borda	s	0.7606	0.659	0.1016	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	dcf79a998592b4fde1d2c68c22d7862be4f3144505c064c360f2ab8845b7cbb	61286b3f5d5895ec3ca5b52f149088b28d04f542db2aac043db417db676aa1fa6ee75b7300d	93897af7498044c89efb44f90a12ccb2aac043db417db676aa1fa6ee75b7300d	Kendall	NOISE-K	Borda	a	0.16725	0.132881	0.03437	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	b57bca32b56395977c76d307c27fa73c7526835b707ad781c7e0cf96a33c8744	a974475af384975897980dd3247617166f34c9a2d02949d6e5776c820cfcabf8	05e16f2489b3151a98a7c21c076951d70edeeda5b5d4b60fdd86d39fb7ddaf8d	Kendall	NOISE-K	Borda	a	0.679072	0.486208	0.192863	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	0212d0bf982930d060aacb4d70c4db3d6d5cbc7868ea3bf076cbf90c3776b791	32d26f72af9258070039929dd5ffc8fb0c96389b12727f6da475d9e98112306	8558a029ce53d3deaeff39a21380cef643aa7de30d64e0b74a2a6a1a04d8a4c	Kendall	NOISE-K	Borda	a	0.217	0.1752	0.0418	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	1f93975dda4b85246811661658876cb98483a69ee1ae968c1b0dd952075183ea	1b7f35a1dce7e6f315e23a5eff663c52bfc075999e8e1038c6298dc7e20b223d	248b2958c52143d02ce0d67f011e296301ec3c19aa5a4c06689f2596c2f79dbd	Kendall	NOISE-K	Borda	a	0.6482	0.4578	0.1904	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	b3662240378117a14c7df1d80433f973269f88d2f7450d39a149938e7ca727d7	2878510f099440fa1fc16764a060af9f8f50f58fb4ce2c4959b00ac3879aad81	60b0394f64e088e200e3bb07a771c4be0abc6e9889a01d47b9d77aac58fab0d	Kendall	NOISE-K	Kemeny	g	0.179946	0.152331	0.027614	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	a97db55722030f83365a23715a4641e4811f09b877f446d432f71ae3e08d32d9	4863b5d0e2da5ab84e79ca215a46f1e51b56536ad2a91b425478b0f8c87715f1f	71bcc31d5f1be72c40ab49927beff1c5f935f949d62520ea9a1c3ee28f321e63	Kendall	NOISE-K	Kemeny	g	0.643504	0.514033	0.12947	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	39734a68da85db14cf2cc69b796800bba5898195bbfb03f003b7eb2233918b3a8	1136fc36ebd6903ee367af82bc782e73c73ef023c6b63c6db41e4663a9c555c	746fb9f34e10974ceb1360cd547fb9d05ac16f9c01c2893ac5a7c2fed7ee5cca	Kendall	NOISE-K	Kemeny	g	0.2268	0.203	0.0238	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	e562317b40eb64e39842bc04c619d25c1bebfH9a577b661f77304f831ca9a012	afcf7171b027d8def49b0ceb3d3fa17eb7f38c3e7fca52781fb24c35f9c0f89761	10901975ba54f42227c1e516e197e2c8438bbd3af46be65c19ab3ff423c1c8b	Kendall	NOISE-K	Kemeny	g	0.5824	0.469	0.1134	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	85bece6a26336d504e90203af5889a77bc0998a74742640fd3a0d13216869a5	429c6db91513bbae8b001e05c2a66a077cc47d6172f6958991851715f77bd33	d857730784900fbc72d11a15479daf096714735070de75ac4658b910efd1d639	Kendall	NOISE-K	Kemeny	p	0.163657	0.142664	0.020993	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	44dcdd215f263cd809e87b34728b272426071f1dflaoc143fd9e63ab87229e33	281e40bbb18ce5919b68dfc9bd2735a9a8d898e249eb8cc0d17276570957dc	7cefa2be0eeaf6b5c007e33325debdc55796ff627bcb9b930dd4277de38813f	Kendall	NOISE-K	Kemeny	p	0.703837	0.573363	0.130474	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	ec751051382a7714a4b3999673bb782decf0c3f5b2a13ffdb6044ab063f277cb	17c549ca9e9b4c416f6e0fc0c3859336860815ef40e0a30e0a13440b42c3c360	d3f6fcad835ad401ea97c942c9469f66c093c6d7017e709a1d517f8fd08a3ba	Kendall	NOISE-K	Kemeny	p	0.2152	0.1892	0.026	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	126aa89b8c93f61795e918377f0d2d73fb54f5c3854549a4678c9e83c0d84c86	4c5af02576efa0821037356e4def0c9aeb32c65c8d6364fd09b969e8420664	cha0e9d32942807f4932c42f17226bc18d9a6a4bf8155140ed41279f7220a02e	Kendall	NOISE-K	Kemeny	p	0.64	0.5218	0.1182	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	58601e1867efb9549f60138552922f787dd89c70e8228d829bcbef2c5ff5c19d	1769c9b41d9960c59e4872a0023d1f4d64cfffba36b051b8b7ced494824b52	f77fabab25cc777bdblfcde813c1d34ef17ba928deb2748e178caa89084d6a7be	Kendall	NOISE-K	Kemeny	s	0.125882	0.090829	0.035053	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	7566538fb4ef3f7d2d408c4076aa0cb3a105766ba98a73631e2a69d288c3b1e	f9b96c3d13d667c9ecce123af63a918229f89442bc9e33c664827d234a44f786	88cac0c1bf51da6c6f2a6d6a3b09dd57cf90d8095ee9bd1ffa76be67393f49b	Kendall	NOISE-K	Kemeny	s	0.830467	0.662478	0.167989	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	a24a07f01cd4dd8361d1a713bd6975d3be7371f51e0688789e4f6a5e1cffe	d1af31f929a9d1c4272bdb8c209c624711f65815e51b71c5848f582b3827c5a2	927477386bfdca3c7e46afe9e68640014c6f81a36c760ebba695ba12fc16e90	Kendall	NOISE-K	Kemeny	s	0.163	0.1256	0.0374	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	1a79ff143c19e72a02f4ed36064e4558ae76ca30ae73598e439473e0e9284ab2	3a0850cc777d8fda1493ca182627881ff42945f27be4261f1232e2231a504f09	baacc383c76641b36b28741bb4cf6e97ccf25293a0869a9923b8384739f08345	Kendall	NOISE-K	Kemeny	s	0.7766	0.6202	0.1564	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	827f7bcb958e86ab37fa9b1ecb75c0d0acc7ee50114ac4c07d1e253767b4a8b4	83683865bebadcdfb74245018085e8240b78a99aad4576d4287a057dd6ae681	8ecdabaf5985b0c31a25c785cdc52d137b8198ed6eb0a0d8534fbfeb347287def	Kendall	NOISE-K	Kemeny	a	0.179947	0.132881	0.047067	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	04bed70c24de774490474bab50e0389306940d8947a0b910da0647f26d9466	39843c141ee83fccc87d1e236a1594806d3eb0a6959eef792e13b67754b62420	39949fafd4a89dc3b075a2dd6dbaa7f9e335beb6cd1b4d6a09f491152ab84c67	Kendall	NOISE-K	Kemeny	a	0.669877	0.475701	0.194177	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	5f5bf4e63b6baacd3c7a2b58d734a0030a820f2e8319b24a17fcae30f5d85c	165c4f22c52be5eb84477a2b58d734a0030a820f2e8319b24a17fcae30f5d85c	96470fb50cd1c1b4f44a9ced2f469a9a64b482796b7d97a5a88262	Kendall	NOISE-K	Kemeny	a	0.2288	0.1782	0.0506	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	ac499ffe9f73cfb39d288df29b18f25a02224634e09392efb2e09546381192f2	64734a346645bb34e77942500fcebdc96b1f13b0d1d7c0ed27a112c77eb233e8f	77fde21f3fe71c235330c35c5e95b2d98a7171bb6421ee6234d9b88f2847c58f	Kendall	NOISE-K	Kemeny	a	0.6372	0.4516	0.1856	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	474d8ba36446adeb0bd05050b2629557db5bb2061cc24c61ae47a26f6794f668	93e19059db020150841f175e74edb431fad47fc879bdcd7911fb8cb8e47c9fd	0eb4b26a2747f6a25ee103ac07127af3accf4a9143c1f980132169b2c268abfc	Kendall	NOISE-K	RRF	g	0.174513	0.155274	0.019239	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	8ef7df032382bb9390f8b38c9a6955b7cb0d1fd23ea7e854dea5d2e08c7fa8d	a5aaf6b6c87d5451e91d95e1dcde37a571fab52286c5512427a13d17b4531654a	c4e63ef06c02f213603292d312c0274a8c93d324a86c5102ce2012231eb8512c7	Kendall	NOISE-K	RRF	g	0.637845	0.5378	0.100045	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	2a47dbbc2150ab1df362f2c0fc95e273808199063c63b5cc2d2466a33909dc8	0596c3b0245457a8995a45e557ab5f90f78196e063c63b5cc2d2466a33909dc8	bc2ba17739922a60338f7413487717e8d7b151e438c56636fb38e0855f6bfad0	Kendall	NOISE-K	RRF	g	0.2258	0.2074	0.0184	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	bf272e07318d746bce5c6582af1f8539fc7f727eae5d7241b1e5144fab67f663	ddc3b9af02da5dddbffb14745881d019835a33b2e5c239465e70e1ed37df661	e4b549a761c7143c36593d56b5af068dd3ac359fba8e334d11168e9ab047cf90	Kendall	NOISE-K	RRF	g	0.5802	0.4898	0.0904	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	c54aba2cfacff753e50e6a706ae9b35288e678fbc48143aa9ff5266576734d3e5	ec61d7c2ea8429d427c85e4f673bf7a244eb836d25ecc7cda815dabb3a82d262	f8aaf096f4d4c762cece8f9069e760858691932a99537ac17eb62fbc38fcd3937	Kendall	NOISE-K	RRF	p	0.158691	0.144695	0.013995	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	7ee50085370330c8fe1f771c78ce5f7d1f64d3feb23641339c6f629d98966f28	9f42a211bb5a8142b83fd33d4b183111a7c26ebcb7a8b4dc6bd32a9ad78b3505	f94e909f5714d6678f7077138940608acbb33ee2e3b815a53d3405f7e375ecd0	Kendall	NOISE-K	RRF	p	0.715801	0.605869	0.109932	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	bf6318fe5fedd5b239dc4b19707d18b74a5484d285dc371559979254c7e07f87	0628c6fe69a30db51f4babcf86d51834e0be1679cca7e3987622ab1e1de36a28	bbf677fe486b4fca3fe6c3807aa5ea69fa99595c6bb0401fbee116c413abab	Kendall	NOISE-K	RRF	p	0.2088	0.1928	0.016	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	65617bf9eb5776fad0158f6d0962ef0c8125b48a01f6b733ba4c00b3d01adcc3	0c35df229a82564533f50473f2aa6c98a163d6716ea23c4a818a8480ccf90a8	de6a52734a331da8e0d6d0072c0043ea9e83a39b94299c5a271d7f5c19549752	Kendall	NOISE-K	RRF	p	0.6482	0.5482	0.1	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	5a9f49ff1a97edab9367eeaf791bfc067335c0866dd0d8bb5a2cb1b51d482c352	f0231a11d1509c122bd3f8cc0ba9eb9bd46359f6cc65a56a37675b54f526b29	370c34ac7d262ea4996f09142c30cc4d5d1af209a9d87248cc50fa86955ab52f	Kendall	NOISE-K	RRF	s	0.113977	0.093254	0.020723	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	f6a77349eb2dda7aa0ba4bf217c6631da0424edf8229429e1f784e66484ee48	f7fb31005d1208d68f76cb0d544822103e2d6edf6ed9cd2b0b5f13b88f3527c3	50a6732e7bde2244214aa71f56438509d87e19ad2cd353c67fee365f9dbee1574	Kendall	NOISE-K	RRF	s	0.839727	0.703704	0.136023	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	34aad590bec466677802021747dc34c36b0e93b43526f642ba7c3994cflf3284	6181820e186e0e07408a74c52c691ee0876fbc7eb03ec2c28a956323796c1d8	93ab0897b2c24f16fb1a431e73a2b890b67d9390313b90b448b51b6b92682168	Kendall	NOISE-K	RRF	s	0.151	0.1292	0.0218	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	2b7f6489847f803c794fe17c8692fcfb37f798c7e45ce77172e4cdccel8525	36291d92a2545813ee509c2f2043d85478deca40ecc70a52ccda3b89b7183af5	fe4572d326d461224d858f5e41be4aba5e9427e07323175dc59c8223104afafa	Kendall	NOISE-K	RRF	s	0.7824	0.6542	0.1282	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	af745f9de8bdc4a1621f5036c37520f34a9bb3b8f5b27e4a7adeffb1061625a7	431f6eb709d200132fe12cd2a0b146e7151522ab2c5657eeb9d33c3cd6e796	54b566744a6893f0f77b145dd8aa9f2ccaab0a2dc67b997239d44e173514637e	Kendall	NOISE-K	RRF	a	0.173599	0.13507	0.038529	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	ad27e0fd5abb5f9dd3375788e3798895ce9bb13d24bc9d7d3f9dcbb16633b4f1	8611675f13ae3adc887a934dd6b29c9f37a8380e54309fba1081de02910744c1	55dcc2a2eca5a0b38b357daf3196b53f8edce55778a01714a522d8f3eed032f1	Kendall	NOISE-K	RRF	a	0.673599	0.501751	0.171848	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	b252a87114 606d11f462 476dc5e960 4222c9185c e04808b2b2 c08f20205a 01ed	9103ff371e c6e4686d16 e4842fc58f 564c1be56a 0e49402177 45752e3549 e030	5afdfc429f ba77060237 811e09ab6b d910ee9a49 2760bab41e feb25bd8db 187a	Kendall	NOISE-K	RRF	a	0.2254	0.1778	0.0476	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	18b60476d1 e64633e5c8 5c0a8d6507 9c8c18349e c496754569 1e0a6e5a42 74f1	8ee35b42a0 7cbb39fa4f 646deefd2 a9efc0f27f d317e2cecb ee90dfcd1 1ed9	cbd633a269 fc428ef1b3 5bb8050269 c369f8554b 0ad096c36e 5a2843cee4 53be	Kendall	NOISE-K	RRF	a	0.6468	0.4768	0.17	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	464cb331c6 db2805059d 2f9dbb61d5 79da3c4083 71760f5be6 f2393670c5 2192	6192d0b9ec d8436fac72 be1411cf58 2b0a8a33f6 8c944fddda 23f1cfca7e 217d	effd3bace1 0c7d84e9fc b532cedd9e 8732e342c4 85b6c7c1fe fc34c0945b ad5a1	Kendall	NOISE-K	Schulze	g	0.170439	0.152784	0.017653	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	4cc040c13f f6830856b6 3c86b5aebb 813489ef0b 5c93c887e9 2b4d6eb6e1 fd5b	5fbfed78c3 bb32745d7b 8b9afec6f5 49987d0d62 07cdee6599 6700f9486e bbd3	3aaa126b10 e92190c37a 6be44fce1d 20643b7527 ad56ebe25b d7aa123604 c2a9	Kendall	NOISE-K	Schulze	g	0.622454	0.541195	0.081258	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	af87b49216 5bbe66947b 7ae7c32c5 d1c024371a 57ab75639e 7798fddce4 4d18	744f265acd adeebf560a 28925141ed b536338a38 0297a74bd3 af108c15b8 86ee	65958bb02e 4c5e5214cc 46ee12e638 9087230f7 3d837b24b6 889e902eaf 843e	Kendall	NOISE-K	Schulze	g	0.2212	0.2034	0.0178	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	2fa6babe5f 677eb1c16c fc84434223 a0d6744a73 2e0798ad4d abbf5dea81 0941	0c36baed43 ba42e8c094 3f5e96cd71 5431175583 69c18cc02c 370a26f133 c82f	91c964f0d5 c4ee0197b3 c7c615b37 e5708757df d2cf582340 dbceb6f0bc 96c9	Kendall	NOISE-K	Schulze	g	0.5652	0.4922	0.073	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	a0f4ed23ae 3b83335b27 57d5420d87 2ce923e07b 38591dfa82 bb7c4787fe 38fa	05a10bccc7 2be4042dd7 e7c554e575 1cab2c654e 6825aa7ebb bbbed680e8a b590	ca6a22fbf2ae bc3cfeb12e 55d0ec8ff4 07908e8aef 43857cd325 c109d2001a 84bb	Kendall	NOISE-K	Schulze	p	0.156208	0.140406	0.015801	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	b87d47fade 5d7676bdd2 9ba689516d f12874c1d3 81330a1bdf f03437c492 22ce	e4135943b0 9044ed7ce7 1c2b7ae803 14fd4bede ac7a57a090 96f94c9727 fa1c	5658f3ba9d c9b21dca29 186ad5f304 bae367b93e cbf33398a9 9d39dc21b1 f737	Kendall	NOISE-K	Schulze	p	0.692099	0.59842	0.093679	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	60a7eb4526 9e083c3cbf 9a265e212d c0226077c9 303c4b6837 da2a8bd34c 18c0	69efc626c7 70c6f3b676 bf3517dbc0 0fabcl58f1 ef55bb4789 64a54ccb15 ef56	58d4951a54 e6de6c7411 7b84bf9946 5736af2fd2 5e2710c3d7 c7154350ed 05d1	Kendall	NOISE-K	Schulze	p	0.2078	0.1866	0.0212	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	bced4a191a d8143df4fd 13d36ed756 749230df44 a47d2ca9d0 35a7bb2eb5 424d	29e89aa091 7934ade8a4 1c4da86e4a 56b14688e7 2af96801fd f82d8ba050 99ef	097a74c675 06516c3600 1762dda0fb 55b8b223f7 45f20100ce c9f3322845 8cd7	Kendall	NOISE-K	Schulze	p	0.6276	0.5448	0.0828	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	62b17b6a81 60885292a0 0f91f48aa 78c6ed3455 e49b1d6dd0 4dae8cdbdb 1b0a	94020fa1c3 070053852 e54c21d854 0415f2abed 6598d68715 bf582470fb b21b	fb93df84d8 7648b9757b 82ef777c2ff c91f67b5b2 8bea5a0e0a a4198b9335 62a9	Kendall	NOISE-K	Schulze	s	0.109347	0.09149	0.017857	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	cc5855d018 d06209a216 80bac5e969 c0c1ef49fd 7ff2433da4 beaa390839 606a	f344df1b73 f186dfd2d4 5bc6a47da1 c045c0519b 555fc9c25a 476451d171 89c0	a0e417f5ad 1fc3d25b31 92f4895ed6 f9a747a7ab 1577449743 aa130bd7c0 bbc4	Kendall	NOISE-K	Schulze	s	0.824515	0.691138	0.133377	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	aa98c1d9d6 97e0dacede 1ec872209d 9ebd4541df a06337f70e 20f82d8558 cccc	aa0cdd8e0a 7ca6c7c8e9 df52fb2da5 b46f47c7ec af11230222 799247764e e6ad	1a8b28cadc e8a7bad51d b2daf2e7ff 843e681a23 2eb1fe15a0 4f1e9831e8 0745	Kendall	NOISE-K	Schulze	s	0.1484	0.1258	0.0226	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	05edee87c a9914d16fc ba4a827214 0ae1589386 b24845155 4ac09ebdf8 f9f1	8cb06dc618 a1b50b7b43 df9480685b 0783c2ad29 b3d7b16435 861d5fd566 919a	51b42a0a60 8250d892f4 a6f8efebd6 7d750ecb11 0f671cd8ad 3e04bf2f62 d3df	Kendall	NOISE-K	Schulze	s	0.7726	0.6474	0.1252	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	52dedb54ba aa19295c8c 82a919ad11 e9a260fea6 5a468a76cd ed29095afa 108b	f3d0e5c98a 6dabaf4501 4f86cb26d5 9e91ef2820 fbc719e1d0 66aa8ae590 83f5	12b75fd2ab f63c1cc1f2 24de419bf6 f4dd7e4b1f 69a6d4abb6 cd94e7b19a eb18	Kendall	NOISE-K	Schulze	a	0.170096	0.132224	0.037872	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	b5f50ad4e4 754e03fc50 9992d397a6 c5f524ca67 ece6c83e73 846d9520db cb6f	9a415db675 bd1b497fc6 356bf37525 574a8ac1fa 12159ea1da 8afbbb3cef 30ee	919e8c8a6e 67c247e2ac d1caec4c89 f9dd28d173 d6b6d0fb6e 92742e0b30 9017	Kendall	NOISE-K	Schulze	a	0.683888	0.486208	0.19768	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	8250c22b9c 6dee5ffa38 794fca8faa 559ddec7a 1a15f79bff 6992f12a6f 38cb	81bd1b94a4 9c4c50ba46 d6d7f07301 96f248c407 ba4893f02f 2414f6b5c0 28d9	4df417d9dd 3611447d9f cf865a580a 4dde27253f 4df183f3c3 b5710928b6 0460	Kendall	NOISE-K	Schulze	a	0.2218	0.1752	0.0466	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	436c980ef1 6948f35c5 530e1ef11a 544497fb28 c00b36f503 f21229afe4 a403	0816c1dd78 14fe5b2cd0 5862d7b89a ee33e07ccd 917e045295 c0d18948b2 718a	cc0f049be0 2b0fe450c6 d29db31c9e c6a004c0fa eebf44b795 bf40c63208 5df8	Kendall	NOISE-K	Schulze	a	0.6524	0.4616	0.1908	win

Table 24: ImageNet–ViT-B/16

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	0d64a16068 14863fdb0e bd034ee3e2 270a5c0ea6 6fd94c06ad b9954c936c a65d	1	1	0	tie	0.415303	0.400317	0.014986	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	567067e0dd 69f65be1ff e23e40ef28 92374e7727 760496ff4c d3f2faacfc4482	0.717059	0.6719	0.045159	win	0.678091	0.627246	0.050845	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	ed7a2d3bd8 f0eb53c4f ae25bd2136 cf0d43425f 42cc84cb06 a72dbbce9f 2ddc	1	1	0	tie	0.463249	0.462169	0.001081	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	730f052db5 300fd83353 c92487a081 13af45c14c 532f092248 7c3582f381 ab50	0.680836	0.648014	0.032823	win	0.62829	0.588802	0.039489	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	a6af76bec9 661d824146 5977e288bf 4b7812b47a c54128d081 5f50fb8c9e6e54	1	1	0	tie	0.397509	0.385106	0.012403	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	2432e3c014 d54a37b91b ca36b4ac74 50fe0d6ea3 1592688b1c f87818a03c9bf3	0.780999	0.761254	0.019745	win	0.738556	0.710662	0.027895	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	1e016111cf a60fa233a9 f9cdfbe7b4 75c103c76a 44f23fd990 e52dfb97b1 a0b4	1	1	0	tie	0.450999	0.446318	0.004681	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	aaacab7106a 4267e9bc85 2fa842ba09 ad8628fb9b d935179b14 e5f819d73b 2a2c	0.742602	0.731831	0.010771	win	0.685289	0.664961	0.020329	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	d866d4c4b2 09c7c1600f a97ff8a92 6a8b9db9bd b2c5e6deba 7cce5807a6 0b45	1	1	0	tie	0.34599	0.311805	0.034185	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	d20decc428 8d6acf0060 75311c309c 5c38fe0c92 a07a52303d 7e5fb45978 1de3	0.920771	0.915481	0.00529	win	0.870732	0.854639	0.016094	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	75d1874a8e 65ad3a6483 0a9b64c3a1 899e5e6af9 3284122990 8fdcac32af333a	1	1	0	tie	0.391663	0.367967	0.023696	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	dc3cb61e7 3e0c4dd58a 291a309acf 9b08d518f9 f4c12c5e94 76ee54b701 2099	0.903946	0.901647	0.002298	win	0.834181	0.81926	0.014921	win
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	e874e200ae b5794bd7d cb364b62f1 d139081e0d 02fb6c9113 6bbe131c07 1767	1	1	0	tie	0.421614	0.373428	0.048186	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	ad8742b1f6 165d47b152 b2d86541f5 0ecdad44fe0 35b638169d 174fdaa6b7 7883	0.75765	0.661392	0.096258	win	0.716476	0.617436	0.09904	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	9fb1d70c42 11fa6c49a0 b37929fc34 1Hd21b98c 33a5127b2c enf380ae61f934	1	1	0	tie	0.474763	0.426615	0.048149	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	be0218609c 78e5381067 9161e91ded 2b016f9e12 e994ad46bc 6845b0c911 acd3	0.759042	0.655039	0.104003	win	0.70046	0.595185	0.105275	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	ad66b3d133 9985ef92bf adfladec2d 8bc184305c 276d47d306 85568d191d beaa	1	1	0	tie	0.424733	0.378221	0.046512	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	26bbf9dcea 16eebf3ffa 3d8a2d0c7f ea0ba19aeb 13b0d4f313 94444227e6 34b3	0.715251	0.713547	0.001704	win	0.677952	0.619211	0.058741	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	8442d18ad7 facb87f1c3 6110849b66 2a34c4f0d 11a0c06489 26a407240c 613c	1	1	0	tie	0.468828	0.43909	0.029738	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	6dda25c770 e742d10438 bc4a2c2d8e clad468e00 31fb34e46c 60c7261b0a a726	0.681499	0.687973	-0.006474	loss	0.629788	0.581083	0.048705	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	6c9946ad9b 61591a7639 d67dcd0932 cb06587ef3 7307c5f549 05b345f3db 3e2f	1	1	0	tie	0.398643	0.363393	0.035251	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	94b46973f9 03fdc80d11 23c19c7340 ac1a1a7952 c28dd42c34 61559ef8ff0e2	0.784921	0.805737	-0.020816	loss	0.743989	0.699213	0.044776	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	9dd488e021 ane582fbb7 859995cc39 a3c0f1d68d 7be777af84 84a05e7dc6 e00d	1	1	0	tie	0.451221	0.426146	0.025075	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	a0b9715d14 adc70a1062 cc2bcb1b723 373f464fc4 db1d6a7158 45cfbee789 b517	0.749883	0.773479	-0.023596	loss	0.692983	0.653304	0.039679	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	3aeb2482c9 44777c16b1 74e8114bf7 79f0abb302 7fe7a0789e 77e0f81669ae7	1	1	0	tie	0.356348	0.286375	0.069973	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	8b736fb4cf 67f8fab222 0282d2c216 bf5e67249b 3125c0f37a 7cba640902 2760	0.923624	0.939137	-0.015513	loss	0.875459	0.814977	0.060483	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	5e55bce288ae91d7bba250629576ae54990e0e980aeb8eebc366d287136285b0	1	1	0	tie	0.4005	0.342053	0.058447	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	6e189510ea13ed9169b08a3a77751a02affb1a3c73ecb7d47191177687dbf63	0.905152	0.923745	-0.018593	loss	0.83647	0.780223	0.056247	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	36156305241f5b5edfff686ea7df85a3c79a429fbf77a14b0a1bc6a4defeb1d7	1	1	0	tie	0.421614	0.364528	0.057086	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	11923b3c1dfb4089a9fb22e018de308aa42c77d1007e25300afcfc4b28cb398a	0.752193	0.64564	0.106553	win	0.712968	0.560282	0.152686	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	ab9abce48ff98f822f92361312d4c778787b564083ce22f16810bfbc144e5c2d	1	1	0	tie	0.475605	0.418569	0.057036	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	1ab0c3f2a6d20a8b218ccfc46df4d4640ebd4a2eb4f25e36a467e095d6bc9828	0.754567	0.641716	0.112851	win	0.697311	0.542012	0.155299	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	bb7fec12bf959050da2538fb411a5502fba23d209d9e74cdf466175e78218c72	1	1	0	tie	0.424733	0.390297	0.034437	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	7a72201c68fe623d08c27ca480fca9a286e5e955daf656d0417af7681bca6cd3	0.715251	0.727869	-0.012618	loss	0.677952	0.611677	0.066275	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	096167983631f42ce85c52a9cf8dc9ad7a70f027fd4a308a1ec06da4b6ed41ac	1	1	0	tie	0.468828	0.450555	0.018273	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	97c3dbbbe01643dd834cae9842c75046d3422f45fb58d2016bf3ba3b74852d6	0.681499	0.701886	-0.020387	loss	0.629788	0.573746	0.056042	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	0f0b3b123bba14557f626175f3209b29249b2f8673be4c095272e0ba70d5195e	1	1	0	tie	0.398643	0.377708	0.020935	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	508083df6dc5fd3ebe56df240d62ad27be34d5f571ca1dc4792594f9b01eb6f8	0.784921	0.81188	-0.026959	loss	0.743989	0.682277	0.061712	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	ca23ff42ed61638a31f33c61f6cd1b0582d48eaf3907e12ef5bf79b4449d6a9	1	1	0	tie	0.451221	0.434971	0.016249	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	6524660d8648472ecf46776d81add6a98f377a34b98e9e64ed7affaf5301bf5c	0.749883	0.780904	-0.031021	loss	0.692983	0.638338	0.054644	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	7c7fab2e1109b50db3bae6c37a2ab833a0c2994616559d172de8902472ab4d96	1	1	0	tie	0.356348	0.301378	0.05497	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	f83a8d4139a6e049985c46e82633c8610018771ee0daabf3a028a32a854ebd53	0.923624	0.938065	-0.014441	loss	0.875459	0.78832	0.08714	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	2c16bafb679ecfe27f293c481d044f95253a12d0dd67b0f62e	1	1	0	tie	0.4005	0.354401	0.046099	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	fd572717773c0e547d43b9f1975226272c00b38770b2c61ab798d535810a40386dc092fe4f4a	0.905152	0.928165	-0.023013	loss	0.83647	0.758715	0.077756	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	c2a210eec5dcac4cdc43a759191e6921988cc3aef760d2cef3eb3ea1dbdb56843	1	1	0	tie	0.421614	0.364528	0.057086	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	a3da73cc86c0708591ae0b28341435d90b70dfb23f1a3a103424ede8254948c3	0.752193	0.67359	0.078603	win	0.712968	0.566063	0.146905	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	c3dbeba6b4ab3878e95d576b8590ec93b862c9a7f93f3838a22b358bfc220ac6	1	1	0	tie	0.475605	0.422137	0.053467	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	f50be0a1348f45f83e6c55f0e877fac53f8aefb9b5dd0b7ab7dce1b4cc66e9d9	0.754567	0.675846	0.078721	win	0.697311	0.55246	0.144851	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	c492f4063449be6f41c03445d324d3f7024b574e4a143beac6dd437d89fd1fd0	1	1	0	tie	0.426594	0.394048	0.032546	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	b392e7891eec8d9a3e1b600c6f5be4f694c625f4aa9868c3bc86093fe99b3190	0.713548	0.705534	0.008014	win	0.676667	0.615984	0.060683	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	241183fa4c8ec140260d63d5d090eb61b05b0bb8f6fc65e215	1	1	0	tie	0.470956	0.455412	0.015545	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	d512891ef34fd332649804fa91917c697ce66b96a5098bdc0bede35bfe88b87886ee0a3b1fb24d	0.680299	0.680089	0.00021	win	0.629341	0.577155	0.052186	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	c6eb78bd55765a0486851e9ecda092a26fe6abc5dc002a806c4b98996adffbee	1	1	0	tie	0.397225	0.380388	0.016837	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	fc1e8a2ea0551db1123520c3183bb21648781d9400010b003b0c765b73f2b58d	0.784157	0.794833	-0.010677	loss	0.743627	0.693949	0.049678	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	5fdacce367 ecd83d5f3e befef815f0e 895eccd02ca 045e02ff44 8af45625e21c63	1	1	0	tie	0.450777	0.43909	0.011687	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	24d40278e9 12ed79be84 47a62a2a5c 577ac1ae51 e7a3f3ea8c 5daae4605b 3001	0.747371	0.761177	-0.013807	loss	0.691389	0.64597	0.045419	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	4ddfl22822 3c35836fc4 ffe22d2ca2 8d03d7bd3a e5c4b327b8 c19f8add3d babb	1	1	0	tie	0.353241	0.305375	0.047866	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	57b90356f3 dcdcaa75a56 086a9efc63 f970b7fee6 ada8165899 06ace48f27 be39	0.920519	0.923182	-0.002663	loss	0.872941	0.806006	0.066934	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	14742fc522 ff43271b61 ae90e67cf2 bf320bbd11 dbc18bb49b 7f8862ca7a610e	1	1	0	tie	0.397492	0.359444	0.038048	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	c7a33115d5 e74b07bb77 cb3e43d917 570e4f6e7f b19f7e5cba 85a0a79339 abc9	0.903248	0.908359	-0.00511	loss	0.83559	0.770875	0.064715	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	c52495bb6d 0e8b0e5b4d 947e7f75f3 9ef71ebbd3 9ac93be509 d055338387 e8e1	1	1	0	tie	0.423169	0.367519	0.05565	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	a0a4151020 cb9dbc02c5 f158f4a1a 6c3d2686c1 39f88adf7a 996ea00d9e 6b03	0.751704	0.658242	0.093462	win	0.712851	0.574695	0.138157	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	0f082cc5de d5d93196bc 6f420a7d38 38e4bb84df cba8d538a7 0e3ee223c4 d116	1	1	0	tie	0.475184	0.421663	0.053521	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	5b15c47cbb 9694ef2d7e 4a8ee8d3d0 ac5cbac26e 096eeef77 71272fee41 d066	0.754382	0.662038	0.092344	win	0.697875	0.561836	0.136038	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	d8b0807734 3a48cefd4a 6de5ac8a30 0106517cc2 f323b211ca 7738bfc164 938a	1	1	0	tie	0.424733	0.390876	0.033857	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	5894166988 90ca716557 bcd3fb59f8 131ee00d60 0cbc3a9889 5fb5975174fc7e	0.715251	0.727112	-0.011861	loss	0.677952	0.627303	0.050649	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	edee03e668 4dfe3c919e 84f8f1450e 516b11c778 d332386ecc 191e240662 e0d5	1	1	0	tie	0.468828	0.450999	0.017829	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	0b5050c1db0d6d1daf4c4ea2abf56bc1de8e1ad03c6a2e8f436bcc4d61ed d0e8	0.681499	0.699744	-0.018245	loss	0.629788	0.586868	0.04292	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	4890898551569cfdc294f15b2bdbff0b754c67a08aa785a7f307afda50e247a4	1	1	0	tie	0.398643	0.374708	0.023935	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	c02f3943b1cb6fe41689fe136efdcd61d6a3d23d9e93ca4b16e7d1a906bdcbac	0.784921	0.803995	-0.019074	loss	0.743989	0.693633	0.050357	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	28c9a94ef05d00100d9f1cef86fff99746855a23dad63ed4dce6ec94cd8f2576	1	1	0	tie	0.451221	0.431972	0.019248	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	04e771038adc740c799f2f7a35cfff53fac3c2cec5e78253d729843ebbf0fb69e	0.749883	0.774524	-0.024641	loss	0.692983	0.649585	0.043398	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	40c1befb3eb303a8a5aab38b085b8d154d1a9269bc25c43015831172b1acf59c	1	1	0	tie	0.356348	0.302474	0.053875	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	74b6a491b8ecc0311689b36a60a332952dc1410550dc92c888f1410c4b78cd6e	0.923624	0.928564	-0.004939	loss	0.875459	0.801103	0.074357	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	6846c0ea59484a38c0a50d31f028089dbfaaccfd93d9fcbef771a60e0990d5f21	1	1	0	tie	0.4005	0.354683	0.045817	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	d0ee4bd8efd869eba2dd e0be19e677c90a6c33248a1b5f48364b214f92814142	0.905152	0.920387	-0.015234	loss	0.83647	0.771919	0.064552	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	56d5447f1f791917ae7d3756eed96a7c67489131822ea47e675eb367566a4f2d2	1	1	0	tie	0.421614	0.363626	0.057988	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	280ab8cc71adde90528608aaca465720149eb5eb9891901dbd92d20011ffbcc1	0.752193	0.653235	0.098958	win	0.712968	0.563568	0.1494	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	b191b63bd6173861fdb998e17760820f11c488962cecade258b40006e6345efb	1	1	0	tie	0.475605	0.418569	0.057036	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	4124c542b3de3a2947546257e1c3c69db11547538baa2816c70b6a97147ef7b1	0.754567	0.656241	0.098326	win	0.697311	0.550383	0.146929	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	f6daed741e176274df7c5ee73d32f18fb9d63a093648b4b6e054e3c53a78abaa	1	1	0	tie	0.420448	0.400317	0.020132	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	f555b5a871c234140628f1c8f33ab0281044baf6c2ec0be2315ee245feb3521b	0.701963	0.6719	0.030063	win	0.663653	0.627246	0.036407	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	f5436e4604a8a1f6806a1f365e4f6a736e22c4a31c6072b654d5e39bdd6b99e9	1	1	0	tie	0.477284	0.462169	0.015115	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	93fec70985e7c4dedbc69ca6931af853e952b45ca99aea84ee0d73457e773e1f	0.671673	0.648014	0.02366	win	0.620053	0.588802	0.031252	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	2d427318c7d98331e500b946de73be32d61ad7f96a2edb35a935e013acaf1809	1	1	0	tie	0.400056	0.385106	0.01495	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	e055fbc0d0e4b0461d8762f3f285f43b584e14869b0546bacf96cf8f9609aef5	0.776836	0.761254	0.015582	win	0.734439	0.710662	0.023778	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	cf357d43428d4f91184d03674af0a2992c0f3eef7b1d963f84874799add30709	1	1	0	tie	0.461952	0.446318	0.015634	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	aa5487dd4925e40bc61862674d4041fd24656b4c24d5170c505dee572361a2254	0.741845	0.731831	0.010013	win	0.684831	0.664961	0.019871	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	f2303b7f5d4fde7c2fce67fd0e0d8be9199e2b3cc278bdfc063f1a5b45719832	1	1	0	tie	0.338583	0.311805	0.026778	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	a03ef25d0e2286bcdcd281b66c5f5046dcl1a286e66ac5968ef56523ed3b28abbc	0.929115	0.915481	0.013633	win	0.878407	0.854639	0.023769	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	e377c1513128cea82c3571823270ed34045033ed101500199f763f9f5e3884a	1	1	0	tie	0.389872	0.367967	0.021904	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	498b82c0eed20500b345a2a5eb407dd2a3e363890c1e6b4173bf931c324f07a2	0.910584	0.901647	0.008937	win	0.840603	0.81926	0.021343	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	d2052ba56cd80498d1add5cb3ad563d2c2be999ca92202f8ee580431770c90e1	1	1	0	tie	0.403303	0.373428	0.029875	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	75deeeef9b3b8008ef46fb047be7b79004f51252359ac75526902702a1b0131b	0.756062	0.661392	0.09467	win	0.714799	0.617436	0.097363	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	7e580a878fdd9cd2365a88180da4b00799127c2b794cdfae3b4830d25167af68	1	1	0	tie	0.461086	0.426615	0.034471	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	56f1c1deca5ae60f914c3cb4a45dfc3f76ab339ae2f04d6b9914dd2a28b2669e	0.760854	0.655039	0.105815	win	0.70238	0.595185	0.107195	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	603cd22898823e7b4cb2bc6823bff9b4f74a63a6eafc24c373d6a53dab89f92b	1	1	0	tie	0.383864	0.378221	0.005643	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	6186673cfe792867b4012a29bc24710a1466c32adf9034d0dbce029bc2a83bb6	0.673917	0.713547	-0.03963	loss	0.634949	0.619211	0.015738	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	5789b44431a343b2ea3d6f13221b409fda354a6d137b73cba1a4d860eb67cb95	1	1	0	tie	0.444747	0.43909	0.005657	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	081a31be0bcc9d11d4ae12ad5f3afb4885e8882511d3effb17184153f26896c	0.642958	0.687973	-0.045015	loss	0.592499	0.581083	0.011416	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	0138a485bab9a14daad7a3a99d0a58901d8945970a1d1b0a52343f1ef7933b89	1	1	0	tie	0.359018	0.363393	-0.004375	loss
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	6f9305752509a87c2fb98e92d2784a2eae9b9c5c91bb099bb329a797516ef73da	0.757788	0.805737	-0.047949	loss	0.71397	0.699213	0.014758	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	0a66c240a13aaae30f8f58738cc4024e4c934eed547b2439aba39d0bd5911f	1	1	0	tie	0.431277	0.426146	0.005132	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	0284fc588566e7099f7f74f46ec923f7d4477b21d955d2dedde989aa9cb97f0c1	0.722798	0.773479	-0.050681	loss	0.666073	0.653304	0.012769	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	d5e2f66fca0a804c0c3d0d617ba9283d00399f66e43a89d5502e8557acae	1	1	0	tie	0.286375	0.286375	0	tie
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	bac7a712d20c11744fe2f0b5e57d5f11e34b6bd78129f0aa5c5513	0.916407	0.939137	-0.02273	loss	0.863418	0.814977	0.048441	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	8bc3f634f94e7beffc2b9c5d3299dd3bf0d55c048e2bb4742aa74152744b599efb811f617360c85	1	1	0	tie	0.345254	0.342053	0.003201	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	901470e0ec797a2f77f88c077b57b9ee42a5470f1469e05eefbed0ec2358f0dc	0.895667	0.923745	-0.028079	loss	0.825375	0.780223	0.045152	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	dcf79a998592b4fde1d2c68c22d7862be4f3144505c06c4c360f2ab8845b7cbb	1	1	0	tie	0.408963	0.364528	0.044434	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	b57bca32b56395977c76d307c27fa73c7526835b797ad781c7e0cf96a33c8744	0.764982	0.64564	0.119342	win	0.720748	0.560282	0.160466	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	021240bf982930d060aacb4d70c4db3d6d5cbc7868ea3bf076cbf90c3776b791	1	1	0	tie	0.465833	0.418569	0.047264	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	1f93975dda4b85246811661658876cb98483a69ee1ae968c1b0dd952075183ea	0.763307	0.641716	0.121591	win	0.703403	0.542012	0.16139	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	b3662240378117a14c7d1d80433f973269f88d2f7450d39a149938e7ca727d7	1	1	0	tie	0.4242	0.390297	0.033904	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	a97db55722030f83365a237b64641ed811f09b877446d432f71ac3e08d32d9	0.717833	0.727869	-0.010036	loss	0.679653	0.611677	0.067976	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	39734a68da85db14cf2cc69b796800bba5898195bfb03f003b7cb2233918b3a8	1	1	0	tie	0.476235	0.450555	0.02568	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	e562317b40eb64e39842bc04c619d25c1bebff9577b661f77304f831ca9a012	0.682287	0.701886	-0.019599	loss	0.630368	0.573746	0.056622	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	85becce6a263364504e900203af5889a77bc0f98a74742640fd3a0d13216869a5	1	1	0	tie	0.404545	0.377708	0.026837	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	44dcdd215f263cd809e87b34728b272426071f1dflaec143fd9e63ab87229e33	0.785135	0.81188	-0.026744	loss	0.743376	0.682277	0.061099	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	ec751051382a7714a4b3999673bb782decf0c3f5b2a13ffdb6044ab063f277cb	1	1	0	tie	0.463897	0.434971	0.028925	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	126aa89b8c93f61795e918377f0d2d73fb54f5c3854549a4678c9e83c0d84c86	0.749766	0.780904	-0.031138	loss	0.692712	0.638338	0.054374	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	58601e1867efb9549f60138552922f7874d489c70e82284829bcbef2c5ff5c19d	1	1	0	tie	0.354798	0.301378	0.05342	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	7566538fb4ef3f7d2d408c4076ae0cbf3e105766ba98a73631e2a69d288c3b1e	0.926392	0.938065	-0.011674	loss	0.877119	0.78832	0.0888	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	a24a07f01c4dd8361d1a713bd6975d3be7371f51c0688789e4f6a5e1cffca612	1	1	0	tie	0.403733	0.354401	0.049332	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	1a79ff143c19e72a02ff4ed36064e4558ae76ca30ae73598e439473e0e928dab2	0.909794	0.928165	-0.018371	loss	0.840563	0.758715	0.081848	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	827f7bcb958e6ab37fa9b1ecb75c0d0acc7ee50114ac4c07d1c253767b4a8b4	1	1	0	tie	0.424202	0.364528	0.059674	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	0dbcd70c24de774490474bab50e0389306940d8947a0b910daea064726d9466	0.747253	0.67359	0.073663	win	0.707508	0.566063	0.141445	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	5f5bf4e63b6fbaccd3c7ab58d734a0030a82f0f2e8319b24a17fcae30f5d85c	1	1	0	tie	0.47833	0.422137	0.056193	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	ae499ff9f73c7b39d288df29b18f25a02224634ee9392efb2e09546381192f2	0.746485	0.675846	0.07064	win	0.689681	0.55246	0.137222	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	474d8ba36446adeb0bd05050b2629557db5bb2061ce24c61ae47a26f6794f668	1	1	0	tie	0.417748	0.394048	0.0237	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	8ef7dff032382bb9390f8b38c9a6955f7cb0d11fd23ea7e854dea5d2e08c7fa8d	0.712739	0.705534	0.007205	win	0.674253	0.615984	0.058269	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	2a47dbbc2150ab1df362f2c0fcf95e273808199063c63b5cc2d2466a33909dc8	1	1	0	tie	0.475184	0.455412	0.019772	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	bf272e07318d746bce5c6582af1f8539fc7f727e5a5d7241b1e514fab67eb63	0.680028	0.680089	-6.0735e-05	loss	0.628134	0.577155	0.050979	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	c54eba2fca7f753e0e6a706ae9b35288e678fbc48143aa9ff5266576734d3e5	1	1	0	tie	0.39836	0.380388	0.017972	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	7ee50085370330c8ef1f7f1c78ce5f7d1f64d3fcb23641339c6f629d98966f28	0.799848	0.794833	0.005015	win	0.756659	0.693949	0.06271	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison on Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	b6318fe5f edd5b239dc 4b19707d18 b74a5484d2 85dc371559 979254c7e07f87	1	1	0	tie		0.456946	0.43909	0.017856	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	65617bf9eb 5776fad015 8f6d0962ef 0c8f25b48a 01f6b733be 4c00b3d01a dec3	0.759728	0.761177	-0.001449	loss		0.701752	0.64597	0.055782	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	5a9f49ff1a 97edab9367 eea791bfc0 67335c0866 dd0d8bb5a2 cb1b51d482 c352	1	1	0	tie		0.337605	0.305375	0.03223	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	f6a77349eb 2dda7aa0ba 4bf217c663 1da0424edf 8229429e1f 784e66484e ec48	0.938325	0.923182	0.015143	win		0.887658	0.806006	0.081651	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	34aad590be c466677802 021747dc34 c36b0e93b4 3526f642ba 7c3994cflf3284	1	1	0	tie		0.388587	0.359444	0.029143	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	2b7f648984 7f803794f e17cf8692f cf6b37f798 c7e45ce771 72e4edcce1 8525	0.917018	0.908359	0.008659	win		0.847039	0.770875	0.076164	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	aff745f9de 8bdc4a1621 f5036c3752 0f34d9bb3b 8f5b27e4a7 adebf10616 25a7	1	1	0	tie		0.416652	0.367519	0.049133	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	ad27e0fd5a bba5f9dd33 75788e3798 895ce9bb13 d24bc9d7d3 f9dcb16633 b4f1	0.752691	0.658242	0.094448	win		0.712048	0.574695	0.137353	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	b252a87114 606d11f462 476dc5e960 422fc9185c e04808b2b2 c08f20205a 01ed	1	1	0	tie		0.474763	0.421663	0.0531	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	18b60476d1 e64633e5c8 5e0a8d6507 9c8c18349e c496754569 1e0a6e5a4274f1	0.758087	0.662038	0.096049	win		0.700236	0.561836	0.1384	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	464cb331c6 db2805059d 2f9dbb61d5 79da3c4083 71760f5be6 f2393670c5 2492	1	1	0	tie		0.412843	0.390876	0.021967	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	4cc040c13f f6830856b6 3c86b5aebb 813489ef0b 5c93c887e9 2b4d6eb6e1 fd5b	0.697075	0.727112	-0.030037	loss		0.658708	0.627303	0.031405	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	af87b49216 5bbe66947b 7ae7c3f2c5 d1c02d371a 57ab75639e 7798fddce4 4d18	1	1	0	tie		0.470319	0.450999	0.01932	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	2fa6babe5f677eb1c16cfc84434223a0d6744a732e0798ad4dabbf5dea810941	0.663692	0.699744	-0.036052	loss	0.612469	0.586868	0.025601	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	a0f4ed23ae3b83335b2757d5420d872ce923e07b3b591dffa82bb7c4787fe38fab87d447fade5d7676bdd29ba689516df12874c1d381330a1bdf03d37c49222ce	1	1	0	tie	0.395231	0.374708	0.020523	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	60a7eb45269e083c3ebf9a265c212dc0226077c9303c4b6837da2a8bd34c18c0	0.77507	0.803995	-0.028925	loss	0.732411	0.693633	0.038778	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	beed4a191ad8143df4fd13d36ed756749230df44a47d2ca9d035a7bb2eb5424d	1	1	0	tie	0.455851	0.431972	0.023879	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	62b17b6a8160885292a00f91ff48aa78c6ed3d55e49b1d6dd04daecdbdb1b0a	0.736966	0.774524	-0.037558	loss	0.680088	0.649585	0.030503	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	cc5855d018d06209a21680bac5e969cec1efd9fd7ff2433da4bcaa390839606a	1	1	0	tie	0.330677	0.302474	0.028204	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	aa98c1d9d697e0dacede1ec872209d9ebd4541dfa06337f70e20f82d8558cecc	0.92336	0.928564	-0.005204	loss	0.872539	0.801103	0.071436	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	05edeee87ca9914d16fcb4a8272140ae1589386be248451554ac09ebdf8f9f1	1	1	0	tie	0.385227	0.354683	0.030544	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	52dedb54baaa19295c8c82a919ad11e9a260fea65a468a76cded29095afa108b	0.907233	0.920387	-0.013153	loss	0.837215	0.771919	0.065296	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	b5f50ad4e4754e03fec509992d397a6c5f524ca67ece6c83e7384649520dbc6ff	1	1	0	tie	0.412427	0.363626	0.048801	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	8250e22b9c6dee5ffa38794fca8faa559ddeac7a1a15f79bff6992f12a6f38cb	0.765874	0.653235	0.112639	win	0.723721	0.563568	0.160153	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	436c980ef16948ff35c5530e1ef11a544d97fb28c00b36f503f21229afe4a403	1	1	0	tie	0.470956	0.418569	0.052387	win
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar		0.766087	0.656241	0.109846	win	0.706962	0.550383	0.15658	win

Table 25: ImageNet-ViT-B/16

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}^*	$A_{perturbed}^*$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	c7d7be9190 133c853930 5fd2d69eaa 13cb4c9075 a1ee81eb33 2af0ef815d 2c69	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	g	0.0852	0.1524	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	b2b877cc8b 18fd91b2ea fc298c7cf2 9c14b5fd71 7e22dbb943 42b2b3d00b 492e	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	g	0.0966	0.317	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	a8188879db abcadfa886 b1bc598958 ede50d0224 e53b06dafb ac49d89ee5 0e91	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	g	0.132	0.2146	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	015448e5f5 6021f44159 9945d8b42 52cc76db79 c6adef0ede b7e6c8fec9 5edd	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	g	0.1484	0.4202	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	71827748ae c9de92d4a6 118cdad7f5 91d54cd93f 6cf6c2bf4e fb49ff680d 039e	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	p	0.0852	0.14	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	5b2763e35a 2b7694fe8c 476887fc75 e7b93afe527 6ea9f19f8f c2a30e5dfd 3be4	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	p	0.0966	0.2672	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	ac8934f9ce 7c1dded0f2 53d10f8107 80215339e3 3d4f13c3b3 e386a18528 0566	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	p	0.132	0.2034	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	f72413040e a2951fda4c d0a79bcc56 6f292a5557 cf15eb1c14 073d5f7f53 60bd	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	p	0.1484	0.3676	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	7351700f28 87adfc82a1 da9d17cb46 73b531640e 2ff0c93914 c88a8984fb e213	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	s	0.0852	0.1086	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	3a39dfef910 766bc89880 d669395295 a2fa4329f7 8e5bbe45a9 1f25027359 9d98	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	s	0.0966	0.1602	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	83ac9725a2 72e7d92967 8c15901414 9324130001 7697a2d764 371ba8da14 a566	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	s	0.132	0.1534	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	0edb78b0f2 553f1e0087 6e4ac4c62e 058bed00df ce66224bd6 267e22f611 91d5	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	s	0.1484	0.2302	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	da6218e1ca 914dabab7e 09506f3574 188ca2cc80 5171c489ab a2f008f4c7 2bf0	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	a	0.0852	0.1624	0.9136	0.9136

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	09c76a75f7 83cb057c24 0474239038 1683e7d595 e5f612c0a6 46f9a9cfe9 beeb	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	a	0.0966	0.2946	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	449fa84127 6bc44b3118 4b1da2e9bb 332943a511 b58494dd73 8b2c82e4da 92a9	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	a	0.132	0.2254	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	c6779e21cd e8d2b2b247 7fd8209821 03a5b5d70c b894e3b71d e6b0f76005 d060	NOISE	Spearman	NOISE-S	Simple Averaging	Gradient Attention Rollout CheferTran sformer Attribution	a	0.1484	0.3536	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	3397272788 f9b736dd33 61b3a7b6b8 97c248782a e4ecf27557 See10cf281 71e7	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTran sformer Attribution	g	0.0864	0.1594	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	b126fb6a84 b2a821f253 8c23c4d004 425d319e6f b9164f3e62 4c14e5ff4d abde	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTran sformer Attribution	g	0.0928	0.3158	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	5801c1d681 c68f463d30 6dfdf77edc7 1e5bdcf3ea b4b8083a53 6682b97311 41f0	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTran sformer Attribution	g	0.1352	0.2198	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	6352a8d233 8040193145 e296b14360 81b14b3967 459d13f072 147b130503 2b11	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTran sformer Attribution	g	0.146	0.418	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	bcbdbfc282 743397ee2f f80e957f59 c3ed7bf06f 4694331996 53f24bc058 d273	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTran sformer Attribution	p	0.0864	0.1408	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	f9c7841750 6636f27891 28c684d4bb2 6210dd0d54 5cc6489ade coe498f382 c54d	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTran sformer Attribution	p	0.0928	0.2612	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	40156990b0 138761f7f0 b6200a5c36 97b15662a6 d8dbe4312a 7cb0f8cbe0 elbe	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTran sformer Attribution	p	0.1352	0.2036	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	5b97145b69 01e950dcc4 3516ac37a6 83ca848dc7 9d45676649 a4a35095e2 2435	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTran sformer Attribution	p	0.146	0.3596	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	7318db3261 2e33b01d97 1f0237008a df8421e68f 1ee38604ad 5c054e4ec 7ad3	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTran sformer Attribution	s	0.0864	0.1152	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	4ab126104f 134ab15ecb 358aab307f 2701897041 8d969791e9 e53e605c77 ca7c	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTran sformer Attribution	s	0.0928	0.1544	0.9136	0.9072

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	757180e733e4419ed2be788376fb3cb04f1895842d0474e2a51f553bac54fba	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTransformer Attribution	s	0.1352	0.1604	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	95007c2b9fa51617376dac98e57b2ef64b5b2cc638456e55a08eb735be2fd406	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTransformer Attribution	s	0.146	0.227	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	1d0574c3afd98139bb3824f3505ca24d1659f650d4846550455f766156b99244	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTransformer Attribution	a	0.0864	0.1624	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	7fd782cb699443b1bdea9b8c286901ed6903f2268fd38858ab6347c0f4248d258	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTransformer Attribution	a	0.0928	0.2962	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	fc39f6852550f9b0722a8701c17d4c40c0fded0a37a50034ca1be26b73bf6a71	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTransformer Attribution	a	0.1352	0.2262	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	22acd5bed7c8510621dc2f89d01283ab5502708b84a33c51d3ec036b01730c06	NOISE	Spearman	NOISE-S	Borda	Gradient Attention Rollout CheferTransformer Attribution	a	0.146	0.3556	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	f500c956b161e75bf2af47b4107fb07853479e66ec6fb7bc209793968d995a1b	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTransformer Attribution	g	0.0864	0.1594	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	293cf4d0e58bcdfad6829184f78340b8f51c8e7236eec976c95a3d555fd4c4a8	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTransformer Attribution	g	0.0928	0.3158	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	2b64b4a56e88236c9e85019a6c3eef a87bf4aef109a603e258dfd8da0918dc4b	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTransformer Attribution	g	0.1352	0.2198	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	ac92ad147cac50cca6011e9bc9c09f5d47293d398b77f78c428c8576b6da3e74	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTransformer Attribution	g	0.146	0.418	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	6e1029dc17992f35e8e9ade9112c7521c0ef43b6e484692c658e550950ce67ad	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTransformer Attribution	p	0.0864	0.1408	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	e2510450bd ba60bd246a1510063e51f38e3bab6ba3995c2e83468346f5eae46	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTransformer Attribution	p	0.0928	0.2612	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	862a245f03068c34baf8a0eb1aa2ced8145d8ef2346edb4fa09db1f255c18ae9	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTransformer Attribution	p	0.1352	0.2036	0.9136	0.886

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	dfa4b9bb301be2ac7b3378230d47aa799aaca0ebca6a4584c8b07760a1c88bed	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTranformer Attribution	p	0.146	0.3596	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	27543c833020667c86e8ee73cd1352eee2745b402bb524bdd10f1d67d9a41fc6	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTranformer Attribution	s	0.0864	0.1152	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	d393c1a8460fc3dbcaa2ed7876b2738b771c1074f20581d9c58c5bc9dfa278b4	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTranformer Attribution	s	0.0928	0.1544	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	0c9a7b583f26fae5f92a228b99f3ddfbfd2251790c2d0bd35a	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTranformer Attribution	s	0.1352	0.1604	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	ae0d07adf5e247c2268ed763ce9f87ec71e900439651210539c8a87519d59ebc6ab2d52be7059	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTranformer Attribution	s	0.146	0.227	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	02ed0ee6f9a9af82d462036a6458c3776548d076c73cf58f0ea3fbc2d3530a01	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTranformer Attribution	a	0.0864	0.1624	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	7699239e34c37cd15fc28aa0c9f27efa212a7be2dce885c613b4fa3b796ac79	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTranformer Attribution	a	0.0928	0.2962	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	cbacc737b6c7f471854218f43e210d230f2d4f58a570f9edfe27b9d06e73aa45	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTranformer Attribution	a	0.1352	0.2262	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	25796aab4bae2e90dfa2399d2962a5094b65021f1fb53768d72614a20c5cf57	NOISE	Spearman	NOISE-S	Kemeny	Gradient Attention Rollout CheferTranformer Attribution	a	0.146	0.3556	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	97b7b99e8f7b273b1b2a6e3d82571a5aeff0c11b6431108e0587987b4db2cbde	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTranformer Attribution	g	0.0872	0.1608	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	47cf503e9e72999f000f3a9d64a6cb	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTranformer Attribution	g	0.092	0.3166	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	a06baaa557c95d119e8c285b6a899422685eb896bb86460edeabaf614fd910b0e1ec390468fd3447d56ae9877de5402f1	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTranformer Attribution	g	0.1356	0.2218	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	1a009f29d1c3ef1ad79d8f4394f6d9dd4c8bdee073d61e6ece71c03662a0b831	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTranformer Attribution	g	0.1442	0.4178	0.9136	0.8836

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	a9851a6bf f0ccc3e2a8 0e3c264928 78b1c099b8 50aa5ebd8c 32a1e0f8 dfe8	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTran sformer Attribution	p	0.0872	0.1398	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	1d393ac36a 22361fed62 50d58864bb 3a97ed9c3c a6945004ea 76e0e74c1a 4614	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTran sformer Attribution	p	0.092	0.2612	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	e2648d3e79 852063ecfb 90c65bc8ae d97c37840d 00c432df6f b3de61d8d3 c0c3	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTran sformer Attribution	p	0.1356	0.2032	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	0f41252f7 fa3a66482f 68a74576a4 4a66fe9b4a 5a81084776 e87506fdaa b5dd	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTran sformer Attribution	p	0.1442	0.3604	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	c9140cf49c 905da10c17 a5ed0336f0 6e703499f4 0bddab548a aa6525bd0f b43f	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTran sformer Attribution	s	0.0872	0.1132	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	63909013a3 081eaa046 6e43aa641e 7590535011 338dd03d4a cab632281a 045e	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTran sformer Attribution	s	0.092	0.1562	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	fe22e9e441 04852c298a fecb4b310 bc7b8be63f e35f8776b1 fecce9833 a543	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTran sformer Attribution	s	0.1356	0.158	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	6450674866 10a858a809 2c3d99f70f bfd7f6b3f3 17cc2a6407 5d47e9d267 24b6	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTran sformer Attribution	s	0.1442	0.227	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	6fb4ef7bf 718a68fd21 ecf4cb1063 e8778bf5f5 0676203422 ec45ebeeaf b0b3	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTran sformer Attribution	a	0.0872	0.1636	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	acff1fcc31 c1837885e0 dede423da2 81e198d83b c63fc88d3 bab3750a44 c7fd	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTran sformer Attribution	a	0.092	0.296	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	1746ab939a a5e04a616a 8eb224d3e8 e70d06b403 ec21321c58 d9de603830 2d15	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTran sformer Attribution	a	0.1356	0.2258	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	0c819a0229 bbf044504a 240b4dc5ba 4ef85fc399 37c4933d8a 2c43e46746 a261	NOISE	Spearman	NOISE-S	RRF	Gradient Attention Rollout CheferTran sformer Attribution	a	0.1442	0.3544	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	497e61291d 20f24bbea0 3805b10d0d f7c7b32ca6 9260870f2c 98b2c92e4d fc30	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	g	0.0864	0.1594	0.9136	0.8836

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	591f85f2eb e7778e9b3b 94296d23d5 996a0dc322 fde02871d a892abf102 e45a	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	g	0.0928	0.3158	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	10343dead2 bcd93172e0 e4236bf442 e8027f99a9 bc0086fbaf 0cdd2d947d 29b8	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	g	0.1352	0.2198	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	cc4fd84be0 027bf8395c 77198cd63d 35482c33f9 cbd7bbcddd cab397100e 14b8	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	g	0.146	0.418	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	dcbb83cb62f b0afb9103d b65ee2609a 15c9cb1b19 2d50afd057 dbeb1ef434 03f3	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	p	0.0864	0.1408	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	486ab259e2 086d8ab364 dd29f7e3c 4e309677be 4b344e6c8a 85ca4fec29 cb5e	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	p	0.0928	0.2612	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	969e665471 25c6842818 ed65f2e6eb ccaabfda70 92fed934d 228f4a1f5b 86fc	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	p	0.1352	0.2036	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	5e8c2d5596 b6e4cb8263 b11835419c 0f87167223 54845fbd26 c14df10b63 bbb1	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	p	0.146	0.3596	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	50497160a3 5f03dc73b8 bb686011df 63fea1e4a1 0f0d6afb31 a75b1e7e8 7e2c	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	s	0.0864	0.1152	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	15c2527a5e a325dd71c5 b22602e1a0 e23d1476ff 7a1533dbf3 2c001306aa f654	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	s	0.0928	0.1544	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	ceebbb478a 95287c01dc 8b446e5f72 2f0c9b5451 eaabbe88dc 5bdb0ae07b d94f	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	s	0.1352	0.1604	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	82dcf2c05b 329fb5777b 880c30cbe6 2849d6375 a382152fc7 0a8ca3c040 9131	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	s	0.146	0.227	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	6de25823ff 253f67e0ab 938b889a35 76079f462f 82d0430033 e8fa6c0b38 5c32	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	a	0.0864	0.1624	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	d6a3b07a24 0b01bd028d b2bac17263 7dc0bb3bee afd0518b53 8d2482ad5d 6437	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTran sformer Attribution	a	0.0928	0.2962	0.9136	0.9136

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	5c4a4391e78a3b3c59025fcef71fa4cf5e80954c325892facaee08b52dd8a87a	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTransformer Attribution	a	0.1352	0.2262	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	7f7eb04373383246b0b29f7ae18b0ee6c28c1cb68d2b5267217db52c335165ad	NOISE	Spearman	NOISE-S	Schulze	Gradient Attention Rollout CheferTransformer Attribution	a	0.146	0.3556	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	71d090623899e58dff7aeb6b5c8975b272d80b89bc86caa24f9cfc3901f064d4	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.0734	0.1562	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	39a42675ccc0a078f66268b40bf2ed49bbdad426a01c8c829dbf82c59b870c48	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.097	0.3292	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	a459e32a7a92eb1aa01a72de89a4c5552dc9cad9a776885e08f31a1c0bc80a9f	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.1198	0.2278	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	f3e0c2993069e9315e26dff80745cf039d5958d40d98a12b4bf6424696d1272	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.1478	0.4276	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	4b232dd18e5d86094b15e2c5586bab349df4a51cbade1ec46a109b815e0893ec	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.0734	0.1418	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	84a4fa9cb2bf8cda26cc77747c689d417a235d86d39bfd7c4cbf101686e36d0a	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.097	0.2708	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	5fe195062949eb1b7bb3f302f2fd56ddd8e021edb7b7b8c54dde72420f407c6	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.1198	0.2134	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	1d5867bb4ade25e1ccd9047a61a7dcana30d37b10bacc33337eb74f0d5a551b6	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.1478	0.3678	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	cfcec80dde644def1cebbed185e1025bcb6e80f5d30c9e95d0437efc7a7e41	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.0734	0.104	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	70e9af10f10a76986bb64113bf2fd608d846b15cb0da735e346495ce61a18be6c	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.097	0.1538	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	d7850a4210845bd9b9ca0bb9b25a485ae3eff1afaa0312affbb418ddb61e5621	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.1198	0.152	0.9136	0.9072

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	3568fcec7590b52b82c191592b01e09f5066b5aee7039560634e348ad2c9c8beb7f0c08d3e20a014a3d0cee1ebb5122d0d1ea99ee c7720abd2c dfaeda4b417015	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.1478	0.224	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	b2221aa19e cda7da0eaa ff14b3c456 96b6ce26fe 6afb0e4305 d82ad7c2e4 1317	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.0734	0.1486	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	b2221aa19e cda7da0eaa ff14b3c456 96b6ce26fe 6afb0e4305 d82ad7c2e4 1317	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.097	0.2962	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	99f6116f51 bb79d4207ee 7e4cddcaed 7b8f81274ac 75659da93b 759e62fd3b 1ba0	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.1198	0.2126	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	926cb21b3e 3f7410213e 709c3f5982 cb29823f73 f1906ac330 4a080e142d ac02	NOISE	Kendall	NOISE-K	Simple Averaging	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.1478	0.3516	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	236ddb41ae 41951d52dd 16ea16fccc d7db444912 3266322dc5 30232e6423 931e	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.0506	0.1302	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	debb1fd9f9 7a9c1f89e6 acb1f24243 e6285fe7ba 9d0fc0c56b 99a8f713fa 82a3	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.1026	0.355	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	a9bdce7678 61f523f1a6 fb34b36448 c6937e3988 308fda3846 fb3f3e458f b91b	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.0956	0.1978	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	00584cbfe7 bc5805c97b dcb093f08d 7837f49d2b 1f5fda0d2 2cfe5e7f31 1a9b	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.1508	0.454	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	177ccf8db5 7062123018 e2be6b292d 95f704e967 005cbf1c6a 1452c2cc0c 2045	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.0506	0.1142	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	9dad40d8e6 5864893a59 70fa6c4e9c 3f11100940 0e24d2a29e 7f420df63b a8a4	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.1026	0.29	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	a816657586 57f61b25fc 8b3d24d9cc 019701ff79 a25ec45f89 47f56e0cc17 1c3c	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.0956	0.186	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	185d75cb31 dce676dd49 a88ad9aada d7935c5b49 b64f4ff398 11841af54c 8867	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.1508	0.3862	0.9136	0.886

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	c5bea205ebd5f545a2444a0412fee04c4f320892ad0f08eeceb53ef8cd9bb932	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.0506	0.0744	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	70834fcf37a81f56e52ec1e80b17d4c05232bbb37a41c1e1847a77a88b087b76	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.1026	0.1692	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	6f070f6dea958edf7dcfb1652f48a6eb9969186aec9d73bc3adfaaf6a0b06dd	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.0956	0.1192	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	14f89c87c7fe07c198b918309a2c3484e051d52040dd8964d35dfb5ad65da2bd	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.1508	0.2394	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	61286b3f5d5895ec3ca5b52f149088984d4f542d0be34461cb6a76b784091a3c	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.0506	0.1528	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	a974475af384975897980dd3247617166f34c9a24d0209496e5776c820cfeabf8	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.1026	0.2932	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	32d26f72af9258070039929dd5ffc8fb0c96389b12727f6da475d9e898112306	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.0956	0.217	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	1b7f35a1dce76f315e23a5eff663c52bfc075999e8e1038c6298ddc7e20b223d	NOISE	Kendall	NOISE-K	Borda	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.1508	0.3518	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	2878510f099440fa1fc16764a060af9f8f50f58fb4ce2c4959b00ac3879aad81	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.0874	0.159	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	4863b5d0e2da5ab84e79ca2154e6f151b56536ad2a91b425478b0f8c877151ff	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.0946	0.315	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	1136fc36ebd6903ee367a82bcbf82e73c73a023ceb63c6db41e4663a9c5555c	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.1362	0.2268	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	afc7171b027d8def49b0ceb4d3fa17eb7f38c3e7fa62f81fb24c3559dc0f89761	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.1464	0.4176	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	429c64b91513bbac8b001e05c2a66acd7ccd7fd61f2fc958991851715f77bd33	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.0874	0.145	0.9136	0.886

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	281e40bb1 8ce5919b68 dfc9bd2735 a9a8d898e2 49eb8cc0d1 7276f57095 7dce	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	p	0.0946	0.2624	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	17c549ca9e 9b4c416f6e 0fc0c38593 36860815ef 40e0a30e0a 134d0b42c3 e360	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	p	0.1362	0.2152	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	4ca5fa025 76efa08210 37356e4def 0c9aeb32c6 5c8d6364fd 09b969e842 0664	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	p	0.1464	0.36	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	1769c9b41d 9906059e48 72af0023d1 f4d64cf8f ba36b051b8 b7ced49482 4b52	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	s	0.0874	0.1142	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	f9b96e3d13 d667c9ecce 123ef63491 8229f89442 bc9e33c664 827d234a44 f786	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	s	0.0946	0.1538	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	d1af31f929 a9d1c4272b db8c209c62 4711f65815 e51b71c584 8f582b3827 c5a2	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	s	0.1362	0.163	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	3a0850cc77 7d8dfa1493 ca18262788 1ff42945f2 7be4261f12 32e2231a50 4f09	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	s	0.1464	0.2234	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	83683865be badcdfdb74 245018085e 8240b78a99 aad4576d42 87a057dd6a e681	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	a	0.0874	0.1644	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	39843c141e e83fccc87d 1c236a1594 806d3eb0a6 959eef792e 13b67754b6 2d20	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	a	0.0946	0.3016	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	165c4f22c5 2be5eb8447 602fcc7764 636b6baecd 0efe7c0460 e9559f5cff 254d	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	a	0.1362	0.2288	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	64734a3466 45bb34e779 42500fcebdc 96bf1313b0 1d7c0ed27a 112c77eb23 3e8f	NOISE	Kendall	NOISE-K	Kemeny	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	a	0.1464	0.3628	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	93e19059db c020150841 f175e74edb d31fad47fc 879bdcd791 1fb8cb8e47 c9fd	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	g	0.0726	0.1542	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	a5aafeb6c8 7d5451e91d 95e1dcdec37 a571fab522 6b5512427a 13d17b4531 654a	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTran sformer Attribution Occlusion	g	0.096	0.32	0.9136	0.8836

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	0596c3b0245457a8995a45e557ab5f90f78196e06e7ee4123d9a6735e88c94e8	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.123	0.2258	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	ddc3b9af02da58ddbffb14745881d019835a33b2e5c239465e70e1ed37d7161	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.1468	0.4198	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	ec61d7e2ea8d29d427c85e4f673b47a244eb836d25ecc7cda815dabb3a82d262	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.0726	0.1406	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	9f42a211bb5a8142b83f433d4b183111a7c26ebcf7a8b4dc6bd32a9ad78b3505	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.096	0.2518	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	0628c6fe69a30db51f4babcf86d51834e0be1679cca7e3987622ab1e1de36a28	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.123	0.2088	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	0c3f5df229a82564533f50473f2aa6c98a16346716ea23c4a818a8480ccf90a8	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.1468	0.3518	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	f0231a11d1509c122bd3fcc0ba9eb9bd46359f6cc65a56a37675b54f5262629	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.0726	0.1034	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	f7fb31005d1208d68f76cb0d544822103e2d6edf6ed9cd2b0b5f13b88f3527c3	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.096	0.1454	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	6181820e186e0e07408a74c52c691ee0876feb7eb03ec2c28a956323796c1d8	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.123	0.151	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	36291492a2545813ee509c2f2043d85478deca40ecc70a52ccda3b89b7183af5	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.1468	0.2176	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	431f6eb709d200132fe12cd2a0b146e7151522ab2c565f7ceb9d33c3cd6e796	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.0726	0.1586	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	8611675f13ae3adc887a934dd6b29c9f37a8380e5d309fba10814e02910744c1	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.096	0.2982	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	9103f371ec6e4686d16e4842fc58f564c1be56a0e49402f7745752e3549e030	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.123	0.2254	0.9136	0.9136

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	8ee35b42a07cbb39fa4f646deeeef2a9efc0f27fd317e2ceebec90dfcd11ed9	NOISE	Kendall	NOISE-K	RRF	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.1468	0.3532	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	6192d0b9ecd8436fac72be1411cf582b0a8a33f68c944fddda23f1fcfa7e217d	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.0764	0.1506	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	5fbcdd78c3bb32745d7b8b9afec6f549987d0d6207cdee65996700f9486ebb3	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.0978	0.3336	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	7d4f265acdadedfb560a28925141ed b536338a380297a74bd3af108c15b886ee	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.125	0.2212	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	0c36baed43ba42e8c0943f5e96cd715d3117558369c18cc02c370a26f133c82f	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	g	0.1484	0.4348	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	05a10bcee72be4042dd7e7c554e5751ca62c654e6825aa7ebbbbed680e8ab590	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.0764	0.1384	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	e4135943b09044ed7ce71c2b7ae80314fd4bedeac7a57a09036f94c9727fa1c	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.0978	0.2728	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	69efc626e770c6f3b676bf3517db000fab158f1ef55bb478964a54cb15ef56	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.125	0.2078	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	29e89aa0917934ade8a41c4da86e4a56b14688e72af96801fd82d8ba05099ef	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	p	0.1484	0.3724	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	94020fa1c30700f53852e54e21d8540415f2abed6598d68715bf582470fb b21b	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.0764	0.0992	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	f344df1b73f186dfd2d45bc6a47da1c045c0519b555fc9c25a476d51d17189c0	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.0978	0.1592	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	aa0cd8e0a7ca6c7c8e9df52fb2da5b46f47c7ecaf123022279924764ee6ad	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.125	0.1484	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	8cb06dc618a1b50b7b43df9480685b0783c2ad29b3d7b16435861d5fd566919a	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	s	0.1484	0.2274	0.9136	0.9072

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	f3d0e5c98a6dabaf45014f86cb26d59e91ef2820fbc719e1d066aa8aee59083f5	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.0764	0.1554	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	9a4115db675bd1b497fc6356bf37525574a8ac1fa12159ea1da8afbb3cef30ee	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.0978	0.2888	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	81bd1b94a49c4c50ba46dbd7f0730196f248c407ba4893f02f2414f6b5c028d9	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.125	0.2218	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	0816c1dd7814fe5b2cd0586247b89aee33e07ccd917e045295c0d18948b2718a	NOISE	Kendall	NOISE-K	Schulze	Gradient Attention Rollout CheferTransformer Attribution Occlusion	a	0.1484	0.3476	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	F	7464bbdd7a81f09c6d313c7eb3a313efda2e4164335da8fcb5f8b984b861e50f	NAIVE			Simple Averaging	Saliency InputXGradient Integrated Gradients Feature Ablation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.0642	0.1416	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	6fe9787b3078c35204cec4a8b7725b11daa2bcb868978bbaff43f2fa34bc59c	NAIVE			Simple Averaging	Saliency InputXGradient Integrated Gradients Feature Ablation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1174	0.3662	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	C	840cb84c76a51ec9f76d7b4cd8c942bb65845058864864f08ef7cd9fefe2a125	NAIVE			Simple Averaging	Saliency InputXGradient Integrated Gradients Feature Ablation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1032	0.2136	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	a18d0e59747f70f55b5b9cf059c0ed2d3b92b670621facb5f7ca051ac0b6a32	NAIVE			Simple Averaging	Saliency InputXGradient Integrated Gradients Feature Ablation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1744	0.465	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	c0930110a3b3314302aa2399dd1d659585c00a3347fd75e92dbd4c4acflc1582	NAIVE			Simple Averaging	Saliency InputXGradient Integrated Gradients Feature Ablation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.0642	0.1314	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	ae0c5737a63ce49b8ad5a3b64a6b0c44c1fd47379ab4d0a00efb07eeebb1f7df	NAIVE			Simple Averaging	Saliency InputXGradient Integrated Gradients Feature Ablation Occlusion Gradient Shap CheferTransformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.1174	0.2982	0.9136	0.886

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	edf6b68c9f8caa93f60b9f37c7af20d225224baa71f7adcb294f8199a223ba45	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.1032	0.1992	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	e0043f849fe560350cdb4ed771052005b06a9d1f81c63a78bce958adb4e7eeb8	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.1744	0.3958	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	F	d736ef7833044480724ae4d2b52db96c07afb0a75355ea22fd5a8b8d2c9f31af	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0642	0.0882	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	f66fda38daa6f72b1fd581692224bc3e20548512720b2f548578807ce248957b0	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.1174	0.1834	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	C	cca3f7da1193d5976caf8f5a17e62c2332b3a0aeae269f563d54dc8695669253	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.1032	0.1354	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	f2a5584c35a0f95f370db88d19b97a5ca8cc2cc4351eaab9e80023b81a856ab16	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.1744	0.2556	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	F	10a6b46d3d269ec0dd92527c697873cf444227d296eb87de8aca07d5050d6ca5	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0642	0.1274	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	a4217beb42a0933fef348084f8394fdc346c704f3a08fe6d373e02bc9ba58ef	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.1174	0.387	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	C	9c46513c8dfecd71e0cac2be0c9e83fe92a9af60a198197b4a339b460be6c4f1	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.1032	0.182	0.9136	0.9136

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	047f6e7af12b6e324fb281cca8087206ee462452bd147a13c792a56beb4c8129	NAIVE			Simple Averaging	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.1744	0.4592	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	F	d42b2feeb5c60c8b1e46e997910a59e5c12af6faefe98ec3d94b43f99cbbbd98	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.0478	0.1264	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	2dd483e94b1a46916158d64cba8bfd66430b11218e3cb4eb094a5a6c405f6cda	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2256	0.4088	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	C	b99ac91a9f9fd377edc5b2f003ea410455a70712c1cd579d62651765fa3c452d	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.0802	0.1928	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	1f2cf08042d47b4729168fbbba35e7cfce7b525c6843387e633644daae96bfe7	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2866	0.5092	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	c40f8f81983bf7a34baccf25dc2931014a65464bbb481e6af8cdfbd8b00d042	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.0478	0.117	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	da413b071c2602ae5084a5a99aa0696119423f7abf473e9c63f2b0df5b8e26ba	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2256	0.3484	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	a58339684cb6475b6e8e564d6d7550ba01be4476747c3e14ce1d03aee2365a9	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.0802	0.1816	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	c740aa548ba83630cd39e122f3e972353b5e5efb0d5680a650bc3b18775fade5	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2866	0.4482	0.9136	0.886

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	F	0274cc6c0678a6ced785b19985ba88fb12eddc6584fe7fb56e44fbdd93aea6a5c	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.0478	0.0744	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	54f21c5eb41ea02e4add42a58750909257da0135bbbe2265fa75bf278cc29f8f	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2256	0.2656	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	C	4d7020cd9b77ab2e5273ae770aa435b0369499ea52bee71ebe216951c004a596	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.0802	0.117	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	49757877b4626409081c870761552894a2b74d9139efeaca69cc9f113d717937	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2866	0.341	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	F	93897af7498044c89efb44f90a12ceb2aac043db417db676aa1fa6ee75b7300d	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.0478	0.1214	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	05e16f2489b3151a98a7c21c076951d70edeeda5b5db60fddd86d39fb7dd a68d	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2256	0.4694	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	C	8558a029ce53d3deaeef1f39a21350cef643aa7de30d64e0b74a2a61a04d8a4c	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.0802	0.1752	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	248b2958c52143d402ce0467f011e296301ec3c19aa5a4c06689f2596c2f79dbd	NAIVE			Borda	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2866	0.5422	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	F	60b0394fd4e088e200e3bb07a771c4be0abc6e9889a01d47b9d77aacc58fab0d	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.05	0.1346	0.9136	0.8836

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	71bec31d5f1be72c40ab49927be7f1c5f935f9d9d62520ea9a1c3ee28f321e63	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.2684	0.4294	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	C	746fb9f34e10974ceb1360c0d547b9d05ac16f9e01c2893ac5a7c2fed7ee5cca	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0856	0.203	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	10901975ba54f442227c1e516e197e2c8d38bbd3fd6be65c19ab3ff423c1c8b	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.3318	0.531	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	d857730784900fbc72d11a15479daf096714735070de75ac4658b910efd1d639	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.05	0.1264	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	7cefba2be0eea6fb5c007e33325dcbdc55796ff627bceb9b930ddfd27de38813f	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.2684	0.378	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	d3f6fcad835ad401ea97c942c9469f66c093c6d7917c709a1d5178fd08a3ba	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0856	0.1892	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	cba0e9d52942807f4932c42f17226bc18d9a6a4bf8155140ed41279f7220a02e	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.3318	0.4782	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	F	f77fabab25ce77b3d1fcd8e13c1d34ef17ba928deb2748e178caa8908dd6a7be	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.05	0.0824	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	88cac0c1bf51da6c6f2a6d6a3b09dd57cf90d8095ee9bd1ffa76ebe67393f49b	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.2684	0.3062	0.9136	0.9072

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	C	927d77386bdfca3d7e46afe9e68640014c6f81a36c760ebbba695ba12fc16e90	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.0856	0.1256	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	baacc383c76641b36b28741bb4cf6e97ccf25293a0869a9923b8384739f08345	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.3318	0.3798	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	F	8cedba5f5985b0c31a25c785cdc524137b8198ed6eb0a0d8534fbfeb347287def	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.05	0.1214	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	39949fa6d4a89dc3b075a2dd6dbaa7f9e335beb6cd1b4d6a09f491152ab84c67	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2684	0.479	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	C	4660ee1f629f6470fb50cdc1b4f44a9ced2f469aa964b482796b7d97a5a88262	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.0856	0.1782	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	77fde21f3fe71c235330c35c5c95b2d98a7171b6421ee6234d9b88f2847c58f	NAIVE			Kemeny	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.3318	0.5484	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	F	0eb4b26a2747f6a25ee103ac07127a03accf4a9143c1f980132d69b2c268abfc	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.0538	0.1372	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	c4e63ef06c922f13603292d312c0274a8c93d24a86c5102ce2012231eb8512c7	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.2172	0.4084	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	C	bc2ba17739922a60338f7413487717e8d7b151e438c56636fb38e0855f6bfad0	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformer		0.0892	0.2074	0.9136	0.8836

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	e4b549a761c71d3c36593d56b5af068dd3ac359fba8e334d11168e9ab047cf90	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.2798	0.5102	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	f5aa0f96f4d4c762ecec8f9069e760858691932a99537ac17eb62fbc38fc3937	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0538	0.1282	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	f94e909f5714d6678f7077138940608acbb33ec2e3b815a53d3405f7e375ecd0	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.2172	0.3492	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	bbf677ef486b4fca3fe6e3867aa5ea69fa99595c6bb0401fbee116c413abab	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0892	0.1928	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	de6a52734a331da8e0d6d0072c0043ea9e83a39b9d299c5a271d7f5c19549752	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.2798	0.4518	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	F	370c34ac7d262ea4996f09142e30cc4d5d1af209a9487248cc50fa86955ab62f	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0538	0.0846	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	50a6732e7bde2244214a471f56438509d87e19ad2cd353c67fee365f9dbe1574	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.2172	0.2688	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	C	93ab0897b2e24f16fb1a431c73a2b890b6749390313b90b448b51b6b92682168	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0892	0.1292	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	fe4572d326d461224d858f5641be4aba5e9427e07323175dc59c8223104afafa	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.2798	0.3458	0.9136	0.9072

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	F	54b566744a6893f0f77b145dd8aa9f2ccab0a2dc67b997239d44e173514637e	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0538	0.1234	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	55dec2a2eca5a0b38b357daf3196b53f6dc55778a01714a522d8f3eed032f1	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.2172	0.4552	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	C	5afdfc429fba77060237811e09ab6b4910ee9a492760bab41efeb25bd8db187a	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0892	0.1778	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	cbd633a269fc428ef1b35bb8050269c369f8554b0ad096c36e5a2843cee453be	NAIVE			RRF	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.2798	0.5232	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	F	effd3bace10c7d84e9feb532cedd9e8732e342c485b6c7c1fec34c0945ba6a9	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0488	0.135	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	3aae126b10e92190c37a6be44fce1d20643b7527ad56ebe25b47aa123604c2a9	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.2336	0.4054	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	C	65958bb02e4c5e5214cc46ec12e6389087230f73d837b24b6889e902eaf843e	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0848	0.2034	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	91c964f0d5c4ee0197b3c7c615b37e5768757dfd2cf582340dbcebf60bc96c9	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.2966	0.5078	0.9136	0.8836
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	ca6a22bfaebc3cfcb12e55d0ec8ff407908e8aef43857cd325c109d2001a84bb	NAIVE			Schulze	Saliency InputXGrad IntegratedGradients FeatureAb ation Occlusion GradientShap CheferTranformerAttribution PartialLRP FullLRP GradientAttentionRollout AttentionGradCAM		0.0488	0.1244	0.9136	0.886

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	565f83ba9d c9b21dca29 186ad5f304 bae367b93e cbf33398a9 9d39dc21b1 f737	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2336	0.3558	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	58dd951a54 e6de6c7411 7b84bf9946 5736a2fd2 5e2710c3d7 c7154350ed 05d1	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.0848	0.1866	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	097a74c675 06516c3600 1762da0fb 55b8b223f7 45f20100ce c9f3322845 8cd7	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2966	0.4552	0.9136	0.886
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	F	f093df84d8 7648b9757b 82ef77c2ff c91f67b8b2 8bea5a0e0a a4198b9335 62a9	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.0488	0.083	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	a0e417f5ad 1fc3d25b31 92f4895ed6 f9a7d7a7ab 1577449743 aa130bd7c0 bbc4	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2336	0.2802	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	C	1a8b28cad e8a7bad51d b2daf2e7ff 843e681a23 2eb1fe15a0 4f1e9831e8 0745	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.0848	0.1258	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	51b42a0a60 8250d892f4 a6f8efebd6 7d750ech11 0f671cd8ad 3e04bf2f62 d3df	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2966	0.3526	0.9136	0.9072
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	F	12b75fd2ab f63c1ec1f2 244e419bf6 f4dd7e4b1f 69a6d4abb6 cd94e7b19a eb18	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.0488	0.1208	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	919e8c8a6e 67c247e2ac d1caec4c89 f9dd28d173 d6b6d0fb6e 92742e0b30 9017	NAIVE			Schulze	Saliency InputXGrad ient Integrated Gradients FeatureAbl ation Occlusion Gradient Shap CheferTran sformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2336	0.4694	0.9136	0.9136

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE $q=11$	11	Adversarial	C	4df417d9dd3611447d9fcf865a580a4dde27253f4df189f3c3b5710928b60460	NAIVE			Schulze	Saliency InputXGrad Integrated Gradients Feature Ablation Occlusion Gradient Shap Chefer Transformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.0848	0.1752	0.9136	0.9136
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE $q=11$	11	Adversarial	Cbar	cc0f049be02b0fe450c6d29db31c9ec6a004c0faeebf44b795bf40c632085df8	NAIVE			Schulze	Saliency InputXGrad Integrated Gradients Feature Ablation Occlusion Gradient Shap Chefer Transformer Attribution PartialLRP FullLRP Gradient Attention Rollout Attention GradCAM		0.2966	0.5384	0.9136	0.9136

Table 26: ImageNet-ViT-B/16

Cell	Dataset	Model	Setting	q	Condition	Metric	Normaliz ed Clean Raw	Normaliz ed Perturbed Raw	q_{clean}	$q_{perturbed}$	A	Q	Q Raw	G	Clean Clipped	Perturbed Clipped	Retention Capped
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	0.093257	0.172476	0.093257	0.172476	1	1.849463	0.415303	False	False	True	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	0.894264	0.64124	0.894264	0.64124	0.64124	0.717059	0.678091	False	False	False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	0.132	0.2146	0.132	0.2146	0.2146	1	1.625758	0.463249	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	0.8516	0.5798	0.8516	0.5798	0.5798	0.680836	0.62829	False	False	False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	0.093257	0.158014	0.093257	0.158014	0.158014	1	1.69438	0.397509	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	0.894264	0.69842	0.894264	0.69842	0.69842	0.780999	0.738556	False	False	False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	0.132	0.2034	0.132	0.2034	0.2034	1	1.540999	0.450999	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	0.8516	0.6324	0.8516	0.6324	0.6324	0.742602	0.742602	0.685289	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	0.093257	0.119709	0.093257	0.119709	0.119709	1	1.28364	0.34599	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	0.894264	0.823413	0.894264	0.823413	0.823413	0.920771	0.920771	0.870732	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	0.132	0.1534	0.132	0.1534	0.1534	1	1.162121	0.391663	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	0.8516	0.7698	0.8516	0.7698	0.7698	0.903946	0.903946	0.834181	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	0.093257	0.177758	0.093257	0.177758	0.177758	1	1.906103	0.421614	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	0.894264	0.677539	0.894264	0.677539	0.677539	0.75765	0.75765	0.716476	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	0.132	0.2254	0.132	0.2254	0.2254	1	1.707576	0.474763	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	0.8516	0.6464	0.8516	0.6464	0.6464	0.759042	0.759042	0.70046	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	0.094571	0.180398	0.094571	0.180398	0.180398	1	1.907546	0.424733	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	0.898424	0.642598	0.898424	0.642598	0.642598	0.715251	0.715251	0.677952	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	0.1352	0.2198	0.1352	0.2198	0.2198	1	1.62574	0.468828	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	0.854	0.582	0.854	0.582	0.582	0.681499	0.681499	0.629788	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	0.094571	0.158916	0.094571	0.158916	0.158916	1	1.680395	0.398643	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	0.898424	0.705192	0.898424	0.705192	0.705192	0.784921	0.784921	0.743989	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	0.1352	0.2036	0.1352	0.2036	0.2036	1	1.505917	0.451221	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	0.854	0.6404	0.854	0.6404	0.6404	0.749883	0.749883	0.692983	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	0.094571	0.126984	0.094571	0.126984	0.126984	1	1.34274	0.356348	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	0.898424	0.829806	0.898424	0.829806	0.829806	0.923624	0.923624	0.875459	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	0.1352	0.1604	0.1352	0.1604	0.1604	1	1.186391	0.4005	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	0.854	0.773	0.854	0.773	0.773	0.905152	0.905152	0.83647	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	0.094571	0.177758	0.094571	0.177758	0.177758	1	1.87963	0.421614	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	0.898424	0.675788	0.898424	0.675788	0.675788	0.752193	0.752193	0.712968	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	0.1352	0.2262	0.1352	0.2262	0.2262	1	1.673077	0.475605	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	0.854	0.6444	0.854	0.6444	0.6444	0.754567	0.754567	0.697311	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	0.094571	0.180398	0.094571	0.180398	0.180398	1	1.907546	0.424733	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	0.898424	0.642598	0.898424	0.642598	0.642598	0.715251	0.715251	0.677952	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	0.1352	0.2198	0.1352	0.2198	0.2198	1	1.62574	0.468828	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	0.854	0.582	0.854	0.582	0.582	0.681499	0.681499	0.629788	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	0.094571	0.158916	0.094571	0.158916	0.158916	1	1.680395	0.398643	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	0.898424	0.705192	0.898424	0.705192	0.705192	0.784921	0.784921	0.743989	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	0.1352	0.2036	0.1352	0.2036	0.2036	1	1.505917	0.451221	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	0.854	0.6404	0.854	0.6404	0.6404	0.749883	0.749883	0.692983	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	0.094571	0.126984	0.094571	0.126984	0.126984	1	1.34274	0.356348	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	0.898424	0.829806	0.898424	0.829806	0.829806	0.923624	0.923624	0.875459	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	0.1352	0.1604	0.1352	0.1604	0.1604	1	1.186391	0.4005	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	0.854	0.773	0.854	0.773	0.773	0.905152	0.905152	0.83647	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	0.094571	0.177758	0.094571	0.177758	0.177758	1	1.87963	0.421614	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	0.898424	0.675788	0.898424	0.675788	0.675788	0.752193	0.752193	0.712968	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	0.1352	0.2262	0.1352	0.2262	0.2262	1	1.673077	0.475605	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	0.854	0.6444	0.854	0.6444	0.6444	0.754567	0.754567	0.697311	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	0.095447	0.181983	0.095447	0.181983	0.181983	1	1.906645	0.426594	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	0.899299	0.641693	0.899299	0.641693	0.641693	0.713548	0.713548	0.676667	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	0.1356	0.2218	0.1356	0.2218	0.2218	1	1.635693	0.470956	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	0.8558	0.5822	0.8558	0.5822	0.5822	0.680299	0.680299	0.629341	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	0.095447	0.157788	0.095447	0.157788	0.157788	1	1.653153	0.397225	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	0.899299	0.705192	0.899299	0.705192	0.705192	0.784157	0.784157	0.743627	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	C	0.1356	0.2032	0.1356	0.2032	0.2032	1	1.498525	0.450777	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Cbar	0.8558	0.6396	0.8558	0.6396	0.6396	0.747371	0.747371	0.691389	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	F	0.095447	0.12478	0.095447	0.12478	0.12478	1	1.307323	0.353241	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Fbar	0.899299	0.827822	0.899299	0.827822	0.827822	0.920519	0.920519	0.872941	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	C	0.1356	0.158	0.1356	0.158	0.158	1	1.165192	0.397492	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Speckle	Cbar	0.8558	0.773	0.8558	0.773	0.773	0.903248	0.903248	0.83559	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	F	0.095447	0.179072	0.095447	0.179072	0.179072	1	1.876147	0.423169	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Fbar	0.899299	0.676007	0.899299	0.676007	0.676007	0.751704	0.751704	0.712851	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	C	0.1356	0.2258	0.1356	0.2258	0.2258	1	1.665192	0.475184	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Adversarial	Cbar	0.8558	0.6456	0.8558	0.6456	0.6456	0.754382	0.754382	0.697875	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	F	0.094571	0.180398	0.094571	0.180398	0.180398	1	1.907546	0.424733	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Fbar	0.898424	0.642598	0.898424	0.642598	0.642598	0.715251	0.715251	0.677952	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	C	0.1352	0.2198	0.1352	0.2198	0.2198	1	1.62574	0.468828	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Gaussian	Cbar	0.854	0.582	0.854	0.582	0.582	0.681499	0.681499	0.629788	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	F	0.094571	0.158916	0.094571	0.158916	0.158916	1	1.680395	0.398643	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Salt Pepper	Fbar	0.898424	0.705192	0.898424	0.705							

Cell	Dataset	Model	Setting	q	Condition	Metric	Normalized Clean Raw	Normalized Perturbed Raw	$q_{clean}^{perturbed}$	$q_{perturbed}$	A	Q	Q Raw	G	Clean Clipped	Perturbed Clipped	Retention Capped
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	0.1198	0.2278	0.1198	0.2278	0.2278	1	1.901503	0.477284	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	0.8522	0.5724	0.8522	0.5724	0.5724	0.671673	0.671673	0.620053	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	0.080342	0.160045	0.080342	0.160045	0.160045	1	1.992061	0.400056	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	0.893827	0.694357	0.893827	0.694357	0.694357	0.776836	0.776836	0.734439	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	0.1198	0.2134	0.1198	0.2134	0.2134	1	1.781302	0.461952	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	0.8522	0.6322	0.8522	0.6322	0.6322	0.741845	0.741845	0.684831	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	0.080342	0.114638	0.080342	0.114638	0.114638	1	1.426889	0.338583	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	0.893827	0.830467	0.893827	0.830467	0.830467	0.929115	0.929115	0.878407	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	0.1198	0.152	0.1198	0.152	0.152	1	1.268781	0.389872	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	0.8522	0.776	0.8522	0.776	0.776	0.910584	0.910584	0.840603	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	0.080342	0.162653	0.080342	0.162653	0.162653	1	2.024523	0.403303	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	0.893827	0.675788	0.893827	0.675788	0.675788	0.756062	0.756062	0.714799	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	0.1198	0.2126	0.1198	0.2126	0.2126	1	1.774624	0.461086	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	0.8522	0.6484	0.8522	0.6484	0.6484	0.760854	0.760854	0.70238	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	0.055385	0.147352	0.055385	0.147352	0.147352	1	2.660485	0.383864	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	0.887697	0.598234	0.887697	0.598234	0.598234	0.673917	0.673917	0.634949	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	0.0956	0.1978	0.0956	0.1978	0.1978	1	2.069038	0.444747	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	0.8492	0.546	0.8492	0.546	0.546	0.642958	0.642958	0.592499	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	0.055385	0.128894	0.055385	0.128894	0.128894	1	2.327223	0.359018	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	0.887697	0.672686	0.887697	0.672686	0.672686	0.757788	0.757788	0.71397	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	0.0956	0.186	0.0956	0.186	0.186	1	1.945607	0.431277	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	0.8492	0.6138	0.8492	0.6138	0.6138	0.722798	0.722798	0.666073	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	0.055385	0.082011	0.055385	0.082011	0.082011	1	1.480729	0.286375	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	0.887697	0.813492	0.887697	0.813492	0.813492	0.916407	0.916407	0.863418	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	0.0956	0.1192	0.0956	0.1192	0.1192	1	1.246862	0.345254	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	0.8492	0.7606	0.8492	0.7606	0.7606	0.895667	0.895667	0.825375	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	0.055385	0.16725	0.055385	0.16725	0.16725	1	3.019763	0.408963	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	0.887697	0.679072	0.887697	0.679072	0.679072	0.764982	0.764982	0.720748	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	0.0956	0.217	0.0956	0.217	0.217	1	2.269874	0.465833	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	0.8492	0.6482	0.8492	0.6482	0.6482	0.763307	0.763307	0.703403	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	0.095665	0.179946	0.095665	0.179946	0.179946	1	1.880988	0.4242	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	0.896454	0.643504	0.896454	0.643504	0.643504	0.717833	0.717833	0.679653	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	0.1362	0.2268	0.1362	0.2268	0.2268	1	1.665198	0.476235	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	0.8536	0.5824	0.8536	0.5824	0.5824	0.682287	0.682287	0.630368	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	0.095665	0.163657	0.095665	0.163657	0.163657	1	1.71072	0.404545	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	0.896454	0.703837	0.896454	0.703837	0.703837	0.785135	0.785135	0.743376	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	0.1362	0.2152	0.1362	0.2152	0.2152	1	1.580029	0.463897	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	0.8536	0.64	0.8536	0.64	0.64	0.749766	0.749766	0.692712	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	0.095665	0.125882	0.095665	0.125882	0.125882	1	1.315854	0.354798	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	0.896454	0.830467	0.896454	0.830467	0.830467	0.926392	0.926392	0.877119	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	0.1362	0.163	0.1362	0.163	0.163	1	1.196769	0.403733	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	0.8536	0.7766	0.8536	0.7766	0.7766	0.909794	0.909794	0.840563	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	0.095665	0.179947	0.095665	0.179947	0.179947	1	1.881007	0.424202	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	0.896454	0.669877	0.896454	0.669877	0.669877	0.747253	0.747253	0.707508	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	0.1362	0.2288	0.1362	0.2288	0.2288	1	1.679883	0.47833	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	0.8536	0.6372	0.8536	0.6372	0.6372	0.746485	0.746485	0.689681	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	0.079466	0.174513	0.079466	0.174513	0.174513	1	2.19608	0.417748	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	0.894921	0.637845	0.894921	0.637845	0.637845	0.712739	0.712739	0.674253	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	0.123	0.2258	0.123	0.2258	0.2258	1	1.835772	0.475184	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	0.8532	0.5802	0.8532	0.5802	0.5802	0.680028	0.680028	0.628134	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	0.079466	0.158691	0.079466	0.158691	0.158691	1	1.996968	0.39836	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	0.894921	0.715801	0.894921	0.715801	0.715801	0.799848	0.799848	0.756659	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	0.123	0.2088	0.123	0.2088	0.2088	1	1.697561	0.456946	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	0.8532	0.6482	0.8532	0.6482	0.6482	0.759728	0.759728	0.701752	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	F	0.079466	0.113977	0.079466	0.113977	0.113977	1	1.43429	0.337605	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Fbar	0.894921	0.839727	0.894921	0.839727	0.839727	0.938325	0.938325	0.887658	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	C	0.123	0.151	0.123	0.151	0.151	1	1.227642	0.388587	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Speckle	Cbar	0.8532	0.7824	0.8532	0.7824	0.7824	0.917018	0.917018	0.847039	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	F	0.079466	0.173599	0.079466	0.173599	0.173599	1	2.184573	0.416652	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Fbar	0.894921	0.673599	0.894921	0.673599	0.673599	0.752691	0.752691	0.712048	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	C	0.123	0.2254	0.123	0.2254	0.2254	1	1.83252	0.474763	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Adversarial	Cbar	0.8532	0.6468	0.8532	0.6468	0.6468	0.758087	0.758087	0.700236	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	F	0.083625	0.170439	0.083625	0.170439	0.170439	1	2.038131	0.412843	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Fbar	0.892951	0.622454	0.892951	0.622454	0.622454	0.697075	0.697075	0.658708	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	C	0.125	0.2212	0.125	0.2212	0.2212	1	1.7696	0.470319	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Gaussian	Cbar	0.8516	0.5652	0.8516	0.5652	0.5652	0.663692	0.663692	0.612469	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	F	0.083625	0.156208	0.083625	0.156208	0.156208	1	1.867949	0.395231	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Fbar	0.892951	0.692099	0.892951	0.692099	0.692099	0.77507	0.77507	0.732411	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	C	0.125	0.2078	0.125	0.2078	0.2078	1	1.6624	0.455851	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Salt Pepper	Cbar	0.8516										

Cell	Dataset	Model	Setting	q	Condition	Metric	Normalized Clean Raw	Normalized Perturbed Raw	q_{clean}	$q_{perturbed}$	A	Q	Q Raw	G	Clean Clipped	Perturbed Clipped	Retention Capped
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	0.8256	0.6042	0.8256	0.6042	0.6042	0.731831	0.731831	0.664961	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	F	0.070271	0.097222	0.070271	0.097222	0.097222	1	1.383524	0.311805	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	0.871497	0.79784	0.871497	0.79784	0.79784	0.915481	0.915481	0.854639	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	C	0.1032	0.1354	0.1032	0.1354	0.1354	1	1.312016	0.367967	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	0.8256	0.7444	0.8256	0.7444	0.7444	0.901647	0.901647	0.81926	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	F	0.070271	0.139448	0.070271	0.139448	0.139448	1	1.984424	0.373428	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	0.871497	0.576401	0.871497	0.576401	0.576401	0.661392	0.661392	0.617436	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	C	0.1032	0.182	0.1032	0.182	0.182	1	1.763566	0.426615	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	0.8256	0.5408	0.8256	0.5408	0.5408	0.655039	0.655039	0.595185	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	F	0.05232	0.143051	0.05232	0.143051	0.143051	1	2.734133	0.378221	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	0.753065	0.537347	0.753065	0.537347	0.537347	0.713547	0.713547	0.619211	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	C	0.0802	0.1928	0.0802	0.1928	0.1928	1	2.40399	0.43909	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	0.7134	0.4908	0.7134	0.4908	0.4908	0.687973	0.687973	0.581083	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	0.05232	0.132054	0.05232	0.132054	0.132054	1	2.523948	0.363393	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	0.753065	0.606772	0.753065	0.606772	0.606772	0.805737	0.805737	0.699213	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	0.0802	0.1816	0.0802	0.1816	0.1816	1	2.264339	0.426146	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	0.7134	0.5518	0.7134	0.5518	0.5518	0.773479	0.773479	0.653304	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	F	0.05232	0.082011	0.05232	0.082011	0.082011	1	1.567466	0.286375	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	0.753065	0.707231	0.753065	0.707231	0.707231	0.939137	0.939137	0.814977	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	C	0.0802	0.117	0.0802	0.117	0.117	1	1.458853	0.342053	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	0.7134	0.659	0.7134	0.659	0.659	0.923745	0.923745	0.780223	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	F	0.05232	0.132881	0.05232	0.132881	0.132881	1	2.539749	0.364528	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	0.753065	0.486208	0.753065	0.486208	0.486208	0.64564	0.64564	0.560282	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	C	0.0802	0.1752	0.0802	0.1752	0.1752	1	2.184539	0.418569	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	0.7134	0.4578	0.7134	0.4578	0.4578	0.641716	0.641716	0.542012	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	F	0.054729	0.152331	0.054729	0.152331	0.152331	1	2.783399	0.390297	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	0.706217	0.514033	0.706217	0.514033	0.514033	0.727869	0.727869	0.611677	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	C	0.0856	0.203	0.0856	0.203	0.203	1	2.371495	0.450555	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	0.6682	0.469	0.6682	0.469	0.469	0.701886	0.701886	0.573746	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	0.054729	0.142664	0.054729	0.142664	0.142664	1	2.60675	0.377708	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	0.706217	0.573363	0.706217	0.573363	0.573363	0.81188	0.81188	0.682277	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	0.0856	0.1892	0.0856	0.1892	0.1892	1	2.21028	0.434971	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	0.0856	0.5218	0.0856	0.5218	0.5218	0.780904	0.780904	0.638338	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	F	0.054729	0.090829	0.054729	0.090829	0.090829	1	1.659626	0.301378	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	0.706217	0.662478	0.706217	0.662478	0.662478	0.938065	0.938065	0.78832	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	C	0.0856	0.1256	0.0856	0.1256	0.1256	1	1.46729	0.354401	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	0.6682	0.6202	0.6682	0.6202	0.6202	0.928165	0.928165	0.758715	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	F	0.054729	0.132881	0.054729	0.132881	0.132881	1	2.428	0.364528	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	0.706217	0.475701	0.706217	0.475701	0.475701	0.67359	0.67359	0.566063	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	C	0.0856	0.1782	0.0856	0.1782	0.1782	1	2.081776	0.422137	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	0.6682	0.4516	0.6682	0.4516	0.4516	0.675846	0.675846	0.55246	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	F	0.058888	0.155274	0.058888	0.155274	0.155274	1	2.63677	0.394048	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	0.762259	0.5378	0.762259	0.5378	0.5378	0.705534	0.705534	0.615984	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	C	0.0892	0.2074	0.0892	0.2074	0.2074	1	2.325112	0.455412	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	0.7202	0.4898	0.7202	0.4898	0.4898	0.680089	0.680089	0.577155	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	0.058888	0.144695	0.058888	0.144695	0.144695	1	2.45713	0.380388	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	0.762259	0.605869	0.762259	0.605869	0.605869	0.794833	0.794833	0.693949	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	0.0892	0.1928	0.0892	0.1928	0.1928	1	2.161435	0.43909	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	0.7202	0.5482	0.7202	0.5482	0.5482	0.761177	0.761177	0.64597	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	F	0.058888	0.093254	0.058888	0.093254	0.093254	1	1.583584	0.305375	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	0.762259	0.703704	0.762259	0.703704	0.703704	0.923182	0.923182	0.806006	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	C	0.0892	0.1292	0.0892	0.1292	0.1292	1	1.44843	0.359444	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Cbar	0.7202	0.6542	0.7202	0.6542	0.6542	0.908359	0.908359	0.770875	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	F	0.058888	0.13507	0.058888	0.13507	0.13507	1	2.29368	0.367519	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Fbar	0.762259	0.501751	0.762259	0.501751	0.501751	0.658242	0.658242	0.574695	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	C	0.0892	0.1778	0.0892	0.1778	0.1778	1	1.993274	0.421663	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Adversarial	Cbar	0.7202	0.4768	0.7202	0.4768	0.4768	0.662038	0.662038	0.561836	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	F	0.053415	0.152784	0.053415	0.152784	0.152784	1	2.860318	0.390876	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Fbar	0.744308	0.541195	0.744308	0.541195	0.541195	0.727112	0.727112	0.627303	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	C	0.0848	0.2034	0.0848	0.2034	0.2034	1	2.398585	0.450999	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Gaussian	Cbar	0.7034	0.4922	0.7034	0.4922	0.4922	0.699744	0.699744	0.586868	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	F	0.053415	0.140406	0.053415	0.140406	0.140406	1	2.62859	0.374708	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Fbar	0.744308	0.59842	0.744308	0.59842	0.59842	0.803995	0.803995	0.693633	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	C	0.0848	0.1866	0.0848	0.1866	0.1866	1	2.200472	0.431972	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Salt Pepper	Cbar	0.7034	0.5448	0.7034	0.5448	0.5448	0.774524	0.774524	0.649585	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	F	0.053415	0.09149	0.053415	0.09149	0.09149	1	1.712818	0.302474	False	False	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	Fbar	0.744308	0.691138	0.744308	0.691138	0.691138	0.928564	0.928564	0.801103	False	False	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	NAIVE q=11	11	Speckle	C	0.0848	0.1258	0.0848	0.1258	0.1258	1	1.				

82

[illegible]

[illegible]

Table 28: ImageNet–ViT-B/16

Cell	Dataset	Model	Setting	Q	Geometry	Geometry Label	Rule	Endpoint Count	NOISE A Mean	NAIVE A Mean	Delta A Mean	A Wins	A Ties	A Losses	NOISE Q Mean	NAIVE Q Mean	Delta Q Mean
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Kendall	NOISE-K	Borda	16	0.411099	0.353347	0.057752	14	1	1	0.883614	0.883186	0.000428
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Kendall	NOISE-K	Kemeny	16	0.435445	0.34393	0.091515	16	0	0	0.891559	0.889888	0.001671
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Kendall	NOISE-K	RRF	16	0.434772	0.359601	0.075171	16	0	0	0.894904	0.880841	0.014063
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Kendall	NOISE-K	Schulze	16	0.427878	0.354429	0.073449	16	0	0	0.88971	0.885238	0.004472
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	Kendall	NOISE-K	Simple Averaging	16	0.42981	0.395191	0.034619	16	0	0	0.890558	0.87166	0.018898
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Spearman	NOISE-S	Borda	16	0.434203	0.353347	0.080855	16	0	0	0.891693	0.883186	0.008507
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Spearman	NOISE-S	Kemeny	16	0.434203	0.34393	0.090273	16	0	0	0.891693	0.889888	0.001805
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Spearman	NOISE-S	RRF	16	0.433971	0.359601	0.07437	16	0	0	0.890952	0.880841	0.010111
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Spearman	NOISE-S	Schulze	16	0.434203	0.354429	0.079773	16	0	0	0.891693	0.885238	0.006456
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	Spearman	NOISE-S	Simple Averaging	16	0.430861	0.395191	0.035669	16	0	0	0.891432	0.87166	0.019772

Table 29: ImageNet–ViT-B/16

Cell	Dataset	Model	Setting	Q	Q Wins	Q Ties	Q Losses	NOISE G Mean	NAIVE G Mean	Delta G Mean	G Wins	G Ties	G Losses
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	2	8	6	0.55286	0.516792	0.036068	14	1	1
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	2	8	6	0.580683	0.516723	0.063959	16	0	0
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	6	8	2	0.579602	0.523088	0.056513	16	0	0
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	2	8	6	0.572353	0.520767	0.051586	16	0	0
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-K	3	8	8	0	0.574484	0.540745	0.03374	16	0	0
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	3	8	5	0.579026	0.516792	0.062233	16	0	0
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	2	8	6	0.579026	0.516723	0.062303	16	0	0
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	4	8	4	0.578433	0.523088	0.055344	16	0	0
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	2	8	6	0.579026	0.520767	0.058259	16	0	0
ImageNet–ViT-B/16	ImageNet	ViT-B/16	NOISE-S	2	8	8	0	0.575823	0.540745	0.035078	16	0	0

Table 30: ImageNet-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Simple Averaging	F	quality	0.0852	clean__selected_best_individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Simple Averaging	Fbar	quality	0.0966	clean__selected_best_individual	0.095	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Simple Averaging	C	quality	0.132	clean__selected_best_individual	0.1336	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Simple Averaging	Cbar	quality	0.1484	clean__selected_best_individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Simple Averaging	R_F_g	robustness	0.0672	clean__selected_best_individual	0.0722	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	-0.2204	clean__selected_best_individual	-0.2274	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Simple Averaging	R_C_g	robustness	0.0826	clean__selected_best_individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	-0.2718	clean__selected_best_individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.0548	clean__selected_best_individual	0.0546	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	-0.1706	clean__selected_best_individual	-0.1718	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.0714	clean__selected_best_individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	-0.2192	clean__selected_best_individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Simple Averaging	R_F_s	robustness	0.0234	clean__selected_best_individual	0.0262	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	-0.0636	clean__selected_best_individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Simple Averaging	R_C_s	robustness	0.0214	clean__selected_best_individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	-0.0818	clean__selected_best_individual	-0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Simple Averaging	R_F_a	robustness	0.0772	clean__selected_best_individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	-0.198	clean__selected_best_individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Simple Averaging	R_C_a	robustness	0.0934	clean__selected_best_individual	0.0932	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	-0.2052	clean__selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Simple Averaging	F	quality	0.0852	naive_q11	0.0642	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Simple Averaging	Fbar	quality	0.0966	naive_q11	0.1174	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Simple Averaging	C	quality	0.132	naive_q11	0.1032	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Simple Averaging	Cbar	quality	0.1484	naive_q11	0.1744	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Simple Averaging	R_F_g	robustness	0.0672	naive_q11	0.0774	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	-0.2204	naive_q11	-0.2488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Simple Averaging	R_C_g	robustness	0.0826	naive_q11	0.1104	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	-0.2718	naive_q11	-0.2906	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.0548	naive_q11	0.0672	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	-0.1706	naive_q11	-0.1808	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.0714	naive_q11	0.096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	-0.2192	naive_q11	-0.2214	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Simple Averaging	R_F_s	robustness	0.0234	naive_q11	0.024	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	-0.0636	naive_q11	-0.066	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Simple Averaging	R_C_s	robustness	0.0214	naive_q11	0.0322	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	-0.0818	naive_q11	-0.0812	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Simple Averaging	R_F_a	robustness	0.0772	naive_q11	0.0632	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	-0.198	naive_q11	-0.2696	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Simple Averaging	R_C_a	robustness	0.0934	naive_q11	0.0788	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	-0.2052	naive_q11	-0.2848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Simple Averaging	F	quality	0.0852	NOISE__spearman	0.0642	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Simple Averaging	Fbar	quality	0.0966	NOISE__spearman	0.1174	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Simple Averaging	C	quality	0.132	NOISE__spearman	0.1032	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Simple Averaging	Cbar	quality	0.1484	NOISE__spearman	0.1744	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Simple Averaging	R_F_g	robustness	0.0672	NOISE_ spearman	0.0774	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	-0.2204	NOISE_ spearman	-0.2488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Simple Averaging	R_C_g	robustness	0.0826	NOISE_ spearman	0.1104	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	-0.2718	NOISE_ spearman	-0.2906	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.0548	NOISE_ spearman	0.0672	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	-0.1706	NOISE_ spearman	-0.1808	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.0714	NOISE_ spearman	0.096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	-0.2192	NOISE_ spearman	-0.2214	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Simple Averaging	R_F_s	robustness	0.0234	NOISE_ spearman	0.024	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	-0.0636	NOISE_ spearman	-0.066	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Simple Averaging	R_C_s	robustness	0.0214	NOISE_ spearman	0.0322	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	-0.0818	NOISE_ spearman	-0.0812	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Simple Averaging	R_F_a	robustness	0.0772	NOISE_ spearman	0.0632	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	-0.198	NOISE_ spearman	-0.2696	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Simple Averaging	R_C_a	robustness	0.0934	NOISE_ spearman	0.0788	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	-0.2052	NOISE_ spearman	-0.2848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Simple Averaging	F	quality	0.0852	NOISE_ kendall	0.0642	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Simple Averaging	Fbar	quality	0.0966	NOISE_ kendall	0.1174	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Simple Averaging	C	quality	0.132	NOISE_ kendall	0.1032	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Simple Averaging	Cbar	quality	0.1484	NOISE_ kendall	0.1744	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Simple Averaging	R_F_g	robustness	0.0672	NOISE_ kendall	0.0774	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	-0.2204	NOISE_ kendall	-0.2488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Simple Averaging	R_C_g	robustness	0.0826	NOISE_ kendall	0.1104	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	-0.2718	NOISE_ kendall	-0.2906	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.0548	NOISE_ kendall	0.0672	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	-0.1706	NOISE_ kendall	-0.1808	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.0714	NOISE_ kendall	0.096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	-0.2192	NOISE_ kendall	-0.2214	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Simple Averaging	R_F_s	robustness	0.0234	NOISE_ kendall	0.024	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	-0.0636	NOISE_ kendall	-0.066	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Simple Averaging	R_C_s	robustness	0.0214	NOISE_ kendall	0.0322	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	-0.0818	NOISE_ kendall	-0.0812	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Simple Averaging	R_F_a	robustness	0.0772	NOISE_ kendall	0.0632	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	-0.198	NOISE_ kendall	-0.2696	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Simple Averaging	R_C_a	robustness	0.0934	NOISE_ kendall	0.0788	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	-0.2052	NOISE_ kendall	-0.2848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Borda	F	quality	0.0864	clean_ selected_best_ individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Borda	Fbar	quality	0.0928	clean_ selected_best_ individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Borda	C	quality	0.1352	clean_ selected_best_ individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Borda	Cbar	quality	0.146	clean_ selected_best_ individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Borda	R_F_g	robustness	0.073	clean_ selected_best_ individual	0.0722	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Borda	R_Fbar_g	robustness	-0.223	clean_ selected_best_ individual	-0.2274	max	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Borda	R_C_g	robustness	0.0846	clean__selected_best_individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Borda	R_Cbar_g	robustness	-0.272	clean__selected_best_individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Borda	R_F_p	robustness	0.0544	clean__selected_best_individual	0.0546	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	-0.1684	clean__selected_best_individual	-0.1718	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Borda	R_C_p	robustness	0.0684	clean__selected_best_individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	-0.2136	clean__selected_best_individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Borda	R_F_s	robustness	0.0288	clean__selected_best_individual	0.0262	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Borda	R_Fbar_s	robustness	-0.0616	clean__selected_best_individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Borda	R_C_s	robustness	0.0252	clean__selected_best_individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Borda	R_Cbar_s	robustness	-0.081	clean__selected_best_individual	-0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Borda	R_F_a	robustness	0.076	clean__selected_best_individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Borda	R_Fbar_a	robustness	-0.2034	clean__selected_best_individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Borda	R_C_a	robustness	0.091	clean__selected_best_individual	0.0932	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Borda	R_Cbar_a	robustness	-0.2096	clean__selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Borda	F	quality	0.0864	naive_q11	0.0478	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Borda	Fbar	quality	0.0928	naive_q11	0.2256	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Borda	C	quality	0.1352	naive_q11	0.0802	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Borda	Cbar	quality	0.146	naive_q11	0.2866	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Borda	R_F_g	robustness	0.073	naive_q11	0.0786	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Borda	R_Fbar_g	robustness	-0.223	naive_q11	-0.1832	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Borda	R_C_g	robustness	0.0846	naive_q11	0.1126	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Borda	R_Cbar_g	robustness	-0.272	naive_q11	-0.2226	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Borda	R_F_p	robustness	0.0544	naive_q11	0.0692	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	-0.1684	naive_q11	-0.1228	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Borda	R_C_p	robustness	0.0684	naive_q11	0.1014	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1616	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Borda	R_F_s	robustness	0.0288	naive_q11	0.0266	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Borda	R_Fbar_s	robustness	-0.0616	naive_q11	-0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Borda	R_C_s	robustness	0.0252	naive_q11	0.0368	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Borda	R_Cbar_s	robustness	-0.081	naive_q11	-0.0544	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Borda	R_F_a	robustness	0.076	naive_q11	0.0736	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Borda	R_Fbar_a	robustness	-0.2034	naive_q11	-0.2438	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Borda	R_C_a	robustness	0.091	naive_q11	0.095	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Borda	R_Cbar_a	robustness	-0.2096	naive_q11	-0.2556	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Borda	F	quality	0.0864	NOISE__spearman	0.0478	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Borda	Fbar	quality	0.0928	NOISE__spearman	0.2256	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Borda	C	quality	0.1352	NOISE__spearman	0.0802	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Borda	Cbar	quality	0.146	NOISE__spearman	0.2866	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Borda	R_F_g	robustness	0.073	NOISE__spearman	0.0786	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Borda	R_Fbar_g	robustness	-0.223	NOISE__spearman	-0.1832	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Borda	R_C_g	robustness	0.0846	NOISE__spearman	0.1126	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Borda	R_Cbar_g	robustness	-0.272	NOISE__spearman	-0.2226	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Borda	R_F_p	robustness	0.0544	NOISE__spearman	0.0692	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	-0.1684	NOISE__spearman	-0.1228	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Borda	R_C_p	robustness	0.0684	NOISE__spearman	0.1014	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	-0.2136	NOISE__spearman	-0.1616	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Borda	R_F_s	robustness	0.0288	NOISE__spearman	0.0266	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Borda	R_Fbar_s	robustness	-0.0616	NOISE__spearman	-0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Borda	R_C_s	robustness	0.0252	NOISE__spearman	0.0368	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Borda	R_Cbar_s	robustness	-0.081	NOISE_spearman	-0.0544	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Borda	R_F_a	robustness	0.076	NOISE_spearman	0.0736	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Borda	R_Fbar_a	robustness	-0.2034	NOISE_spearman	-0.2438	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Borda	R_C_a	robustness	0.091	NOISE_spearman	0.095	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Borda	R_Cbar_a	robustness	-0.2096	NOISE_spearman	-0.2556	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Borda	F	quality	0.0864	NOISE_kendall	0.0478	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Borda	Fbar	quality	0.0928	NOISE_kendall	0.2256	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Borda	C	quality	0.1352	NOISE_kendall	0.0802	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Borda	Cbar	quality	0.146	NOISE_kendall	0.2866	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Borda	R_F_g	robustness	0.073	NOISE_kendall	0.0786	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Borda	R_Fbar_g	robustness	-0.223	NOISE_kendall	-0.1832	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Borda	R_C_g	robustness	0.0846	NOISE_kendall	0.1126	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Borda	R_Cbar_g	robustness	-0.272	NOISE_kendall	-0.2226	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Borda	R_F_p	robustness	0.0544	NOISE_kendall	0.0692	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	-0.1684	NOISE_kendall	-0.1228	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Borda	R_C_p	robustness	0.0684	NOISE_kendall	0.1014	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	-0.2136	NOISE_kendall	-0.1616	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Borda	R_F_s	robustness	0.0288	NOISE_kendall	0.0266	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Borda	R_Fbar_s	robustness	-0.0616	NOISE_kendall	-0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Borda	R_C_s	robustness	0.0252	NOISE_kendall	0.0368	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Borda	R_Cbar_s	robustness	-0.081	NOISE_kendall	-0.0544	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Borda	R_F_a	robustness	0.076	NOISE_kendall	0.0736	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Borda	R_Fbar_a	robustness	-0.2034	NOISE_kendall	-0.2438	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Borda	R_C_a	robustness	0.091	NOISE_kendall	0.095	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Borda	R_Cbar_a	robustness	-0.2096	NOISE_kendall	-0.2556	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Kemeny	F	quality	0.0864	clean_selected_best_individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Kemeny	Fbar	quality	0.0928	clean_selected_best_individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Kemeny	C	quality	0.1352	clean_selected_best_individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Kemeny	Cbar	quality	0.146	clean_selected_best_individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Kemeny	R_F_g	robustness	0.073	clean_selected_best_individual	0.0722	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	-0.223	clean_selected_best_individual	-0.2274	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Kemeny	R_C_g	robustness	0.0846	clean_selected_best_individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	-0.272	clean_selected_best_individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Kemeny	R_F_p	robustness	0.0544	clean_selected_best_individual	0.0546	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	-0.1684	clean_selected_best_individual	-0.1718	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Kemeny	R_C_p	robustness	0.0684	clean_selected_best_individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	-0.2136	clean_selected_best_individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Kemeny	R_F_s	robustness	0.0288	clean_selected_best_individual	0.0262	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	-0.0616	clean_selected_best_individual	-0.0506	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference clean_ selected_best_ individual	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Kemeny	R_C_s	robustness	0.0252	clean_ selected_best_ individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	-0.081	clean_ selected_best_ individual	-0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Kemeny	R_F_a	robustness	0.076	clean_ selected_best_ individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	-0.2034	clean_ selected_best_ individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Kemeny	R_C_a	robustness	0.091	clean_ selected_best_ individual	0.0932	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	-0.2096	clean_ selected_best_ individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Kemeny	F	quality	0.0864	naive_q11	0.05	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Kemeny	Fbar	quality	0.0928	naive_q11	0.2684	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Kemeny	C	quality	0.1352	naive_q11	0.0856	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Kemeny	Cbar	quality	0.146	naive_q11	0.3318	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Kemeny	R_F_g	robustness	0.073	naive_q11	0.0846	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	-0.223	naive_q11	-0.161	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Kemeny	R_C_g	robustness	0.0846	naive_q11	0.1174	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	-0.272	naive_q11	-0.1992	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Kemeny	R_F_p	robustness	0.0544	naive_q11	0.0764	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	-0.1684	naive_q11	-0.1096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Kemeny	R_C_p	robustness	0.0684	naive_q11	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1464	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Kemeny	R_F_s	robustness	0.0288	naive_q11	0.0324	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	-0.0616	naive_q11	-0.0378	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Kemeny	R_C_s	robustness	0.0252	naive_q11	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	-0.081	naive_q11	-0.048	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Kemeny	R_F_a	robustness	0.076	naive_q11	0.0714	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	-0.2034	naive_q11	-0.2106	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Kemeny	R_C_a	robustness	0.091	naive_q11	0.0926	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	-0.2096	naive_q11	-0.2166	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Kemeny	F	quality	0.0864	NOISE_ spearman	0.05	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Kemeny	Fbar	quality	0.0928	NOISE_ spearman	0.2684	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Kemeny	C	quality	0.1352	NOISE_ spearman	0.0856	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Kemeny	Cbar	quality	0.146	NOISE_ spearman	0.3318	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Kemeny	R_F_g	robustness	0.073	NOISE_ spearman	0.0846	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	-0.223	NOISE_ spearman	-0.161	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Kemeny	R_C_g	robustness	0.0846	NOISE_ spearman	0.1174	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	-0.272	NOISE_ spearman	-0.1992	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Kemeny	R_F_p	robustness	0.0544	NOISE_ spearman	0.0764	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	-0.1684	NOISE_ spearman	-0.1096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Kemeny	R_C_p	robustness	0.0684	NOISE_ spearman	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	-0.2136	NOISE_ spearman	-0.1464	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Kemeny	R_F_s	robustness	0.0288	NOISE_ spearman	0.0324	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	-0.0616	NOISE_ spearman	-0.0378	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Kemeny	R_C_s	robustness	0.0252	NOISE_ spearman	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	-0.081	NOISE_ spearman	-0.048	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Kemeny	R_F_a	robustness	0.076	NOISE_ spearman	0.0714	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	-0.2034	NOISE_ spearman	-0.2106	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Kemeny	R_C_a	robustness	0.091	NOISE_ spearman	0.0926	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	-0.2096	NOISE_ spearman	-0.2166	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Kemeny	F	quality	0.0864	NOISE_ kendall	0.05	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Kemeny	Fbar	quality	0.0928	NOISE_ kendall	0.2684	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Kemeny	C	quality	0.1352	NOISE_ kendall	0.0856	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Kemeny	Cbar	quality	0.146	NOISE_ kendall	0.3318	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Kemeny	R_F_g	robustness	0.073	NOISE_ kendall	0.0846	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	-0.223	NOISE_ kendall	-0.161	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Kemeny	R_C_g	robustness	0.0846	NOISE_kendall	0.1174	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	-0.272	NOISE_kendall	-0.1992	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Kemeny	R_F_p	robustness	0.0544	NOISE_kendall	0.0764	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	-0.1684	NOISE_kendall	-0.1096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Kemeny	R_C_p	robustness	0.0684	NOISE_kendall	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	-0.2136	NOISE_kendall	-0.1464	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Kemeny	R_F_s	robustness	0.0288	NOISE_kendall	0.0324	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	-0.0616	NOISE_kendall	-0.0378	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Kemeny	R_C_s	robustness	0.0252	NOISE_kendall	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	-0.081	NOISE_kendall	-0.048	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Kemeny	R_F_a	robustness	0.076	NOISE_kendall	0.0714	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	-0.2034	NOISE_kendall	-0.2106	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Kemeny	R_C_a	robustness	0.091	NOISE_kendall	0.0926	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	-0.2096	NOISE_kendall	-0.2166	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	RRF	F	quality	0.0872	clean_selected_best_individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	RRF	Fbar	quality	0.092	clean_selected_best_individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	RRF	C	quality	0.1356	clean_selected_best_individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	RRF	Cbar	quality	0.1442	clean_selected_best_individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	RRF	R_F_g	robustness	0.0736	clean_selected_best_individual	0.0722	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	RRF	R_Fbar_g	robustness	-0.2246	clean_selected_best_individual	-0.2274	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	RRF	R_C_g	robustness	0.0862	clean_selected_best_individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	RRF	R_Cbar_g	robustness	-0.2736	clean_selected_best_individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	RRF	R_F_p	robustness	0.0526	clean_selected_best_individual	0.0546	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	-0.1692	clean_selected_best_individual	-0.1718	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	RRF	R_C_p	robustness	0.0676	clean_selected_best_individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	-0.2162	clean_selected_best_individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	RRF	R_F_s	robustness	0.026	clean_selected_best_individual	0.0262	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	RRF	R_Fbar_s	robustness	-0.0642	clean_selected_best_individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	RRF	R_C_s	robustness	0.0224	clean_selected_best_individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	RRF	R_Cbar_s	robustness	-0.0828	clean_selected_best_individual	-0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	RRF	R_F_a	robustness	0.0764	clean_selected_best_individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	RRF	R_Fbar_a	robustness	-0.204	clean_selected_best_individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	RRF	R_C_a	robustness	0.0902	clean_selected_best_individual	0.0932	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	RRF	R_Cbar_a	robustness	-0.2102	clean_selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	RRF	F	quality	0.0872	naive_q11	0.0538	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	RRF	Fbar	quality	0.092	naive_q11	0.2172	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	RRF	C	quality	0.1356	naive_q11	0.0892	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	RRF	Cbar	quality	0.1442	naive_q11	0.2798	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	RRF	R_F_g	robustness	0.0736	naive_q11	0.0834	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	RRF	R_Fbar_g	robustness	-0.2246	naive_q11	-0.1912	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	RRF	R_C_g	robustness	0.0862	naive_q11	0.1182	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	RRF	R_Cbar_g	robustness	-0.2736	naive_q11	-0.2304	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	RRF	R_F_p	robustness	0.0526	naive_q11	0.0744	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	-0.1692	naive_q11	-0.132	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	RRF	R_C_p	robustness	0.0676	naive_q11	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	-0.2162	naive_q11	-0.172	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	RRF	R_F_s	robustness	0.026	naive_q11	0.0308	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	RRF	R_Fbar_s	robustness	-0.0642	naive_q11	-0.0516	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	RRF	R_C_s	robustness	0.0224	naive_q11	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	RRF	R_Cbar_s	robustness	-0.0828	naive_q11	-0.066	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	RRF	R_F_a	robustness	0.0764	naive_q11	0.0696	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	RRF	R_Fbar_a	robustness	-0.204	naive_q11	-0.238	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	RRF	R_C_a	robustness	0.0902	naive_q11	0.0886	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	RRF	R_Cbar_a	robustness	-0.2102	naive_q11	-0.2434	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	RRF	F	quality	0.0872	NOISE_spearman	0.0538	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	RRF	Fbar	quality	0.092	NOISE_spearman	0.2172	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	RRF	C	quality	0.1356	NOISE_spearman	0.0892	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	RRF	Cbar	quality	0.1442	NOISE_spearman	0.2798	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	RRF	R_F_g	robustness	0.0736	NOISE_spearman	0.0834	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	RRF	R_Fbar_g	robustness	-0.2246	NOISE_spearman	-0.1912	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	RRF	R_C_g	robustness	0.0862	NOISE_spearman	0.1182	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	RRF	R_Cbar_g	robustness	-0.2736	NOISE_spearman	-0.2304	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	RRF	R_F_p	robustness	0.0526	NOISE_spearman	0.0744	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	-0.1692	NOISE_spearman	-0.132	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	RRF	R_C_p	robustness	0.0676	NOISE_spearman	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	-0.2162	NOISE_spearman	-0.172	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	RRF	R_F_s	robustness	0.026	NOISE_spearman	0.0308	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	RRF	R_Fbar_s	robustness	-0.0642	NOISE_spearman	-0.0516	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	RRF	R_C_s	robustness	0.0224	NOISE_spearman	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	RRF	R_Cbar_s	robustness	-0.0828	NOISE_spearman	-0.066	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	RRF	R_F_a	robustness	0.0764	NOISE_spearman	0.0696	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	RRF	R_Fbar_a	robustness	-0.204	NOISE_spearman	-0.238	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	RRF	R_C_a	robustness	0.0902	NOISE_spearman	0.0886	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	RRF	R_Cbar_a	robustness	-0.2102	NOISE_spearman	-0.2434	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	RRF	F	quality	0.0872	NOISE_kendall	0.0538	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	RRF	Fbar	quality	0.092	NOISE_kendall	0.2172	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	RRF	C	quality	0.1356	NOISE_kendall	0.0892	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	RRF	Cbar	quality	0.1442	NOISE_kendall	0.2798	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	RRF	R_F_g	robustness	0.0736	NOISE_kendall	0.0834	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	RRF	R_Fbar_g	robustness	-0.2246	NOISE_kendall	-0.1912	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	RRF	R_C_g	robustness	0.0862	NOISE_kendall	0.1182	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	RRF	R_Cbar_g	robustness	-0.2736	NOISE_kendall	-0.2304	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	RRF	R_F_p	robustness	0.0526	NOISE_kendall	0.0744	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	-0.1692	NOISE_kendall	-0.132	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	RRF	R_C_p	robustness	0.0676	NOISE_kendall	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	-0.2162	NOISE_kendall	-0.172	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	RRF	R_F_s	robustness	0.026	NOISE_kendall	0.0308	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	RRF	R_Fbar_s	robustness	-0.0642	NOISE_kendall	-0.0516	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	RRF	R_C_s	robustness	0.0224	NOISE_kendall	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	RRF	R_Cbar_s	robustness	-0.0828	NOISE_kendall	-0.066	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	RRF	R_F_a	robustness	0.0764	NOISE_kendall	0.0696	max	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	RRF	R_Fbar_a	robustness	-0.204	NOISE_kendall	-0.238	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	RRF	R_C_a	robustness	0.0902	NOISE_kendall	0.0886	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	RRF	R_Cbar_a	robustness	-0.2102	NOISE_kendall	-0.2434	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Schulze	F	quality	0.0864	clean_selected_best_individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Schulze	Fbar	quality	0.0928	clean_selected_best_individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Schulze	C	quality	0.1352	clean_selected_best_individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Schulze	Cbar	quality	0.146	clean_selected_best_individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Schulze	R_F_g	robustness	0.073	clean_selected_best_individual	0.0722	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	-0.223	clean_selected_best_individual	-0.2274	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Schulze	R_C_g	robustness	0.0846	clean_selected_best_individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	-0.272	clean_selected_best_individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Schulze	R_F_p	robustness	0.0544	clean_selected_best_individual	0.0546	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	-0.1684	clean_selected_best_individual	-0.1718	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Schulze	R_C_p	robustness	0.0684	clean_selected_best_individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	-0.2136	clean_selected_best_individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Schulze	R_F_s	robustness	0.0288	clean_selected_best_individual	0.0262	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Schulze	R_Fbar_s	robustness	-0.0616	clean_selected_best_individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Schulze	R_C_s	robustness	0.0252	clean_selected_best_individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Schulze	R_Cbar_s	robustness	-0.081	clean_selected_best_individual	-0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Schulze	R_F_a	robustness	0.076	clean_selected_best_individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	-0.2034	clean_selected_best_individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Schulze	R_C_a	robustness	0.091	clean_selected_best_individual	0.0932	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	-0.2096	clean_selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Schulze	F	quality	0.0864	naive_q11	0.0488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Schulze	Fbar	quality	0.0928	naive_q11	0.2336	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Schulze	C	quality	0.1352	naive_q11	0.0848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Schulze	Cbar	quality	0.146	naive_q11	0.2966	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Schulze	R_F_g	robustness	0.073	naive_q11	0.0862	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	-0.223	naive_q11	-0.1718	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Schulze	R_C_g	robustness	0.0846	naive_q11	0.1186	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	-0.272	naive_q11	-0.2112	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Schulze	R_F_p	robustness	0.0544	naive_q11	0.0756	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	-0.1684	naive_q11	-0.1222	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Schulze	R_C_p	robustness	0.0684	naive_q11	0.1018	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1586	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Schulze	R_F_s	robustness	0.0288	naive_q11	0.0342	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Schulze	R_Fbar_s	robustness	-0.0616	naive_q11	-0.0466	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Schulze	R_C_s	robustness	0.0252	naive_q11	0.041	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Schulze	R_Cbar_s	robustness	-0.081	naive_q11	-0.056	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Schulze	R_F_a	robustness	0.076	naive_q11	0.072	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	-0.2034	naive_q11	-0.2358	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Schulze	R_C_a	robustness	0.091	naive_q11	0.0904	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	-0.2096	naive_q11	-0.2418	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Schulze	F	quality	0.0864	NOISE_spearman	0.0488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Schulze	Fbar	quality	0.0928	NOISE_spearman	0.2336	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Schulze	C	quality	0.1352	NOISE_spearman	0.0848	max	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Schulze	Cbar	quality	0.146	NOISE_ spearman	0.2966	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Schulze	R_F_g	robustness	0.073	NOISE_ spearman	0.0862	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	-0.223	NOISE_ spearman	-0.1718	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Schulze	R_C_g	robustness	0.0846	NOISE_ spearman	0.1186	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	-0.272	NOISE_ spearman	-0.2112	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Schulze	R_F_p	robustness	0.0544	NOISE_ spearman	0.0756	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	-0.1684	NOISE_ spearman	-0.1222	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Schulze	R_C_p	robustness	0.0684	NOISE_ spearman	0.1018	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	-0.2136	NOISE_ spearman	-0.1586	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Schulze	R_F_s	robustness	0.0288	NOISE_ spearman	0.0342	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Schulze	R_Fbar_s	robustness	-0.0616	NOISE_ spearman	-0.0466	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Schulze	R_C_s	robustness	0.0252	NOISE_ spearman	0.041	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Schulze	R_Cbar_s	robustness	-0.081	NOISE_ spearman	-0.056	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Schulze	R_F_a	robustness	0.076	NOISE_ spearman	0.072	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	-0.2034	NOISE_ spearman	-0.2358	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Schulze	R_C_a	robustness	0.091	NOISE_ spearman	0.0904	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	-0.2096	NOISE_ spearman	-0.2418	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Schulze	F	quality	0.0864	NOISE_ kendall	0.0488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Schulze	Fbar	quality	0.0928	NOISE_ kendall	0.2336	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Schulze	C	quality	0.1352	NOISE_ kendall	0.0848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Schulze	Cbar	quality	0.146	NOISE_ kendall	0.2966	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	F	Schulze	R_F_g	robustness	0.073	NOISE_ kendall	0.0862	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	-0.223	NOISE_ kendall	-0.1718	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	C	Schulze	R_C_g	robustness	0.0846	NOISE_ kendall	0.1186	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	-0.272	NOISE_ kendall	-0.2112	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	F	Schulze	R_F_p	robustness	0.0544	NOISE_ kendall	0.0756	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	-0.1684	NOISE_ kendall	-0.1222	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	C	Schulze	R_C_p	robustness	0.0684	NOISE_ kendall	0.1018	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	-0.2136	NOISE_ kendall	-0.1586	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	F	Schulze	R_F_s	robustness	0.0288	NOISE_ kendall	0.0342	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Fbar	Schulze	R_Fbar_s	robustness	-0.0616	NOISE_ kendall	-0.0466	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	C	Schulze	R_C_s	robustness	0.0252	NOISE_ kendall	0.041	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle	Cbar	Schulze	R_Cbar_s	robustness	-0.081	NOISE_ kendall	-0.056	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	F	Schulze	R_F_a	robustness	0.076	NOISE_ kendall	0.072	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	-0.2034	NOISE_ kendall	-0.2358	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	C	Schulze	R_C_a	robustness	0.091	NOISE_ kendall	0.0904	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	-0.2096	NOISE_ kendall	-0.2418	max	Better

Table 31: ImageNet–ViT-B/16

Cell	Dataset	Model	Geometry	Selected Q	NOISE Q	Exact	Within One	Selected Is NOISE Tied	Selected Fidelity	NOISE Fidelity	Fidelity Regret	NOISE Tied q	Tie Policy
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	2	2	True	True	True	0.0864	0.0864	0	[2]	smallest_q_within_absolute_1e-12
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	2	3	False	True	False	0.0864	0.0874	0.001	[3]	smallest_q_within_absolute_1e-12

Table 32: ImageNet-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	Methods	F	$\bar{F}$	C	$\bar{C}$	R^p_{Chefer}	R^p_{Chefer}	R^p_{Chefer}	R^p_{Chefer}	R^p_{Chefer}	R^p_{Chefer}	R^p_{Chefer}
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	Dual Geometry Noise	2	["Gradient Attention Rollout", "CheferTransformer Attribution"]	0.0852	0.0966	0.132	0.1484	0.0672	-0.2204	0.0826	-0.2718	0.0548	-0.1706	0.0714
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Borda	Dual Geometry Noise	2	["Gradient Attention Rollout", "CheferTransformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	-0.223	0.0846	-0.272	0.0544	-0.1684	0.0684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kemeny	Dual Geometry Noise	2	["Gradient Attention Rollout", "CheferTransformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	-0.223	0.0846	-0.272	0.0544	-0.1684	0.0684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	RRF	Dual Geometry Noise	2	["Gradient Attention Rollout", "CheferTransformer Attribution"]	0.0872	0.092	0.1356	0.1442	0.0736	-0.2246	0.0862	-0.2736	0.0526	-0.1692	0.0676
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Schulze	Dual Geometry Noise	2	["Gradient Attention Rollout", "CheferTransformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	-0.223	0.0846	-0.272	0.0544	-0.1684	0.0684

Table 33: ImageNet–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	$R^o_{\mathcal{D}}$	$R^o_{\mathcal{F}}$	$R^o_{\mathcal{E}}$	$R^o_{\mathcal{G}}$	$R^o_{\mathcal{H}}$	$R^o_{\mathcal{I}}$	$R^o_{\mathcal{J}}$	$R^o_{\mathcal{K}}$	$R^o_{\mathcal{L}}$	F^o_{averaged}	F^o_{averaged}	C^o_{averaged}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	Dual Geometry Noise	2	-0.2192	0.0234	-0.0636	0.0214	-0.0818	0.0772	-0.198	0.0934	-0.2052	0.1524	0.317	0.2146
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	Dual Geometry Noise	2	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	-0.2096	0.1594	0.3158	0.2198
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	Dual Geometry Noise	2	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	-0.2096	0.1594	0.3158	0.2198
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	Dual Geometry Noise	2	-0.2162	0.026	-0.0642	0.0224	-0.0828	0.0764	-0.204	0.0902	-0.2102	0.1608	0.3166	0.2218
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	Dual Geometry Noise	2	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	-0.2096	0.1594	0.3158	0.2198

Table 34: ImageNet–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	C^q perturbed	F^p perturbed	$\hat{F}^p$ perturbed	C^p perturbed	$\hat{C}^p$ perturbed	F^s perturbed	$\hat{F}^s$ perturbed	C^s perturbed	$\hat{C}^s$ perturbed	F^a perturbed	$\hat{F}^a$ perturbed	C^a perturbed
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	Dual Geometry Noise	2	0.4202	0.14	0.2672	0.2034	0.3676	0.1086	0.1602	0.1534	0.2302	0.1624	0.2946	0.2254
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	Dual Geometry Noise	2	0.418	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2262
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	Dual Geometry Noise	2	0.418	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2262
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	Dual Geometry Noise	2	0.4178	0.1398	0.2612	0.2032	0.3604	0.1132	0.1562	0.158	0.227	0.1636	0.296	0.2258
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	Dual Geometry Noise	2	0.418	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2262

Table 35: ImageNet–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	C^* estimated
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	Dual Geometry Noise	2	0.3536
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	Dual Geometry Noise	2	0.3556
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	Dual Geometry Noise	2	0.3556
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	Dual Geometry Noise	2	0.3544
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	Dual Geometry Noise	2	0.3556

Table 36: ImageNet-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.0852	clean_selected_best_individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.0966	clean_selected_best_individual	0.095	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.132	clean_selected_best_individual	0.1336	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.1484	clean_selected_best_individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	0.0672	clean_selected_best_individual	0.0722	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	-0.2204	clean_selected_best_individual	-0.2274	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	0.0826	clean_selected_best_individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	-0.2718	clean_selected_best_individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	0.0548	clean_selected_best_individual	0.0546	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	-0.1706	clean_selected_best_individual	-0.1718	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.0714	clean_selected_best_individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.2192	clean_selected_best_individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	0.0234	clean_selected_best_individual	0.0262	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	-0.0636	clean_selected_best_individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.0214	clean_selected_best_individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	-0.0818	clean_selected_best_individual	-0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	0.0772	clean_selected_best_individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	-0.198	clean_selected_best_individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	0.0934	clean_selected_best_individual	0.0932	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	-0.2052	clean_selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.0852	naive_q11	0.0642	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.0966	naive_q11	0.1174	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.132	naive_q11	0.1032	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.1484	naive_q11	0.1744	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	0.0672	naive_q11	0.0774	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	-0.2204	naive_q11	-0.2488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	0.0826	naive_q11	0.1104	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	-0.2718	naive_q11	-0.2906	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	0.0548	naive_q11	0.0672	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	-0.1706	naive_q11	-0.1808	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.0714	naive_q11	0.096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.2192	naive_q11	-0.2214	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	0.0234	naive_q11	0.024	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	-0.0636	naive_q11	-0.066	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.0214	naive_q11	0.0322	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	-0.0818	naive_q11	-0.0812	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	0.0772	naive_q11	0.0632	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	-0.198	naive_q11	-0.2696	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	0.0934	naive_q11	0.0788	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	-0.2052	naive_q11	-0.2848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.0852	NOISE_	0.0642	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.0966	same_geometry NOISE_	0.1174	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.132	same_geometry NOISE_	0.1032	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.1484	same_geometry NOISE_	0.1744	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	0.0672	same_geometry NOISE_	0.0774	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	-0.2204	same_geometry NOISE_	-0.2488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	0.0826	same_geometry NOISE_	0.1104	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	-0.2718	same_geometry NOISE_	-0.2906	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	0.0548	same_geometry NOISE_	0.0672	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	-0.1706	same_geometry NOISE_	-0.1808	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.0714	same_geometry NOISE_	0.096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.2192	same_geometry NOISE_	-0.2214	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	0.0234	same_geometry NOISE_	0.024	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	-0.0636	same_geometry NOISE_	-0.066	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.0214	same_geometry NOISE_	0.0322	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	-0.0818	same_geometry NOISE_	-0.0812	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	0.0772	same_geometry NOISE_	0.0632	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	-0.198	same_geometry NOISE_	-0.2696	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	0.0934	same_geometry NOISE_	0.0788	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	-0.2052	same_geometry NOISE_	-0.2848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.0852	geometry dual_	0.0852	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.0966	geometry shared_q	0.0966	min	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.132	geometry shared_q	0.132	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.1484	geometry shared_q	0.1484	min	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	0.0672	geometry shared_q	0.0672	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	-0.2204	geometry shared_q	-0.2204	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	0.0826	geometry shared_q	0.0826	max	Equal

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	-0.2718	dual__geometry__shared_q	-0.2718	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	0.0548	dual__geometry__shared_q	0.0548	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	-0.1706	dual__geometry__shared_q	-0.1706	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.0714	dual__geometry__shared_q	0.0714	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.2192	dual__geometry__shared_q	-0.2192	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	0.0234	dual__geometry__shared_q	0.0234	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	-0.0636	dual__geometry__shared_q	-0.0636	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.0214	dual__geometry__shared_q	0.0214	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	-0.0818	dual__geometry__shared_q	-0.0818	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	0.0772	dual__geometry__shared_q	0.0772	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	-0.198	dual__geometry__shared_q	-0.198	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	0.0934	dual__geometry__shared_q	0.0934	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	-0.2052	dual__geometry__shared_q	-0.2052	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.0864	clean__selected__best__individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.0928	clean__selected__best__individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.1352	clean__selected__best__individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.146	clean__selected__best__individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	0.073	clean__selected__best__individual	0.0722	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	-0.223	clean__selected__best__individual	-0.2274	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	0.0846	clean__selected__best__individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	-0.272	clean__selected__best__individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	0.0544	clean__selected__best__individual	0.0546	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	-0.1684	clean__selected__best__individual	-0.1718	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	0.0684	clean__selected__best__individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	-0.2136	clean__selected__best__individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	0.0288	clean__selected__best__individual	0.0262	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	-0.0616	clean_selected_best_individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	0.0252	clean_selected_best_individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	-0.081	clean_selected_best_individual	-0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	0.076	clean_selected_best_individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	-0.2034	clean_selected_best_individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	0.091	clean_selected_best_individual	0.0932	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	-0.2096	clean_selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.0864	naive_q11	0.0478	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.0928	naive_q11	0.2256	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.1352	naive_q11	0.0802	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.146	naive_q11	0.2866	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	0.073	naive_q11	0.0786	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	-0.223	naive_q11	-0.1832	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	0.0846	naive_q11	0.1126	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	-0.272	naive_q11	-0.2226	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	0.0544	naive_q11	0.0692	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	-0.1684	naive_q11	-0.1228	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	0.0684	naive_q11	0.1014	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1616	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	0.0288	naive_q11	0.0266	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	-0.0616	naive_q11	-0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	0.0252	naive_q11	0.0368	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	-0.081	naive_q11	-0.0544	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	0.076	naive_q11	0.0736	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	-0.2034	naive_q11	-0.2438	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	0.091	naive_q11	0.095	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	-0.2096	naive_q11	-0.2556	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.0864	NOISE_same_geometry	0.0478	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.0928	NOISE_same_geometry	0.2256	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.1352	NOISE_same_geometry	0.0802	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.146	NOISE_same_geometry	0.2866	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	0.073	NOISE_same_geometry	0.0786	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	-0.223	NOISE_same_geometry	-0.1832	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	0.0846	NOISE_same_geometry	0.1126	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	-0.272	NOISE_same_geometry	-0.2226	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	0.0544	NOISE_same_geometry	0.0692	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	-0.1684	NOISE_same_geometry	-0.1228	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	0.0684	NOISE_same_geometry	0.1014	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	-0.2136	NOISE_same_geometry	-0.1616	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	0.0288	NOISE_same_geometry	0.0266	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	-0.0616	NOISE_same_geometry	-0.04	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	0.0252	NOISE__same_geometry	0.0368	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	-0.081	NOISE__same_geometry	-0.0544	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	0.076	NOISE__same_geometry	0.0736	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	-0.2034	NOISE__same_geometry	-0.2438	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	0.091	NOISE__same_geometry	0.095	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	-0.2096	NOISE__same_geometry	-0.2556	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.0864	NOISE__dual_geometry__shared_q	0.0864	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.0928	NOISE__dual_geometry__shared_q	0.0928	min	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.1352	NOISE__dual_geometry__shared_q	0.1352	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.146	NOISE__dual_geometry__shared_q	0.146	min	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	0.073	NOISE__dual_geometry__shared_q	0.073	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	-0.223	NOISE__dual_geometry__shared_q	-0.223	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	0.0846	NOISE__dual_geometry__shared_q	0.0846	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	-0.272	NOISE__dual_geometry__shared_q	-0.272	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	0.0544	NOISE__dual_geometry__shared_q	0.0544	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	-0.1684	NOISE__dual_geometry__shared_q	-0.1684	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	0.0684	NOISE__dual_geometry__shared_q	0.0684	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	-0.2136	NOISE__dual_geometry__shared_q	-0.2136	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	0.0288	NOISE__dual_geometry__shared_q	0.0288	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	-0.0616	NOISE__dual_geometry__shared_q	-0.0616	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	0.0252	NOISE__dual_geometry__shared_q	0.0252	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	-0.081	NOISE__dual_geometry__shared_q	-0.081	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	0.076	NOISE__dual_geometry__shared_q	0.076	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	-0.2034	NOISE__dual_geometry__shared_q	-0.2034	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	0.091	NOISE__dual_geometry__shared_q	0.091	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	-0.2096	NOISE__dual_geometry__shared_q	-0.2096	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.0864	clean_selected_best_individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.0928	clean_selected_best_individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.1352	clean_selected_best_individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.146	clean_selected_best_individual	0.1426	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	0.073	clean_selected_best_individual	0.0722	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	-0.223	clean_selected_best_individual	-0.2274	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	0.0846	clean_selected_best_individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	-0.272	clean_selected_best_individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	0.0544	clean_selected_best_individual	0.0546	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	-0.1684	clean_selected_best_individual	-0.1718	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	0.0684	clean_selected_best_individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	-0.2136	clean_selected_best_individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.0288	clean_selected_best_individual	0.0262	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	-0.0616	clean_selected_best_individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.0252	clean_selected_best_individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	-0.081	clean_selected_best_individual	-0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	0.076	clean_selected_best_individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	-0.2034	clean_selected_best_individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	0.091	clean_selected_best_individual	0.0932	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	-0.2096	clean_selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.0864	naive_q11	0.05	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.0928	naive_q11	0.2684	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.1352	naive_q11	0.0856	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.146	naive_q11	0.3318	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	0.073	naive_q11	0.0846	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	-0.223	naive_q11	-0.161	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	0.0846	naive_q11	0.1174	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	-0.272	naive_q11	-0.1992	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	0.0544	naive_q11	0.0764	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	-0.1684	naive_q11	-0.1096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	0.0684	naive_q11	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1464	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.0288	naive_q11	0.0324	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	-0.0616	naive_q11	-0.0378	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.0252	naive_q11	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	-0.081	naive_q11	-0.048	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	0.076	naive_q11	0.0714	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	-0.2034	naive_q11	-0.2106	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	0.091	naive_q11	0.0926	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	-0.2096	naive_q11	-0.2166	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.0864	NOISE_same_geometry	0.05	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.0928	NOISE_same_geometry	0.2684	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.1352	NOISE_same_geometry	0.0856	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.146	NOISE__same_geometry	0.3318	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	0.073	NOISE__same_geometry	0.0846	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	-0.223	NOISE__same_geometry	-0.161	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	0.0846	NOISE__same_geometry	0.1174	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	-0.272	NOISE__same_geometry	-0.1992	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	0.0544	NOISE__same_geometry	0.0764	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	-0.1684	NOISE__same_geometry	-0.1096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	0.0684	NOISE__same_geometry	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	-0.2136	NOISE__same_geometry	-0.1464	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.0288	NOISE__same_geometry	0.0324	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	-0.0616	NOISE__same_geometry	-0.0378	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.0252	NOISE__same_geometry	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	-0.081	NOISE__same_geometry	-0.048	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	0.076	NOISE__same_geometry	0.0714	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	-0.2034	NOISE__same_geometry	-0.2106	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	0.091	NOISE__same_geometry	0.0926	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	-0.2096	NOISE__same_geometry	-0.2166	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.0864	dual__geometry__shared_q	0.0864	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.0928	dual__geometry__shared_q	0.0928	min	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.1352	dual__geometry__shared_q	0.1352	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.146	dual__geometry__shared_q	0.146	min	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	0.073	dual__geometry__shared_q	0.073	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	-0.223	dual__geometry__shared_q	-0.223	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	0.0846	dual__geometry__shared_q	0.0846	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	-0.272	dual__geometry__shared_q	-0.272	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	0.0544	dual__geometry__shared_q	0.0544	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	-0.1684	dual__geometry__shared_q	-0.1684	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	0.0684	dual__geometry__shared_q	0.0684	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	-0.2136	dual__geometry__shared_q	-0.2136	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.0288	dual__geometry__shared_q	0.0288	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	-0.0616	dual__geometry__shared_q	-0.0616	max	Equal

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.0252	dual__geometry__shared_q	0.0252	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	-0.081	dual__geometry__shared_q	-0.081	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	0.076	dual__geometry__shared_q	0.076	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	-0.2034	dual__geometry__shared_q	-0.2034	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	0.091	dual__geometry__shared_q	0.091	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	-0.2096	dual__geometry__shared_q	-0.2096	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.0872	clean__selected__best__individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.092	clean__selected__best__individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.1356	clean__selected__best__individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.1442	clean__selected__best__individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	0.0736	clean__selected__best__individual	0.0722	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	-0.2246	clean__selected__best__individual	-0.2274	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	0.0862	clean__selected__best__individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-0.2736	clean__selected__best__individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	0.0526	clean__selected__best__individual	0.0546	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	-0.1692	clean__selected__best__individual	-0.1718	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	0.0676	clean__selected__best__individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	-0.2162	clean__selected__best__individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.026	clean__selected__best__individual	0.0262	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	-0.0642	clean__selected__best__individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.0224	clean__selected__best__individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	-0.0828	clean__selected__best__individual	-0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	0.0764	clean__selected__best__individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	-0.204	clean__selected__best__individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	0.0902	clean__selected__best__individual	0.0932	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	-0.2102	clean_selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.0872	naive_q11	0.0538	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.092	naive_q11	0.2172	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.1356	naive_q11	0.0892	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.1442	naive_q11	0.2798	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	0.0736	naive_q11	0.0834	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	-0.2246	naive_q11	-0.1912	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	0.0862	naive_q11	0.1182	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-0.2736	naive_q11	-0.2304	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	0.0526	naive_q11	0.0744	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	-0.1692	naive_q11	-0.132	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	0.0676	naive_q11	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	-0.2162	naive_q11	-0.172	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.026	naive_q11	0.0308	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	-0.0642	naive_q11	-0.0516	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.0224	naive_q11	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	-0.0828	naive_q11	-0.066	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	0.0764	naive_q11	0.0696	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	-0.204	naive_q11	-0.238	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	0.0902	naive_q11	0.0886	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	-0.2102	naive_q11	-0.2434	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.0872	NOISE_same_geometry_NOISE_same_geometry	0.0538	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.092	NOISE_same_geometry	0.2172	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.1356	NOISE_same_geometry	0.0892	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.1442	NOISE_same_geometry	0.2798	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	0.0736	NOISE_same_geometry	0.0834	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	-0.2246	NOISE_same_geometry	-0.1912	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	0.0862	NOISE_same_geometry	0.1182	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-0.2736	NOISE_same_geometry	-0.2304	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	0.0526	NOISE_same_geometry	0.0744	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	-0.1692	NOISE_same_geometry	-0.132	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	0.0676	NOISE_same_geometry	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	-0.2162	NOISE_same_geometry	-0.172	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.026	NOISE_same_geometry	0.0308	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	-0.0642	NOISE_same_geometry	-0.0516	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.0224	NOISE_same_geometry	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	-0.0828	NOISE_same_geometry	-0.066	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	0.0764	NOISE_same_geometry	0.0696	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	-0.204	NOISE_same_geometry	-0.238	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	0.0902	NOISE_same_geometry	0.0886	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	-0.2102	NOISE_same_geometry	-0.2434	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.0872	dual_shared_q	0.0872	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.092	dual_shared_q	0.092	min	Equal

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.1356	dual__geometry__shared_q	0.1356	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.1442	dual__geometry__shared_q	0.1442	min	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	0.0736	dual__geometry__shared_q	0.0736	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	-0.2246	dual__geometry__shared_q	-0.2246	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	0.0862	dual__geometry__shared_q	0.0862	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-0.2736	dual__geometry__shared_q	-0.2736	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	0.0526	dual__geometry__shared_q	0.0526	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	-0.1692	dual__geometry__shared_q	-0.1692	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	0.0676	dual__geometry__shared_q	0.0676	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	-0.2162	dual__geometry__shared_q	-0.2162	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.026	dual__geometry__shared_q	0.026	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	-0.0642	dual__geometry__shared_q	-0.0642	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.0224	dual__geometry__shared_q	0.0224	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	-0.0828	dual__geometry__shared_q	-0.0828	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	0.0764	dual__geometry__shared_q	0.0764	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	-0.204	dual__geometry__shared_q	-0.204	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	0.0902	dual__geometry__shared_q	0.0902	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	-0.2102	dual__geometry__shared_q	-0.2102	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.0864	clean__selected__best__individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.0928	clean__selected__best__individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.1352	clean__selected__best__individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.146	clean__selected__best__individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	0.073	clean__selected__best__individual	0.0722	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	-0.223	clean__selected__best__individual	-0.2274	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	0.0846	clean__selected__best__individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	-0.272	clean__selected__best__individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	0.0544	clean__selected__best__individual	0.0546	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	-0.1684	clean__selected__best__individual	-0.1718	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	0.0684	clean_selected_best_individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	-0.2136	clean_selected_best_individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.0288	clean_selected_best_individual	0.0262	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	-0.0616	clean_selected_best_individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.0252	clean_selected_best_individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-0.081	clean_selected_best_individual	-0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	0.076	clean_selected_best_individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	-0.2034	clean_selected_best_individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	0.091	clean_selected_best_individual	0.0932	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	-0.2096	clean_selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.0864	naive_q11	0.0488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.0928	naive_q11	0.2336	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.1352	naive_q11	0.0848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.146	naive_q11	0.2966	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	0.073	naive_q11	0.0862	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	-0.223	naive_q11	-0.1718	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	0.0846	naive_q11	0.1186	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	-0.272	naive_q11	-0.2112	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	0.0544	naive_q11	0.0756	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	-0.1684	naive_q11	-0.1222	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	0.0684	naive_q11	0.1018	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1586	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.0288	naive_q11	0.0342	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	-0.0616	naive_q11	-0.0466	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.0252	naive_q11	0.041	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-0.081	naive_q11	-0.056	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	0.076	naive_q11	0.072	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	-0.2034	naive_q11	-0.2358	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	0.091	naive_q11	0.0904	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	-0.2096	naive_q11	-0.2418	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.0864	NOISE_same_geometry	0.0488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.0928	NOISE_same_geometry	0.2336	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.1352	NOISE_same_geometry	0.0848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.146	NOISE_same_geometry	0.2966	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	0.073	NOISE_same_geometry	0.0862	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	-0.223	NOISE_same_geometry	-0.1718	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	0.0846	NOISE_same_geometry	0.1186	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	-0.272	NOISE_same_geometry	-0.2112	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	0.0544	NOISE_same_geometry	0.0756	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	-0.1684	NOISE_same_geometry	-0.1222	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	0.0684	NOISE_same_geometry	0.1018	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	-0.2136	NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__	-0.1586	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.0288	NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__	0.0342	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	-0.0616	NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__	-0.0466	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.0252	NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__	0.041	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-0.081	NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__	-0.056	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	0.076	NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__	0.072	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	-0.2034	NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__	-0.2358	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	0.091	NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__	0.0904	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	-0.2096	NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__NOISE__same_geometry__	-0.2418	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.0864	dual_geometry__shared_q	0.0864	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.0928	dual_geometry__shared_q	0.0928	min	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.1352	dual_geometry__shared_q	0.1352	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.146	dual_geometry__shared_q	0.146	min	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	0.073	dual_geometry__shared_q	0.073	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	-0.223	dual_geometry__shared_q	-0.223	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	0.0846	dual_geometry__shared_q	0.0846	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	-0.272	dual_geometry__shared_q	-0.272	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	0.0544	dual_geometry__shared_q	0.0544	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	-0.1684	dual_geometry__shared_q	-0.1684	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	0.0684	dual_geometry__shared_q	0.0684	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	-0.2136	dual_geometry__shared_q	-0.2136	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.0288	dual_geometry__shared_q	0.0288	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	-0.0616	dual_geometry__shared_q	-0.0616	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.0252	dual_geometry__shared_q	0.0252	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-0.081	dual_geometry__shared_q	-0.081	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	0.076	dual_geometry__shared_q	0.076	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	-0.2034	dual_geometry__shared_q	-0.2034	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	0.091	dual_geometry__shared_q	0.091	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	-0.2096	dual_geometry__shared_q	-0.2096	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.0734	clean_selected_best_individual	0.0838	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.097	clean_selected_best_individual	0.095	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.1198	clean_selected_best_individual	0.1336	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.1478	clean_selected_best_individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	0.0828	clean_selected_best_individual	0.0722	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	-0.2322	clean_selected_best_individual	-0.2274	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	0.108	clean_selected_best_individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	-0.2798	clean_selected_best_individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	0.0684	clean_selected_best_individual	0.0546	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	-0.1738	clean_selected_best_individual	-0.1718	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	0.0936	clean_selected_best_individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	-0.22	clean_selected_best_individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	0.0306	clean_selected_best_individual	0.0262	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	-0.0568	clean_selected_best_individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.0322	clean_selected_best_individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	-0.0762	clean_selected_best_individual	-0.0772	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	0.0752	clean_selected_best_individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	-0.1992	clean_selected_best_individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	0.0928	clean_selected_best_individual	0.0932	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	-0.2038	clean_selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.0734	naive_q11	0.0642	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.097	naive_q11	0.1174	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.1198	naive_q11	0.1032	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.1478	naive_q11	0.1744	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	0.0828	naive_q11	0.0774	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	-0.2322	naive_q11	-0.2488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	0.108	naive_q11	0.1104	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	-0.2798	naive_q11	-0.2906	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	0.0684	naive_q11	0.0672	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	-0.1738	naive_q11	-0.1808	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	0.0936	naive_q11	0.096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	-0.22	naive_q11	-0.2214	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	0.0306	naive_q11	0.024	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	-0.0568	naive_q11	-0.066	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.0322	naive_q11	0.0322	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	-0.0762	naive_q11	-0.0812	max	Better

Cell	Dataset	Model	Q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	-0.1738	dual__geometry__shared_q	-0.1706	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	0.0936	dual__geometry__shared_q	0.0714	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	-0.22	dual__geometry__shared_q	-0.2192	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	0.0306	dual__geometry__shared_q	0.0234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	-0.0568	dual__geometry__shared_q	-0.0636	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.0322	dual__geometry__shared_q	0.0214	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	-0.0762	dual__geometry__shared_q	-0.0818	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	0.0752	dual__geometry__shared_q	0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	-0.1992	dual__geometry__shared_q	-0.198	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	0.0928	dual__geometry__shared_q	0.0934	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	-0.2038	dual__geometry__shared_q	-0.2052	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.0506	clean__selected__best__individual	0.0838	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.1026	clean__selected__best__individual	0.095	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.0956	clean__selected__best__individual	0.1336	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.1508	clean__selected__best__individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	0.0796	clean__selected__best__individual	0.0722	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	-0.2524	clean__selected__best__individual	-0.2274	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	0.1022	clean__selected__best__individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	-0.3032	clean__selected__best__individual	-0.281	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	0.0636	clean__selected__best__individual	0.0546	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	-0.1874	clean__selected__best__individual	-0.1718	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	0.0904	clean__selected__best__individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	-0.2354	clean__selected__best__individual	-0.2234	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.0238	clean__selected__best__individual	0.0262	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	-0.0666	clean__selected__best__individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.0236	clean__selected__best__individual	0.0186	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	-0.0886	clean_selected_best_individual	-0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	0.1022	clean_selected_best_individual	0.0792	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	-0.1906	clean_selected_best_individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	0.1214	clean_selected_best_individual	0.0932	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	-0.201	clean_selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.0506	naive_q11	0.0478	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.1026	naive_q11	0.2256	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.0956	naive_q11	0.0802	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.1508	naive_q11	0.2866	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	0.0796	naive_q11	0.0786	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	-0.2524	naive_q11	-0.1832	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	0.1022	naive_q11	0.1126	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	-0.3032	naive_q11	-0.2226	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	0.0636	naive_q11	0.0692	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	-0.1874	naive_q11	-0.1228	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	0.0904	naive_q11	0.1014	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	-0.2354	naive_q11	-0.1616	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.0238	naive_q11	0.0266	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	-0.0666	naive_q11	-0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.0236	naive_q11	0.0368	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	-0.0886	naive_q11	-0.0544	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	0.1022	naive_q11	0.0736	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	-0.1906	naive_q11	-0.2438	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	0.1214	naive_q11	0.095	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	-0.201	naive_q11	-0.2556	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.0506	NOISE_same_geometry	0.0478	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.1026	NOISE_same_geometry	0.2256	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.0956	NOISE_same_geometry	0.0802	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.1508	NOISE_same_geometry	0.2866	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	0.0796	NOISE_same_geometry	0.0786	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	-0.2524	NOISE_same_geometry	-0.1832	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	0.1022	NOISE_same_geometry	0.1126	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	-0.3032	NOISE_same_geometry	-0.2226	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	0.0636	NOISE_same_geometry	0.0692	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	-0.1874	NOISE_same_geometry	-0.1228	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	0.0904	NOISE_same_geometry	0.1014	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	-0.2354	NOISE_same_geometry	-0.1616	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.0238	NOISE_same_geometry	0.0266	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	-0.0666	NOISE_same_geometry	-0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.0236	NOISE_same_geometry	0.0368	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	-0.0886	NOISE_same_geometry	-0.0544	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	0.1022	NOISE_same_geometry	0.0736	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	-0.1906	NOISE__same_geometry	-0.2438	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	0.1214	NOISE__same_geometry	0.095	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	-0.201	NOISE__same_geometry	-0.2556	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.0506	dual__geometry__shared_q	0.0864	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.1026	dual__geometry__shared_q	0.0928	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.0956	dual__geometry__shared_q	0.1352	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.1508	dual__geometry__shared_q	0.146	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	0.0796	dual__geometry__shared_q	0.073	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	-0.2524	dual__geometry__shared_q	-0.223	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	0.1022	dual__geometry__shared_q	0.0846	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	-0.3032	dual__geometry__shared_q	-0.272	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	0.0636	dual__geometry__shared_q	0.0544	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	-0.1874	dual__geometry__shared_q	-0.1684	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	0.0904	dual__geometry__shared_q	0.0684	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	-0.2354	dual__geometry__shared_q	-0.2136	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.0238	dual__geometry__shared_q	0.0288	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	-0.0666	dual__geometry__shared_q	-0.0616	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.0236	dual__geometry__shared_q	0.0252	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	-0.0886	dual__geometry__shared_q	-0.081	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	0.1022	dual__geometry__shared_q	0.076	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	-0.1906	dual__geometry__shared_q	-0.2034	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	0.1214	dual__geometry__shared_q	0.091	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	-0.201	dual__geometry__shared_q	-0.2096	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.0874	clean_selected_best_individual	0.0838	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.0946	clean_selected_best_individual	0.095	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.1362	clean_selected_best_individual	0.1336	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.1464	clean_selected_best_individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	0.0716	clean_selected_best_individual	0.0722	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	-0.2204	clean_selected_best_individual	-0.2274	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	0.0906	clean_selected_best_individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	-0.2712	clean_selected_best_individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	0.0576	clean_selected_best_individual	0.0546	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	-0.1678	clean_selected_best_individual	-0.1718	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	0.079	clean_selected_best_individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	-0.2136	clean_selected_best_individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	0.0268	clean_selected_best_individual	0.0262	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	-0.0592	clean_selected_best_individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	0.0268	clean_selected_best_individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	-0.077	clean_selected_best_individual	-0.0772	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	0.077	clean_selected_best_individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	-0.207	clean_selected_best_individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	0.0926	clean_selected_best_individual	0.0932	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	-0.2164	clean_selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.0874	naive_q11	0.05	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.0946	naive_q11	0.2684	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.1362	naive_q11	0.0856	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.1464	naive_q11	0.3318	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	0.0716	naive_q11	0.0846	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	-0.2204	naive_q11	-0.161	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	0.0906	naive_q11	0.1174	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	-0.2712	naive_q11	-0.1992	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	0.0576	naive_q11	0.0764	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	-0.1678	naive_q11	-0.1096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	0.079	naive_q11	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	-0.2136	naive_q11	-0.1464	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	0.0268	naive_q11	0.0324	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	-0.0592	naive_q11	-0.0378	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	0.0268	naive_q11	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	-0.077	naive_q11	-0.048	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	0.077	naive_q11	0.0714	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	-0.207	naive_q11	-0.2106	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	0.0926	naive_q11	0.0926	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	-0.2164	naive_q11	-0.2166	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.0874	NOISE_same_geometry	0.05	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.0946	NOISE_same_geometry	0.2684	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.1362	NOISE_same_geometry	0.0856	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.1464	NOISE_same_geometry	0.3318	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	0.0716	NOISE_same_geometry	0.0846	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	-0.2204	NOISE__same_geometry__NOISE__	-0.161	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	0.0906	NOISE__same_geometry__NOISE__	0.1174	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	-0.2712	NOISE__same_geometry__NOISE__	-0.1992	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	0.0576	NOISE__same_geometry__NOISE__	0.0764	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	-0.1678	NOISE__same_geometry__NOISE__	-0.1096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	0.079	NOISE__same_geometry__NOISE__	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	-0.2136	NOISE__same_geometry__NOISE__	-0.1464	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	0.0268	NOISE__same_geometry__NOISE__	0.0324	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	-0.0592	NOISE__same_geometry__NOISE__	-0.0378	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	0.0268	NOISE__same_geometry__NOISE__	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	-0.077	NOISE__same_geometry__NOISE__	-0.048	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	0.077	NOISE__same_geometry__NOISE__	0.0714	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	-0.207	NOISE__same_geometry__NOISE__	-0.2106	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	0.0926	NOISE__same_geometry__NOISE__	0.0926	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	-0.2164	NOISE__same_geometry__NOISE__	-0.2166	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.0874	dual__geometry__shared_q	0.0864	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.0946	dual__geometry__shared_q	0.0928	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.1362	dual__geometry__shared_q	0.1352	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.1464	dual__geometry__shared_q	0.146	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	0.0716	dual__geometry__shared_q	0.073	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	-0.2204	dual__geometry__shared_q	-0.223	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	0.0906	dual__geometry__shared_q	0.0846	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	-0.2712	dual__geometry__shared_q	-0.272	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	0.0576	dual__geometry__shared_q	0.0544	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	-0.1678	dual__geometry__shared_q	-0.1684	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	0.079	dual__geometry__shared_q	0.0684	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	-0.2136	dual__geometry__shared_q	-0.2136	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	0.0268	dual__geometry__shared_q	0.0288	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	-0.0592	dual__geometry__shared_q	-0.0616	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	0.0268	dual__geometry__shared_q	0.0252	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	-0.077	dual__geometry__shared_q	-0.081	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	0.077	dual__geometry__shared_q	0.076	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	-0.207	dual__geometry__shared_q	-0.2034	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	0.0926	dual__geometry__shared_q	0.091	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	-0.2164	dual__geometry__shared_q	-0.2096	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.0726	clean__selected__best__individual	0.0838	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.096	clean__selected__best__individual	0.095	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.123	clean__selected__best__individual	0.1336	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.1468	clean__selected__best__individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.0816	clean__selected__best__individual	0.0722	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	-0.224	clean__selected__best__individual	-0.2274	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	0.1028	clean__selected__best__individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	-0.273	clean__selected__best__individual	-0.281	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	0.068	clean__selected__best__individual	0.0546	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	-0.1558	clean__selected__best__individual	-0.1718	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	0.0858	clean__selected__best__individual	0.0664	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	-0.205	clean__selected__best__individual	-0.2234	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.0308	clean__selected__best__individual	0.0262	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	-0.0494	clean__selected__best__individual	-0.0506	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.028	clean__selected__best__individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-0.0708	clean__selected__best__individual	-0.0772	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	0.086	clean__selected__best__individual	0.0792	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	-0.2022	clean__selected__best__individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	0.1024	clean__selected__best__individual	0.0932	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	-0.2064	clean__selected__best__individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.0726	naive__q11	0.0538	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.096	naive_q11	0.2172	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.123	naive_q11	0.0892	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.1468	naive_q11	0.2798	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.0816	naive_q11	0.0834	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	-0.224	naive_q11	-0.1912	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	0.1028	naive_q11	0.1182	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	-0.273	naive_q11	-0.2304	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	0.068	naive_q11	0.0744	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	-0.1558	naive_q11	-0.132	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	0.0858	naive_q11	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	-0.205	naive_q11	-0.172	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.0308	naive_q11	0.0308	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	-0.0494	naive_q11	-0.0516	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.028	naive_q11	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-0.0708	naive_q11	-0.066	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	0.086	naive_q11	0.0696	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	-0.2022	naive_q11	-0.238	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	0.1024	naive_q11	0.0886	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	-0.2064	naive_q11	-0.2434	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.0726	NOISE_ same_ geometry	0.0538	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.096	NOISE_ same_ geometry	0.2172	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.123	NOISE_ same_ geometry	0.0892	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.1468	NOISE_ same_ geometry	0.2798	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.0816	NOISE_ same_ geometry	0.0834	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	-0.224	NOISE_ same_ geometry	-0.1912	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	0.1028	NOISE_ same_ geometry	0.1182	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	-0.273	NOISE_ same_ geometry	-0.2304	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	0.068	NOISE_ same_ geometry	0.0744	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	-0.1558	NOISE_ same_ geometry	-0.132	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	0.0858	NOISE_ same_ geometry	0.1036	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	-0.205	NOISE_ same_ geometry	-0.172	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.0308	NOISE_ same_ geometry	0.0308	max	Equal
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	-0.0494	NOISE_ same_ geometry	-0.0516	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.028	NOISE_ same_ geometry	0.04	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-0.0708	NOISE_ same_ geometry	-0.066	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	0.086	NOISE_ same_ geometry	0.0696	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	-0.2022	NOISE_ same_ geometry	-0.238	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	0.1024	NOISE_ same_ geometry	0.0886	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	-0.2064	NOISE_ same_ geometry	-0.2434	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.0726	NOISE_ dual_ geometry_ shared_q	0.0872	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.096	dual_ geometry_ shared_q	0.092	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.123	dual_ geometry_ shared_q	0.1356	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.1468	dual_ geometry_ shared_q	0.1442	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.0816	dual__geometry__shared_q	0.0736	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	-0.224	dual__geometry__shared_q	-0.2246	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	0.1028	dual__geometry__shared_q	0.0862	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	-0.273	dual__geometry__shared_q	-0.2736	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	0.068	dual__geometry__shared_q	0.0526	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	-0.1558	dual__geometry__shared_q	-0.1692	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	0.0858	dual__geometry__shared_q	0.0676	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	-0.205	dual__geometry__shared_q	-0.2162	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.0308	dual__geometry__shared_q	0.026	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	-0.0494	dual__geometry__shared_q	-0.0642	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.028	dual__geometry__shared_q	0.0224	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-0.0708	dual__geometry__shared_q	-0.0828	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	0.086	dual__geometry__shared_q	0.0764	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	-0.2022	dual__geometry__shared_q	-0.204	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	0.1024	dual__geometry__shared_q	0.0902	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	-0.2064	dual__geometry__shared_q	-0.2102	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.0764	clean__selected__best__individual	0.0838	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.0978	clean__selected__best__individual	0.095	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.125	clean__selected__best__individual	0.1336	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.1484	clean__selected__best__individual	0.1426	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	0.0742	clean__selected__best__individual	0.0722	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	-0.2358	clean__selected__best__individual	-0.2274	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	0.0962	clean__selected__best__individual	0.0822	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	-0.2864	clean__selected__best__individual	-0.281	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	0.062	clean__selected__best__individual	0.0546	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	-0.175	clean__selected__best__individual	-0.1718	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	0.0828	clean__selected__best__individual	0.0664	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	-0.224	clean_selected_best_individual	-0.2234	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	0.0228	clean_selected_best_individual	0.0262	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	-0.0614	clean_selected_best_individual	-0.0506	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	0.0234	clean_selected_best_individual	0.0186	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	-0.079	clean_selected_best_individual	-0.0772	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	0.079	clean_selected_best_individual	0.0792	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	-0.191	clean_selected_best_individual	-0.2328	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	0.0968	clean_selected_best_individual	0.0932	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	-0.1992	clean_selected_best_individual	-0.2414	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.0764	naive_q11	0.0488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.0978	naive_q11	0.2336	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.125	naive_q11	0.0848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.1484	naive_q11	0.2966	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	0.0742	naive_q11	0.0862	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	-0.2358	naive_q11	-0.1718	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	0.0962	naive_q11	0.1186	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	-0.2864	naive_q11	-0.2112	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	0.062	naive_q11	0.0756	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	-0.175	naive_q11	-0.1222	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	0.0828	naive_q11	0.1018	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	-0.224	naive_q11	-0.1586	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	0.0228	naive_q11	0.0342	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	-0.0614	naive_q11	-0.0466	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	0.0234	naive_q11	0.041	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	-0.079	naive_q11	-0.056	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	0.079	naive_q11	0.072	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	-0.191	naive_q11	-0.2358	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	0.0968	naive_q11	0.0904	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	-0.1992	naive_q11	-0.2418	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.0764	NOISE_same_geometry	0.0488	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.0978	NOISE_same_geometry	0.2336	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.125	NOISE_same_geometry	0.0848	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.1484	NOISE_same_geometry	0.2966	min	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	0.0742	NOISE_same_geometry	0.0862	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	-0.2358	NOISE_same_geometry	-0.1718	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	0.0962	NOISE_same_geometry	0.1186	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	-0.2864	NOISE_same_geometry	-0.2112	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	0.062	NOISE_same_geometry	0.0756	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	-0.175	NOISE_same_geometry	-0.1222	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	0.0828	NOISE_same_geometry	0.1018	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	-0.224	NOISE_same_geometry	-0.1586	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	0.0228	NOISE__same_geometry	0.0342	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	-0.0614	NOISE__same_geometry	-0.0466	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	0.0234	NOISE__same_geometry	0.041	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	-0.079	NOISE__same_geometry	-0.056	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	0.079	NOISE__same_geometry	0.072	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	-0.191	NOISE__same_geometry	-0.2358	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	0.0968	NOISE__same_geometry	0.0904	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	-0.1992	NOISE__same_geometry	-0.2418	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.0764	dual_geometry_shared_q	0.0864	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.0978	dual_geometry_shared_q	0.0928	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.125	dual_geometry_shared_q	0.1352	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.1484	dual_geometry_shared_q	0.146	min	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	0.0742	dual_geometry_shared_q	0.073	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	-0.2358	dual_geometry_shared_q	-0.223	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	0.0962	dual_geometry_shared_q	0.0846	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	-0.2864	dual_geometry_shared_q	-0.272	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	0.062	dual_geometry_shared_q	0.0544	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	-0.175	dual_geometry_shared_q	-0.1684	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	0.0828	dual_geometry_shared_q	0.0684	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	-0.224	dual_geometry_shared_q	-0.2136	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	0.0228	dual_geometry_shared_q	0.0288	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	-0.0614	dual_geometry_shared_q	-0.0616	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	0.0234	dual_geometry_shared_q	0.0252	max	Worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	-0.079	dual_geometry_shared_q	-0.081	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	0.079	dual_geometry_shared_q	0.076	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	-0.191	dual_geometry_shared_q	-0.2034	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	0.0968	dual_geometry_shared_q	0.091	max	Better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	-0.1992	dual_geometry_shared_q	-0.2096	max	Better

Table 37: ImageNet–ViT-B/16

Cell	Dataset	Model	Geometry	Center Rule	Selected Q	NOISE Q	Exact	Within One	Selected Is NOISE Tied	Selected Fidelity	NOISE Fidelity	Fidelity Regret	NOISE Tied q	Tie Policy
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Spearman	borda	2	2	True	True	True	0.0864	0.0864	0	[2]	smallest_q_within_absolute_1e-12
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	kemeny	3	3	True	True	True	0.0874	0.0874	0	[3]	smallest_q_within_absolute_1e-12

Table 38: ImageNet–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	Geometry	Geometry Label	Center Rule	Methods	F	F	C	C	R^s	R^s	R^s	R^s
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	NOISE-S	2	Spearman	NOISE-S	borda	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0852	0.0966	0.132	0.1484	0.0672	-0.2204	0.0826	-0.2718
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	NOISE-S	2	Spearman	NOISE-S	borda	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	-0.223	0.0846	-0.272
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	NOISE-S	2	Spearman	NOISE-S	borda	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	-0.223	0.0846	-0.272
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	NOISE-S	2	Spearman	NOISE-S	borda	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0872	0.092	0.1356	0.1442	0.0736	-0.2246	0.0862	-0.2736
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	NOISE-S	2	Spearman	NOISE-S	borda	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	-0.223	0.0846	-0.272
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	NOISE-K	3	Kendall	NOISE-K	kemeny	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0734	0.097	0.1198	0.1478	0.0828	-0.2322	0.108	-0.2798
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	NOISE-K	3	Kendall	NOISE-K	kemeny	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0506	0.1026	0.0956	0.1508	0.0796	-0.2524	0.1022	-0.3032
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	NOISE-K	3	Kendall	NOISE-K	kemeny	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0874	0.0946	0.1362	0.1464	0.0716	-0.2204	0.0906	-0.2712
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	NOISE-K	3	Kendall	NOISE-K	kemeny	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0726	0.096	0.123	0.1468	0.0816	-0.224	0.1028	-0.273
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	NOISE-K	3	Kendall	NOISE-K	kemeny	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0764	0.0978	0.125	0.1484	0.0742	-0.2358	0.0962	-0.2864

Table 39: ImageNet–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	R^p_E	R^p_L	R^p_C	$R^p_{\mathcal{E}}$	$R^p_{\mathcal{C}}$	R^p_F	R^p_G	$R^p_{\mathcal{G}}$	R^p_H	R^p_I	R^p_J	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	NOISE-S	2	0.0548	-0.1706	0.0714	-0.2192	0.0234	-0.0636	0.0214	-0.0818	0.0772	-0.198	0.0934	-0.2052
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Borda	NOISE-S	2	0.0544	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	-0.2096
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kemeny	NOISE-S	2	0.0544	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	-0.2096
ImageNet-ViT-B/16	ImageNet	ViT-B/16	RRF	NOISE-S	2	0.0526	-0.1692	0.0676	-0.2162	0.026	-0.0642	0.0224	-0.0828	0.0764	-0.204	0.0902	-0.2102
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Schulze	NOISE-S	2	0.0544	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	-0.2096
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	NOISE-K	3	0.0684	-0.1738	0.0936	-0.22	0.0306	-0.0568	0.0322	-0.0762	0.0752	-0.1992	0.0928	-0.2038
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Borda	NOISE-K	3	0.0636	-0.1874	0.0904	-0.2354	0.0238	-0.0666	0.0236	-0.0886	0.1022	-0.1906	0.1214	-0.201
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kemeny	NOISE-K	3	0.0576	-0.1678	0.079	-0.2136	0.0268	-0.0592	0.0268	-0.077	0.077	-0.207	0.0926	-0.2164
ImageNet-ViT-B/16	ImageNet	ViT-B/16	RRF	NOISE-K	3	0.068	-0.1558	0.0858	-0.205	0.0308	-0.0494	0.028	-0.0708	0.086	-0.2022	0.1024	-0.2064
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Schulze	NOISE-K	3	0.062	-0.175	0.0828	-0.224	0.0228	-0.0614	0.0234	-0.079	0.079	-0.191	0.0968	-0.1992

Table 40: ImageNet–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	F^0 perurbed	F^0 perurbed	C^0 perurbed	C^0 perurbed	F^0 perurbed	F^0 perurbed	C^0 perurbed	C^0 perurbed	F^0 perurbed	F^0 perurbed	C^0 perurbed	C^0 perurbed
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	NOISE-S	2	0.1524	0.317	0.2146	0.4202	0.14	0.2672	0.2034	0.3676	0.1086	0.1602	0.1534	0.2302
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	NOISE-S	2	0.1594	0.3158	0.2198	0.418	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544	0.1604	0.227
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	NOISE-S	2	0.1594	0.3158	0.2198	0.418	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544	0.1604	0.227
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	NOISE-S	2	0.1608	0.3166	0.2218	0.4178	0.1398	0.2612	0.2032	0.3604	0.1132	0.1562	0.158	0.227
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	NOISE-S	2	0.1594	0.3158	0.2198	0.418	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544	0.1604	0.227
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	NOISE-K	3	0.1562	0.3292	0.2278	0.4276	0.1418	0.2708	0.2134	0.3678	0.104	0.1538	0.152	0.224
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	NOISE-K	3	0.1302	0.355	0.1978	0.454	0.1142	0.29	0.186	0.3862	0.0744	0.1692	0.1192	0.2394
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	NOISE-K	3	0.159	0.315	0.2268	0.4176	0.145	0.2624	0.2152	0.36	0.1142	0.1538	0.163	0.2234
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	NOISE-K	3	0.1542	0.32	0.2258	0.4198	0.1406	0.2518	0.2088	0.3518	0.1034	0.1454	0.151	0.2176
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	NOISE-K	3	0.1506	0.3336	0.2212	0.4348	0.1384	0.2728	0.2078	0.3724	0.0992	0.1592	0.1484	0.2274

Table 41: ImageNet–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	F^a perurbed	F^a perurbed	C^a perurbed	C^a perurbed
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	NOISE-S	2	0.1624	0.2946	0.2254	0.3536
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	NOISE-S	2	0.1624	0.2962	0.2262	0.3556
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	NOISE-S	2	0.1624	0.2962	0.2262	0.3556
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	NOISE-S	2	0.1636	0.296	0.2258	0.3544
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	NOISE-S	2	0.1624	0.2962	0.2262	0.3556
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	NOISE-K	3	0.1486	0.2962	0.2126	0.3516
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	NOISE-K	3	0.1528	0.2932	0.217	0.3518
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	NOISE-K	3	0.1644	0.3016	0.2288	0.3628
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	NOISE-K	3	0.1586	0.2982	0.2254	0.3532
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	NOISE-K	3	0.1554	0.2888	0.2218	0.3476

Table 42: ImageNet-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	Selection Rule	Methods	F	$\bar{F}$	C	$\bar{C}$	$R^e_{\text{f}} \downarrow$	$R^e_{\text{c}} \downarrow$	$R^e_{\text{a}} \downarrow$	$R^e_{\text{oc}} \downarrow$	$R^e_{\text{c}} \downarrow$	$R^e_{\text{c}} \downarrow$
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Best Individual	Best Individual			57bb17968a060f98f694a0b56eb36b9ca69d9868afa0a3222bf4cffb4ce56b7e	0.0838	0.095	0.1336	0.1426	0.0106	0.0264	0.0058	0.0232	0.002	0.0078
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	Naive	11			0.0642	0.1174	0.1032	0.1744	0.0774	0.1104	0.0672	0.096	0.024	0.0322
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	NOISE	3	Kemeny	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]	0.0734	0.097	0.1198	0.1478	0.0828	0.108	0.0684	0.0936	0.0306	0.0322
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Borda	Naive	11			0.0478	0.2256	0.0802	0.2866	0.0786	0.1126	0.0692	0.1014	0.0266	0.0368
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Borda	NOISE	3	Kemeny	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]	0.0506	0.1026	0.0956	0.1508	0.0796	0.1022	0.0636	0.0904	0.0238	0.0236
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kemeny	Naive	11			0.05	0.2684	0.0856	0.3318	0.0846	0.1174	0.0764	0.1036	0.0324	0.04
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kemeny	NOISE	3	Kemeny	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]	0.0874	0.0946	0.1362	0.1464	0.0716	0.0906	0.0576	0.079	0.0268	0.0268
ImageNet-ViT-B/16	ImageNet	ViT-B/16	RRF	Naive	11			0.0538	0.2172	0.0892	0.2798	0.0834	0.1182	0.0744	0.1036	0.0308	0.04
ImageNet-ViT-B/16	ImageNet	ViT-B/16	RRF	NOISE	3	Kemeny	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]	0.0726	0.096	0.123	0.1468	0.0816	0.1028	0.068	0.0858	0.0308	0.028
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Schulze	Naive	11			0.0488	0.2336	0.0848	0.2966	0.0862	0.1186	0.0756	0.1018	0.0342	0.041
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Schulze	NOISE	3	Kemeny	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]	0.0764	0.0978	0.125	0.1484	0.0742	0.0962	0.062	0.0828	0.0228	0.0234

Table 43: ImageNet–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	$R^a_{\mathcal{T}}$	$R^a_{\mathcal{C}}$	$R^a_{\mathcal{B}}$	$R^a_{\mathcal{E}}$	$R^a_{\mathcal{F}}$	$R^a_{\mathcal{G}}$	$R^a_{\mathcal{H}}$	$R^a_{\mathcal{I}}$	$R^a_{\mathcal{J}}$	$R^a_{\mathcal{K}}$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Best Individual	Best Individual											
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	Naive	11	0.0632	0.0788	0.2488	0.2906	0.1808	0.2214	0.066	0.0812	0.2696	0.2848
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	NOISE	3	0.0752	0.0928	0.2322	0.2798	0.1738	0.22	0.0568	0.0762	0.1992	0.2038
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	Naive	11	0.0736	0.095	0.1832	0.2226	0.1228	0.1616	0.04	0.0544	0.2438	0.2556
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	NOISE	3	0.1022	0.1214	0.2524	0.3032	0.1874	0.2354	0.0666	0.0886	0.1906	0.201
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	Naive	11	0.0714	0.0926	0.161	0.1992	0.1096	0.1464	0.0378	0.048	0.2106	0.2166
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	NOISE	3	0.077	0.0926	0.2204	0.2712	0.1678	0.2136	0.0592	0.077	0.207	0.2164
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	Naive	11	0.0696	0.0886	0.1912	0.2304	0.132	0.172	0.0516	0.066	0.238	0.2434
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	NOISE	3	0.086	0.1024	0.224	0.273	0.1558	0.205	0.0494	0.0708	0.2022	0.2064
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	Naive	11	0.072	0.0904	0.1718	0.2112	0.1222	0.1586	0.0466	0.056	0.2358	0.2418
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	NOISE	3	0.079	0.0968	0.2358	0.2864	0.175	0.224	0.0614	0.079	0.191	0.1992

Table 44: ImageNet-ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	Selection Rule	Methods	F	$\bar{F}$	C	$\bar{C}$	R^a	R^b	R^c	R^d	R^e	R^f
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Best Individual	Best Individual			57bb17968a060f98f694a0b56eb36b9ca69d9868afa0a3222bf4cffb4ce56b7e	0.0838	0.095	0.1336	0.1426	0.0106	0.0264	0.0058	0.0232	0.002	0.0078
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	Naive	11			0.0642	0.1174	0.1032	0.1744	0.0774	0.1104	0.0672	0.096	0.024	0.0322
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	NOISE	2	Borda	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0852	0.0966	0.132	0.1484	0.0672	0.0826	0.0548	0.0714	0.0234	0.0214
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Borda	Naive	11			0.0478	0.2256	0.0802	0.2866	0.0786	0.1126	0.0692	0.1014	0.0266	0.0368
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Borda	NOISE	2	Borda	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	0.0846	0.0544	0.0684	0.0288	0.0252
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kemeny	Naive	11			0.05	0.2684	0.0856	0.3318	0.0846	0.1174	0.0764	0.1036	0.0324	0.04
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kemeny	NOISE	2	Borda	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	0.0846	0.0544	0.0684	0.0288	0.0252
ImageNet-ViT-B/16	ImageNet	ViT-B/16	RRF	Naive	11			0.0538	0.2172	0.0892	0.2798	0.0834	0.1182	0.0744	0.1036	0.0308	0.04
ImageNet-ViT-B/16	ImageNet	ViT-B/16	RRF	NOISE	2	Borda	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0872	0.092	0.1356	0.1442	0.0736	0.0862	0.0526	0.0676	0.026	0.0224
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Schulze	Naive	11			0.0488	0.2336	0.0848	0.2966	0.0862	0.1186	0.0756	0.1018	0.0342	0.041
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Schulze	NOISE	2	Borda	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	0.0846	0.0544	0.0684	0.0288	0.0252

Table 45: ImageNet–ViT-B/16

Cell	Dataset	Model	Method	Setting	Q	$R^a_{\mathcal{T}}$	$R^a_{\mathcal{C}}$	$R^a_{\mathcal{B}}$	$R^a_{\mathcal{E}}$	$R^a_{\mathcal{F}}$	$R^a_{\mathcal{G}}$	$R^a_{\mathcal{H}}$	$R^a_{\mathcal{I}}$	$R^a_{\mathcal{J}}$	$R^a_{\mathcal{K}}$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Best Individual	Best Individual											
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	Naive	11	0.0632	0.0788	0.2488	0.2906	0.1808	0.2214	0.066	0.0812	0.2696	0.2848
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	NOISE	2	0.0772	0.0934	0.2204	0.2718	0.1706	0.2192	0.0636	0.0818	0.198	0.2052
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	Naive	11	0.0736	0.095	0.1832	0.2226	0.1228	0.1616	0.04	0.0544	0.2438	0.2556
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	NOISE	2	0.076	0.091	0.223	0.272	0.1684	0.2136	0.0616	0.081	0.2034	0.2096
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	Naive	11	0.0714	0.0926	0.161	0.1992	0.1096	0.1464	0.0378	0.048	0.2106	0.2166
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	NOISE	2	0.076	0.091	0.223	0.272	0.1684	0.2136	0.0616	0.081	0.2034	0.2096
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	Naive	11	0.0696	0.0886	0.1912	0.2304	0.132	0.172	0.0516	0.066	0.238	0.2434
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	NOISE	2	0.0764	0.0902	0.2246	0.2736	0.1692	0.2162	0.0642	0.0828	0.204	0.2102
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	Naive	11	0.072	0.0904	0.1718	0.2112	0.1222	0.1586	0.0466	0.056	0.2358	0.2418
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	NOISE	2	0.076	0.091	0.223	0.272	0.1684	0.2136	0.0616	0.081	0.2034	0.2096

Table 46: ImageNet–ViT-B/16

Cell	Dataset	Model	Rule	F	$F(q)$	F	$F(q)$	C	$C(q)$	C	$C(q)$	R^p	$R^p(q)$	R^p	$R^p(q)$	R^p	$R^p(q)$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Simple Averaging	0.0852	2	0.0956	4	0.132	2	0.147	4	0.0672	2	0.2204	2	0.0826	2
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Borda	0.0864	2	0.0928	2	0.1352	2	0.146	2	0.0722	7	0.1832	11	0.0846	2
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kemeny	0.0874	3	0.0922	4	0.1362	3	0.1458	4	0.0716	3	0.161	11	0.0846	2
ImageNet–ViT-B/16	ImageNet	ViT-B/16	RRF	0.0872	2	0.092	2	0.1356	2	0.1442	2	0.0736	2	0.1912	11	0.0862	2
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Schulze	0.0874	4	0.0928	2	0.1368	4	0.1458	4	0.073	2	0.1678	10	0.0846	2

Table 47: ImageNet–ViT-B/16

Cell	Dataset	Model	$R_{\hat{\beta}}^p$	$R_{\hat{\beta}}^p(q)$	$R_{\hat{\beta}}^p$	$R_{\hat{\beta}}^p(q)$	$R_{\hat{\beta}}^p$	$R_{\hat{\beta}}^p(q)$	$R_{\hat{\beta}}^p$	$R_{\hat{\beta}}^p(q)$	$R_{\hat{\beta}}^p$	$R_{\hat{\beta}}^p(q)$	$R_{\hat{\beta}}^p$	$R_{\hat{\beta}}^p(q)$	$R_{\hat{\beta}}^p$	$R_{\hat{\beta}}^p(q)$	$R_{\hat{\beta}}^p$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	0.2718	2	0.0548	2	0.1706	2	0.0714	2	0.2168	4	0.0234	2	0.0568	3	0.0214
ImageNet–ViT-B/16	ImageNet	ViT-B/16	0.2226	11	0.0544	2	0.1228	11	0.0684	2	0.1616	11	0.0238	3	0.04	11	0.0236
ImageNet–ViT-B/16	ImageNet	ViT-B/16	0.1992	11	0.0544	2	0.1042	10	0.0684	2	0.1414	10	0.026	8	0.0378	11	0.0252
ImageNet–ViT-B/16	ImageNet	ViT-B/16	0.2304	11	0.0526	2	0.1296	10	0.0676	2	0.1702	10	0.0256	5	0.0494	3	0.0224
ImageNet–ViT-B/16	ImageNet	ViT-B/16	0.209	10	0.0544	2	0.1122	10	0.0684	2	0.1476	10	0.0228	3	0.044	10	0.0234

Table 48: ImageNet–ViT-B/16

Cell	Dataset	Model	$R'_{\mathcal{C}}(q)$	$R'_{\mathcal{C}}$	$R^*_{\mathcal{C}}(q)$	$R^*_{\mathcal{C}}$	$R^*_{\mathcal{F}}(q)$	$R^*_{\mathcal{F}}$	$R^*_{\mathcal{F}}(q)$	$R^*_{\mathcal{C}}$	$R^*_{\mathcal{F}}(q)$	$R^*_{\mathcal{C}}$	$R^*_{\mathcal{C}}(q)$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.0762	3	0.0632	11	0.198	2	0.078	6	0.2038	3
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.0544	11	0.0718	9	0.1906	3	0.0886	7	0.201	3
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.048	11	0.0622	8	0.2034	2	0.0808	8	0.2096	2
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.066	11	0.065	8	0.2022	3	0.0834	6	0.2064	3
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.056	11	0.0642	9	0.191	3	0.0804	7	0.1992	3

Table 49: ImageNet–ViT-B/16

Cell	Dataset	Model	Q	Rule	Methods	F	$\bar{F}$	C	$\bar{C}$	R_F^s	R_F^a	R_C^s	R_C^a	$R_{\bar{F}}^s$	$R_{\bar{F}}^a$	$R_{\bar{C}}^s$	$R_{\bar{C}}^a$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	Simple Averaging	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0852	0.0966	0.132	0.1484	0.0672	0.2204	0.0826	0.2718	0.0548	0.1706	0.0714	0.2192
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	Borda	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.073	0.223	0.0846	0.272	0.0544	0.1684	0.0684	0.2136
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	Kemeny	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0874	0.0946	0.1362	0.1464	0.0716	0.2204	0.0906	0.2712	0.0576	0.1678	0.079	0.2136
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	RRF	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0872	0.092	0.1356	0.1442	0.0736	0.2246	0.0862	0.2736	0.0526	0.1692	0.0676	0.2162
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	Schulze	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0874	0.0952	0.1368	0.1458	0.085	0.2116	0.1046	0.2594	0.0668	0.1582	0.0876	0.2042
					["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]												

Table 50: ImageNet–ViT-B/16

Cell	Dataset	Model	Q	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{E}}$	$R^+_{\mathcal{G}}$	$R^+_{\mathcal{C}}$	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{E}}$	$R^+_{\mathcal{G}}$	$R^+_{\mathcal{C}}$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.0234	0.0636	0.0214	0.0818	0.0772	0.198	0.0934	0.2052
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.0288	0.0616	0.0252	0.081	0.076	0.2034	0.091	0.2096
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.0268	0.0592	0.0268	0.077	0.077	0.207	0.0926	0.2164
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.026	0.0642	0.0224	0.0828	0.0764	0.204	0.0902	0.2102
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	0.0272	0.056	0.0278	0.0732	0.0706	0.225	0.0834	0.2324

Table 51: ImageNet-ViT-B/16

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Kemeny	1301.6	10000	kendall__mallows__exact__distance	0.31901	0.002	0.13167	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Kemeny	3573	15000	kendall__mallows__exact__distance	0.656867	0.002	0.043167	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Kemeny	4662	20000	kendall__mallows__exact__distance	0.496275	0.002	0.029841	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Kemeny	4759.3	25000	kendall__mallows__exact__distance	0.458333	0.002	0.028903	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Kemeny	5098.7	30000	kendall__mallows__exact__distance	0.395705	0.002	0.025853	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP", "GradShap"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Kemeny	5036.4	35000	kendall__mallows__exact__distance	0.423565	0.002	0.026389	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP", "GradShap", "Attention GradCAM"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Kemeny	5469.8	40000	kendall__mallows__exact__distance	0.404683	0.002	0.022852	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAbliation"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Kemeny	5646.5	45000	kendall__mallows__exact__distance	0.387434	0.002	0.021524	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAbliation", "Saliency"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Kemeny	5641.2	50000	kendall__mallows__exact__distance	0.389212	0.002	0.021563	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGradient"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Kemeny	5940.5	55000	kendall__mallows__exact__distance	0.399779	0.002	0.019437	11	True	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGradient"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Borda	40627	10000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.586008	0.002	0.002094	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution"]	select--Imagenet100Spearman80045Daad3	80045daad3ce674ed1817f577a4757a08f07bfb5752f45e57436e663722b2734

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Borda	3.1086e+05	15000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.647046	0.002	0.000196	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Borda	4.3612e+05	20000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.470553	0.002	0.000159	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Borda	4.5228e+05	25000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.469363	0.002	0.000152	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Borda	4.8013e+05	30000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.412269	0.002	0.00014	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "GradShap"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Borda	4.8111e+05	35000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.443266	0.002	0.000139	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "GradShap", "Attention GradCAM"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Borda	5.4566e+05	40000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.413699	0.002	0.000119	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAblation"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Borda	5.6729e+05	45000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.399149	0.002	0.000113	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAblation", "Saliency"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Borda	5.606e+05	50000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.403753	0.002	0.000115	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Borda	6.1235e+05	55000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.411602	0.002	0.000102	11	True	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734

Table 52: ImageNet–ViT-B/16

Cell	Dataset	Model	Distance Model	Q	Gof Json
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	2	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.8766302822187924,"theta":0.1316699465121972},"refit":true,"statistic":0.3190102415695884}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	3	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9577511317585561,"theta":0.043167313717340686},"refit":true,"statistic":0.6568673399699397}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	4	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9705997324444173,"theta":0.0298411176710455},"refit":true,"statistic":0.49627520135912484}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	5	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9715109159996793,"theta":0.0289027739954684},"refit":true,"statistic":0.45833300041044894}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	6	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9744783419889154,"theta":0.02585298502350057},"refit":true,"statistic":0.3957047653266355}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	7	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9739562848594963,"theta":0.02638858421271554},"refit":true,"statistic":0.4235648719718277}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	8	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9774074206542325,"theta":0.022851701936073474},"refit":true,"statistic":0.40468348222577916}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	9	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9787063749893399,"theta":0.021523604839749678},"refit":true,"statistic":0.3874339613893783}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	10	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9786677834086261,"theta":0.02156303683138312},"refit":true,"statistic":0.3892117992724614}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	11	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.980750647886498,"theta":0.019437033289585463},"refit":true,"statistic":0.39977947180359036}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	{ "B":499,"model__name":"spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__","p__value":0.002,"parameters":{"approximation":"multi__proposal__importance__binned__symmetric","bin__count":795,"boundary":false,"calibration__config__digest":"b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669","converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995,"maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest":"a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795","pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion":"exact__reverse__symmetry","theoretical__maximum__distance":2509780,"theta":0.0020937887246602633,"upper__tail__probability__bound":0.002493339037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest":"b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd"},"refit":true,"statistic":0.5860082571553414}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	{ "B":499,"model__name__": "spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__", "p__value":0.002,"parameters":{ "approximation": "multi__proposal__importance__binned__symmetric", "bin__count":795,"boundary":false,"calibration__config__digest": "b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669", "converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995,"maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest": "a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795", "pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion": "exact__reverse__symmetry", "theoretical__maximum__distance":2509780,"theta":0.00019559097243940986,"upper__tail__probability__bound":0.002493330037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest": "b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd"}, "refit":true,"statistic":0.6470462405492362}

Cell	Dataset	Model	Distance Model	Q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00015945754298473557,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.47055306049683915}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00015173762694392808,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.4693628847486998}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	<pre>{ "B": 499, "model__name": "spearman__mallows__multi__proposal__importance__binned__symmetric__approximation", "p__value": 0.002, "parameters": { "approximation": "multi__proposal__importance__binned__symmetric", "bin__count": 795, "boundary": false, "calibration__config__digest": "b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669", "converged": true, "ess": 3393.3187352208124, "exact": false, "full__support": true, "maximum__calibrated__distance": 2509780, "maximum__symmetry__residual": 0.9541754783417995, "maximum__unsampled__distance_gap__fraction": 0.002012925435695559, "original__maximum__distance": 1603644, "pilot__digest": "a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795", "pilot__seed": 20260714, "r__hat": 0.9999239035886331, "repeated__p__value__absolute__difference": 0.0, "runtime__seed": 20260714, "support__completion": "exact__reverse__symmetry", "theoretical__maximum__distance": 2509780, "theta": 0.00013985246904707265, "upper__tail__probability__bound": 0.002493330037518726, "validation__bin__ess": 1.005307755246587, "validation__distances__digest": "b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd"}, "refit": true, "statistic": 0.41226934969220225 }</pre>

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00013947671787405835,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.4432657774048898}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00011897516032467262,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.41369884379577815}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00011328764927367763,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.39914900931899294}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00011501194870397352,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.403753054294614}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	{ "B":499,"model__name__":"spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__","p__value":0.002,"parameters":{"approximation__multi__proposal__importance__binned__symmetric__","bin__count":795,"boundary":false,"calibration__config__digest__":"b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669","converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995,"maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest__":"a8105aa5a3c782ae2f28aacf00235f5a35feacae7f0f231824fd838eab4c8795","pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion__":"exact__reverse__symmetry__","theoretical__maximum__distance":2509780,"theta":0.00010205281330557026,"upper__tail__probability__bound":0.002493330037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest__":"b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd"},"refit":true,"statistic":0.4116019261769202}

Table 53: ImageNet-ViT-B/16

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	Borda	Quality	max	2	0.1352	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	Borda	Quality	min	2	0.146	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	Borda	Quality	max	2	0.0864	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	Borda	Quality	min	2	0.0928	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	Borda	Robustness	max	3	0.1214	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	Borda	Robustness	max	3	-0.201	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	Borda	Robustness	max	3	0.1022	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	Borda	Robustness	max	3	-0.1906	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	Borda	Robustness	max	10	0.119	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	Borda	Robustness	max	11	-0.2226	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	Borda	Robustness	max	4	0.0838	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	Borda	Robustness	max	11	-0.1832	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	Borda	Robustness	max	10	0.1044	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	Borda	Robustness	max	11	-0.1616	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	Borda	Robustness	max	6	0.0752	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	Borda	Robustness	max	11	-0.1228	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	Borda	Robustness	max	11	0.0368	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	Borda	Robustness	max	11	-0.0544	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	Borda	Robustness	max	6	0.033	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	Borda	Robustness	max	11	-0.04	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	Kemeny	Quality	max	3	0.1362	[3,4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	Kemeny	Quality	min	4	0.1458	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	Kemeny	Quality	max	3	0.0874	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	Kemeny	Quality	min	4	0.0922	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	Kemeny	Robustness	max	3	0.0926	[3,11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	max	2	-0.2096	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	Kemeny	Robustness	max	3	0.077	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	max	2	-0.2034	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	Kemeny	Robustness	max	10	0.119	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	Kemeny	Robustness	max	11	-0.1992	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	Kemeny	Robustness	max	10	0.0866	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	Kemeny	Robustness	max	11	-0.161	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	Kemeny	Robustness	max	10	0.1054	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	Kemeny	Robustness	max	10	-0.1414	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	Kemeny	Robustness	max	10	0.079	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	Kemeny	Robustness	max	10	-0.1042	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	Kemeny	Robustness	max	9	0.042	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	Kemeny	Robustness	max	11	-0.048	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	Kemeny	Robustness	max	9	0.035	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	Kemeny	Robustness	max	11	-0.0378	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	RRF	Quality	max	2	0.1356	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	RRF	Quality	min	2	0.1442	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	RRF	Quality	max	2	0.0872	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	RRF	Quality	min	2	0.092	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	RRF	Robustness	max	3	0.1024	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	RRF	Robustness	max	3	-0.2064	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	RRF	Robustness	max	3	0.086	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	RRF	Robustness	max	3	-0.2022	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	RRF	Robustness	max	11	0.1182	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	RRF	Robustness	max	11	-0.2304	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	RRF	Robustness	max	11	0.0834	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	RRF	Robustness	max	11	-0.1912	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	RRF	Robustness	max	11	0.1036	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	RRF	Robustness	max	10	-0.1702	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	RRF	Robustness	max	11	0.0744	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	RRF	Robustness	max	10	-0.1296	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	RRF	Robustness	max	11	0.04	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	RRF	Robustness	max	11	-0.066	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	RRF	Robustness	max	9	0.0312	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	RRF	Robustness	max	3	-0.0494	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	Schulze	Quality	max	4	0.1368	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	Schulze	Quality	min	4	0.1458	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	Schulze	Quality	max	4	0.0874	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	Schulze	Quality	min	2	0.0928	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	Schulze	Robustness	max	3	0.0968	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	Schulze	Robustness	max	3	-0.1992	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	Schulze	Robustness	max	3	0.079	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	Schulze	Robustness	max	3	-0.191	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	Schulze	Robustness	max	11	0.1186	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	Schulze	Robustness	max	10	-0.209	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	Schulze	Robustness	max	11	0.0862	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	Schulze	Robustness	max	10	-0.1678	[10]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	Schulze	Robustness	max	11	0.1018	[11]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	Schulze	Robustness	max	10	-0.1476	[10]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	Schulze	Robustness	max	11	0.0756	[11]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	Schulze	Robustness	max	10	-0.1122	[10]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	Schulze	Robustness	max	11	0.041	[11]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	Schulze	Robustness	max	11	-0.056	[11]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	Schulze	Robustness	max	11	0.0342	[11]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	Schulze	Robustness	max	10	-0.044	[10]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	Simple Averaging	Quality	max	2	0.132	[2]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	Simple Averaging	Quality	min	4	0.147	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	Simple Averaging	Quality	max	2	0.0852	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	Simple Averaging	Quality	min	4	0.0956	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	Simple Averaging	Robustness	max	2	0.0934	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	max	3	-0.2038	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	Simple Averaging	Robustness	max	2	0.0772	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	max	2	-0.198	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	Simple Averaging	Robustness	max	9	0.1136	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	Simple Averaging	Robustness	max	2	-0.2718	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	Simple Averaging	Robustness	max	4	0.0834	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	Simple Averaging	Robustness	max	2	-0.2204	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	Simple Averaging	Robustness	max	9	0.0986	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	max	4	-0.2168	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	Simple Averaging	Robustness	max	6	0.0758	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	max	2	-0.1706	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	Simple Averaging	Robustness	max	5	0.0352	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	Simple Averaging	Robustness	max	3	-0.0762	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	Simple Averaging	Robustness	max	6	0.0348	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	Simple Averaging	Robustness	max	3	-0.0568	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]

Table 54: ImageNet-ViT-B/16

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0852	0.0966	0.132	0.1484	0.1524	0.317	0.2146	0.4202	0.14	0.2672	0.2034
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.1594	0.3158	0.2198	0.418	0.1408	0.2612	0.2036
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0872	0.092	0.1356	0.1442	0.1608	0.3166	0.2218	0.4178	0.1398	0.2612	0.2032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.1594	0.3158	0.2198	0.418	0.1408	0.2612	0.2036
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.1594	0.3158	0.2198	0.418	0.1408	0.2612	0.2036
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0734	0.097	0.1198	0.1478	0.1562	0.3292	0.2278	0.4276	0.1418	0.2708	0.2134
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0506	0.1026	0.0956	0.1508	0.1302	0.355	0.1978	0.454	0.1142	0.29	0.186
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0726	0.096	0.123	0.1468	0.1542	0.32	0.2258	0.4198	0.1406	0.2518	0.2088
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0874	0.0946	0.1362	0.1464	0.159	0.315	0.2268	0.4176	0.145	0.2624	0.2152
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0764	0.0978	0.125	0.1484	0.1506	0.3336	0.2212	0.4348	0.1384	0.2728	0.2078
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0748	0.0956	0.1216	0.147	0.1582	0.3268	0.2322	0.426	0.1454	0.2672	0.2164
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]	0.0572	0.1076	0.1034	0.1572	0.141	0.3288	0.21	0.4272	0.126	0.2766	0.1994
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]	0.0804	0.096	0.1276	0.1462	0.1616	0.3064	0.2322	0.405	0.1492	0.2466	0.2222
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]	0.087	0.0922	0.1362	0.1458	0.166	0.301	0.2346	0.3994	0.1522	0.2544	0.2216
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]	0.0874	0.0952	0.1368	0.1458	0.1724	0.3068	0.2414	0.4052	0.1542	0.2534	0.2244
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]	0.0686	0.1002	0.1146	0.1524	0.1456	0.348	0.221	0.4444	0.1434	0.284	0.2122

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Gaussian -0.15	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05	Perturbed Salt-pep per-0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]	0.0634	0.1114	0.1068	0.1632	0.1396	0.3402	0.2092	0.4412	0.1322	0.2862	0.2008
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]	0.0762	0.105	0.1196	0.1572	0.1516	0.3324	0.2204	0.4332	0.1458	0.2716	0.2126
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]	0.0796	0.1154	0.1234	0.1714	0.1544	0.348	0.2196	0.4484	0.1426	0.2872	0.2074
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]	0.0742	0.109	0.1182	0.1636	0.1508	0.3346	0.2192	0.438	0.1404	0.2778	0.2054
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]	0.0692	0.0998	0.1158	0.1532	0.1476	0.3416	0.2238	0.44	0.145	0.2818	0.2142
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]	0.0604	0.1326	0.1044	0.1876	0.139	0.3456	0.2096	0.4458	0.1356	0.2838	0.1996
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]	0.0738	0.1246	0.1164	0.1782	0.1554	0.3378	0.226	0.4386	0.141	0.2776	0.2114
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]	0.0728	0.1464	0.1142	0.2028	0.157	0.347	0.2252	0.4494	0.145	0.2918	0.2106
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]	0.0698	0.1338	0.1126	0.1886	0.1524	0.3422	0.2262	0.4406	0.141	0.2844	0.2084
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]	0.0696	0.1038	0.1172	0.1576	0.1438	0.3534	0.2166	0.4516	0.1366	0.2914	0.2056
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]	0.066	0.1326	0.1068	0.1864	0.1382	0.349	0.205	0.4486	0.129	0.2888	0.1938
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]	0.073	0.1278	0.1124	0.1852	0.1496	0.3542	0.2168	0.4558	0.1366	0.2894	0.203
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]	0.0716	0.152	0.1134	0.2112	0.1538	0.367	0.2186	0.4678	0.138	0.3122	0.2036

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{dirty}	C_{clean}	C_{dirty}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]	0.0726	0.1302	0.1152	0.183	0.1512	0.3474	0.213	0.449	0.1408	0.3012	0.2084
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]	0.0662	0.1152	0.1056	0.1706	0.1424	0.358	0.2154	0.4568	0.135	0.2938	0.2012
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]	0.0582	0.1334	0.0956	0.1866	0.1332	0.3534	0.202	0.455	0.1238	0.2914	0.1914
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]	0.0688	0.127	0.1074	0.1854	0.1502	0.3466	0.2216	0.4476	0.1354	0.2922	0.2004
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]	0.0738	0.143	0.1136	0.201	0.1558	0.3588	0.2212	0.4598	0.1368	0.3076	0.2032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]	0.0684	0.1302	0.1046	0.189	0.1468	0.3508	0.2136	0.4518	0.1306	0.2998	0.2002
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]	0.0648	0.1164	0.1032	0.1722	0.144	0.3608	0.2168	0.4606	0.134	0.2982	0.2018
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]	0.0552	0.1634	0.0912	0.2224	0.131	0.3618	0.2012	0.4646	0.125	0.3014	0.1918
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]	0.0634	0.1624	0.1014	0.2236	0.1456	0.364	0.218	0.4664	0.1338	0.3068	0.2012
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]	0.0624	0.1934	0.0994	0.2544	0.1472	0.382	0.2168	0.485	0.1368	0.3258	0.2024

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	$\bar{F}$ Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	$\bar{C}$ Perturbed Salt-pep per-0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]	0.0614	0.1726	0.1002	0.2294	0.1462	0.3656	0.216	0.4682	0.1322	0.3012	0.2
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]	0.064	0.1176	0.103	0.1738	0.1424	0.3664	0.215	0.4658	0.133	0.2974	0.2006
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]	0.0494	0.2012	0.0844	0.2628	0.1328	0.391	0.2034	0.4932	0.1234	0.3338	0.1888
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]	0.0574	0.2086	0.0946	0.27	0.1368	0.4022	0.2082	0.5038	0.1294	0.3382	0.196
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]	0.0542	0.2546	0.0912	0.317	0.1408	0.4182	0.2102	0.5198	0.1332	0.3588	0.1966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]	0.0552	0.2342	0.0912	0.2956	0.1392	0.402	0.2078	0.5046	0.126	0.3464	0.1896
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Simple Averaging	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]	0.0642	0.1174	0.1032	0.1744	0.1416	0.3662	0.2136	0.465	0.1314	0.2982	0.1992
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Borda	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]	0.0478	0.2256	0.0802	0.2866	0.1264	0.4088	0.1928	0.5092	0.117	0.3484	0.1816
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	RRF	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]	0.0538	0.2172	0.0892	0.2798	0.1372	0.4084	0.2074	0.5102	0.1282	0.3492	0.1928

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	$\bar{F}$ Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	$\bar{C}$ Perturbed Salt-pep per-0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Kemeny	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]	0.05	0.2684	0.0856	0.3318	0.1346	0.4294	0.203	0.531	0.1264	0.378	0.1892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Schulze	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]	0.0488	0.2336	0.0848	0.2966	0.135	0.4054	0.2034	0.5078	0.1244	0.3558	0.1866

Table 55: ImageNet–ViT-B/16

Cell	Dataset	Model	Q	C Perturbed Salt-pep per-0.05	F Perturbed Speckle- 0.15	F Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	F Perturbed Adversar ial-sara -2-255	F Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	R_F Gaussian-0.05	R_F Gaussian-0.05	R_C Gaussian-0.05	R_C Gaussian-0.05	R_F Salt-pepper-0.05
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.3676	0.1086	0.1602	0.1534	0.2302	0.1624	0.2946	0.2254	0.3536	0.0672	-0.2204	0.0826	-0.2718	0.0548
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2262	0.3556	0.073	-0.223	0.0846	-0.272	0.0544
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.3604	0.1132	0.1562	0.158	0.227	0.1636	0.296	0.2258	0.3544	0.0736	-0.2246	0.0862	-0.2736	0.0526
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2262	0.3556	0.073	-0.223	0.0846	-0.272	0.0544
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2262	0.3556	0.073	-0.223	0.0846	-0.272	0.0544
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.3678	0.104	0.1538	0.152	0.224	0.1486	0.2962	0.2126	0.3516	0.0828	-0.2322	0.108	-0.2798	0.0684
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.3862	0.0744	0.1692	0.1192	0.2394	0.1528	0.2932	0.217	0.3518	0.0796	-0.2524	0.1022	-0.3032	0.0636
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.3518	0.1034	0.1454	0.151	0.2176	0.1586	0.2982	0.2254	0.3532	0.0816	-0.224	0.1028	-0.273	0.068
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.36	0.1142	0.1538	0.163	0.2234	0.1644	0.3016	0.2288	0.3628	0.0716	-0.2204	0.0906	-0.2712	0.0576
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.3724	0.0992	0.1592	0.1484	0.2274	0.1554	0.2888	0.2218	0.3476	0.0742	-0.2358	0.0962	-0.2864	0.062
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	0.3638	0.1062	0.1572	0.1554	0.2266	0.1424	0.309	0.2046	0.3674	0.0834	-0.2312	0.1106	-0.279	0.0706
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	0.3716	0.0884	0.1618	0.136	0.2312	0.1474	0.3318	0.2076	0.393	0.0838	-0.2212	0.1066	-0.27	0.0688
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	0.3422	0.1094	0.146	0.1574	0.2126	0.1538	0.3222	0.2192	0.3834	0.0812	-0.2104	0.1046	-0.2588	0.0688
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	0.348	0.1148	0.1436	0.1648	0.2128	0.1636	0.3266	0.2278	0.3848	0.079	-0.2088	0.0984	-0.2536	0.0652
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	0.35	0.1146	0.1512	0.1646	0.219	0.158	0.3202	0.2202	0.3782	0.085	-0.2116	0.1046	-0.2594	0.0668
ImageNet–ViT-B/16	ImageNet	ViT-B/16	5	0.3792	0.1026	0.1664	0.1498	0.236	0.1374	0.3446	0.1982	0.4056	0.077	-0.2478	0.1064	-0.292	0.0748
ImageNet–ViT-B/16	ImageNet	ViT-B/16	5	0.3844	0.0908	0.1692	0.1392	0.2416	0.1416	0.3594	0.203	0.4204	0.0762	-0.2288	0.1024	-0.278	0.0688
ImageNet–ViT-B/16	ImageNet	ViT-B/16	5	0.3654	0.1018	0.1606	0.1494	0.2318	0.144	0.3596	0.206	0.4252	0.0754	-0.2274	0.1008	-0.276	0.0696
ImageNet–ViT-B/16	ImageNet	ViT-B/16	5	0.3818	0.1088	0.1766	0.1556	0.2492	0.1484	0.357	0.2104	0.4212	0.0748	-0.2326	0.0962	-0.277	0.063
ImageNet–ViT-B/16	ImageNet	ViT-B/16	5	0.3726	0.1054	0.1674	0.1534	0.2378	0.1486	0.3576	0.2094	0.421	0.0766	-0.2256	0.101	-0.2744	0.0662
ImageNet–ViT-B/16	ImageNet	ViT-B/16	6	0.3788	0.104	0.1622	0.1496	0.232	0.134	0.3504	0.1938	0.4152	0.0784	-0.2418	0.108	-0.2868	0.0758
ImageNet–ViT-B/16	ImageNet	ViT-B/16	6	0.3808	0.0934	0.189	0.1398	0.2614	0.1382	0.3886	0.1964	0.4516	0.0786	-0.213	0.1052	-0.2582	0.0752
ImageNet–ViT-B/16	ImageNet	ViT-B/16	6	0.3752	0.1018	0.1894	0.15	0.2602	0.14	0.3772	0.1998	0.4448	0.0816	-0.2132	0.1096	-0.2604	0.0672
ImageNet–ViT-B/16	ImageNet	ViT-B/16	6	0.387	0.1014	0.195	0.1496	0.2684	0.14	0.385	0.1998	0.4514	0.0842	-0.2006	0.111	-0.2466	0.0722
ImageNet–ViT-B/16	ImageNet	ViT-B/16	6	0.3798	0.0988	0.1848	0.146	0.2594	0.1396	0.3872	0.1982	0.4556	0.0826	-0.2084	0.1136	-0.252	0.0712
ImageNet–ViT-B/16	ImageNet	ViT-B/16	7	0.3896	0.1006	0.1728	0.1452	0.2456	0.1342	0.365	0.1954	0.4298	0.0742	-0.2496	0.0994	-0.294	0.067
ImageNet–ViT-B/16	ImageNet	ViT-B/16	7	0.3888	0.0922	0.1972	0.1346	0.269	0.1386	0.3872	0.1954	0.455	0.0722	-0.2164	0.0982	-0.2622	0.063
ImageNet–ViT-B/16	ImageNet	ViT-B/16	7	0.3872	0.0998	0.2006	0.1446	0.2714	0.1402	0.3782	0.2	0.4466	0.0766	-0.2264	0.1044	-0.2706	0.0636
ImageNet–ViT-B/16	ImageNet	ViT-B/16	7	0.4062	0.104	0.2082	0.1476	0.278	0.1404	0.3802	0.201	0.4488	0.0822	-0.215	0.1052	-0.2566	0.0664
ImageNet–ViT-B/16	ImageNet	ViT-B/16	7	0.3974	0.1014	0.203	0.1462	0.2704	0.1376	0.3814	0.1956	0.4502	0.0786	-0.2172	0.0978	-0.266	0.0682
ImageNet–ViT-B/16	ImageNet	ViT-B/16	8	0.3916	0.0906	0.1782	0.1394	0.2514	0.1334	0.3626	0.1878	0.4282	0.0762	-0.2428	0.1098	-0.2862	0.0688
ImageNet–ViT-B/16	ImageNet	ViT-B/16	8	0.3872	0.0836	0.1946	0.1278	0.2674	0.139	0.382	0.1954	0.452	0.075	-0.22	0.1064	-0.2684	0.0656
ImageNet–ViT-B/16	ImageNet	ViT-B/16	8	0.3906	0.0956	0.203	0.1404	0.276	0.1338	0.3728	0.194	0.4426	0.0814	-0.2196	0.1142	-0.2622	0.0666
ImageNet–ViT-B/16	ImageNet	ViT-B/16	8	0.404	0.0998	0.208	0.1448	0.279	0.136	0.3786	0.1944	0.4496	0.082	-0.2158	0.1076	-0.2588	0.063
ImageNet–ViT-B/16	ImageNet	ViT-B/16	8	0.3974	0.0988	0.2032	0.1414	0.2748	0.1376	0.3796	0.1938	0.4506	0.0784	-0.2206	0.109	-0.2628	0.0622
ImageNet–ViT-B/16	ImageNet	ViT-B/16	9	0.3948	0.0896	0.1794	0.1376	0.2512	0.132	0.3776	0.1874	0.446	0.0792	-0.2444	0.1136	-0.2884	0.0692
ImageNet–ViT-B/16	ImageNet	ViT-B/16	9	0.398	0.0822	0.225	0.1244	0.295	0.127	0.4204	0.1836	0.4888	0.0758	-0.1984	0.11	-0.2422	0.0698
ImageNet–ViT-B/16	ImageNet	ViT-B/16	9	0.4048	0.0946	0.2346	0.1402	0.3092	0.1294	0.4168	0.1876	0.4872	0.0822	-0.2016	0.1166	-0.2428	0.0704
ImageNet–ViT-B/16	ImageNet	ViT-B/16	9	0.4246	0.0974	0.2452	0.1414	0.3164	0.1262	0.4316	0.1844	0.5004	0.0848	-0.1886	0.1174	-0.2306	0.0744
ImageNet–ViT-B/16	ImageNet	ViT-B/16	9	0.3968	0.094	0.2314	0.1362	0.3022	0.1256	0.4182	0.1832	0.489	0.0848	-0.193	0.1158	-0.2388	0.0708
ImageNet–ViT-B/16	ImageNet	ViT-B/16	10	0.3952	0.089	0.183	0.137	0.2546	0.129	0.3874	0.183	0.4578	0.0784	-0.2488	0.112	-0.292	0.069
ImageNet–ViT-B/16	ImageNet	ViT-B/16	10	0.4296	0.0814	0.253	0.119	0.3262	0.1212	0.4552	0.1778	0.5254	0.0834	-0.1898	0.119	-0.2304	0.074
ImageNet–ViT-B/16	ImageNet	ViT-B/16	10	0.4402	0.0878	0.2656	0.1324	0.3392	0.124	0.4512	0.1792	0.5202	0.0794	-0.1936	0.1136	-0.2338	0.072
ImageNet–ViT-B/16	ImageNet	ViT-B/16	10	0.4584	0.087	0.2976	0.1288	0.3714	0.1196	0.4808	0.1752	0.551	0.0866	-0.1636	0.119	-0.2028	0.079
ImageNet–ViT-B/16	ImageNet	ViT-B/16	10	0.4432	0.0878	0.2782	0.1296	0.3518	0.1204	0.47	0.1764	0.5396	0.084	-0.1678	0.1166	-0.209	0.0708
ImageNet–ViT-B/16	ImageNet	ViT-B/16	11	0.3958	0.0882	0.1834	0.1354	0.2556	0.1274	0.387	0.182	0.4592	0.0774	-0.2488	0.1104	-0.2906	0.0672
ImageNet–ViT-B/16	ImageNet	ViT-B/16	11	0.4482	0.0744	0.2656	0.117	0.341	0.1214	0.4694	0.1752	0.5422	0.0786	-0.1832	0.1126	-0.2226	0.0692
ImageNet–ViT-B/16	ImageNet	ViT-B/16	11	0.4518	0.0846	0.2688	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	0.0834	-0.1912	0.1182	-0.2304	0.0744
ImageNet–ViT-B/16	ImageNet	ViT-B/16	11	0.4782	0.0824	0.3062	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	0.0846	-0.161	0.1174	-0.1992	0.0764
ImageNet–ViT-B/16	ImageNet	ViT-B/16	11	0.4552	0.083	0.2802	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	0.0862	-0.1718	0.1186	-0.2112	0.0756

Table 56: ImageNet-ViT-B/16

Cell	Dataset	Model	Q	R_F Salt-pepper	R_C Salt-pepper	R_G Salt-pepper	R_F Speckle-0	R_C Speckle-0	R_G Speckle-0	R_F Diversaria	R_C Diversaria	R_G Diversaria	R_F Adv-2-25	R_C Adv-2-25	R_G Adv-2-25
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	-0.1706	0.0714	-0.2192	0.0234	-0.0636	0.0214	-0.0818	0.0772	-0.198	0.0934	-0.2052	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	-0.2096	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	-0.1692	0.0676	-0.2162	0.026	-0.0642	0.0224	-0.0828	0.0764	-0.204	0.0902	-0.2102	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	-0.2096	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	-0.2096	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	-0.1738	0.0936	-0.22	0.0306	-0.0568	0.0322	-0.0762	0.0752	-0.1992	0.0928	-0.2038	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	-0.1874	0.0904	-0.2354	0.0238	-0.0666	0.0236	-0.0886	0.1022	-0.1906	0.1214	-0.201	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	-0.1558	0.0858	-0.205	0.0308	-0.0494	0.028	-0.0708	0.086	-0.2022	0.1024	-0.2064	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	-0.1678	0.079	-0.2136	0.0268	-0.0592	0.0268	-0.077	0.077	-0.207	0.0926	-0.2164	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	-0.175	0.0828	-0.224	0.0228	-0.0614	0.0234	-0.079	0.079	-0.191	0.0968	-0.1992	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	-0.1716	0.0948	-0.2168	0.0314	-0.0616	0.0338	-0.0796	0.0676	-0.2134	0.083	-0.2204	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	-0.169	0.096	-0.2144	0.0312	-0.0542	0.0326	-0.074	0.0902	-0.2242	0.1042	-0.2358	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	-0.1506	0.0946	-0.196	0.029	-0.05	0.0298	-0.0664	0.0734	-0.2262	0.0916	-0.2372	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	-0.1622	0.0854	-0.2022	0.0278	-0.0514	0.0286	-0.067	0.0766	-0.2344	0.0916	-0.239	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	-0.1582	0.0876	-0.2042	0.0272	-0.056	0.0278	-0.0732	0.0706	-0.225	0.0834	-0.2324	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	-0.1838	0.0976	-0.2268	0.034	-0.0662	0.0352	-0.0836	0.0688	-0.2444	0.0836	-0.2532	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	-0.1748	0.094	-0.2212	0.0274	-0.0578	0.0324	-0.0784	0.0782	-0.248	0.0962	-0.2572	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	-0.1666	0.093	-0.2082	0.0256	-0.0556	0.0298	-0.0746	0.0678	-0.2546	0.0864	-0.268	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	-0.1718	0.084	-0.2104	0.0292	-0.0612	0.0322	-0.0778	0.0688	-0.2416	0.087	-0.2498	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	-0.1688	0.0872	-0.209	0.0312	-0.0584	0.0352	-0.0742	0.0744	-0.2486	0.0912	-0.2574	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	-0.182	0.0984	-0.2256	0.0348	-0.0624	0.0338	-0.0788	0.0648	-0.2506	0.078	-0.262	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	-0.1512	0.0952	-0.1932	0.033	-0.0564	0.0354	-0.0738	0.0778	-0.256	0.092	-0.264	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	-0.153	0.095	-0.197	0.028	-0.0648	0.0336	-0.082	0.0662	-0.2526	0.0834	-0.2666	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	-0.1454	0.0964	-0.1842	0.0286	-0.0486	0.0354	-0.0656	0.0672	-0.2386	0.0856	-0.2486	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	-0.1506	0.0958	-0.1912	0.029	-0.051	0.0334	-0.0708	0.0698	-0.2534	0.0856	-0.267	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	-0.1876	0.0884	-0.232	0.031	-0.069	0.028	-0.088	0.0646	-0.2612	0.0782	-0.2722	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	-0.1562	0.087	-0.2024	0.0262	-0.0646	0.0278	-0.0826	0.0726	-0.2546	0.0886	-0.2686	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	-0.1616	0.0906	-0.202	0.0268	-0.0728	0.0322	-0.0862	0.0672	-0.2504	0.0876	-0.2614	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	-0.1602	0.0902	-0.195	0.0324	-0.0562	0.0342	-0.0668	0.0688	-0.2282	0.0876	-0.2376	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	-0.171	0.0932	-0.2144	0.0288	-0.0728	0.031	-0.0874	0.065	-0.2512	0.0804	-0.2672	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	-0.1786	0.0956	-0.221	0.0244	-0.063	0.0338	-0.0808	0.0672	-0.2474	0.0822	-0.2576	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	-0.158	0.0958	-0.2006	0.0254	-0.0612	0.0322	-0.0808	0.0808	-0.2486	0.0998	-0.2654	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	-0.1652	0.093	-0.2052	0.0268	-0.076	0.033	-0.0906	0.065	-0.2458	0.0866	-0.2572	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	-0.1646	0.0896	-0.203	0.026	-0.065	0.0312	-0.078	0.0622	-0.2356	0.0808	-0.2486	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	-0.1696	0.0956	-0.2084	0.0304	-0.073	0.0368	-0.0858	0.0692	-0.2494	0.0892	-0.2616	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	-0.1818	0.0986	-0.2226	0.0248	-0.063	0.0344	-0.079	0.0672	-0.2612	0.0842	-0.2738	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	-0.138	0.1006	-0.1756	0.027	-0.0616	0.0332	-0.0726	0.0718	-0.257	0.0924	-0.2664	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	-0.1444	0.0998	-0.1812	0.0312	-0.0722	0.0388	-0.0856	0.066	-0.2544	0.0862	-0.2636	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	-0.1324	0.103	-0.1702	0.035	-0.0518	0.042	-0.062	0.0638	-0.2382	0.085	-0.246	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	-0.1286	0.0998	-0.1674	0.0326	-0.0588	0.036	-0.0728	0.0642	-0.2456	0.083	-0.2596	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	-0.1798	0.0976	-0.2214	0.025	-0.0654	0.034	-0.0808	0.065	-0.2698	0.08	-0.284	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	-0.1326	0.1044	-0.1668	0.032	-0.0518	0.0346	-0.0634	0.0718	-0.254	0.0934	-0.2626	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	-0.1296	0.1014	-0.1702	0.0304	-0.057	0.0378	-0.0692	0.0666	-0.2426	0.0846	-0.2502	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	-0.1042	0.1054	-0.1414	0.0328	-0.043	0.0376	-0.0544	0.0654	-0.2262	0.084	-0.234	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	-0.1122	0.0984	-0.1476	0.0326	-0.044	0.0384	-0.0562	0.0652	-0.2358	0.0852	-0.244	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	-0.1808	0.096	-0.2214	0.024	-0.066	0.0322	-0.0812	0.0632	-0.2696	0.0788	-0.2848	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	-0.1228	0.1014	-0.1616	0.0266	-0.04	0.0368	-0.0544	0.0736	-0.2438	0.095	-0.2556	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	-0.132	0.1036	-0.172	0.0308	-0.0516	0.04	-0.066	0.0696	-0.238	0.0886	-0.2434	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	-0.1096	0.1036	-0.1464	0.0324	-0.0378	0.04	-0.048	0.0714	-0.2106	0.0926	-0.2166	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	-0.1222	0.1018	-0.1586	0.0342	-0.0466	0.041	-0.056	0.072	-0.2358	0.0904	-0.2418	

5-sara-2-255

Table 57: ImageNet–ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.2262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.217	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.2076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.203	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1964	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1954	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1954	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1752	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.2262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.2288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.2278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.2104	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.1998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.1944	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.1844	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.1752	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.1782	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.2258	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.2254	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.2192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.206	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.1998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.2	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.194	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.1876	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.1792	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.1778	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.2262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.2218	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.2202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.2094	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1982	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1832	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1764	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1752	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.2254	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.2126	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.2046	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1982	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1954	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1874	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.183	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.182	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.3556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.3518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.393	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.4204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.4516	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.455	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.452	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.4888	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.5254	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.5422	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.3556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.3628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.3848	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.4212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.4514	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.4488	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.4496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.5004	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.551	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.5484	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.3544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.3532	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.3834	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4448	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.5202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.5232	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.3556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.3476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.3782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.4556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.4502	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.4506	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.489	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.5396	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.5384	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3536	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3516	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3674	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4056	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4298	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4578	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4592	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1528	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1474	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1382	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1386	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.139	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1214	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1644	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.14	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1196	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1214	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1586	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1538	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.14	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1402	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.124	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1234	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1396	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1376	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1376	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1256	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1208	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1424	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1374	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.134	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1342	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1334	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.132	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.129	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1274	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.2962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.2932	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.3318	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.3594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.3886	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.3872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.382	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.4204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.4552	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.4694	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.2962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.3016	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.3266	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.357	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.385	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.3802	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.3786	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.4316	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.4808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.479	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.296	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.2982	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.3222	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.3596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.3772	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.3782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.3728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.4168	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.4512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.4552	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.2962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.2888	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.3202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.3576	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.3872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.3814	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.3796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.4182	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.47	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.4694	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.2946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.2962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.3446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.3504	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.365	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.3626	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.3776	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.3874	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.387	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Borda	Conditioned Quality	0.2198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Borda	Conditioned Quality	0.1978	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Borda	Conditioned Quality	0.21	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Borda	Conditioned Quality	0.2092	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Borda	Conditioned Quality	0.2096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Borda	Conditioned Quality	0.205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Borda	Conditioned Quality	0.202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Borda	Conditioned Quality	0.2012	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Borda	Conditioned Quality	0.2034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Borda	Conditioned Quality	0.1928	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2346	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2196	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2186	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2168	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2102	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.203	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	RRF	Conditioned Quality	0.2218	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	RRF	Conditioned Quality	0.2258	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	RRF	Conditioned Quality	0.2322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	RRF	Conditioned Quality	0.2204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	RRF	Conditioned Quality	0.226	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	RRF	Conditioned Quality	0.2168	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	RRF	Conditioned Quality	0.2216	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	RRF	Conditioned Quality	0.218	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	RRF	Conditioned Quality	0.2082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	RRF	Conditioned Quality	0.2074	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Schulze	Conditioned Quality	0.213	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Schulze	Conditioned Quality	0.216	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2034	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.221	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2238	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2166	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2154	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2168	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.215	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2136	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.418	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.4272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.4412	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.4458	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.4486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.455	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.4646	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.4932	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.5092	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.418	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.4176	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.3994	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.4484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.4494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.4678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.4598	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.485	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.5198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.531	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4178	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.405	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4332	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4386	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4558	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4664	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.5038	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.5102	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.418	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.4348	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.4052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.438	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.4406	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.449	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.4518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.4682	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.5046	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.5078	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4276	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.44	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4516	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4568	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4658	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.465	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Borda	Conditioned Quality	0.1594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Borda	Conditioned Quality	0.1302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Borda	Conditioned Quality	0.141	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Borda	Conditioned Quality	0.1396	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Borda	Conditioned Quality	0.139	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Borda	Conditioned Quality	0.1382	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Borda	Conditioned Quality	0.1332	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Borda	Conditioned Quality	0.131	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Borda	Conditioned Quality	0.1328	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Borda	Conditioned Quality	0.1264	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.159	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.166	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.157	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1538	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1558	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1472	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1408	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1346	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	RRF	Conditioned Quality	0.1608	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	RRF	Conditioned Quality	0.1542	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	RRF	Conditioned Quality	0.1616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	RRF	Conditioned Quality	0.1516	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	RRF	Conditioned Quality	0.1554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	RRF	Conditioned Quality	0.1496	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	RRF	Conditioned Quality	0.1502	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	RRF	Conditioned Quality	0.1456	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	RRF	Conditioned Quality	0.1368	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	RRF	Conditioned Quality	0.1372	True	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1594	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1506	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1724	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1508	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1524	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1512	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1468	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1462	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1392	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Schulze	Conditioned Quality	0.135	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1562	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1582	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1438	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1424	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1424	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1416	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.355	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3402	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.349	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3534	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3618	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.391	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.4088	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.3158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.315	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.301	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.348	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.347	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.367	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.3588	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.382	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.4182	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.4294	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3166	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.32	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3064	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3378	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3542	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.364	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.4022	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.4084	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3336	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3068	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3346	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3422	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3474	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3508	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3656	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.402	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.4054	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.317	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.348	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3534	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.358	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3608	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3664	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3662	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.2036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.186	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1994	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.2008	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1996	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1914	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1918	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1888	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1816	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2216	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2074	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2106	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2024	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.1966	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.1892	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2088	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2222	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2126	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2114	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.203	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2004	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2012	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.196	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.1928	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2244	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2054	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2002	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.1896	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.1866	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2134	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2164	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2122	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2142	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2056	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2012	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2018	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.1992	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3844	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3888	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.398	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.4296	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.4482	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.3596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.36	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.348	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.3818	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.387	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.4062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.4246	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.4584	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.4782	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3604	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3422	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3654	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3752	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3906	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.4048	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.4402	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.4518	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3724	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.35	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3968	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.4432	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.4552	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3676	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3638	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3792	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3788	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3896	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3916	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3948	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3952	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3958	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.1408	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.1142	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.126	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.1322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.1356	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.129	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.1238	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.125	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.1234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.117	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1408	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.145	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1522	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.145	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.138	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1368	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1368	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1332	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1264	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1398	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1406	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1492	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1458	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.141	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1366	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1282	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1408	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1384	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1542	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.141	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1408	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1306	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.126	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1244	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.14	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.1418	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.1454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.1434	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.145	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.1366	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.135	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.134	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.133	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.1314	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.29	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2766	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2838	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2888	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2914	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3014	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3484	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2918	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.3122	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.3076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.3258	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.3588	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.378	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2776	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2894	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2922	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.3068	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.3382	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.3492	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2534	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2844	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.3012	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.3012	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.3464	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.3558	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2818	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2914	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2982	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2982	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Borda	Conditioned Quality	0.1604	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Borda	Conditioned Quality	0.1192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Borda	Conditioned Quality	0.136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Borda	Conditioned Quality	0.1392	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Borda	Conditioned Quality	0.1398	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Borda	Conditioned Quality	0.1346	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Borda	Conditioned Quality	0.1278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Borda	Conditioned Quality	0.1244	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Borda	Conditioned Quality	0.119	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Borda	Conditioned Quality	0.117	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1604	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Kemeny	Conditioned Quality	0.163	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1448	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1256	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	RRF	Conditioned Quality	0.158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	RRF	Conditioned Quality	0.151	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	RRF	Conditioned Quality	0.1574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	RRF	Conditioned Quality	0.1494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	RRF	Conditioned Quality	0.15	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	RRF	Conditioned Quality	0.1446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	RRF	Conditioned Quality	0.1404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	RRF	Conditioned Quality	0.1402	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	RRF	Conditioned Quality	0.1324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	RRF	Conditioned Quality	0.1292	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Schulze	Conditioned Quality	0.1604	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Schulze	Conditioned Quality	0.1484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Schulze	Conditioned Quality	0.1646	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Schulze	Conditioned Quality	0.1534	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Schulze	Conditioned Quality	0.146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Schulze	Conditioned Quality	0.1462	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Schulze	Conditioned Quality	0.1414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Schulze	Conditioned Quality	0.1362	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Schulze	Conditioned Quality	0.1296	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Schulze	Conditioned Quality	0.1258	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1534	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1498	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1452	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1376	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.137	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1354	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.2394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.2312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.2416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.2614	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.269	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.2674	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.295	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.3262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.341	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.2234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.2128	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.2492	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.2684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3164	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3714	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3798	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.2176	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.2126	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.2318	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.2602	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.2714	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.276	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.3092	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.3392	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.3458	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.2274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.219	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.2378	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.2594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.2704	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.2748	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.3022	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.3518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.3526	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2266	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2514	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2546	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2556	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Borda	Conditioned Quality	0.1152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Borda	Conditioned Quality	0.0744	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Borda	Conditioned Quality	0.0884	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Borda	Conditioned Quality	0.0908	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Borda	Conditioned Quality	0.0934	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Borda	Conditioned Quality	0.0922	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Borda	Conditioned Quality	0.0836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Borda	Conditioned Quality	0.0822	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Borda	Conditioned Quality	0.0814	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Borda	Conditioned Quality	0.0744	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Kemeny	Conditioned Quality	0.1152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Kemeny	Conditioned Quality	0.1142	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Kemeny	Conditioned Quality	0.1148	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Kemeny	Conditioned Quality	0.1088	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Kemeny	Conditioned Quality	0.1014	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Kemeny	Conditioned Quality	0.104	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Kemeny	Conditioned Quality	0.0998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Kemeny	Conditioned Quality	0.0974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Kemeny	Conditioned Quality	0.087	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Kemeny	Conditioned Quality	0.0824	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	RRF	Conditioned Quality	0.1132	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	RRF	Conditioned Quality	0.1034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	RRF	Conditioned Quality	0.1094	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	RRF	Conditioned Quality	0.1018	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	RRF	Conditioned Quality	0.1018	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	RRF	Conditioned Quality	0.0998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	RRF	Conditioned Quality	0.0956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	RRF	Conditioned Quality	0.0946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	RRF	Conditioned Quality	0.0878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	RRF	Conditioned Quality	0.0846	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Schulze	Conditioned Quality	0.1152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Schulze	Conditioned Quality	0.0992	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Schulze	Conditioned Quality	0.1146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Schulze	Conditioned Quality	0.1054	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Schulze	Conditioned Quality	0.0988	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Schulze	Conditioned Quality	0.1014	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Schulze	Conditioned Quality	0.0988	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Schulze	Conditioned Quality	0.094	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Schulze	Conditioned Quality	0.0878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Schulze	Conditioned Quality	0.083	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.1086	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.104	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.1062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.1026	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.104	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.1006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.0906	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.0896	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.089	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.0882	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.1544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.1692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.1618	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.1692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.189	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.1972	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.1946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.225	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.253	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2656	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.1544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.1538	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.1436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.1766	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.195	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.208	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2452	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2976	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.3062	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1562	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1894	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.203	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2346	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2656	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2688	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.1544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.1592	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.1512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.1674	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.1848	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.203	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2802	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1602	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1538	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1572	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1664	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1794	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.183	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1834	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Borda	Quality	0.1352	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Borda	Quality	0.0956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	C	Borda	Quality	0.1034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	C	Borda	Quality	0.1068	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	C	Borda	Quality	0.1044	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	C	Borda	Quality	0.1068	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	C	Borda	Quality	0.0956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	C	Borda	Quality	0.0912	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	C	Borda	Quality	0.0844	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	C	Borda	Quality	0.0802	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Kemeny	Quality	0.1352	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kemeny	Quality	0.1362	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	C	Kemeny	Quality	0.1362	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	C	Kemeny	Quality	0.1234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	C	Kemeny	Quality	0.1142	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	C	Kemeny	Quality	0.1134	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	C	Kemeny	Quality	0.1136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	C	Kemeny	Quality	0.0994	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	C	Kemeny	Quality	0.0912	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	C	Kemeny	Quality	0.0856	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	RRF	Quality	0.1356	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	RRF	Quality	0.123	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	C	RRF	Quality	0.1276	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	C	RRF	Quality	0.1196	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	C	RRF	Quality	0.1164	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	C	RRF	Quality	0.1124	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	C	RRF	Quality	0.1074	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	C	RRF	Quality	0.1014	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	C	RRF	Quality	0.0946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	C	RRF	Quality	0.0892	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Schulze	Quality	0.1352	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Schulze	Quality	0.125	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	C	Schulze	Quality	0.1368	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	C	Schulze	Quality	0.1182	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	C	Schulze	Quality	0.1126	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	C	Schulze	Quality	0.1152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	C	Schulze	Quality	0.1046	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	C	Schulze	Quality	0.1002	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	C	Schulze	Quality	0.0912	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	C	Schulze	Quality	0.0848	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Simple Averaging	Quality	0.132	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Simple Averaging	Quality	0.1198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	C	Simple Averaging	Quality	0.1216	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	C	Simple Averaging	Quality	0.1146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	C	Simple Averaging	Quality	0.1158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	C	Simple Averaging	Quality	0.1172	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	C	Simple Averaging	Quality	0.1056	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	C	Simple Averaging	Quality	0.1032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	C	Simple Averaging	Quality	0.103	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	C	Simple Averaging	Quality	0.1032	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Borda	Quality	0.146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Borda	Quality	0.1508	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Cbar	Borda	Quality	0.1572	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Cbar	Borda	Quality	0.1632	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Cbar	Borda	Quality	0.1876	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Cbar	Borda	Quality	0.1864	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Cbar	Borda	Quality	0.1866	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Cbar	Borda	Quality	0.2224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Cbar	Borda	Quality	0.2628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Cbar	Borda	Quality	0.2866	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Kemeny	Quality	0.146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kemeny	Quality	0.1464	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Cbar	Kemeny	Quality	0.1458	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Cbar	Kemeny	Quality	0.1714	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Cbar	Kemeny	Quality	0.2028	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Cbar	Kemeny	Quality	0.2112	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Cbar	Kemeny	Quality	0.201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Cbar	Kemeny	Quality	0.2544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Cbar	Kemeny	Quality	0.317	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Cbar	Kemeny	Quality	0.3318	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	RRF	Quality	0.1442	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	RRF	Quality	0.1468	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Cbar	RRF	Quality	0.1462	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Cbar	RRF	Quality	0.1572	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Cbar	RRF	Quality	0.1782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Cbar	RRF	Quality	0.1852	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Cbar	RRF	Quality	0.1854	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Cbar	RRF	Quality	0.2236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Cbar	RRF	Quality	0.27	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Cbar	RRF	Quality	0.2798	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Schulze	Quality	0.146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Schulze	Quality	0.1484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Cbar	Schulze	Quality	0.1458	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Cbar	Schulze	Quality	0.1636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Cbar	Schulze	Quality	0.1886	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Cbar	Schulze	Quality	0.183	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Cbar	Schulze	Quality	0.189	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Cbar	Schulze	Quality	0.2294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Cbar	Schulze	Quality	0.2956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Cbar	Schulze	Quality	0.2966	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Simple Averaging	Quality	0.1484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Simple Averaging	Quality	0.1478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Cbar	Simple Averaging	Quality	0.147	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Cbar	Simple Averaging	Quality	0.1524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Cbar	Simple Averaging	Quality	0.1532	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Cbar	Simple Averaging	Quality	0.1576	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Cbar	Simple Averaging	Quality	0.1706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Cbar	Simple Averaging	Quality	0.1722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Cbar	Simple Averaging	Quality	0.1738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Cbar	Simple Averaging	Quality	0.1744	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Borda	Quality	0.0864	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Borda	Quality	0.0506	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	F	Borda	Quality	0.0572	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	F	Borda	Quality	0.0634	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	F	Borda	Quality	0.0604	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	F	Borda	Quality	0.066	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	F	Borda	Quality	0.0582	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	F	Borda	Quality	0.0552	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	F	Borda	Quality	0.0494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	F	Borda	Quality	0.0478	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Kemeny	Quality	0.0864	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kemeny	Quality	0.0874	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	F	Kemeny	Quality	0.087	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	F	Kemeny	Quality	0.0796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	F	Kemeny	Quality	0.0728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	F	Kemeny	Quality	0.0716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	F	Kemeny	Quality	0.0738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	F	Kemeny	Quality	0.0624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	F	Kemeny	Quality	0.0542	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	F	Kemeny	Quality	0.05	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	RRF	Quality	0.0872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	RRF	Quality	0.0726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	F	RRF	Quality	0.0804	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	F	RRF	Quality	0.0762	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	F	RRF	Quality	0.0738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	F	RRF	Quality	0.073	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	F	RRF	Quality	0.0688	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	F	RRF	Quality	0.0634	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	F	RRF	Quality	0.0574	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	F	RRF	Quality	0.0538	True	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Schulze	Quality	0.0864	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Schulze	Quality	0.0764	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	F	Schulze	Quality	0.0874	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	F	Schulze	Quality	0.0742	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	F	Schulze	Quality	0.0698	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	F	Schulze	Quality	0.0726	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	F	Schulze	Quality	0.0684	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	F	Schulze	Quality	0.0614	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	F	Schulze	Quality	0.0552	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	F	Schulze	Quality	0.0488	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Simple Averaging	Quality	0.0852	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Simple Averaging	Quality	0.0734	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	F	Simple Averaging	Quality	0.0748	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	F	Simple Averaging	Quality	0.0686	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	F	Simple Averaging	Quality	0.0692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	F	Simple Averaging	Quality	0.0696	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	F	Simple Averaging	Quality	0.0662	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	F	Simple Averaging	Quality	0.0648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	F	Simple Averaging	Quality	0.064	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	F	Simple Averaging	Quality	0.0642	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Borda	Quality	0.0928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Borda	Quality	0.1026	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Fbar	Borda	Quality	0.1076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Fbar	Borda	Quality	0.1114	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Fbar	Borda	Quality	0.1326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Fbar	Borda	Quality	0.1326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Fbar	Borda	Quality	0.1334	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Fbar	Borda	Quality	0.1634	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Fbar	Borda	Quality	0.2012	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Fbar	Borda	Quality	0.2256	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Kemeny	Quality	0.0928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kemeny	Quality	0.0946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Fbar	Kemeny	Quality	0.0922	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Fbar	Kemeny	Quality	0.1154	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Fbar	Kemeny	Quality	0.1464	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Fbar	Kemeny	Quality	0.152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Fbar	Kemeny	Quality	0.143	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Fbar	Kemeny	Quality	0.1934	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Fbar	Kemeny	Quality	0.2546	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Fbar	Kemeny	Quality	0.2684	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	RRF	Quality	0.092	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	RRF	Quality	0.096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Fbar	RRF	Quality	0.096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Fbar	RRF	Quality	0.105	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Fbar	RRF	Quality	0.1246	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Fbar	RRF	Quality	0.1278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Fbar	RRF	Quality	0.127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Fbar	RRF	Quality	0.1624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Fbar	RRF	Quality	0.2086	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Fbar	RRF	Quality	0.2172	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Schulze	Quality	0.0928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Schulze	Quality	0.0978	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Fbar	Schulze	Quality	0.0952	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Fbar	Schulze	Quality	0.109	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Fbar	Schulze	Quality	0.1338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Fbar	Schulze	Quality	0.1302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Fbar	Schulze	Quality	0.1302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Fbar	Schulze	Quality	0.1726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Fbar	Schulze	Quality	0.2342	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Fbar	Schulze	Quality	0.2336	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Simple Averaging	Quality	0.0966	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Simple Averaging	Quality	0.097	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Fbar	Simple Averaging	Quality	0.0956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Fbar	Simple Averaging	Quality	0.1002	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Fbar	Simple Averaging	Quality	0.0998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Fbar	Simple Averaging	Quality	0.1038	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Fbar	Simple Averaging	Quality	0.1152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Fbar	Simple Averaging	Quality	0.1164	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Fbar	Simple Averaging	Quality	0.1176	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Fbar	Simple Averaging	Quality	0.1174	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 C	C	Borda	Robustness	0.091	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 C	C	Borda	Robustness	0.1214	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255 C	C	Borda	Robustness	0.1042	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255 C	C	Borda	Robustness	0.0962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255 C	C	Borda	Robustness	0.092	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255 C	C	Borda	Robustness	0.0886	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255 C	C	Borda	Robustness	0.0998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255 C	C	Borda	Robustness	0.0924	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255 C	C	Borda	Robustness	0.0934	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255 C	C	Borda	Robustness	0.095	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 C	C	Kemeny	Robustness	0.091	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 C	C	Kemeny	Robustness	0.0926	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0916	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.087	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0856	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0876	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.085	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0926	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Robustness	0.0902	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Robustness	0.1024	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Robustness	0.0916	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Robustness	0.0864	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Robustness	0.0834	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Robustness	0.0876	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Robustness	0.0866	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Robustness	0.0862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Robustness	0.0846	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	C	RRF	Robustness	0.0886	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.091	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.0968	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.0834	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.0912	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.0856	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	Schulze	Robustness	0.0804	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	Schulze	Robustness	0.0892	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255 C		Schulze	Robustness	0.083	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255 C		Schulze	Robustness	0.0852	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255 C		Schulze	Robustness	0.0904	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.0934	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.0928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.083	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.0836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.0782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.0822	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.0842	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.08	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255 C	C	Simple Averaging	Robustness	0.0788	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	-0.2096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	-0.201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	-0.2358	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	-0.2572	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	-0.264	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	-0.2686	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	-0.2654	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	-0.2664	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	-0.2626	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	-0.2556	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 Cbar	Cbar	Kemeny	Robustness	-0.2096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 Cbar	Cbar	Kemeny	Robustness	-0.2164	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.239	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.2498	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.2486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.2376	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.2486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.246	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.2166	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2102	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2064	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2372	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2614	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2572	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2502	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2434	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.1992	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.267	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.244	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2418	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2038	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2532	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2576	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2848	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Borda	Robustness	0.076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Borda	Robustness	0.1022	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Borda	Robustness	0.0902	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Borda	Robustness	0.0782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Borda	Robustness	0.0778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Borda	Robustness	0.0726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Borda	Robustness	0.0808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Borda	Robustness	0.0718	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Borda	Robustness	0.0718	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Borda	Robustness	0.0736	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Kemeny	Robustness	0.076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Kemeny	Robustness	0.077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0766	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0638	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0654	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0714	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	RRF	Robustness	0.0764	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	RRF	Robustness	0.086	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	RRF	Robustness	0.0734	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	RRF	Robustness	0.0678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	RRF	Robustness	0.0662	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	RRF	Robustness	0.0672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	RRF	Robustness	0.065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	RRF	Robustness	0.066	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	RRF	Robustness	0.0666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Robustness	0.0696	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.079	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.0706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.0744	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.0698	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.0692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.0642	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.0652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.072	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0772	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0752	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0676	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0646	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0632	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.2034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.1906	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.2242	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.248	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.256	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.2546	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.2486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.257	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.254	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.2438	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.207	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2344	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2386	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2356	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2382	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2106	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2022	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2546	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2526	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2504	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2458	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.238	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.191	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.225	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2534	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2358	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2358	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.1992	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.2134	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.2444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.2506	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.2612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.2474	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.2612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.2698	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.2696	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Borda	Robustness	0.0846	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Borda	Robustness	0.1022	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Borda	Robustness	0.1066	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Borda	Robustness	0.1024	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Borda	Robustness	0.1052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Borda	Robustness	0.0982	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Borda	Robustness	0.1064	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Borda	Robustness	0.11	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Borda	Robustness	0.119	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Borda	Robustness	0.1126	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Robustness	0.0846	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Robustness	0.0906	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Robustness	0.0984	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Robustness	0.0962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Robustness	0.111	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Robustness	0.1052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Robustness	0.1076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Robustness	0.1174	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Robustness	0.119	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Robustness	0.1174	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	RRF	Robustness	0.0862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	RRF	Robustness	0.1028	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	RRF	Robustness	0.1046	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	RRF	Robustness	0.1008	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	RRF	Robustness	0.1096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	RRF	Robustness	0.1044	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	RRF	Robustness	0.1142	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	RRF	Robustness	0.1166	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	RRF	Robustness	0.1136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	RRF	Robustness	0.1182	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Schulze	Robustness	0.0846	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Schulze	Robustness	0.0962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Schulze	Robustness	0.1046	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Schulze	Robustness	0.101	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Schulze	Robustness	0.1136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Schulze	Robustness	0.0978	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Schulze	Robustness	0.109	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Schulze	Robustness	0.1158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Schulze	Robustness	0.1166	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Schulze	Robustness	0.1186	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.0826	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.108	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.1106	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.1064	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.108	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.0994	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.1098	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.1136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.112	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.1104	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Robustness	-0.272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Robustness	-0.3032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Robustness	-0.27	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Robustness	-0.278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Robustness	-0.2582	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Robustness	-0.2622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Robustness	-0.2684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Robustness	-0.2422	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Robustness	-0.2304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Robustness	-0.2226	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2712	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2536	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.277	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2566	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2588	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2306	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2028	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.1992	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Robustness	-0.2736	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Robustness	-0.273	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Robustness	-0.2588	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Robustness	-0.276	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Robustness	-0.2604	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Robustness	-0.2706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Robustness	-0.2622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Robustness	-0.2428	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Robustness	-0.2338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Robustness	-0.2304	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Robustness	-0.272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2864	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2744	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Robustness	-0.252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Robustness	-0.266	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2388	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Robustness	-0.209	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2112	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2718	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2884	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2906	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Borda	Robustness	0.073	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Borda	Robustness	0.0796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Borda	Robustness	0.0838	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Borda	Robustness	0.0762	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Borda	Robustness	0.0786	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Borda	Robustness	0.0722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Borda	Robustness	0.075	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Borda	Robustness	0.0758	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Borda	Robustness	0.0834	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Borda	Robustness	0.0786	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Robustness	0.073	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Robustness	0.0716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Robustness	0.079	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Robustness	0.0748	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Robustness	0.0842	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Robustness	0.0822	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Robustness	0.082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Robustness	0.0848	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Robustness	0.0866	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Robustness	0.0846	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	RRF	Robustness	0.0736	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	RRF	Robustness	0.0816	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	RRF	Robustness	0.0812	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	RRF	Robustness	0.0754	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	RRF	Robustness	0.0816	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	RRF	Robustness	0.0766	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	RRF	Robustness	0.0814	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	RRF	Robustness	0.0822	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	RRF	Robustness	0.0794	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	RRF	Robustness	0.0834	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Schulze	Robustness	0.073	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Schulze	Robustness	0.0742	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Schulze	Robustness	0.085	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Schulze	Robustness	0.0766	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Schulze	Robustness	0.0826	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Schulze	Robustness	0.0786	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Schulze	Robustness	0.0784	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Schulze	Robustness	0.0848	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Schulze	Robustness	0.084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Schulze	Robustness	0.0862	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.0672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.0828	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.0834	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.0784	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.0742	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.0762	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.0792	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.0784	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.0774	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Robustness	-0.223	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Robustness	-0.2524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Robustness	-0.2212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Robustness	-0.2288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Robustness	-0.213	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Robustness	-0.2164	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Robustness	-0.22	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Robustness	-0.1984	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Robustness	-0.1898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Robustness	-0.1832	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.223	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2088	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.215	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.1886	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.1636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.161	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Robustness	-0.2246	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Robustness	-0.224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Robustness	-0.2104	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Robustness	-0.2274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Robustness	-0.2132	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Robustness	-0.2264	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Robustness	-0.2196	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Robustness	-0.2016	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Robustness	-0.1936	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Robustness	-0.1912	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Robustness	-0.223	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2358	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2116	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2256	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2172	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2206	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Robustness	-0.193	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Robustness	-0.1678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Robustness	-0.1718	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2418	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2428	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2488	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2488	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Robustness	0.0684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Robustness	0.0904	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Robustness	0.096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Robustness	0.094	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Robustness	0.0952	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Robustness	0.087	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Robustness	0.0958	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Robustness	0.1006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Robustness	0.1044	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Robustness	0.1014	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.0684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.079	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.0854	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.0964	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.0902	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.0896	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.103	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.1054	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.1036	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Robustness	0.0676	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Robustness	0.0858	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Robustness	0.0946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Robustness	0.093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Robustness	0.095	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Robustness	0.0906	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Robustness	0.093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Robustness	0.0998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Robustness	0.1014	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Robustness	0.1036	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Robustness	0.0684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Robustness	0.0828	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Robustness	0.0876	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Robustness	0.0872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Robustness	0.0958	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Robustness	0.0932	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Robustness	0.0956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Robustness	0.0998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Robustness	0.0984	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Robustness	0.1018	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0714	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0936	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0948	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0976	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0984	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0884	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0986	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0976	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.096	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.1932	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2024	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.1756	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.1668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.1616	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2022	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2104	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.1842	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.195	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.203	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.1702	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.1414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.1464	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2162	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.196	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.197	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.1812	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.1702	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.172	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2042	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.209	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.1912	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.1674	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.1476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.1586	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.22	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2168	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2256	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.221	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2226	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2214	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2214	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Robustness	0.0544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Robustness	0.0636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Robustness	0.0752	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Robustness	0.063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Robustness	0.0656	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Robustness	0.0698	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Robustness	0.074	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Robustness	0.0692	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.0544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.0576	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.0652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.0722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.0664	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.0744	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.079	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.0764	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Robustness	0.0526	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Robustness	0.068	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Robustness	0.0696	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Robustness	0.0672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Robustness	0.0636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Robustness	0.0666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Robustness	0.0704	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Robustness	0.072	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Robustness	0.0744	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Robustness	0.0544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Robustness	0.062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Robustness	0.0668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Robustness	0.0662	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Robustness	0.0712	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Robustness	0.0682	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Robustness	0.0622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Robustness	0.0708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Robustness	0.0708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Robustness	0.0756	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0548	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0748	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0758	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.069	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0672	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1874	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.169	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1748	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1562	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.138	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1228	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1718	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1602	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1646	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1042	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1096	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1558	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1506	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.153	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1296	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.132	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.175	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1582	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1506	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.171	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1696	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1286	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1122	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1222	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1838	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.182	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1876	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1786	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1818	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1808	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Borda	Robustness	0.0252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Borda	Robustness	0.0236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Borda	Robustness	0.0326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Borda	Robustness	0.0324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Borda	Robustness	0.0354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Borda	Robustness	0.0278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Borda	Robustness	0.0322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Borda	Robustness	0.0332	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Borda	Robustness	0.0346	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Borda	Robustness	0.0368	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Kemeny	Robustness	0.0252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Kemeny	Robustness	0.0268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Kemeny	Robustness	0.0286	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Kemeny	Robustness	0.0322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Kemeny	Robustness	0.0354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Kemeny	Robustness	0.0342	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Kemeny	Robustness	0.0312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Kemeny	Robustness	0.042	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Kemeny	Robustness	0.0376	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Kemeny	Robustness	0.04	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	RRF	Robustness	0.0224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	RRF	Robustness	0.028	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	RRF	Robustness	0.0298	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	RRF	Robustness	0.0298	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	RRF	Robustness	0.0336	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	RRF	Robustness	0.0322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	RRF	Robustness	0.033	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	RRF	Robustness	0.0388	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	RRF	Robustness	0.0378	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	RRF	Robustness	0.04	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Schulze	Robustness	0.0252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Schulze	Robustness	0.0234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Schulze	Robustness	0.0278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Schulze	Robustness	0.0352	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Schulze	Robustness	0.0334	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Schulze	Robustness	0.031	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Schulze	Robustness	0.0368	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Schulze	Robustness	0.036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Schulze	Robustness	0.0384	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Schulze	Robustness	0.041	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Robustness	0.0214	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Robustness	0.0322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Robustness	0.0352	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Robustness	0.028	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Robustness	0.0344	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Robustness	0.034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Robustness	0.0322	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Robustness	-0.081	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Robustness	-0.0886	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Robustness	-0.074	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Robustness	-0.0784	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Robustness	-0.0738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Robustness	-0.0826	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Robustness	-0.0808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Robustness	-0.0726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Robustness	-0.0634	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Robustness	-0.0544	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Robustness	-0.081	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Robustness	-0.077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Robustness	-0.067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0656	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Robustness	-0.078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Robustness	-0.062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Robustness	-0.048	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Robustness	-0.0828	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Robustness	-0.0708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Robustness	-0.0664	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Robustness	-0.0746	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Robustness	-0.082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Robustness	-0.0862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Robustness	-0.0906	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Robustness	-0.0856	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Robustness	-0.0692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Robustness	-0.066	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Robustness	-0.081	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Robustness	-0.079	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Robustness	-0.0732	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Robustness	-0.0742	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Robustness	-0.0708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Robustness	-0.0874	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Robustness	-0.0858	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Robustness	-0.0728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Robustness	-0.0562	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Robustness	-0.056	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0818	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0762	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0788	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.088	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.079	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0812	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Borda	Robustness	0.0288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Borda	Robustness	0.0238	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Borda	Robustness	0.0312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Borda	Robustness	0.0274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Borda	Robustness	0.033	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Borda	Robustness	0.0262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Borda	Robustness	0.0254	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Borda	Robustness	0.027	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Borda	Robustness	0.032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Borda	Robustness	0.0266	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Kemeny	Robustness	0.0288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Kemeny	Robustness	0.0268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Kemeny	Robustness	0.0278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Kemeny	Robustness	0.0292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Kemeny	Robustness	0.0286	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Kemeny	Robustness	0.0324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Kemeny	Robustness	0.026	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Kemeny	Robustness	0.035	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Kemeny	Robustness	0.0328	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Kemeny	Robustness	0.0324	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	RRF	Robustness	0.026	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	RRF	Robustness	0.0308	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	RRF	Robustness	0.029	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	RRF	Robustness	0.0256	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	RRF	Robustness	0.028	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	RRF	Robustness	0.0268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	RRF	Robustness	0.0268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	RRF	Robustness	0.0312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	RRF	Robustness	0.0304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	RRF	Robustness	0.0308	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Schulze	Robustness	0.0288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Schulze	Robustness	0.0228	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Schulze	Robustness	0.0272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Schulze	Robustness	0.0312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Schulze	Robustness	0.029	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Schulze	Robustness	0.0288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Schulze	Robustness	0.0304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Schulze	Robustness	0.0326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Schulze	Robustness	0.0326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Schulze	Robustness	0.0342	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Robustness	0.0234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Robustness	0.0306	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Robustness	0.0314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Robustness	0.034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0348	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Robustness	0.031	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Robustness	0.0244	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Robustness	0.0248	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Robustness	0.025	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Robustness	0.024	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Robustness	-0.0616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Robustness	-0.0666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Robustness	-0.0542	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Robustness	-0.0578	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Robustness	-0.0564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Robustness	-0.0646	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Robustness	-0.0612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Robustness	-0.0616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Robustness	-0.0518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Robustness	-0.04	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0592	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0514	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0562	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Robustness	-0.065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Robustness	-0.043	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0378	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Robustness	-0.0642	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Robustness	-0.0494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Robustness	-0.05	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Robustness	-0.0556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Robustness	-0.0648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Robustness	-0.0728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Robustness	-0.076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Robustness	-0.0722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Robustness	-0.057	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Robustness	-0.0516	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Robustness	-0.0616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Robustness	-0.0614	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Robustness	-0.056	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Robustness	-0.0584	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Robustness	-0.051	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Robustness	-0.0728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Robustness	-0.073	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Robustness	-0.0588	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Robustness	-0.044	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Robustness	-0.0466	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0568	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0662	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.069	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0654	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.066	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]

Table 58: ImageNet-ViT-B/16

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Kemeny	1301.6	10000	kendall__mallows__exact__distance	0.31901	0.002	0.13167	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Kemeny	3573	15000	kendall__mallows__exact__distance	0.656867	0.002	0.043167	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Kemeny	4662	20000	kendall__mallows__exact__distance	0.496275	0.002	0.029841	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Kemeny	4759.3	25000	kendall__mallows__exact__distance	0.458333	0.002	0.028903	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Kemeny	5098.7	30000	kendall__mallows__exact__distance	0.395705	0.002	0.025853	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP", "GradShap"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Kemeny	5036.4	35000	kendall__mallows__exact__distance	0.423565	0.002	0.026389	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP", "GradShap", "Attention GradCAM"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Kemeny	5469.8	40000	kendall__mallows__exact__distance	0.404683	0.002	0.022852	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAbliation"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Kemeny	5646.5	45000	kendall__mallows__exact__distance	0.387434	0.002	0.021524	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAbliation", "Saliency"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Kemeny	5641.2	50000	kendall__mallows__exact__distance	0.389212	0.002	0.021563	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGradient"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Kemeny	5940.5	55000	kendall__mallows__exact__distance	0.399779	0.002	0.019437	11	True	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution", "ODSH42B5961 Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGradient"]	select--Imagenet100D8F42B5961	d8f42b596161a0b19a0497493914189db60d52e03ae54674a603c68648903d8b
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Borda	40627	10000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.586008	0.002	0.002094	11	False	True	["Gradient Attention Rollout", "ChefVTran16 sformer Attribution"]	select--Imagenet100Spearman80045Daad3	80045daad3ce674ed1817f577a4757a08f07bfb5752f45e57436e663722b2734

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Borda	3.1086e+05	15000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.647046	0.002	0.000196	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Borda	4.3612e+05	20000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.470553	0.002	0.000159	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Borda	4.5228e+05	25000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.469363	0.002	0.000152	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Borda	4.8013e+05	30000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.412269	0.002	0.00014	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "GradShap"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Borda	4.8111e+05	35000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.443266	0.002	0.000139	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "GradShap", "Attention GradCAM"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Borda	5.4566e+05	40000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.413699	0.002	0.000119	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAblation"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Borda	5.6729e+05	45000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.399149	0.002	0.000113	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAblation", "Saliency"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Borda	5.606e+05	50000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.403753	0.002	0.000115	11	False	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Borda	6.1235e+05	55000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.411602	0.002	0.000102	11	True	True	["Gradient Attention Rollout", "CheferViT-B/16 sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "GradShap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]	select--Imagenet100ViT-B/16 Spearman	80045daad3ce674ed1817f577a4757a08f07bfb5752445e57436e663722b2734

Table 59: ImageNet–ViT-B/16

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	2	{ "B":499,"model_ name":"kendall_ mallovs_ exact_ distance", "p_ value":0.002,"parameters":{"boundary":false,"q":0.8766302822 187924,"theta":0.1316699465 121972},"refit":true,"statistic":0.3190102415 695884}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	3	{ "B":499,"model_ name":"kendall_ mallovs_ exact_ distance", "p_ value":0.002,"parameters":{"boundary":false,"q":0.9577511317 585561,"theta":0.0431673137 17340686},"refit":true,"statistic":0.6568673399 699397}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	4	{ "B":499,"model_ name":"kendall_ mallovs_ exact_ distance", "p_ value":0.002,"parameters":{"boundary":false,"q":0.9705997324 444173,"theta":0.0298411176 710455},"refit":true,"statistic":0.4962752013 5912484}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	5	{ "B":499,"model_ name":"kendall_ mallovs_ exact_ distance", "p_ value":0.002,"parameters":{"boundary":false,"q":0.9715109159 996793,"theta":0.0289027739 954684},"refit":true,"statistic":0.4583330004 1044894}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	6	{ "B":499,"model_ name":"kendall_ mallovs_ exact_ distance", "p_ value":0.002,"parameters":{"boundary":false,"q":0.9744783419 889154,"theta":0.0258529850 2350057},"refit":true,"statistic":0.3957047653 266355}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	7	{ "B":499,"model_ name":"kendall_ mallovs_ exact_ distance", "p_ value":0.002,"parameters":{"boundary":false,"q":0.9739562848 594963,"theta":0.026388584 21271554},"refit":true,"statistic":0.4235648719 718277}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	8	{ "B":499,"model_ name":"kendall_ mallovs_ exact_ distance", "p_ value":0.002,"parameters":{"boundary":false,"q":0.9774074206 542325,"theta":0.0228517019 36073474},"refit":true,"statistic":0.4046834822 2577916}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	9	{ "B":499,"model_ name":"kendall_ mallovs_ exact_ distance", "p_ value":0.002,"parameters":{"boundary":false,"q":0.9787063749 893399,"theta":0.0215236048 39749678},"refit":true,"statistic":0.3874339613 893783}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	10	{ "B":499,"model_ name":"kendall_ mallovs_ exact_ distance", "p_ value":0.002,"parameters":{"boundary":false,"q":0.9786677834 086261,"theta":0.0215630368 3138312},"refit":true,"statistic":0.3892117992 724614}
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	11	{ "B":499,"model_ name":"kendall_ mallovs_ exact_ distance", "p_ value":0.002,"parameters":{"boundary":false,"q":0.9807506478 86498,"theta":0.0194370332 89585463},"refit":true,"statistic":0.3997794718 0359036}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	{'B':499,'model_ name':'spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation*','p_ value':0.002,'parameters':{'approximation':'multi_ proposal_ importance_ binned_ symmetric*','bin_ count':795,'boundary':false,'calibration_ config_ digest':'b63b4b88f9 48784fc9b4 d964a113e3 f6b397e36 d7e03b707e 1f1f484ce6 7669','converged':true,'ess':3393.3187352208124,'exact':false,'full_ support':true,'maximum_ calibrated_ distance':2509780,'maximum_ symmetry residual':0.9541754783 417995,'maximum_ unsampled_ distance_gap_ fraction':0.0020129254 35695559,'original_ maximum_ distance':1603644,'pilot_ digest':'a8105aa5a3 c782ae2f28 aacf00235f 5a35feacae f70f231824 fd838eab4c 8795','pilot_ seed':20260714,'r_ hat':0.9999239035 886331,'repeated_ p_value_ absolute_ difference':0.0,'runtime_ seed':20260714,'support_ completion':'exact_ reverse_ symmetry','theoretical_ maximum distance':2509780,'theta':0.0020937887 246602633,'upper_ tail_ probability_ bound':0.0024933300 37518726,'validation_ bin_ ess':1.0053077552 46587,'validation_ distances_ digest':'b571516ba9 193a920925 c33b5e94dd d031daa21e 3eb02a97bb b1755591aa 21fd'},'refit':true,'statistic':0.5860082571 553414}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00019559097243940986,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.6470462405492362}

Cell	Dataset	Model	Distance Model	<i>Q</i>	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00015945754298473557,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.47055306049683915}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00015173762694392808,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.4693628847486998}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	{ "B":499,"model__name":"spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__","p__value":0.002,"parameters":{"approximation":"multi__proposal__importance__binned__symmetric","bin__count":795,"boundary":false,"calibration__config__digest":"b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669","converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995,"maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest":"a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795","pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion":"exact__reverse__symmetry","theoretical__maximum__distance":2509780,"theta":0.00013985246904707265,"upper__tail__probability__bound":0.002493330037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest":"b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd"},"refit":true,"statistic":0.41226934969220225}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00013947671787405835,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.4432657774048898}

Cell	Dataset	Model	Distance Model	Q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00011897516032467262,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.41369884379577815}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f66b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00011328764927367763,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.39914900931899294}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	{ "B":499,"model__name":"spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__","p__value":0.002,"parameters":{"approximation":"multi__proposal__importance__binned__symmetric","bin__count":795,"boundary":false,"calibration__config__digest":"b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669","converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995,"maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest":"a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795","pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion":"exact__reverse__symmetry","theoretical__maximum__distance":2509780,"theta":0.00011501194870397352,"upper__tail__probability__bound":0.002493330037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest":"b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd"},"refit":true,"statistic":0.403753054294614}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00010205281330557026,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.4116019261769202}

Table 60: ImageNet-ViT-B/16

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	Borda	Quality	max	2	0.1352	[2]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	Borda	Quality	min	2	0.146	[2]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	Borda	Quality	max	2	0.0864	[2]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	Borda	Quality	min	2	0.0928	[2]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	Borda	Robustness	max	3	0.1214	[3]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	Borda	Robustness	max	3	-0.201	[3]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	Borda	Robustness	max	3	0.1022	[3]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	Borda	Robustness	max	3	-0.1906	[3]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	Borda	Robustness	max	10	0.119	[10]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	Borda	Robustness	max	11	-0.2226	[11]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	Borda	Robustness	max	4	0.0838	[4]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	Borda	Robustness	max	11	-0.1832	[11]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	Borda	Robustness	max	10	0.1044	[10]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	Borda	Robustness	max	11	-0.1616	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	Borda	Robustness	max	6	0.0752	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	Borda	Robustness	max	11	-0.1228	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	Borda	Robustness	max	11	0.0368	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	Borda	Robustness	max	11	-0.0544	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	Borda	Robustness	max	6	0.033	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	Borda	Robustness	max	11	-0.04	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	Kemeny	Quality	max	3	0.1362	[3,4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	Kemeny	Quality	min	4	0.1458	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	Kemeny	Quality	max	3	0.0874	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	Kemeny	Quality	min	4	0.0922	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	Kemeny	Robustness	max	3	0.0926	[3,11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	max	2	-0.2096	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	Kemeny	Robustness	max	3	0.077	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	max	2	-0.2034	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	Kemeny	Robustness	max	10	0.119	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	Kemeny	Robustness	max	11	-0.1992	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	Kemeny	Robustness	max	10	0.0866	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	Kemeny	Robustness	max	11	-0.161	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	Kemeny	Robustness	max	10	0.1054	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	Kemeny	Robustness	max	10	-0.1414	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	Kemeny	Robustness	max	10	0.079	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	Kemeny	Robustness	max	10	-0.1042	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	Kemeny	Robustness	max	9	0.042	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	Kemeny	Robustness	max	11	-0.048	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	Kemeny	Robustness	max	9	0.035	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	Kemeny	Robustness	max	11	-0.0378	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	RRF	Quality	max	2	0.1356	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	RRF	Quality	min	2	0.1442	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	RRF	Quality	max	2	0.0872	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	RRF	Quality	min	2	0.092	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	RRF	Robustness	max	3	0.1024	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	RRF	Robustness	max	3	-0.2064	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	RRF	Robustness	max	3	0.086	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	RRF	Robustness	max	3	-0.2022	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	RRF	Robustness	max	11	0.1182	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	RRF	Robustness	max	11	-0.2304	[11]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	RRF	Robustness	max	11	0.0834	[11]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	RRF	Robustness	max	11	-0.1912	[11]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	RRF	Robustness	max	11	0.1036	[11]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	RRF	Robustness	max	10	-0.1702	[10]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	RRF	Robustness	max	11	0.0744	[11]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	RRF	Robustness	max	10	-0.1296	[10]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	RRF	Robustness	max	11	0.04	[11]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	RRF	Robustness	max	11	-0.066	[11]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	RRF	Robustness	max	9	0.0312	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbelation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	RRF	Robustness	max	3	-0.0494	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	Schulze	Quality	max	4	0.1368	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	Schulze	Quality	min	4	0.1458	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	Schulze	Quality	max	4	0.0874	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	Schulze	Quality	min	2	0.0928	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	Schulze	Robustness	max	3	0.0968	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	Schulze	Robustness	max	3	-0.1992	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	Schulze	Robustness	max	3	0.079	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	Schulze	Robustness	max	3	-0.191	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	Schulze	Robustness	max	11	0.1186	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbelation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	Schulze	Robustness	max	10	-0.209	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbelation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	Schulze	Robustness	max	11	0.0862	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbelation", "Saliency", "InputXGradient", "FullLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	Schulze	Robustness	max	10	-0.1678	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	Schulze	Robustness	max	11	0.1018	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	Schulze	Robustness	max	10	-0.1476	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	Schulze	Robustness	max	11	0.0756	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	Schulze	Robustness	max	10	-0.1122	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	Schulze	Robustness	max	11	0.041	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	Schulze	Robustness	max	11	-0.056	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	Schulze	Robustness	max	11	0.0342	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	Schulze	Robustness	max	10	-0.044	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	Simple Averaging	Quality	max	2	0.132	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	Simple Averaging	Quality	min	4	0.147	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	Simple Averaging	Quality	max	2	0.0852	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	Simple Averaging	Quality	min	4	0.0956	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	Simple Averaging	Robustness	max	2	0.0934	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	max	3	-0.2038	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	Simple Averaging	Robustness	max	2	0.0772	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	max	2	-0.198	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	Simple Averaging	Robustness	max	9	0.1136	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	Simple Averaging	Robustness	max	2	-0.2718	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	Simple Averaging	Robustness	max	4	0.0834	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	Simple Averaging	Robustness	max	2	-0.2204	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	Simple Averaging	Robustness	max	9	0.0986	[9]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	max	4	-0.2168	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	Simple Averaging	Robustness	max	6	0.0758	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	max	2	-0.1706	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	Simple Averaging	Robustness	max	5	0.0352	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	Simple Averaging	Robustness	max	3	-0.0762	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	Simple Averaging	Robustness	max	6	0.0348	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	Simple Averaging	Robustness	max	3	-0.0568	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]

Table 61: ImageNet-ViT-B/16

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0852	0.0966	0.132	0.1484	0.1524	0.317	0.2146	0.4202	0.14	0.2672	0.2034
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.1594	0.3158	0.2198	0.418	0.1408	0.2612	0.2036
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0872	0.092	0.1356	0.1442	0.1608	0.3166	0.2218	0.4178	0.1398	0.2612	0.2032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.1594	0.3158	0.2198	0.418	0.1408	0.2612	0.2036
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0864	0.0928	0.1352	0.146	0.1594	0.3158	0.2198	0.418	0.1408	0.2612	0.2036
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]	0.0734	0.097	0.1198	0.1478	0.1562	0.3292	0.2278	0.4276	0.1418	0.2708	0.2134
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0506	0.1026	0.0956	0.1508	0.1302	0.355	0.1978	0.454	0.1142	0.29	0.186
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0726	0.096	0.123	0.1468	0.1542	0.32	0.2258	0.4198	0.1406	0.2518	0.2088
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0874	0.0946	0.1362	0.1464	0.159	0.315	0.2268	0.4176	0.145	0.2624	0.2152
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0764	0.0978	0.125	0.1484	0.1506	0.3336	0.2212	0.4348	0.1384	0.2728	0.2078
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]	0.0748	0.0956	0.1216	0.147	0.1582	0.3268	0.2322	0.426	0.1454	0.2672	0.2164
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]	0.0572	0.1076	0.1034	0.1572	0.141	0.3288	0.21	0.4272	0.126	0.2766	0.1994
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]	0.0804	0.096	0.1276	0.1462	0.1616	0.3064	0.2322	0.405	0.1492	0.2466	0.2222
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]	0.087	0.0922	0.1362	0.1458	0.166	0.301	0.2346	0.3994	0.1522	0.2544	0.2216
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]	0.0874	0.0952	0.1368	0.1458	0.1724	0.3068	0.2414	0.4052	0.1542	0.2534	0.2244
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]	0.0686	0.1002	0.1146	0.1524	0.1456	0.348	0.221	0.4444	0.1434	0.284	0.2122

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]	0.0634	0.1114	0.1068	0.1632	0.1396	0.3402	0.2092	0.4412	0.1322	0.2862	0.2008
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]	0.0762	0.105	0.1196	0.1572	0.1516	0.3324	0.2204	0.4332	0.1458	0.2716	0.2126
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]	0.0796	0.1154	0.1234	0.1714	0.1544	0.348	0.2196	0.4484	0.1426	0.2872	0.2074
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]	0.0742	0.109	0.1182	0.1636	0.1508	0.3346	0.2192	0.438	0.1404	0.2778	0.2054
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]	0.0692	0.0998	0.1158	0.1532	0.1476	0.3416	0.2238	0.44	0.145	0.2818	0.2142
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]	0.0604	0.1326	0.1044	0.1876	0.139	0.3456	0.2096	0.4458	0.1356	0.2838	0.1996
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]	0.0738	0.1246	0.1164	0.1782	0.1554	0.3378	0.226	0.4386	0.141	0.2776	0.2114
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]	0.0728	0.1464	0.1142	0.2028	0.157	0.347	0.2252	0.4494	0.145	0.2918	0.2106
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]	0.0698	0.1338	0.1126	0.1886	0.1524	0.3422	0.2262	0.4406	0.141	0.2844	0.2084
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]	0.0696	0.1038	0.1172	0.1576	0.1438	0.3534	0.2166	0.4516	0.1366	0.2914	0.2056
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]	0.066	0.1326	0.1068	0.1864	0.1382	0.349	0.205	0.4486	0.129	0.2888	0.1938
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]	0.073	0.1278	0.1124	0.1852	0.1496	0.3542	0.2168	0.4558	0.1366	0.2894	0.203
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]	0.0716	0.152	0.1134	0.2112	0.1538	0.367	0.2186	0.4678	0.138	0.3122	0.2036

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{dirty}	C_{clean}	C_{dirty}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]	0.0726	0.1302	0.1152	0.183	0.1512	0.3474	0.213	0.449	0.1408	0.3012	0.2084
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]	0.0662	0.1152	0.1056	0.1706	0.1424	0.358	0.2154	0.4568	0.135	0.2938	0.2012
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]	0.0582	0.1334	0.0956	0.1866	0.1332	0.3534	0.202	0.455	0.1238	0.2914	0.1914
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]	0.0688	0.127	0.1074	0.1854	0.1502	0.3466	0.2216	0.4476	0.1354	0.2922	0.2004
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]	0.0738	0.143	0.1136	0.201	0.1558	0.3588	0.2212	0.4598	0.1368	0.3076	0.2032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]	0.0684	0.1302	0.1046	0.189	0.1468	0.3508	0.2136	0.4518	0.1306	0.2998	0.2002
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]	0.0648	0.1164	0.1032	0.1722	0.144	0.3608	0.2168	0.4606	0.134	0.2982	0.2018
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]	0.0552	0.1634	0.0912	0.2224	0.131	0.3618	0.2012	0.4646	0.125	0.3014	0.1918
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]	0.0634	0.1624	0.1014	0.2236	0.1456	0.364	0.218	0.4664	0.1338	0.3068	0.2012
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]	0.0624	0.1934	0.0994	0.2544	0.1472	0.382	0.2168	0.485	0.1368	0.3258	0.2024

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	$\bar{F}$ Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	$\bar{C}$ Perturbed Salt-pep per-0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]	0.0614	0.1726	0.1002	0.2294	0.1462	0.3656	0.216	0.4682	0.1322	0.3012	0.2
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Simple Averaging	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]	0.064	0.1176	0.103	0.1738	0.1424	0.3664	0.215	0.4658	0.133	0.2974	0.2006
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Borda	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]	0.0494	0.2012	0.0844	0.2628	0.1328	0.391	0.2034	0.4932	0.1234	0.3338	0.1888
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	RRF	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]	0.0574	0.2086	0.0946	0.27	0.1368	0.4022	0.2082	0.5038	0.1294	0.3382	0.196
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Kemeny	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]	0.0542	0.2546	0.0912	0.317	0.1408	0.4182	0.2102	0.5198	0.1332	0.3588	0.1966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Schulze	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]	0.0552	0.2342	0.0912	0.2956	0.1392	0.402	0.2078	0.5046	0.126	0.3464	0.1896
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Simple Averaging	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]	0.0642	0.1174	0.1032	0.1744	0.1416	0.3662	0.2136	0.465	0.1314	0.2982	0.1992
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Borda	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]	0.0478	0.2256	0.0802	0.2866	0.1264	0.4088	0.1928	0.5092	0.117	0.3484	0.1816
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	RRF	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]	0.0538	0.2172	0.0892	0.2798	0.1372	0.4084	0.2074	0.5102	0.1282	0.3492	0.1928

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	$\bar{F}$ Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	$\bar{C}$ Perturbed Salt-pep per-0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Kemeny	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]	0.05	0.2684	0.0856	0.3318	0.1346	0.4294	0.203	0.531	0.1264	0.378	0.1892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Schulze	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]	0.0488	0.2336	0.0848	0.2966	0.135	0.4054	0.2034	0.5078	0.1244	0.3558	0.1866

Table 62: ImageNet–ViT-B/16

Cell	Dataset	Model	Q	C Perturbed Salt-pep per-0.05	F Perturbed Speckle- 0.15	F Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	F Perturbed Adversar ial-sara -2-255	F Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	R_F Gaussian-0.05	R_F Gaussian-0.05	R_C Gaussian-0.05	R_C Gaussian-0.05	R_F Salt-pepper-0.05
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.3676	0.1086	0.1602	0.1534	0.2302	0.1624	0.2946	0.2254	0.3536	0.0672	-0.2204	0.0826	-0.2718	0.0548
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2262	0.3556	0.073	-0.223	0.0846	-0.272	0.0544
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.3604	0.1132	0.1562	0.158	0.227	0.1636	0.296	0.2258	0.3544	0.0736	-0.2246	0.0862	-0.2736	0.0526
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2262	0.3556	0.073	-0.223	0.0846	-0.272	0.0544
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2262	0.3556	0.073	-0.223	0.0846	-0.272	0.0544
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.3678	0.104	0.1538	0.152	0.224	0.1486	0.2962	0.2126	0.3516	0.0828	-0.2322	0.108	-0.2798	0.0684
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.3862	0.0744	0.1692	0.1192	0.2394	0.1528	0.2932	0.217	0.3518	0.0796	-0.2524	0.1022	-0.3032	0.0636
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.3518	0.1034	0.1454	0.151	0.2176	0.1586	0.2982	0.2254	0.3532	0.0816	-0.224	0.1028	-0.273	0.068
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.36	0.1142	0.1538	0.163	0.2234	0.1644	0.3016	0.2288	0.3628	0.0716	-0.2204	0.0906	-0.2712	0.0576
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	0.3724	0.0992	0.1592	0.1484	0.2274	0.1554	0.2888	0.2218	0.3476	0.0742	-0.2358	0.0962	-0.2864	0.062
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	0.3638	0.1062	0.1572	0.1554	0.2266	0.1424	0.309	0.2046	0.3674	0.0834	-0.2312	0.1106	-0.279	0.0706
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	0.3716	0.0884	0.1618	0.136	0.2312	0.1474	0.3318	0.2076	0.393	0.0838	-0.2212	0.1066	-0.27	0.0688
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	0.3422	0.1094	0.146	0.1574	0.2126	0.1538	0.3222	0.2192	0.3834	0.0812	-0.2104	0.1046	-0.2588	0.0688
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	0.348	0.1148	0.1436	0.1648	0.2128	0.1636	0.3266	0.2278	0.3848	0.079	-0.2088	0.0984	-0.2536	0.0652
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	0.35	0.1146	0.1512	0.1646	0.219	0.158	0.3202	0.2202	0.3782	0.085	-0.2116	0.1046	-0.2594	0.0668
ImageNet–ViT-B/16	ImageNet	ViT-B/16	5	0.3792	0.1026	0.1664	0.1498	0.236	0.1374	0.3446	0.1982	0.4056	0.077	-0.2478	0.1064	-0.292	0.0748
ImageNet–ViT-B/16	ImageNet	ViT-B/16	5	0.3844	0.0908	0.1692	0.1392	0.2416	0.1416	0.3594	0.203	0.4204	0.0762	-0.2288	0.1024	-0.278	0.0688
ImageNet–ViT-B/16	ImageNet	ViT-B/16	5	0.3654	0.1018	0.1606	0.1494	0.2318	0.144	0.3596	0.206	0.4252	0.0754	-0.2274	0.1008	-0.276	0.0696
ImageNet–ViT-B/16	ImageNet	ViT-B/16	5	0.3818	0.1088	0.1766	0.1556	0.2492	0.1484	0.357	0.2104	0.4212	0.0748	-0.2326	0.0962	-0.277	0.063
ImageNet–ViT-B/16	ImageNet	ViT-B/16	5	0.3726	0.1054	0.1674	0.1534	0.2378	0.1486	0.3576	0.2094	0.421	0.0766	-0.2256	0.101	-0.2744	0.0662
ImageNet–ViT-B/16	ImageNet	ViT-B/16	6	0.3788	0.104	0.1622	0.1496	0.232	0.134	0.3504	0.1938	0.4152	0.0784	-0.2418	0.108	-0.2868	0.0758
ImageNet–ViT-B/16	ImageNet	ViT-B/16	6	0.3808	0.0934	0.189	0.1398	0.2614	0.1382	0.3886	0.1964	0.4516	0.0786	-0.213	0.1052	-0.2582	0.0752
ImageNet–ViT-B/16	ImageNet	ViT-B/16	6	0.3752	0.1018	0.1894	0.15	0.2602	0.14	0.3772	0.1998	0.4448	0.0816	-0.2132	0.1096	-0.2604	0.0672
ImageNet–ViT-B/16	ImageNet	ViT-B/16	6	0.387	0.1014	0.195	0.1496	0.2684	0.14	0.385	0.1998	0.4514	0.0842	-0.2006	0.111	-0.2466	0.0722
ImageNet–ViT-B/16	ImageNet	ViT-B/16	6	0.3798	0.0988	0.1848	0.146	0.2594	0.1396	0.3872	0.1982	0.4556	0.0826	-0.2084	0.1136	-0.252	0.0712
ImageNet–ViT-B/16	ImageNet	ViT-B/16	7	0.3896	0.1006	0.1728	0.1452	0.2456	0.1342	0.365	0.1954	0.4298	0.0742	-0.2496	0.0994	-0.294	0.067
ImageNet–ViT-B/16	ImageNet	ViT-B/16	7	0.3888	0.0922	0.1972	0.1346	0.269	0.1386	0.3872	0.1954	0.455	0.0722	-0.2164	0.0982	-0.2622	0.063
ImageNet–ViT-B/16	ImageNet	ViT-B/16	7	0.3872	0.0998	0.2006	0.1446	0.2714	0.1402	0.3782	0.2	0.4466	0.0766	-0.2264	0.1044	-0.2706	0.0636
ImageNet–ViT-B/16	ImageNet	ViT-B/16	7	0.4062	0.104	0.2082	0.1476	0.278	0.1404	0.3802	0.201	0.4488	0.0822	-0.215	0.1052	-0.2566	0.0664
ImageNet–ViT-B/16	ImageNet	ViT-B/16	7	0.3974	0.1014	0.203	0.1462	0.2704	0.1376	0.3814	0.1956	0.4502	0.0786	-0.2172	0.0978	-0.266	0.0682
ImageNet–ViT-B/16	ImageNet	ViT-B/16	8	0.3916	0.0906	0.1782	0.1394	0.2514	0.1334	0.3626	0.1878	0.4282	0.0762	-0.2428	0.1098	-0.2862	0.0688
ImageNet–ViT-B/16	ImageNet	ViT-B/16	8	0.3872	0.0836	0.1946	0.1278	0.2674	0.139	0.382	0.1954	0.452	0.075	-0.22	0.1064	-0.2684	0.0656
ImageNet–ViT-B/16	ImageNet	ViT-B/16	8	0.3906	0.0956	0.203	0.1404	0.276	0.1338	0.3728	0.194	0.4426	0.0814	-0.2196	0.1142	-0.2622	0.0666
ImageNet–ViT-B/16	ImageNet	ViT-B/16	8	0.404	0.0998	0.208	0.1448	0.279	0.136	0.3786	0.1944	0.4496	0.082	-0.2158	0.1076	-0.2588	0.063
ImageNet–ViT-B/16	ImageNet	ViT-B/16	8	0.3974	0.0988	0.2032	0.1414	0.2748	0.1376	0.3796	0.1938	0.4506	0.0784	-0.2206	0.109	-0.2628	0.0622
ImageNet–ViT-B/16	ImageNet	ViT-B/16	9	0.3948	0.0896	0.1794	0.1376	0.2512	0.132	0.3776	0.1874	0.446	0.0792	-0.2444	0.1136	-0.2884	0.0692
ImageNet–ViT-B/16	ImageNet	ViT-B/16	9	0.398	0.0822	0.225	0.1244	0.295	0.127	0.4204	0.1836	0.4888	0.0758	-0.1984	0.11	-0.2422	0.0698
ImageNet–ViT-B/16	ImageNet	ViT-B/16	9	0.4048	0.0946	0.2346	0.1402	0.3092	0.1294	0.4168	0.1876	0.4872	0.0822	-0.2016	0.1166	-0.2428	0.0704
ImageNet–ViT-B/16	ImageNet	ViT-B/16	9	0.4246	0.0974	0.2452	0.1414	0.3164	0.1262	0.4316	0.1844	0.5004	0.0848	-0.1886	0.1174	-0.2306	0.0744
ImageNet–ViT-B/16	ImageNet	ViT-B/16	9	0.3968	0.094	0.2314	0.1362	0.3022	0.1256	0.4182	0.1832	0.489	0.0848	-0.193	0.1158	-0.2388	0.0708
ImageNet–ViT-B/16	ImageNet	ViT-B/16	10	0.3952	0.089	0.183	0.137	0.2546	0.129	0.3874	0.183	0.4578	0.0784	-0.2488	0.112	-0.292	0.069
ImageNet–ViT-B/16	ImageNet	ViT-B/16	10	0.4296	0.0814	0.253	0.119	0.3262	0.1212	0.4552	0.1778	0.5254	0.0834	-0.1898	0.119	-0.2304	0.074
ImageNet–ViT-B/16	ImageNet	ViT-B/16	10	0.4402	0.0878	0.2656	0.1324	0.3392	0.124	0.4512	0.1792	0.5202	0.0794	-0.1936	0.1136	-0.2338	0.072
ImageNet–ViT-B/16	ImageNet	ViT-B/16	10	0.4584	0.087	0.2976	0.1288	0.3714	0.1196	0.4808	0.1752	0.551	0.0866	-0.1636	0.119	-0.2028	0.079
ImageNet–ViT-B/16	ImageNet	ViT-B/16	10	0.4432	0.0878	0.2782	0.1296	0.3518	0.1204	0.47	0.1764	0.5396	0.084	-0.1678	0.1166	-0.209	0.0708
ImageNet–ViT-B/16	ImageNet	ViT-B/16	11	0.3958	0.0882	0.1834	0.1354	0.2556	0.1274	0.387	0.182	0.4592	0.0774	-0.2488	0.1104	-0.2906	0.0672
ImageNet–ViT-B/16	ImageNet	ViT-B/16	11	0.4482	0.0744	0.2656	0.117	0.341	0.1214	0.4694	0.1752	0.5422	0.0786	-0.1832	0.1126	-0.2226	0.0692
ImageNet–ViT-B/16	ImageNet	ViT-B/16	11	0.4518	0.0846	0.2688	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	0.0834	-0.1912	0.1182	-0.2304	0.0744
ImageNet–ViT-B/16	ImageNet	ViT-B/16	11	0.4782	0.0824	0.3062	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	0.0846	-0.161	0.1174	-0.1992	0.0764
ImageNet–ViT-B/16	ImageNet	ViT-B/16	11	0.4552	0.083	0.2802	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	0.0862	-0.1718	0.1186	-0.2112	0.0756

Table 63: ImageNet-ViT-B/16

Cell	Dataset	Model	Q	R_F Salt-pepper	R_C Salt-pepper	R_G Salt-pepper	R_F Speckle-0	R_C Speckle-0	R_G Speckle-0	R_F Diversaria	R_C Diversaria	R_G Diversaria	R_F Adversarial	R_C Adversarial	R_G Adversarial
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	-0.1706	0.0714	-0.2192	0.0234	-0.0636	0.0214	-0.0818	0.0772	-0.198	0.0934	0.0934	-0.2052
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	0.091	-0.2096
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	-0.1692	0.0676	-0.2162	0.026	-0.0642	0.0224	-0.0828	0.0764	-0.204	0.0902	0.0902	-0.2102
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	0.091	-0.2096
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0.091	0.091	-0.2096
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	-0.1738	0.0936	-0.22	0.0306	-0.0568	0.0322	-0.0762	0.0752	-0.1992	0.0928	0.0928	-0.2038
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	-0.1874	0.0904	-0.2354	0.0238	-0.0666	0.0236	-0.0886	0.1022	-0.1906	0.1214	0.1214	-0.201
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	-0.1558	0.0858	-0.205	0.0308	-0.0494	0.028	-0.0708	0.086	-0.2022	0.1024	0.1024	-0.2064
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	-0.1678	0.079	-0.2136	0.0268	-0.0592	0.0268	-0.077	0.077	-0.207	0.0926	0.0926	-0.2164
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	-0.175	0.0828	-0.224	0.0228	-0.0614	0.0234	-0.079	0.079	-0.191	0.0968	0.0968	-0.1992
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	-0.1716	0.0948	-0.2168	0.0314	-0.0616	0.0338	-0.0796	0.0676	-0.2134	0.083	0.083	-0.2204
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	-0.169	0.096	-0.2144	0.0312	-0.0542	0.0326	-0.074	0.0902	-0.2242	0.1042	0.1042	-0.2358
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	-0.1506	0.0946	-0.196	0.029	-0.05	0.0298	-0.0664	0.0734	-0.2262	0.0916	0.0916	-0.2372
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	-0.1622	0.0854	-0.2022	0.0278	-0.0514	0.0286	-0.067	0.0766	-0.2344	0.0916	0.0916	-0.239
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	-0.1582	0.0876	-0.2042	0.0272	-0.056	0.0278	-0.0732	0.0706	-0.225	0.0834	0.0834	-0.2324
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	-0.1838	0.0976	-0.2268	0.034	-0.0662	0.0352	-0.0836	0.0688	-0.2444	0.0836	0.0836	-0.2532
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	-0.1748	0.094	-0.2212	0.0274	-0.0578	0.0324	-0.0784	0.0782	-0.248	0.0962	0.0962	-0.2572
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	-0.1666	0.093	-0.2082	0.0256	-0.0556	0.0298	-0.0746	0.0678	-0.2546	0.0864	0.0864	-0.268
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	-0.1718	0.084	-0.2104	0.0292	-0.0612	0.0322	-0.0778	0.0688	-0.2416	0.087	0.087	-0.2498
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	-0.1688	0.0872	-0.209	0.0312	-0.0584	0.0352	-0.0742	0.0744	-0.2486	0.0912	0.0912	-0.2574
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	-0.182	0.0984	-0.2256	0.0348	-0.0624	0.0338	-0.0788	0.0648	-0.2506	0.078	0.078	-0.262
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	-0.1512	0.0952	-0.1932	0.033	-0.0564	0.0354	-0.0738	0.0778	-0.256	0.092	0.092	-0.264
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	-0.153	0.095	-0.197	0.028	-0.0648	0.0336	-0.082	0.0662	-0.2526	0.0834	0.0834	-0.2666
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	-0.1454	0.0964	-0.1842	0.0286	-0.0486	0.0354	-0.0656	0.0672	-0.2386	0.0856	0.0856	-0.2486
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	-0.1506	0.0958	-0.1912	0.029	-0.051	0.0334	-0.0708	0.0698	-0.2534	0.0856	0.0856	-0.267
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	-0.1876	0.0884	-0.232	0.031	-0.069	0.028	-0.088	0.0646	-0.2612	0.0782	0.0782	-0.2722
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	-0.1562	0.087	-0.2024	0.0262	-0.0646	0.0278	-0.0826	0.0726	-0.2546	0.0886	0.0886	-0.2686
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	-0.1616	0.0906	-0.202	0.0268	-0.0728	0.0322	-0.0862	0.0672	-0.2504	0.0876	0.0876	-0.2614
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	-0.1602	0.0902	-0.195	0.0324	-0.0562	0.0342	-0.0668	0.0688	-0.2282	0.0876	0.0876	-0.2376
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	-0.171	0.0932	-0.2144	0.0288	-0.0728	0.031	-0.0874	0.065	-0.2512	0.0804	0.0804	-0.2672
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	-0.1786	0.0956	-0.221	0.0244	-0.063	0.0338	-0.0808	0.0672	-0.2474	0.0822	0.0822	-0.2576
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	-0.158	0.0958	-0.2006	0.0254	-0.0612	0.0322	-0.0808	0.0808	-0.2486	0.0998	0.0998	-0.2654
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	-0.1652	0.093	-0.2052	0.0268	-0.076	0.033	-0.0906	0.065	-0.2458	0.0866	0.0866	-0.2572
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	-0.1646	0.0896	-0.203	0.026	-0.065	0.0312	-0.078	0.0622	-0.2356	0.0808	0.0808	-0.2486
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	-0.1696	0.0956	-0.2084	0.0304	-0.073	0.0368	-0.0858	0.0692	-0.2494	0.0892	0.0892	-0.2616
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	-0.1818	0.0986	-0.2226	0.0248	-0.063	0.0344	-0.079	0.0672	-0.2612	0.0842	0.0842	-0.2738
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	-0.138	0.1006	-0.1756	0.027	-0.0616	0.0332	-0.0726	0.0718	-0.257	0.0924	0.0924	-0.2664
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	-0.1444	0.0998	-0.1812	0.0312	-0.0722	0.0388	-0.0856	0.066	-0.2544	0.0862	0.0862	-0.2636
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	-0.1324	0.103	-0.1702	0.035	-0.0518	0.042	-0.062	0.0638	-0.2382	0.085	0.085	-0.246
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	-0.1286	0.0998	-0.1674	0.0326	-0.0588	0.036	-0.0728	0.0642	-0.2456	0.083	0.083	-0.2596
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	-0.1798	0.0976	-0.2214	0.025	-0.0654	0.034	-0.0808	0.065	-0.2698	0.08	0.08	-0.284
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	-0.1326	0.1044	-0.1668	0.032	-0.0518	0.0346	-0.0634	0.0718	-0.254	0.0934	0.0934	-0.2626
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	-0.1296	0.1014	-0.1702	0.0304	-0.057	0.0378	-0.0692	0.0666	-0.2426	0.0846	0.0846	-0.2502
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	-0.1042	0.1054	-0.1414	0.0328	-0.043	0.0376	-0.0544	0.0654	-0.2262	0.084	0.084	-0.234
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	-0.1122	0.0984	-0.1476	0.0326	-0.044	0.0384	-0.0562	0.0652	-0.2358	0.0852	0.0852	-0.244
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	-0.1808	0.096	-0.2214	0.024	-0.066	0.0322	-0.0812	0.0632	-0.2696	0.0788	0.0788	-0.2848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	-0.1228	0.1014	-0.1616	0.0266	-0.04	0.0368	-0.0544	0.0736	-0.2438	0.095	0.095	-0.2556
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	-0.132	0.1036	-0.172	0.0308	-0.0516	0.04	-0.066	0.0696	-0.238	0.0886	0.0886	-0.2434
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	-0.1096	0.1036	-0.1464	0.0324	-0.0378	0.04	-0.048	0.0714	-0.2106	0.0926	0.0926	-0.2166
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	-0.1222	0.1018	-0.1586	0.0342	-0.0466	0.041	-0.056	0.072	-0.2358	0.0904	0.0904	-0.2418

5-sara-2-255

Table 64: ImageNet-ViT-B/16

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	Borda	Quality	0.1352	max	0.1352	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	Borda	Quality	0.0956	max	0.0956	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	Borda	Quality	0.1034	max	0.1034	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	Borda	Quality	0.1068	max	0.1068	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	Borda	Quality	0.1044	max	0.1044	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	Borda	Quality	0.1068	max	0.1068	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	Borda	Quality	0.0956	max	0.0956	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	Borda	Quality	0.0912	max	0.0912	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	Borda	Quality	0.0844	max	0.0844	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	Borda	Quality	0.0802	max	0.0802	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	Kemeny	Quality	0.1352	max	0.1352	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	Kemeny	Quality	0.1362	max	0.1362	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	Kemeny	Quality	0.1362	max	0.1362	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	Kemeny	Quality	0.1234	max	0.1234	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	Kemeny	Quality	0.1142	max	0.1142	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	Kemeny	Quality	0.1134	max	0.1134	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	Kemeny	Quality	0.1136	max	0.1136	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	Kemeny	Quality	0.0994	max	0.0994	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	Kemeny	Quality	0.0912	max	0.0912	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	Kemeny	Quality	0.0856	max	0.0856	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	RRF	Quality	0.1356	max	0.1356	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	RRF	Quality	0.123	max	0.123	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	RRF	Quality	0.1276	max	0.1276	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	RRF	Quality	0.1196	max	0.1196	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	RRF	Quality	0.1164	max	0.1164	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	RRF	Quality	0.1124	max	0.1124	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	RRF	Quality	0.1074	max	0.1074	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	RRF	Quality	0.1014	max	0.1014	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	RRF	Quality	0.0946	max	0.0946	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	RRF	Quality	0.0892	max	0.0892	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	Schulze	Quality	0.1352	max	0.1352	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	Schulze	Quality	0.125	max	0.125	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	Schulze	Quality	0.1368	max	0.1368	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	Schulze	Quality	0.1182	max	0.1182	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	Schulze	Quality	0.1126	max	0.1126	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	Schulze	Quality	0.1152	max	0.1152	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	Schulze	Quality	0.1046	max	0.1046	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	Schulze	Quality	0.1002	max	0.1002	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	Schulze	Quality	0.0912	max	0.0912	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	Schulze	Quality	0.0848	max	0.0848	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	Simple Averaging	Quality	0.132	max	0.132	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	Simple Averaging	Quality	0.1198	max	0.1198	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	Simple Averaging	Quality	0.1216	max	0.1216	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	Simple Averaging	Quality	0.1146	max	0.1146	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	Simple Averaging	Quality	0.1158	max	0.1158	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	Simple Averaging	Quality	0.1172	max	0.1172	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	Simple Averaging	Quality	0.1056	max	0.1056	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	Simple Averaging	Quality	0.1032	max	0.1032	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	Simple Averaging	Quality	0.103	max	0.103	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	Simple Averaging	Quality	0.1032	max	0.1032	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	Borda	Quality	0.146	min	-0.146	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	Borda	Quality	0.1508	min	-0.1508	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	Borda	Quality	0.1572	min	-0.1572	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	Borda	Quality	0.1632	min	-0.1632	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	Borda	Quality	0.1876	min	-0.1876	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	Borda	Quality	0.1864	min	-0.1864	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	Borda	Quality	0.1866	min	-0.1866	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	Borda	Quality	0.2224	min	-0.2224	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	Borda	Quality	0.2628	min	-0.2628	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	Borda	Quality	0.2866	min	-0.2866	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	Kemeny	Quality	0.146	min	-0.146	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	Kemeny	Quality	0.1464	min	-0.1464	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	Kemeny	Quality	0.1458	min	-0.1458	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	Kemeny	Quality	0.1714	min	-0.1714	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	Kemeny	Quality	0.2028	min	-0.2028	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	Kemeny	Quality	0.2112	min	-0.2112	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	Kemeny	Quality	0.201	min	-0.201	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	Kemeny	Quality	0.2544	min	-0.2544	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	Kemeny	Quality	0.317	min	-0.317	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	Kemeny	Quality	0.3318	min	-0.3318	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	RRF	Quality	0.1442	min	-0.1442	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	RRF	Quality	0.1468	min	-0.1468	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	RRF	Quality	0.1462	min	-0.1462	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	RRF	Quality	0.1572	min	-0.1572	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	RRF	Quality	0.1782	min	-0.1782	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	RRF	Quality	0.1852	min	-0.1852	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	RRF	Quality	0.1854	min	-0.1854	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	RRF	Quality	0.2236	min	-0.2236	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	RRF	Quality	0.27	min	-0.27	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	RRF	Quality	0.2798	min	-0.2798	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	Schulze	Quality	0.146	min	-0.146	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	Schulze	Quality	0.1484	min	-0.1484	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	Schulze	Quality	0.1458	min	-0.1458	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	Schulze	Quality	0.1636	min	-0.1636	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	Schulze	Quality	0.1886	min	-0.1886	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	Schulze	Quality	0.183	min	-0.183	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	Schulze	Quality	0.189	min	-0.189	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	Schulze	Quality	0.2294	min	-0.2294	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	Schulze	Quality	0.2956	min	-0.2956	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	Schulze	Quality	0.2966	min	-0.2966	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	Simple Averaging	Quality	0.1484	min	-0.1484	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	Simple Averaging	Quality	0.1478	min	-0.1478	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	Simple Averaging	Quality	0.147	min	-0.147	kendall__mallows__exact__distance	0.496275	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	Simple Averaging	Quality	0.1524	min	-0.1524	kendall__mallows__exact__distance	0.458333	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	Simple Averaging	Quality	0.1532	min	-0.1532	kendall__mallows__exact__distance	0.395705	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	Simple Averaging	Quality	0.1576	min	-0.1576	kendall__mallows__exact__distance	0.423565	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	Simple Averaging	Quality	0.1706	min	-0.1706	kendall__mallows__exact__distance	0.404683	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	Simple Averaging	Quality	0.1722	min	-0.1722	kendall__mallows__exact__distance	0.387434	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	Simple Averaging	Quality	0.1738	min	-0.1738	kendall__mallows__exact__distance	0.389212	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	Simple Averaging	Quality	0.1744	min	-0.1744	kendall__mallows__exact__distance	0.399779	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	Borda	Quality	0.0864	max	0.0864	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	Borda	Quality	0.0506	max	0.0506	kendall__mallows__exact__distance	0.656867	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	Borda	Quality	0.0572	max	0.0572	kendall__mallows__exact__distance	0.496275	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	Borda	Quality	0.0634	max	0.0634	kendall__mallows__exact__distance	0.458333	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	Borda	Quality	0.0604	max	0.0604	kendall__mallows__exact__distance	0.395705	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	Borda	Quality	0.066	max	0.066	kendall__mallows__exact__distance	0.423565	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	Borda	Quality	0.0582	max	0.0582	kendall__mallows__exact__distance	0.404683	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	Borda	Quality	0.0552	max	0.0552	kendall__mallows__exact__distance	0.387434	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	Borda	Quality	0.0494	max	0.0494	kendall__mallows__exact__distance	0.389212	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	Borda	Quality	0.0478	max	0.0478	kendall__mallows__exact__distance	0.399779	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	Kemeny	Quality	0.0864	max	0.0864	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	Kemeny	Quality	0.0874	max	0.0874	kendall__mallows__exact__distance	0.656867	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	Kemeny	Quality	0.087	max	0.087	kendall__mallows__exact__distance	0.496275	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	Kemeny	Quality	0.0796	max	0.0796	kendall__mallows__exact__distance	0.458333	0.458333	0.002	4759.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	Kemeny	Quality	0.0728	max	0.0728	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	Kemeny	Quality	0.0716	max	0.0716	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	Kemeny	Quality	0.0738	max	0.0738	kendall_ mallows_ exact_ distance	0.404683	- 0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	Kemeny	Quality	0.0624	max	0.0624	kendall_ mallows_ exact_ distance	0.387434	- 0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	Kemeny	Quality	0.0542	max	0.0542	kendall_ mallows_ exact_ distance	0.389212	- 0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	Kemeny	Quality	0.05	max	0.05	kendall_ mallows_ exact_ distance	0.399779	- 0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	RRF	Quality	0.0872	max	0.0872	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	RRF	Quality	0.0726	max	0.0726	kendall_ mallows_ exact_ distance	0.656867	- 0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	RRF	Quality	0.0804	max	0.0804	kendall_ mallows_ exact_ distance	0.496275	- 0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	RRF	Quality	0.0762	max	0.0762	kendall_ mallows_ exact_ distance	0.458333	- 0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	RRF	Quality	0.0738	max	0.0738	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	RRF	Quality	0.073	max	0.073	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	RRF	Quality	0.0688	max	0.0688	kendall_ mallows_ exact_ distance	0.404683	- 0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	RRF	Quality	0.0634	max	0.0634	kendall_ mallows_ exact_ distance	0.387434	- 0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	RRF	Quality	0.0574	max	0.0574	kendall_ mallows_ exact_ distance	0.389212	- 0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	RRF	Quality	0.0538	max	0.0538	kendall_ mallows_ exact_ distance	0.399779	- 0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	Schulze	Quality	0.0864	max	0.0864	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	Schulze	Quality	0.0764	max	0.0764	kendall_ mallows_ exact_ distance	0.656867	- 0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	Schulze	Quality	0.0874	max	0.0874	kendall_ mallows_ exact_ distance	0.496275	- 0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	Schulze	Quality	0.0742	max	0.0742	kendall_ mallows_ exact_ distance	0.458333	- 0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	Schulze	Quality	0.0698	max	0.0698	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	Schulze	Quality	0.0726	max	0.0726	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	Schulze	Quality	0.0684	max	0.0684	kendall_ mallows_ exact_ distance	0.404683	- 0.404683	0.002	5469.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	Schulze	Quality	0.0614	max	0.0614	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	Schulze	Quality	0.0552	max	0.0552	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	Schulze	Quality	0.0488	max	0.0488	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	Simple Averaging	Quality	0.0852	max	0.0852	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	Simple Averaging	Quality	0.0734	max	0.0734	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	Simple Averaging	Quality	0.0748	max	0.0748	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	Simple Averaging	Quality	0.0686	max	0.0686	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	Simple Averaging	Quality	0.0692	max	0.0692	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	Simple Averaging	Quality	0.0696	max	0.0696	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	Simple Averaging	Quality	0.0662	max	0.0662	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	Simple Averaging	Quality	0.0648	max	0.0648	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	Simple Averaging	Quality	0.064	max	0.064	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	Simple Averaging	Quality	0.0642	max	0.0642	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	Borda	Quality	0.0928	min	-0.0928	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	Borda	Quality	0.1026	min	-0.1026	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	Borda	Quality	0.1076	min	-0.1076	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	Borda	Quality	0.1114	min	-0.1114	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	Borda	Quality	0.1326	min	-0.1326	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	Borda	Quality	0.1326	min	-0.1326	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	Borda	Quality	0.1334	min	-0.1334	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	Borda	Quality	0.1634	min	-0.1634	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	Borda	Quality	0.2012	min	-0.2012	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	Borda	Quality	0.2256	min	-0.2256	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	Kemeny	Quality	0.0928	min	-0.0928	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	Kemeny	Quality	0.0946	min	-0.0946	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	Kemeny	Quality	0.0922	min	-0.0922	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	Kemeny	Quality	0.1154	min	-0.1154	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	Kemeny	Quality	0.1464	min	-0.1464	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	Kemeny	Quality	0.152	min	-0.152	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	Kemeny	Quality	0.143	min	-0.143	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	Kemeny	Quality	0.1934	min	-0.1934	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	Kemeny	Quality	0.2546	min	-0.2546	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	Kemeny	Quality	0.2684	min	-0.2684	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	RRF	Quality	0.092	min	-0.092	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	RRF	Quality	0.096	min	-0.096	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	RRF	Quality	0.096	min	-0.096	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	RRF	Quality	0.105	min	-0.105	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	RRF	Quality	0.1246	min	-0.1246	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	RRF	Quality	0.1278	min	-0.1278	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	RRF	Quality	0.127	min	-0.127	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	RRF	Quality	0.1624	min	-0.1624	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	RRF	Quality	0.2086	min	-0.2086	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	RRF	Quality	0.2172	min	-0.2172	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	Schulze	Quality	0.0928	min	-0.0928	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	Schulze	Quality	0.0978	min	-0.0978	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	Schulze	Quality	0.0952	min	-0.0952	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	Schulze	Quality	0.109	min	-0.109	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	Schulze	Quality	0.1338	min	-0.1338	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	Schulze	Quality	0.1302	min	-0.1302	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	Schulze	Quality	0.1302	min	-0.1302	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	Schulze	Quality	0.1726	min	-0.1726	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	Schulze	Quality	0.2342	min	-0.2342	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	Schulze	Quality	0.2336	min	-0.2336	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	Simple Averaging	Quality	0.0966	min	-0.0966	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	Simple Averaging	Quality	0.097	min	-0.097	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	Simple Averaging	Quality	0.0956	min	-0.0956	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	Simple Averaging	Quality	0.1002	min	-0.1002	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	Simple Averaging	Quality	0.0998	min	-0.0998	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	Simple Averaging	Quality	0.1038	min	-0.1038	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	Simple Averaging	Quality	0.1152	min	-0.1152	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	Simple Averaging	Quality	0.1164	min	-0.1164	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	Simple Averaging	Quality	0.1176	min	-0.1176	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	Simple Averaging	Quality	0.1174	min	-0.1174	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 255	C	Borda	Robustness	0.091	max	0.091	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 255	C	Borda	Robustness	0.1214	max	0.1214	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 255	C	Borda	Robustness	0.1042	max	0.1042	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 255	C	Borda	Robustness	0.0962	max	0.0962	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 255	C	Borda	Robustness	0.092	max	0.092	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 255	C	Borda	Robustness	0.0886	max	0.0886	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Borda	Robustness	0.0998	max	0.0998	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Borda	Robustness	0.0924	max	0.0924	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Borda	Robustness	0.0934	max	0.0934	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Borda	Robustness	0.095	max	0.095	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.091	max	0.091	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0926	max	0.0926	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0916	max	0.0916	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.087	max	0.087	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0856	max	0.0856	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0876	max	0.0876	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0808	max	0.0808	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.085	max	0.085	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.084	max	0.084	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0926	max	0.0926	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	RRF	Robustness	0.0902	max	0.0902	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	RRF	Robustness	0.1024	max	0.1024	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	RRF	Robustness	0.0916	max	0.0916	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	RRF	Robustness	0.0864	max	0.0864	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	RRF	Robustness	0.0834	max	0.0834	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	RRF	Robustness	0.0876	max	0.0876	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	RRF	Robustness	0.0866	max	0.0866	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	RRF	Robustness	0.0862	max	0.0862	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	RRF	Robustness	0.0846	max	0.0846	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	RRF	Robustness	0.0886	max	0.0886	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.091	max	0.091	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.0968	max	0.0968	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.0834	max	0.0834	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.0912	max	0.0912	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.0856	max	0.0856	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	Schulze	Robustness	0.0804	max	0.0804	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Schulze	Robustness	0.0892	max	0.0892	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Schulze	Robustness	0.083	max	0.083	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Schulze	Robustness	0.0852	max	0.0852	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Schulze	Robustness	0.0904	max	0.0904	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0934	max	0.0934	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0928	max	0.0928	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.083	max	0.083	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0836	max	0.0836	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.078	max	0.078	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0782	max	0.0782	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0822	max	0.0822	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0842	max	0.0842	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.08	max	0.08	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0788	max	0.0788	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.2096	max	-0.2096	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.201	max	-0.201	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.2358	max	-0.2358	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.2572	max	-0.2572	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.264	max	-0.264	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.2686	max	-0.2686	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.2654	max	-0.2654	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.2664	max	-0.2664	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.2626	max	-0.2626	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	-0.2556	max	-0.2556	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.2096	max	-0.2096	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.2164	max	-0.2164	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.239	max	-0.239	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.2498	max	-0.2498	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.2486	max	-0.2486	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.2376	max	-0.2376	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.2486	max	-0.2486	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.246	max	-0.246	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.234	max	-0.234	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	-0.2166	max	-0.2166	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2102	max	-0.2102	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2064	max	-0.2064	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2372	max	-0.2372	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.268	max	-0.268	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2666	max	-0.2666	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2614	max	-0.2614	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2572	max	-0.2572	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2636	max	-0.2636	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2502	max	-0.2502	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	-0.2434	max	-0.2434	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2096	max	-0.2096	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.1992	max	-0.1992	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2324	max	-0.2324	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2574	max	-0.2574	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.267	max	-0.267	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2672	max	-0.2672	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2616	max	-0.2616	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2596	max	-0.2596	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.244	max	-0.244	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	-0.2418	max	-0.2418	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2052	max	-0.2052	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2038	max	-0.2038	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2204	max	-0.2204	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2532	max	-0.2532	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.262	max	-0.262	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2722	max	-0.2722	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2576	max	-0.2576	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2738	max	-0.2738	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.284	max	-0.284	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	-0.2848	max	-0.2848	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Borda	Robustness	0.076	max	0.076	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Borda	Robustness	0.1022	max	0.1022	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Borda	Robustness	0.0902	max	0.0902	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Borda	Robustness	0.0782	max	0.0782	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Borda	Robustness	0.0778	max	0.0778	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Borda	Robustness	0.0726	max	0.0726	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Borda	Robustness	0.0808	max	0.0808	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Borda	Robustness	0.0718	max	0.0718	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Borda	Robustness	0.0718	max	0.0718	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Borda	Robustness	0.0736	max	0.0736	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Kemeny	Robustness	0.076	max	0.076	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Kemeny	Robustness	0.077	max	0.077	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0766	max	0.0766	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0688	max	0.0688	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0672	max	0.0672	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0688	max	0.0688	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0622	max	0.0622	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0638	max	0.0638	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0654	max	0.0654	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0714	max	0.0714	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	RRF	Robustness	0.0764	max	0.0764	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	RRF	Robustness	0.086	max	0.086	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	RRF	Robustness	0.0734	max	0.0734	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	RRF	Robustness	0.0678	max	0.0678	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	RRF	Robustness	0.0662	max	0.0662	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	RRF	Robustness	0.0672	max	0.0672	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	RRF	Robustness	0.065	max	0.065	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	RRF	Robustness	0.066	max	0.066	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	RRF	Robustness	0.0666	max	0.0666	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	RRF	Robustness	0.0696	max	0.0696	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.076	max	0.076	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.079	max	0.079	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.0706	max	0.0706	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.0744	max	0.0744	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.0698	max	0.0698	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.065	max	0.065	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.0692	max	0.0692	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.0642	max	0.0642	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.0652	max	0.0652	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.072	max	0.072	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0772	max	0.0772	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0752	max	0.0752	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0676	max	0.0676	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0688	max	0.0688	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0648	max	0.0648	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0646	max	0.0646	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0672	max	0.0672	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0672	max	0.0672	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.065	max	0.065	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0632	max	0.0632	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.2034	max	-0.2034	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.1906	max	-0.1906	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.2242	max	-0.2242	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.248	max	-0.248	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.256	max	-0.256	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.2546	max	-0.2546	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.2486	max	-0.2486	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.257	max	-0.257	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.254	max	-0.254	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.2438	max	-0.2438	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2034	max	-0.2034	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.207	max	-0.207	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2344	max	-0.2344	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2416	max	-0.2416	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2386	max	-0.2386	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2282	max	-0.2282	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2356	max	-0.2356	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2382	max	-0.2382	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2262	max	-0.2262	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.2106	max	-0.2106	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.204	max	-0.204	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2022	max	-0.2022	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2262	max	-0.2262	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2546	max	-0.2546	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2526	max	-0.2526	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2504	max	-0.2504	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2458	max	-0.2458	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2544	max	-0.2544	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.2426	max	-0.2426	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.238	max	-0.238	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2034	max	-0.2034	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.191	max	-0.191	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.225	max	-0.225	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2486	max	-0.2486	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2534	max	-0.2534	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2512	max	-0.2512	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2494	max	-0.2494	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2456	max	-0.2456	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2358	max	-0.2358	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.2358	max	-0.2358	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.198	max	-0.198	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.1992	max	-0.1992	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2134	max	-0.2134	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2444	max	-0.2444	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2506	max	-0.2506	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2612	max	-0.2612	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2474	max	-0.2474	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2612	max	-0.2612	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2698	max	-0.2698	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2696	max	-0.2696	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	Borda	Robustness	0.0846	max	0.0846	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	Borda	Robustness	0.1022	max	0.1022	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	Borda	Robustness	0.1066	max	0.1066	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	Borda	Robustness	0.1024	max	0.1024	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	Borda	Robustness	0.1052	max	0.1052	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	Borda	Robustness	0.0982	max	0.0982	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	Borda	Robustness	0.1064	max	0.1064	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	Borda	Robustness	0.11	max	0.11	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	Borda	Robustness	0.119	max	0.119	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	Borda	Robustness	0.1126	max	0.1126	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	Kemeny	Robustness	0.0846	max	0.0846	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	Kemeny	Robustness	0.0906	max	0.0906	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	Kemeny	Robustness	0.0984	max	0.0984	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	Kemeny	Robustness	0.0962	max	0.0962	kendall_ mallows_ exact_ distance	0.458333	- 0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	Kemeny	Robustness	0.111	max	0.111	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	Kemeny	Robustness	0.1052	max	0.1052	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	Kemeny	Robustness	0.1076	max	0.1076	kendall_ mallows_ exact_ distance	0.404683	- 0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	Kemeny	Robustness	0.1174	max	0.1174	kendall_ mallows_ exact_ distance	0.387434	- 0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	Kemeny	Robustness	0.119	max	0.119	kendall_ mallows_ exact_ distance	0.389212	- 0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	Kemeny	Robustness	0.1174	max	0.1174	kendall_ mallows_ exact_ distance	0.399779	- 0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	RRF	Robustness	0.0862	max	0.0862	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	RRF	Robustness	0.1028	max	0.1028	kendall_ mallows_ exact_ distance	0.656867	- 0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	RRF	Robustness	0.1046	max	0.1046	kendall_ mallows_ exact_ distance	0.496275	- 0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	RRF	Robustness	0.1008	max	0.1008	kendall_ mallows_ exact_ distance	0.458333	- 0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	RRF	Robustness	0.1096	max	0.1096	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	RRF	Robustness	0.1044	max	0.1044	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	RRF	Robustness	0.1142	max	0.1142	kendall_ mallows_ exact_ distance	0.404683	- 0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	RRF	Robustness	0.1166	max	0.1166	kendall_ mallows_ exact_ distance	0.387434	- 0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	RRF	Robustness	0.1136	max	0.1136	kendall_ mallows_ exact_ distance	0.389212	- 0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	RRF	Robustness	0.1182	max	0.1182	kendall_ mallows_ exact_ distance	0.399779	- 0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	Schulze	Robustness	0.0846	max	0.0846	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	Schulze	Robustness	0.0962	max	0.0962	kendall_ mallows_ exact_ distance	0.656867	- 0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	Schulze	Robustness	0.1046	max	0.1046	kendall_ mallows_ exact_ distance	0.496275	- 0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	Schulze	Robustness	0.101	max	0.101	kendall_ mallows_ exact_ distance	0.458333	- 0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	Schulze	Robustness	0.1136	max	0.1136	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	Schulze	Robustness	0.0978	max	0.0978	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	Schulze	Robustness	0.109	max	0.109	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	Schulze	Robustness	0.1158	max	0.1158	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	Schulze	Robustness	0.1166	max	0.1166	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	Schulze	Robustness	0.1186	max	0.1186	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.0826	max	0.0826	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.108	max	0.108	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.1106	max	0.1106	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.1064	max	0.1064	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.108	max	0.108	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.0994	max	0.0994	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.1098	max	0.1098	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.1136	max	0.1136	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.112	max	0.112	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.1104	max	0.1104	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Borda	Robustness	-0.272	max	-0.272	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Borda	Robustness	-0.3032	max	-0.3032	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Borda	Robustness	-0.27	max	-0.27	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Borda	Robustness	-0.278	max	-0.278	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Borda	Robustness	-0.2582	max	-0.2582	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Borda	Robustness	-0.2622	max	-0.2622	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Borda	Robustness	-0.2684	max	-0.2684	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Borda	Robustness	-0.2422	max	-0.2422	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Borda	Robustness	-0.2304	max	-0.2304	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Borda	Robustness	-0.2226	max	-0.2226	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.272	max	-0.272	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2712	max	-0.2712	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2536	max	-0.2536	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.277	max	-0.277	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2466	max	-0.2466	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2566	max	-0.2566	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2588	max	-0.2588	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2306	max	-0.2306	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2028	max	-0.2028	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.1992	max	-0.1992	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	RRF	Robustness	-0.2736	max	-0.2736	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	RRF	Robustness	-0.273	max	-0.273	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	RRF	Robustness	-0.2588	max	-0.2588	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	RRF	Robustness	-0.276	max	-0.276	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	RRF	Robustness	-0.2604	max	-0.2604	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	RRF	Robustness	-0.2706	max	-0.2706	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	RRF	Robustness	-0.2622	max	-0.2622	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	RRF	Robustness	-0.2428	max	-0.2428	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	RRF	Robustness	-0.2338	max	-0.2338	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	RRF	Robustness	-0.2304	max	-0.2304	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Schulze	Robustness	-0.272	max	-0.272	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2864	max	-0.2864	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2594	max	-0.2594	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2744	max	-0.2744	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Schulze	Robustness	-0.252	max	-0.252	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Schulze	Robustness	-0.266	max	-0.266	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2628	max	-0.2628	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2388	max	-0.2388	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Schulze	Robustness	-0.209	max	-0.209	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2112	max	-0.2112	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2718	max	-0.2718	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2798	max	-0.2798	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.279	max	-0.279	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.292	max	-0.292	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2868	max	-0.2868	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.294	max	-0.294	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2862	max	-0.2862	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2884	max	-0.2884	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.292	max	-0.292	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2906	max	-0.2906	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	Borda	Robustness	0.073	max	0.073	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	Borda	Robustness	0.0796	max	0.0796	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	Borda	Robustness	0.0838	max	0.0838	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	Borda	Robustness	0.0762	max	0.0762	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	Borda	Robustness	0.0786	max	0.0786	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	Borda	Robustness	0.0722	max	0.0722	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	Borda	Robustness	0.075	max	0.075	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	Borda	Robustness	0.0758	max	0.0758	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	Borda	Robustness	0.0834	max	0.0834	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	Borda	Robustness	0.0786	max	0.0786	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	Kemeny	Robustness	0.073	max	0.073	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	Kemeny	Robustness	0.0716	max	0.0716	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	Kemeny	Robustness	0.079	max	0.079	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	Kemeny	Robustness	0.0748	max	0.0748	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	Kemeny	Robustness	0.0842	max	0.0842	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	Kemeny	Robustness	0.0822	max	0.0822	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	Kemeny	Robustness	0.082	max	0.082	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	Kemeny	Robustness	0.0848	max	0.0848	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	Kemeny	Robustness	0.0866	max	0.0866	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	Kemeny	Robustness	0.0846	max	0.0846	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	RRF	Robustness	0.0736	max	0.0736	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	RRF	Robustness	0.0816	max	0.0816	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	RRF	Robustness	0.0812	max	0.0812	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	RRF	Robustness	0.0754	max	0.0754	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	RRF	Robustness	0.0816	max	0.0816	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	RRF	Robustness	0.0766	max	0.0766	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	RRF	Robustness	0.0814	max	0.0814	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	RRF	Robustness	0.0822	max	0.0822	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	RRF	Robustness	0.0794	max	0.0794	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	RRF	Robustness	0.0834	max	0.0834	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	Schulze	Robustness	0.073	max	0.073	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	Schulze	Robustness	0.0742	max	0.0742	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	Schulze	Robustness	0.085	max	0.085	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	Schulze	Robustness	0.0766	max	0.0766	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	Schulze	Robustness	0.0826	max	0.0826	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	Schulze	Robustness	0.0786	max	0.0786	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	Schulze	Robustness	0.0784	max	0.0784	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	Schulze	Robustness	0.0848	max	0.0848	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	Schulze	Robustness	0.084	max	0.084	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	Schulze	Robustness	0.0862	max	0.0862	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.0672	max	0.0672	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.0828	max	0.0828	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.0834	max	0.0834	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.077	max	0.077	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.0784	max	0.0784	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.0742	max	0.0742	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.0762	max	0.0762	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.0792	max	0.0792	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.0784	max	0.0784	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.0774	max	0.0774	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Borda	Robustness	-0.223	max	-0.223	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Borda	Robustness	-0.2524	max	-0.2524	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Borda	Robustness	-0.2212	max	-0.2212	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Borda	Robustness	-0.2288	max	-0.2288	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Borda	Robustness	-0.213	max	-0.213	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Borda	Robustness	-0.2164	max	-0.2164	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Borda	Robustness	-0.22	max	-0.22	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Borda	Robustness	-0.1984	max	-0.1984	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Borda	Robustness	-0.1898	max	-0.1898	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Borda	Robustness	-0.1832	max	-0.1832	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.223	max	-0.223	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2204	max	-0.2204	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2088	max	-0.2088	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2326	max	-0.2326	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2006	max	-0.2006	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.215	max	-0.215	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2158	max	-0.2158	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.1886	max	-0.1886	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.1636	max	-0.1636	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.161	max	-0.161	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	RRF	Robustness	-0.2246	max	-0.2246	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	RRF	Robustness	-0.224	max	-0.224	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	RRF	Robustness	-0.2104	max	-0.2104	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	RRF	Robustness	-0.2274	max	-0.2274	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	RRF	Robustness	-0.2132	max	-0.2132	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	RRF	Robustness	-0.2264	max	-0.2264	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	RRF	Robustness	-0.2196	max	-0.2196	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	RRF	Robustness	-0.2016	max	-0.2016	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	RRF	Robustness	-0.1936	max	-0.1936	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	RRF	Robustness	-0.1912	max	-0.1912	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Schulze	Robustness	-0.223	max	-0.223	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2358	max	-0.2358	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2116	max	-0.2116	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2256	max	-0.2256	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2084	max	-0.2084	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2172	max	-0.2172	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2206	max	-0.2206	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Schulze	Robustness	-0.193	max	-0.193	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Schulze	Robustness	-0.1678	max	-0.1678	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Schulze	Robustness	-0.1718	max	-0.1718	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2204	max	-0.2204	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2322	max	-0.2322	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2312	max	-0.2312	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2478	max	-0.2478	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2418	max	-0.2418	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2496	max	-0.2496	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2428	max	-0.2428	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2444	max	-0.2444	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2488	max	-0.2488	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2488	max	-0.2488	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Borda	Robustness	0.0684	max	0.0684	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Borda	Robustness	0.0904	max	0.0904	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Borda	Robustness	0.096	max	0.096	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Borda	Robustness	0.094	max	0.094	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Borda	Robustness	0.0952	max	0.0952	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Borda	Robustness	0.087	max	0.087	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Borda	Robustness	0.0958	max	0.0958	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Borda	Robustness	0.1006	max	0.1006	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Borda	Robustness	0.1044	max	0.1044	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Borda	Robustness	0.1014	max	0.1014	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.0684	max	0.0684	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.079	max	0.079	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.0854	max	0.0854	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.084	max	0.084	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.0964	max	0.0964	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.0902	max	0.0902	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.0896	max	0.0896	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.103	max	0.103	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.1054	max	0.1054	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.1036	max	0.1036	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	RRF	Robustness	0.0676	max	0.0676	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	RRF	Robustness	0.0858	max	0.0858	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	RRF	Robustness	0.0946	max	0.0946	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	RRF	Robustness	0.093	max	0.093	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	RRF	Robustness	0.095	max	0.095	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	RRF	Robustness	0.0906	max	0.0906	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	RRF	Robustness	0.093	max	0.093	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	RRF	Robustness	0.0998	max	0.0998	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	RRF	Robustness	0.1014	max	0.1014	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	RRF	Robustness	0.1036	max	0.1036	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Schulze	Robustness	0.0684	max	0.0684	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Schulze	Robustness	0.0828	max	0.0828	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Schulze	Robustness	0.0876	max	0.0876	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Schulze	Robustness	0.0872	max	0.0872	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Schulze	Robustness	0.0958	max	0.0958	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Schulze	Robustness	0.0932	max	0.0932	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Schulze	Robustness	0.0956	max	0.0956	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Schulze	Robustness	0.0998	max	0.0998	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Schulze	Robustness	0.0984	max	0.0984	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Schulze	Robustness	0.1018	max	0.1018	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0714	max	0.0714	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0936	max	0.0936	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0948	max	0.0948	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0976	max	0.0976	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0984	max	0.0984	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0884	max	0.0884	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0956	max	0.0956	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0986	max	0.0986	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0976	max	0.0976	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.096	max	0.096	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2136	max	-0.2136	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2354	max	-0.2354	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2144	max	-0.2144	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2212	max	-0.2212	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.1932	max	-0.1932	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2024	max	-0.2024	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2006	max	-0.2006	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.1756	max	-0.1756	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.1668	max	-0.1668	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.1616	max	-0.1616	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2136	max	-0.2136	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2136	max	-0.2136	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2022	max	-0.2022	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2104	max	-0.2104	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.1842	max	-0.1842	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.195	max	-0.195	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.203	max	-0.203	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.1702	max	-0.1702	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.1414	max	-0.1414	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.1464	max	-0.1464	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2162	max	-0.2162	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.205	max	-0.205	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.196	max	-0.196	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2082	max	-0.2082	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.197	max	-0.197	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.202	max	-0.202	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2052	max	-0.2052	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.1812	max	-0.1812	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.1702	max	-0.1702	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.172	max	-0.172	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2136	max	-0.2136	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.224	max	-0.224	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2042	max	-0.2042	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.209	max	-0.209	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.1912	max	-0.1912	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2144	max	-0.2144	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2084	max	-0.2084	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.1674	max	-0.1674	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.1476	max	-0.1476	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.1586	max	-0.1586	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2192	max	-0.2192	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.22	max	-0.22	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2168	max	-0.2168	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2268	max	-0.2268	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2256	max	-0.2256	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.232	max	-0.232	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.221	max	-0.221	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2226	max	-0.2226	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2214	max	-0.2214	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2214	max	-0.2214	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Borda	Robustness	0.0544	max	0.0544	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Borda	Robustness	0.0636	max	0.0636	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Borda	Robustness	0.0688	max	0.0688	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Borda	Robustness	0.0688	max	0.0688	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Borda	Robustness	0.0752	max	0.0752	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Borda	Robustness	0.063	max	0.063	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Borda	Robustness	0.0656	max	0.0656	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Borda	Robustness	0.0698	max	0.0698	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Borda	Robustness	0.074	max	0.074	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Borda	Robustness	0.0692	max	0.0692	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.0544	max	0.0544	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.0576	max	0.0576	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.0652	max	0.0652	kendall_ mallows_ exact_ distance	0.496275	- 0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.063	max	0.063	kendall_ mallows_ exact_ distance	0.458333	- 0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.0722	max	0.0722	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.0664	max	0.0664	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.063	max	0.063	kendall_ mallows_ exact_ distance	0.404683	- 0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.0744	max	0.0744	kendall_ mallows_ exact_ distance	0.387434	- 0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.079	max	0.079	kendall_ mallows_ exact_ distance	0.389212	- 0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.0764	max	0.0764	kendall_ mallows_ exact_ distance	0.399779	- 0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	RRF	Robustness	0.0526	max	0.0526	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	RRF	Robustness	0.068	max	0.068	kendall_ mallows_ exact_ distance	0.656867	- 0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	RRF	Robustness	0.0688	max	0.0688	kendall_ mallows_ exact_ distance	0.496275	- 0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	RRF	Robustness	0.0696	max	0.0696	kendall_ mallows_ exact_ distance	0.458333	- 0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	RRF	Robustness	0.0672	max	0.0672	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	RRF	Robustness	0.0636	max	0.0636	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	RRF	Robustness	0.0666	max	0.0666	kendall_ mallows_ exact_ distance	0.404683	- 0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	RRF	Robustness	0.0704	max	0.0704	kendall_ mallows_ exact_ distance	0.387434	- 0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	RRF	Robustness	0.072	max	0.072	kendall_ mallows_ exact_ distance	0.389212	- 0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	RRF	Robustness	0.0744	max	0.0744	kendall_ mallows_ exact_ distance	0.399779	- 0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Schulze	Robustness	0.0544	max	0.0544	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Schulze	Robustness	0.062	max	0.062	kendall_ mallows_ exact_ distance	0.656867	- 0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Schulze	Robustness	0.0668	max	0.0668	kendall_ mallows_ exact_ distance	0.496275	- 0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Schulze	Robustness	0.0662	max	0.0662	kendall_ mallows_ exact_ distance	0.458333	- 0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Schulze	Robustness	0.0712	max	0.0712	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Schulze	Robustness	0.0682	max	0.0682	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Schulze	Robustness	0.0622	max	0.0622	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Schulze	Robustness	0.0708	max	0.0708	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Schulze	Robustness	0.0708	max	0.0708	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Schulze	Robustness	0.0756	max	0.0756	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0548	max	0.0548	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0684	max	0.0684	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0706	max	0.0706	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0748	max	0.0748	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0758	max	0.0758	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.067	max	0.067	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0688	max	0.0688	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0692	max	0.0692	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.069	max	0.069	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0672	max	0.0672	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1684	max	-0.1684	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1874	max	-0.1874	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.169	max	-0.169	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1748	max	-0.1748	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1512	max	-0.1512	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1562	max	-0.1562	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.158	max	-0.158	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.138	max	-0.138	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1326	max	-0.1326	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1228	max	-0.1228	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1684	max	-0.1684	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1678	max	-0.1678	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1622	max	-0.1622	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1718	max	-0.1718	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1454	max	-0.1454	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1602	max	-0.1602	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1646	max	-0.1646	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1324	max	-0.1324	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1042	max	-0.1042	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1096	max	-0.1096	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1692	max	-0.1692	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1558	max	-0.1558	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1506	max	-0.1506	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1666	max	-0.1666	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.153	max	-0.153	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1616	max	-0.1616	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1652	max	-0.1652	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1444	max	-0.1444	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1296	max	-0.1296	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.132	max	-0.132	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1684	max	-0.1684	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.175	max	-0.175	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1582	max	-0.1582	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1688	max	-0.1688	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1506	max	-0.1506	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.171	max	-0.171	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1696	max	-0.1696	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1286	max	-0.1286	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1122	max	-0.1122	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1222	max	-0.1222	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1706	max	-0.1706	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1738	max	-0.1738	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1716	max	-0.1716	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1838	max	-0.1838	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.182	max	-0.182	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1876	max	-0.1876	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1786	max	-0.1786	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1818	max	-0.1818	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1798	max	-0.1798	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1808	max	-0.1808	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	Borda	Robustness	0.0252	max	0.0252	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	Borda	Robustness	0.0236	max	0.0236	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	Borda	Robustness	0.0326	max	0.0326	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	Borda	Robustness	0.0324	max	0.0324	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	Borda	Robustness	0.0354	max	0.0354	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	Borda	Robustness	0.0278	max	0.0278	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	Borda	Robustness	0.0322	max	0.0322	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	Borda	Robustness	0.0332	max	0.0332	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	Borda	Robustness	0.0346	max	0.0346	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	Borda	Robustness	0.0368	max	0.0368	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	Kemeny	Robustness	0.0252	max	0.0252	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	Kemeny	Robustness	0.0268	max	0.0268	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	Kemeny	Robustness	0.0286	max	0.0286	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	Kemeny	Robustness	0.0322	max	0.0322	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	Kemeny	Robustness	0.0354	max	0.0354	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	Kemeny	Robustness	0.0342	max	0.0342	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	Kemeny	Robustness	0.0312	max	0.0312	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	Kemeny	Robustness	0.042	max	0.042	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	Kemeny	Robustness	0.0376	max	0.0376	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	Kemeny	Robustness	0.04	max	0.04	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	RRF	Robustness	0.0224	max	0.0224	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	RRF	Robustness	0.028	max	0.028	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	RRF	Robustness	0.0298	max	0.0298	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	RRF	Robustness	0.0298	max	0.0298	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	RRF	Robustness	0.0336	max	0.0336	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	RRF	Robustness	0.0322	max	0.0322	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	RRF	Robustness	0.033	max	0.033	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	RRF	Robustness	0.0388	max	0.0388	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	RRF	Robustness	0.0378	max	0.0378	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	RRF	Robustness	0.04	max	0.04	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	Schulze	Robustness	0.0252	max	0.0252	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	Schulze	Robustness	0.0234	max	0.0234	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	Schulze	Robustness	0.0278	max	0.0278	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	Schulze	Robustness	0.0352	max	0.0352	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	Schulze	Robustness	0.0334	max	0.0334	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	Schulze	Robustness	0.031	max	0.031	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	Schulze	Robustness	0.0368	max	0.0368	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	Schulze	Robustness	0.036	max	0.036	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	Schulze	Robustness	0.0384	max	0.0384	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	Schulze	Robustness	0.041	max	0.041	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	Simple Averaging	Robustness	0.0214	max	0.0214	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	Simple Averaging	Robustness	0.0322	max	0.0322	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	max	0.0338	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	Simple Averaging	Robustness	0.0352	max	0.0352	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	max	0.0338	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	Simple Averaging	Robustness	0.028	max	0.028	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	max	0.0338	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	Simple Averaging	Robustness	0.0344	max	0.0344	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	Simple Averaging	Robustness	0.034	max	0.034	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	Simple Averaging	Robustness	0.0322	max	0.0322	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Borda	Robustness	-0.081	max	-0.081	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Borda	Robustness	-0.0886	max	-0.0886	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Borda	Robustness	-0.074	max	-0.074	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Borda	Robustness	-0.0784	max	-0.0784	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Borda	Robustness	-0.0738	max	-0.0738	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Borda	Robustness	-0.0826	max	-0.0826	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Borda	Robustness	-0.0808	max	-0.0808	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Borda	Robustness	-0.0726	max	-0.0726	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Borda	Robustness	-0.0634	max	-0.0634	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Borda	Robustness	-0.0544	max	-0.0544	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Kemeny	Robustness	-0.081	max	-0.081	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Kemeny	Robustness	-0.077	max	-0.077	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Kemeny	Robustness	-0.067	max	-0.067	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0778	max	-0.0778	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0656	max	-0.0656	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0668	max	-0.0668	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Kemeny	Robustness	-0.078	max	-0.078	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Kemeny	Robustness	-0.062	max	-0.062	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0544	max	-0.0544	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Kemeny	Robustness	-0.048	max	-0.048	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	RRF	Robustness	-0.0828	max	-0.0828	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	RRF	Robustness	-0.0708	max	-0.0708	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	RRF	Robustness	-0.0664	max	-0.0664	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	RRF	Robustness	-0.0746	max	-0.0746	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	RRF	Robustness	-0.082	max	-0.082	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	RRF	Robustness	-0.0862	max	-0.0862	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	RRF	Robustness	-0.0906	max	-0.0906	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	RRF	Robustness	-0.0856	max	-0.0856	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	RRF	Robustness	-0.0692	max	-0.0692	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	RRF	Robustness	-0.066	max	-0.066	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Schulze	Robustness	-0.081	max	-0.081	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Schulze	Robustness	-0.079	max	-0.079	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Schulze	Robustness	-0.0732	max	-0.0732	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Schulze	Robustness	-0.0742	max	-0.0742	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Schulze	Robustness	-0.0708	max	-0.0708	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Schulze	Robustness	-0.0874	max	-0.0874	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Schulze	Robustness	-0.0858	max	-0.0858	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Schulze	Robustness	-0.0728	max	-0.0728	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Schulze	Robustness	-0.0562	max	-0.0562	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Schulze	Robustness	-0.056	max	-0.056	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0818	max	-0.0818	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0762	max	-0.0762	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0796	max	-0.0796	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0836	max	-0.0836	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0788	max	-0.0788	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.088	max	-0.088	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0808	max	-0.0808	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.079	max	-0.079	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0808	max	-0.0808	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0812	max	-0.0812	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	Borda	Robustness	0.0288	max	0.0288	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	Borda	Robustness	0.0238	max	0.0238	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	Borda	Robustness	0.0312	max	0.0312	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	Borda	Robustness	0.0274	max	0.0274	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	Borda	Robustness	0.033	max	0.033	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	Borda	Robustness	0.0262	max	0.0262	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	Borda	Robustness	0.0254	max	0.0254	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	Borda	Robustness	0.027	max	0.027	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	Borda	Robustness	0.032	max	0.032	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	Borda	Robustness	0.0266	max	0.0266	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	Kemeny	Robustness	0.0288	max	0.0288	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	Kemeny	Robustness	0.0268	max	0.0268	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	Kemeny	Robustness	0.0278	max	0.0278	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	Kemeny	Robustness	0.0292	max	0.0292	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	Kemeny	Robustness	0.0286	max	0.0286	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	Kemeny	Robustness	0.0324	max	0.0324	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	Kemeny	Robustness	0.026	max	0.026	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	Kemeny	Robustness	0.035	max	0.035	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	Kemeny	Robustness	0.0328	max	0.0328	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	Kemeny	Robustness	0.0324	max	0.0324	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	RRF	Robustness	0.026	max	0.026	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	RRF	Robustness	0.0308	max	0.0308	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	RRF	Robustness	0.029	max	0.029	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	RRF	Robustness	0.0256	max	0.0256	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	RRF	Robustness	0.028	max	0.028	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	RRF	Robustness	0.0268	max	0.0268	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	RRF	Robustness	0.0268	max	0.0268	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	RRF	Robustness	0.0312	max	0.0312	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	RRF	Robustness	0.0304	max	0.0304	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	RRF	Robustness	0.0308	max	0.0308	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	Schulze	Robustness	0.0288	max	0.0288	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	Schulze	Robustness	0.0228	max	0.0228	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	Schulze	Robustness	0.0272	max	0.0272	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	Schulze	Robustness	0.0312	max	0.0312	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	Schulze	Robustness	0.029	max	0.029	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	Schulze	Robustness	0.0288	max	0.0288	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	Schulze	Robustness	0.0304	max	0.0304	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	Schulze	Robustness	0.0326	max	0.0326	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	Schulze	Robustness	0.0326	max	0.0326	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	Schulze	Robustness	0.0342	max	0.0342	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	Simple Averaging	Robustness	0.0234	max	0.0234	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	Simple Averaging	Robustness	0.0306	max	0.0306	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	Simple Averaging	Robustness	0.0314	max	0.0314	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	Simple Averaging	Robustness	0.034	max	0.034	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0348	max	0.0348	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	Simple Averaging	Robustness	0.031	max	0.031	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	Simple Averaging	Robustness	0.0244	max	0.0244	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	Simple Averaging	Robustness	0.0248	max	0.0248	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	Simple Averaging	Robustness	0.025	max	0.025	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	Simple Averaging	Robustness	0.024	max	0.024	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Borda	Robustness	-0.0616	max	-0.0616	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Borda	Robustness	-0.0666	max	-0.0666	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Borda	Robustness	-0.0542	max	-0.0542	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Borda	Robustness	-0.0578	max	-0.0578	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Borda	Robustness	-0.0564	max	-0.0564	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Borda	Robustness	-0.0646	max	-0.0646	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Borda	Robustness	-0.0612	max	-0.0612	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Borda	Robustness	-0.0616	max	-0.0616	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Borda	Robustness	-0.0518	max	-0.0518	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Borda	Robustness	-0.04	max	-0.04	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0616	max	-0.0616	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0592	max	-0.0592	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0514	max	-0.0514	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0612	max	-0.0612	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0486	max	-0.0486	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0562	max	-0.0562	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Kemeny	Robustness	-0.065	max	-0.065	kendall__mallows__exact__distance	0.404683	0.404683	0.002	5469.8	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0518	max	-0.0518	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Kemeny	Robustness	-0.043	max	-0.043	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0378	max	-0.0378	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	RRF	Robustness	-0.0642	max	-0.0642	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	RRF	Robustness	-0.0494	max	-0.0494	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	RRF	Robustness	-0.05	max	-0.05	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	RRF	Robustness	-0.0556	max	-0.0556	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	RRF	Robustness	-0.0648	max	-0.0648	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	RRF	Robustness	-0.0728	max	-0.0728	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	RRF	Robustness	-0.076	max	-0.076	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	RRF	Robustness	-0.0722	max	-0.0722	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	RRF	Robustness	-0.057	max	-0.057	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	RRF	Robustness	-0.0516	max	-0.0516	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Schulze	Robustness	-0.0616	max	-0.0616	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Schulze	Robustness	-0.0614	max	-0.0614	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Schulze	Robustness	-0.056	max	-0.056	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Schulze	Robustness	-0.0584	max	-0.0584	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Schulze	Robustness	-0.051	max	-0.051	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Schulze	Robustness	-0.0728	max	-0.0728	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Schulze	Robustness	-0.073	max	-0.073	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Schulze	Robustness	-0.0588	max	-0.0588	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Schulze	Robustness	-0.044	max	-0.044	kendall_ mallows_ exact_ distance	0.389212	- 0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Schulze	Robustness	-0.0466	max	-0.0466	kendall_ mallows_ exact_ distance	0.399779	- 0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0636	max	-0.0636	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0568	max	-0.0568	kendall_ mallows_ exact_ distance	0.656867	- 0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0616	max	-0.0616	kendall_ mallows_ exact_ distance	0.496275	- 0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0662	max	-0.0662	kendall_ mallows_ exact_ distance	0.458333	- 0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0624	max	-0.0624	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.069	max	-0.069	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.063	max	-0.063	kendall_ mallows_ exact_ distance	0.404683	- 0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.063	max	-0.063	kendall_ mallows_ exact_ distance	0.387434	- 0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0654	max	-0.0654	kendall_ mallows_ exact_ distance	0.389212	- 0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.066	max	-0.066	kendall_ mallows_ exact_ distance	0.399779	- 0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	Borda	Quality	0.1352	max	0.1352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	Borda	Quality	0.0956	max	0.0956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	Borda	Quality	0.1034	max	0.1034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	Borda	Quality	0.1068	max	0.1068	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	Borda	Quality	0.1044	max	0.1044	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	Borda	Quality	0.1068	max	0.1068	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	Borda	Quality	0.0956	max	0.0956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	Borda	Quality	0.0912	max	0.0912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	Borda	Quality	0.0844	max	0.0844	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	Borda	Quality	0.0802	max	0.0802	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	Kemeny	Quality	0.1352	max	0.1352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	Kemeny	Quality	0.1362	max	0.1362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	Kemeny	Quality	0.1362	max	0.1362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	Kemeny	Quality	0.1234	max	0.1234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	Kemeny	Quality	0.1142	max	0.1142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	Kemeny	Quality	0.1134	max	0.1134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	Kemeny	Quality	0.1136	max	0.1136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	Kemeny	Quality	0.0994	max	0.0994	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	Kemeny	Quality	0.0912	max	0.0912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	Kemeny	Quality	0.0856	max	0.0856	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	RRF	Quality	0.1356	max	0.1356	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	RRF	Quality	0.123	max	0.123	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	RRF	Quality	0.1276	max	0.1276	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	RRF	Quality	0.1196	max	0.1196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	RRF	Quality	0.1164	max	0.1164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	RRF	Quality	0.1124	max	0.1124	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	RRF	Quality	0.1074	max	0.1074	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	RRF	Quality	0.1014	max	0.1014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	RRF	Quality	0.0946	max	0.0946	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	RRF	Quality	0.0892	max	0.0892	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	Schulze	Quality	0.1352	max	0.1352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	Schulze	Quality	0.125	max	0.125	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	Schulze	Quality	0.1368	max	0.1368	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	Schulze	Quality	0.1182	max	0.1182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	Schulze	Quality	0.1126	max	0.1126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	Schulze	Quality	0.1152	max	0.1152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	Schulze	Quality	0.1046	max	0.1046	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	Schulze	Quality	0.1002	max	0.1002	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	Schulze	Quality	0.0912	max	0.0912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	Schulze	Quality	0.0848	max	0.0848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	Simple Averaging	Quality	0.132	max	0.132	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	Simple Averaging	Quality	0.1198	max	0.1198	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	Simple Averaging	Quality	0.1216	max	0.1216	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	Simple Averaging	Quality	0.1146	max	0.1146	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	Simple Averaging	Quality	0.1158	max	0.1158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	Simple Averaging	Quality	0.1172	max	0.1172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	Simple Averaging	Quality	0.1056	max	0.1056	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	Simple Averaging	Quality	0.1032	max	0.1032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	Simple Averaging	Quality	0.103	max	0.103	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	Simple Averaging	Quality	0.1032	max	0.1032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	Borda	Quality	0.146	min	-0.146	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	Borda	Quality	0.1508	min	-0.1508	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	Borda	Quality	0.1572	min	-0.1572	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	Borda	Quality	0.1632	min	-0.1632	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	Borda	Quality	0.1876	min	-0.1876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	Borda	Quality	0.1864	min	-0.1864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	Borda	Quality	0.1866	min	-0.1866	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	Borda	Quality	0.2224	min	-0.2224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	Borda	Quality	0.2628	min	-0.2628	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	Borda	Quality	0.2866	min	-0.2866	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	Kemeny	Quality	0.146	min	-0.146	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	Kemeny	Quality	0.1464	min	-0.1464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	Kemeny	Quality	0.1458	min	-0.1458	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	Kemeny	Quality	0.1714	min	-0.1714	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	Kemeny	Quality	0.2028	min	-0.2028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	Kemeny	Quality	0.2112	min	-0.2112	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	Kemeny	Quality	0.201	min	-0.201	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	Kemeny	Quality	0.2544	min	-0.2544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	Kemeny	Quality	0.317	min	-0.317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	Kemeny	Quality	0.3318	min	-0.3318	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	RRF	Quality	0.1442	min	-0.1442	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	RRF	Quality	0.1468	min	-0.1468	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	RRF	Quality	0.1462	min	-0.1462	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	RRF	Quality	0.1572	min	-0.1572	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	RRF	Quality	0.1782	min	-0.1782	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	RRF	Quality	0.1852	min	-0.1852	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	RRF	Quality	0.1854	min	-0.1854	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	RRF	Quality	0.2236	min	-0.2236	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	RRF	Quality	0.27	min	-0.27	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	RRF	Quality	0.2798	min	-0.2798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	Schulze	Quality	0.146	min	-0.146	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	Schulze	Quality	0.1484	min	-0.1484	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	Schulze	Quality	0.1458	min	-0.1458	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	Schulze	Quality	0.1636	min	-0.1636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	Schulze	Quality	0.1886	min	-0.1886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	Schulze	Quality	0.183	min	-0.183	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	Schulze	Quality	0.189	min	-0.189	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	Schulze	Quality	0.2294	min	-0.2294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	Schulze	Quality	0.2956	min	-0.2956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	Schulze	Quality	0.2966	min	-0.2966	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	Simple Averaging	Quality	0.1484	min	-0.1484	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	Simple Averaging	Quality	0.1478	min	-0.1478	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	Simple Averaging	Quality	0.147	min	-0.147	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	Simple Averaging	Quality	0.1524	min	-0.1524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	Simple Averaging	Quality	0.1532	min	-0.1532	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	Simple Averaging	Quality	0.1576	min	-0.1576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	Simple Averaging	Quality	0.1706	min	-0.1706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	Simple Averaging	Quality	0.1722	min	-0.1722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	Simple Averaging	Quality	0.1738	min	-0.1738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	Simple Averaging	Quality	0.1744	min	-0.1744	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	Borda	Quality	0.0864	max	0.0864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	Borda	Quality	0.0506	max	0.0506	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	Borda	Quality	0.0572	max	0.0572	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	Borda	Quality	0.0634	max	0.0634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	Borda	Quality	0.0604	max	0.0604	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	Borda	Quality	0.066	max	0.066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	Borda	Quality	0.0582	max	0.0582	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	Borda	Quality	0.0552	max	0.0552	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	Borda	Quality	0.0494	max	0.0494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	Borda	Quality	0.0478	max	0.0478	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	Kemeny	Quality	0.0864	max	0.0864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	Kemeny	Quality	0.0874	max	0.0874	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	Kemeny	Quality	0.087	max	0.087	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	Kemeny	Quality	0.0796	max	0.0796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	Kemeny	Quality	0.0728	max	0.0728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	Kemeny	Quality	0.0716	max	0.0716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	Kemeny	Quality	0.0738	max	0.0738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	Kemeny	Quality	0.0624	max	0.0624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	Kemeny	Quality	0.0542	max	0.0542	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	Kemeny	Quality	0.05	max	0.05	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	RRF	Quality	0.0872	max	0.0872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	RRF	Quality	0.0726	max	0.0726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	RRF	Quality	0.0804	max	0.0804	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	RRF	Quality	0.0762	max	0.0762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	RRF	Quality	0.0738	max	0.0738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	RRF	Quality	0.073	max	0.073	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	RRF	Quality	0.0688	max	0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	RRF	Quality	0.0634	max	0.0634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	RRF	Quality	0.0574	max	0.0574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	RRF	Quality	0.0538	max	0.0538	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	Schulze	Quality	0.0864	max	0.0864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	Schulze	Quality	0.0764	max	0.0764	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	Schulze	Quality	0.0874	max	0.0874	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	Schulze	Quality	0.0742	max	0.0742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	Schulze	Quality	0.0698	max	0.0698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	Schulze	Quality	0.0726	max	0.0726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	Schulze	Quality	0.0684	max	0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	Schulze	Quality	0.0614	max	0.0614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	Schulze	Quality	0.0552	max	0.0552	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	Schulze	Quality	0.0488	max	0.0488	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	Simple Averaging	Quality	0.0852	max	0.0852	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	Simple Averaging	Quality	0.0734	max	0.0734	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	Simple Averaging	Quality	0.0748	max	0.0748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	Simple Averaging	Quality	0.0686	max	0.0686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	Simple Averaging	Quality	0.0692	max	0.0692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	Simple Averaging	Quality	0.0696	max	0.0696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	Simple Averaging	Quality	0.0662	max	0.0662	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	Simple Averaging	Quality	0.0648	max	0.0648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	Simple Averaging	Quality	0.064	max	0.064	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	Simple Averaging	Quality	0.0642	max	0.0642	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	Borda	Quality	0.0928	min	-0.0928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	Borda	Quality	0.1026	min	-0.1026	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	Borda	Quality	0.1076	min	-0.1076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	Borda	Quality	0.1114	min	-0.1114	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	Borda	Quality	0.1326	min	-0.1326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	Borda	Quality	0.1326	min	-0.1326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	Borda	Quality	0.1334	min	-0.1334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	Borda	Quality	0.1634	min	-0.1634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	Borda	Quality	0.2012	min	-0.2012	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	Borda	Quality	0.2256	min	-0.2256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	Kemeny	Quality	0.0928	min	-0.0928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	Kemeny	Quality	0.0946	min	-0.0946	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	Kemeny	Quality	0.0922	min	-0.0922	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	Kemeny	Quality	0.1154	min	-0.1154	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	Kemeny	Quality	0.1464	min	-0.1464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	Kemeny	Quality	0.152	min	-0.152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	Kemeny	Quality	0.143	min	-0.143	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	Kemeny	Quality	0.1934	min	-0.1934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	Kemeny	Quality	0.2546	min	-0.2546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	Kemeny	Quality	0.2684	min	-0.2684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	RRF	Quality	0.092	min	-0.092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	RRF	Quality	0.096	min	-0.096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	RRF	Quality	0.096	min	-0.096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	RRF	Quality	0.105	min	-0.105	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	RRF	Quality	0.1246	min	-0.1246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	RRF	Quality	0.1278	min	-0.1278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	RRF	Quality	0.127	min	-0.127	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	RRF	Quality	0.1624	min	-0.1624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	RRF	Quality	0.2086	min	-0.2086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	RRF	Quality	0.2172	min	-0.2172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	Schulze	Quality	0.0928	min	-0.0928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	Schulze	Quality	0.0978	min	-0.0978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	Schulze	Quality	0.0952	min	-0.0952	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	Schulze	Quality	0.109	min	-0.109	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	Schulze	Quality	0.1338	min	-0.1338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	Schulze	Quality	0.1302	min	-0.1302	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	Schulze	Quality	0.1302	min	-0.1302	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	Schulze	Quality	0.1726	min	-0.1726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	Schulze	Quality	0.2342	min	-0.2342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	Schulze	Quality	0.2336	min	-0.2336	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	Simple Averaging	Quality	0.0966	min	-0.0966	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	Simple Averaging	Quality	0.097	min	-0.097	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	Simple Averaging	Quality	0.0956	min	-0.0956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	Simple Averaging	Quality	0.1002	min	-0.1002	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	Simple Averaging	Quality	0.0998	min	-0.0998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	Simple Averaging	Quality	0.1038	min	-0.1038	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	Simple Averaging	Quality	0.1152	min	-0.1152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	Simple Averaging	Quality	0.1164	min	-0.1164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	Simple Averaging	Quality	0.1176	min	-0.1176	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	Simple Averaging	Quality	0.1174	min	-0.1174	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	C	Borda	Robustness	0.091	max	0.091	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	C	Borda	Robustness	0.1214	max	0.1214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	C	Borda	Robustness	0.1042	max	0.1042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Borda	Robustness	0.0962	max	0.0962	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	Borda	Robustness	0.092	max	0.092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	Borda	Robustness	0.0886	max	0.0886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	Borda	Robustness	0.0998	max	0.0998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	Borda	Robustness	0.0924	max	0.0924	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	Borda	Robustness	0.0934	max	0.0934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	Borda	Robustness	0.095	max	0.095	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.091	max	0.091	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0926	max	0.0926	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0916	max	0.0916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.087	max	0.087	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	C	Kemeny	Robustness	0.0856	max	0.0856	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	C	Kemeny	Robustness	0.0876	max	0.0876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	C	Kemeny	Robustness	0.0808	max	0.0808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	C	Kemeny	Robustness	0.085	max	0.085	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	C	Kemeny	Robustness	0.084	max	0.084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	C	Kemeny	Robustness	0.0926	max	0.0926	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	C	RRF	Robustness	0.0902	max	0.0902	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	C	RRF	Robustness	0.1024	max	0.1024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	C	RRF	Robustness	0.0916	max	0.0916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	C	RRF	Robustness	0.0864	max	0.0864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	C	RRF	Robustness	0.0834	max	0.0834	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	C	RRF	Robustness	0.0876	max	0.0876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	C	RRF	Robustness	0.0866	max	0.0866	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	C	RRF	Robustness	0.0862	max	0.0862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	C	RRF	Robustness	0.0846	max	0.0846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	C	RRF	Robustness	0.0886	max	0.0886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	C	Schulze	Robustness	0.091	max	0.091	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	C	Schulze	Robustness	0.0968	max	0.0968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	C	Schulze	Robustness	0.0834	max	0.0834	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	C	Schulze	Robustness	0.0912	max	0.0912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	C	Schulze	Robustness	0.0856	max	0.0856	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	C	Schulze	Robustness	0.0804	max	0.0804	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	Schulze	Robustness	0.0892	max	0.0892	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	Schulze	Robustness	0.083	max	0.083	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	Schulze	Robustness	0.0852	max	0.0852	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	Schulze	Robustness	0.0904	max	0.0904	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0934	max	0.0934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0928	max	0.0928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.083	max	0.083	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0836	max	0.0836	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.078	max	0.078	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0782	max	0.0782	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0822	max	0.0822	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	C	Simple Averaging	Robustness	0.0842	max	0.0842	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	C	Simple Averaging	Robustness	0.08	max	0.08	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	C	Simple Averaging	Robustness	0.0788	max	0.0788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Cbar	Borda	Robustness	-0.2096	max	-0.2096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Cbar	Borda	Robustness	-0.201	max	-0.201	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Cbar	Borda	Robustness	-0.2358	max	-0.2358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Cbar	Borda	Robustness	-0.2572	max	-0.2572	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Cbar	Borda	Robustness	-0.264	max	-0.264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Cbar	Borda	Robustness	-0.2686	max	-0.2686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Cbar	Borda	Robustness	-0.2654	max	-0.2654	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Cbar	Borda	Robustness	-0.2664	max	-0.2664	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	Borda	Robustness	-0.2626	max	-0.2626	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Cbar	Borda	Robustness	-0.2556	max	-0.2556	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Cbar	Kemeny	Robustness	-0.2096	max	-0.2096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Cbar	Kemeny	Robustness	-0.2164	max	-0.2164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Cbar	Kemeny	Robustness	-0.239	max	-0.239	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Cbar	Kemeny	Robustness	-0.2498	max	-0.2498	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Cbar	Kemeny	Robustness	-0.2486	max	-0.2486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Cbar	Kemeny	Robustness	-0.2376	max	-0.2376	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Cbar	Kemeny	Robustness	-0.2486	max	-0.2486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Cbar	Kemeny	Robustness	-0.246	max	-0.246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	Kemeny	Robustness	-0.234	max	-0.234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Cbar	Kemeny	Robustness	-0.2166	max	-0.2166	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Cbar	RRF	Robustness	-0.2102	max	-0.2102	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Cbar	RRF	Robustness	-0.2064	max	-0.2064	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Cbar	RRF	Robustness	-0.2372	max	-0.2372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Cbar	RRF	Robustness	-0.268	max	-0.268	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Cbar	RRF	Robustness	-0.2666	max	-0.2666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Cbar	RRF	Robustness	-0.2614	max	-0.2614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Cbar	RRF	Robustness	-0.2572	max	-0.2572	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Cbar	RRF	Robustness	-0.2636	max	-0.2636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	RRF	Robustness	-0.2502	max	-0.2502	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Cbar	RRF	Robustness	-0.2434	max	-0.2434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Cbar	Schulze	Robustness	-0.2096	max	-0.2096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Cbar	Schulze	Robustness	-0.1992	max	-0.1992	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Cbar	Schulze	Robustness	-0.2324	max	-0.2324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Cbar	Schulze	Robustness	-0.2574	max	-0.2574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Cbar	Schulze	Robustness	-0.267	max	-0.267	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Cbar	Schulze	Robustness	-0.2672	max	-0.2672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Cbar	Schulze	Robustness	-0.2616	max	-0.2616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Cbar	Schulze	Robustness	-0.2596	max	-0.2596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	Schulze	Robustness	-0.244	max	-0.244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Cbar	Schulze	Robustness	-0.2418	max	-0.2418	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	-0.2052	max	-0.2052	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	-0.2038	max	-0.2038	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	-0.2204	max	-0.2204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	-0.2532	max	-0.2532	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	-0.262	max	-0.262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	-0.2722	max	-0.2722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	-0.2576	max	-0.2576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	-0.2738	max	-0.2738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	-0.284	max	-0.284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	-0.2848	max	-0.2848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	F	Borda	Robustness	0.076	max	0.076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	F	Borda	Robustness	0.1022	max	0.1022	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	F	Borda	Robustness	0.0902	max	0.0902	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	F	Borda	Robustness	0.0782	max	0.0782	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	F	Borda	Robustness	0.0778	max	0.0778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	F	Borda	Robustness	0.0726	max	0.0726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	F	Borda	Robustness	0.0808	max	0.0808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	F	Borda	Robustness	0.0718	max	0.0718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	F	Borda	Robustness	0.0718	max	0.0718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	F	Borda	Robustness	0.0736	max	0.0736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	F	Kemeny	Robustness	0.076	max	0.076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	F	Kemeny	Robustness	0.077	max	0.077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	F	Kemeny	Robustness	0.0766	max	0.0766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	F	Kemeny	Robustness	0.0688	max	0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	F	Kemeny	Robustness	0.0672	max	0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	F	Kemeny	Robustness	0.0688	max	0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	F	Kemeny	Robustness	0.0622	max	0.0622	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	F	Kemeny	Robustness	0.0638	max	0.0638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	F	Kemeny	Robustness	0.0654	max	0.0654	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	F	Kemeny	Robustness	0.0714	max	0.0714	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	F	RRF	Robustness	0.0764	max	0.0764	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	F	RRF	Robustness	0.086	max	0.086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	F	RRF	Robustness	0.0734	max	0.0734	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	F	RRF	Robustness	0.0678	max	0.0678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	RRF	Robustness	0.0662	max	0.0662	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	RRF	Robustness	0.0672	max	0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	RRF	Robustness	0.065	max	0.065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	RRF	Robustness	0.066	max	0.066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	F	RRF	Robustness	0.0666	max	0.0666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	F	RRF	Robustness	0.0696	max	0.0696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.076	max	0.076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.079	max	0.079	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.0706	max	0.0706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.0744	max	0.0744	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.0698	max	0.0698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	F	Schulze	Robustness	0.065	max	0.065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	F	Schulze	Robustness	0.0692	max	0.0692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	F	Schulze	Robustness	0.0642	max	0.0642	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	F	Schulze	Robustness	0.0652	max	0.0652	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	F	Schulze	Robustness	0.072	max	0.072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0772	max	0.0772	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0752	max	0.0752	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0676	max	0.0676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0688	max	0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0648	max	0.0648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0646	max	0.0646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0672	max	0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0672	max	0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	F	Simple Averaging	Robustness	0.065	max	0.065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0632	max	0.0632	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	Borda	Robustness	-0.2034	max	-0.2034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	Borda	Robustness	-0.1906	max	-0.1906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	Borda	Robustness	-0.2242	max	-0.2242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	Borda	Robustness	-0.248	max	-0.248	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	Borda	Robustness	-0.256	max	-0.256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	Borda	Robustness	-0.2546	max	-0.2546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	Borda	Robustness	-0.2486	max	-0.2486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	Borda	Robustness	-0.257	max	-0.257	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	Borda	Robustness	-0.254	max	-0.254	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	Borda	Robustness	-0.2438	max	-0.2438	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	Kemeny	Robustness	-0.2034	max	-0.2034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	Kemeny	Robustness	-0.207	max	-0.207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	Kemeny	Robustness	-0.2344	max	-0.2344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	Kemeny	Robustness	-0.2416	max	-0.2416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	Kemeny	Robustness	-0.2386	max	-0.2386	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	Kemeny	Robustness	-0.2282	max	-0.2282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	Kemeny	Robustness	-0.2356	max	-0.2356	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	Kemeny	Robustness	-0.2382	max	-0.2382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	Kemeny	Robustness	-0.2262	max	-0.2262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	Kemeny	Robustness	-0.2106	max	-0.2106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	RRF	Robustness	-0.204	max	-0.204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	RRF	Robustness	-0.2022	max	-0.2022	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	RRF	Robustness	-0.2262	max	-0.2262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	RRF	Robustness	-0.2546	max	-0.2546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	RRF	Robustness	-0.2526	max	-0.2526	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	RRF	Robustness	-0.2504	max	-0.2504	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	RRF	Robustness	-0.2458	max	-0.2458	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	RRF	Robustness	-0.2544	max	-0.2544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	RRF	Robustness	-0.2426	max	-0.2426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	RRF	Robustness	-0.238	max	-0.238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	Schulze	Robustness	-0.2034	max	-0.2034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	Schulze	Robustness	-0.191	max	-0.191	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	Schulze	Robustness	-0.225	max	-0.225	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	Schulze	Robustness	-0.2486	max	-0.2486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	Schulze	Robustness	-0.2534	max	-0.2534	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	Schulze	Robustness	-0.2512	max	-0.2512	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	Schulze	Robustness	-0.2494	max	-0.2494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	Schulze	Robustness	-0.2456	max	-0.2456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	Schulze	Robustness	-0.2358	max	-0.2358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	Schulze	Robustness	-0.2358	max	-0.2358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.198	max	-0.198	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.1992	max	-0.1992	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2134	max	-0.2134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2444	max	-0.2444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2506	max	-0.2506	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2612	max	-0.2612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2474	max	-0.2474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2612	max	-0.2612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2698	max	-0.2698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	-0.2696	max	-0.2696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	Borda	Robustness	0.0846	max	0.0846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	Borda	Robustness	0.1022	max	0.1022	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	Borda	Robustness	0.1066	max	0.1066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	Borda	Robustness	0.1024	max	0.1024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	Borda	Robustness	0.1052	max	0.1052	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	Borda	Robustness	0.0982	max	0.0982	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	Borda	Robustness	0.1064	max	0.1064	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	Borda	Robustness	0.11	max	0.11	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	Borda	Robustness	0.119	max	0.119	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	Borda	Robustness	0.1126	max	0.1126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	Kemeny	Robustness	0.0846	max	0.0846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	Kemeny	Robustness	0.0906	max	0.0906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	Kemeny	Robustness	0.0984	max	0.0984	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	Kemeny	Robustness	0.0962	max	0.0962	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	Kemeny	Robustness	0.111	max	0.111	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	Kemeny	Robustness	0.1052	max	0.1052	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	Kemeny	Robustness	0.1076	max	0.1076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	Kemeny	Robustness	0.1174	max	0.1174	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	Kemeny	Robustness	0.119	max	0.119	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	Kemeny	Robustness	0.1174	max	0.1174	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	RRF	Robustness	0.0862	max	0.0862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	RRF	Robustness	0.1028	max	0.1028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	RRF	Robustness	0.1046	max	0.1046	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	RRF	Robustness	0.1008	max	0.1008	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	RRF	Robustness	0.1096	max	0.1096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	RRF	Robustness	0.1044	max	0.1044	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	RRF	Robustness	0.1142	max	0.1142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	RRF	Robustness	0.1166	max	0.1166	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	RRF	Robustness	0.1136	max	0.1136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	RRF	Robustness	0.1182	max	0.1182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	Schulze	Robustness	0.0846	max	0.0846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	Schulze	Robustness	0.0962	max	0.0962	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	Schulze	Robustness	0.1046	max	0.1046	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	Schulze	Robustness	0.101	max	0.101	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	Schulze	Robustness	0.1136	max	0.1136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	Schulze	Robustness	0.0978	max	0.0978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	Schulze	Robustness	0.109	max	0.109	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	Schulze	Robustness	0.1158	max	0.1158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	Schulze	Robustness	0.1166	max	0.1166	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	Schulze	Robustness	0.1186	max	0.1186	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.0826	max	0.0826	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.108	max	0.108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.1106	max	0.1106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.1064	max	0.1064	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.108	max	0.108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.0994	max	0.0994	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.1098	max	0.1098	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.1136	max	0.1136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.112	max	0.112	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.1104	max	0.1104	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Borda	Robustness	-0.272	max	-0.272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Borda	Robustness	-0.3032	max	-0.3032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Borda	Robustness	-0.27	max	-0.27	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Borda	Robustness	-0.278	max	-0.278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Borda	Robustness	-0.2582	max	-0.2582	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Borda	Robustness	-0.2622	max	-0.2622	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Borda	Robustness	-0.2684	max	-0.2684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Borda	Robustness	-0.2422	max	-0.2422	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Borda	Robustness	-0.2304	max	-0.2304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Borda	Robustness	-0.2226	max	-0.2226	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.272	max	-0.272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2712	max	-0.2712	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2536	max	-0.2536	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.277	max	-0.277	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2466	max	-0.2466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2566	max	-0.2566	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2588	max	-0.2588	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2306	max	-0.2306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2028	max	-0.2028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.1992	max	-0.1992	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	RRF	Robustness	-0.2736	max	-0.2736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	RRF	Robustness	-0.273	max	-0.273	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	RRF	Robustness	-0.2588	max	-0.2588	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	RRF	Robustness	-0.276	max	-0.276	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	RRF	Robustness	-0.2604	max	-0.2604	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	RRF	Robustness	-0.2706	max	-0.2706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	RRF	Robustness	-0.2622	max	-0.2622	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	RRF	Robustness	-0.2428	max	-0.2428	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	RRF	Robustness	-0.2338	max	-0.2338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	RRF	Robustness	-0.2304	max	-0.2304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Schulze	Robustness	-0.272	max	-0.272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2864	max	-0.2864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2594	max	-0.2594	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2744	max	-0.2744	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Schulze	Robustness	-0.252	max	-0.252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Schulze	Robustness	-0.266	max	-0.266	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2628	max	-0.2628	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2388	max	-0.2388	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Schulze	Robustness	-0.209	max	-0.209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2112	max	-0.2112	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2718	max	-0.2718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2798	max	-0.2798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.279	max	-0.279	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.292	max	-0.292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2868	max	-0.2868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.294	max	-0.294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2862	max	-0.2862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2884	max	-0.2884	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.292	max	-0.292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2906	max	-0.2906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	Borda	Robustness	0.073	max	0.073	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	Borda	Robustness	0.0796	max	0.0796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	Borda	Robustness	0.0838	max	0.0838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	Borda	Robustness	0.0762	max	0.0762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	Borda	Robustness	0.0786	max	0.0786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	Borda	Robustness	0.0722	max	0.0722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	Borda	Robustness	0.075	max	0.075	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	Borda	Robustness	0.0758	max	0.0758	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	Borda	Robustness	0.0834	max	0.0834	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	Borda	Robustness	0.0786	max	0.0786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	Kemeny	Robustness	0.073	max	0.073	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	Kemeny	Robustness	0.0716	max	0.0716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	Kemeny	Robustness	0.079	max	0.079	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	Kemeny	Robustness	0.0748	max	0.0748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	Kemeny	Robustness	0.0842	max	0.0842	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	Kemeny	Robustness	0.0822	max	0.0822	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	Kemeny	Robustness	0.082	max	0.082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	Kemeny	Robustness	0.0848	max	0.0848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	Kemeny	Robustness	0.0866	max	0.0866	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	Kemeny	Robustness	0.0846	max	0.0846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	RRF	Robustness	0.0736	max	0.0736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	RRF	Robustness	0.0816	max	0.0816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	RRF	Robustness	0.0812	max	0.0812	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	RRF	Robustness	0.0754	max	0.0754	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	RRF	Robustness	0.0816	max	0.0816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	RRF	Robustness	0.0766	max	0.0766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	RRF	Robustness	0.0814	max	0.0814	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	RRF	Robustness	0.0822	max	0.0822	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	RRF	Robustness	0.0794	max	0.0794	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	RRF	Robustness	0.0834	max	0.0834	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	Schulze	Robustness	0.073	max	0.073	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	Schulze	Robustness	0.0742	max	0.0742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	Schulze	Robustness	0.085	max	0.085	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	Schulze	Robustness	0.0766	max	0.0766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	Schulze	Robustness	0.0826	max	0.0826	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	Schulze	Robustness	0.0786	max	0.0786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	Schulze	Robustness	0.0784	max	0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	Schulze	Robustness	0.0848	max	0.0848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	Schulze	Robustness	0.084	max	0.084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	Schulze	Robustness	0.0862	max	0.0862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.0672	max	0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.0828	max	0.0828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.0834	max	0.0834	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.077	max	0.077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.0784	max	0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.0742	max	0.0742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.0762	max	0.0762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.0792	max	0.0792	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.0784	max	0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.0774	max	0.0774	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Borda	Robustness	-0.223	max	-0.223	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Borda	Robustness	-0.2524	max	-0.2524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Borda	Robustness	-0.2212	max	-0.2212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Borda	Robustness	-0.2288	max	-0.2288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Borda	Robustness	-0.213	max	-0.213	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Borda	Robustness	-0.2164	max	-0.2164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Borda	Robustness	-0.22	max	-0.22	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Borda	Robustness	-0.1984	max	-0.1984	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Borda	Robustness	-0.1898	max	-0.1898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Borda	Robustness	-0.1832	max	-0.1832	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.223	max	-0.223	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2204	max	-0.2204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2088	max	-0.2088	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2326	max	-0.2326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2006	max	-0.2006	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.215	max	-0.215	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.2158	max	-0.2158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.1886	max	-0.1886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.1636	max	-0.1636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.161	max	-0.161	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	RRF	Robustness	-0.2246	max	-0.2246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	RRF	Robustness	-0.224	max	-0.224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	RRF	Robustness	-0.2104	max	-0.2104	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	RRF	Robustness	-0.2274	max	-0.2274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	RRF	Robustness	-0.2132	max	-0.2132	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	RRF	Robustness	-0.2264	max	-0.2264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	RRF	Robustness	-0.2196	max	-0.2196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	RRF	Robustness	-0.2016	max	-0.2016	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	RRF	Robustness	-0.1936	max	-0.1936	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	RRF	Robustness	-0.1912	max	-0.1912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Schulze	Robustness	-0.223	max	-0.223	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2358	max	-0.2358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2116	max	-0.2116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2256	max	-0.2256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2084	max	-0.2084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2172	max	-0.2172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Schulze	Robustness	-0.2206	max	-0.2206	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Schulze	Robustness	-0.193	max	-0.193	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Schulze	Robustness	-0.1678	max	-0.1678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Schulze	Robustness	-0.1718	max	-0.1718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2204	max	-0.2204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2322	max	-0.2322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2312	max	-0.2312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2478	max	-0.2478	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2418	max	-0.2418	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2496	max	-0.2496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2428	max	-0.2428	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2444	max	-0.2444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2488	max	-0.2488	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.2488	max	-0.2488	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Borda	Robustness	0.0684	max	0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Borda	Robustness	0.0904	max	0.0904	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Borda	Robustness	0.096	max	0.096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Borda	Robustness	0.094	max	0.094	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Borda	Robustness	0.0952	max	0.0952	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Borda	Robustness	0.087	max	0.087	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Borda	Robustness	0.0958	max	0.0958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Borda	Robustness	0.1006	max	0.1006	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Borda	Robustness	0.1044	max	0.1044	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Borda	Robustness	0.1014	max	0.1014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.0684	max	0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.079	max	0.079	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.0854	max	0.0854	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.084	max	0.084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.0964	max	0.0964	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.0902	max	0.0902	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.0896	max	0.0896	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.103	max	0.103	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.1054	max	0.1054	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.1036	max	0.1036	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	RRF	Robustness	0.0676	max	0.0676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	RRF	Robustness	0.0858	max	0.0858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	RRF	Robustness	0.0946	max	0.0946	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	RRF	Robustness	0.093	max	0.093	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	RRF	Robustness	0.095	max	0.095	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	RRF	Robustness	0.0906	max	0.0906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	RRF	Robustness	0.093	max	0.093	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	RRF	Robustness	0.0998	max	0.0998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	RRF	Robustness	0.1014	max	0.1014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	RRF	Robustness	0.1036	max	0.1036	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Schulze	Robustness	0.0684	max	0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Schulze	Robustness	0.0828	max	0.0828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Schulze	Robustness	0.0876	max	0.0876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Schulze	Robustness	0.0872	max	0.0872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Schulze	Robustness	0.0958	max	0.0958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Schulze	Robustness	0.0932	max	0.0932	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Schulze	Robustness	0.0956	max	0.0956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Schulze	Robustness	0.0998	max	0.0998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Schulze	Robustness	0.0984	max	0.0984	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Schulze	Robustness	0.1018	max	0.1018	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0714	max	0.0714	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0936	max	0.0936	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0948	max	0.0948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0976	max	0.0976	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0984	max	0.0984	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0884	max	0.0884	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0956	max	0.0956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0986	max	0.0986	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0976	max	0.0976	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.096	max	0.096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2136	max	-0.2136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2354	max	-0.2354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2144	max	-0.2144	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2212	max	-0.2212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.1932	max	-0.1932	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2024	max	-0.2024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2006	max	-0.2006	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.1756	max	-0.1756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.1668	max	-0.1668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.1616	max	-0.1616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2136	max	-0.2136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2136	max	-0.2136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2022	max	-0.2022	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2104	max	-0.2104	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.1842	max	-0.1842	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.195	max	-0.195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.203	max	-0.203	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.1702	max	-0.1702	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.1414	max	-0.1414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.1464	max	-0.1464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2162	max	-0.2162	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.205	max	-0.205	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.196	max	-0.196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2082	max	-0.2082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.197	max	-0.197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.202	max	-0.202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2052	max	-0.2052	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.1812	max	-0.1812	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.1702	max	-0.1702	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.172	max	-0.172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2136	max	-0.2136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.224	max	-0.224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2042	max	-0.2042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.209	max	-0.209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.1912	max	-0.1912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2144	max	-0.2144	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2084	max	-0.2084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.1674	max	-0.1674	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.1476	max	-0.1476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.1586	max	-0.1586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2192	max	-0.2192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.22	max	-0.22	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2168	max	-0.2168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2268	max	-0.2268	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2256	max	-0.2256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.232	max	-0.232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.221	max	-0.221	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2226	max	-0.2226	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2214	max	-0.2214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2214	max	-0.2214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Borda	Robustness	0.0544	max	0.0544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Borda	Robustness	0.0636	max	0.0636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Borda	Robustness	0.0688	max	0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Borda	Robustness	0.0688	max	0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Borda	Robustness	0.0752	max	0.0752	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Borda	Robustness	0.063	max	0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Borda	Robustness	0.0656	max	0.0656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Borda	Robustness	0.0698	max	0.0698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Borda	Robustness	0.074	max	0.074	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Borda	Robustness	0.0692	max	0.0692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.0544	max	0.0544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.0576	max	0.0576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.0652	max	0.0652	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.063	max	0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.0722	max	0.0722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.0664	max	0.0664	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.063	max	0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.0744	max	0.0744	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.079	max	0.079	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.0764	max	0.0764	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	RRF	Robustness	0.0526	max	0.0526	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	RRF	Robustness	0.068	max	0.068	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	RRF	Robustness	0.0688	max	0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	RRF	Robustness	0.0696	max	0.0696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	RRF	Robustness	0.0672	max	0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	RRF	Robustness	0.0636	max	0.0636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	RRF	Robustness	0.0666	max	0.0666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	RRF	Robustness	0.0704	max	0.0704	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	RRF	Robustness	0.072	max	0.072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	RRF	Robustness	0.0744	max	0.0744	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Schulze	Robustness	0.0544	max	0.0544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Schulze	Robustness	0.062	max	0.062	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Schulze	Robustness	0.0668	max	0.0668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Schulze	Robustness	0.0662	max	0.0662	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Schulze	Robustness	0.0712	max	0.0712	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Schulze	Robustness	0.0682	max	0.0682	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Schulze	Robustness	0.0622	max	0.0622	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Schulze	Robustness	0.0708	max	0.0708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Schulze	Robustness	0.0708	max	0.0708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Schulze	Robustness	0.0756	max	0.0756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0548	max	0.0548	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0684	max	0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0706	max	0.0706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0748	max	0.0748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0758	max	0.0758	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.067	max	0.067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0688	max	0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0692	max	0.0692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.069	max	0.069	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0672	max	0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1684	max	-0.1684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1874	max	-0.1874	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.169	max	-0.169	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1748	max	-0.1748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1512	max	-0.1512	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1562	max	-0.1562	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.158	max	-0.158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.138	max	-0.138	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1326	max	-0.1326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1228	max	-0.1228	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1684	max	-0.1684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1678	max	-0.1678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1622	max	-0.1622	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1718	max	-0.1718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1454	max	-0.1454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1602	max	-0.1602	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1646	max	-0.1646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1324	max	-0.1324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1042	max	-0.1042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.1096	max	-0.1096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1692	max	-0.1692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1558	max	-0.1558	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1506	max	-0.1506	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1666	max	-0.1666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.153	max	-0.153	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1616	max	-0.1616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1652	max	-0.1652	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1444	max	-0.1444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.1296	max	-0.1296	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.132	max	-0.132	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1684	max	-0.1684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.175	max	-0.175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1582	max	-0.1582	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1688	max	-0.1688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1506	max	-0.1506	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.171	max	-0.171	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1696	max	-0.1696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1286	max	-0.1286	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1122	max	-0.1122	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.1222	max	-0.1222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1706	max	-0.1706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1738	max	-0.1738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1716	max	-0.1716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1838	max	-0.1838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.182	max	-0.182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1876	max	-0.1876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1786	max	-0.1786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1818	max	-0.1818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1798	max	-0.1798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1808	max	-0.1808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	Borda	Robustness	0.0252	max	0.0252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	Borda	Robustness	0.0236	max	0.0236	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	Borda	Robustness	0.0326	max	0.0326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	Borda	Robustness	0.0324	max	0.0324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	Borda	Robustness	0.0354	max	0.0354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	Borda	Robustness	0.0278	max	0.0278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	Borda	Robustness	0.0322	max	0.0322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	Borda	Robustness	0.0332	max	0.0332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	Borda	Robustness	0.0346	max	0.0346	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	Borda	Robustness	0.0368	max	0.0368	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	Kemeny	Robustness	0.0252	max	0.0252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	Kemeny	Robustness	0.0268	max	0.0268	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	Kemeny	Robustness	0.0286	max	0.0286	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	Kemeny	Robustness	0.0322	max	0.0322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	Kemeny	Robustness	0.0354	max	0.0354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	Kemeny	Robustness	0.0342	max	0.0342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	Kemeny	Robustness	0.0312	max	0.0312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	Kemeny	Robustness	0.042	max	0.042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	Kemeny	Robustness	0.0376	max	0.0376	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	Kemeny	Robustness	0.04	max	0.04	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	RRF	Robustness	0.0224	max	0.0224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	RRF	Robustness	0.028	max	0.028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	RRF	Robustness	0.0298	max	0.0298	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	RRF	Robustness	0.0298	max	0.0298	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	RRF	Robustness	0.0336	max	0.0336	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	RRF	Robustness	0.0322	max	0.0322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	RRF	Robustness	0.033	max	0.033	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	RRF	Robustness	0.0388	max	0.0388	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	RRF	Robustness	0.0378	max	0.0378	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	RRF	Robustness	0.04	max	0.04	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	Schulze	Robustness	0.0252	max	0.0252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	Schulze	Robustness	0.0234	max	0.0234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	Schulze	Robustness	0.0278	max	0.0278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	Schulze	Robustness	0.0352	max	0.0352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	Schulze	Robustness	0.0334	max	0.0334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	Schulze	Robustness	0.031	max	0.031	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	Schulze	Robustness	0.0368	max	0.0368	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	Schulze	Robustness	0.036	max	0.036	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	Schulze	Robustness	0.0384	max	0.0384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	Schulze	Robustness	0.041	max	0.041	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	Simple Averaging	Robustness	0.0214	max	0.0214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	Simple Averaging	Robustness	0.0322	max	0.0322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	max	0.0338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	Simple Averaging	Robustness	0.0352	max	0.0352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	max	0.0338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	Simple Averaging	Robustness	0.028	max	0.028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	max	0.0338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	Simple Averaging	Robustness	0.0344	max	0.0344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	Simple Averaging	Robustness	0.034	max	0.034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	Simple Averaging	Robustness	0.0322	max	0.0322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Borda	Robustness	-0.081	max	-0.081	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Borda	Robustness	-0.0886	max	-0.0886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Borda	Robustness	-0.074	max	-0.074	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Borda	Robustness	-0.0784	max	-0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Borda	Robustness	-0.0738	max	-0.0738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Borda	Robustness	-0.0826	max	-0.0826	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Borda	Robustness	-0.0808	max	-0.0808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Borda	Robustness	-0.0726	max	-0.0726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Borda	Robustness	-0.0634	max	-0.0634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Borda	Robustness	-0.0544	max	-0.0544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Kemeny	Robustness	-0.081	max	-0.081	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Kemeny	Robustness	-0.077	max	-0.077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Kemeny	Robustness	-0.067	max	-0.067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0778	max	-0.0778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0656	max	-0.0656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0668	max	-0.0668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Kemeny	Robustness	-0.078	max	-0.078	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Kemeny	Robustness	-0.062	max	-0.062	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0544	max	-0.0544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Kemeny	Robustness	-0.048	max	-0.048	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	RRF	Robustness	-0.0828	max	-0.0828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	RRF	Robustness	-0.0708	max	-0.0708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	RRF	Robustness	-0.0664	max	-0.0664	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	RRF	Robustness	-0.0746	max	-0.0746	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	RRF	Robustness	-0.082	max	-0.082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	RRF	Robustness	-0.0862	max	-0.0862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	RRF	Robustness	-0.0906	max	-0.0906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	RRF	Robustness	-0.0856	max	-0.0856	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	RRF	Robustness	-0.0692	max	-0.0692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	RRF	Robustness	-0.066	max	-0.066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Schulze	Robustness	-0.081	max	-0.081	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Schulze	Robustness	-0.079	max	-0.079	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Schulze	Robustness	-0.0732	max	-0.0732	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Schulze	Robustness	-0.0742	max	-0.0742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Schulze	Robustness	-0.0708	max	-0.0708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Schulze	Robustness	-0.0874	max	-0.0874	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Schulze	Robustness	-0.0858	max	-0.0858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Schulze	Robustness	-0.0728	max	-0.0728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Schulze	Robustness	-0.0562	max	-0.0562	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Schulze	Robustness	-0.056	max	-0.056	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0818	max	-0.0818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0762	max	-0.0762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0796	max	-0.0796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0836	max	-0.0836	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0788	max	-0.0788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.088	max	-0.088	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0808	max	-0.0808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.079	max	-0.079	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0808	max	-0.0808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0812	max	-0.0812	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	Borda	Robustness	0.0288	max	0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	Borda	Robustness	0.0238	max	0.0238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	Borda	Robustness	0.0312	max	0.0312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	Borda	Robustness	0.0274	max	0.0274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	Borda	Robustness	0.033	max	0.033	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	Borda	Robustness	0.0262	max	0.0262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	Borda	Robustness	0.0254	max	0.0254	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	Borda	Robustness	0.027	max	0.027	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	Borda	Robustness	0.032	max	0.032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	Borda	Robustness	0.0266	max	0.0266	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	Kemeny	Robustness	0.0288	max	0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	Kemeny	Robustness	0.0268	max	0.0268	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	Kemeny	Robustness	0.0278	max	0.0278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	Kemeny	Robustness	0.0292	max	0.0292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	Kemeny	Robustness	0.0286	max	0.0286	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	Kemeny	Robustness	0.0324	max	0.0324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	Kemeny	Robustness	0.026	max	0.026	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	Kemeny	Robustness	0.035	max	0.035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	Kemeny	Robustness	0.0328	max	0.0328	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	Kemeny	Robustness	0.0324	max	0.0324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	RRF	Robustness	0.026	max	0.026	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	RRF	Robustness	0.0308	max	0.0308	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	RRF	Robustness	0.029	max	0.029	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	RRF	Robustness	0.0256	max	0.0256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	RRF	Robustness	0.028	max	0.028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	RRF	Robustness	0.0268	max	0.0268	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	RRF	Robustness	0.0268	max	0.0268	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	RRF	Robustness	0.0312	max	0.0312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	RRF	Robustness	0.0304	max	0.0304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	RRF	Robustness	0.0308	max	0.0308	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	Schulze	Robustness	0.0288	max	0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	Schulze	Robustness	0.0228	max	0.0228	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	Schulze	Robustness	0.0272	max	0.0272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	Schulze	Robustness	0.0312	max	0.0312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	Schulze	Robustness	0.029	max	0.029	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	Schulze	Robustness	0.0288	max	0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	Schulze	Robustness	0.0304	max	0.0304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	Schulze	Robustness	0.0326	max	0.0326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	Schulze	Robustness	0.0326	max	0.0326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	Schulze	Robustness	0.0342	max	0.0342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	Simple Averaging	Robustness	0.0234	max	0.0234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	Simple Averaging	Robustness	0.0306	max	0.0306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	Simple Averaging	Robustness	0.0314	max	0.0314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	Simple Averaging	Robustness	0.034	max	0.034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0348	max	0.0348	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	Simple Averaging	Robustness	0.031	max	0.031	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	Simple Averaging	Robustness	0.0244	max	0.0244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	Simple Averaging	Robustness	0.0248	max	0.0248	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	Simple Averaging	Robustness	0.025	max	0.025	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	Simple Averaging	Robustness	0.024	max	0.024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Borda	Robustness	-0.0616	max	-0.0616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Borda	Robustness	-0.0666	max	-0.0666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Borda	Robustness	-0.0542	max	-0.0542	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Borda	Robustness	-0.0578	max	-0.0578	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Borda	Robustness	-0.0564	max	-0.0564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Borda	Robustness	-0.0646	max	-0.0646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Borda	Robustness	-0.0612	max	-0.0612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Borda	Robustness	-0.0616	max	-0.0616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Borda	Robustness	-0.0518	max	-0.0518	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Borda	Robustness	-0.04	max	-0.04	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0616	max	-0.0616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0592	max	-0.0592	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0514	max	-0.0514	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0612	max	-0.0612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0486	max	-0.0486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0562	max	-0.0562	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Kemeny	Robustness	-0.065	max	-0.065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0518	max	-0.0518	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Kemeny	Robustness	-0.043	max	-0.043	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0378	max	-0.0378	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	RRF	Robustness	-0.0642	max	-0.0642	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	RRF	Robustness	-0.0494	max	-0.0494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	RRF	Robustness	-0.05	max	-0.05	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	RRF	Robustness	-0.0556	max	-0.0556	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	RRF	Robustness	-0.0648	max	-0.0648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	RRF	Robustness	-0.0728	max	-0.0728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	RRF	Robustness	-0.076	max	-0.076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	RRF	Robustness	-0.0722	max	-0.0722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	RRF	Robustness	-0.057	max	-0.057	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	RRF	Robustness	-0.0516	max	-0.0516	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Schulze	Robustness	-0.0616	max	-0.0616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Schulze	Robustness	-0.0614	max	-0.0614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Schulze	Robustness	-0.056	max	-0.056	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Schulze	Robustness	-0.0584	max	-0.0584	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Schulze	Robustness	-0.051	max	-0.051	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Schulze	Robustness	-0.0728	max	-0.0728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Schulze	Robustness	-0.073	max	-0.073	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Schulze	Robustness	-0.0588	max	-0.0588	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Schulze	Robustness	-0.044	max	-0.044	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Schulze	Robustness	-0.0466	max	-0.0466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0636	max	-0.0636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0568	max	-0.0568	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0616	max	-0.0616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0662	max	-0.0662	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0624	max	-0.0624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.069	max	-0.069	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.063	max	-0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.063	max	-0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0654	max	-0.0654	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.066	max	-0.066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Table 65: ImageNet–ViT-B/16

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 C	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 C	C	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 C	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 C	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 C	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 C	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255 C		True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 C		False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 C		False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 C		False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 C		False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 C		False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 C		False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 C		False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 C		False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 C		False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255 C		True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 Cbar		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 Cbar		False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 Cbar		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 Cbar		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F		True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F		False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 F	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	6	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	6	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	6	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	6	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	5	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	5	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	6	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	6	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	6	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	6	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 C		True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 C		True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 C		True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F		False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	6	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	6	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	6	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	6	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	5	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	5	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	6	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	6	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	6	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	6	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGradient", "FullLRP"]

Table 66: ImageNet–ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.2262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.217	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.2076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.203	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1964	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1954	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1954	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.1752	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.2262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.2288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.2278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.2104	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.1998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.1944	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.1844	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.1752	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.1782	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.2258	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.2254	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.2192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.206	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.1998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.2	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.194	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.1876	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.1792	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.1778	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.2262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.2218	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.2202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.2094	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1982	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1832	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1764	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1752	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.2254	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.2126	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.2046	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1982	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1954	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1874	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.183	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255 C	C	Simple Averaging	Conditioned Quality	0.182	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 Cbar	Cbar	Borda	Conditioned Quality	0.3556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 Cbar	Cbar	Borda	Conditioned Quality	0.3518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255 Cbar	Cbar	Borda	Conditioned Quality	0.393	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255 Cbar	Cbar	Borda	Conditioned Quality	0.4204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255 Cbar	Cbar	Borda	Conditioned Quality	0.4516	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255 Cbar	Cbar	Borda	Conditioned Quality	0.455	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255 Cbar	Cbar	Borda	Conditioned Quality	0.452	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255 Cbar	Cbar	Borda	Conditioned Quality	0.4888	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255 Cbar	Cbar	Borda	Conditioned Quality	0.5254	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255 Cbar	Cbar	Borda	Conditioned Quality	0.5422	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 Cbar	Cbar	Kemeny	Conditioned Quality	0.3556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 Cbar	Cbar	Kemeny	Conditioned Quality	0.3628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.3848	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.4212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.4514	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.4488	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.4496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.5004	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.551	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.5484	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.3544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.3532	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.3834	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4448	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.5202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.5232	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.3556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.3476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.3782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.421	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.4556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.4502	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.4506	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.489	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.5396	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.5384	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3536	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3516	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3674	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4056	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4298	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4578	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4592	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1528	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1474	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1382	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1386	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.139	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.1214	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1644	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.14	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1196	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.1214	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1586	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1538	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.14	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1402	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.124	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.1234	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1396	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1376	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1376	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1256	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.1208	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1424	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1374	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.134	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1342	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1334	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.132	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.129	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.1274	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.2962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.2932	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.3318	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.3594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.3886	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.3872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.382	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.4204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.4552	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.4694	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.2962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.3016	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.3266	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.357	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.385	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.3802	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.3786	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.4316	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.4808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.479	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.296	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.2982	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.3222	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.3596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.3772	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.3782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.3728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.4168	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.4512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.4552	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.2962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.2888	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.3202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.3576	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.3872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.3814	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.3796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.4182	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.47	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.4694	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.2946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.2962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.309	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.3446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.3504	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.365	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.3626	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.3776	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.3874	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.387	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Borda	Conditioned Quality	0.2198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Borda	Conditioned Quality	0.1978	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Borda	Conditioned Quality	0.21	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Borda	Conditioned Quality	0.2092	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Borda	Conditioned Quality	0.2096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Borda	Conditioned Quality	0.205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Borda	Conditioned Quality	0.202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Borda	Conditioned Quality	0.2012	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Borda	Conditioned Quality	0.2034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Borda	Conditioned Quality	0.1928	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2346	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2196	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2186	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2168	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.2102	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.203	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	RRF	Conditioned Quality	0.2218	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	RRF	Conditioned Quality	0.2258	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	RRF	Conditioned Quality	0.2322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	RRF	Conditioned Quality	0.2204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	RRF	Conditioned Quality	0.226	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	RRF	Conditioned Quality	0.2168	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	RRF	Conditioned Quality	0.2216	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	RRF	Conditioned Quality	0.218	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	RRF	Conditioned Quality	0.2082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	RRF	Conditioned Quality	0.2074	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Schulze	Conditioned Quality	0.213	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Schulze	Conditioned Quality	0.216	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Schulze	Conditioned Quality	0.2034	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.221	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2238	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2166	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2154	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2168	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.215	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.2136	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.418	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.4272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.4412	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.4458	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.4486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.455	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.4646	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.4932	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.5092	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.418	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.4176	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.3994	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.4484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.4494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.4678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.4598	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.485	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.5198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.531	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4178	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.405	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4332	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4386	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4558	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.4664	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.5038	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.5102	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.418	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.4348	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.4052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.438	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.4406	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.449	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.4518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.4682	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.5046	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.5078	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4276	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.44	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4516	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4568	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.4658	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.465	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Borda	Conditioned Quality	0.1594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Borda	Conditioned Quality	0.1302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Borda	Conditioned Quality	0.141	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Borda	Conditioned Quality	0.1396	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Borda	Conditioned Quality	0.139	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Borda	Conditioned Quality	0.1382	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Borda	Conditioned Quality	0.1332	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Borda	Conditioned Quality	0.131	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Borda	Conditioned Quality	0.1328	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Borda	Conditioned Quality	0.1264	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.159	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.166	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.157	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1538	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1558	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1472	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1408	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.1346	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	RRF	Conditioned Quality	0.1608	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	RRF	Conditioned Quality	0.1542	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	RRF	Conditioned Quality	0.1616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	RRF	Conditioned Quality	0.1516	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	RRF	Conditioned Quality	0.1554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	RRF	Conditioned Quality	0.1496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	RRF	Conditioned Quality	0.1502	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	RRF	Conditioned Quality	0.1456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	RRF	Conditioned Quality	0.1368	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	RRF	Conditioned Quality	0.1372	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1506	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1724	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1508	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1468	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1462	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Schulze	Conditioned Quality	0.1392	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Schulze	Conditioned Quality	0.135	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1562	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1582	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1438	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1424	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1424	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.1416	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.355	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3402	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.349	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3534	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3618	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.391	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.4088	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.3158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.315	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.301	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.348	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.347	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.367	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.3588	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.382	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.4182	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.4294	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3166	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.32	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3064	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3378	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3542	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.364	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.4022	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.4084	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3336	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3068	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3346	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3422	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3474	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3508	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3656	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.402	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.4054	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.317	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.348	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3534	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.358	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3608	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3664	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3662	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.2036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.186	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1994	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.2008	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1996	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1914	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1918	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1888	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.1816	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2216	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2074	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2106	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.2024	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.1966	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.1892	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2088	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2222	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2126	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2114	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.203	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2004	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.2012	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.196	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.1928	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2244	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2054	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2002	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.2	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.1896	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.1866	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2134	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2164	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2122	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2142	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2056	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2012	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2018	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.2006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.1992	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3844	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3888	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.3872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.398	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.4296	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.4482	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.3596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.36	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.348	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.3818	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.387	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.4062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.4246	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.4584	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.4782	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3604	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3422	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3654	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3752	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.3906	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.4048	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.4402	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.4518	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3724	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.35	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.3968	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.4432	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.4552	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3676	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3638	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3792	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3788	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3896	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3916	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3948	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3952	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.3958	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.1408	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.1142	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.126	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.1322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.1356	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.129	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.1238	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.125	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.1234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.117	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1408	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.145	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1522	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.145	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.138	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1368	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1368	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1332	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.1264	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1398	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1406	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1492	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1458	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.141	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1366	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.1282	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1408	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1384	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1542	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.141	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1408	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1306	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.126	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.1244	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.14	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.1418	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.1454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.1434	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.145	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.1366	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.135	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.134	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.133	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.1314	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.29	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2766	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2838	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2888	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2914	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3014	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3484	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2918	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.3122	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.3076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.3258	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.3588	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.378	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2776	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2894	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2922	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.3068	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.3382	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.3492	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2534	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2844	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.3012	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.3012	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.3464	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.3558	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2818	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2914	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2938	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2982	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2982	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Borda	Conditioned Quality	0.1604	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Borda	Conditioned Quality	0.1192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Borda	Conditioned Quality	0.136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Borda	Conditioned Quality	0.1392	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Borda	Conditioned Quality	0.1398	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Borda	Conditioned Quality	0.1346	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Borda	Conditioned Quality	0.1278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Borda	Conditioned Quality	0.1244	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Borda	Conditioned Quality	0.119	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Borda	Conditioned Quality	0.117	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1604	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Kemeny	Conditioned Quality	0.163	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1448	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Kemeny	Conditioned Quality	0.1256	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	RRF	Conditioned Quality	0.158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	RRF	Conditioned Quality	0.151	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	RRF	Conditioned Quality	0.1574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	RRF	Conditioned Quality	0.1494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	RRF	Conditioned Quality	0.15	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	RRF	Conditioned Quality	0.1446	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	RRF	Conditioned Quality	0.1404	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	RRF	Conditioned Quality	0.1402	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	RRF	Conditioned Quality	0.1324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	RRF	Conditioned Quality	0.1292	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Schulze	Conditioned Quality	0.1604	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Schulze	Conditioned Quality	0.1484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Schulze	Conditioned Quality	0.1646	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Schulze	Conditioned Quality	0.1534	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Schulze	Conditioned Quality	0.146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Schulze	Conditioned Quality	0.1462	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Schulze	Conditioned Quality	0.1414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Schulze	Conditioned Quality	0.1362	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Schulze	Conditioned Quality	0.1296	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Schulze	Conditioned Quality	0.1258	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1534	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1554	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1498	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1452	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1376	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.137	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.1354	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.2394	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.2312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.2416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.2614	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.269	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.2674	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.295	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.3262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.341	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.2234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.2128	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.2492	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.2684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3164	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3714	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3798	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.2176	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.2126	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.2318	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.2602	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.2714	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.276	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.3092	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.3392	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.3458	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.227	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.2274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.219	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.2378	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.2594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.2704	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.2748	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.3022	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.3518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.3526	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2266	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2514	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2546	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.2556	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Borda	Conditioned Quality	0.1152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Borda	Conditioned Quality	0.0744	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Borda	Conditioned Quality	0.0884	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Borda	Conditioned Quality	0.0908	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Borda	Conditioned Quality	0.0934	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Borda	Conditioned Quality	0.0922	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Borda	Conditioned Quality	0.0836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Borda	Conditioned Quality	0.0822	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Borda	Conditioned Quality	0.0814	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Borda	Conditioned Quality	0.0744	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Kemeny	Conditioned Quality	0.1152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Kemeny	Conditioned Quality	0.1142	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Kemeny	Conditioned Quality	0.1148	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Kemeny	Conditioned Quality	0.1088	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Kemeny	Conditioned Quality	0.1014	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Kemeny	Conditioned Quality	0.104	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Kemeny	Conditioned Quality	0.0998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Kemeny	Conditioned Quality	0.0974	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Kemeny	Conditioned Quality	0.087	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Kemeny	Conditioned Quality	0.0824	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	RRF	Conditioned Quality	0.1132	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	RRF	Conditioned Quality	0.1034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	RRF	Conditioned Quality	0.1094	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	RRF	Conditioned Quality	0.1018	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	RRF	Conditioned Quality	0.1018	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	RRF	Conditioned Quality	0.0998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	RRF	Conditioned Quality	0.0956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	RRF	Conditioned Quality	0.0946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	RRF	Conditioned Quality	0.0878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	RRF	Conditioned Quality	0.0846	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Schulze	Conditioned Quality	0.1152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Schulze	Conditioned Quality	0.0992	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Schulze	Conditioned Quality	0.1146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Schulze	Conditioned Quality	0.1054	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Schulze	Conditioned Quality	0.0988	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Schulze	Conditioned Quality	0.1014	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Schulze	Conditioned Quality	0.0988	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Schulze	Conditioned Quality	0.094	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Schulze	Conditioned Quality	0.0878	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Schulze	Conditioned Quality	0.083	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.1086	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.104	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.1062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.1026	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.104	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.1006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.0906	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.0896	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.089	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.0882	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.1544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.1692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.1618	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.1692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.189	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.1972	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.1946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.225	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.253	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2656	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.1544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.1538	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.1436	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.1766	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.195	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.208	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2452	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2976	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.3062	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1562	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1606	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1894	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.203	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2346	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2656	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2688	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.1544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.1592	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.1512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.1674	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.1848	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.203	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2802	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1602	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1538	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1572	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1664	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1794	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.183	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1834	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Borda	Quality	0.1352	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Borda	Quality	0.0956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	C	Borda	Quality	0.1034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	C	Borda	Quality	0.1068	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	C	Borda	Quality	0.1044	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	C	Borda	Quality	0.1068	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	C	Borda	Quality	0.0956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	C	Borda	Quality	0.0912	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	C	Borda	Quality	0.0844	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	C	Borda	Quality	0.0802	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Kemeny	Quality	0.1352	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Kemeny	Quality	0.1362	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	C	Kemeny	Quality	0.1362	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	C	Kemeny	Quality	0.1234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	C	Kemeny	Quality	0.1142	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	C	Kemeny	Quality	0.1134	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	C	Kemeny	Quality	0.1136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	C	Kemeny	Quality	0.0994	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	C	Kemeny	Quality	0.0912	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	C	Kemeny	Quality	0.0856	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	RRF	Quality	0.1356	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	RRF	Quality	0.123	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	C	RRF	Quality	0.1276	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	C	RRF	Quality	0.1196	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	C	RRF	Quality	0.1164	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	C	RRF	Quality	0.1124	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	C	RRF	Quality	0.1074	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	C	RRF	Quality	0.1014	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	C	RRF	Quality	0.0946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	C	RRF	Quality	0.0892	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Schulze	Quality	0.1352	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Schulze	Quality	0.125	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	C	Schulze	Quality	0.1368	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	C	Schulze	Quality	0.1182	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	C	Schulze	Quality	0.1126	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	C	Schulze	Quality	0.1152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	C	Schulze	Quality	0.1046	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	C	Schulze	Quality	0.1002	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	C	Schulze	Quality	0.0912	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	C	Schulze	Quality	0.0848	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	C	Simple Averaging	Quality	0.132	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	C	Simple Averaging	Quality	0.1198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	C	Simple Averaging	Quality	0.1216	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	C	Simple Averaging	Quality	0.1146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	C	Simple Averaging	Quality	0.1158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	C	Simple Averaging	Quality	0.1172	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	C	Simple Averaging	Quality	0.1056	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	C	Simple Averaging	Quality	0.1032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	C	Simple Averaging	Quality	0.103	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	C	Simple Averaging	Quality	0.1032	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Borda	Quality	0.146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Borda	Quality	0.1508	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Cbar	Borda	Quality	0.1572	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Cbar	Borda	Quality	0.1632	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Cbar	Borda	Quality	0.1876	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Cbar	Borda	Quality	0.1864	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Cbar	Borda	Quality	0.1866	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Cbar	Borda	Quality	0.2224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Cbar	Borda	Quality	0.2628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Cbar	Borda	Quality	0.2866	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Kemeny	Quality	0.146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Kemeny	Quality	0.1464	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Cbar	Kemeny	Quality	0.1458	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Cbar	Kemeny	Quality	0.1714	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Cbar	Kemeny	Quality	0.2028	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Cbar	Kemeny	Quality	0.2112	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Cbar	Kemeny	Quality	0.201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Cbar	Kemeny	Quality	0.2544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Cbar	Kemeny	Quality	0.317	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Cbar	Kemeny	Quality	0.3318	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	RRF	Quality	0.1442	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	RRF	Quality	0.1468	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Cbar	RRF	Quality	0.1462	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Cbar	RRF	Quality	0.1572	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Cbar	RRF	Quality	0.1782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Cbar	RRF	Quality	0.1852	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Cbar	RRF	Quality	0.1854	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Cbar	RRF	Quality	0.2236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Cbar	RRF	Quality	0.27	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Cbar	RRF	Quality	0.2798	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Schulze	Quality	0.146	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Schulze	Quality	0.1484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Cbar	Schulze	Quality	0.1458	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Cbar	Schulze	Quality	0.1636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Cbar	Schulze	Quality	0.1886	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Cbar	Schulze	Quality	0.183	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Cbar	Schulze	Quality	0.189	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Cbar	Schulze	Quality	0.2294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Cbar	Schulze	Quality	0.2956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Cbar	Schulze	Quality	0.2966	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Cbar	Simple Averaging	Quality	0.1484	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Cbar	Simple Averaging	Quality	0.1478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Cbar	Simple Averaging	Quality	0.147	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Cbar	Simple Averaging	Quality	0.1524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Cbar	Simple Averaging	Quality	0.1532	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Cbar	Simple Averaging	Quality	0.1576	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Cbar	Simple Averaging	Quality	0.1706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Cbar	Simple Averaging	Quality	0.1722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Cbar	Simple Averaging	Quality	0.1738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Cbar	Simple Averaging	Quality	0.1744	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Borda	Quality	0.0864	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Borda	Quality	0.0506	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	F	Borda	Quality	0.0572	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	F	Borda	Quality	0.0634	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	F	Borda	Quality	0.0604	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	F	Borda	Quality	0.066	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	F	Borda	Quality	0.0582	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	F	Borda	Quality	0.0552	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	F	Borda	Quality	0.0494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	F	Borda	Quality	0.0478	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Kemeny	Quality	0.0864	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Kemeny	Quality	0.0874	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	F	Kemeny	Quality	0.087	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	F	Kemeny	Quality	0.0796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	F	Kemeny	Quality	0.0728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	F	Kemeny	Quality	0.0716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	F	Kemeny	Quality	0.0738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	F	Kemeny	Quality	0.0624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	F	Kemeny	Quality	0.0542	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	F	Kemeny	Quality	0.05	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	RRF	Quality	0.0872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	RRF	Quality	0.0726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	F	RRF	Quality	0.0804	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	F	RRF	Quality	0.0762	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	F	RRF	Quality	0.0738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	F	RRF	Quality	0.073	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	F	RRF	Quality	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	F	RRF	Quality	0.0634	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	F	RRF	Quality	0.0574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	F	RRF	Quality	0.0538	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Schulze	Quality	0.0864	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Schulze	Quality	0.0764	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	F	Schulze	Quality	0.0874	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	F	Schulze	Quality	0.0742	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	F	Schulze	Quality	0.0698	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	F	Schulze	Quality	0.0726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	F	Schulze	Quality	0.0684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	F	Schulze	Quality	0.0614	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	F	Schulze	Quality	0.0552	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	F	Schulze	Quality	0.0488	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	F	Simple Averaging	Quality	0.0852	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	F	Simple Averaging	Quality	0.0734	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	F	Simple Averaging	Quality	0.0748	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	F	Simple Averaging	Quality	0.0686	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	F	Simple Averaging	Quality	0.0692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	F	Simple Averaging	Quality	0.0696	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	F	Simple Averaging	Quality	0.0662	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	F	Simple Averaging	Quality	0.0648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	F	Simple Averaging	Quality	0.064	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	F	Simple Averaging	Quality	0.0642	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Borda	Quality	0.0928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Borda	Quality	0.1026	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Fbar	Borda	Quality	0.1076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Fbar	Borda	Quality	0.1114	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Fbar	Borda	Quality	0.1326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Fbar	Borda	Quality	0.1326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Fbar	Borda	Quality	0.1334	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Fbar	Borda	Quality	0.1634	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Fbar	Borda	Quality	0.2012	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Fbar	Borda	Quality	0.2256	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Kemeny	Quality	0.0928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Kemeny	Quality	0.0946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Fbar	Kemeny	Quality	0.0922	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Fbar	Kemeny	Quality	0.1154	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Fbar	Kemeny	Quality	0.1464	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Fbar	Kemeny	Quality	0.152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Fbar	Kemeny	Quality	0.143	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Fbar	Kemeny	Quality	0.1934	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Fbar	Kemeny	Quality	0.2546	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Fbar	Kemeny	Quality	0.2684	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	RRF	Quality	0.092	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	RRF	Quality	0.096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Fbar	RRF	Quality	0.096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Fbar	RRF	Quality	0.105	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Fbar	RRF	Quality	0.1246	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Fbar	RRF	Quality	0.1278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Fbar	RRF	Quality	0.127	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Fbar	RRF	Quality	0.1624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Fbar	RRF	Quality	0.2086	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Fbar	RRF	Quality	0.2172	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Schulze	Quality	0.0928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Schulze	Quality	0.0978	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Fbar	Schulze	Quality	0.0952	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Fbar	Schulze	Quality	0.109	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Fbar	Schulze	Quality	0.1338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Fbar	Schulze	Quality	0.1302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Fbar	Schulze	Quality	0.1302	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Fbar	Schulze	Quality	0.1726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Fbar	Schulze	Quality	0.2342	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Fbar	Schulze	Quality	0.2336	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Clean	Fbar	Simple Averaging	Quality	0.0966	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Clean	Fbar	Simple Averaging	Quality	0.097	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Clean	Fbar	Simple Averaging	Quality	0.0956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Clean	Fbar	Simple Averaging	Quality	0.1002	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Clean	Fbar	Simple Averaging	Quality	0.0998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Clean	Fbar	Simple Averaging	Quality	0.1038	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Clean	Fbar	Simple Averaging	Quality	0.1152	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Clean	Fbar	Simple Averaging	Quality	0.1164	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Clean	Fbar	Simple Averaging	Quality	0.1176	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Clean	Fbar	Simple Averaging	Quality	0.1174	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 C		Borda	Robustness	0.091	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 C		Borda	Robustness	0.1214	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255 C		Borda	Robustness	0.1042	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255 C		Borda	Robustness	0.0962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255 C		Borda	Robustness	0.092	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255 C		Borda	Robustness	0.0886	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255 C		Borda	Robustness	0.0998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255 C		Borda	Robustness	0.0924	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255 C		Borda	Robustness	0.0934	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255 C		Borda	Robustness	0.095	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 C		Kemeny	Robustness	0.091	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 C		Kemeny	Robustness	0.0926	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0916	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.087	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0856	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0876	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.085	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0926	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Robustness	0.0902	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Robustness	0.1024	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Robustness	0.0916	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Robustness	0.0864	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Robustness	0.0834	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Robustness	0.0876	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Robustness	0.0866	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Robustness	0.0862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Robustness	0.0846	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	C	RRF	Robustness	0.0886	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.091	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.0968	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.0834	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.0912	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.0856	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	C	Schulze	Robustness	0.0804	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	C	Schulze	Robustness	0.0892	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255 C		Schulze	Robustness	0.083	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255 C		Schulze	Robustness	0.0852	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255 C		Schulze	Robustness	0.0904	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.0934	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.0928	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.083	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.0836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.0782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.0822	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.0842	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.08	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255 C	C	Simple Averaging	Robustness	0.0788	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	0.2096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	0.201	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	0.2358	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	0.2572	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	0.264	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	0.2686	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	0.2654	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	0.2664	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	0.2626	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255 Cbar	Cbar	Borda	Robustness	0.2556	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255 Cbar	Cbar	Kemeny	Robustness	0.2096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255 Cbar	Cbar	Kemeny	Robustness	0.2164	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.239	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2498	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2376	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.246	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2166	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2102	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2064	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2372	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2614	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2572	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2502	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2434	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.1992	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2574	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.267	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2596	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.244	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2418	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2038	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2532	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2576	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.284	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2848	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Borda	Robustness	0.076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Borda	Robustness	0.1022	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Borda	Robustness	0.0902	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Borda	Robustness	0.0782	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Borda	Robustness	0.0778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Borda	Robustness	0.0726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Borda	Robustness	0.0808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Borda	Robustness	0.0718	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Borda	Robustness	0.0718	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Borda	Robustness	0.0736	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Kemeny	Robustness	0.076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Kemeny	Robustness	0.077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0766	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0638	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0654	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0714	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	RRF	Robustness	0.0764	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	RRF	Robustness	0.086	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	RRF	Robustness	0.0734	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	RRF	Robustness	0.0678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	RRF	Robustness	0.0662	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	RRF	Robustness	0.0672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	RRF	Robustness	0.065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	RRF	Robustness	0.066	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	RRF	Robustness	0.0666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Robustness	0.0696	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.079	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.0706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.0744	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.0698	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.0692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.0642	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.0652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.072	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0772	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0752	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0676	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0646	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0632	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.2034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.1906	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.2242	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.248	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.256	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.2546	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.2486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.257	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.254	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.2438	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.207	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2344	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2416	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2386	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2282	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2356	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2382	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2106	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2022	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2546	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2526	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2504	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2458	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2426	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.238	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.191	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.225	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2534	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2456	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2358	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2358	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.198	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.1992	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2134	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2506	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2474	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2698	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2696	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Borda	Robustness	0.0846	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Borda	Robustness	0.1022	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Borda	Robustness	0.1066	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Borda	Robustness	0.1024	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Borda	Robustness	0.1052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Borda	Robustness	0.0982	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Borda	Robustness	0.1064	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Borda	Robustness	0.11	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Borda	Robustness	0.119	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Borda	Robustness	0.1126	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Robustness	0.0846	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Robustness	0.0906	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Robustness	0.0984	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Robustness	0.0962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Robustness	0.111	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Robustness	0.1052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Robustness	0.1076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Robustness	0.1174	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Robustness	0.119	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Robustness	0.1174	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	RRF	Robustness	0.0862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	RRF	Robustness	0.1028	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	RRF	Robustness	0.1046	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	RRF	Robustness	0.1008	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	RRF	Robustness	0.1096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	RRF	Robustness	0.1044	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	RRF	Robustness	0.1142	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	RRF	Robustness	0.1166	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	RRF	Robustness	0.1136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	RRF	Robustness	0.1182	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Schulze	Robustness	0.0846	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Schulze	Robustness	0.0962	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Schulze	Robustness	0.1046	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Schulze	Robustness	0.101	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Schulze	Robustness	0.1136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Schulze	Robustness	0.0978	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Schulze	Robustness	0.109	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Schulze	Robustness	0.1158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Schulze	Robustness	0.1166	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Schulze	Robustness	0.1186	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.0826	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.108	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.1106	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.1064	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.108	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.0994	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.1098	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.1136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.112	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.1104	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Robustness	0.272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Robustness	0.3032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Robustness	0.27	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Robustness	0.278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Robustness	0.2582	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Robustness	0.2622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Robustness	0.2684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Robustness	0.2422	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Robustness	0.2304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Robustness	0.2226	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2712	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2536	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.277	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2466	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2566	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2588	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2306	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2028	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.1992	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Robustness	0.2736	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Robustness	0.273	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Robustness	0.2588	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Robustness	0.276	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Robustness	0.2604	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Robustness	0.2706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Robustness	0.2622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Robustness	0.2428	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Robustness	0.2338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Robustness	0.2304	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.2864	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.2594	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.2744	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.266	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.2628	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.2388	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.209	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.2112	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2718	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.279	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2868	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.294	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2884	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2906	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Borda	Robustness	0.073	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Borda	Robustness	0.0796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Borda	Robustness	0.0838	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Borda	Robustness	0.0762	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Borda	Robustness	0.0786	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Borda	Robustness	0.0722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Borda	Robustness	0.075	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Borda	Robustness	0.0758	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Borda	Robustness	0.0834	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Borda	Robustness	0.0786	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Robustness	0.073	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Robustness	0.0716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Robustness	0.079	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Robustness	0.0748	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Robustness	0.0842	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Robustness	0.0822	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Robustness	0.082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Robustness	0.0848	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Robustness	0.0866	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Robustness	0.0846	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	RRF	Robustness	0.0736	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	RRF	Robustness	0.0816	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	RRF	Robustness	0.0812	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	RRF	Robustness	0.0754	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	RRF	Robustness	0.0816	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	RRF	Robustness	0.0766	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	RRF	Robustness	0.0814	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	RRF	Robustness	0.0822	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	RRF	Robustness	0.0794	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	RRF	Robustness	0.0834	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Schulze	Robustness	0.073	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Schulze	Robustness	0.0742	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Schulze	Robustness	0.085	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Schulze	Robustness	0.0766	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Schulze	Robustness	0.0826	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Schulze	Robustness	0.0786	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Schulze	Robustness	0.0784	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Schulze	Robustness	0.0848	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Schulze	Robustness	0.084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Schulze	Robustness	0.0862	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.0672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.0828	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.0834	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.0784	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.0742	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.0762	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.0792	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.0784	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.0774	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Robustness	0.223	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Robustness	0.2524	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Robustness	0.2212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Robustness	0.2288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Robustness	0.213	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Robustness	0.2164	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Robustness	0.22	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Robustness	0.1984	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Robustness	0.1898	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Robustness	0.1832	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.223	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2088	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.215	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.1886	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.1636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.161	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Robustness	0.2246	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Robustness	0.224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Robustness	0.2104	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Robustness	0.2274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Robustness	0.2132	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Robustness	0.2264	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Robustness	0.2196	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Robustness	0.2016	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Robustness	0.1936	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Robustness	0.1912	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.223	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.2358	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.2116	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.2256	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.2084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.2172	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.2206	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.193	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.1678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.1718	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2204	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2478	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2418	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2496	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2428	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2488	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2488	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Robustness	0.0684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Robustness	0.0904	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Robustness	0.096	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Robustness	0.094	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Robustness	0.0952	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Robustness	0.087	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Robustness	0.0958	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Robustness	0.1006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Robustness	0.1044	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Robustness	0.1014	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.0684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.079	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.0854	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.0964	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.0902	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.0896	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.103	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.1054	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.1036	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Robustness	0.0676	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Robustness	0.0858	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Robustness	0.0946	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Robustness	0.093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Robustness	0.095	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Robustness	0.0906	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Robustness	0.093	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Robustness	0.0998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Robustness	0.1014	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Robustness	0.1036	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Robustness	0.0684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Robustness	0.0828	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Robustness	0.0876	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Robustness	0.0872	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Robustness	0.0958	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Robustness	0.0932	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Robustness	0.0956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Robustness	0.0998	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Robustness	0.0984	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Robustness	0.1018	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0714	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0936	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0948	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0976	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0984	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0884	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0956	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0986	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0976	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.096	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2212	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.1932	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2024	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2006	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.1756	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.1668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.1616	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2022	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2104	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.1842	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.195	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.203	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.1702	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.1414	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.1464	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2162	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.205	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.196	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.197	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.202	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2052	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.1812	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.1702	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.172	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2136	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2042	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.209	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.1912	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2144	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2084	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.1674	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.1476	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.1586	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2192	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.22	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2168	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2256	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.232	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.221	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2226	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2214	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2214	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Robustness	0.0544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Robustness	0.0636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Robustness	0.0752	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Robustness	0.063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Robustness	0.0656	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Robustness	0.0698	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Robustness	0.074	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Robustness	0.0692	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.0544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.0576	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.0652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.0722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.0664	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.0744	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.079	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.0764	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Robustness	0.0526	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Robustness	0.068	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Robustness	0.0696	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Robustness	0.0672	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Robustness	0.0636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Robustness	0.0666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Robustness	0.0704	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Robustness	0.072	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Robustness	0.0744	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Robustness	0.0544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Robustness	0.062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Robustness	0.0668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Robustness	0.0662	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Robustness	0.0712	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Robustness	0.0682	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Robustness	0.0622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Robustness	0.0708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Robustness	0.0708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Robustness	0.0756	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0548	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0748	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0758	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.069	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0672	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1874	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.169	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1748	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1512	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1562	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.158	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.138	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1228	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1678	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1622	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1718	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1454	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1602	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1646	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1042	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1096	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1558	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1506	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.153	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1652	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1444	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1296	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.132	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1684	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.175	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1582	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1688	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1506	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.171	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1696	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1286	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1122	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1222	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1706	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1716	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1838	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.182	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1876	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1786	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1818	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1798	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1808	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Borda	Robustness	0.0252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Borda	Robustness	0.0236	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Borda	Robustness	0.0326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Borda	Robustness	0.0324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Borda	Robustness	0.0354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Borda	Robustness	0.0278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Borda	Robustness	0.0322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Borda	Robustness	0.0332	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Borda	Robustness	0.0346	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Borda	Robustness	0.0368	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Kemeny	Robustness	0.0252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Kemeny	Robustness	0.0268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Kemeny	Robustness	0.0286	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Kemeny	Robustness	0.0322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Kemeny	Robustness	0.0354	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Kemeny	Robustness	0.0342	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Kemeny	Robustness	0.0312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Kemeny	Robustness	0.042	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Kemeny	Robustness	0.0376	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Kemeny	Robustness	0.04	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	RRF	Robustness	0.0224	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	RRF	Robustness	0.028	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	RRF	Robustness	0.0298	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	RRF	Robustness	0.0298	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	RRF	Robustness	0.0336	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	RRF	Robustness	0.0322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	RRF	Robustness	0.033	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	RRF	Robustness	0.0388	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	RRF	Robustness	0.0378	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	RRF	Robustness	0.04	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Schulze	Robustness	0.0252	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Schulze	Robustness	0.0234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Schulze	Robustness	0.0278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Schulze	Robustness	0.0352	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Schulze	Robustness	0.0334	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Schulze	Robustness	0.031	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Schulze	Robustness	0.0368	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Schulze	Robustness	0.036	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Schulze	Robustness	0.0384	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Schulze	Robustness	0.041	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Robustness	0.0214	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Robustness	0.0322	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Robustness	0.0352	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Robustness	0.028	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Robustness	0.0344	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Robustness	0.034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Robustness	0.0322	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Robustness	0.081	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Robustness	0.0886	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Robustness	0.074	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Robustness	0.0784	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Robustness	0.0738	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Robustness	0.0826	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Robustness	0.0808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Robustness	0.0726	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Robustness	0.0634	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Robustness	0.0544	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.081	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.077	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.067	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.0778	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.0656	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.0668	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.078	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.062	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.0544	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.048	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Robustness	0.0828	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Robustness	0.0708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Robustness	0.0664	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Robustness	0.0746	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Robustness	0.082	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Robustness	0.0862	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Robustness	0.0906	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Robustness	0.0856	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Robustness	0.0692	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Robustness	0.066	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Robustness	0.081	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Robustness	0.079	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Robustness	0.0732	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Robustness	0.0742	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Robustness	0.0708	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Robustness	0.0874	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Robustness	0.0858	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Robustness	0.0728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Robustness	0.0562	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Robustness	0.056	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0818	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0762	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0796	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0836	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0788	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.088	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.079	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0808	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0812	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Borda	Robustness	0.0288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Borda	Robustness	0.0238	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Borda	Robustness	0.0312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Borda	Robustness	0.0274	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Borda	Robustness	0.033	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Borda	Robustness	0.0262	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Borda	Robustness	0.0254	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Borda	Robustness	0.027	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Borda	Robustness	0.032	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Borda	Robustness	0.0266	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Kemeny	Robustness	0.0288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Kemeny	Robustness	0.0268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Kemeny	Robustness	0.0278	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Kemeny	Robustness	0.0292	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Kemeny	Robustness	0.0286	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Kemeny	Robustness	0.0324	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Kemeny	Robustness	0.026	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Kemeny	Robustness	0.035	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Kemeny	Robustness	0.0328	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Kemeny	Robustness	0.0324	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	RRF	Robustness	0.026	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	RRF	Robustness	0.0308	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	RRF	Robustness	0.029	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	RRF	Robustness	0.0256	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	RRF	Robustness	0.028	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	RRF	Robustness	0.0268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	RRF	Robustness	0.0268	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	RRF	Robustness	0.0312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	RRF	Robustness	0.0304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	RRF	Robustness	0.0308	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Schulze	Robustness	0.0288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Schulze	Robustness	0.0228	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Schulze	Robustness	0.0272	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Schulze	Robustness	0.0312	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Schulze	Robustness	0.029	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Schulze	Robustness	0.0288	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Schulze	Robustness	0.0304	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Schulze	Robustness	0.0326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Schulze	Robustness	0.0326	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Schulze	Robustness	0.0342	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Robustness	0.0234	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Robustness	0.0306	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Robustness	0.0314	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Robustness	0.034	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0348	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Robustness	0.031	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Robustness	0.0244	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Robustness	0.0248	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Robustness	0.025	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Robustness	0.024	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Robustness	0.0616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Robustness	0.0666	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Robustness	0.0542	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Robustness	0.0578	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Robustness	0.0564	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Robustness	0.0646	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Robustness	0.0612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Robustness	0.0616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Robustness	0.0518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Robustness	0.04	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.0616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.0592	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.0514	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.0612	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.0486	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.0562	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.065	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.0518	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.043	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.0378	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Robustness	0.0642	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Robustness	0.0494	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Robustness	0.05	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Robustness	0.0556	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Robustness	0.0648	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Robustness	0.0728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Robustness	0.076	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Robustness	0.0722	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Robustness	0.057	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Robustness	0.0516	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Robustness	0.0616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Robustness	0.0614	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Robustness	0.056	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Robustness	0.0584	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Robustness	0.051	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Robustness	0.0728	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Robustness	0.073	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Robustness	0.0588	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Robustness	0.044	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Robustness	0.0466	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0636	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0568	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0616	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0662	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0624	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.069	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.063	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0654	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.066	True	"Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"

Table 67: ImageNet–ViT-B/16

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Clean	C	Borda	Quality	max	2	0.1352	[2]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	Borda	Quality	min	2	0.146	[2]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Clean	F	Borda	Quality	max	2	0.0864	[2]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	Borda	Quality	min	2	0.0928	[2]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	Borda	Robustness	min	7	0.0886	[7]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	Borda	Robustness	min	3	0.201	[3]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	Borda	Robustness	min	9	0.0718	[9,10]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbelation", "Saliency"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	Borda	Robustness	min	3	0.1906	[3]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	Borda	Robustness	min	2	0.0846	[2]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	Borda	Robustness	min	11	0.2226	[11]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbelation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	Borda	Robustness	min	7	0.0722	[7]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	Borda	Robustness	min	11	0.1832	[11]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbelation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	Borda	Robustness	min	2	0.0684	[2]	smallest_q_within__absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	Borda	Robustness	min	11	0.1616	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	Borda	Robustness	min	2	0.0544	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	Borda	Robustness	min	11	0.1228	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	Borda	Robustness	min	3	0.0236	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	Borda	Robustness	min	11	0.0544	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	Borda	Robustness	min	3	0.0238	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	Borda	Robustness	min	11	0.04	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	Kemeny	Quality	max	3	0.1362	[3,4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	Kemeny	Quality	min	4	0.1458	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	Kemeny	Quality	max	3	0.0874	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	Kemeny	Quality	min	4	0.0922	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	Kemeny	Robustness	min	8	0.0808	[8]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	min	2	0.2096	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTranformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	Kemeny	Robustness	min	8	0.0622	[8]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	min	2	0.2034	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	Kemeny	Robustness	min	2	0.0846	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	Kemeny	Robustness	min	11	0.1992	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	Kemeny	Robustness	min	3	0.0716	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	Kemeny	Robustness	min	11	0.161	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	Kemeny	Robustness	min	2	0.0684	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	Kemeny	Robustness	min	10	0.1414	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	Kemeny	Robustness	min	2	0.0544	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	Kemeny	Robustness	min	10	0.1042	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	Kemeny	Robustness	min	2	0.0252	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	Kemeny	Robustness	min	11	0.048	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	Kemeny	Robustness	min	8	0.026	[8]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	Kemeny	Robustness	min	11	0.0378	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	RRF	Quality	max	2	0.1356	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	RRF	Quality	min	2	0.1442	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	RRF	Quality	max	2	0.0872	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	RRF	Quality	min	2	0.092	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	RRF	Robustness	min	6	0.0834	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	RRF	Robustness	min	3	0.2064	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	RRF	Robustness	min	8	0.065	[8]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	RRF	Robustness	min	3	0.2022	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	RRF	Robustness	min	2	0.0862	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	RRF	Robustness	min	11	0.2304	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	RRF	Robustness	min	2	0.0736	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	RRF	Robustness	min	11	0.1912	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	RRF	Robustness	min	2	0.0676	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	RRF	Robustness	min	10	0.1702	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	RRF	Robustness	min	2	0.0526	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	RRF	Robustness	min	10	0.1296	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	RRF	Robustness	min	2	0.0224	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	RRF	Robustness	min	11	0.066	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	RRF	Robustness	min	5	0.0256	[5]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	RRF	Robustness	min	3	0.0494	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	Schulze	Quality	max	4	0.1368	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	Schulze	Quality	min	4	0.1458	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	Schulze	Quality	max	4	0.0874	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	Schulze	Quality	min	2	0.0928	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	Schulze	Robustness	min	7	0.0804	[7]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	Schulze	Robustness	min	3	0.1992	[3]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	Schulze	Robustness	min	9	0.0642	[9]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	Schulze	Robustness	min	3	0.191	[3]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	Schulze	Robustness	min	2	0.0846	[2]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	Schulze	Robustness	min	10	0.209	[10]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	Schulze	Robustness	min	2	0.073	[2]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	Schulze	Robustness	min	10	0.1678	[10]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	Schulze	Robustness	min	2	0.0684	[2]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	Schulze	Robustness	min	10	0.1476	[10]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	Schulze	Robustness	min	2	0.0544	[2]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	Schulze	Robustness	min	10	0.1122	[10]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	Schulze	Robustness	min	3	0.0234	[3]	smallest_q_ within_ absolute_1e-12	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	Schulze	Robustness	min	11	0.056	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	Schulze	Robustness	min	3	0.0228	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	Schulze	Robustness	min	10	0.044	[10]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	Simple Averaging	Quality	max	2	0.132	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	Simple Averaging	Quality	min	4	0.147	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	Simple Averaging	Quality	max	2	0.0852	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	Simple Averaging	Quality	min	4	0.0956	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	C	Simple Averaging	Robustness	min	6	0.078	[6]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	min	3	0.2038	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	F	Simple Averaging	Robustness	min	11	0.0632	[11]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	min	2	0.198	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	C	Simple Averaging	Robustness	min	2	0.0826	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Cbar	Simple Averaging	Robustness	min	2	0.2718	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	F	Simple Averaging	Robustness	min	2	0.0672	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Gaussian 0.15	Fbar	Simple Averaging	Robustness	min	2	0.2204	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	C	Simple Averaging	Robustness	min	2	0.0714	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	min	4	0.2168	[4]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	F	Simple Averaging	Robustness	min	2	0.0548	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	min	2	0.1706	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	C	Simple Averaging	Robustness	min	2	0.0214	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Cbar	Simple Averaging	Robustness	min	3	0.0762	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	F	Simple Averaging	Robustness	min	2	0.0234	[2]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Speckle 0.15	Fbar	Simple Averaging	Robustness	min	3	0.0568	[3]	smallest_q_within_absolute_1e-12	["Gradient Attention Rollout", "CheferTransformer Attribution", "Occlusion"]

Table 68: ImageNet-ViT-B/16

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	Borda	Quality	0.1352	max	0.1352	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	Borda	Quality	0.0956	max	0.0956	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	Borda	Quality	0.1034	max	0.1034	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	Borda	Quality	0.1068	max	0.1068	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	Borda	Quality	0.1044	max	0.1044	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	Borda	Quality	0.1068	max	0.1068	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	Borda	Quality	0.0956	max	0.0956	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	Borda	Quality	0.0912	max	0.0912	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	Borda	Quality	0.0844	max	0.0844	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	Borda	Quality	0.0802	max	0.0802	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	Kemeny	Quality	0.1352	max	0.1352	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	Kemeny	Quality	0.1362	max	0.1362	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	Kemeny	Quality	0.1362	max	0.1362	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	Kemeny	Quality	0.1234	max	0.1234	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	Kemeny	Quality	0.1142	max	0.1142	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	Kemeny	Quality	0.1134	max	0.1134	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	Kemeny	Quality	0.1136	max	0.1136	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	Kemeny	Quality	0.0994	max	0.0994	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	Kemeny	Quality	0.0912	max	0.0912	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	Kemeny	Quality	0.0856	max	0.0856	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	RRF	Quality	0.1356	max	0.1356	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	RRF	Quality	0.123	max	0.123	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	RRF	Quality	0.1276	max	0.1276	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	RRF	Quality	0.1196	max	0.1196	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	RRF	Quality	0.1164	max	0.1164	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	RRF	Quality	0.1124	max	0.1124	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	RRF	Quality	0.1074	max	0.1074	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	RRF	Quality	0.1014	max	0.1014	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	RRF	Quality	0.0946	max	0.0946	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	RRF	Quality	0.0892	max	0.0892	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	Schulze	Quality	0.1352	max	0.1352	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	Schulze	Quality	0.125	max	0.125	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	Schulze	Quality	0.1368	max	0.1368	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	Schulze	Quality	0.1182	max	0.1182	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	Schulze	Quality	0.1126	max	0.1126	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	Schulze	Quality	0.1152	max	0.1152	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	Schulze	Quality	0.1046	max	0.1046	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	Schulze	Quality	0.1002	max	0.1002	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	Schulze	Quality	0.0912	max	0.0912	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	Schulze	Quality	0.0848	max	0.0848	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	Simple Averaging	Quality	0.132	max	0.132	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	Simple Averaging	Quality	0.1198	max	0.1198	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	Simple Averaging	Quality	0.1216	max	0.1216	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	Simple Averaging	Quality	0.1146	max	0.1146	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	Simple Averaging	Quality	0.1158	max	0.1158	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	Simple Averaging	Quality	0.1172	max	0.1172	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	Simple Averaging	Quality	0.1056	max	0.1056	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	Simple Averaging	Quality	0.1032	max	0.1032	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	Simple Averaging	Quality	0.103	max	0.103	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	Simple Averaging	Quality	0.1032	max	0.1032	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	Borda	Quality	0.146	min	-0.146	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	Borda	Quality	0.1508	min	-0.1508	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	Borda	Quality	0.1572	min	-0.1572	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	Borda	Quality	0.1632	min	-0.1632	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	Borda	Quality	0.1876	min	-0.1876	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	Borda	Quality	0.1864	min	-0.1864	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	Borda	Quality	0.1866	min	-0.1866	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	Borda	Quality	0.2224	min	-0.2224	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	Borda	Quality	0.2628	min	-0.2628	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	Borda	Quality	0.2866	min	-0.2866	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	Kemeny	Quality	0.146	min	-0.146	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	Kemeny	Quality	0.1464	min	-0.1464	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	Kemeny	Quality	0.1458	min	-0.1458	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	Kemeny	Quality	0.1714	min	-0.1714	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	Kemeny	Quality	0.2028	min	-0.2028	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	Kemeny	Quality	0.2112	min	-0.2112	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	Kemeny	Quality	0.201	min	-0.201	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	Kemeny	Quality	0.2544	min	-0.2544	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	Kemeny	Quality	0.317	min	-0.317	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	Kemeny	Quality	0.3318	min	-0.3318	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	RRF	Quality	0.1442	min	-0.1442	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	RRF	Quality	0.1468	min	-0.1468	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	RRF	Quality	0.1462	min	-0.1462	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	RRF	Quality	0.1572	min	-0.1572	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	RRF	Quality	0.1782	min	-0.1782	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	RRF	Quality	0.1852	min	-0.1852	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	RRF	Quality	0.1854	min	-0.1854	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	RRF	Quality	0.2236	min	-0.2236	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	RRF	Quality	0.27	min	-0.27	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	RRF	Quality	0.2798	min	-0.2798	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	Schulze	Quality	0.146	min	-0.146	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	Schulze	Quality	0.1484	min	-0.1484	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	Schulze	Quality	0.1458	min	-0.1458	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	Schulze	Quality	0.1636	min	-0.1636	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	Schulze	Quality	0.1886	min	-0.1886	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	Schulze	Quality	0.183	min	-0.183	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	Schulze	Quality	0.189	min	-0.189	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	Schulze	Quality	0.2294	min	-0.2294	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	Schulze	Quality	0.2956	min	-0.2956	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	Schulze	Quality	0.2966	min	-0.2966	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	Simple Averaging	Quality	0.1484	min	-0.1484	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	Simple Averaging	Quality	0.1478	min	-0.1478	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	Simple Averaging	Quality	0.147	min	-0.147	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	Simple Averaging	Quality	0.1524	min	-0.1524	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	Simple Averaging	Quality	0.1532	min	-0.1532	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	Simple Averaging	Quality	0.1576	min	-0.1576	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	Simple Averaging	Quality	0.1706	min	-0.1706	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	Simple Averaging	Quality	0.1722	min	-0.1722	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	Simple Averaging	Quality	0.1738	min	-0.1738	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	Simple Averaging	Quality	0.1744	min	-0.1744	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	Borda	Quality	0.0864	max	0.0864	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	Borda	Quality	0.0506	max	0.0506	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	Borda	Quality	0.0572	max	0.0572	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	Borda	Quality	0.0634	max	0.0634	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	Borda	Quality	0.0604	max	0.0604	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	Borda	Quality	0.066	max	0.066	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	Borda	Quality	0.0582	max	0.0582	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	Borda	Quality	0.0552	max	0.0552	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	Borda	Quality	0.0494	max	0.0494	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	Borda	Quality	0.0478	max	0.0478	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	Kemeny	Quality	0.0864	max	0.0864	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	Kemeny	Quality	0.0874	max	0.0874	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	Kemeny	Quality	0.087	max	0.087	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	Kemeny	Quality	0.0796	max	0.0796	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	Kemeny	Quality	0.0728	max	0.0728	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	Kemeny	Quality	0.0716	max	0.0716	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	Kemeny	Quality	0.0738	max	0.0738	kendall_ mallows_ exact_ distance	0.404683	- 0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	Kemeny	Quality	0.0624	max	0.0624	kendall_ mallows_ exact_ distance	0.387434	- 0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	Kemeny	Quality	0.0542	max	0.0542	kendall_ mallows_ exact_ distance	0.389212	- 0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	Kemeny	Quality	0.05	max	0.05	kendall_ mallows_ exact_ distance	0.399779	- 0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	RRF	Quality	0.0872	max	0.0872	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	RRF	Quality	0.0726	max	0.0726	kendall_ mallows_ exact_ distance	0.656867	- 0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	RRF	Quality	0.0804	max	0.0804	kendall_ mallows_ exact_ distance	0.496275	- 0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	RRF	Quality	0.0762	max	0.0762	kendall_ mallows_ exact_ distance	0.458333	- 0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	RRF	Quality	0.0738	max	0.0738	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	RRF	Quality	0.073	max	0.073	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	RRF	Quality	0.0688	max	0.0688	kendall_ mallows_ exact_ distance	0.404683	- 0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	RRF	Quality	0.0634	max	0.0634	kendall_ mallows_ exact_ distance	0.387434	- 0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	RRF	Quality	0.0574	max	0.0574	kendall_ mallows_ exact_ distance	0.389212	- 0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	RRF	Quality	0.0538	max	0.0538	kendall_ mallows_ exact_ distance	0.399779	- 0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	Schulze	Quality	0.0864	max	0.0864	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	Schulze	Quality	0.0764	max	0.0764	kendall_ mallows_ exact_ distance	0.656867	- 0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	Schulze	Quality	0.0874	max	0.0874	kendall_ mallows_ exact_ distance	0.496275	- 0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	Schulze	Quality	0.0742	max	0.0742	kendall_ mallows_ exact_ distance	0.458333	- 0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	Schulze	Quality	0.0698	max	0.0698	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	Schulze	Quality	0.0726	max	0.0726	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	Schulze	Quality	0.0684	max	0.0684	kendall_ mallows_ exact_ distance	0.404683	- 0.404683	0.002	5469.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	Schulze	Quality	0.0614	max	0.0614	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	Schulze	Quality	0.0552	max	0.0552	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	Schulze	Quality	0.0488	max	0.0488	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	Simple Averaging	Quality	0.0852	max	0.0852	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	Simple Averaging	Quality	0.0734	max	0.0734	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	Simple Averaging	Quality	0.0748	max	0.0748	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	Simple Averaging	Quality	0.0686	max	0.0686	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	Simple Averaging	Quality	0.0692	max	0.0692	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	Simple Averaging	Quality	0.0696	max	0.0696	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	Simple Averaging	Quality	0.0662	max	0.0662	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	Simple Averaging	Quality	0.0648	max	0.0648	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	Simple Averaging	Quality	0.064	max	0.064	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	Simple Averaging	Quality	0.0642	max	0.0642	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	Borda	Quality	0.0928	min	-0.0928	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	Borda	Quality	0.1026	min	-0.1026	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	Borda	Quality	0.1076	min	-0.1076	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	Borda	Quality	0.1114	min	-0.1114	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	Borda	Quality	0.1326	min	-0.1326	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	Borda	Quality	0.1326	min	-0.1326	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	Borda	Quality	0.1334	min	-0.1334	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	Borda	Quality	0.1634	min	-0.1634	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	Borda	Quality	0.2012	min	-0.2012	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	Borda	Quality	0.2256	min	-0.2256	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	Kemeny	Quality	0.0928	min	-0.0928	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	Kemeny	Quality	0.0946	min	-0.0946	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	Kemeny	Quality	0.0922	min	-0.0922	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	Kemeny	Quality	0.1154	min	-0.1154	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	Kemeny	Quality	0.1464	min	-0.1464	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	Kemeny	Quality	0.152	min	-0.152	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	Kemeny	Quality	0.143	min	-0.143	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	Kemeny	Quality	0.1934	min	-0.1934	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	Kemeny	Quality	0.2546	min	-0.2546	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	Kemeny	Quality	0.2684	min	-0.2684	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	RRF	Quality	0.092	min	-0.092	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	RRF	Quality	0.096	min	-0.096	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	RRF	Quality	0.096	min	-0.096	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	RRF	Quality	0.105	min	-0.105	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	RRF	Quality	0.1246	min	-0.1246	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	RRF	Quality	0.1278	min	-0.1278	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	RRF	Quality	0.127	min	-0.127	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	RRF	Quality	0.1624	min	-0.1624	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	RRF	Quality	0.2086	min	-0.2086	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	RRF	Quality	0.2172	min	-0.2172	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	Schulze	Quality	0.0928	min	-0.0928	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	Schulze	Quality	0.0978	min	-0.0978	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	Schulze	Quality	0.0952	min	-0.0952	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	Schulze	Quality	0.109	min	-0.109	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	Schulze	Quality	0.1338	min	-0.1338	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	Schulze	Quality	0.1302	min	-0.1302	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	Schulze	Quality	0.1302	min	-0.1302	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	Schulze	Quality	0.1726	min	-0.1726	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	Schulze	Quality	0.2342	min	-0.2342	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	Schulze	Quality	0.2336	min	-0.2336	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	Simple Averaging	Quality	0.0966	min	-0.0966	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	Simple Averaging	Quality	0.097	min	-0.097	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	Simple Averaging	Quality	0.0956	min	-0.0956	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	Simple Averaging	Quality	0.1002	min	-0.1002	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	Simple Averaging	Quality	0.0998	min	-0.0998	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	Simple Averaging	Quality	0.1038	min	-0.1038	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	Simple Averaging	Quality	0.1152	min	-0.1152	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	Simple Averaging	Quality	0.1164	min	-0.1164	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	Simple Averaging	Quality	0.1176	min	-0.1176	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	Simple Averaging	Quality	0.1174	min	-0.1174	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 255	C	Borda	Robustness	0.091	min	-0.091	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 255	C	Borda	Robustness	0.1214	min	-0.1214	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 255	C	Borda	Robustness	0.1042	min	-0.1042	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 255	C	Borda	Robustness	0.0962	min	-0.0962	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 255	C	Borda	Robustness	0.092	min	-0.092	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 255	C	Borda	Robustness	0.0886	min	-0.0886	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Borda	Robustness	0.0998	min	-0.0998	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Borda	Robustness	0.0924	min	-0.0924	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Borda	Robustness	0.0934	min	-0.0934	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Borda	Robustness	0.095	min	-0.095	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.091	min	-0.091	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0926	min	-0.0926	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0916	min	-0.0916	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.087	min	-0.087	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0856	min	-0.0856	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0876	min	-0.0876	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0808	min	-0.0808	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.085	min	-0.085	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.084	min	-0.084	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0926	min	-0.0926	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	RRF	Robustness	0.0902	min	-0.0902	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	RRF	Robustness	0.1024	min	-0.1024	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	RRF	Robustness	0.0916	min	-0.0916	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	RRF	Robustness	0.0864	min	-0.0864	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	RRF	Robustness	0.0834	min	-0.0834	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	RRF	Robustness	0.0876	min	-0.0876	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	RRF	Robustness	0.0866	min	-0.0866	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	RRF	Robustness	0.0862	min	-0.0862	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	RRF	Robustness	0.0846	min	-0.0846	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	RRF	Robustness	0.0886	min	-0.0886	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.091	min	-0.091	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.0968	min	-0.0968	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.0834	min	-0.0834	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.0912	min	-0.0912	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.0856	min	-0.0856	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	Schulze	Robustness	0.0804	min	-0.0804	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Schulze	Robustness	0.0892	min	-0.0892	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Schulze	Robustness	0.083	min	-0.083	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Schulze	Robustness	0.0852	min	-0.0852	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Schulze	Robustness	0.0904	min	-0.0904	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0934	min	-0.0934	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0928	min	-0.0928	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.083	min	-0.083	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0836	min	-0.0836	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.078	min	-0.078	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0782	min	-0.0782	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0822	min	-0.0822	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0842	min	-0.0842	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.08	min	-0.08	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0788	min	-0.0788	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2096	min	-0.2096	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.201	min	-0.201	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2358	min	-0.2358	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2572	min	-0.2572	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.264	min	-0.264	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2686	min	-0.2686	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2654	min	-0.2654	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2664	min	-0.2664	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2626	min	-0.2626	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2556	min	-0.2556	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2096	min	-0.2096	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2164	min	-0.2164	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.239	min	-0.239	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2498	min	-0.2498	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2486	min	-0.2486	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2376	min	-0.2376	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2486	min	-0.2486	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.246	min	-0.246	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.234	min	-0.234	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2166	min	-0.2166	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2102	min	-0.2102	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2064	min	-0.2064	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2372	min	-0.2372	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.268	min	-0.268	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2666	min	-0.2666	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2614	min	-0.2614	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2572	min	-0.2572	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2636	min	-0.2636	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2502	min	-0.2502	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2434	min	-0.2434	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2096	min	-0.2096	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.1992	min	-0.1992	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2324	min	-0.2324	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2574	min	-0.2574	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.267	min	-0.267	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2672	min	-0.2672	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2616	min	-0.2616	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2596	min	-0.2596	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.244	min	-0.244	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.2418	min	-0.2418	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2052	min	-0.2052	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2038	min	-0.2038	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2204	min	-0.2204	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2532	min	-0.2532	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.262	min	-0.262	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2722	min	-0.2722	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2576	min	-0.2576	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2738	min	-0.2738	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.284	min	-0.284	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.2848	min	-0.2848	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Borda	Robustness	0.076	min	-0.076	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Borda	Robustness	0.1022	min	-0.1022	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Borda	Robustness	0.0902	min	-0.0902	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Borda	Robustness	0.0782	min	-0.0782	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Borda	Robustness	0.0778	min	-0.0778	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Borda	Robustness	0.0726	min	-0.0726	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Borda	Robustness	0.0808	min	-0.0808	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Borda	Robustness	0.0718	min	-0.0718	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Borda	Robustness	0.0718	min	-0.0718	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Borda	Robustness	0.0736	min	-0.0736	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Kemeny	Robustness	0.076	min	-0.076	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Kemeny	Robustness	0.077	min	-0.077	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0766	min	-0.0766	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0688	min	-0.0688	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0672	min	-0.0672	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0688	min	-0.0688	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0622	min	-0.0622	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0638	min	-0.0638	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0654	min	-0.0654	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0714	min	-0.0714	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	RRF	Robustness	0.0764	min	-0.0764	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	RRF	Robustness	0.086	min	-0.086	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	RRF	Robustness	0.0734	min	-0.0734	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	RRF	Robustness	0.0678	min	-0.0678	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	RRF	Robustness	0.0662	min	-0.0662	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	RRF	Robustness	0.0672	min	-0.0672	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	RRF	Robustness	0.065	min	-0.065	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	RRF	Robustness	0.066	min	-0.066	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	RRF	Robustness	0.0666	min	-0.0666	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	RRF	Robustness	0.0696	min	-0.0696	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.076	min	-0.076	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.079	min	-0.079	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.0706	min	-0.0706	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.0744	min	-0.0744	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.0698	min	-0.0698	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.065	min	-0.065	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.0692	min	-0.0692	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.0642	min	-0.0642	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.0652	min	-0.0652	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.072	min	-0.072	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0772	min	-0.0772	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0752	min	-0.0752	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0676	min	-0.0676	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0688	min	-0.0688	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0648	min	-0.0648	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0646	min	-0.0646	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0672	min	-0.0672	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0672	min	-0.0672	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.065	min	-0.065	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0632	min	-0.0632	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.2034	min	-0.2034	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.1906	min	-0.1906	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.2242	min	-0.2242	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.248	min	-0.248	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.256	min	-0.256	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.2546	min	-0.2546	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.2486	min	-0.2486	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.257	min	-0.257	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.254	min	-0.254	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.2438	min	-0.2438	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2034	min	-0.2034	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.207	min	-0.207	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2344	min	-0.2344	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2416	min	-0.2416	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2386	min	-0.2386	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2282	min	-0.2282	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2356	min	-0.2356	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2382	min	-0.2382	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2262	min	-0.2262	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2106	min	-0.2106	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.204	min	-0.204	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2022	min	-0.2022	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2262	min	-0.2262	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2546	min	-0.2546	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2526	min	-0.2526	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2504	min	-0.2504	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2458	min	-0.2458	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2544	min	-0.2544	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.2426	min	-0.2426	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.238	min	-0.238	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2034	min	-0.2034	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.191	min	-0.191	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.225	min	-0.225	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2486	min	-0.2486	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2534	min	-0.2534	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2512	min	-0.2512	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2494	min	-0.2494	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2456	min	-0.2456	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2358	min	-0.2358	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.2358	min	-0.2358	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.198	min	-0.198	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.1992	min	-0.1992	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2134	min	-0.2134	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2444	min	-0.2444	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2506	min	-0.2506	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2612	min	-0.2612	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2474	min	-0.2474	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2612	min	-0.2612	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2698	min	-0.2698	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.2696	min	-0.2696	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	Borda	Robustness	0.0846	min	-0.0846	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	Borda	Robustness	0.1022	min	-0.1022	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	Borda	Robustness	0.1066	min	-0.1066	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	Borda	Robustness	0.1024	min	-0.1024	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	Borda	Robustness	0.1052	min	-0.1052	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	Borda	Robustness	0.0982	min	-0.0982	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	Borda	Robustness	0.1064	min	-0.1064	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	Borda	Robustness	0.11	min	-0.11	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	Borda	Robustness	0.119	min	-0.119	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	Borda	Robustness	0.1126	min	-0.1126	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	Kemeny	Robustness	0.0846	min	-0.0846	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	Kemeny	Robustness	0.0906	min	-0.0906	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	Kemeny	Robustness	0.0984	min	-0.0984	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	Kemeny	Robustness	0.0962	min	-0.0962	kendall_ mallows_ exact_ distance	0.458333 -	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	Kemeny	Robustness	0.111	min	-0.111	kendall_ mallows_ exact_ distance	0.395705 -	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	Kemeny	Robustness	0.1052	min	-0.1052	kendall_ mallows_ exact_ distance	0.423565 -	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	Kemeny	Robustness	0.1076	min	-0.1076	kendall_ mallows_ exact_ distance	0.404683 -	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	Kemeny	Robustness	0.1174	min	-0.1174	kendall_ mallows_ exact_ distance	0.387434 -	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	Kemeny	Robustness	0.119	min	-0.119	kendall_ mallows_ exact_ distance	0.389212 -	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	Kemeny	Robustness	0.1174	min	-0.1174	kendall_ mallows_ exact_ distance	0.399779 -	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	RRF	Robustness	0.0862	min	-0.0862	kendall_ mallows_ exact_ distance	0.31901 -	0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	RRF	Robustness	0.1028	min	-0.1028	kendall_ mallows_ exact_ distance	0.656867 -	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	RRF	Robustness	0.1046	min	-0.1046	kendall_ mallows_ exact_ distance	0.496275 -	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	RRF	Robustness	0.1008	min	-0.1008	kendall_ mallows_ exact_ distance	0.458333 -	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	RRF	Robustness	0.1096	min	-0.1096	kendall_ mallows_ exact_ distance	0.395705 -	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	RRF	Robustness	0.1044	min	-0.1044	kendall_ mallows_ exact_ distance	0.423565 -	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	RRF	Robustness	0.1142	min	-0.1142	kendall_ mallows_ exact_ distance	0.404683 -	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	RRF	Robustness	0.1166	min	-0.1166	kendall_ mallows_ exact_ distance	0.387434 -	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	RRF	Robustness	0.1136	min	-0.1136	kendall_ mallows_ exact_ distance	0.389212 -	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	RRF	Robustness	0.1182	min	-0.1182	kendall_ mallows_ exact_ distance	0.399779 -	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	Schulze	Robustness	0.0846	min	-0.0846	kendall_ mallows_ exact_ distance	0.31901 -	0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	Schulze	Robustness	0.0962	min	-0.0962	kendall_ mallows_ exact_ distance	0.656867 -	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	Schulze	Robustness	0.1046	min	-0.1046	kendall_ mallows_ exact_ distance	0.496275 -	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	Schulze	Robustness	0.101	min	-0.101	kendall_ mallows_ exact_ distance	0.458333 -	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	Schulze	Robustness	0.1136	min	-0.1136	kendall_ mallows_ exact_ distance	0.395705 -	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	Schulze	Robustness	0.0978	min	-0.0978	kendall_ mallows_ exact_ distance	0.423565 -	0.423565	0.002	5036.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	Schulze	Robustness	0.109	min	-0.109	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	Schulze	Robustness	0.1158	min	-0.1158	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	Schulze	Robustness	0.1166	min	-0.1166	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	Schulze	Robustness	0.1186	min	-0.1186	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.0826	min	-0.0826	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.108	min	-0.108	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.1106	min	-0.1106	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.1064	min	-0.1064	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.108	min	-0.108	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.0994	min	-0.0994	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.1098	min	-0.1098	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.1136	min	-0.1136	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.112	min	-0.112	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.1104	min	-0.1104	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Borda	Robustness	0.272	min	-0.272	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Borda	Robustness	0.3032	min	-0.3032	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Borda	Robustness	0.27	min	-0.27	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Borda	Robustness	0.278	min	-0.278	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Borda	Robustness	0.2582	min	-0.2582	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Borda	Robustness	0.2622	min	-0.2622	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Borda	Robustness	0.2684	min	-0.2684	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Borda	Robustness	0.2422	min	-0.2422	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Borda	Robustness	0.2304	min	-0.2304	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Borda	Robustness	0.2226	min	-0.2226	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.272	min	-0.272	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2712	min	-0.2712	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2536	min	-0.2536	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.277	min	-0.277	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2466	min	-0.2466	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2566	min	-0.2566	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2588	min	-0.2588	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2306	min	-0.2306	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2028	min	-0.2028	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.1992	min	-0.1992	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	RRF	Robustness	0.2736	min	-0.2736	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	RRF	Robustness	0.273	min	-0.273	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	RRF	Robustness	0.2588	min	-0.2588	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	RRF	Robustness	0.276	min	-0.276	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	RRF	Robustness	0.2604	min	-0.2604	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	RRF	Robustness	0.2706	min	-0.2706	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	RRF	Robustness	0.2622	min	-0.2622	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	RRF	Robustness	0.2428	min	-0.2428	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	RRF	Robustness	0.2338	min	-0.2338	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	RRF	Robustness	0.2304	min	-0.2304	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.272	min	-0.272	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.2864	min	-0.2864	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.2594	min	-0.2594	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.2744	min	-0.2744	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.252	min	-0.252	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.266	min	-0.266	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.2628	min	-0.2628	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.2388	min	-0.2388	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.209	min	-0.209	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.2112	min	-0.2112	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2718	min	-0.2718	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2798	min	-0.2798	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.279	min	-0.279	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.292	min	-0.292	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2868	min	-0.2868	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.294	min	-0.294	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2862	min	-0.2862	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2884	min	-0.2884	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.292	min	-0.292	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2906	min	-0.2906	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	Borda	Robustness	0.073	min	-0.073	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	Borda	Robustness	0.0796	min	-0.0796	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	Borda	Robustness	0.0838	min	-0.0838	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	Borda	Robustness	0.0762	min	-0.0762	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	Borda	Robustness	0.0786	min	-0.0786	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	Borda	Robustness	0.0722	min	-0.0722	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	Borda	Robustness	0.075	min	-0.075	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	Borda	Robustness	0.0758	min	-0.0758	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	Borda	Robustness	0.0834	min	-0.0834	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	Borda	Robustness	0.0786	min	-0.0786	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	Kemeny	Robustness	0.073	min	-0.073	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	Kemeny	Robustness	0.0716	min	-0.0716	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	Kemeny	Robustness	0.079	min	-0.079	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	Kemeny	Robustness	0.0748	min	-0.0748	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	Kemeny	Robustness	0.0842	min	-0.0842	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	Kemeny	Robustness	0.0822	min	-0.0822	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	Kemeny	Robustness	0.082	min	-0.082	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	Kemeny	Robustness	0.0848	min	-0.0848	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	Kemeny	Robustness	0.0866	min	-0.0866	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	Kemeny	Robustness	0.0846	min	-0.0846	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	RRF	Robustness	0.0736	min	-0.0736	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	RRF	Robustness	0.0816	min	-0.0816	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	RRF	Robustness	0.0812	min	-0.0812	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	RRF	Robustness	0.0754	min	-0.0754	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	RRF	Robustness	0.0816	min	-0.0816	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	RRF	Robustness	0.0766	min	-0.0766	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	RRF	Robustness	0.0814	min	-0.0814	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	RRF	Robustness	0.0822	min	-0.0822	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	RRF	Robustness	0.0794	min	-0.0794	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	RRF	Robustness	0.0834	min	-0.0834	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	Schulze	Robustness	0.073	min	-0.073	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	Schulze	Robustness	0.0742	min	-0.0742	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	Schulze	Robustness	0.085	min	-0.085	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	Schulze	Robustness	0.0766	min	-0.0766	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	Schulze	Robustness	0.0826	min	-0.0826	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	Schulze	Robustness	0.0786	min	-0.0786	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	Schulze	Robustness	0.0784	min	-0.0784	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	Schulze	Robustness	0.0848	min	-0.0848	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	Schulze	Robustness	0.084	min	-0.084	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	Schulze	Robustness	0.0862	min	-0.0862	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.0672	min	-0.0672	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.0828	min	-0.0828	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.0834	min	-0.0834	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.077	min	-0.077	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.0784	min	-0.0784	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.0742	min	-0.0742	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.0762	min	-0.0762	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.0792	min	-0.0792	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.0784	min	-0.0784	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.0774	min	-0.0774	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Borda	Robustness	0.223	min	-0.223	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Borda	Robustness	0.2524	min	-0.2524	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Borda	Robustness	0.2212	min	-0.2212	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Borda	Robustness	0.2288	min	-0.2288	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Borda	Robustness	0.213	min	-0.213	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Borda	Robustness	0.2164	min	-0.2164	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Borda	Robustness	0.22	min	-0.22	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Borda	Robustness	0.1984	min	-0.1984	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Borda	Robustness	0.1898	min	-0.1898	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Borda	Robustness	0.1832	min	-0.1832	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.223	min	-0.223	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2204	min	-0.2204	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2088	min	-0.2088	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2326	min	-0.2326	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2006	min	-0.2006	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.215	min	-0.215	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2158	min	-0.2158	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.1886	min	-0.1886	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.1636	min	-0.1636	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.161	min	-0.161	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	RRF	Robustness	0.2246	min	-0.2246	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	RRF	Robustness	0.224	min	-0.224	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	RRF	Robustness	0.2104	min	-0.2104	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	RRF	Robustness	0.2274	min	-0.2274	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	RRF	Robustness	0.2132	min	-0.2132	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	RRF	Robustness	0.2264	min	-0.2264	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	RRF	Robustness	0.2196	min	-0.2196	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	RRF	Robustness	0.2016	min	-0.2016	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	RRF	Robustness	0.1936	min	-0.1936	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	RRF	Robustness	0.1912	min	-0.1912	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.223	min	-0.223	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.2358	min	-0.2358	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.2116	min	-0.2116	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.2256	min	-0.2256	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.2084	min	-0.2084	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.2172	min	-0.2172	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.2206	min	-0.2206	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.193	min	-0.193	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.1678	min	-0.1678	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.1718	min	-0.1718	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2204	min	-0.2204	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2322	min	-0.2322	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2312	min	-0.2312	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2478	min	-0.2478	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2418	min	-0.2418	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2496	min	-0.2496	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2428	min	-0.2428	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2444	min	-0.2444	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2488	min	-0.2488	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2488	min	-0.2488	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Borda	Robustness	0.0684	min	-0.0684	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Borda	Robustness	0.0904	min	-0.0904	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Borda	Robustness	0.096	min	-0.096	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Borda	Robustness	0.094	min	-0.094	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Borda	Robustness	0.0952	min	-0.0952	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Borda	Robustness	0.087	min	-0.087	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Borda	Robustness	0.0958	min	-0.0958	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Borda	Robustness	0.1006	min	-0.1006	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Borda	Robustness	0.1044	min	-0.1044	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Borda	Robustness	0.1014	min	-0.1014	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.0684	min	-0.0684	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.079	min	-0.079	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.0854	min	-0.0854	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.084	min	-0.084	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.0964	min	-0.0964	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.0902	min	-0.0902	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.0896	min	-0.0896	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.103	min	-0.103	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.1054	min	-0.1054	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.1036	min	-0.1036	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	RRF	Robustness	0.0676	min	-0.0676	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	RRF	Robustness	0.0858	min	-0.0858	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	RRF	Robustness	0.0946	min	-0.0946	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	RRF	Robustness	0.093	min	-0.093	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	RRF	Robustness	0.095	min	-0.095	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	RRF	Robustness	0.0906	min	-0.0906	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	RRF	Robustness	0.093	min	-0.093	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	RRF	Robustness	0.0998	min	-0.0998	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	RRF	Robustness	0.1014	min	-0.1014	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	RRF	Robustness	0.1036	min	-0.1036	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Schulze	Robustness	0.0684	min	-0.0684	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Schulze	Robustness	0.0828	min	-0.0828	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Schulze	Robustness	0.0876	min	-0.0876	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Schulze	Robustness	0.0872	min	-0.0872	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Schulze	Robustness	0.0958	min	-0.0958	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Schulze	Robustness	0.0932	min	-0.0932	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Schulze	Robustness	0.0956	min	-0.0956	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Schulze	Robustness	0.0998	min	-0.0998	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Schulze	Robustness	0.0984	min	-0.0984	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Schulze	Robustness	0.1018	min	-0.1018	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0714	min	-0.0714	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0936	min	-0.0936	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0948	min	-0.0948	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0976	min	-0.0976	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0984	min	-0.0984	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0884	min	-0.0884	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0956	min	-0.0956	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0986	min	-0.0986	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0976	min	-0.0976	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.096	min	-0.096	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2136	min	-0.2136	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2354	min	-0.2354	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2144	min	-0.2144	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2212	min	-0.2212	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.1932	min	-0.1932	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2024	min	-0.2024	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2006	min	-0.2006	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.1756	min	-0.1756	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.1668	min	-0.1668	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.1616	min	-0.1616	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2136	min	-0.2136	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2136	min	-0.2136	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2022	min	-0.2022	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2104	min	-0.2104	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.1842	min	-0.1842	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.195	min	-0.195	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.203	min	-0.203	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.1702	min	-0.1702	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.1414	min	-0.1414	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.1464	min	-0.1464	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2162	min	-0.2162	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.205	min	-0.205	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.196	min	-0.196	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2082	min	-0.2082	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.197	min	-0.197	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.202	min	-0.202	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2052	min	-0.2052	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.1812	min	-0.1812	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.1702	min	-0.1702	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.172	min	-0.172	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2136	min	-0.2136	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.224	min	-0.224	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2042	min	-0.2042	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.209	min	-0.209	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.1912	min	-0.1912	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2144	min	-0.2144	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2084	min	-0.2084	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.1674	min	-0.1674	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.1476	min	-0.1476	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.1586	min	-0.1586	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2192	min	-0.2192	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.22	min	-0.22	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2168	min	-0.2168	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2268	min	-0.2268	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2256	min	-0.2256	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.232	min	-0.232	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.221	min	-0.221	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2226	min	-0.2226	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2214	min	-0.2214	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2214	min	-0.2214	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Borda	Robustness	0.0544	min	-0.0544	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Borda	Robustness	0.0636	min	-0.0636	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Borda	Robustness	0.0688	min	-0.0688	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Borda	Robustness	0.0688	min	-0.0688	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Borda	Robustness	0.0752	min	-0.0752	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Borda	Robustness	0.063	min	-0.063	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Borda	Robustness	0.0656	min	-0.0656	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Borda	Robustness	0.0698	min	-0.0698	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Borda	Robustness	0.074	min	-0.074	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Borda	Robustness	0.0692	min	-0.0692	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.0544	min	-0.0544	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.0576	min	-0.0576	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.0652	min	-0.0652	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.063	min	-0.063	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.0722	min	-0.0722	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.0664	min	-0.0664	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.063	min	-0.063	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.0744	min	-0.0744	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.079	min	-0.079	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.0764	min	-0.0764	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	RRF	Robustness	0.0526	min	-0.0526	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	RRF	Robustness	0.068	min	-0.068	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	RRF	Robustness	0.0688	min	-0.0688	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	RRF	Robustness	0.0696	min	-0.0696	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	RRF	Robustness	0.0672	min	-0.0672	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	RRF	Robustness	0.0636	min	-0.0636	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	RRF	Robustness	0.0666	min	-0.0666	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	RRF	Robustness	0.0704	min	-0.0704	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	RRF	Robustness	0.072	min	-0.072	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	RRF	Robustness	0.0744	min	-0.0744	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Schulze	Robustness	0.0544	min	-0.0544	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Schulze	Robustness	0.062	min	-0.062	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Schulze	Robustness	0.0668	min	-0.0668	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Schulze	Robustness	0.0662	min	-0.0662	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Schulze	Robustness	0.0712	min	-0.0712	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Schulze	Robustness	0.0682	min	-0.0682	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Schulze	Robustness	0.0622	min	-0.0622	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Schulze	Robustness	0.0708	min	-0.0708	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Schulze	Robustness	0.0708	min	-0.0708	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Schulze	Robustness	0.0756	min	-0.0756	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0548	min	-0.0548	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0684	min	-0.0684	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0706	min	-0.0706	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0748	min	-0.0748	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0758	min	-0.0758	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.067	min	-0.067	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0688	min	-0.0688	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0692	min	-0.0692	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.069	min	-0.069	kendall__mallows__exact__distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0672	min	-0.0672	kendall__mallows__exact__distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1684	min	-0.1684	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1874	min	-0.1874	kendall__mallows__exact__distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.169	min	-0.169	kendall__mallows__exact__distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1748	min	-0.1748	kendall__mallows__exact__distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1512	min	-0.1512	kendall__mallows__exact__distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1562	min	-0.1562	kendall__mallows__exact__distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.158	min	-0.158	kendall__mallows__exact__distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.138	min	-0.138	kendall__mallows__exact__distance	0.387434	-	0.002	5646.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1326	min	-0.1326	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1228	min	-0.1228	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1684	min	-0.1684	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1678	min	-0.1678	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1622	min	-0.1622	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1718	min	-0.1718	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1454	min	-0.1454	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1602	min	-0.1602	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1646	min	-0.1646	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1324	min	-0.1324	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1042	min	-0.1042	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1096	min	-0.1096	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1692	min	-0.1692	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1558	min	-0.1558	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1506	min	-0.1506	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1666	min	-0.1666	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.153	min	-0.153	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1616	min	-0.1616	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1652	min	-0.1652	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1444	min	-0.1444	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1296	min	-0.1296	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.132	min	-0.132	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1684	min	-0.1684	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.175	min	-0.175	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1582	min	-0.1582	kendall__mallows__exact__distance	0.496275	0.496275		0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1688	min	-0.1688	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1506	min	-0.1506	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.171	min	-0.171	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1696	min	-0.1696	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1286	min	-0.1286	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1122	min	-0.1122	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1222	min	-0.1222	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1706	min	-0.1706	kendall__mallows__exact__distance	0.31901	-0.31901		0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1738	min	-0.1738	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1716	min	-0.1716	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1838	min	-0.1838	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.182	min	-0.182	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1876	min	-0.1876	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1786	min	-0.1786	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1818	min	-0.1818	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1798	min	-0.1798	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1808	min	-0.1808	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	Borda	Robustness	0.0252	min	-0.0252	kendall__mallows__exact__distance	0.31901	-0.31901		0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	Borda	Robustness	0.0236	min	-0.0236	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	Borda	Robustness	0.0326	min	-0.0326	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	Borda	Robustness	0.0324	min	-0.0324	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	Borda	Robustness	0.0354	min	-0.0354	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	Borda	Robustness	0.0278	min	-0.0278	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	Borda	Robustness	0.0322	min	-0.0322	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	Borda	Robustness	0.0332	min	-0.0332	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	Borda	Robustness	0.0346	min	-0.0346	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	Borda	Robustness	0.0368	min	-0.0368	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	Kemeny	Robustness	0.0252	min	-0.0252	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	Kemeny	Robustness	0.0268	min	-0.0268	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	Kemeny	Robustness	0.0286	min	-0.0286	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	Kemeny	Robustness	0.0322	min	-0.0322	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	Kemeny	Robustness	0.0354	min	-0.0354	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	Kemeny	Robustness	0.0342	min	-0.0342	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	Kemeny	Robustness	0.0312	min	-0.0312	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	Kemeny	Robustness	0.042	min	-0.042	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	Kemeny	Robustness	0.0376	min	-0.0376	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	Kemeny	Robustness	0.04	min	-0.04	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	RRF	Robustness	0.0224	min	-0.0224	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	RRF	Robustness	0.028	min	-0.028	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	RRF	Robustness	0.0298	min	-0.0298	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	RRF	Robustness	0.0298	min	-0.0298	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	RRF	Robustness	0.0336	min	-0.0336	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	RRF	Robustness	0.0322	min	-0.0322	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	RRF	Robustness	0.033	min	-0.033	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	RRF	Robustness	0.0388	min	-0.0388	kendall_ mallows_ exact_ distance	0.387434 -	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	RRF	Robustness	0.0378	min	-0.0378	kendall_ mallows_ exact_ distance	0.389212 -	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	RRF	Robustness	0.04	min	-0.04	kendall_ mallows_ exact_ distance	0.399779 -	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	Schulze	Robustness	0.0252	min	-0.0252	kendall_ mallows_ exact_ distance	0.31901 -	0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	Schulze	Robustness	0.0234	min	-0.0234	kendall_ mallows_ exact_ distance	0.656867 -	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	Schulze	Robustness	0.0278	min	-0.0278	kendall_ mallows_ exact_ distance	0.496275 -	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	Schulze	Robustness	0.0352	min	-0.0352	kendall_ mallows_ exact_ distance	0.458333 -	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	Schulze	Robustness	0.0334	min	-0.0334	kendall_ mallows_ exact_ distance	0.395705 -	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	Schulze	Robustness	0.031	min	-0.031	kendall_ mallows_ exact_ distance	0.423565 -	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	Schulze	Robustness	0.0368	min	-0.0368	kendall_ mallows_ exact_ distance	0.404683 -	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	Schulze	Robustness	0.036	min	-0.036	kendall_ mallows_ exact_ distance	0.387434 -	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	Schulze	Robustness	0.0384	min	-0.0384	kendall_ mallows_ exact_ distance	0.389212 -	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	Schulze	Robustness	0.041	min	-0.041	kendall_ mallows_ exact_ distance	0.399779 -	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	Simple Averaging	Robustness	0.0214	min	-0.0214	kendall_ mallows_ exact_ distance	0.31901 -	0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	Simple Averaging	Robustness	0.0322	min	-0.0322	kendall_ mallows_ exact_ distance	0.656867 -	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	min	-0.0338	kendall_ mallows_ exact_ distance	0.496275 -	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	Simple Averaging	Robustness	0.0352	min	-0.0352	kendall_ mallows_ exact_ distance	0.458333 -	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	min	-0.0338	kendall_ mallows_ exact_ distance	0.395705 -	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	Simple Averaging	Robustness	0.028	min	-0.028	kendall_ mallows_ exact_ distance	0.423565 -	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	min	-0.0338	kendall_ mallows_ exact_ distance	0.404683 -	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	Simple Averaging	Robustness	0.0344	min	-0.0344	kendall_ mallows_ exact_ distance	0.387434 -	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	Simple Averaging	Robustness	0.034	min	-0.034	kendall_ mallows_ exact_ distance	0.389212 -	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	Simple Averaging	Robustness	0.0322	min	-0.0322	kendall_ mallows_ exact_ distance	0.399779 -	0.399779	0.002	5940.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Borda	Robustness	0.081	min	-0.081	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Borda	Robustness	0.0886	min	-0.0886	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Borda	Robustness	0.074	min	-0.074	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Borda	Robustness	0.0784	min	-0.0784	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Borda	Robustness	0.0738	min	-0.0738	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Borda	Robustness	0.0826	min	-0.0826	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Borda	Robustness	0.0808	min	-0.0808	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Borda	Robustness	0.0726	min	-0.0726	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Borda	Robustness	0.0634	min	-0.0634	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Borda	Robustness	0.0544	min	-0.0544	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.081	min	-0.081	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.077	min	-0.077	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.067	min	-0.067	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.0778	min	-0.0778	kendall__mallows__exact__distance	0.458333	-0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.0656	min	-0.0656	kendall__mallows__exact__distance	0.395705	-0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.0668	min	-0.0668	kendall__mallows__exact__distance	0.423565	-0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.078	min	-0.078	kendall__mallows__exact__distance	0.404683	-0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.062	min	-0.062	kendall__mallows__exact__distance	0.387434	-0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.0544	min	-0.0544	kendall__mallows__exact__distance	0.389212	-0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.048	min	-0.048	kendall__mallows__exact__distance	0.399779	-0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	RRF	Robustness	0.0828	min	-0.0828	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	RRF	Robustness	0.0708	min	-0.0708	kendall__mallows__exact__distance	0.656867	-0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	RRF	Robustness	0.0664	min	-0.0664	kendall__mallows__exact__distance	0.496275	-0.496275	0.002	4662	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	RRF	Robustness	0.0746	min	-0.0746	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	RRF	Robustness	0.082	min	-0.082	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	RRF	Robustness	0.0862	min	-0.0862	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	RRF	Robustness	0.0906	min	-0.0906	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	RRF	Robustness	0.0856	min	-0.0856	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	RRF	Robustness	0.0692	min	-0.0692	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	RRF	Robustness	0.066	min	-0.066	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Schulze	Robustness	0.081	min	-0.081	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Schulze	Robustness	0.079	min	-0.079	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Schulze	Robustness	0.0732	min	-0.0732	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Schulze	Robustness	0.0742	min	-0.0742	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Schulze	Robustness	0.0708	min	-0.0708	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Schulze	Robustness	0.0874	min	-0.0874	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Schulze	Robustness	0.0858	min	-0.0858	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Schulze	Robustness	0.0728	min	-0.0728	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Schulze	Robustness	0.0562	min	-0.0562	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Schulze	Robustness	0.056	min	-0.056	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0818	min	-0.0818	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0762	min	-0.0762	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0796	min	-0.0796	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0836	min	-0.0836	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0788	min	-0.0788	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.088	min	-0.088	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0808	min	-0.0808	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.079	min	-0.079	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0808	min	-0.0808	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0812	min	-0.0812	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	Borda	Robustness	0.0288	min	-0.0288	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	Borda	Robustness	0.0238	min	-0.0238	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	Borda	Robustness	0.0312	min	-0.0312	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	Borda	Robustness	0.0274	min	-0.0274	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	Borda	Robustness	0.033	min	-0.033	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	Borda	Robustness	0.0262	min	-0.0262	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	Borda	Robustness	0.0254	min	-0.0254	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	Borda	Robustness	0.027	min	-0.027	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	Borda	Robustness	0.032	min	-0.032	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	Borda	Robustness	0.0266	min	-0.0266	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	Kemeny	Robustness	0.0288	min	-0.0288	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	Kemeny	Robustness	0.0268	min	-0.0268	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	Kemeny	Robustness	0.0278	min	-0.0278	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	Kemeny	Robustness	0.0292	min	-0.0292	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	Kemeny	Robustness	0.0286	min	-0.0286	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	Kemeny	Robustness	0.0324	min	-0.0324	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	Kemeny	Robustness	0.026	min	-0.026	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	Kemeny	Robustness	0.035	min	-0.035	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	Kemeny	Robustness	0.0328	min	-0.0328	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	Kemeny	Robustness	0.0324	min	-0.0324	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	RRF	Robustness	0.026	min	-0.026	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	RRF	Robustness	0.0308	min	-0.0308	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	RRF	Robustness	0.029	min	-0.029	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	RRF	Robustness	0.0256	min	-0.0256	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	RRF	Robustness	0.028	min	-0.028	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	RRF	Robustness	0.0268	min	-0.0268	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	RRF	Robustness	0.0268	min	-0.0268	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	RRF	Robustness	0.0312	min	-0.0312	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	RRF	Robustness	0.0304	min	-0.0304	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	RRF	Robustness	0.0308	min	-0.0308	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	Schulze	Robustness	0.0288	min	-0.0288	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	Schulze	Robustness	0.0228	min	-0.0228	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	Schulze	Robustness	0.0272	min	-0.0272	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	Schulze	Robustness	0.0312	min	-0.0312	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	Schulze	Robustness	0.029	min	-0.029	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	Schulze	Robustness	0.0288	min	-0.0288	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	Schulze	Robustness	0.0304	min	-0.0304	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	Schulze	Robustness	0.0326	min	-0.0326	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	Schulze	Robustness	0.0326	min	-0.0326	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	Schulze	Robustness	0.0342	min	-0.0342	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	Simple Averaging	Robustness	0.0234	min	-0.0234	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	Simple Averaging	Robustness	0.0306	min	-0.0306	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	Simple Averaging	Robustness	0.0314	min	-0.0314	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	Simple Averaging	Robustness	0.034	min	-0.034	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0348	min	-0.0348	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	Simple Averaging	Robustness	0.031	min	-0.031	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	Simple Averaging	Robustness	0.0244	min	-0.0244	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	Simple Averaging	Robustness	0.0248	min	-0.0248	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	Simple Averaging	Robustness	0.025	min	-0.025	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	Simple Averaging	Robustness	0.024	min	-0.024	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Borda	Robustness	0.0616	min	-0.0616	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Borda	Robustness	0.0666	min	-0.0666	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Borda	Robustness	0.0542	min	-0.0542	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Borda	Robustness	0.0578	min	-0.0578	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Borda	Robustness	0.0564	min	-0.0564	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Borda	Robustness	0.0646	min	-0.0646	kendall_ mallows_ exact_ distance	0.423565	-	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Borda	Robustness	0.0612	min	-0.0612	kendall_ mallows_ exact_ distance	0.404683	-	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Borda	Robustness	0.0616	min	-0.0616	kendall_ mallows_ exact_ distance	0.387434	-	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Borda	Robustness	0.0518	min	-0.0518	kendall_ mallows_ exact_ distance	0.389212	-	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Borda	Robustness	0.04	min	-0.04	kendall_ mallows_ exact_ distance	0.399779	-	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.0616	min	-0.0616	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.0592	min	-0.0592	kendall_ mallows_ exact_ distance	0.656867	-	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.0514	min	-0.0514	kendall_ mallows_ exact_ distance	0.496275	-	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.0612	min	-0.0612	kendall_ mallows_ exact_ distance	0.458333	-	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.0486	min	-0.0486	kendall_ mallows_ exact_ distance	0.395705	-	0.002	5098.7	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.0562	min	-0.0562	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.065	min	-0.065	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.0518	min	-0.0518	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.043	min	-0.043	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.0378	min	-0.0378	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	RRF	Robustness	0.0642	min	-0.0642	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	RRF	Robustness	0.0494	min	-0.0494	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	RRF	Robustness	0.05	min	-0.05	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	RRF	Robustness	0.0556	min	-0.0556	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	RRF	Robustness	0.0648	min	-0.0648	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	RRF	Robustness	0.0728	min	-0.0728	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	RRF	Robustness	0.076	min	-0.076	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	RRF	Robustness	0.0722	min	-0.0722	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	RRF	Robustness	0.057	min	-0.057	kendall__mallows__exact__distance	0.389212	-	0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	RRF	Robustness	0.0516	min	-0.0516	kendall__mallows__exact__distance	0.399779	-	0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Schulze	Robustness	0.0616	min	-0.0616	kendall__mallows__exact__distance	0.31901	-0.31901	0.002	1301.6	11	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Schulze	Robustness	0.0614	min	-0.0614	kendall__mallows__exact__distance	0.656867	-	0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Schulze	Robustness	0.056	min	-0.056	kendall__mallows__exact__distance	0.496275	-	0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Schulze	Robustness	0.0584	min	-0.0584	kendall__mallows__exact__distance	0.458333	-	0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Schulze	Robustness	0.051	min	-0.051	kendall__mallows__exact__distance	0.395705	-	0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Schulze	Robustness	0.0728	min	-0.0728	kendall__mallows__exact__distance	0.423565	-	0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Schulze	Robustness	0.073	min	-0.073	kendall__mallows__exact__distance	0.404683	-	0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Schulze	Robustness	0.0588	min	-0.0588	kendall__mallows__exact__distance	0.387434	-	0.387434	0.002	5646.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Schulze	Robustness	0.044	min	-0.044	kendall_ mallows_ exact_ distance	0.389212	- 0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Schulze	Robustness	0.0466	min	-0.0466	kendall_ mallows_ exact_ distance	0.399779	- 0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0636	min	-0.0636	kendall_ mallows_ exact_ distance	0.31901	-0.31901	0.002	1301.6	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0568	min	-0.0568	kendall_ mallows_ exact_ distance	0.656867	- 0.656867	0.002	3573	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0616	min	-0.0616	kendall_ mallows_ exact_ distance	0.496275	- 0.496275	0.002	4662	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0662	min	-0.0662	kendall_ mallows_ exact_ distance	0.458333	- 0.458333	0.002	4759.3	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0624	min	-0.0624	kendall_ mallows_ exact_ distance	0.395705	- 0.395705	0.002	5098.7	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.069	min	-0.069	kendall_ mallows_ exact_ distance	0.423565	- 0.423565	0.002	5036.4	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.063	min	-0.063	kendall_ mallows_ exact_ distance	0.404683	- 0.404683	0.002	5469.8	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.063	min	-0.063	kendall_ mallows_ exact_ distance	0.387434	- 0.387434	0.002	5646.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0654	min	-0.0654	kendall_ mallows_ exact_ distance	0.389212	- 0.389212	0.002	5641.2	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.066	min	-0.066	kendall_ mallows_ exact_ distance	0.399779	- 0.399779	0.002	5940.5	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	Borda	Quality	0.1352	max	0.1352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	Borda	Quality	0.0956	max	0.0956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	Borda	Quality	0.1034	max	0.1034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	Borda	Quality	0.1068	max	0.1068	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	Borda	Quality	0.1044	max	0.1044	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	Borda	Quality	0.1068	max	0.1068	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	Borda	Quality	0.0956	max	0.0956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	Borda	Quality	0.0912	max	0.0912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	Borda	Quality	0.0844	max	0.0844	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	Borda	Quality	0.0802	max	0.0802	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	Kemeny	Quality	0.1352	max	0.1352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	Kemeny	Quality	0.1362	max	0.1362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	Kemeny	Quality	0.1362	max	0.1362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	Kemeny	Quality	0.1234	max	0.1234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	Kemeny	Quality	0.1142	max	0.1142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	Kemeny	Quality	0.1134	max	0.1134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	Kemeny	Quality	0.1136	max	0.1136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	Kemeny	Quality	0.0994	max	0.0994	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	Kemeny	Quality	0.0912	max	0.0912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	Kemeny	Quality	0.0856	max	0.0856	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	RRF	Quality	0.1356	max	0.1356	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	RRF	Quality	0.123	max	0.123	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	RRF	Quality	0.1276	max	0.1276	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	RRF	Quality	0.1196	max	0.1196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	RRF	Quality	0.1164	max	0.1164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	RRF	Quality	0.1124	max	0.1124	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	RRF	Quality	0.1074	max	0.1074	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	RRF	Quality	0.1014	max	0.1014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	RRF	Quality	0.0946	max	0.0946	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	RRF	Quality	0.0892	max	0.0892	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	Schulze	Quality	0.1352	max	0.1352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	Schulze	Quality	0.125	max	0.125	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	Schulze	Quality	0.1368	max	0.1368	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	Schulze	Quality	0.1182	max	0.1182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	Schulze	Quality	0.1126	max	0.1126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	Schulze	Quality	0.1152	max	0.1152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	Schulze	Quality	0.1046	max	0.1046	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	Schulze	Quality	0.1002	max	0.1002	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	Schulze	Quality	0.0912	max	0.0912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	Schulze	Quality	0.0848	max	0.0848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	Simple Averaging	Quality	0.132	max	0.132	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	Simple Averaging	Quality	0.1198	max	0.1198	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	Simple Averaging	Quality	0.1216	max	0.1216	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	Simple Averaging	Quality	0.1146	max	0.1146	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	Simple Averaging	Quality	0.1158	max	0.1158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	Simple Averaging	Quality	0.1172	max	0.1172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	Simple Averaging	Quality	0.1056	max	0.1056	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	Simple Averaging	Quality	0.1032	max	0.1032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	Simple Averaging	Quality	0.103	max	0.103	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	Simple Averaging	Quality	0.1032	max	0.1032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	Borda	Quality	0.146	min	-0.146	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	Borda	Quality	0.1508	min	-0.1508	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	Borda	Quality	0.1572	min	-0.1572	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	Borda	Quality	0.1632	min	-0.1632	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	Borda	Quality	0.1876	min	-0.1876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	Borda	Quality	0.1864	min	-0.1864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	Borda	Quality	0.1866	min	-0.1866	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	Borda	Quality	0.2224	min	-0.2224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	Borda	Quality	0.2628	min	-0.2628	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	Borda	Quality	0.2866	min	-0.2866	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	Kemeny	Quality	0.146	min	-0.146	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	Kemeny	Quality	0.1464	min	-0.1464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	Kemeny	Quality	0.1458	min	-0.1458	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	Kemeny	Quality	0.1714	min	-0.1714	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	Kemeny	Quality	0.2028	min	-0.2028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	Kemeny	Quality	0.2112	min	-0.2112	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	Kemeny	Quality	0.201	min	-0.201	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	Kemeny	Quality	0.2544	min	-0.2544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	Kemeny	Quality	0.317	min	-0.317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	Kemeny	Quality	0.3318	min	-0.3318	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	RRF	Quality	0.1442	min	-0.1442	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	RRF	Quality	0.1468	min	-0.1468	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	RRF	Quality	0.1462	min	-0.1462	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	RRF	Quality	0.1572	min	-0.1572	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	RRF	Quality	0.1782	min	-0.1782	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	RRF	Quality	0.1852	min	-0.1852	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	RRF	Quality	0.1854	min	-0.1854	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	RRF	Quality	0.2236	min	-0.2236	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	RRF	Quality	0.27	min	-0.27	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	RRF	Quality	0.2798	min	-0.2798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	Schulze	Quality	0.146	min	-0.146	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	Schulze	Quality	0.1484	min	-0.1484	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	Schulze	Quality	0.1458	min	-0.1458	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	Schulze	Quality	0.1636	min	-0.1636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	Schulze	Quality	0.1886	min	-0.1886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	Schulze	Quality	0.183	min	-0.183	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	Schulze	Quality	0.189	min	-0.189	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	Schulze	Quality	0.2294	min	-0.2294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	Schulze	Quality	0.2956	min	-0.2956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	Schulze	Quality	0.2966	min	-0.2966	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	Simple Averaging	Quality	0.1484	min	-0.1484	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	Simple Averaging	Quality	0.1478	min	-0.1478	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	Simple Averaging	Quality	0.147	min	-0.147	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	Simple Averaging	Quality	0.1524	min	-0.1524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	Simple Averaging	Quality	0.1532	min	-0.1532	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	Simple Averaging	Quality	0.1576	min	-0.1576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	Simple Averaging	Quality	0.1706	min	-0.1706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	Simple Averaging	Quality	0.1722	min	-0.1722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	Simple Averaging	Quality	0.1738	min	-0.1738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	Simple Averaging	Quality	0.1744	min	-0.1744	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	Borda	Quality	0.0864	max	0.0864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	Borda	Quality	0.0506	max	0.0506	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	Borda	Quality	0.0572	max	0.0572	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	Borda	Quality	0.0634	max	0.0634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	Borda	Quality	0.0604	max	0.0604	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	Borda	Quality	0.066	max	0.066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	Borda	Quality	0.0582	max	0.0582	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	Borda	Quality	0.0552	max	0.0552	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	Borda	Quality	0.0494	max	0.0494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	Borda	Quality	0.0478	max	0.0478	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	Kemeny	Quality	0.0864	max	0.0864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	Kemeny	Quality	0.0874	max	0.0874	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	Kemeny	Quality	0.087	max	0.087	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	Kemeny	Quality	0.0796	max	0.0796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	Kemeny	Quality	0.0728	max	0.0728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	Kemeny	Quality	0.0716	max	0.0716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	Kemeny	Quality	0.0738	max	0.0738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	Kemeny	Quality	0.0624	max	0.0624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	Kemeny	Quality	0.0542	max	0.0542	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	Kemeny	Quality	0.05	max	0.05	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	RRF	Quality	0.0872	max	0.0872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	RRF	Quality	0.0726	max	0.0726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	RRF	Quality	0.0804	max	0.0804	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	RRF	Quality	0.0762	max	0.0762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	RRF	Quality	0.0738	max	0.0738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	RRF	Quality	0.073	max	0.073	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	RRF	Quality	0.0688	max	0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	RRF	Quality	0.0634	max	0.0634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	RRF	Quality	0.0574	max	0.0574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	RRF	Quality	0.0538	max	0.0538	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	Schulze	Quality	0.0864	max	0.0864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	Schulze	Quality	0.0764	max	0.0764	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	Schulze	Quality	0.0874	max	0.0874	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	Schulze	Quality	0.0742	max	0.0742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	Schulze	Quality	0.0698	max	0.0698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	Schulze	Quality	0.0726	max	0.0726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	Schulze	Quality	0.0684	max	0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	Schulze	Quality	0.0614	max	0.0614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	Schulze	Quality	0.0552	max	0.0552	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	Schulze	Quality	0.0488	max	0.0488	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	Simple Averaging	Quality	0.0852	max	0.0852	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	Simple Averaging	Quality	0.0734	max	0.0734	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	Simple Averaging	Quality	0.0748	max	0.0748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	Simple Averaging	Quality	0.0686	max	0.0686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	Simple Averaging	Quality	0.0692	max	0.0692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	Simple Averaging	Quality	0.0696	max	0.0696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	Simple Averaging	Quality	0.0662	max	0.0662	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	Simple Averaging	Quality	0.0648	max	0.0648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	Simple Averaging	Quality	0.064	max	0.064	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	Simple Averaging	Quality	0.0642	max	0.0642	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	Borda	Quality	0.0928	min	-0.0928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	Borda	Quality	0.1026	min	-0.1026	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	Borda	Quality	0.1076	min	-0.1076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	Borda	Quality	0.1114	min	-0.1114	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	Borda	Quality	0.1326	min	-0.1326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	Borda	Quality	0.1326	min	-0.1326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	Borda	Quality	0.1334	min	-0.1334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	Borda	Quality	0.1634	min	-0.1634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	Borda	Quality	0.2012	min	-0.2012	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	Borda	Quality	0.2256	min	-0.2256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	Kemeny	Quality	0.0928	min	-0.0928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	Kemeny	Quality	0.0946	min	-0.0946	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	Kemeny	Quality	0.0922	min	-0.0922	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	Kemeny	Quality	0.1154	min	-0.1154	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	Kemeny	Quality	0.1464	min	-0.1464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	Kemeny	Quality	0.152	min	-0.152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	Kemeny	Quality	0.143	min	-0.143	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	Kemeny	Quality	0.1934	min	-0.1934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	Kemeny	Quality	0.2546	min	-0.2546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	Kemeny	Quality	0.2684	min	-0.2684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	RRF	Quality	0.092	min	-0.092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	RRF	Quality	0.096	min	-0.096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	RRF	Quality	0.096	min	-0.096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	RRF	Quality	0.105	min	-0.105	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	RRF	Quality	0.1246	min	-0.1246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	RRF	Quality	0.1278	min	-0.1278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	RRF	Quality	0.127	min	-0.127	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	RRF	Quality	0.1624	min	-0.1624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	RRF	Quality	0.2086	min	-0.2086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	RRF	Quality	0.2172	min	-0.2172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	Schulze	Quality	0.0928	min	-0.0928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	Schulze	Quality	0.0978	min	-0.0978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	Schulze	Quality	0.0952	min	-0.0952	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	Schulze	Quality	0.109	min	-0.109	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	Schulze	Quality	0.1338	min	-0.1338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	Schulze	Quality	0.1302	min	-0.1302	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	Schulze	Quality	0.1302	min	-0.1302	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	Schulze	Quality	0.1726	min	-0.1726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	Schulze	Quality	0.2342	min	-0.2342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	Schulze	Quality	0.2336	min	-0.2336	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	Simple Averaging	Quality	0.0966	min	-0.0966	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	Simple Averaging	Quality	0.097	min	-0.097	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	Simple Averaging	Quality	0.0956	min	-0.0956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	Simple Averaging	Quality	0.1002	min	-0.1002	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	Simple Averaging	Quality	0.0998	min	-0.0998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	Simple Averaging	Quality	0.1038	min	-0.1038	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	Simple Averaging	Quality	0.1152	min	-0.1152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	Simple Averaging	Quality	0.1164	min	-0.1164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	Simple Averaging	Quality	0.1176	min	-0.1176	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	Simple Averaging	Quality	0.1174	min	-0.1174	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	C	Borda	Robustness	0.091	min	-0.091	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	C	Borda	Robustness	0.1214	min	-0.1214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	C	Borda	Robustness	0.1042	min	-0.1042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Borda	Robustness	0.0962	min	-0.0962	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	Borda	Robustness	0.092	min	-0.092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	Borda	Robustness	0.0886	min	-0.0886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	Borda	Robustness	0.0998	min	-0.0998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	Borda	Robustness	0.0924	min	-0.0924	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	Borda	Robustness	0.0934	min	-0.0934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	Borda	Robustness	0.095	min	-0.095	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.091	min	-0.091	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0926	min	-0.0926	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.0916	min	-0.0916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.087	min	-0.087	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	C	Kemeny	Robustness	0.0856	min	-0.0856	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	C	Kemeny	Robustness	0.0876	min	-0.0876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	C	Kemeny	Robustness	0.0808	min	-0.0808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	C	Kemeny	Robustness	0.085	min	-0.085	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	C	Kemeny	Robustness	0.084	min	-0.084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	C	Kemeny	Robustness	0.0926	min	-0.0926	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	C	RRF	Robustness	0.0902	min	-0.0902	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	C	RRF	Robustness	0.1024	min	-0.1024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	C	RRF	Robustness	0.0916	min	-0.0916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	C	RRF	Robustness	0.0864	min	-0.0864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	C	RRF	Robustness	0.0834	min	-0.0834	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	C	RRF	Robustness	0.0876	min	-0.0876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	C	RRF	Robustness	0.0866	min	-0.0866	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	C	RRF	Robustness	0.0862	min	-0.0862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	C	RRF	Robustness	0.0846	min	-0.0846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	C	RRF	Robustness	0.0886	min	-0.0886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	C	Schulze	Robustness	0.091	min	-0.091	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	C	Schulze	Robustness	0.0968	min	-0.0968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	C	Schulze	Robustness	0.0834	min	-0.0834	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	C	Schulze	Robustness	0.0912	min	-0.0912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	C	Schulze	Robustness	0.0856	min	-0.0856	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	C	Schulze	Robustness	0.0804	min	-0.0804	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	C	Schulze	Robustness	0.0892	min	-0.0892	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	C	Schulze	Robustness	0.083	min	-0.083	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	C	Schulze	Robustness	0.0852	min	-0.0852	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	C	Schulze	Robustness	0.0904	min	-0.0904	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	C	Simple Averaging	Robustness	0.0934	min	-0.0934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	C	Simple Averaging	Robustness	0.0928	min	-0.0928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	C	Simple Averaging	Robustness	0.083	min	-0.083	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	C	Simple Averaging	Robustness	0.0836	min	-0.0836	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	C	Simple Averaging	Robustness	0.078	min	-0.078	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	C	Simple Averaging	Robustness	0.0782	min	-0.0782	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	C	Simple Averaging	Robustness	0.0822	min	-0.0822	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0842	min	-0.0842	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.08	min	-0.08	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.0788	min	-0.0788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2096	min	-0.2096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.201	min	-0.201	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2358	min	-0.2358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2572	min	-0.2572	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.264	min	-0.264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2686	min	-0.2686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2654	min	-0.2654	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.2664	min	-0.2664	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	Borda	Robustness	0.2626	min	-0.2626	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Cbar	Borda	Robustness	0.2556	min	-0.2556	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Cbar	Kemeny	Robustness	0.2096	min	-0.2096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Cbar	Kemeny	Robustness	0.2164	min	-0.2164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Cbar	Kemeny	Robustness	0.239	min	-0.239	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Cbar	Kemeny	Robustness	0.2498	min	-0.2498	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Cbar	Kemeny	Robustness	0.2486	min	-0.2486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Cbar	Kemeny	Robustness	0.2376	min	-0.2376	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Cbar	Kemeny	Robustness	0.2486	min	-0.2486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Cbar	Kemeny	Robustness	0.246	min	-0.246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	Kemeny	Robustness	0.234	min	-0.234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.2166	min	-0.2166	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2102	min	-0.2102	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2064	min	-0.2064	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2372	min	-0.2372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.268	min	-0.268	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2666	min	-0.2666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2614	min	-0.2614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2572	min	-0.2572	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2636	min	-0.2636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2502	min	-0.2502	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.2434	min	-0.2434	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Cbar	Schulze	Robustness	0.2096	min	-0.2096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Cbar	Schulze	Robustness	0.1992	min	-0.1992	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Cbar	Schulze	Robustness	0.2324	min	-0.2324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Cbar	Schulze	Robustness	0.2574	min	-0.2574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Cbar	Schulze	Robustness	0.267	min	-0.267	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Cbar	Schulze	Robustness	0.2672	min	-0.2672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Cbar	Schulze	Robustness	0.2616	min	-0.2616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Cbar	Schulze	Robustness	0.2596	min	-0.2596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	Schulze	Robustness	0.244	min	-0.244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Cbar	Schulze	Robustness	0.2418	min	-0.2418	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.2052	min	-0.2052	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.2038	min	-0.2038	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 - 0.647046	-	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.2204	min	-0.2204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 - 0.470553	-	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.2532	min	-0.2532	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 - 0.469363	-	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.262	min	-0.262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 - 0.412269	-	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.2722	min	-0.2722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 - 0.443266	-	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.2576	min	-0.2576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 - 0.413699	-	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.2738	min	-0.2738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 - 0.399149	-	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.284	min	-0.284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 - 0.403753	-	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.2848	min	-0.2848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 - 0.411602	-	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	F	Borda	Robustness	0.076	min	-0.076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 - 0.586008	-	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	F	Borda	Robustness	0.1022	min	-0.1022	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 - 0.647046	-	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	F	Borda	Robustness	0.0902	min	-0.0902	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	F	Borda	Robustness	0.0782	min	-0.0782	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	F	Borda	Robustness	0.0778	min	-0.0778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	F	Borda	Robustness	0.0726	min	-0.0726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	F	Borda	Robustness	0.0808	min	-0.0808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	F	Borda	Robustness	0.0718	min	-0.0718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	F	Borda	Robustness	0.0718	min	-0.0718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	F	Borda	Robustness	0.0736	min	-0.0736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	F	Kemeny	Robustness	0.076	min	-0.076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	F	Kemeny	Robustness	0.077	min	-0.077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	F	Kemeny	Robustness	0.0766	min	-0.0766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0688	min	-0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0672	min	-0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0688	min	-0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0622	min	-0.0622	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0638	min	-0.0638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0654	min	-0.0654	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0714	min	-0.0714	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	RRF	Robustness	0.0764	min	-0.0764	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	RRF	Robustness	0.086	min	-0.086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	RRF	Robustness	0.0734	min	-0.0734	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	RRF	Robustness	0.0678	min	-0.0678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	F	RRF	Robustness	0.0662	min	-0.0662	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	F	RRF	Robustness	0.0672	min	-0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	F	RRF	Robustness	0.065	min	-0.065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	F	RRF	Robustness	0.066	min	-0.066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	F	RRF	Robustness	0.0666	min	-0.0666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	F	RRF	Robustness	0.0696	min	-0.0696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	F	Schulze	Robustness	0.076	min	-0.076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	F	Schulze	Robustness	0.079	min	-0.079	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	F	Schulze	Robustness	0.0706	min	-0.0706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	F	Schulze	Robustness	0.0744	min	-0.0744	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	F	Schulze	Robustness	0.0698	min	-0.0698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.065	min	-0.065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.0692	min	-0.0692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.0642	min	-0.0642	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.0652	min	-0.0652	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.072	min	-0.072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0772	min	-0.0772	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0752	min	-0.0752	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0676	min	-0.0676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0688	min	-0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0648	min	-0.0648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0646	min	-0.0646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0672	min	-0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0672	min	-0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	F	Simple Averaging	Robustness	0.065	min	-0.065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0632	min	-0.0632	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	Borda	Robustness	0.2034	min	-0.2034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	Borda	Robustness	0.1906	min	-0.1906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	Borda	Robustness	0.2242	min	-0.2242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	Borda	Robustness	0.248	min	-0.248	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	Borda	Robustness	0.256	min	-0.256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	Borda	Robustness	0.2546	min	-0.2546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	Borda	Robustness	0.2486	min	-0.2486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.257	min	-0.257	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.254	min	-0.254	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.2438	min	-0.2438	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2034	min	-0.2034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.207	min	-0.207	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2344	min	-0.2344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2416	min	-0.2416	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2386	min	-0.2386	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2282	min	-0.2282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2356	min	-0.2356	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.2382	min	-0.2382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	Kemeny	Robustness	0.2262	min	-0.2262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	Kemeny	Robustness	0.2106	min	-0.2106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	RRF	Robustness	0.204	min	-0.204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	RRF	Robustness	0.2022	min	-0.2022	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	RRF	Robustness	0.2262	min	-0.2262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	RRF	Robustness	0.2546	min	-0.2546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	RRF	Robustness	0.2526	min	-0.2526	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	RRF	Robustness	0.2504	min	-0.2504	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	RRF	Robustness	0.2458	min	-0.2458	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	RRF	Robustness	0.2544	min	-0.2544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	RRF	Robustness	0.2426	min	-0.2426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	RRF	Robustness	0.238	min	-0.238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	Schulze	Robustness	0.2034	min	-0.2034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	Schulze	Robustness	0.191	min	-0.191	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	Schulze	Robustness	0.225	min	-0.225	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	Schulze	Robustness	0.2486	min	-0.2486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	Schulze	Robustness	0.2534	min	-0.2534	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	Schulze	Robustness	0.2512	min	-0.2512	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	Schulze	Robustness	0.2494	min	-0.2494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	Schulze	Robustness	0.2456	min	-0.2456	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	Schulze	Robustness	0.2358	min	-0.2358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	Schulze	Robustness	0.2358	min	-0.2358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.198	min	-0.198	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.1992	min	-0.1992	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.2134	min	-0.2134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.2444	min	-0.2444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.2506	min	-0.2506	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.2612	min	-0.2612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.2474	min	-0.2474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.2612	min	-0.2612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.2698	min	-0.2698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.2696	min	-0.2696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	Borda	Robustness	0.0846	min	-0.0846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	Borda	Robustness	0.1022	min	-0.1022	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	Borda	Robustness	0.1066	min	-0.1066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	Borda	Robustness	0.1024	min	-0.1024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	Borda	Robustness	0.1052	min	-0.1052	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	Borda	Robustness	0.0982	min	-0.0982	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	Borda	Robustness	0.1064	min	-0.1064	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	Borda	Robustness	0.11	min	-0.11	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	Borda	Robustness	0.119	min	-0.119	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	Borda	Robustness	0.1126	min	-0.1126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	Kemeny	Robustness	0.0846	min	-0.0846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	Kemeny	Robustness	0.0906	min	-0.0906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	Kemeny	Robustness	0.0984	min	-0.0984	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	Kemeny	Robustness	0.0962	min	-0.0962	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	Kemeny	Robustness	0.111	min	-0.111	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	Kemeny	Robustness	0.1052	min	-0.1052	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	Kemeny	Robustness	0.1076	min	-0.1076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	Kemeny	Robustness	0.1174	min	-0.1174	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	Kemeny	Robustness	0.119	min	-0.119	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	Kemeny	Robustness	0.1174	min	-0.1174	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	RRF	Robustness	0.0862	min	-0.0862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	RRF	Robustness	0.1028	min	-0.1028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	RRF	Robustness	0.1046	min	-0.1046	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	RRF	Robustness	0.1008	min	-0.1008	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	RRF	Robustness	0.1096	min	-0.1096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	RRF	Robustness	0.1044	min	-0.1044	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	RRF	Robustness	0.1142	min	-0.1142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	RRF	Robustness	0.1166	min	-0.1166	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	RRF	Robustness	0.1136	min	-0.1136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	RRF	Robustness	0.1182	min	-0.1182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	Schulze	Robustness	0.0846	min	-0.0846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	Schulze	Robustness	0.0962	min	-0.0962	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	Schulze	Robustness	0.1046	min	-0.1046	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	Schulze	Robustness	0.101	min	-0.101	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	Schulze	Robustness	0.1136	min	-0.1136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	Schulze	Robustness	0.0978	min	-0.0978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	Schulze	Robustness	0.109	min	-0.109	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	Schulze	Robustness	0.1158	min	-0.1158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	Schulze	Robustness	0.1166	min	-0.1166	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	Schulze	Robustness	0.1186	min	-0.1186	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.0826	min	-0.0826	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.108	min	-0.108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.1106	min	-0.1106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.1064	min	-0.1064	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.108	min	-0.108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.0994	min	-0.0994	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.1098	min	-0.1098	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.1136	min	-0.1136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.112	min	-0.112	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.1104	min	-0.1104	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Borda	Robustness	0.272	min	-0.272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Borda	Robustness	0.3032	min	-0.3032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Borda	Robustness	0.27	min	-0.27	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Borda	Robustness	0.278	min	-0.278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Borda	Robustness	0.2582	min	-0.2582	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Borda	Robustness	0.2622	min	-0.2622	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Borda	Robustness	0.2684	min	-0.2684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Borda	Robustness	0.2422	min	-0.2422	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Borda	Robustness	0.2304	min	-0.2304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Borda	Robustness	0.2226	min	-0.2226	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.272	min	-0.272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2712	min	-0.2712	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2536	min	-0.2536	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.277	min	-0.277	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2466	min	-0.2466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2566	min	-0.2566	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2588	min	-0.2588	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2306	min	-0.2306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2028	min	-0.2028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.1992	min	-0.1992	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	RRF	Robustness	0.2736	min	-0.2736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	RRF	Robustness	0.273	min	-0.273	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	RRF	Robustness	0.2588	min	-0.2588	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	RRF	Robustness	0.276	min	-0.276	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	RRF	Robustness	0.2604	min	-0.2604	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	RRF	Robustness	0.2706	min	-0.2706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	RRF	Robustness	0.2622	min	-0.2622	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	RRF	Robustness	0.2428	min	-0.2428	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	RRF	Robustness	0.2338	min	-0.2338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	RRF	Robustness	0.2304	min	-0.2304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.272	min	-0.272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.2864	min	-0.2864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.2594	min	-0.2594	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.2744	min	-0.2744	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.252	min	-0.252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.266	min	-0.266	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.2628	min	-0.2628	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.2388	min	-0.2388	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.209	min	-0.209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.2112	min	-0.2112	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 - 0.411602	-	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2718	min	-0.2718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 - 0.586008	-	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2798	min	-0.2798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 - 0.647046	-	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.279	min	-0.279	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 - 0.470553	-	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.292	min	-0.292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 - 0.469363	-	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2868	min	-0.2868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 - 0.412269	-	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.294	min	-0.294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 - 0.443266	-	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2862	min	-0.2862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 - 0.413699	-	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2884	min	-0.2884	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 - 0.399149	-	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.292	min	-0.292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 - 0.403753	-	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.2906	min	-0.2906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 - 0.411602	-	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	Borda	Robustness	0.073	min	-0.073	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	Borda	Robustness	0.0796	min	-0.0796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	Borda	Robustness	0.0838	min	-0.0838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	Borda	Robustness	0.0762	min	-0.0762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	Borda	Robustness	0.0786	min	-0.0786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	Borda	Robustness	0.0722	min	-0.0722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	Borda	Robustness	0.075	min	-0.075	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	Borda	Robustness	0.0758	min	-0.0758	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	Borda	Robustness	0.0834	min	-0.0834	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	Borda	Robustness	0.0786	min	-0.0786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	Kemeny	Robustness	0.073	min	-0.073	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	Kemeny	Robustness	0.0716	min	-0.0716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	Kemeny	Robustness	0.079	min	-0.079	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	Kemeny	Robustness	0.0748	min	-0.0748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	Kemeny	Robustness	0.0842	min	-0.0842	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	Kemeny	Robustness	0.0822	min	-0.0822	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	Kemeny	Robustness	0.082	min	-0.082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	Kemeny	Robustness	0.0848	min	-0.0848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	Kemeny	Robustness	0.0866	min	-0.0866	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	Kemeny	Robustness	0.0846	min	-0.0846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	RRF	Robustness	0.0736	min	-0.0736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	RRF	Robustness	0.0816	min	-0.0816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	RRF	Robustness	0.0812	min	-0.0812	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	RRF	Robustness	0.0754	min	-0.0754	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	RRF	Robustness	0.0816	min	-0.0816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	RRF	Robustness	0.0766	min	-0.0766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	RRF	Robustness	0.0814	min	-0.0814	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	RRF	Robustness	0.0822	min	-0.0822	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	RRF	Robustness	0.0794	min	-0.0794	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	RRF	Robustness	0.0834	min	-0.0834	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	Schulze	Robustness	0.073	min	-0.073	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	Schulze	Robustness	0.0742	min	-0.0742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	Schulze	Robustness	0.085	min	-0.085	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	Schulze	Robustness	0.0766	min	-0.0766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	Schulze	Robustness	0.0826	min	-0.0826	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	Schulze	Robustness	0.0786	min	-0.0786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	Schulze	Robustness	0.0784	min	-0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	Schulze	Robustness	0.0848	min	-0.0848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	Schulze	Robustness	0.084	min	-0.084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	Schulze	Robustness	0.0862	min	-0.0862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.0672	min	-0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.0828	min	-0.0828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.0834	min	-0.0834	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.077	min	-0.077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.0784	min	-0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.0742	min	-0.0742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.0762	min	-0.0762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.0792	min	-0.0792	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.0784	min	-0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.0774	min	-0.0774	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Borda	Robustness	0.223	min	-0.223	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Borda	Robustness	0.2524	min	-0.2524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Borda	Robustness	0.2212	min	-0.2212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Borda	Robustness	0.2288	min	-0.2288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Borda	Robustness	0.213	min	-0.213	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Borda	Robustness	0.2164	min	-0.2164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Borda	Robustness	0.22	min	-0.22	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Borda	Robustness	0.1984	min	-0.1984	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Borda	Robustness	0.1898	min	-0.1898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Borda	Robustness	0.1832	min	-0.1832	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.223	min	-0.223	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2204	min	-0.2204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2088	min	-0.2088	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2326	min	-0.2326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2006	min	-0.2006	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.215	min	-0.215	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2158	min	-0.2158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.1886	min	-0.1886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.1636	min	-0.1636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.161	min	-0.161	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	RRF	Robustness	0.2246	min	-0.2246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	RRF	Robustness	0.224	min	-0.224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	RRF	Robustness	0.2104	min	-0.2104	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	RRF	Robustness	0.2274	min	-0.2274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	RRF	Robustness	0.2132	min	-0.2132	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	RRF	Robustness	0.2264	min	-0.2264	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	RRF	Robustness	0.2196	min	-0.2196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	RRF	Robustness	0.2016	min	-0.2016	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	RRF	Robustness	0.1936	min	-0.1936	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	RRF	Robustness	0.1912	min	-0.1912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.223	min	-0.223	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.2358	min	-0.2358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.2116	min	-0.2116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.2256	min	-0.2256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.2084	min	-0.2084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.2172	min	-0.2172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.2206	min	-0.2206	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.193	min	-0.193	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.1678	min	-0.1678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.1718	min	-0.1718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2204	min	-0.2204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2322	min	-0.2322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2312	min	-0.2312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2478	min	-0.2478	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2418	min	-0.2418	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2496	min	-0.2496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2428	min	-0.2428	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2444	min	-0.2444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2488	min	-0.2488	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2488	min	-0.2488	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Borda	Robustness	0.0684	min	-0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Borda	Robustness	0.0904	min	-0.0904	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Borda	Robustness	0.096	min	-0.096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Borda	Robustness	0.094	min	-0.094	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Borda	Robustness	0.0952	min	-0.0952	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Borda	Robustness	0.087	min	-0.087	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Borda	Robustness	0.0958	min	-0.0958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Borda	Robustness	0.1006	min	-0.1006	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Borda	Robustness	0.1044	min	-0.1044	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Borda	Robustness	0.1014	min	-0.1014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.0684	min	-0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.079	min	-0.079	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.0854	min	-0.0854	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.084	min	-0.084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.0964	min	-0.0964	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.0902	min	-0.0902	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.0896	min	-0.0896	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.103	min	-0.103	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.1054	min	-0.1054	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.1036	min	-0.1036	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	RRF	Robustness	0.0676	min	-0.0676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	RRF	Robustness	0.0858	min	-0.0858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	RRF	Robustness	0.0946	min	-0.0946	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	RRF	Robustness	0.093	min	-0.093	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	RRF	Robustness	0.095	min	-0.095	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	RRF	Robustness	0.0906	min	-0.0906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	RRF	Robustness	0.093	min	-0.093	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	RRF	Robustness	0.0998	min	-0.0998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	RRF	Robustness	0.1014	min	-0.1014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	RRF	Robustness	0.1036	min	-0.1036	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Schulze	Robustness	0.0684	min	-0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Schulze	Robustness	0.0828	min	-0.0828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Schulze	Robustness	0.0876	min	-0.0876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Schulze	Robustness	0.0872	min	-0.0872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Schulze	Robustness	0.0958	min	-0.0958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Schulze	Robustness	0.0932	min	-0.0932	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Schulze	Robustness	0.0956	min	-0.0956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Schulze	Robustness	0.0998	min	-0.0998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Schulze	Robustness	0.0984	min	-0.0984	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Schulze	Robustness	0.1018	min	-0.1018	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0714	min	-0.0714	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0936	min	-0.0936	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0948	min	-0.0948	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0976	min	-0.0976	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0984	min	-0.0984	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0884	min	-0.0884	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0956	min	-0.0956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0986	min	-0.0986	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.0976	min	-0.0976	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.096	min	-0.096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2136	min	-0.2136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2354	min	-0.2354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2144	min	-0.2144	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2212	min	-0.2212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.1932	min	-0.1932	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2024	min	-0.2024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2006	min	-0.2006	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.1756	min	-0.1756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.1668	min	-0.1668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.1616	min	-0.1616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2136	min	-0.2136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2136	min	-0.2136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2022	min	-0.2022	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2104	min	-0.2104	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.1842	min	-0.1842	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.195	min	-0.195	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.203	min	-0.203	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.1702	min	-0.1702	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.1414	min	-0.1414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.1464	min	-0.1464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2162	min	-0.2162	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.205	min	-0.205	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.196	min	-0.196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2082	min	-0.2082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.197	min	-0.197	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.202	min	-0.202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2052	min	-0.2052	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 - 0.413699	-	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.1812	min	-0.1812	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 - 0.399149	-	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.1702	min	-0.1702	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 - 0.403753	-	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.172	min	-0.172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 - 0.411602	-	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2136	min	-0.2136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 - 0.586008	-	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.224	min	-0.224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 - 0.647046	-	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2042	min	-0.2042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 - 0.470553	-	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.209	min	-0.209	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 - 0.469363	-	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.1912	min	-0.1912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 - 0.412269	-	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2144	min	-0.2144	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 - 0.443266	-	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2084	min	-0.2084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 - 0.413699	-	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.1674	min	-0.1674	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.1476	min	-0.1476	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.1586	min	-0.1586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2192	min	-0.2192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.22	min	-0.22	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2168	min	-0.2168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2268	min	-0.2268	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2256	min	-0.2256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.232	min	-0.232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.221	min	-0.221	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2226	min	-0.2226	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2214	min	-0.2214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2214	min	-0.2214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Borda	Robustness	0.0544	min	-0.0544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Borda	Robustness	0.0636	min	-0.0636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Borda	Robustness	0.0688	min	-0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Borda	Robustness	0.0688	min	-0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Borda	Robustness	0.0752	min	-0.0752	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Borda	Robustness	0.063	min	-0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Borda	Robustness	0.0656	min	-0.0656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Borda	Robustness	0.0698	min	-0.0698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Borda	Robustness	0.074	min	-0.074	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Borda	Robustness	0.0692	min	-0.0692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.0544	min	-0.0544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.0576	min	-0.0576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.0652	min	-0.0652	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.063	min	-0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.0722	min	-0.0722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.0664	min	-0.0664	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.063	min	-0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.0744	min	-0.0744	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.079	min	-0.079	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.0764	min	-0.0764	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	RRF	Robustness	0.0526	min	-0.0526	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	RRF	Robustness	0.068	min	-0.068	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	RRF	Robustness	0.0688	min	-0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	RRF	Robustness	0.0696	min	-0.0696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	RRF	Robustness	0.0672	min	-0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	RRF	Robustness	0.0636	min	-0.0636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	RRF	Robustness	0.0666	min	-0.0666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	RRF	Robustness	0.0704	min	-0.0704	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	RRF	Robustness	0.072	min	-0.072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	RRF	Robustness	0.0744	min	-0.0744	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Schulze	Robustness	0.0544	min	-0.0544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Schulze	Robustness	0.062	min	-0.062	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Schulze	Robustness	0.0668	min	-0.0668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Schulze	Robustness	0.0662	min	-0.0662	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Schulze	Robustness	0.0712	min	-0.0712	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Schulze	Robustness	0.0682	min	-0.0682	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Schulze	Robustness	0.0622	min	-0.0622	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Schulze	Robustness	0.0708	min	-0.0708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Schulze	Robustness	0.0708	min	-0.0708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Schulze	Robustness	0.0756	min	-0.0756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0548	min	-0.0548	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0684	min	-0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0706	min	-0.0706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0748	min	-0.0748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0758	min	-0.0758	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.067	min	-0.067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0688	min	-0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0692	min	-0.0692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.069	min	-0.069	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.0672	min	-0.0672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1684	min	-0.1684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1874	min	-0.1874	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.169	min	-0.169	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1748	min	-0.1748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1512	min	-0.1512	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1562	min	-0.1562	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.158	min	-0.158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.138	min	-0.138	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1326	min	-0.1326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1228	min	-0.1228	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1684	min	-0.1684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1678	min	-0.1678	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1622	min	-0.1622	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1718	min	-0.1718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1454	min	-0.1454	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1602	min	-0.1602	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1646	min	-0.1646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1324	min	-0.1324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1042	min	-0.1042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1096	min	-0.1096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1692	min	-0.1692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1558	min	-0.1558	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1506	min	-0.1506	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1666	min	-0.1666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.153	min	-0.153	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1616	min	-0.1616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1652	min	-0.1652	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1444	min	-0.1444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1296	min	-0.1296	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.132	min	-0.132	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1684	min	-0.1684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.175	min	-0.175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1582	min	-0.1582	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1688	min	-0.1688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1506	min	-0.1506	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.171	min	-0.171	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1696	min	-0.1696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1286	min	-0.1286	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1122	min	-0.1122	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1222	min	-0.1222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1706	min	-0.1706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1738	min	-0.1738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1716	min	-0.1716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1838	min	-0.1838	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.182	min	-0.182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1876	min	-0.1876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1786	min	-0.1786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1818	min	-0.1818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1798	min	-0.1798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1808	min	-0.1808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	Borda	Robustness	0.0252	min	-0.0252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	Borda	Robustness	0.0236	min	-0.0236	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	Borda	Robustness	0.0326	min	-0.0326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	Borda	Robustness	0.0324	min	-0.0324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	Borda	Robustness	0.0354	min	-0.0354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	Borda	Robustness	0.0278	min	-0.0278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	Borda	Robustness	0.0322	min	-0.0322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	Borda	Robustness	0.0332	min	-0.0332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	Borda	Robustness	0.0346	min	-0.0346	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	Borda	Robustness	0.0368	min	-0.0368	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	Kemeny	Robustness	0.0252	min	-0.0252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	Kemeny	Robustness	0.0268	min	-0.0268	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	Kemeny	Robustness	0.0286	min	-0.0286	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	Kemeny	Robustness	0.0322	min	-0.0322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	Kemeny	Robustness	0.0354	min	-0.0354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	Kemeny	Robustness	0.0342	min	-0.0342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	Kemeny	Robustness	0.0312	min	-0.0312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	Kemeny	Robustness	0.042	min	-0.042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	Kemeny	Robustness	0.0376	min	-0.0376	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	Kemeny	Robustness	0.04	min	-0.04	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	RRF	Robustness	0.0224	min	-0.0224	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	RRF	Robustness	0.028	min	-0.028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	RRF	Robustness	0.0298	min	-0.0298	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	RRF	Robustness	0.0298	min	-0.0298	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	RRF	Robustness	0.0336	min	-0.0336	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	RRF	Robustness	0.0322	min	-0.0322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	RRF	Robustness	0.033	min	-0.033	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	RRF	Robustness	0.0388	min	-0.0388	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	RRF	Robustness	0.0378	min	-0.0378	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	RRF	Robustness	0.04	min	-0.04	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	Schulze	Robustness	0.0252	min	-0.0252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	Schulze	Robustness	0.0234	min	-0.0234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	Schulze	Robustness	0.0278	min	-0.0278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	Schulze	Robustness	0.0352	min	-0.0352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	Schulze	Robustness	0.0334	min	-0.0334	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	Schulze	Robustness	0.031	min	-0.031	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	Schulze	Robustness	0.0368	min	-0.0368	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	Schulze	Robustness	0.036	min	-0.036	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	Schulze	Robustness	0.0384	min	-0.0384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	Schulze	Robustness	0.041	min	-0.041	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	Simple Averaging	Robustness	0.0214	min	-0.0214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	Simple Averaging	Robustness	0.0322	min	-0.0322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	min	-0.0338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	Simple Averaging	Robustness	0.0352	min	-0.0352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	min	-0.0338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	Simple Averaging	Robustness	0.028	min	-0.028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	Simple Averaging	Robustness	0.0338	min	-0.0338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	Simple Averaging	Robustness	0.0344	min	-0.0344	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	Simple Averaging	Robustness	0.034	min	-0.034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	Simple Averaging	Robustness	0.0322	min	-0.0322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Borda	Robustness	0.081	min	-0.081	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Borda	Robustness	0.0886	min	-0.0886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Borda	Robustness	0.074	min	-0.074	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Borda	Robustness	0.0784	min	-0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Borda	Robustness	0.0738	min	-0.0738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Borda	Robustness	0.0826	min	-0.0826	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Borda	Robustness	0.0808	min	-0.0808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Borda	Robustness	0.0726	min	-0.0726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Borda	Robustness	0.0634	min	-0.0634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Borda	Robustness	0.0544	min	-0.0544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.081	min	-0.081	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.077	min	-0.077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.067	min	-0.067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.0778	min	-0.0778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.0656	min	-0.0656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.0668	min	-0.0668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.078	min	-0.078	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.062	min	-0.062	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.0544	min	-0.0544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.048	min	-0.048	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	RRF	Robustness	0.0828	min	-0.0828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	RRF	Robustness	0.0708	min	-0.0708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	RRF	Robustness	0.0664	min	-0.0664	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	RRF	Robustness	0.0746	min	-0.0746	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	RRF	Robustness	0.082	min	-0.082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	RRF	Robustness	0.0862	min	-0.0862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	RRF	Robustness	0.0906	min	-0.0906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	RRF	Robustness	0.0856	min	-0.0856	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	RRF	Robustness	0.0692	min	-0.0692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	RRF	Robustness	0.066	min	-0.066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Schulze	Robustness	0.081	min	-0.081	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Schulze	Robustness	0.079	min	-0.079	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Schulze	Robustness	0.0732	min	-0.0732	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Schulze	Robustness	0.0742	min	-0.0742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Schulze	Robustness	0.0708	min	-0.0708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Schulze	Robustness	0.0874	min	-0.0874	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Schulze	Robustness	0.0858	min	-0.0858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Schulze	Robustness	0.0728	min	-0.0728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Schulze	Robustness	0.0562	min	-0.0562	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Schulze	Robustness	0.056	min	-0.056	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0818	min	-0.0818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0762	min	-0.0762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0796	min	-0.0796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0836	min	-0.0836	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0788	min	-0.0788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.088	min	-0.088	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0808	min	-0.0808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 - 0.413699	-	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.079	min	-0.079	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 - 0.399149	-	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0808	min	-0.0808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 - 0.403753	-	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0812	min	-0.0812	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 - 0.411602	-	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	Borda	Robustness	0.0288	min	-0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 - 0.586008	-	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	Borda	Robustness	0.0238	min	-0.0238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 - 0.647046	-	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	Borda	Robustness	0.0312	min	-0.0312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 - 0.470553	-	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	Borda	Robustness	0.0274	min	-0.0274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 - 0.469363	-	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	Borda	Robustness	0.033	min	-0.033	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 - 0.412269	-	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	Borda	Robustness	0.0262	min	-0.0262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 - 0.443266	-	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	Borda	Robustness	0.0254	min	-0.0254	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 - 0.413699	-	0.002	5.4566e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	Borda	Robustness	0.027	min	-0.027	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	Borda	Robustness	0.032	min	-0.032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	Borda	Robustness	0.0266	min	-0.0266	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	Kemeny	Robustness	0.0288	min	-0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	Kemeny	Robustness	0.0268	min	-0.0268	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	Kemeny	Robustness	0.0278	min	-0.0278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	Kemeny	Robustness	0.0292	min	-0.0292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	Kemeny	Robustness	0.0286	min	-0.0286	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	Kemeny	Robustness	0.0324	min	-0.0324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	Kemeny	Robustness	0.026	min	-0.026	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	Kemeny	Robustness	0.035	min	-0.035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	Kemeny	Robustness	0.0328	min	-0.0328	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	Kemeny	Robustness	0.0324	min	-0.0324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	RRF	Robustness	0.026	min	-0.026	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	RRF	Robustness	0.0308	min	-0.0308	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	RRF	Robustness	0.029	min	-0.029	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	RRF	Robustness	0.0256	min	-0.0256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	RRF	Robustness	0.028	min	-0.028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	RRF	Robustness	0.0268	min	-0.0268	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	RRF	Robustness	0.0268	min	-0.0268	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	RRF	Robustness	0.0312	min	-0.0312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	RRF	Robustness	0.0304	min	-0.0304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	RRF	Robustness	0.0308	min	-0.0308	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	Schulze	Robustness	0.0288	min	-0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	Schulze	Robustness	0.0228	min	-0.0228	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	Schulze	Robustness	0.0272	min	-0.0272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	Schulze	Robustness	0.0312	min	-0.0312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	Schulze	Robustness	0.029	min	-0.029	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	Schulze	Robustness	0.0288	min	-0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	Schulze	Robustness	0.0304	min	-0.0304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	Schulze	Robustness	0.0326	min	-0.0326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	Schulze	Robustness	0.0326	min	-0.0326	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	Schulze	Robustness	0.0342	min	-0.0342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	Simple Averaging	Robustness	0.0234	min	-0.0234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	Simple Averaging	Robustness	0.0306	min	-0.0306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	Simple Averaging	Robustness	0.0314	min	-0.0314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	Simple Averaging	Robustness	0.034	min	-0.034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0348	min	-0.0348	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	Simple Averaging	Robustness	0.031	min	-0.031	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	Simple Averaging	Robustness	0.0244	min	-0.0244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	Simple Averaging	Robustness	0.0248	min	-0.0248	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	Simple Averaging	Robustness	0.025	min	-0.025	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	Simple Averaging	Robustness	0.024	min	-0.024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Borda	Robustness	0.0616	min	-0.0616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Borda	Robustness	0.0666	min	-0.0666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Borda	Robustness	0.0542	min	-0.0542	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Borda	Robustness	0.0578	min	-0.0578	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Borda	Robustness	0.0564	min	-0.0564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Borda	Robustness	0.0646	min	-0.0646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Borda	Robustness	0.0612	min	-0.0612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Borda	Robustness	0.0616	min	-0.0616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Borda	Robustness	0.0518	min	-0.0518	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Borda	Robustness	0.04	min	-0.04	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.0616	min	-0.0616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.0592	min	-0.0592	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.0514	min	-0.0514	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.0612	min	-0.0612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363 -	0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.0486	min	-0.0486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269 -	0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.0562	min	-0.0562	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266 -	0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.065	min	-0.065	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699 -	0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.0518	min	-0.0518	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149 -	0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.043	min	-0.043	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753 -	0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.0378	min	-0.0378	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602 -	0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	RRF	Robustness	0.0642	min	-0.0642	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008 -	0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	RRF	Robustness	0.0494	min	-0.0494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046 -	0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	RRF	Robustness	0.05	min	-0.05	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553 -	0.470553	0.002	4.3612e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	RRF	Robustness	0.0556	min	-0.0556	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	RRF	Robustness	0.0648	min	-0.0648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	RRF	Robustness	0.0728	min	-0.0728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	RRF	Robustness	0.076	min	-0.076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	RRF	Robustness	0.0722	min	-0.0722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	RRF	Robustness	0.057	min	-0.057	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	RRF	Robustness	0.0516	min	-0.0516	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Schulze	Robustness	0.0616	min	-0.0616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Schulze	Robustness	0.0614	min	-0.0614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Schulze	Robustness	0.056	min	-0.056	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Schulze	Robustness	0.0584	min	-0.0584	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Schulze	Robustness	0.051	min	-0.051	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Schulze	Robustness	0.0728	min	-0.0728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Schulze	Robustness	0.073	min	-0.073	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Schulze	Robustness	0.0588	min	-0.0588	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Schulze	Robustness	0.044	min	-0.044	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Schulze	Robustness	0.0466	min	-0.0466	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0636	min	-0.0636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.586008	- 0.586008	0.002	40627	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0568	min	-0.0568	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.647046	- 0.647046	0.002	3.1086e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0616	min	-0.0616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.470553	- 0.470553	0.002	4.3612e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0662	min	-0.0662	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.469363	- 0.469363	0.002	4.5228e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0624	min	-0.0624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.412269	- 0.412269	0.002	4.8013e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.069	min	-0.069	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.443266	- 0.443266	0.002	4.8111e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.063	min	-0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.413699	- 0.413699	0.002	5.4566e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.063	min	-0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.399149	- 0.399149	0.002	5.6729e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0654	min	-0.0654	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.403753	- 0.403753	0.002	5.606e+05	11
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.066	min	-0.066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.411602	- 0.411602	0.002	6.1235e+05	11

Table 69: ImageNet–ViT-B/16

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Clean	Fbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Clean	Fbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbliation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 C		False	True	7	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255 C		True	True	7	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 C		False	True	8	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	8	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	False	True	6	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	6	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	C	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	C	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	C	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	C	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	C	False	True	7	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	C	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	C	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	C	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	C	True	True	7	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 C		False	True	6	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255 C		True	True	6	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 Cbar		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 Cbar		False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 Cbar		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 Cbar		False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F	F	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F	F	True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F	F	False	True	8	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F	F	True	True	8	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F		False	True	8	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F		True	True	8	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 F		False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F		False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F		False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F		False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F		False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F		False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F		False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F		False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F		False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255 F		True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255 F		False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255 F		False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255 F		False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255 F		False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255 F		False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255 F		False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255 F		False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255 F		False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255 F		False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	F	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	7	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	7	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Gaussian 0.15	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Gaussian 0.15	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Salt Pepper 0.05	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Salt Pepper 0.05	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Salt Pepper 0.05	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	8	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	8	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	5	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	5	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	6	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	7	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Clean	Fbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Clean	Fbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Clean	Fbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C	C	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	7	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 C		True	True	7	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C		False	True	8	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 C		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 C		True	True	8	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	6	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 C		False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 C		True	True	6	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 C		False	True	7	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 C		False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	True	True	7	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	C	False	True	6	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	C	False	True	6	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	C	True	True	6	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	F	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F		False	True	8	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	8	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F		False	True	8	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F		False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F		True	True	8	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F		False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F		False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F		False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F		False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F	F	False	True	9	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F	F	False	True	9	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F	F	True	True	9	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 F	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 F	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 F	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 F	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 F	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 F	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 F	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 F	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255 F	F	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255 F	F	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255 Fbar	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	2	False	True	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap', 'Attention GradCAM', 'Feature Ablation', 'Saliency', 'InputXGradient', 'FullLRP']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap', 'Attention GradCAM']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap', 'Attention GradCAM', 'Feature Ablation']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap', 'Attention GradCAM', 'Feature Ablation', 'Saliency']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap', 'Attention GradCAM', 'Feature Ablation', 'Saliency', 'InputXGradient']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap', 'Attention GradCAM', 'Feature Ablation', 'Saliency', 'InputXGradient']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Cbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Cbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Cbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	7	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	7	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	7	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Gaussian 0.15	Fbar	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Gaussian 0.15	Fbar	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Gaussian 0.15	Fbar	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Cbar	False	True	4	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Cbar	False	True	4	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Cbar	True	True	4	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	10	False	True	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap', 'Attention GradCAM', 'Feature Ablation', 'Saliency', 'InputXGradient', 'FullLRP']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Salt Pepper 0.05	Fbar	False	True	2	True	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Salt Pepper 0.05	Fbar	False	True	2	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Salt Pepper 0.05	Fbar	False	True	2	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Salt Pepper 0.05	Fbar	False	True	2	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Salt Pepper 0.05	Fbar	False	True	2	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Salt Pepper 0.05	Fbar	False	True	2	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap', 'Attention GradCAM']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Salt Pepper 0.05	Fbar	False	True	2	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap', 'Attention GradCAM', 'Feature Ablation']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Salt Pepper 0.05	Fbar	False	True	2	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap', 'Attention GradCAM', 'Feature Ablation', 'Saliency']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Salt Pepper 0.05	Fbar	False	True	2	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap', 'Attention GradCAM', 'Feature Ablation', 'Saliency', 'InputXGradient']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Salt Pepper 0.05	Fbar	True	True	2	False	True	['Gradient Attention Rollout', 'CheferTran sformer Attribution', 'Occlusion', 'Integrated Gradients', 'PartialLRP', 'Gradient Shap', 'Attention GradCAM', 'Feature Ablation', 'Saliency', 'InputXGradient', 'FullLRP']
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	3	False	False	['Gradient Attention Rollout', 'CheferTran sformer Attribution']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAblation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	C	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	C	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	C	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Cbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Cbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Cbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	8	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	8	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	8	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	5	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	5	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	5	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	F	False	True	2	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]

Cell	Dataset	Model	Distance Model	Q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal Q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	F	False	True	2	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	F	True	True	2	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency", "InputXGGrad ient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAbl ation", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	11	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	11	True	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	10	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	10	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	10	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "Feature Ablation", "Saliency", "InputXGradient", "FullLRP"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	2	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	3	Speckle 0.15	Fbar	False	True	3	True	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	4	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	5	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	6	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	7	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	8	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	9	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	10	Speckle 0.15	Fbar	False	True	3	False	False	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient"]
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Spearman	11	Speckle 0.15	Fbar	True	True	3	False	True	["Gradient Attention Rollout", "CheferTran sformer Attribution", "Occlusion", "Integrated Gradients", "PartialLRP", "Gradient Shap", "Attention GradCAM", "FeatureAb lation", "Saliency", "InputXGrad ient", "FullLRP"]

Table 70: ImageNet–ViT-B/16

Cell	Q	Rule	Predicted Score	Theta	Mean Distance	Actual F	Predicted Q	NOISE Q	Actual Regret	Actual Near Optimal 95	Dual Geometry Score	Dual Geometry Predicted Q	Dual Geometry Actual Regret	Dual Geometry Actual Near Optimal 95
ImageNet–ViT-B/16	2	Borda	0.082297	6.116131	2.3547	0.0864	2	2	0	True	0.082297	2	0	True
ImageNet–ViT-B/16	3	Borda	0.073751	2.816856	9.873	0.0506	2	2	0	False	0.078613	2	0	True
ImageNet–ViT-B/16	4	Borda	0.077982	2.425138	11.1934	0.0572	2	2	0	False	0.080726	2	0	True
ImageNet–ViT-B/16	5	Borda	0.080881	2.35586	11.42964	0.0634	2	2	0	False	0.081225	2	0	True
ImageNet–ViT-B/16	6	Borda	0.07856	2.238705	11.829467	0.0604	2	2	0	False	0.078312	2	0	True
ImageNet–ViT-B/16	7	Borda	0.078346	2.255003	11.773857	0.066	2	2	0	False	0.078816	2	0	True
ImageNet–ViT-B/16	8	Borda	0.07437	2.114551	12.2524	0.0582	2	2	0	False	0.07611	2	0	True
ImageNet–ViT-B/16	9	Borda	0.0719	2.059727	12.438511	0.0552	2	2	0	False	0.072813	2	0	True
ImageNet–ViT-B/16	10	Borda	0.065706	2.072664	12.39464	0.0494	2	2	0	False	0.063368	2	0	True
ImageNet–ViT-B/16	11	Borda	0.063329	1.922194	12.902491	0.0478	2	2	0	False	0.059964	2	0	True
ImageNet–ViT-B/16	2	Kemeny	0.082297	6.116131	2.3547	0.0864	3	3	0	True	0.082297	2	0.001	True
ImageNet–ViT-B/16	3	Kemeny	0.083476	3.813524	6.8206	0.0874	3	3	0	True	0.078613	2	0.001	True
ImageNet–ViT-B/16	4	Kemeny	0.083469	2.974566	9.35465	0.087	3	3	0	True	0.080726	2	0.001	True
ImageNet–ViT-B/16	5	Kemeny	0.081569	2.749214	10.09816	0.0796	3	3	0	False	0.081225	2	0.001	True
ImageNet–ViT-B/16	6	Kemeny	0.078064	2.51624	10.883467	0.0728	3	3	0	False	0.078312	2	0.001	True
ImageNet–ViT-B/16	7	Kemeny	0.079286	2.568394	10.7066	0.0716	3	3	0	False	0.078816	2	0.001	True
ImageNet–ViT-B/16	8	Kemeny	0.077849	2.390244	11.31235	0.0738	3	3	0	False	0.07611	2	0.001	True
ImageNet–ViT-B/16	9	Kemeny	0.073725	2.304354	11.605422	0.0624	3	3	0	False	0.072813	2	0.001	True
ImageNet–ViT-B/16	10	Kemeny	0.06103	2.313267	11.575	0.0542	3	3	0	False	0.063368	2	0.001	True
ImageNet–ViT-B/16	11	Kemeny	0.056599	2.15098	12.128473	0.05	3	3	0	False	0.059964	2	0.001	True

Table 71: ImageNet–ViT-B/16

Cell	Q	Rule	Predicted Score	Theta	Mean Distance	Actual F	Predicted Q	NOISE Q	Actual Regret	Actual Near Optimal 95
ImageNet–ViT-B/16	2	Borda	0.082297	6.116131	2.3547	0.0864	2	2	0	True
ImageNet–ViT-B/16	3	Borda	0.073751	2.816856	9.873	0.0506	2	2	0	False
ImageNet–ViT-B/16	4	Borda	0.077982	2.425138	11.1934	0.0572	2	2	0	False
ImageNet–ViT-B/16	5	Borda	0.080881	2.35586	11.42964	0.0634	2	2	0	False
ImageNet–ViT-B/16	6	Borda	0.07856	2.238705	11.829467	0.0604	2	2	0	False
ImageNet–ViT-B/16	7	Borda	0.078346	2.255003	11.773857	0.066	2	2	0	False
ImageNet–ViT-B/16	8	Borda	0.07437	2.114551	12.2524	0.0582	2	2	0	False
ImageNet–ViT-B/16	9	Borda	0.0719	2.059727	12.438511	0.0552	2	2	0	False
ImageNet–ViT-B/16	10	Borda	0.065706	2.072664	12.39464	0.0494	2	2	0	False
ImageNet–ViT-B/16	11	Borda	0.063329	1.922194	12.902491	0.0478	2	2	0	False
ImageNet–ViT-B/16	2	Kemeny	0.082297	6.116131	2.3547	0.0864	3	3	0	True
ImageNet–ViT-B/16	3	Kemeny	0.083476	3.813524	6.8206	0.0874	3	3	0	True
ImageNet–ViT-B/16	4	Kemeny	0.083469	2.974566	9.35465	0.087	3	3	0	True
ImageNet–ViT-B/16	5	Kemeny	0.081569	2.749214	10.09816	0.0796	3	3	0	False
ImageNet–ViT-B/16	6	Kemeny	0.078064	2.51624	10.883467	0.0728	3	3	0	False
ImageNet–ViT-B/16	7	Kemeny	0.079286	2.568394	10.7066	0.0716	3	3	0	False
ImageNet–ViT-B/16	8	Kemeny	0.077849	2.390244	11.31235	0.0738	3	3	0	False
ImageNet–ViT-B/16	9	Kemeny	0.073725	2.304354	11.605422	0.0624	3	3	0	False
ImageNet–ViT-B/16	10	Kemeny	0.06103	2.313267	11.575	0.0542	3	3	0	False
ImageNet–ViT-B/16	11	Kemeny	0.056599	2.15098	12.128473	0.05	3	3	0	False

Table 72: ImageNet–ViT-B/16

Dataset	Model	Architecture	Split	Metric	Sample Count	Noise	Condition Id	Robustness	Selected Method
ImageNet	ViT-B/16	ViT	Test	R_F	5000	gaussian	gaussian-0.15	0.0106	FullLRP
ImageNet	ViT-B/16	ViT	Test	R_Fbar	5000	gaussian	gaussian-0.15	0.1072	Saliency
ImageNet	ViT-B/16	ViT	Test	R_C	5000	gaussian	gaussian-0.15	0.0264	FullLRP
ImageNet	ViT-B/16	ViT	Test	R_Cbar	5000	gaussian	gaussian-0.15	0.133	Saliency
ImageNet	ViT-B/16	ViT	Test	R_F	5000	salt_pepper	salt-pepper-0.05	0.0058	FullLRP
ImageNet	ViT-B/16	ViT	Test	R_Fbar	5000	salt_pepper	salt-pepper-0.05	0.0742	Saliency
ImageNet	ViT-B/16	ViT	Test	R_C	5000	salt_pepper	salt-pepper-0.05	0.0232	FullLRP
ImageNet	ViT-B/16	ViT	Test	R_Cbar	5000	salt_pepper	salt-pepper-0.05	0.104	Saliency
ImageNet	ViT-B/16	ViT	Test	R_F	5000	speckle	speckle-0.15	0.002	FullLRP
ImageNet	ViT-B/16	ViT	Test	R_Fbar	5000	speckle	speckle-0.15	0.013	InputXGradient
ImageNet	ViT-B/16	ViT	Test	R_C	5000	speckle	speckle-0.15	0.0078	AttentionGradCAM
ImageNet	ViT-B/16	ViT	Test	R_Cbar	5000	speckle	speckle-0.15	0.0198	InputXGradient
ImageNet	ViT-B/16	ViT	Test	R_F	5000	adversarial	adversarial-sara-2-255	0.0224	FullLRP
ImageNet	ViT-B/16	ViT	Test	R_Fbar	5000	adversarial	adversarial-sara-2-255	0.0758	Saliency
ImageNet	ViT-B/16	ViT	Test	R_C	5000	adversarial	adversarial-sara-2-255	0.0334	FullLRP
ImageNet	ViT-B/16	ViT	Test	R_Cbar	5000	adversarial	adversarial-sara-2-255	0.0766	Saliency

Table 73: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	G	F	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				max	- 0.02078	0.018
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	G	Fbar	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				min	- 0.010602	0.239933
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	G	C	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				max	- 0.034987	0.038467
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	G	Cbar	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				min	- 0.008255	0.3076
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	P	F	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				max	- 0.021542	0.018
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	P	Fbar	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				min	- 0.024173	0.239933
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	P	C	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				max	- 0.030373	0.038467
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	P	Cbar	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				min	- 0.020209	0.3076
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	S	F	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				max	- 0.006685	0.018
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	S	Fbar	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				min	- 0.010575	0.239933
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	S	C	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				max	- 0.012501	0.038467
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	S	Cbar	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				min	- 0.006252	0.3076
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	A	F	71c08f05cd af2cc960b0 9c161da1ee 66ead58fa2 ad2b70c6eb eccca85a6d8 7b1e	5000				max	- 0.010462	0.018

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	A	Fbar	71c08f05cdaf2cc960b09c161dalee66ead58fa2ad2b70c6eb ecc85a6d87b1e	5000	Geometry			min	0.040061	0.239933
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	A	C	71c08f05cdaf2cc960b09c161dalee66ead58fa2ad2b70c6eb ecc85a6d87b1e	5000				max	- 0.012542	0.038467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	A	Cbar	71c08f05cdaf2cc960b09c161dalee66ead58fa2ad2b70c6eb ecc85a6d87b1e	5000				min	0.039862	0.3076
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	F	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				max	- 0.023958	0.011733
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	Fbar	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				min	- 0.065983	0.290133
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	C	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				max	- 0.031555	0.0286
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	Cbar	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				min	- 0.063614	0.359
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	F	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				max	- 0.027524	0.011733
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	Fbar	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				min	- 0.073063	0.290133
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	C	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				max	- 0.032786	0.0286
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	Cbar	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				min	- 0.07142	0.359
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	F	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				max	- 0.007236	0.011733
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	Fbar	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				min	- 0.04312	0.290133

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	C	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000	Geometry			max	-0.00948	0.0286
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	Cbar	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				min	-0.04005	0.359
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	F	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				max	-0.009605	0.011733
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	Fbar	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				min	0.043566	0.290133
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	C	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				max	-0.008717	0.0286
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	Cbar	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318be7fb51a4662a	5000				min	0.041728	0.359
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	G	F	c7e5daf417f8aae95e3b2bf79f463d4d5784247176c97343309b6891b107d5ee	5000				max	-0.026976	0.0156
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	G	Fbar	c7e5daf417f8aae95e3b2bf79f463d4d5784247176c97343309b6891b107d5ee	5000				min	-0.064888	0.3034
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	G	C	c7e5daf417f8aae95e3b2bf79f463d4d5784247176c97343309b6891b107d5ee	5000				max	-0.039731	0.0364
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	G	Cbar	c7e5daf417f8aae95e3b2bf79f463d4d5784247176c97343309b6891b107d5ee	5000				min	-0.063058	0.3704
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	P	F	c7e5daf417f8aae95e3b2bf79f463d4d5784247176c97343309b6891b107d5ee	5000				max	-0.028186	0.0156
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	P	Fbar	c7e5daf417f8aae95e3b2bf79f463d4d5784247176c97343309b6891b107d5ee	5000				min	-0.069698	0.3034
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	P	C	c7e5daf417f8aae95e3b2bf79f463d4d5784247176c97343309b6891b107d5ee	5000				max	-0.037767	0.0364

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	P	Cbar	c7e5daf417 f8aae95e3b 2bf79f463d 4d57842471 76c9734330 9b6891b107 d5ee	5000				min	- 0.071165	0.3704
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	S	F	c7e5daf417 f8aae95e3b 2bf79f463d 4d57842471 76c9734330 9b6891b107 d5ee	5000				max	- 0.008301	0.0156
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	S	Fbar	c7e5daf417 f8aae95e3b 2bf79f463d 4d57842471 76c9734330 9b6891b107 d5ee	5000				min	-0.0295	0.3034
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	S	C	c7e5daf417 f8aae95e3b 2bf79f463d 4d57842471 76c9734330 9b6891b107 d5ee	5000				max	- 0.012891	0.0364
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	S	Cbar	c7e5daf417 f8aae95e3b 2bf79f463d 4d57842471 76c9734330 9b6891b107 d5ee	5000				min	- 0.031077	0.3704
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	A	F	c7e5daf417 f8aae95e3b 2bf79f463d 4d57842471 76c9734330 9b6891b107 d5ee	5000				max	- 0.011678	0.0156
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	A	Fbar	c7e5daf417 f8aae95e3b 2bf79f463d 4d57842471 76c9734330 9b6891b107 d5ee	5000				min	0.041796	0.3034
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	A	C	c7e5daf417 f8aae95e3b 2bf79f463d 4d57842471 76c9734330 9b6891b107 d5ee	5000				max	- 0.015206	0.0364
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	A	Cbar	c7e5daf417 f8aae95e3b 2bf79f463d 4d57842471 76c9734330 9b6891b107 d5ee	5000				min	0.038743	0.3704
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	G	F	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				max	- 0.025369	0.015867
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	G	Fbar	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				min	- 0.051341	0.263467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	G	C	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				max	- 0.032288	0.033467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	G	Cbar	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				min	- 0.050085	0.3294

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	P	F	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000	Geometry			max	- 0.025611	0.015867
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	P	Fbar	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				min	-0.0611	0.263467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	P	C	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				max	- 0.030548	0.033467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	P	Cbar	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				min	- 0.061651	0.3294
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	S	F	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				max	- 0.007013	0.015867
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	S	Fbar	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				min	- 0.03328	0.263467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	S	C	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				max	- 0.007753	0.033467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	S	Cbar	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				min	- 0.032531	0.3294
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	A	F	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				max	- 0.011607	0.015867
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	A	Fbar	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				min	0.054005	0.263467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	A	C	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				max	- 0.010861	0.033467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	A	Cbar	50f9cc693f 52618a011e 8371f9da8f bde8b9c27c ab877f46e2 8d06aa2ddc 01d8	5000				min	0.051082	0.3294
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	G	F	8cfd6f7ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				max	- 0.024141	0.0168

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	G	Fbar	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000	Geometry			min	- 0.050704	0.2804
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	G	C	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				max	- 0.033926	0.0382
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	G	Cbar	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				min	- 0.049174	0.3494
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	P	F	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				max	- 0.024598	0.0168
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	P	Fbar	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				min	- 0.063645	0.2804
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	P	C	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				max	- 0.028625	0.0382
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	P	Cbar	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				min	- 0.063199	0.3494
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	S	F	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				max	- 0.006307	0.0168
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	S	Fbar	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				min	- 0.027453	0.2804
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	S	C	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				max	- 0.011293	0.0382
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	S	Cbar	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				min	- 0.022417	0.3494
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	A	F	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				max	- 0.00906	0.0168
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	A	Fbar	Scfd67ab1 b3fbd1dc38 8b5e54090b 56f10e4106 d94121312c 1d079b63a7 2ab3	5000				min	0.043977	0.2804

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	A	C	8cfd6f7ab1b3fbd1dc388b5e54090b56f10e4106d94121312c1d079b63a72ab3	5000	Geometry			max	-0.01375	0.0382
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	A	Cbar	8cfd6f7ab1b3fbd1dc388b5e54090b56f10e4106d94121312c1d079b63a72ab3	5000				min	0.040229	0.3494
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	G	F	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				max	-0.020572	0.016867
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	G	Fbar	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				min	-0.045268	0.255467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	G	C	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				max	-0.026787	0.035133
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	G	Cbar	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				min	-0.04437	0.322067
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	P	F	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				max	-0.023154	0.016867
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	P	Fbar	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				min	-0.053285	0.255467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	P	C	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				max	-0.025253	0.035133
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	P	Cbar	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				min	-0.053257	0.322067
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	S	F	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				max	-0.006185	0.016867
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	S	Fbar	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				min	-0.029701	0.255467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	S	C	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				max	-0.005689	0.035133

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	S	Cbar	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000	Geometry			min	-0.025542	0.322067
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	A	F	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				max	-0.009225	0.016867
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	A	Fbar	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				min	0.055277	0.255467
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	A	C	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				max	-0.008683	0.035133
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	A	Cbar	7c52b5df6a616775fcc05270a8b781f822359bd1b2dc91fb316b817a27cd0973	5000				min	0.052455	0.322067
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	G	F	7cf5de91675761ff32f3354d3452549561b1a1fd a89740da15db7e5315a229c4	5000				max	-0.019917	0.0176
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	G	Fbar	7cf5de91675761ff32f3354d3452549561b1a1fd a89740da15db7e5315a229c4	5000				min	-0.053138	0.272
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	G	C	7cf5de91675761ff32f3354d3452549561b1a1fd a89740da15db7e5315a229c4	5000				max	-0.022551	0.0374
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	G	Cbar	7cf5de91675761ff32f3354d3452549561b1a1fd a89740da15db7e5315a229c4	5000				min	-0.053397	0.338
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	P	F	7cf5de91675761ff32f3354d3452549561b1a1fd a89740da15db7e5315a229c4	5000				max	-0.020273	0.0176
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	P	Fbar	7cf5de91675761ff32f3354d3452549561b1a1fd a89740da15db7e5315a229c4	5000				min	-0.057419	0.272
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	P	C	7cf5de91675761ff32f3354d3452549561b1a1fd a89740da15db7e5315a229c4	5000				max	-0.02371	0.0374
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	P	Cbar	7cf5de91675761ff32f3354d3452549561b1a1fd a89740da15db7e5315a229c4	5000				min	-0.057721	0.338

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	S	F	7cf5de9167 5761ff32f3 354d345254 9561b1a1fd a89740da15 db7e5315a2 29c4	5000	Geometry			max	- 0.002844	0.0176
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	S	Fbar	7cf5de9167 5761ff32f3 354d345254 9561b1a1fd a89740da15 db7e5315a2 29c4	5000				min	- 0.026506	0.272
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	S	C	7cf5de9167 5761ff32f3 354d345254 9561b1a1fd a89740da15 db7e5315a2 29c4	5000				max	- 0.005292	0.0374
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	S	Cbar	7cf5de9167 5761ff32f3 354d345254 9561b1a1fd a89740da15 db7e5315a2 29c4	5000				min	- 0.02199	0.338
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	A	F	7cf5de9167 5761ff32f3 354d345254 9561b1a1fd a89740da15 db7e5315a2 29c4	5000				max	- 0.006247	0.0176
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	A	Fbar	7cf5de9167 5761ff32f3 354d345254 9561b1a1fd a89740da15 db7e5315a2 29c4	5000				min	0.044742	0.272
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	A	C	7cf5de9167 5761ff32f3 354d345254 9561b1a1fd a89740da15 db7e5315a2 29c4	5000				max	- 0.008619	0.0374
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	A	Cbar	7cf5de9167 5761ff32f3 354d345254 9561b1a1fd a89740da15 db7e5315a2 29c4	5000				min	0.041281	0.338
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	G	F	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				max	- 0.02343	0.018267
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	G	Fbar	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				min	- 0.042161	0.252733
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	G	C	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				max	- 0.027824	0.037733
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	G	Cbar	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				min	- 0.039981	0.320067
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	P	F	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				max	- 0.026702	0.018267

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	P	Fbar	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000	Geometry			min	- 0.053089	0.252733
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	P	C	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				max	- 0.028225	0.037733
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	P	Cbar	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				min	- 0.052489	0.320067
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	S	F	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				max	- 0.007559	0.018267
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	S	Fbar	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				min	- 0.028458	0.252733
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	S	C	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				max	- 0.008159	0.037733
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	S	Cbar	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				min	- 0.024327	0.320067
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	A	F	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				max	- 0.010103	0.018267
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	A	Fbar	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				min	0.056783	0.252733
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	A	C	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				max	- 0.010557	0.037733
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	A	Cbar	f4b40892c6 9284754609 c7786f8fb5 a29ff49a47 a569649682 78ed853b00 4689	5000				min	0.056787	0.320067
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	G	F	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				max	- 0.020281	0.0188
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	G	Fbar	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				min	- 0.046283	0.2692

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	G	C	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000	Geometry			max	- 0.024414	0.0386
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	G	Cbar	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				min	- 0.042224	0.3404
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	P	F	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				max	- 0.024085	0.0188
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	P	Fbar	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				min	- 0.060077	0.2692
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	P	C	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				max	- 0.026282	0.0386
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	P	Cbar	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				min	- 0.058443	0.3404
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	S	F	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				max	- 0.004451	0.0188
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	S	Fbar	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				min	- 0.025656	0.2692
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	S	C	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				max	- 0.005894	0.0386
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	S	Cbar	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				min	- 0.015448	0.3404
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	A	F	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				max	- 0.008028	0.0188
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	A	Fbar	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				min	0.049597	0.2692
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	A	C	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000				max	- 0.007715	0.0386

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	A	Cbar	c636cc5032 50dba5f700 892e94a33b b8abf81a82 50dc4f5b4b e9167ca20b d062	5000	Geometry			min	0.047123	0.3404
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	G	F	81c76e8c42 6cf3479533 711cd734d5 d2cb9afd52 2badd756ef 5238e445c2 fe1e	5000				max	- 0.024815	0.0188
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	G	Fbar	81c76e8c42 6cf3479533 711cd734d5 d2cb9afd52 2badd756ef 5238e445c2 fe1e	5000				min	- 0.044684	0.255533
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	G	C	81c76e8c42 6cf3479533 711cd734d5 d2cb9afd52 2badd756ef 5238e445c2 fe1e	5000				max	- 0.028931	0.0364
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	G	Cbar	81c76e8c42 6cf3479533 711cd734d5 d2cb9afd52 2badd756ef 5238e445c2 fe1e	5000				min	- 0.043393	0.322667
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	P	F	81c76e8c42 6cf3479533 711cd734d5 d2cb9afd52 2badd756ef 5238e445c2 fe1e	5000				max	- 0.027619	0.0188
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	P	Fbar	81c76e8c42 6cf3479533 711cd734d5 d2cb9afd52 2badd756ef 5238e445c2 fe1e	5000				min	- 0.057498	0.255533
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	P	C	81c76e8c42 6cf3479533 711cd734d5 d2cb9afd52 2badd756ef 5238e445c2 fe1e	5000				max	- 0.026634	0.0364
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	P	Cbar	81c76e8c42 6cf3479533 711cd734d5 d2cb9afd52 2badd756ef 5238e445c2 fe1e	5000				min	- 0.05612	0.322667
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	S	F	81c76e8c42 6cf3479533 711cd734d5 d2cb9afd52 2badd756ef 5238e445c2 fe1e	5000				max	- 0.007451	0.0188
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	S	Fbar	81c76e8c42 6cf3479533 711cd734d5 d2cb9afd52 2badd756ef 5238e445c2 fe1e	5000				min	- 0.028773	0.255533
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	S	C	81c76e8c42 6cf3479533 711cd734d5 d2cb9afd52 2badd756ef 5238e445c2 fe1e	5000				max	- 0.006691	0.0364
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	S	Cbar	81c76e8c42 6cf3479533 711cd734d5 d2cb9afd52 2badd756ef 5238e445c2 fe1e	5000				min	- 0.02434	0.322667

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	A	F	81c76e8c426cf3479533711cd734d5d2cb9afd522badd756ef5238e445c2fe1e	5000	Geometry			max	-0.012495	0.0188
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	A	Fbar	81c76e8c426cf3479533711cd734d5d2cb9afd522badd756ef5238e445c2fe1e	5000				min	0.057328	0.255533
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	A	C	81c76e8c426cf3479533711cd734d5d2cb9afd522badd756ef5238e445c2fe1e	5000				max	-0.01134	0.0364
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	A	Cbar	81c76e8c426cf3479533711cd734d5d2cb9afd522badd756ef5238e445c2fe1e	5000				min	0.055849	0.322667
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	G	F	28f69ab4d409f241241edb7bdedc7cb59ec8ddd79826f6bf2db9315a4907cbe6	5000				max	-0.021717	0.0176
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	G	Fbar	28f69ab4d409f241241edb7bdedc7cb59ec8ddd79826f6bf2db9315a4907cbe6	5000				min	-0.054972	0.273
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	G	C	28f69ab4d409f241241edb7bdedc7cb59ec8ddd79826f6bf2db9315a4907cbe6	5000				max	-0.0272	0.0358
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	G	Cbar	28f69ab4d409f241241edb7bdedc7cb59ec8ddd79826f6bf2db9315a4907cbe6	5000				min	-0.052937	0.3416
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	P	F	28f69ab4d409f241241edb7bdedc7cb59ec8ddd79826f6bf2db9315a4907cbe6	5000				max	-0.022673	0.0176
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	P	Fbar	28f69ab4d409f241241edb7bdedc7cb59ec8ddd79826f6bf2db9315a4907cbe6	5000				min	-0.063613	0.273
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	P	C	28f69ab4d409f241241edb7bdedc7cb59ec8ddd79826f6bf2db9315a4907cbe6	5000				max	-0.022882	0.0358
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	P	Cbar	28f69ab4d409f241241edb7bdedc7cb59ec8ddd79826f6bf2db9315a4907cbe6	5000				min	-0.063103	0.3416
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	S	F	28f69ab4d409f241241edb7bdedc7cb59ec8ddd79826f6bf2db9315a4907cbe6	5000				max	-0.003444	0.0176

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	S	Fbar	28f69ab4d409f241241e db7bdec7c b59ec8ddd7 9826f6bf2d b9315a4907 cbe6	5000				min	- 0.025195	0.273
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	S	C	28f69ab4d409f241241e db7bdec7c b59ec8ddd7 9826f6bf2d b9315a4907 cbe6	5000				max	- 0.00589	0.0358
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	S	Cbar	28f69ab4d409f241241e db7bdec7c b59ec8ddd7 9826f6bf2d b9315a4907 cbe6	5000				min	- 0.020978	0.3416
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	A	F	28f69ab4d409f241241e db7bdec7c b59ec8ddd7 9826f6bf2d b9315a4907 cbe6	5000				max	- 0.008047	0.0176
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	A	Fbar	28f69ab4d409f241241e db7bdec7c b59ec8ddd7 9826f6bf2d b9315a4907 cbe6	5000				min	0.045708	0.273
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	A	C	28f69ab4d409f241241e db7bdec7c b59ec8ddd7 9826f6bf2d b9315a4907 cbe6	5000				max	- 0.009758	0.0358
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	A	Cbar	28f69ab4d409f241241e db7bdec7c b59ec8ddd7 9826f6bf2d b9315a4907 cbe6	5000				min	0.043844	0.3416

Table 74: ImageNet-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	G	F	0.0426	0.018	0.0426	0.06338	6e360779044ba0bec42be038aa12671ea8f573b884a55d4981ca5cd644980f329	leave_one_out_naive_single	Integrated Gradients	False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	G	Fbar	0.509333	-	0.239933	0.509333	0.498731	ed794fcc68ae94b1114b1ef8e95a855e4faeced86074dce5635a652ab603c6a1	leave_one_out_naive_single	Gradient Attention Rollout	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	G	C	0.078267	0.038467	0.078267	0.113254	e17701c256f00bc83615ecee6a0b4df99cf57172eb0acf00f4c970226d960fb77	leave_one_out_naive_single	CheferTransformer Attribution	False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	G	Cbar	0.6156	-0.3076	-0.6156	-	0.607345	98f866d8407cbcd6730f876203c4b8f9d882ebf248fd0a95757496d0869f92d9	leave_one_out_naive_single	Gradient Attention Rollout	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	P	F	0.032733	0.018	0.032733	0.054275	57576a8401192ded40d60092a570a7dee054130022700f7e529db79a476d0d10	leave_one_out_naive_single	Integrated Gradients	False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	P	Fbar	0.472067	-	0.239933	0.472067	0.447894	eba644a7beb6948a178beb2c04d6b65ae34636bfd65d62445f54c87404fe0906c	leave_one_out_naive_single	Gradient Attention Rollout	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	P	C	0.072867	0.038467	0.072867	0.10324	deb4fef56739b5739a008f5e6f6e88e1facd5d0722530d8905f2c773028f8084	leave_one_out_naive_single	CheferTransformer Attribution	False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	P	Cbar	0.574733	-0.3076	-	0.574733	0.554524	83f9ce294b30a2e162ada31a7dde719e3bb56063db9d421c4f395ed8f5032f6c	leave_one_out_naive_single	Gradient Attention Rollout	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	S	F	0.025933	0.018	0.025933	0.032618	f40a2d4d9d783878e187bad2e9b8772bbc2f7acd b88dcd234e0f964adcc06d44	leave_one_out_naive_single	Integrated Gradients	False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	S	Fbar	0.338867	-	0.239933	0.338867	0.328292	3891e121fd5b4cdc9ada20ec35f33e0f9bdef00e7e696dcbbc8e89d93089f498	leave_one_out_naive_single	Gradient Attention Rollout	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	S	C	0.050867	0.038467	0.050867	0.063368	e4b7aded1d441de4744871c3b09826f2ac91e022f33b8a47aa028b6ca3573ede	leave_one_out_naive_single	CheferTransformer Attribution	False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	S	Cbar	0.4148	-0.3076	-0.4148	-	0.408548	1ba424655890915c15af0a1a4516af16fb9a85231f6c1a152abf9c0fad82c66c	leave_one_out_naive_single	Gradient Attention Rollout	False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	A	F	0.061933	0.018	0.061933	0.072396	d3b763caacd316bf1403f95297a4f61e2f97d62e5053164a52db8009d44b1677	leave_one_out_naive_single	Integrated Gradients	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	A	Fbar	0.343933	-0.239933	-0.343933	-0.383994	06cb9fc8eb7cd872fb1ba76a5ba29623a30cc0b6af903c40f3958a488d594c12	leave_one_out_naive_single	Gradient Attention Rollout	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	A	C	0.092733	0.038467	0.092733	0.105276	e48a13770f8de2ce650a257db556e3bf72939d3f0cfa6ee2daf99b7ae6d7f9caa	leave_one_out_naive_single	CheferTransformer Attribution	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	A	Cbar	0.4154	-0.3076	-0.4154	-0.455262	9cf3e64087b6970cedfd50d3c6cc1e136e55ee3b46ced3a50f610e	leave_one_out_naive_single	Gradient Attention Rollout	False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	F	0.031733	0.011733	0.031733	0.055692	32adaaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	Fbar	0.587933	-0.290133	-0.587933	0.52195	71870c37c82e52267a45a60e4fee1650b178adcd01114bf002cd9914af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	C	0.070067	0.0286	0.070067	0.101621	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fca66cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	G	Cbar	0.694533	-0.359	-0.694533	0.630919	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	F	0.020267	0.011733	0.020267	0.04779	10d6906cd7b38fd614f1f69e2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	Fbar	0.546467	-0.290133	-0.546467	0.473404	caca1e14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	C	0.059467	0.0286	0.059467	0.092253	9a811f1bc87b60a1a088e297dd804b613929e5b2603cee65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	P	Cbar	0.652333	-0.359	-0.652333	0.580914	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	F	0.018933	0.011733	0.018933	0.026169	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated		
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	Fbar	0.405333	-	0.290133	-	0.362214	744b88b02806fb76216285b714edc6b03232d115412d337809b53c0fce5f25df	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	C	0.044	0.0286	0.044	0.05348	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False		
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	S	Cbar	0.4848	-0.359	-0.4848	-	0.44475	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	F	0.053333	0.011733	0.053333	0.062938	18440113e8769665f5784f93b8ca7a310fcd851702d44f5991329e37c59af1ea6	full_naive_single_pool		False		
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	Fbar	0.391667	-	0.290133	-	0.391667	0.435233	0479bd94d55b677d2342b89cfefb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	C	0.083067	0.0286	0.083067	0.091784	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive_single_pool		False		
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	A	Cbar	0.465867	-0.359	-	-	0.465867	0.507595	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	G	F	0.0344	0.0156	0.0344	0.061376	32aadaa12ddabdd8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False		
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	G	Fbar	0.597	-0.3034	-0.597	-	0.532112	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	G	C	0.0714	0.0364	0.0714	0.111131	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fc	full_naive_single_pool		False		
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	G	Cbar	0.7024	-0.3704	-0.7024	-	0.639342	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	P	F	0.0248	0.0156	0.0248	0.052986	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False		
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	P	Fbar	0.5538	-0.3034	-0.5538	-	0.484102	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False	

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	P	C	0.0634	0.0364	0.0634	0.101167	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	P	Cbar	0.661	-0.3704	-0.661	0.589835	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	S	F	0.0224	0.0156	0.0224	0.030701	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	S	Fbar	0.4038	-0.3034	-0.4038	-0.3743	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	S	C	0.0484	0.0364	0.0484	0.061291	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	S	Cbar	0.486	-0.3704	-0.486	0.454923	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	A	F	0.057	0.0156	0.057	0.068678	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	A	Fbar	0.4036	-0.3034	-0.4036	0.445396	0479bd94d55b6777d2342b89cfefb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	A	C	0.0876	0.0364	0.0876	0.102806	e005ed9391ee7599f95fcd63b6db9e86847dclf0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	A	Cbar	0.4776	-0.3704	-0.4776	0.516343	e2b95c2158f9fb47b9462ddbd7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	G	F	0.0364	0.015867	0.0364	0.061769	32aadaa12dbdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	G	Fbar	0.552867	-	-	-	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	G	C	0.075267	0.033467	0.075267	0.107555	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcdfc8	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	G	Cbar	0.659133	-0.3294	-	0.659133	0.609049	8b7e3d043b832bb2a95a9cde0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	P	F	0.027733	0.015867	0.027733	0.053344	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	P	Fbar	0.513	-0.263467	-0.513	-0.4519	caca1e14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	P	C	0.067267	0.033467	0.067267	0.097815	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	P	Cbar	0.6194	-0.3294	-0.6194	-0.557749	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	S	F	0.024	0.015867	0.024	0.031013	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	S	Fbar	0.3712	-0.263467	-0.3712	-0.33792	74db88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	S	C	0.0506	0.033467	0.0506	0.058353	0597e524b66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	S	Cbar	0.450867	-0.3294	-0.450867	-0.418335	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	A	F	0.057467	0.015867	0.057467	0.069074	18440113e8769665f5784f93b8ca7a310fcd851702d44f5991329e37c59af1ea6	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	A	Fbar	0.3608	-0.263467	-0.3608	-0.414805	0479bd94d55b6777d2342b89cfefeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	A	C	0.0878	0.033467	0.0878	0.098661	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	A	Cbar	0.4338	-0.3294	-0.4338	-0.484882	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False	

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	G	F	0.039	0.0168	0.039	0.063141	32aadaa12d dabdb8bcf85 2f2fd28247 b4991b2618 eaa18b804a 4a42458ef4 3b6c	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	G	Fbar	0.5652	-0.2804	-0.5652	-	71870e37c8 2e52267a45 a60e4fee16 50b178adcd 01114bf002 cdf9014af3 e5c1	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	G	C	0.0794	0.0382	0.0794	0.113326	ca0f8e136d e5f154e819 2ea26d25b4 43107e0ce9 a13cdc68fc af6c6cf509 dfc8	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	G	Cbar	0.673	-0.3494	-0.673	-	8b7e3d0d3b 832bb2a95a 9cdc0fb538 89c3aa6f77 57676995c8 5104a31aa1 a3cf	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	P	F	0.03	0.0168	0.03	0.054598	10d6906cd7 b38fd614f1 f69c2cbb0a 349453728f a7d8c23094 70aaef4eed 2f7a	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	P	Fbar	0.5292	-0.2804	-0.5292	-	cacae1e14db 070990a340 144d1ce512 0da7e3b1ef 054fce6c12 9e60ad10cd 5ce3	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	P	C	0.0746	0.0382	0.0746	0.103225	9a811f1bc8 7b60a1a088 e297dd804b 613929e5b2 603ceb65f2 ff5f7ea382 4850	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	P	Cbar	0.6366	-0.3494	-0.6366	-	309c2d79b5 8dc1ab5a6 96bf079b29 df2ef71ad4 e6ca1506ef 04eb6c989d cb7e	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	S	F	0.0258	0.0168	0.0258	0.032107	39839bb66f 1409dab85e 47e4773d5d 6272ab445b 18a1303edf b75285ea15 50b4	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	S	Fbar	0.3808	-0.2804	-0.3808	-	7d4b88b028 06fb762162 85b714edc6 b03232d115 412d337809 b3c0cfce5f 25df	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	S	C	0.0518	0.0382	0.0518	0.063093	0597e52db6 6af0240b00 6f5a941c56 355395e172 4686256844 17b85369ab 1d9c	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	S	Cbar	0.4586	-0.3494	-0.4586	-	5a59f15422 35429a98dd 7dc65254db 6298682c22 22b5a652f6 f05e2028ba 9efa	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	A	F	0.0614	0.0168	0.0614	0.07046	18440113e8 769665f578 4f93b8ca7a 310fcd8517 02d4f59913 29e37c59af 1ea6	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	A	Fbar	0.3838	-0.2804	-0.3838	-0.427777	0479b494d55b6777d2342b89cfef365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	A	C	0.0916	0.0382	0.0916	0.10535	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	A	Cbar	0.46	-0.3494	-0.46	-0.500229	e2b95c2158f9fb47b946d4db7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	G	F	0.042667	0.016867	0.042667	0.063239	32aadaa12ddabdd8bc852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	G	Fbar	0.540667	-	-	-0.495399	71870c37c82e52267a45a60e4fee1650b178adcd91114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	G	C	0.0828	0.035133	0.0828	0.109587	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafe6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	G	Cbar	0.648	-	-0.648	-0.60363	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	P	F	0.031533	0.016867	0.031533	0.054688	10d6906ced7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	P	Fbar	0.498733	-	-	-0.445448	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	P	C	0.074467	0.035133	0.074467	0.09972	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	P	Cbar	0.605267	-	-	-0.55201	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	S	F	0.026	0.016867	0.026	0.032185	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	S	Fbar	0.360333	-	-	-0.330633	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0fce5f25df	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	S	C	0.0543333	0.0351333	0.0543333	0.0600222	0597e52db66a0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	S	Cbar	0.437333	-	-	-	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	A	F	0.061333	0.016867	0.061333	0.070558	18440113e8769665f734f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	A	Fbar	0.3534	-	-0.3534	-	0479bd94d55b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	A	C	0.092333	0.035133	0.092333	0.101016	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	A	Cbar	0.4268	-	-0.4268	-	e2b95c21589f9b47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	G	F	0.0444	0.0176	0.0444	0.064317	32adaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	G	Fbar	0.5612	-0.272	-0.5612	-	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	G	C	0.0898	0.0374	0.0898	0.112351	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafe6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	G	Cbar	0.6688	-0.338	-0.6688	-	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995e85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	P	F	0.0354	0.0176	0.0354	0.055673	10d6906cd7b38fd614f1f69c2cbb0a349453728fa748c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	P	Fbar	0.5162	-0.272	-0.5162	-	caca1e14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad110cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	P	C	0.0786	0.0374	0.0786	0.10231	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	P	Cbar	0.6222	-0.338	-0.6222	-0.564479	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	S	F	0.0302	0.0176	0.0302	0.033044	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	S	Fbar	0.3722	-0.272	-0.3722	0.345694	7d4b88b02806bf76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	S	C	0.057	0.0374	0.057	0.062292	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	S	Cbar	0.448	-0.338	-0.448	0.42601	5a59f1542235429a98dd7dc65254db629b682c2222b5a652af6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	A	F	0.0654	0.0176	0.0654	0.071647	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	A	Fbar	0.3766	-0.272	-0.3766	0.421342	0479bd94d55b6777d2342b89cfefb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	A	C	0.0956	0.0374	0.0956	0.104219	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	A	Cbar	0.4502	-0.338	-0.4502	0.491481	e2b95c2158f9fb47b9462dd7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	G	F	0.041867	0.018267	0.041867	0.065297	32aadaa12ddabdd8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	G	Fbar	0.535467	-	-	0.493305	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9f014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	G	C	0.084933	0.037733	0.084933	0.112757	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafc6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	G	Cbar	0.642133	-	-	0.602153	8b7e3d0d3bb832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	P	F	0.029867	0.018267	0.029867	0.056569	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaf4eed27a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	P	Fbar	0.496333	-	-	-	cacale14db070990a340144d1ce5120da7e3b1ef054fce6e129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	P	C	0.074467	0.037733	0.074467	0.102691	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2f5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	P	Cbar	0.602933	-	-	-	309e2d79b58dca1ab5a696b079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	S	F	0.026267	0.018267	0.026267	0.033826	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	S	Fbar	0.3566	-	-0.3566	-	74d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	S	C	0.054467	0.037733	0.054467	0.062626	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	S	Cbar	0.434333	-	-	-	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	A	F	0.062533	0.018267	0.062533	0.072637	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	A	Fbar	0.3498	-	-0.3498	-	0479bd94d55b6777d2342b89cf6b365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	A	C	0.094133	0.037733	0.094133	0.10469	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	A	Cbar	0.420933	-	-	-	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	G	F	0.0458	0.0188	0.0458	0.066081	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	G	Fbar	0.5522	-0.2692	-0.5522	-0.505917	71870637c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	G	C	0.0894	0.0386	0.0894	0.113814	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fca6c6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	G	Cbar	0.6594	-0.3404	-0.6594	-0.617176	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	P	F	0.0332	0.0188	0.0332	0.057285	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	P	Fbar	0.5166	-0.2692	-0.5166	-0.456523	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	P	C	0.0774	0.0386	0.0774	0.103682	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2f5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	P	Cbar	0.6248	-0.3404	-0.6248	-0.566357	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	S	F	0.03	0.0188	0.03	0.034451	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	S	Fbar	0.3688	-0.2692	-0.3688	-0.343144	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	S	C	0.0576	0.0386	0.0576	0.063494	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	S	Cbar	0.4436	-0.3404	-0.4436	-0.428152	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	A	F	0.0654	0.0188	0.0654	0.073428	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	A	Fbar	0.3696	-0.2692	-0.3696	-0.419197	0479bd94d55b6777d2342b89cfecb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	A	C	0.0982	0.0386	0.0982	0.105915	ee005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	A	Cbar	0.4462	-0.3404	-0.4462	-0.493323	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	G	F	0.041267	0.0188	0.041267	0.066081	32aadaa12ddabdb8bcf852f2f428247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	G	Fbar	0.540133	-	-	-	71870e37c82e52267a45a00e4fee1650b178aded01114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	G	C	0.0822	0.0364	0.0822	0.111131	ca0f8e136de5f154c8192ea26d25b4431070ce9a13cdc68fcafc6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	G	Cbar	0.647467	-	-	-	8b7e3d0d3bb32bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	P	F	0.029667	0.0188	0.029667	0.057285	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	P	Fbar	0.503	-	-0.503	-	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	P	C	0.074533	0.0364	0.074533	0.101167	9a811f1bc87b60a1a088e297d804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	P	Cbar	0.6086	-	-0.6086	-	309e2d79b58dca1ab5a696bf079b294f2e771ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	S	F	0.027	0.0188	0.027	0.034451	139839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	S	Fbar	0.359467	-	-	-	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfe5f23df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	S	C	0.0546	0.0364	0.0546	0.061291	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	S	Cbar	0.436667	-	0.322667	0.436667	0.412326	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9cfa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	A	F	0.060933	0.0188	0.060933	0.073428	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	A	Fbar	0.3514	-	-0.3514	-	0.408728	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	A	C	0.091467	0.0364	0.091467	0.102806	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	A	Cbar	0.423867	-	-	-	0.479715	e2b95c2158f9fb47b9462ddbd7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	G	F	0.0426	0.0176	0.0426	0.064317	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	G	Fbar	0.5638	-0.273	-0.5638	-	0.508828	71870c37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	G	C	0.0832	0.0358	0.0832	0.1104	ca0f8e136dc5f154c8192ea26d25b443107e0ce9a13cdc68fcafb6cf509dfc8	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	G	Cbar	0.671	-0.3416	-0.671	-	0.618063	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	P	F	0.033	0.0176	0.033	0.055673	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	P	Fbar	0.5232	-0.273	-0.5232	-	0.459587	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	P	C	0.0776	0.0358	0.0776	0.100482	29a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	P	Cbar	0.6304	-0.3416	-0.6304	-	0.567297	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	S	F	0.0296	0.0176	0.0296	0.033044	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	S	Fbar	0.3718	-0.273	-0.3718	-0.346605	744b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	S	C	0.0548	0.0358	0.0548	0.06069	0597e524b66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	S	Cbar	0.4502	-0.3416	-0.4502	-0.429222	5a59f1542235429a98dd74c65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	A	F	0.0636	0.0176	0.0636	0.071647	18440113e8769665f5784f93b8ca7a310fcd85170244f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	A	Fbar	0.3764	-0.273	-0.3764	-0.422108	0479bd94d55b6777d2342b89cfefeb365243b2954e7ab81c7bfc656373ce838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	A	C	0.0922	0.0358	0.0922	0.101958	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	A	Cbar	0.4504	-0.3416	-0.4504	-0.494244	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False

Table 75: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^*_z	ER^*_β	ER^*_c
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	71c08f05cdaf2cc960b09c161da1ee66ead58fa2ad2b70e6ebecca85a6d87b1e	5000					{'C': 'CheferTranformerAttribution', 'Cbar': 'GradientAttentionRollout', 'F': 'IntegratedGradients', 'Fbar': 'GradientAttentionRollout'}	-	-	-
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	53959d11f4065480e7338759c76b381bdfa29da7cc0b59ac318bc7fb51a4662a	5000						0.02078	0.010602	0.034987
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	c7e5daf417f8aac95e3b2bf79f463d4d5784247176c97343309b6891b107d5ee	5000						-	-	-
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	50f9cc693f52618a011e8371f9da8fbde8b9c27cab877f46e28d06aa2ddc01d8	5000						0.023958	0.065983	0.031555
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	8cfd67ab1b3fbdl1dc388b5e54090b56f10e4106d94121312cd079b63a72ab3	5000						-	-	-
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	7c52b5df6a616775fcc05270a8b781f822359bd1b24c91fb316b817a27cd0973	5000						0.026976	0.064888	0.039731
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	7cf5de91675761ff32f3354d3452549561b1a1fd a89740da15db7e5315a229c4	5000						-	-	-
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	f4b40892c69284754609c7786f8fb5a29ff49a47a56964968278ed853b004689	5000						0.024141	0.050704	0.033926
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	c636cc503250dba5f700892e94a33bb8abf81a8250dc4f5b4be9167ca20bd062	5000						0.020572	0.045268	0.026787
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	81c76e8c426cf3479533711cd734d5d2cb9afd522bad4756ef5238e445c2fe1e	5000						-	-	-
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	28f69ab4d409f241241edbf7bdedc7cb59ec8dd479826f6bf2db9315a4907cbe6	5000						0.019917	0.053138	0.022551
															0.02343	0.042161	0.027824
															-	-	-
															0.020281	0.046283	0.024414
															-	-	-
															0.024815	0.044684	0.028931
															-	-	-
															0.021717	0.054972	-0.0272

Table 76: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	-0.008255	-0.021542	-0.024173	-0.030373	-0.020209	-0.006685	-0.010575	-0.012501	-0.006252	-0.010462
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	-0.063614	-0.027524	-0.073063	-0.032786	-0.07142	-0.007236	-0.04312	-0.00948	-0.04005	-0.009605
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	-0.063058	-0.028186	-0.069698	-0.037767	-0.071165	-0.008301	-0.0295	-0.012891	-0.031077	-0.011678
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	-0.050085	-0.025611	-0.0611	-0.030548	-0.061651	-0.007013	-0.03328	-0.007753	-0.032531	-0.011607
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	-0.049174	-0.024598	-0.063645	-0.028625	-0.063199	-0.006307	-0.027453	-0.011293	-0.022417	-0.00906
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	-0.04437	-0.023154	-0.053285	-0.025253	-0.053257	-0.006185	-0.029701	-0.005689	-0.025542	-0.009225
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	-0.053397	-0.020273	-0.057419	-0.02371	-0.057721	-0.002844	-0.026506	-0.005292	-0.02199	-0.006247
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	-0.039981	-0.026702	-0.053089	-0.028225	-0.052489	-0.007559	-0.028458	-0.008159	-0.024327	-0.010103
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	-0.042224	-0.024085	-0.060077	-0.026282	-0.058443	-0.004451	-0.025656	-0.005894	-0.015448	-0.008028
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	-0.043393	-0.027619	-0.057498	-0.026634	-0.05612	-0.007451	-0.028773	-0.006691	-0.02434	-0.012495
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	-0.052937	-0.022673	-0.063613	-0.022882	-0.063103	-0.003444	-0.025195	-0.00589	-0.020978	-0.008047

Table 77: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_e	ER^*_c	ER^*_v
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual		1	0.040061	-0.012542	0.039862
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NAIVE		11	0.043566	-0.008717	0.041728
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Ind		11	0.041796	-0.015206	0.038743
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NAIVE		11	0.054005	-0.010861	0.051082
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Ind		11	0.043977	-0.01375	0.040229
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NAIVE		11	0.055277	-0.008683	0.052455
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Ind		11	0.044742	-0.008619	0.041281
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NAIVE		11	0.056783	-0.010557	0.056787
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Ind		11	0.049597	-0.007715	0.047123
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NAIVE		11	0.057328	-0.01134	0.055849
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Ind		11	0.045708	-0.009758	0.043844

Table 78: ImageNet–ViT-B/16

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet–ViT-B/16	A	Fbar	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	Gradient Attention Rollout	11	nonnegative__slope__ordinary__least_squares	0.766045	0.766045	False	-0.212978	0.011511	0.035763	0.932338	-0.601	-0.095	-0.6768	-0.2932
ImageNet–ViT-B/16	S	C	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c		11	nonnegative__slope__ordinary__least_squares	1.001377	1.001377	False	0.024841	0.001407	0.012505	0.907251	0.0132	0.1336	0.0218	0.1534
ImageNet–ViT-B/16	A	Fbar	06cb9fc8eb7ed872fb1ba76a5ba29623a30cc0b6af903c40f3958a488d594c12		10	nonnegative__slope__ordinary__least_squares	0.82716	0.82716	False	-0.185531	0.008833	0.033228	0.938289	-0.601	-0.1014	-0.6768	-0.2932
ImageNet–ViT-B/16	P	F	1046906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a		11	nonnegative__slope__ordinary__least_squares	1.343624	1.343624	False	0.032025	0.002577	0.016921	0.826658	0.0008	0.0838	0.0066	0.1386
ImageNet–ViT-B/16	A	F	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	Gradient Attention Rollout	11	nonnegative__slope__ordinary__least_squares	1.484433	1.484433	False	0.045521	0.003508	0.019744	0.810454	0.0008	0.0838	0.0232	0.163
ImageNet–ViT-B/16	S	Cbar	1ba424655890915c15af0a1a4516af16fb9a85231f6c1a152abf9c0fad82c66c		10	nonnegative__slope__ordinary__least_squares	0.847105	0.847105	False	-0.147979	0.016425	0.045312	0.904425	-0.6802	-0.1534	-0.7142	-0.2438
ImageNet–ViT-B/16	P	Cbar	309c2d79b58dcalab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e		11	nonnegative__slope__ordinary__least_squares	0.782588	0.782588	False	-0.299965	0.046077	0.071552	0.801055	-0.6802	-0.1426	-0.8032	-0.366
ImageNet–ViT-B/16	G	F	32aaada12d4dbd8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c		11	nonnegative__slope__ordinary__least_squares	1.470239	1.470239	False	0.038441	0.003515	0.019761	0.807202	0.0008	0.0838	0.0114	0.156
ImageNet–ViT-B/16	S	Fbar	3891e121fd5b4cdc9ada2e0c35f33e0f9bdef00e7e696dcbbcb8e89d93089f498	Gradient Attention Rollout	10	nonnegative__slope__ordinary__least_squares	0.854533	0.854533	False	-0.123261	0.016471	0.045374	0.896935	-0.601	-0.1014	-0.6238	-0.173
ImageNet–ViT-B/16	S	F	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4		11	nonnegative__slope__ordinary__least_squares	1.171888	1.171888	False	0.012419	0.000719	0.008936	0.928616	0.0008	0.0838	0.0028	0.11
ImageNet–ViT-B/16	P	F	57576a8401192ded40d60092a570a7dee054130022700f7e5294b79a476d0d10		10	nonnegative__slope__ordinary__least_squares	1.346834	1.346834	False	0.030032	0.002187	0.016533	0.849534	0.0008	0.0838	0.0066	0.1386
ImageNet–ViT-B/16	S	Cbar	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa		11	nonnegative__slope__ordinary__least_squares	0.892397	0.892397	False	-0.12438	0.017985	0.044702	0.930624	-0.6802	-0.1426	-0.7142	-0.2198
ImageNet–ViT-B/16	G	F	6c360779044ba0bec42be038aa12671ea8f573b884a55d981ca5cd644980f329	Integrated Gradients	10	nonnegative__slope__ordinary__least_squares	1.472768	1.472768	False	0.03687	0.003272	0.020225	0.818562	0.0008	0.0838	0.0114	0.156

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ViT-B/16	G	Fbar	71870e37c8 2e52267a45 a60e4fee16 50b178adcd 01114b002 cd90144af3e5c1		11	nonnegative__ slope__ ordinary__ least_squares	0.765916	0.765916	False	-0.299733	0.039445	0.066203	0.800786	-0.601	-0.095	-0.7268	-0.3224
ImageNet-ViT-B/16	S	Fbar	7d4b88b028 06fb762162 85b714edc6 b03232d115 412d337809 b3e0cfe5f25df		11	nonnegative__ slope__ ordinary__ least_squares	0.910996	0.910996	False	-0.097903	0.018756	0.045651	0.922836	-0.601	-0.095	-0.6238	-0.1456
ImageNet-ViT-B/16	P	Cbar	30a2e162ad a31a7dde71 9e3bb56063 db9d421c4f 395ed8f5032f6c	Gradient Attention Rollout	10	nonnegative__ slope__ ordinary__ least_squares	0.717769	0.717769	False	-0.333739	0.042884	0.073215	0.722395	-0.6802	-0.1534	-0.8032	-0.3814
ImageNet-ViT-B/16	G	Cbar	8b7e3d0d3b 832bb2a95a 9cdc0fb538 89e3aa6f77 57676995c8 5104a31aa1 a3cf		11	nonnegative__ slope__ ordinary__ least_squares	0.738862	0.738862	False	-0.365668	0.040854	0.067375	0.801901	-0.6802	-0.1426	-0.8402	-0.4236
ImageNet-ViT-B/16	G	Cbar	98f866d840 7cbcd6730f 876203c4b8 f9d882ebf2 48d0a9575 7496d0869f 92d9	Gradient Attention Rollout	10	nonnegative__ slope__ ordinary__ least_squares	0.671385	0.671385	False	-0.400826	0.037394	0.068368	0.723073	-0.6802	-0.1534	-0.8402	-0.436
ImageNet-ViT-B/16	P	C	9a811f1bc8 7b60a1a088 e297dd804b 613929e5b2 603ceb65f2 ff5f7ea3824850		11	nonnegative__ slope__ ordinary__ least_squares	1.142914	1.142914	False	0.059565	0.00459	0.022582	0.796213	0.0132	0.1336	0.0364	0.2
ImageNet-ViT-B/16	A	Cbar	9cf3e64087 9d6a325b7a b6970cedfd 50d3c6cc1e 136e55ee3b 46ced3a50f610e	Gradient Attention Rollout	10	nonnegative__ slope__ ordinary__ least_squares	0.827732	0.827732	False	-0.200651	0.009739	0.034891	0.938416	-0.6802	-0.1534	-0.7568	-0.3522
ImageNet-ViT-B/16	G	C	ca0f8e136d e5f154c819 2ea26d25b4 43107e0ce9 a13cdc68fc af6c6cf509dfc8		11	nonnegative__ slope__ ordinary__ least_squares	1.219239	1.219239	False	0.066751	0.007369	0.028614	0.734704	0.0132	0.1336	0.0396	0.2158
ImageNet-ViT-B/16	P	Fbar	cacae1e14db 070990a340 144d1ce512 0da7e3b1ef 054fce6c12 9e60ad10cd 5cc3		11	nonnegative__ slope__ ordinary__ least_squares	0.806412	0.806412	False	-0.239437	0.044239	0.070111	0.798919	-0.601	-0.095	-0.6902	-0.2668
ImageNet-ViT-B/16	A	F	d3b763caac d316bf1403 f95297a4f6 1e2f97d62e 5053164a52 db8009d44b 1677	Integrated Gradients	10	nonnegative__ slope__ ordinary__ least_squares	1.484176	1.484176	False	0.045681	0.003506	0.020934	0.810483	0.0008	0.0838	0.0232	0.163
ImageNet-ViT-B/16	P	C	deb4fe567 39b5739a00 8f5e6f6e88 e1facd5d07 22530d8905 f2c773028f8084	CheferTranformer Attribution	10	nonnegative__ slope__ ordinary__ least_squares	1.197761	1.197761	False	0.057166	0.00451	0.023744	0.741714	0.0132	0.1336	0.0364	0.2
ImageNet-ViT-B/16	A	C	e005ed9391 ee7599f95f cd63b6db9e 86847dc1f0 e2805ff063 2b86b8e782 2357		11	nonnegative__ slope__ ordinary__ least_squares	1.413105	1.413105	False	0.051369	0.003844	0.020666	0.877702	0.0132	0.1336	0.0466	0.2268
ImageNet-ViT-B/16	G	C	e17701c256 f00bc83615 ece6a0b4df 99c157172e b0aac00f4c 970226d960 fb77	CheferTranformer Attribution	10	nonnegative__ slope__ ordinary__ least_squares	1.294558	1.294558	False	0.063456	0.007219	0.03004	0.676983	0.0132	0.1336	0.0396	0.2158
ImageNet-ViT-B/16	A	Cbar	e2b95c2158 f9fb47b946 2ddb7d7714 7200f1307c d4453969a7 1056318550 d631		11	nonnegative__ slope__ ordinary__ least_squares	0.767332	0.767332	False	-0.232123	0.012512	0.037286	0.93445	-0.6802	-0.1426	-0.7568	-0.3522

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ViT-B/16	A	C	e48a13770f8de2c650a257db556e3bf72939d3f0cfa6ec2daf99b7ae6d7f9caa	CheferTransformer Attribution	10	nonnegative_slope_ordinary_least_squares	1.498552	1.498552	False	0.047632	0.003651	0.021364	0.847386	0.0132	0.1336	0.0466	0.2268
ImageNet-ViT-B/16	S	C	e4b7aded1d441de4744871c3b09826f2ac91e022f33b8a47aa028b6ca3573ede	CheferTransformer Attribution	10	nonnegative_slope_ordinary_least_squares	0.999922	0.999922	False	0.024904	0.001407	0.013263	0.865131	0.0132	0.1336	0.0218	0.1522
ImageNet-ViT-B/16	P	Fbar	eba644a7beb6948a178beb2c04d6b65ae34636bfd e5d62445f54c87404fe0906c	Gradient Attention Rollout	10	nonnegative_slope_ordinary_least_squares	0.734835	0.734835	False	-0.271582	0.040566	0.071209	0.723212	-0.601	-0.1014	-0.6902	-0.2814
ImageNet-ViT-B/16	G	Fbar	ed794fcc68ae94b1114b1ef8e95a855e4faeced86074dce5635a652ab603c6a1	Gradient Attention Rollout	10	nonnegative_slope_ordinary_least_squares	0.693105	0.693105	False	-0.332432	0.035644	0.06675	0.725692	-0.601	-0.1014	-0.7268	-0.3328
ImageNet-ViT-B/16	S	F	f40a2d4d9d783878e187bad2e9b8772bbc2f7acd b88dcd234e0f964adcc06d44	Integrated Gradients	10	nonnegative_slope_ordinary_least_squares	1.173372	1.173372	False	0.011498	0.000635	0.008911	0.936517	0.0008	0.0838	0.0028	0.11

Table 79: ImageNet-ViT-B/16

Cell	Condition	Metric	Reference Methods
ImageNet-ViT-B/16	A	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
ImageNet-ViT-B/16	S	C	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency

Cell	Condition	Metric	Reference Methods
ImageNet-ViT-B/16	S	F	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	F	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	F	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Shap;InputXGradient;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	C	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGradient;Occlusion;PartialLRP;Saliency

Cell	Condition	Metric	Reference Methods
ImageNet-ViT-B/16	A	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;GradientShap;InputXGradient;IntegratedGradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	C	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;GradientAttention Rollout;GradientShap;InputXGradient;IntegratedGradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;GradientAttention Rollout;GradientShap;InputXGradient;IntegratedGradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	F	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;GradientAttention Rollout;GradientShap;InputXGradient;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	C	Attention GradCAM;FeatureAblation;FullLRP;GradientAttention Rollout;GradientShap;InputXGradient;IntegratedGradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	C	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;GradientAttention Rollout;GradientShap;InputXGradient;IntegratedGradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	C	Attention GradCAM;FeatureAblation;FullLRP;GradientAttention Rollout;GradientShap;InputXGradient;IntegratedGradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;GradientAttention Rollout;GradientShap;InputXGradient;IntegratedGradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	C	Attention GradCAM;FeatureAblation;FullLRP;GradientAttention Rollout;GradientShap;InputXGradient;IntegratedGradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	C	Attention GradCAM;FeatureAblation;FullLRP;GradientAttention Rollout;GradientShap;InputXGradient;IntegratedGradients;Occlusion;PartialLRP;Saliency

Cell	Condition	Metric	Reference Methods
ImageNet-ViT-B/16	P	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Occlusion;PartialLRP;Saliency

Table 80: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	F	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				max	- 0.01035	0.0838
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	Fbar	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				min	0.075877	0.095
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	C	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				max	- 0.025429	0.1336
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	Cbar	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				min	0.072966	0.1426
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	F	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				max	- 0.011403	0.0838
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	Fbar	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				min	0.074592	0.095
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	C	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				max	- 0.022521	0.1336
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	Cbar	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				min	0.070092	0.1426
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	F	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				max	- 0.001143	0.0838
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	Fbar	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				min	0.058842	0.095
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	C	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				max	- 0.011803	0.1336
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	Cbar	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				min	0.048976	0.1426
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	F	8e8c7aa187 ee59c09fba d1640bf793 667f94d68c dcee03f772 60883e7d2e ef32	5000				max	- 0.012677	0.0838

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	Fbar	8e8c7aa187ee59c09fba d1640bf793667f94d68c dcee03f77260883e7d2e ef32	5000				min	- 0.063689	0.095
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	C	8e8c7aa187ee59c09fba d1640bf793667f94d68c dcee03f77260883e7d2e ef32	5000				max	- 0.024544	0.1336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	Cbar	8e8c7aa187ee59c09fba d1640bf793667f94d68c dcee03f77260883e7d2e ef32	5000				min	- 0.065314	0.1426
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	F	c5deb39505fba05d6029 471469e8a9cc12064e40 f4b85474cd db84ea27c6944d	5000				max	0.00877	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	Fbar	c5deb39505fba05d6029 471469e8a9cc12064e40 f4b85474cd db84ea27c6944d	5000				min	0.023451	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	C	c5deb39505fba05d6029 471469e8a9cc12064e40 f4b85474cd db84ea27c6944d	5000				max	0.021023	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	Cbar	c5deb39505fba05d6029 471469e8a9cc12064e40 f4b85474cd db84ea27c6944d	5000				min	0.029525	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	F	c5deb39505fba05d6029 471469e8a9cc12064e40 f4b85474cd db84ea27c6944d	5000				max	0.013114	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	Fbar	c5deb39505fba05d6029 471469e8a9cc12064e40 f4b85474cd db84ea27c6944d	5000				min	0.03591	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	C	c5deb39505fba05d6029 471469e8a9cc12064e40 f4b85474cd db84ea27c6944d	5000				max	0.021686	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	Cbar	c5deb39505fba05d6029 471469e8a9cc12064e40 f4b85474cd db84ea27c6944d	5000				min	0.040648	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	F	c5deb39505fba05d6029 471469e8a9cc12064e40 f4b85474cd db84ea27c6944d	5000				max	0.000546	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	Fbar	c5deb39505fba05d6029 471469e8a9cc12064e40 f4b85474cd db84ea27c6944d	5000				min	0.021454	0.1174

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	C	c5deb39505fba05d6029471469e8a9cc12064e40f4b85474cd4db84ea27c6944d	5000				max	0.007217	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	Cbar	c5deb39505fba05d6029471469e8a9cc12064e40f4b85474cd4db84ea27c6944d	5000				min	0.024414	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	F	c5deb39505fba05d6029471469e8a9cc12064e40f4b85474cd4db84ea27c6944d	5000				max	- 0.013422	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	Fbar	c5deb39505fba05d6029471469e8a9cc12064e40f4b85474cd4db84ea27c6944d	5000				min	- 0.084088	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	C	c5deb39505fba05d6029471469e8a9cc12064e40f4b85474cd4db84ea27c6944d	5000				max	- 0.015202	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	Cbar	c5deb39505fba05d6029471469e8a9cc12064e40f4b85474cd4db84ea27c6944d	5000				min	- 0.093254	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	F	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				max	0.00877	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	Fbar	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				min	0.023451	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	C	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				max	0.021023	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	Cbar	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				min	0.029525	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	F	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				max	0.013114	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	Fbar	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				min	0.03591	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	C	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				max	0.021686	0.1032

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	Cbar	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				min	0.040648	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	F	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				max	0.000546	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	Fbar	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				min	0.021454	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	C	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				max	0.007217	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	Cbar	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				min	0.024414	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	F	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				max	- 0.013422	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	Fbar	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				min	- 0.084088	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	C	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				max	- 0.015202	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	Cbar	9d43349d8a8fdb13fa57ede5f5c8691cecc0b0bf0e0ec31a5dd81a2eca06854c	5000				min	- 0.093254	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		G	F	95bfe0f53576a316d94b2a5449ced1110aad490321cb31f12c16ddec78c25743	5000				max	0.017682	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		G	Fbar	95bfe0f53576a316d94b2a5449ced1110aad490321cb31f12c16ddec78c25743	5000				min	0.063723	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		G	C	95bfe0f53576a316d94b2a5449ced1110aad490321cb31f12c16ddec78c25743	5000				max	0.028266	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		G	Cbar	95bfe0f53576a316d94b2a5449ced1110aad490321cb31f12c16ddec78c25743	5000				min	0.068226	0.2866

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		P	F	95bfe0f535 76a316d94b 2a5449ced1 110aad4903 21cb31f12c 16ddec78c2 5743	5000				max	0.020749	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		P	Fbar	95bfe0f535 76a316d94b 2a5449ced1 110aad4903 21cb31f12c 16ddec78c2 5743	5000				min	0.072963	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		P	C	95bfe0f535 76a316d94b 2a5449ced1 110aad4903 21cb31f12c 16ddec78c2 5743	5000				max	0.030373	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		P	Cbar	95bfe0f535 76a316d94b 2a5449ced1 110aad4903 21cb31f12c 16ddec78c2 5743	5000				min	0.076054	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		S	F	95bfe0f535 76a316d94b 2a5449ced1 110aad4903 21cb31f12c 16ddec78c2 5743	5000				max	0.005965	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		S	Fbar	95bfe0f535 76a316d94b 2a5449ced1 110aad4903 21cb31f12c 16ddec78c2 5743	5000				min	0.037824	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		S	C	95bfe0f535 76a316d94b 2a5449ced1 110aad4903 21cb31f12c 16ddec78c2 5743	5000				max	0.011849	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		S	Cbar	95bfe0f535 76a316d94b 2a5449ced1 110aad4903 21cb31f12c 16ddec78c2 5743	5000				min	0.039141	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		A	F	95bfe0f535 76a316d94b 2a5449ced1 110aad4903 21cb31f12c 16ddec78c2 5743	5000				max	0.004923	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		A	Fbar	95bfe0f535 76a316d94b 2a5449ced1 110aad4903 21cb31f12c 16ddec78c2 5743	5000				min	- 0.083602	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		A	C	95bfe0f535 76a316d94b 2a5449ced1 110aad4903 21cb31f12c 16ddec78c2 5743	5000				max	0.0105	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		A	Cbar	95bfe0f535 76a316d94b 2a5449ced1 110aad4903 21cb31f12c 16ddec78c2 5743	5000				min	- 0.09016	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		G	F	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				max	0.017682	0.0478

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		G	Fbar	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				min	0.063723	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		G	C	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				max	0.028266	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		G	Cbar	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				min	0.068226	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		P	F	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				max	0.020749	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		P	Fbar	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				min	0.072963	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		P	C	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				max	0.030373	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		P	Cbar	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				min	0.076054	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		S	F	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				max	0.005965	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		S	Fbar	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				min	0.037824	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		S	C	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				max	0.011849	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		S	Cbar	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				min	0.039141	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		A	F	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				max	0.004923	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		A	Fbar	b8034ad787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				min	- 0.083602	0.2256

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		A	C	b8034d787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				max	0.0105	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		A	Cbar	b8034d787 e71f5bae49 61874f6337 5a69ea79fe 7fb170c548 20542e929f 5994	5000				min	- 0.09016	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		G	F	e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2	5000				max	0.022647	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		G	Fbar	a8bc e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2	5000				min	0.075905	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		G	C	a8bc e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2	5000				max	0.031882	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		G	Cbar	a8bc e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2	5000				min	0.079822	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		P	F	a8bc e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2	5000				max	0.027193	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		P	Fbar	a8bc e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2	5000				min	0.077878	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		P	C	a8bc e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2	5000				max	0.031801	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		P	Cbar	a8bc e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2	5000				min	0.081427	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		S	F	a8bc e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2	5000				max	0.011386	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		S	Fbar	a8bc e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2	5000				min	0.036215	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		S	C	a8bc e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2	5000				max	0.015041	0.0856

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		S	Cbar	e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2 a8bc	5000				min	0.040677	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		A	F	e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2 a8bc	5000				max	0.001657	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		A	Fbar	e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2 a8bc	5000				min	- 0.060416	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		A	C	e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2 a8bc	5000				max	0.005869	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		A	Cbar	e70f5e8f6d 48ab82598a c533121c89 7d07047176 61e330b750 61b0b7bae2 a8bc	5000				min	- 0.061676	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	F	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				max	0.022647	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	Fbar	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				min	0.075905	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	C	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				max	0.031882	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	Cbar	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				min	0.079822	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	F	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				max	0.027193	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	Fbar	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				min	0.077878	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	C	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				max	0.031801	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	Cbar	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				min	0.081427	0.3318

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	F	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				max	0.011386	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	Fbar	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				min	0.036215	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	C	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				max	0.015041	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	Cbar	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				min	0.040677	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	F	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				max	0.001657	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	Fbar	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				min	- 0.060416	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	C	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				max	0.005869	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	Cbar	36d031ec65 acb086e89d 6dbc5fc453 c4a3522366 17b34ba4ae 188092812a bbe4	5000				min	- 0.061676	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		G	F	19cdec8ca4 9f7b612f27 6a475eb380 b2893eda7a 808a8aea97 98aa50e53c 9f61	5000				max	0.01966	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		G	Fbar	19cdec8ca4 9f7b612f27 6a475eb380 b2893eda7a 808a8aea97 98aa50e53c 9f61	5000				min	0.05769	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		G	C	19cdec8ca4 9f7b612f27 6a475eb380 b2893eda7a 808a8aea97 98aa50e53c 9f61	5000				max	0.031893	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		G	Cbar	19cdec8ca4 9f7b612f27 6a475eb380 b2893eda7a 808a8aea97 98aa50e53c 9f61	5000				min	0.062201	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		P	F	19cdec8ca4 9f7b612f27 6a475eb380 b2893eda7a 808a8aea97 98aa50e53c 9f61	5000				max	0.023888	0.0538

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		P	Fbar	19cdec8ca49f7b612f276a475eb380b2893eda7a808a8aea9798aa50e53c9f61	5000				min	0.06539	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		P	C	19cdec8ca49f7b612f276a475eb380b2893eda7a808a8aea9798aa50e53c9f61	5000				max	0.031287	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		P	Cbar	19cdec8ca49f7b612f276a475eb380b2893eda7a808a8aea9798aa50e53c9f61	5000				min	0.067133	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		S	F	19cdec8ca49f7b612f276a475eb380b2893eda7a808a8aea9798aa50e53c9f61	5000				max	0.009133	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		S	Fbar	19cdec8ca49f7b612f276a475eb380b2893eda7a808a8aea9798aa50e53c9f61	5000				min	0.026972	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		S	C	19cdec8ca49f7b612f276a475eb380b2893eda7a808a8aea9798aa50e53c9f61	5000				max	0.015036	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		S	Cbar	19cdec8ca49f7b612f276a475eb380b2893eda7a808a8aea9798aa50e53c9f61	5000				min	0.028272	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		A	F	19cdec8ca49f7b612f276a475eb380b2893eda7a808a8aea9798aa50e53c9f61	5000				max	- 0.001984	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		A	Fbar	19cdec8ca49f7b612f276a475eb380b2893eda7a808a8aea9798aa50e53c9f61	5000				min	- 0.075837	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		A	C	19cdec8ca49f7b612f276a475eb380b2893eda7a808a8aea9798aa50e53c9f61	5000				max	0.000382	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		A	Cbar	19cdec8ca49f7b612f276a475eb380b2893eda7a808a8aea9798aa50e53c9f61	5000				min	- 0.076378	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		G	F	5ac90e31bd42cf0a5dc83e4dc76f40f908ac7e0eef63cc119c58d7d0a8ae2a9c	5000				max	0.01966	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		G	Fbar	5ac90e31bd42cf0a5dc83e4dc76f40f908ac7e0eef63cc119c58d7d0a8ae2a9c	5000				min	0.05769	0.2172

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		G	C	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				max	0.031893	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		G	Cbar	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				min	0.062201	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		P	F	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				max	0.023888	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		P	Fbar	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				min	0.06539	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		P	C	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				max	0.031287	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		P	Cbar	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				min	0.067133	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		S	F	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				max	0.009133	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		S	Fbar	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				min	0.026972	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		S	C	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				max	0.015036	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		S	Cbar	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				min	0.028272	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		A	F	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				max	- 0.001984	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		A	Fbar	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				min	- 0.075837	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		A	C	5ac90e31bd 42cf0a5dc8 3e4dc76f40 f908ac7e0e ef63cc119c 58d7d0a8ae 2a9c	5000				max	0.000382	0.0892

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		A	Cbar	5ac90e31bd42cf0a5dc83e4dc76f40f908ac7e0eef63cc119c58d7d0a8ae2a9c	5000				min	-0.076378	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		G	F	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				max	0.024812	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		G	Fbar	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				min	0.073251	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		G	C	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				max	0.033257	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		G	Cbar	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				min	0.077014	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		P	F	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				max	0.026806	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		P	Fbar	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				min	0.072015	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		P	C	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				max	0.030116	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		P	Cbar	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				min	0.07688	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		S	F	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				max	0.013393	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		S	Fbar	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				min	0.030512	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		S	C	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				max	0.016042	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		S	Cbar	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				min	0.036465	0.2966

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		A	F	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				max	0.002839	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		A	Fbar	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				min	- 0.077474	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		A	C	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				max	0.003999	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		A	Cbar	d9f315a708c665a9155bffb3512d270fdef8e1cb4bf29406adcc231aee5154a3	5000				min	- 0.078686	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		G	F	46bb8e332afdfc15214cb47b0fe94637e56547a63a718dec1ce83f53b01261d6	5000				max	0.024812	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		G	Fbar	46bb8e332afdfc15214cb47b0fe94637e56547a63a718dec1ce83f53b01261d6	5000				min	0.073251	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		G	C	46bb8e332afdfc15214cb47b0fe94637e56547a63a718dec1ce83f53b01261d6	5000				max	0.033257	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		G	Cbar	46bb8e332afdfc15214cb47b0fe94637e56547a63a718dec1ce83f53b01261d6	5000				min	0.077014	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		P	F	46bb8e332afdfc15214cb47b0fe94637e56547a63a718dec1ce83f53b01261d6	5000				max	0.026806	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		P	Fbar	46bb8e332afdfc15214cb47b0fe94637e56547a63a718dec1ce83f53b01261d6	5000				min	0.072015	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		P	C	46bb8e332afdfc15214cb47b0fe94637e56547a63a718dec1ce83f53b01261d6	5000				max	0.030116	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		P	Cbar	46bb8e332afdfc15214cb47b0fe94637e56547a63a718dec1ce83f53b01261d6	5000				min	0.07688	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		S	F	46bb8e332afdfc15214cb47b0fe94637e56547a63a718dec1ce83f53b01261d6	5000				max	0.013393	0.0488

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		S	Fbar	46bb8e332a fdfc15214c b47b0fe946 37e56547a6 3a718dec1c e83f53b012 61d6	5000				min	0.030512	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		S	C	46bb8e332a fdfc15214c b47b0fe946 37e56547a6 3a718dec1c e83f53b012 61d6	5000				max	0.016042	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		S	Cbar	46bb8e332a fdfc15214c b47b0fe946 37e56547a6 3a718dec1c e83f53b012 61d6	5000				min	0.036465	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		A	F	46bb8e332a fdfc15214c b47b0fe946 37e56547a6 3a718dec1c e83f53b012 61d6	5000				max	0.002839	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		A	Fbar	46bb8e332a fdfc15214c b47b0fe946 37e56547a6 3a718dec1c e83f53b012 61d6	5000				min	- 0.077474	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		A	C	46bb8e332a fdfc15214c b47b0fe946 37e56547a6 3a718dec1c e83f53b012 61d6	5000				max	0.003999	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		A	Cbar	46bb8e332a fdfc15214c b47b0fe946 37e56547a6 3a718dec1c e83f53b012 61d6	5000				min	- 0.078686	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	F	6f71280ab7 63c1027804 9188f96358 764eddf2f 1722ebb2ac e042dcb128 712a	5000				max	- 0.01035	0.0838
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	Fbar	6f71280ab7 63c1027804 9188f96358 764eddf2f 1722ebb2ac e042dcb128 712a	5000				min	0.075877	0.095
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	C	6f71280ab7 63c1027804 9188f96358 764eddf2f 1722ebb2ac e042dcb128 712a	5000				max	- 0.025429	0.1336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	Cbar	6f71280ab7 63c1027804 9188f96358 764eddf2f 1722ebb2ac e042dcb128 712a	5000				min	0.072966	0.1426
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	F	6f71280ab7 63c1027804 9188f96358 764eddf2f 1722ebb2ac e042dcb128 712a	5000				max	- 0.011403	0.0838
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	Fbar	6f71280ab7 63c1027804 9188f96358 764eddf2f 1722ebb2ac e042dcb128 712a	5000				min	0.074592	0.095

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	C	6f71280ab763c10278049188f96358764eddf2f1722ebb2ace042dcb128712a	5000	Geometry			max	-0.022521	0.1336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	Cbar	6f71280ab763c10278049188f96358764eddf2f1722ebb2ace042dcb128712a	5000				min	0.070092	0.1426
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	F	6f71280ab763c10278049188f96358764eddf2f1722ebb2ace042dcb128712a	5000				max	-0.001143	0.0838
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	Fbar	6f71280ab763c10278049188f96358764eddf2f1722ebb2ace042dcb128712a	5000				min	0.058842	0.095
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	C	6f71280ab763c10278049188f96358764eddf2f1722ebb2ace042dcb128712a	5000				max	-0.011803	0.1336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	Cbar	6f71280ab763c10278049188f96358764eddf2f1722ebb2ace042dcb128712a	5000				min	0.048976	0.1426
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	F	6f71280ab763c10278049188f96358764eddf2f1722ebb2ace042dcb128712a	5000				max	-0.012677	0.0838
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	Fbar	6f71280ab763c10278049188f96358764eddf2f1722ebb2ace042dcb128712a	5000				min	-0.063689	0.095
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	C	6f71280ab763c10278049188f96358764eddf2f1722ebb2ace042dcb128712a	5000				max	-0.024544	0.1336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	Cbar	6f71280ab763c10278049188f96358764eddf2f1722ebb2ace042dcb128712a	5000				min	-0.065314	0.1426
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	F	b00d5b9efe59228967428ccd370b13944f482810c56a8ba7f1a1f223b9317073	5000				max	0.00877	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	Fbar	b00d5b9efe59228967428ccd370b13944f482810c56a8ba7f1a1f223b9317073	5000				min	0.023451	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	C	b00d5b9efe59228967428ccd370b13944f482810c56a8ba7f1a1f223b9317073	5000				max	0.021023	0.1032

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	Cbar	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				min	0.029528	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	F	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				max	0.013114	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	Fbar	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				min	0.03591	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	C	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				max	0.021686	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	Cbar	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				min	0.040648	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	F	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				max	0.000546	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	Fbar	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				min	0.021454	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	C	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				max	0.007217	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	Cbar	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				min	0.024414	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	F	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				max	- 0.013422	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	Fbar	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				min	- 0.084088	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	C	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				max	- 0.015202	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	Cbar	b00d5b9efe 5922896742 8ccd370b13 944f482810 c56a8ba7f1 a1f223b931 7073	5000				min	- 0.093254	0.1744

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	F	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				max	0.00877	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	Fbar	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				min	0.023451	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	C	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				max	0.021023	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	Cbar	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				min	0.029525	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	F	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				max	0.013114	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	Fbar	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				min	0.03591	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	C	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				max	0.021686	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	Cbar	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				min	0.040648	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	F	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				max	0.000546	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	Fbar	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				min	0.021454	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	C	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				max	0.007217	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	Cbar	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				min	0.024414	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	F	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				max	- 0.013422	0.0642

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	Fbar	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				min	- 0.084088	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	C	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				max	- 0.015202	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	Cbar	6e210511be f5664f39b7 9ced6b4efc 98337c70ef 5b30f4db85 70e1512522 123b	5000				min	- 0.093254	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		G	F	652aefdb39 0d8a092140 41ab812ffa 1a44937008 36d0be032b 83990699ce ba93	5000				max	0.017682	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		G	Fbar	652aefdb39 0d8a092140 41ab812ffa 1a44937008 36d0be032b 83990699ce ba93	5000				min	0.063723	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		G	C	652aefdb39 0d8a092140 41ab812ffa 1a44937008 36d0be032b 83990699ce ba93	5000				max	0.028266	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		G	Cbar	652aefdb39 0d8a092140 41ab812ffa 1a44937008 36d0be032b 83990699ce ba93	5000				min	0.068226	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		P	F	652aefdb39 0d8a092140 41ab812ffa 1a44937008 36d0be032b 83990699ce ba93	5000				max	0.020749	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		P	Fbar	652aefdb39 0d8a092140 41ab812ffa 1a44937008 36d0be032b 83990699ce ba93	5000				min	0.072963	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		P	C	652aefdb39 0d8a092140 41ab812ffa 1a44937008 36d0be032b 83990699ce ba93	5000				max	0.030373	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		P	Cbar	652aefdb39 0d8a092140 41ab812ffa 1a44937008 36d0be032b 83990699ce ba93	5000				min	0.076054	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		S	F	652aefdb39 0d8a092140 41ab812ffa 1a44937008 36d0be032b 83990699ce ba93	5000				max	0.005965	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		S	Fbar	652aefdb39 0d8a092140 41ab812ffa 1a44937008 36d0be032b 83990699ce ba93	5000				min	0.037824	0.2256

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		S	C	652aefdb390d8a09214041ab812ffa1a4493700836d0be032b83990699ceba93	5000				max	0.011849	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		S	Cbar	652aefdb390d8a09214041ab812ffa1a4493700836d0be032b83990699ceba93	5000				min	0.039141	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		A	F	652aefdb390d8a09214041ab812ffa1a4493700836d0be032b83990699ceba93	5000				max	0.004923	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		A	Fbar	652aefdb390d8a09214041ab812ffa1a4493700836d0be032b83990699ceba93	5000				min	-0.083602	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		A	C	652aefdb390d8a09214041ab812ffa1a4493700836d0be032b83990699ceba93	5000				max	0.0105	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		A	Cbar	652aefdb390d8a09214041ab812ffa1a4493700836d0be032b83990699ceba93	5000				min	-0.09016	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		G	F	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				max	0.017682	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		G	Fbar	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				min	0.063723	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		G	C	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				max	0.028266	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		G	Cbar	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				min	0.068226	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		P	F	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				max	0.020749	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		P	Fbar	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				min	0.072963	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		P	C	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				max	0.030373	0.0802

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		P	Cbar	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				min	0.076054	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		S	F	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				max	0.005965	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		S	Fbar	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				min	0.037824	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		S	C	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				max	0.011849	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		S	Cbar	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				min	0.039141	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		A	F	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				max	0.004923	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		A	Fbar	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				min	-0.083602	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		A	C	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				max	0.0105	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		A	Cbar	6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000				min	-0.09016	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		G	F	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				max	0.022647	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		G	Fbar	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				min	0.075905	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		G	C	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				max	0.031882	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		G	Cbar	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				min	0.079822	0.3318

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		P	F	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				max	0.027193	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		P	Fbar	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				min	0.077878	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		P	C	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				max	0.031801	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		P	Cbar	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				min	0.081427	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		S	F	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				max	0.011386	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		S	Fbar	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				min	0.036215	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		S	C	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				max	0.015041	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		S	Cbar	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				min	0.040677	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		A	F	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				max	0.001657	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		A	Fbar	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				min	- 0.060416	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		A	C	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				max	0.005869	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		A	Cbar	6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000				min	- 0.061676	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	F	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				max	0.022647	0.05

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	Fbar	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				min	0.075903	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	C	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				max	0.031882	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	Cbar	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				min	0.079822	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	F	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				max	0.027193	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	Fbar	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				min	0.077878	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	C	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				max	0.031801	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	Cbar	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				min	0.081427	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	F	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				max	0.011386	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	Fbar	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				min	0.036215	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	C	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				max	0.015041	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	Cbar	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				min	0.040677	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	F	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				max	0.001657	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	Fbar	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				min	- 0.060416	0.2684

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	C	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				max	0.005869	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	Cbar	e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000				min	-0.061676	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		G	F	a3681472a07051780850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f48ac16a	5000				max	0.01966	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		G	Fbar	a3681472a07051780850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f48ac16a	5000				min	0.05769	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		G	C	a3681472a07051780850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f48ac16a	5000				max	0.031893	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		G	Cbar	a3681472a07051780850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f48ac16a	5000				min	0.062201	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		P	F	a3681472a07051780850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f48ac16a	5000				max	0.023888	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		P	Fbar	a3681472a07051780850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f48ac16a	5000				min	0.06539	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		P	C	a3681472a07051780850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f48ac16a	5000				max	0.031287	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		P	Cbar	a3681472a07051780850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f48ac16a	5000				min	0.067133	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		S	F	a3681472a07051780850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f48ac16a	5000				max	0.009133	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		S	Fbar	a3681472a07051780850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f48ac16a	5000				min	0.026972	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		S	C	a3681472a07051780850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f48ac16a	5000				max	0.015036	0.0892

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		S	Cbar	a3681472a0 7051780850 c4b50d9c27 b5d3dea376 f24cbf6d5e 12d0e5f48a c16a	5000				min	0.028272	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		A	F	a3681472a0 7051780850 c4b50d9c27 b5d3dea376 f24cbf6d5e 12d0e5f48a c16a	5000				max	- 0.001984	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		A	Fbar	a3681472a0 7051780850 c4b50d9c27 b5d3dea376 f24cbf6d5e 12d0e5f48a c16a	5000				min	- 0.075837	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		A	C	a3681472a0 7051780850 c4b50d9c27 b5d3dea376 f24cbf6d5e 12d0e5f48a c16a	5000				max	0.000382	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		A	Cbar	a3681472a0 7051780850 c4b50d9c27 b5d3dea376 f24cbf6d5e 12d0e5f48a c16a	5000				min	- 0.076378	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		G	F	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				max	0.01966	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		G	Fbar	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				min	0.05769	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		G	C	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				max	0.031893	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		G	Cbar	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				min	0.062201	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		P	F	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				max	0.023888	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		P	Fbar	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				min	0.06539	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		P	C	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				max	0.031287	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		P	Cbar	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				min	0.067133	0.2798

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		S	F	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				max	0.009133	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		S	Fbar	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				min	0.026972	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		S	C	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				max	0.015036	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		S	Cbar	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				min	0.028272	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		A	F	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				max	- 0.001984	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		A	Fbar	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				min	- 0.075837	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		A	C	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				max	0.000382	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		A	Cbar	c25bf7afae 8410e2d50c b0a9116bc9 4e877daa94 69b6074005 91837c1e47 1c4d	5000				min	- 0.076378	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		G	F	add2f28e3e 4bef3ab6f8 7f0134236a 5cd32e50a8 35f89501d6 6576f91c17 5305	5000				max	0.024812	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		G	Fbar	add2f28e3e 4bef3ab6f8 7f0134236a 5cd32e50a8 35f89501d6 6576f91c17 5305	5000				min	0.073251	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		G	C	add2f28e3e 4bef3ab6f8 7f0134236a 5cd32e50a8 35f89501d6 6576f91c17 5305	5000				max	0.033257	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		G	Cbar	add2f28e3e 4bef3ab6f8 7f0134236a 5cd32e50a8 35f89501d6 6576f91c17 5305	5000				min	0.077014	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		P	F	add2f28e3e 4bef3ab6f8 7f0134236a 5cd32e50a8 35f89501d6 6576f91c17 5305	5000				max	0.026806	0.0488

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		P	Fbar	add2f28e3e4bef3ab6f87f0134236a5cd32e50a835f89501d66576f91c175305	5000				min	0.072018	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		P	C	add2f28e3e4bef3ab6f87f0134236a5cd32e50a835f89501d66576f91c175305	5000				max	0.030116	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		P	Cbar	add2f28e3e4bef3ab6f87f0134236a5cd32e50a835f89501d66576f91c175305	5000				min	0.07688	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		S	F	add2f28e3e4bef3ab6f87f0134236a5cd32e50a835f89501d66576f91c175305	5000				max	0.013393	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		S	Fbar	add2f28e3e4bef3ab6f87f0134236a5cd32e50a835f89501d66576f91c175305	5000				min	0.030512	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		S	C	add2f28e3e4bef3ab6f87f0134236a5cd32e50a835f89501d66576f91c175305	5000				max	0.016042	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		S	Cbar	add2f28e3e4bef3ab6f87f0134236a5cd32e50a835f89501d66576f91c175305	5000				min	0.036465	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		A	F	add2f28e3e4bef3ab6f87f0134236a5cd32e50a835f89501d66576f91c175305	5000				max	0.002839	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		A	Fbar	add2f28e3e4bef3ab6f87f0134236a5cd32e50a835f89501d66576f91c175305	5000				min	- 0.077474	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		A	C	add2f28e3e4bef3ab6f87f0134236a5cd32e50a835f89501d66576f91c175305	5000				max	0.003999	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		A	Cbar	add2f28e3e4bef3ab6f87f0134236a5cd32e50a835f89501d66576f91c175305	5000				min	- 0.078686	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		G	F	84a29d8aeb4b70ea770a9840c9ea3a65796047ddad06f380b695a219ce0c17a	5000				max	0.024812	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		G	Fbar	84a29d8aeb4b70ea770a9840c9ea3a65796047ddad06f380b695a219ce0c17a	5000				min	0.073251	0.2336

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		G	C	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				max	0.033257	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		G	Cbar	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				min	0.077014	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		P	F	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				max	0.026806	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		P	Fbar	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				min	0.072015	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		P	C	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				max	0.030116	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		P	Cbar	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				min	0.07688	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		S	F	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				max	0.013393	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		S	Fbar	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				min	0.030512	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		S	C	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				max	0.016042	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		S	Cbar	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				min	0.036465	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		A	F	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				max	0.002839	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		A	Fbar	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				min	- 0.077474	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		A	C	84a29d8aeb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				max	0.003999	0.0848

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		A	Cbar	84a29d8acb 4b70ea770a 9840c9ea3a 65796047dd ad06ff380b 695a219ce0 c17a	5000				min	- 0.078686	0.2966

Table 81: ImageNet-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	F	0.156	0.0838	0.156	0.16635	20f8c53a40989baf87cea6fbf9099a5de51125facd12f7bcff6ec360eed078a	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	Fbar	0.3224	-0.095	-0.3224	-0.398277	ed794fcc68ae94b1114b1ef8e95a855e4faeced86074dce5635a652ab603c6a1	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	C	0.2158	0.1336	0.2158	0.241229	21fb4b9e9dcca03fabbf80aa5fed190582bf58d3a09c60df18a37db8718a54b	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		G	Cbar	0.4236	-0.1426	-0.4236	-0.496566	98f866d8407cbcd6730f876203c4b8f9d882ebf248fd0a95757496d0869f92d9	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	F	0.1384	0.0838	0.1384	0.149803	aae516c6dc7de1bca6a201d3aed351223b7ecce82a16e1550c49addb243bf210	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	Fbar	0.2668	-0.095	-0.2668	-0.341392	eba644a7be6948a178beb2c04d6b65ae34636bfdc5d62445f54c87404fe0906c	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	C	0.2	0.1336	0.2	0.222521	c661ee4fc1070efa2ede4242adb78557821be504ba7cc153f45803437541dd7	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		P	Cbar	0.366	-0.1426	-0.366	-0.436092	83f9ce294ba30a2e162ada31a7dde719e3bb56063db9d421c4f395ed8f5032f6c	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	F	0.11	0.0838	0.11	0.111143	e13faf2f1e10d91a8999a77fdae12416473a950918e692e3b4444ca135595879	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	Fbar	0.1456	-0.095	-0.1456	-0.204442	3891e121fd5b4cdc9ada2e0c35f33e0f9bdef00e7e696dcbbcb8e89d93089f498	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	C	0.1522	0.1336	0.1522	0.164003	1b59caaf91ebbe6ea0dc6a9e0d17a40c5c868d90d217468ec03ba61b22c199	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		S	Cbar	0.2198	-0.1426	-0.2198	-0.268776	1ba42465580915c15af0a1a4516af16fb9a85231f6c1a152abf9c0fad82c66c	leave_one_out_naive_single	Gradient Attention Rollout	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	F	0.163	0.0838	0.163	0.175677	83e2949bdbc248445c0e9601c6f2e82a1f5c3ff731df58ea5683a4fb2f4f1ce5	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	Fbar	0.3278	-0.095	-0.3278	-0.264111	06cb9fe8eb7ed872fb1ba76a5ba29623a30cc0b6af903c40f3958a488d594c12	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	C	0.2268	0.1336	0.2268	0.251344	40c93e01dc441430dfff6f231cc1bd72cf2c08b46cc40a2b28b69e5ee7b7e42d	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		A	Cbar	0.384	-0.1426	-0.384	-0.318686	9cf3e640879dd6a325b7ab6970cedfd50d3c6ec1e136e55ee3b46ced3a50f610e	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	F	0.1416	0.0642	0.1416	0.13283	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	Fbar	0.3662	-0.1174	-0.3662	-0.389651	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	C	0.2136	0.1032	0.2136	0.192577	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fc af66cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		G	Cbar	0.465	-0.1744	-0.465	-0.494525	8b7e3d0d3bb832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	F	0.1314	0.0642	0.1314	0.118286	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	Fbar	0.2982	-0.1174	-0.2982	-0.33411	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ec3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	C	0.1992	0.1032	0.1992	0.177514	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2f5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		P	Cbar	0.3958	-0.1744	-0.3958	-0.436448	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	F	0.0882	0.0642	0.0882	0.087654	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	Fbar	0.1834	-0.1174	-0.1834	-0.204854	7d4b88b02806fb76216285b714edc6b03232d115412d337809b30cfc5f25df	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	C	0.1354	0.1032	0.1354	0.128183	0597e52db66a0240b006f5a941c56355395e172468625684417b85369abd9c	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		S	Cbar	0.2556	-0.1744	-0.2556	0.280014	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	F	0.1274	0.0642	0.1274	0.140822	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	Fbar	0.387	-0.1174	-0.387	0.302912	0479bd94d55b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	C	0.182	0.1032	0.182	0.197202	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		A	Cbar	0.4592	-0.1744	-0.4592	0.365946	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	F	0.1416	0.0642	0.1416	0.13283	32aadaa12ddabdd8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	Fbar	0.3662	-0.1174	-0.3662	0.389651	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	C	0.2136	0.1032	0.2136	0.192577	ca0f8e136de5f154c8192ea26d25b443107a0ce9a13cdc68fcafe6c6f509dfe8	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		G	Cbar	0.465	-0.1744	-0.465	0.494525	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa617757675995c85104a31aa1a3cf	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	F	0.1314	0.0642	0.1314	0.118286	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed27a	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	Fbar	0.2982	-0.1174	-0.2982	0.33411	cacale1e14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive__single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	C	0.1992	0.1032	0.1992	0.177514	9a811fb87b60a1a088e297dd804b613929e5b2603ceb65f2f5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		P	Cbar	0.3958	-0.1744	-0.3958	0.436448	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7b7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	F	0.0882	0.0642	0.0882	0.087654	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	Fbar	0.1834	-0.1174	-0.1834	0.204854	7d4b88b02806fb76216285b714ede6b03232d115412d337809b3c0fce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	C	0.1354	0.1032	0.1354	0.128183	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		S	Cbar	0.2556	-0.1744	-0.2556	0.280014	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	F	0.1274	0.0642	0.1274	0.140822	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	Fbar	0.387	-0.1174	-0.387	0.302912	0479bd94d55b6777d2342b89cfb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	C	0.182	0.1032	0.182	0.197202	e005ed9391ee7599f95fcd3b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		A	Cbar	0.4592	-0.1744	-0.4592	0.365946	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		G	F	0.1264	0.0478	0.1264	0.108718	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		G	Fbar	0.4088	-0.2256	-0.4088	0.472523	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9f014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		G	C	0.1928	0.0802	0.1928	0.164534	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fc af6c6cf509dfc8	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		G	Cbar	0.5092	-0.2866	-0.5092	-0.577426	- 8b7e3dd3b 832b2a95a 9cdc0fb538 89e3aa6f77 57676995c8 5104a31aa1 a3ef	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		P	F	0.117	0.0478	0.117	0.096251	10d6906cd7 b38fd614f1 f69c2cbb0a 349453728f a7d8c23094 70aaef4eed 2f7a	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		P	Fbar	0.3484	-0.2256	-0.3484	0.421363	- cacale14db 070990a340 144d1ce512 0da7e3b1ef 054fce6c12 9e60ad10cd 5ce3	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		P	C	0.1816	0.0802	0.1816	0.151227	9a811f1bc8 7b60a1a088 e2974d804b 613929e5b2 603ceb65f2 ff57ea382 4850	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		P	Cbar	0.4482	-0.2866	-0.4482	- 0.524254	309e2d79b5 8dca1ab5a6 96bf079b29 df2ef71ad4 e6ca1506ef 04eb6c989d cb7e	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		S	F	0.0744	0.0478	0.0744	0.068435	39839bb66f 1409dab85e 47e4773d5d 6272ab445b 18a1303edf b75285ea15 50b4	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		S	Fbar	0.2656	-0.2256	-0.2656	- 0.303424	7d4b88b028 06fb762162 85b714edc6 b03232d115 412d337809 b3c0fce5f 25df	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		S	C	0.117	0.0802	0.117	0.105151	0597e52db6 6af0240b00 6f5a941c56 355395e172 4686256844 17b85369ab 1d9c	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		S	Cbar	0.341	-0.2866	-0.341	- 0.380141	5a59f15422 35429a98dd 7dc6524db 6298682c22 22b5a652f6 f05e2028ba 9efa	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		A	F	0.1214	0.0478	0.1214	0.116477	18440113e8 769665f578 4f93b8ca7a 310fed8517 02d4f59913 29e37c59af 1ea6	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		A	Fbar	0.4694	-0.2256	-0.4694	- 0.385798	0479bd94d5 5b6777d234 2b89cfcb36 5243b2954e 7ab81c7bfc 656373cc83 8cb4	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		A	C	0.1752	0.0802	0.1752	0.1647	e005ed9391 ee7599f95f cd63b6db9e 86847dc1f0 e2805ff063 2b86b8e782 2357	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		A	Cbar	0.5422	-0.2866	-0.5422	- 0.45204	e2b95c2158 f9fb47b946 2ddb7d7714 7200f1307c d4453969a7 1056318550 d631	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		G	F	0.1264	0.0478	0.1264	0.108718	32adaa12d dabdb8bcf85 2f2fd28247 b4991b2618 eaa18b804a 4a42458ef4 3b6c	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		G	Fbar	0.4088	-0.2256	-0.4088	-	71870e37c8 2e52267a45 a60e4fee16 50b178adcd 01114bf002 cdf9014af3 e5c1	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		G	C	0.1928	0.0802	0.1928	0.164534	ca0f8e136d e5f154e819 2ea26d25b4 43107e0ce9 a13cdc68fc af6c6cf509 dfc8	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		G	Cbar	0.5092	-0.2866	-0.5092	-	8b7e3d0d3b 9cdcd0fb538 89c3aa6f77 57676995c8 5104a31aa1 a3cf	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		P	F	0.117	0.0478	0.117	0.096251	10d6906cd7 b38fd614f1 f69c2cbb0a 349453728f a7d8c23094 70aacf4eed 2f7a	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		P	Fbar	0.3484	-0.2256	-0.3484	-	caca1e14db 070990a340 144d1ce512 0da7e3b1ef 054fce6c12 9e60ad10cd 5cc3	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		P	C	0.1816	0.0802	0.1816	0.151227	9a811f1bc8 7b60a1a088 e297dd804b 613929e5b2 603ceb65f2 ff5f7ea382 4850	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		P	Cbar	0.4482	-0.2866	-0.4482	-	309e2d79b5 8dca1ab5a6 96bf079b29 df2ef71ad4 e6ca1506ef 04eb6c989d cb7e	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		S	F	0.0744	0.0478	0.0744	0.068435	39839bb66f 1409dab85e 47e4773d5d 6272ab445b 18a1303edf b75285ea15 50b4	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		S	Fbar	0.2656	-0.2256	-0.2656	-	7d4b88b028 06fb762162 85b714edc6 b03232d115 412d337809 b3c0fce5f 25df	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		S	C	0.117	0.0802	0.117	0.105151	0597e52db6 6af0240b00 6f5a941c56 355395e172 4686256844 17b85369ab 1d9c	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		S	Cbar	0.341	-0.2866	-0.341	-	5a59f15422 35429a98dd 7dc65254db 6298682c22 22b5a652f6 f05e2028ba 9efa	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		A	F	0.1214	0.0478	0.1214	0.116477	18440113e8 769665f578 4f93b8ca7a 310fcd8517 02d4f59913 29e37c59af 1ea6	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		A	Fbar	0.4694	-0.2256	-0.4694	-0.385798	04799d94d55b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		A	C	0.1752	0.0802	0.1752	0.1647	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		A	Cbar	0.5422	-0.2866	-0.5422	-0.45204	e2b95c2158f9b47b9462dd7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		G	F	0.1346	0.05	0.1346	0.111953	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		G	Fbar	0.4294	-0.2684	-0.4294	-0.505305	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		G	C	0.203	0.0856	0.203	0.171118	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafe6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		G	Cbar	0.531	-0.3318	-0.531	-0.610822	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		P	F	0.1264	0.05	0.1264	0.099207	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		P	Fbar	0.378	-0.2684	-0.378	-0.455878	cacale1e14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5cc3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		P	C	0.1892	0.0856	0.1892	0.157399	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		P	Cbar	0.4782	-0.3318	-0.4782	-0.559627	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		S	F	0.0824	0.05	0.0824	0.071014	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		S	Fbar	0.3062	-0.2684	-0.3062	-0.342415	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		S	C	0.1256	0.0856	0.1256	0.110559	0597e52db66a0f240b006f5a941c56355395e172468625684417085369ab149c	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		S	Cbar	0.3798	-0.3318	-0.3798	-0.420477	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		A	F	0.1214	0.05	0.1214	0.119743	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		A	Fbar	0.479	-0.2684	-0.479	-0.418584	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		A	C	0.1782	0.0856	0.1782	0.172331	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		A	Cbar	0.5484	-0.3318	-0.5484	-0.486724	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	F	0.1346	0.05	0.1346	0.111953	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	Fbar	0.4294	-0.2684	-0.4294	-0.505305	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	C	0.203	0.0856	0.203	0.171118	ca0f8e136dc5f154c8192ea26d25b443107e0ce9a13cdc68fcafe6c6f509dfe8	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		G	Cbar	0.531	-0.3318	-0.531	-0.610822	8b7e3d0d3b832bb2a95a9ecd0fb53889e3aa6f7757676995e85104a31aa1a3cf	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	F	0.1264	0.05	0.1264	0.099207	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	Fbar	0.378	-0.2684	-0.378	-0.455878	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5cc3	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	C	0.1892	0.0856	0.1892	0.157399	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive__single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		P	Cbar	0.4782	-0.3318	-0.4782	-0.559627	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	F	0.0824	0.05	0.0824	0.071014	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	Fbar	0.3062	-0.2684	-0.3062	-0.342415	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0fce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	C	0.1256	0.0856	0.1256	0.110559	0597e52db66a0240b006f5a941c56355395e172468625684417b85369abd9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		S	Cbar	0.3798	-0.3318	-0.3798	-0.420477	5a59f1542235429a98dd7dc65254db6298682c2222b5a6526f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	F	0.1214	0.05	0.1214	0.119743	18440113e8769665f5784f93b8ca7a310fed851702d4f5991329a37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	Fbar	0.479	-0.2684	-0.479	-0.418584	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	C	0.1782	0.0856	0.1782	0.172331	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		A	Cbar	0.5484	-0.3318	-0.5484	-0.486724	e2b95c2158f9fb47b9462dd87d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		G	F	0.1372	0.0538	0.1372	0.11754	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		G	Fbar	0.4084	-0.2172	-0.4084	-0.46609	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		G	C	0.2074	0.0892	0.2074	0.175507	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafb6c6f509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		G	Cbar	0.5102	-0.2798	-0.5102	-0.572401	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		P	F	0.1282	0.0538	0.1282	0.104312	1046906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aef4eed217a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		P	Fbar	0.3492	-0.2172	-0.3492	-0.41459	cacale1e14db070990a340144d1ce5120da7e3b1ef054fee6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		P	C	0.1928	0.0892	0.1928	0.161513	9a811f1bc87b50a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		P	Cbar	0.4518	-0.2798	-0.4518	-0.518933	309e2d79b58dcab1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		S	F	0.0846	0.0538	0.0846	0.075467	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		S	Fbar	0.2688	-0.2172	-0.2688	-0.295772	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfee5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		S	C	0.1292	0.0892	0.1292	0.114164	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		S	Cbar	0.3458	-0.2798	-0.3458	-0.374072	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		A	F	0.1234	0.0538	0.1234	0.125384	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		A	Fbar	0.4552	-0.2172	-0.4552	-0.379363	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		A	C	0.1778	0.0892	0.1778	0.177418	e005ed9391ee7599f9fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		A	Cbar	0.5232	-0.2798	-0.5232	-0.446822	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		G	F	0.1372	0.0538	0.1372	0.11754	32aadaa12ddab8b8cf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		G	Fbar	0.4084	-0.2172	-0.4084	-0.46609	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		G	C	0.2074	0.0892	0.2074	0.175507	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fc af6c6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		G	Cbar	0.5102	-0.2798	-0.5102	-0.572401	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		P	F	0.1282	0.0538	0.1282	0.104312	10d6906cd7b38fd614f1f69e2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		P	Fbar	0.3492	-0.2172	-0.3492	-0.41459	caca1e14db070990a340144d1ce5120da7e3b1ef054fee6e129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		P	C	0.1928	0.0892	0.1928	0.161513	9a81f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2f5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		P	Cbar	0.4518	-0.2798	-0.4518	-0.518933	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcbb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		S	F	0.0846	0.0538	0.0846	0.075467	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		S	Fbar	0.2688	-0.2172	-0.2688	-0.295772	7d4b88b02806fb76216285b714ede6b03232d115412d337809b3c0cfee5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		S	C	0.1292	0.0892	0.1292	0.114164	0597e52db66af0240b006f5a941ce56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		S	Cbar	0.3458	-0.2798	-0.3458	-0.374072	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		A	F	0.1234	0.0538	0.1234	0.125384	18440113e8769665f5784f93b8ca7a310fd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		A	Fbar	0.4552	-0.2172	-0.4552	-0.379363	0479bd94d55b6777d42342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		A	C	0.1778	0.0892	0.1778	0.177418	005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b6b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		A	Cbar	0.5232	-0.2798	-0.5232	-0.446822	-2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		G	F	0.135	0.0488	0.135	0.110188	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		G	Fbar	0.4054	-0.2336	-0.4054	-0.478651	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		G	C	0.2034	0.0848	0.2034	0.170143	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fca66c6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		G	Cbar	0.5078	-0.2966	-0.5078	-0.584814	8b7e3d0d3bb832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		P	F	0.1244	0.0488	0.1244	0.097594	1046906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed217a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		P	Fbar	0.3558	-0.2336	-0.3558	-0.427815	-caac1e144b070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ec3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		P	C	0.1866	0.0848	0.1866	0.156484	9a811f1bc87b50a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		P	Cbar	0.4552	-0.2966	-0.4552	-0.53208	-309e2d79b58dca1ab5a696bfb079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		S	F	0.083	0.0488	0.083	0.069607	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		S	Fbar	0.2802	-0.2336	-0.2802	-0.310712	-7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfee5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		S	C	0.1258	0.0848	0.1258	0.109758	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		S	Cbar	0.3526	-0.2966	-0.3526	-0.389065	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		A	F	0.1208	0.0488	0.1208	0.117961	18440113e8769665f5784f93b8ca7a310fd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		A	Fbar	0.4694	-0.2336	-0.4694	0.391926	0479bd94d55b6777d2342b89cfb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		A	C	0.1752	0.0848	0.1752	0.171201	e005ed9391ee7599f95fcd3b6adb9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		A	Cbar	0.5384	-0.2966	-0.5384	0.459714	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		G	F	0.135	0.0488	0.135	0.110188	32aadaa12ddabd8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		G	Fbar	0.4054	-0.2336	-0.4054	0.478651	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		G	C	0.2034	0.0848	0.2034	0.170143	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fc af6c6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		G	Cbar	0.5078	-0.2966	-0.5078	0.584814	8b7e3d0d3bb832bb2a95a9cdc0f53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		P	F	0.1244	0.0488	0.1244	0.097594	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		P	Fbar	0.3558	-0.2336	-0.3558	0.427815	cacale14db070990a340144dlce5120da7e3b1ef054fee6e129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		P	C	0.1866	0.0848	0.1866	0.156484	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2f577ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		P	Cbar	0.4552	-0.2966	-0.4552	0.53208	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		S	F	0.083	0.0488	0.083	0.069607	3983bb66f1409dab85e47e4773d5d6272ab445b18a1303edf675285ea15014	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		S	Fbar	0.2802	-0.2336	-0.2802	-0.310712	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfee5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		S	C	0.1258	0.0848	0.1258	0.109758	0597e52db66a0240b006f5a941c56355395e172468625684417b5369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		S	Cbar	0.3526	-0.2966	-0.3526	-0.389063	5a59f1542235429a98dd7dc65254db6298683c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		A	F	0.1208	0.0488	0.1208	0.117961	18440113e8769665f5784f93b8ca7a310fcd851702445991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		A	Fbar	0.4694	-0.2336	-0.4694	-0.391926	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		A	C	0.1752	0.0848	0.1752	0.171201	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		A	Cbar	0.5384	-0.2966	-0.5384	-0.459714	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	F	0.156	0.0838	0.156	0.16635	20f8c53a40989ba87ceae6fbf9099a5de51125facd12f7bceff6ec360eed078a	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	Fbar	0.3224	-0.095	-0.3224	-0.398277	ed794fcc68ae94b1114b1ef8e95a855e4faeced86074dce5635a652ab603c6a1	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	C	0.2158	0.1336	0.2158	0.241229	21ffb4b9e9dcca03fabbf80aaf5ed190582bf58d3a09e60d118a37db8718a54b	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		G	Cbar	0.4236	-0.1426	-0.4236	-0.496566	98f866d8407cbed6730f876203c4b8f9d882ebf248fd0a95757496d0869f9249	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	F	0.1384	0.0838	0.1384	0.149803	aae516c6dc7de1bca6a201d3aed351223b7ecce82a16e1550c49addb243bf210	leave_one_out_naive_single	Gradient Attention Rollout	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	Fbar	0.2668	-0.095	-0.2668	-0.341392	eba644a7be6948a178beb2c04d6b65ae34636bfd6e5d62445f54c87404fe0906c	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	C	0.2	0.1336	0.2	0.222521	c691ee4fe1070efa2ede4242adb78557821be504ba7cc153f45803437541dd7	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		P	Cbar	0.366	-0.1426	-0.366	0.436092	83f9ce294b30a2e162ada31a7dde719e3bb56063db9d421c4f395ed8f5032f6c	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	F	0.11	0.0838	0.11	0.111143	e13faf2f1e10d91a8999a77fdae12416473a950918e692e3b4444ca135595879	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	Fbar	0.1456	-0.095	-0.1456	-0.204442	3891e121df5b4cdc9ada2e0c35f33e0f9bdef00e7e696dcbbcb8e89d93089f498	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	C	0.1522	0.1336	0.1522	0.164003	1b59caaf91ebbe6ea0dc6a9e0d17a40c5c868d90d217468ec03ba61b22c199	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		S	Cbar	0.2198	-0.1426	-0.2198	-0.268776	1ba424655800915c15af0a1a4516af16fb9a85231f6c1a152abf9c0fad82c66c	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	F	0.163	0.0838	0.163	0.175677	83a2949bdbc4248445c0e9601c6f2e82a1f5c3ff731df58ea5683a4fb2f4f1ce5	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	Fbar	0.3278	-0.095	-0.3278	-0.264111	06cb9f8eb7ed872b1ba76a5ba29623a30cc0b6af903c40f3958a488d594c12	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	C	0.2268	0.1336	0.2268	0.251344	d0c93e01dc441430dfff6f231cc1bd72c42c08b46cc40a2b28b69e5ee7b7e42d	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		A	Cbar	0.384	-0.1426	-0.384	-0.318686	9cf3e640879d6a325b7ab6970cedfd50d36cc1e136e55ee3b46ced3a50f610e	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	F	0.1416	0.0642	0.1416	0.13283	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	Fbar	0.3662	-0.1174	-0.3662	-0.389651	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	C	0.2136	0.1032	0.2136	0.192577	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafe6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		G	Cbar	0.465	-0.1744	-0.465	-0.494525	bb7e3d0d3bb832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	F	0.1314	0.0642	0.1314	0.118286	10d6906cd7b38fd614f1f69c2cb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	Fbar	0.2982	-0.1174	-0.2982	-0.33411	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	C	0.1992	0.1032	0.1992	0.177514	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2f5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		P	Cbar	0.3958	-0.1744	-0.3958	-0.436448	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb5c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	F	0.0882	0.0642	0.0882	0.087654	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	Fbar	0.1834	-0.1174	-0.1834	-0.204854	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0fce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	C	0.1354	0.1032	0.1354	0.128183	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		S	Cbar	0.2556	-0.1744	-0.2556	-0.280014	5a59f1542235429a98dd7dc65254db62980832c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	F	0.1274	0.0642	0.1274	0.140822	18440113e8769665f5784f93b8ca7a310fed85170244f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	Fbar	0.387	-0.1174	-0.387	-0.302912	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	C	0.182	0.1032	0.182	0.197202	e005ed9391ee7599f9fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		A	Cbar	0.4592	-0.1744	-0.4592	-0.365946	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a710563185504631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	F	0.1416	0.0642	0.1416	0.13283	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	Fbar	0.3662	-0.1174	-0.3662	0.389651	-2e52267fa45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	C	0.2136	0.1032	0.2136	0.192577	ca0f8e136de5f154c8192ea26d25b443107a0ce9a13cdc68fcdfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		G	Cbar	0.465	-0.1744	-0.465	-0.494525	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa617757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	F	0.1314	0.0642	0.1314	0.118286	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	Fbar	0.2982	-0.1174	-0.2982	-0.33411	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5cc3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	C	0.1992	0.1032	0.1992	0.177514	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		P	Cbar	0.3958	-0.1744	-0.3958	-0.436448	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	F	0.0882	0.0642	0.0882	0.087654	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	Fbar	0.1834	-0.1174	-0.1834	-0.204854	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0fce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	C	0.1354	0.1032	0.1354	0.128183	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		S	Cbar	0.2556	-0.1744	-0.2556	-0.280014	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	F	0.1274	0.0642	0.1274	0.140822	184401138769665f5784f93b8ca7a310fed851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	Fbar	0.387	-0.1174	-0.387	0.302912	-0479bd94d55b6777d42342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	C	0.182	0.1032	0.182	0.197202	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		A	Cbar	0.4592	-0.1744	-0.4592	-0.365946	e2b95c2158f9fb47b9462d4b7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		G	F	0.1264	0.0478	0.1264	0.108718	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		G	Fbar	0.4088	-0.2256	-0.4088	-0.472523	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		G	C	0.1928	0.0802	0.1928	0.164534	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcaf66cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		G	Cbar	0.5092	-0.2866	-0.5092	-0.577426	8b7e3d0d3bb832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		P	F	0.117	0.0478	0.117	0.096251	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		P	Fbar	0.3484	-0.2256	-0.3484	-0.421363	-cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ec3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		P	C	0.1816	0.0802	0.1816	0.151227	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2f5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		P	Cbar	0.4482	-0.2866	-0.4482	-0.524254	-309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		S	F	0.0744	0.0478	0.0744	0.068435	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		S	Fbar	0.2656	-0.2256	-0.2656	-0.303424	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfe5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		S	C	0.117	0.0802	0.117	0.105151	0597e52db66a0240b006f5a941c56355395e172468625684417b85369abd9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		S	Cbar	0.341	-0.2866	-0.341	0.380141	5a59ff1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		A	F	0.1214	0.0478	0.1214	0.116477	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		A	Fbar	0.4694	-0.2256	-0.4694	0.385798	0479bd94d55b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		A	C	0.1752	0.0802	0.1752	0.1647	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		A	Cbar	0.5422	-0.2866	-0.5422	0.45204	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		G	F	0.1264	0.0478	0.1264	0.108718	32aadaa12ddabdd8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		G	Fbar	0.4088	-0.2256	-0.4088	0.472523	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		G	C	0.1928	0.0802	0.1928	0.164534	ca0f8e136de5f154c8192ea26d25b443107a0ce9a13cdc68fcafe6c6f509dfe8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		G	Cbar	0.5092	-0.2866	-0.5092	0.577426	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa617757675995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		P	F	0.117	0.0478	0.117	0.096251	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed27a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		P	Fbar	0.3484	-0.2256	-0.3484	0.421363	cacale1e4db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		P	C	0.1816	0.0802	0.1816	0.151227	9a81ffb87b60a1a088e297dd804b613929e5b2603ceb65f2f5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		P	Cbar	0.4482	-0.2866	-0.4482	-0.524254	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		S	F	0.0744	0.0478	0.0744	0.068435	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		S	Fbar	0.2656	-0.2256	-0.2656	-0.303424	7d4b88b02806fb76216285b714ede6b03232d115412d337809b3c0fce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		S	C	0.117	0.0802	0.117	0.105151	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		S	Cbar	0.341	-0.2866	-0.341	-0.380141	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		A	F	0.1214	0.0478	0.1214	0.116477	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		A	Fbar	0.4694	-0.2256	-0.4694	-0.385798	0479bd94d55b6777d2342b89cfb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		A	C	0.1752	0.0802	0.1752	0.1647	e005ed9391ee7599f95fed3b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		A	Cbar	0.5422	-0.2866	-0.5422	-0.45204	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		G	F	0.1346	0.05	0.1346	0.111953	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		G	Fbar	0.4294	-0.2684	-0.4294	-0.505305	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9f014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		G	C	0.203	0.0856	0.203	0.171118	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fc af6c6cf509dfc8	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		G	Cbar	0.531	-0.3318	-0.531	-0.610822	8b7e3dd03b832b2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3ef	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		P	F	0.1264	0.05	0.1264	0.099207	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		P	Fbar	0.378	-0.2684	-0.378	0.455878	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		P	C	0.1892	0.0856	0.1892	0.157399	9a811f1bc87b60a1a088e2974d804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		P	Cbar	0.4782	-0.3318	-0.4782	0.559627	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcbb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		S	F	0.0824	0.05	0.0824	0.071014	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		S	Fbar	0.3062	-0.2684	-0.3062	0.342415	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0fce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		S	C	0.1256	0.0856	0.1256	0.110559	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		S	Cbar	0.3798	-0.3318	-0.3798	0.420477	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		A	F	0.1214	0.05	0.1214	0.119743	18440113e8769665f5784f93b8ca7a310fed851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		A	Fbar	0.479	-0.2684	-0.479	0.418584	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		A	C	0.1782	0.0856	0.1782	0.172331	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		A	Cbar	0.5484	-0.3318	-0.5484	0.486724	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	F	0.1346	0.05	0.1346	0.111953	32aad12d dabdb8bcf85 2f2fd28247 b4991b2618 eaa18b804a 4a42458ef4 3b6c	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	Fbar	0.4294	-0.2684	-0.4294	-0.505305	71870e37c8 2e52267a45 a60e4fee16 50b178adcd 01114bf002 cdf9014af3 e5c1	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	C	0.203	0.0856	0.203	0.171118	ca0f8e136d e5f154e819 2ea26d25b4 43107e0ce9 a13cdc68fc af6c6cf509 dfc8	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		G	Cbar	0.531	-0.3318	-0.531	-0.610822	8b7e3d0d3b 832bcb2a95a 9cdcd0fb538 89c3aa6f77 57676995c8 5104a31aa1 a3cf	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	F	0.1264	0.05	0.1264	0.099207	10d6906cd7 b38fd614f1 f69c2cbb0a 349453728f a7d8c23094 70aacf4eed 2f7a	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	Fbar	0.378	-0.2684	-0.378	-0.455878	caca1e14db 070990a340 144dlce512 0da7e3b1ef 054fce6c12 9e60ad10cd 5cc3	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	C	0.1892	0.0856	0.1892	0.157399	9a811f1bc8 7b60a1a088 e297dd804b 613929e5b2 603ceb65f2 ff5f7ea382 4850	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		P	Cbar	0.4782	-0.3318	-0.4782	-0.559627	309e2d79b5 8dcalab5a6 96bf079b29 df2ef71ad4 e6ca1506ef 04eb6c989d cb7e	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	F	0.0824	0.05	0.0824	0.071014	39839bb66f 1409dab85e 47e4773d5d 6272ab445b 18a1303edf b75285ea15 50b4	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	Fbar	0.3062	-0.2684	-0.3062	-0.342415	7d4b88b028 06fb762162 85b714edc6 b053232d115 412d337809 b3c0fcec5f 25df	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	C	0.1256	0.0856	0.1256	0.110559	0597e52db6 6af0240b00 6f5a941c56 355395e172 4686256844 17b85369ab 1d9c	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		S	Cbar	0.3798	-0.3318	-0.3798	-0.420477	5a59f15422 35429a98dd 7dc65254db 6298682c22 22b5a652f6 f05e2028ba 9efa	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	F	0.1214	0.05	0.1214	0.119743	18440113e8 769665f578 4f93b8ca7a 310fcd8517 02d4f59913 29e37c59af 1ea6	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	Fbar	0.479	-0.2684	-0.479	-0.418584	0479d94d55b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	C	0.1782	0.0856	0.1782	0.172331	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		A	Cbar	0.5484	-0.3318	-0.5484	-0.486724	e2b95c2158f9b47b9462dddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		G	F	0.1372	0.0538	0.1372	0.11754	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		G	Fbar	0.4084	-0.2172	-0.4084	-0.46609	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		G	C	0.2074	0.0892	0.2074	0.175507	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafe6c6f509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		G	Cbar	0.5102	-0.2798	-0.5102	-0.572401	8b7e3d0d3bb832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		P	F	0.1282	0.0538	0.1282	0.104312	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		P	Fbar	0.3492	-0.2172	-0.3492	-0.41459	cacale1e14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5cc3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		P	C	0.1928	0.0892	0.1928	0.161513	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		P	Cbar	0.4518	-0.2798	-0.4518	-0.518933	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		S	F	0.0846	0.0538	0.0846	0.075467	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		S	Fbar	0.2688	-0.2172	-0.2688	-0.295772	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		S	C	0.1292	0.0892	0.1292	0.114164	0597e52db66a0240b006f5a941c56355395e172468625684417b85369ab149c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		S	Cbar	0.3458	-0.2798	-0.3458	-0.374072	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		A	F	0.1234	0.0538	0.1234	0.125384	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		A	Fbar	0.4552	-0.2172	-0.4552	-0.379363	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		A	C	0.1778	0.0892	0.1778	0.177418	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		A	Cbar	0.5232	-0.2798	-0.5232	-0.446822	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		G	F	0.1372	0.0538	0.1372	0.117544	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		G	Fbar	0.4084	-0.2172	-0.4084	-0.46609	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		G	C	0.2074	0.0892	0.2074	0.175507	ca0f8e136dc5f154c8192ea26d25b443107e0ce9a13cdc68fcafe6c6f509dfe8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		G	Cbar	0.5102	-0.2798	-0.5102	-0.572401	8b7e3d0d3bb832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		P	F	0.1282	0.0538	0.1282	0.104312	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		P	Fbar	0.3492	-0.2172	-0.3492	-0.41459	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5cc3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		P	C	0.1928	0.0892	0.1928	0.161513	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapol- ated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		P	Cbar	0.4518	-0.2798	-0.4518	-0.4518	309e2d79b5 8dca1ab5a6 96bf079b29 df2ef71ad4 e6ca1506ef 04eb6c989d cb7e	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		S	F	0.0846	0.0538	0.0846	0.075467	39839bb66f 1409dab85e 47e4773d5d 6272ab445b 18a1303edf b75285ea15 50b4	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		S	Fbar	0.2688	-0.2172	-0.2688	-0.2688	06fb762162 85b714edc6 b03232d115 412d337809 b3c0fce5f 25df	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		S	C	0.1292	0.0892	0.1292	0.114164	0597e52db6 6a0240b00 6f5a941c56 355395e172 4686256844 17b85369ab ld9c	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		S	Cbar	0.3458	-0.2798	-0.3458	-0.3458	5a59f15422 35429a98dd 7dc65254db 6298682c22 22b5a652f6 f05e2028ba 9efa	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		A	F	0.1234	0.0538	0.1234	0.125384	18440113e8 769665f578 4f93b8ca7a 310fed8517 02d4f59913 29a37c59af 1ea6	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		A	Fbar	0.4552	-0.2172	-0.4552	-0.4552	0479bd94d5 5b6777d234 2b89cfcb36 5243b2954e 7ab81c7bfc 656373cc83 8cb4	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		A	C	0.1778	0.0892	0.1778	0.177418	e005ed9391 ee7599f95f cd63b6db9e 86847dc1f0 e2805ff063 2b86b8e782 2357	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		A	Cbar	0.5232	-0.2798	-0.5232	-0.5232	e2b95c2158 f9fb47b946 2ddbf7d7714 7200f1307c d4453969a7 1056318550 d631	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		G	F	0.135	0.0488	0.135	0.110188	32aadaa12d dabd8bcf85 2f2fd28247 b4991b2618 eaa18b804a 4a42458ef4 3b6c	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		G	Fbar	0.4054	-0.2336	-0.4054	-0.4054	71870e37c8 2e52267a45 a60e4fee16 50b178adcd 01114bf002 cdf9014af3 e5c1	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		G	C	0.2034	0.0848	0.2034	0.170143	ca0f8e136d e5f154c819 2ea26d25b4 43107e0ce9 a13cdc68fc af6c6cf509 dfe8	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		G	Cbar	0.5078	-0.2966	-0.5078	-0.5078	8b7e3d0d3b 832bb2a95a 9cdc0fb538 89e3aa6f77 57676995c8 5104a31aa1 a3cf	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		P	F	0.1244	0.0488	0.1244	0.097594	1046906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed217a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		P	Fbar	0.3558	-0.2336	-0.3558	-0.427815	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		P	C	0.1866	0.0848	0.1866	0.156484	9a811f1bc87b50a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		P	Cbar	0.4552	-0.2966	-0.4552	-0.53208	309e2d79b58dcabab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		S	F	0.083	0.0488	0.083	0.069607	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		S	Fbar	0.2802	-0.2336	-0.2802	-0.310712	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		S	C	0.1258	0.0848	0.1258	0.109758	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		S	Cbar	0.3526	-0.2966	-0.3526	-0.389065	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		A	F	0.1208	0.0488	0.1208	0.117961	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		A	Fbar	0.4694	-0.2336	-0.4694	-0.391926	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		A	C	0.1752	0.0848	0.1752	0.171201	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		A	Cbar	0.5384	-0.2966	-0.5384	-0.459714	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		G	F	0.135	0.0488	0.135	0.110188	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		G	Fbar	0.4054	-0.2336	-0.4054	-0.478651	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		G	C	0.2034	0.0848	0.2034	0.170143	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fc af6c6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		G	Cbar	0.5078	-0.2966	-0.5078	0.584814	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		P	F	0.1244	0.0488	0.1244	0.097594	10d6906cd7b38fd614f1f69e2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		P	Fbar	0.3558	-0.2336	-0.3558	0.427815	caca1e14db070990a340144d1ce5120da7e3b1ef054fee6e129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		P	C	0.1866	0.0848	0.1866	0.156484	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2f5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		P	Cbar	0.4552	-0.2966	-0.4552	0.53208	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcbb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		S	F	0.083	0.0488	0.083	0.069607	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		S	Fbar	0.2802	-0.2336	-0.2802	0.310712	7d4b88b02806fb762162b5b714ede6b03232d115412d337809b3c0cfee5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		S	C	0.1258	0.0848	0.1258	0.109758	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		S	Cbar	0.3526	-0.2966	-0.3526	0.389065	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		A	F	0.1208	0.0488	0.1208	0.117961	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		A	Fbar	0.4694	-0.2336	-0.4694	0.391926	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapol ated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		A	C	0.1752	0.0848	0.1752	0.171201	e005ed9391 ee7599f95f cd63b6db9e 86847dc1f0 e2805ff063 2b86b8e782 2357	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		A	Cbar	0.5384	-0.2966	-0.5384	- 0.459714	e2b95c2158 f9fb47b946 2ddb7d7714 7200f1307c d4453969a7 1056318550 d631	full_naive_ single_pool		False

Table 82: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^a_z	ER^a_c	ER^a_c
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		8e8c7aa187ee59c09fba d1640bf793667f94d68c dceee03f77260883e7d2e ef32c5deb39505 fba05d6029471469e8a9 cc12064e40f4b85474cd db84ea27c6944d	5000						- 0.01035	0.075877	- 0.025429
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		9d43349d8a8fdb13fa57 ede5f5c8691cecc0b0bf 0e0ec31a5dd81a2eca06 854c95bfe0f535 76a316d94b2a5449ced1 110aad490321cb31f12c 16ddec78c25743	5000						0.00877	0.023451	0.021023
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		b8034ad787e71f5bae49 61874f63375a69ea79fe 7fb170c54820542e929f 5994e70f5e8f6d 48ab82598ac533121c89 7ad0704717661c330b750 61b0b7bae2a8bc	5000						0.00877	0.023451	0.021023
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		36d031ec65acb086e89d 6dbc5fc453c4a3522366 17b34ba4ae188092812a bbe419cdec8ca4 9f7b612f276a475eb380 b2893eda7a808a8aea97 98aa50e53c9f61	5000						0.017682	0.063723	0.028266
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		5ac90e31bd42cf0a5dc8 3e4dc76f40f908ac7e0e ef63cc119c58d7d0a8ae 2a9cd9f315a708 c665a9155bfb3512427 0fdef8e1cb4bf29406ad cc231aee5154a3	5000						0.017682	0.063723	0.028266
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		46bbb8e332afdfc15214c b47b0fe94637e56547a6 3a718dec1ce83f53b012 61d66f71280ab7 63c10278049188f96358 764eddfe2f1722ebb2ac e042dcb128712a	5000						0.022647	0.075905	0.031882
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		b00d5b9efe5922896742 8ccd370b13944f482810 c56a8ba7f1a1f223b931 7073	5000						0.022647	0.075905	0.031882
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman			5000						0.01966	0.05769	0.031893
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman			5000						0.01966	0.05769	0.031893
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman			5000						0.024812	0.073251	0.033257
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman			5000						0.024812	0.073251	0.033257
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall			5000						- 0.01035	0.075877	- 0.025429
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall			5000						0.00877	0.023451	0.021023

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^p_p	ER^p_c	ER^p_o
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		6e210511bef5664f39b79ced6b4efc98337c70ef5b30f4db8570e1512522123b	5000						0.00877	0.023451	0.021023
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		652aefdbb390d8a09214041ab812ffa1a4493700836d0be032b83990699ceba93	5000						0.017682	0.063723	0.028266
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		6d518a18be05075aeab90620d29e14772974d4bc6af54b595596114e87d83dd5	5000						0.017682	0.063723	0.028266
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		6b0f2bc472567537858e0b2e6eb72df3c79139842e79e450fc2e746fc6c20224	5000						0.022647	0.075905	0.031882
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		e03011dac36ef5ca8d911f8b8401c779410c5a6a9f3e964a281d43f1afb6902a	5000						0.022647	0.075905	0.031882
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		a3681472a07051780850c4b50d9c27b5d3dea376f24cbf6d5e12d0e5f48ac16a	5000						0.01966	0.05769	0.031893
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		c25bf7afae8410e2d50cb0a9116bc94e877daa9469b607400591837c1e471c4d	5000						0.01966	0.05769	0.031893
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		add2f28e3e4bef3ab6f87f0134236a5cd32e50a835f89501d66576f91c175305	5000						0.024812	0.073251	0.033257
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		84a29d8aeb4b70ea770a9840c9ea3a65796047ddad06ff380b695a219ce0c17a	5000						0.024812	0.073251	0.033257

Table 83: ImageNet-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_C	ER^*_E	ER^*_F	ER^*_G	ER^*_H	ER^*_I	ER^*_J	ER^*_K	ER^*_L	ER^*_M	ER^*_N
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		0.072966	-0.011403	0.074592	-0.022521	0.070092	-0.001143	0.058842	-0.011803	0.048976	-0.012677	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		0.029525	0.013114	0.03591	0.021686	0.040648	0.000546	0.021454	0.007217	0.024414	-0.013422	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		0.029525	0.013114	0.03591	0.021686	0.040648	0.000546	0.021454	0.007217	0.024414	-0.013422	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		0.068226	0.020749	0.072963	0.030373	0.076054	0.005965	0.037824	0.011849	0.039141	0.004923	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		0.068226	0.020749	0.072963	0.030373	0.076054	0.005965	0.037824	0.011849	0.039141	0.004923	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		0.079822	0.027193	0.077878	0.031801	0.081427	0.011386	0.036215	0.015041	0.040677	0.001657	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		0.079822	0.027193	0.077878	0.031801	0.081427	0.011386	0.036215	0.015041	0.040677	0.001657	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		0.062201	0.023888	0.06539	0.031287	0.067133	0.009133	0.026972	0.015036	0.028272	-0.001984	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		0.062201	0.023888	0.06539	0.031287	0.067133	0.009133	0.026972	0.015036	0.028272	-0.001984	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		0.077014	0.026806	0.072015	0.030116	0.07688	0.013393	0.030512	0.016042	0.036465	0.002839	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		0.077014	0.026806	0.072015	0.030116	0.07688	0.013393	0.030512	0.016042	0.036465	0.002839	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		0.072966	-0.011403	0.074592	-0.022521	0.070092	-0.001143	0.058842	-0.011803	0.048976	-0.012677	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		0.029525	0.013114	0.03591	0.021686	0.040648	0.000546	0.021454	0.007217	0.024414	-0.013422	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		0.029525	0.013114	0.03591	0.021686	0.040648	0.000546	0.021454	0.007217	0.024414	-0.013422	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		0.068226	0.020749	0.072963	0.030373	0.076054	0.005965	0.037824	0.011849	0.039141	0.004923	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		0.068226	0.020749	0.072963	0.030373	0.076054	0.005965	0.037824	0.011849	0.039141	0.004923	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		0.079822	0.027193	0.077878	0.031801	0.081427	0.011386	0.036215	0.015041	0.040677	0.001657	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		0.079822	0.027193	0.077878	0.031801	0.081427	0.011386	0.036215	0.015041	0.040677	0.001657	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		0.062201	0.023888	0.06539	0.031287	0.067133	0.009133	0.026972	0.015036	0.028272	-0.001984	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		0.062201	0.023888	0.06539	0.031287	0.067133	0.009133	0.026972	0.015036	0.028272	-0.001984	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		0.077014	0.026806	0.072015	0.030116	0.07688	0.013393	0.030512	0.016042	0.036465	0.002839	
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		0.077014	0.026806	0.072015	0.030116	0.07688	0.013393	0.030512	0.016042	0.036465	0.002839	

Table 84: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^a_e	ER^a_c	$ER^a_{\bar{c}}$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Spearman		-0.063689	-0.024544	-0.065314
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Spearman		-0.084088	-0.015202	-0.093254
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Spearman		-0.084088	-0.015202	-0.093254
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Spearman		-0.083602	0.0105	-0.09016
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Spearman		-0.083602	0.0105	-0.09016
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Spearman		-0.060416	0.005869	-0.061676
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Spearman		-0.060416	0.005869	-0.061676
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Spearman		-0.075837	0.000382	-0.076378
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Spearman		-0.075837	0.000382	-0.076378
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Spearman		-0.077474	0.003999	-0.078686
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Spearman		-0.077474	0.003999	-0.078686
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Best Individual	Kendall		-0.063689	-0.024544	-0.065314
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive	Kendall		-0.084088	-0.015202	-0.093254
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE	Kendall		-0.084088	-0.015202	-0.093254
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive	Kendall		-0.083602	0.0105	-0.09016
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE	Kendall		-0.083602	0.0105	-0.09016
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive	Kendall		-0.060416	0.005869	-0.061676
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE	Kendall		-0.060416	0.005869	-0.061676
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive	Kendall		-0.075837	0.000382	-0.076378
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE	Kendall		-0.075837	0.000382	-0.076378
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive	Kendall		-0.077474	0.003999	-0.078686
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE	Kendall		-0.077474	0.003999	-0.078686

Table 85: ImageNet–ViT-B/16

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet–ViT-B/16	A	Fbar	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4		11	nonnegative__slope__ordinary__least_squares	0.766045	0.766045	False	-0.212978	0.011511	0.035763	0.932338	-0.601	-0.095	-0.6768	-0.2932
ImageNet–ViT-B/16	S	C	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c		11	nonnegative__slope__ordinary__least_squares	1.001377	1.001377	False	0.024841	0.001407	0.012505	0.907251	0.0132	0.1336	0.0218	0.1534
ImageNet–ViT-B/16	A	Fbar	06cb9fc8eb7ed872fb1ba76a5ba29623a30cc0b6af903c40f3958a488d594c12	Gradient Attention Rollout	10	nonnegative__slope__ordinary__least_squares	0.82716	0.82716	False	-0.185531	0.008833	0.033228	0.938289	-0.601	-0.1014	-0.6768	-0.2932
ImageNet–ViT-B/16	P	F	1046906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a		11	nonnegative__slope__ordinary__least_squares	1.343624	1.343624	False	0.032025	0.002577	0.016921	0.826658	0.0008	0.0838	0.0066	0.1386
ImageNet–ViT-B/16	A	F	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6		11	nonnegative__slope__ordinary__least_squares	1.484433	1.484433	False	0.045521	0.003508	0.019744	0.810454	0.0008	0.0838	0.0232	0.163
ImageNet–ViT-B/16	S	Cbar	1ba424655890915c15af0a1a4516af16fb9a85231f6c1a152abf9c0fad82c66c	Gradient Attention Rollout	10	nonnegative__slope__ordinary__least_squares	0.847105	0.847105	False	-0.147979	0.016425	0.045312	0.904425	-0.6802	-0.1534	-0.7142	-0.2438
ImageNet–ViT-B/16	G	F	20f8c53a40989baf87cea6fbf9099a5de51125facd12f7bcff6ec360eed078a	Gradient Attention Rollout	10	nonnegative__slope__ordinary__least_squares	1.545873	1.545873	False	0.036806	0.003456	0.020785	0.738546	0.0008	0.0824	0.0114	0.153
ImageNet–ViT-B/16	G	C	21fb4b9e9dcca03fabbf80aaaf5ed190582bf58d3a09c60df18a37db8718a54b	Gradient Attention Rollout	10	nonnegative__slope__ordinary__least_squares	1.350317	1.350317	False	0.060826	0.007017	0.029616	0.681111	0.0132	0.1282	0.0396	0.2136
ImageNet–ViT-B/16	P	Cbar	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e		11	nonnegative__slope__ordinary__least_squares	0.782588	0.782588	False	-0.299965	0.046077	0.071552	0.801055	-0.6802	-0.1426	-0.8032	-0.366
ImageNet–ViT-B/16	G	F	32aadaa12ddabd8bcbf852fd28247b4991b2618eaa18b804a4a42458ef43b6c		11	nonnegative__slope__ordinary__least_squares	1.470239	1.470239	False	0.038441	0.003515	0.019761	0.807202	0.0008	0.0838	0.0114	0.156
ImageNet–ViT-B/16	S	Fbar	3891e121fd5b4cdc9ada2eec35f33e0f9bdef00e7e696dcbbc8e89d93089f498	Gradient Attention Rollout	10	nonnegative__slope__ordinary__least_squares	0.854533	0.854533	False	-0.123261	0.016471	0.045374	0.896935	-0.601	-0.1014	-0.6238	-0.173
ImageNet–ViT-B/16	S	F	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4		11	nonnegative__slope__ordinary__least_squares	1.171888	1.171888	False	0.012419	0.000719	0.008936	0.928616	0.0008	0.0838	0.0028	0.11
ImageNet–ViT-B/16	S	Cbar	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa		11	nonnegative__slope__ordinary__least_squares	0.892397	0.892397	False	-0.12438	0.017985	0.044702	0.930624	-0.6802	-0.1426	-0.7142	-0.2198

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ViT-B/16	G	Fbar	71870e37c8 2e52267a45 a60e4fee16 50b178adcd 01114b002 cd90144af3e5c1		11	nonnegative__ slope__ ordinary__ least_squares	0.765916	0.765916	False	-0.299733	0.039445	0.066203	0.800786	-0.601	-0.095	-0.7268	-0.3224
ImageNet-ViT-B/16	S	Fbar	7d4b88b028 06fb762162 85b714edc6 b03232d115 412d337809 b3c0cfee5f25df		11	nonnegative__ slope__ ordinary__ least_squares	0.910996	0.910996	False	-0.097903	0.018756	0.045651	0.922836	-0.601	-0.095	-0.6238	-0.1456
ImageNet-ViT-B/16	A	F	d248445c0e 9601c6f2e8 2a1f5c3ff7 31df58ea56 83a4fb2f4f1ce5	Gradient Attention Rollout	10	nonnegative__ slope__ ordinary__ least_squares	1.577073	1.577073	False	0.043519	0.003421	0.020678	0.748146	0.0008	0.0824	0.0232	0.1578
ImageNet-ViT-B/16	P	Cbar	83f9ce294b 30a2e162ad a31a7dde71 9e3bb56063 db9d421c4f 395ed8f5032f6c	Gradient Attention Rollout	10	nonnegative__ slope__ ordinary__ least_squares	0.717769	0.717769	False	-0.333739	0.042884	0.073215	0.722395	-0.6802	-0.1534	-0.8032	-0.3814
ImageNet-ViT-B/16	G	Cbar	8b7e3dd0d3b 832bb2a95a 9cdc0fb538 89e3aa6f77 57676995c8 5104a31aa1 a3cf		11	nonnegative__ slope__ ordinary__ least_squares	0.738862	0.738862	False	-0.365668	0.040854	0.067375	0.801901	-0.6802	-0.1426	-0.8402	-0.4236
ImageNet-ViT-B/16	G	Cbar	98f866d840 7cbed6730f 876203c4b8 f9d882ebf2 48fd0a9575 7496d0869f 92d9	Gradient Attention Rollout	10	nonnegative__ slope__ ordinary__ least_squares	0.671385	0.671385	False	-0.400826	0.037394	0.068368	0.723073	-0.6802	-0.1534	-0.8402	-0.436
ImageNet-ViT-B/16	P	C	9a811f1bc8 7b60a1a088 e297dd804b 613929e5b2 603ceb65f2 ff5f7ea3824850		11	nonnegative__ slope__ ordinary__ least_squares	1.142914	1.142914	False	0.059565	0.00459	0.022582	0.796213	0.0132	0.1336	0.0364	0.2
ImageNet-ViT-B/16	A	Cbar	9cf3e64087 9d6a325b7a b6970cedfd 50d3c6cc1e 136e55ee3b 46ced3a50f610e	Gradient Attention Rollout	10	nonnegative__ slope__ ordinary__ least_squares	0.827732	0.827732	False	-0.200651	0.009739	0.034891	0.938416	-0.6802	-0.1534	-0.7568	-0.3522
ImageNet-ViT-B/16	P	F	aae516c6dc 7de1bca6a2 01d3aed351 223b7eccc8 2a16e1550c 49addb243b f210	Gradient Attention Rollout	10	nonnegative__ slope__ ordinary__ least_squares	1.426949	1.426949	False	0.030224	0.002506	0.017699	0.768484	0.0008	0.0824	0.0066	0.1386
ImageNet-ViT-B/16	P	C	c661ee4fc1 070efa2ede 4242adb78 557821be50 4ba7cc153f 4580343754 1dd7	Gradient Attention Rollout	10	nonnegative__ slope__ ordinary__ least_squares	1.259004	1.259004	False	0.054318	0.004314	0.023221	0.751271	0.0132	0.1282	0.0364	0.1992
ImageNet-ViT-B/16	G	C	ca0f8e136d e5f154e819 2ea26d25b4 43107e0ce9 a13cdc68fc af6c6cf509dfc8		11	nonnegative__ slope__ ordinary__ least_squares	1.219239	1.219239	False	0.066751	0.007369	0.028614	0.734704	0.0132	0.1336	0.0396	0.2158
ImageNet-ViT-B/16	P	Fbar	caca1e14db 070990a340 144d1ce512 0da7e3b1ef 054fce6c12 9e60ad10cd 5ce3		11	nonnegative__ slope__ ordinary__ least_squares	0.806412	0.806412	False	-0.239437	0.044239	0.070111	0.798919	-0.601	-0.095	-0.6902	-0.2668
ImageNet-ViT-B/16	A	C	d0c93e01dc 441430dff 6f231cc1bd 72cf2c08b4 6ce40a2b28 b69e5ee7b7 e42d	Gradient Attention Rollout	10	nonnegative__ slope__ ordinary__ least_squares	1.539625	1.539625	False	0.04565	0.003516	0.020964	0.84713	0.0132	0.1282	0.0466	0.2218
ImageNet-ViT-B/16	A	C	e005ed9391 ee7599f95f cd63b6db9e 86847dc1f0 e2805ff063 2b86b8e782 2357		11	nonnegative__ slope__ ordinary__ least_squares	1.413105	1.413105	False	0.051369	0.003844	0.020666	0.87702	0.0132	0.1336	0.0466	0.2268

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ViT-B/16	S	F	e13faf2f1e10d91a8999af77dae12416473a950918e692e3b4444ca135595879	Gradient Attention Rollout	10	nonnegative_slope_ordinary_least_squares	1.180237	1.180237	False	0.012239	0.000718	0.009473	0.887974	0.0008	0.0824	0.0028	0.1068
ImageNet-ViT-B/16	A	Cbar	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631		11	nonnegative_slope_ordinary_least_squares	0.767332	0.767332	False	-0.232123	0.012512	0.037286	0.93445	-0.6802	-0.1426	-0.7568	-0.3522
ImageNet-ViT-B/16	P	Fbar	eba644a7beb948a178beb2c04d6b65ae34636bfd e5d62445f54c87404fe0906c	Gradient Attention Rollout	10	nonnegative_slope_ordinary_least_squares	0.734835	0.734835	False	-0.271582	0.040566	0.071209	0.723212	-0.601	-0.1014	-0.6902	-0.2814
ImageNet-ViT-B/16	G	Fbar	ed794fcc68ae94b1114b1ef8e95a855e4faeced86074dce5635a652ab603c6a1	Gradient Attention Rollout	10	nonnegative_slope_ordinary_least_squares	0.693105	0.693105	False	-0.332432	0.035644	0.06675	0.725692	-0.601	-0.1014	-0.7268	-0.3328
ImageNet-ViT-B/16	S	C	f1b59caaaf91ebbe6ea0dc6a9e0d17a40c5c868d90d217468ec03ba61b22c199	Gradient Attention Rollout	10	nonnegative_slope_ordinary_least_squares	1.06222	1.06222	False	0.022091	0.001331	0.012901	0.87446	0.0132	0.1282	0.0218	0.1534

Table 86: ImageNet-ViT-B/16

Cell	Condition	Metric	Reference Methods
ImageNet-ViT-B/16	A	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	F	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency

Cell	Condition	Metric	Reference Methods
ImageNet-ViT-B/16	S	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb- lation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	F	Attention GradCAM;CheferTransformer Attribution;FeatureAb- lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb- lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb- lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb- lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	F	Attention GradCAM;CheferTransformer Attribution;FeatureAb- lation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb- lation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb- lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb- lation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	C	Attention GradCAM;CheferTransformer Attribution;FeatureAb- lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency

Cell	Condition	Metric	Reference Methods
ImageNet-ViT-B/16	A	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	F	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	C	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	C	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	C	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	C	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	F	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAb lation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency

Cell	Condition	Metric	Reference Methods
ImageNet-ViT-B/16	S	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency

Table 87: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			G	F	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				max	- 0.01035	0.0838
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			G	Fbar	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				min	0.075877	0.095
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			G	C	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				max	- 0.025429	0.1336
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			G	Cbar	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				min	0.072966	0.1426
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			P	F	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				max	- 0.011403	0.0838
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			P	Fbar	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				min	0.074592	0.095
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			P	C	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				max	- 0.022521	0.1336
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			P	Cbar	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				min	0.070092	0.1426
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			S	F	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				max	- 0.001143	0.0838
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			S	Fbar	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				min	0.058842	0.095
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			S	C	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				max	- 0.011803	0.1336
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			S	Cbar	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				min	0.048976	0.1426
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			A	F	e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64	5000				max	- 0.012677	0.0838

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			A	Fbar	e247146c47e662c14bbeee900a94d952b114e556d37d70ed8a85b7cd84693c64	5000				min	-0.063689	0.095
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			A	C	e247146c47e662c14bbeee900a94d952b114e556d37d70ed8a85b7cd84693c64	5000				max	-0.024544	0.1336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			A	Cbar	e247146c47e662c14bbeee900a94d952b114e556d37d70ed8a85b7cd84693c64	5000				min	-0.065314	0.1426
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			G	F	c0db6195a524239e5b7347eb7a92678e87d61145c76ab601a1b3a023e32c7134	5000				max	0.00877	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			G	Fbar	c0db6195a524239e5b7347eb7a92678e87d61145c76ab601a1b3a023e32c7134	5000				min	0.023451	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			G	C	c0db6195a524239e5b7347eb7a92678e87d61145c76ab601a1b3a023e32c7134	5000				max	0.021023	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			G	Cbar	c0db6195a524239e5b7347eb7a92678e87d61145c76ab601a1b3a023e32c7134	5000				min	0.029525	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			P	F	c0db6195a524239e5b7347eb7a92678e87d61145c76ab601a1b3a023e32c7134	5000				max	0.013114	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			P	Fbar	c0db6195a524239e5b7347eb7a92678e87d61145c76ab601a1b3a023e32c7134	5000				min	0.03591	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			P	C	c0db6195a524239e5b7347eb7a92678e87d61145c76ab601a1b3a023e32c7134	5000				max	0.021686	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			P	Cbar	c0db6195a524239e5b7347eb7a92678e87d61145c76ab601a1b3a023e32c7134	5000				min	0.040648	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			S	F	c0db6195a524239e5b7347eb7a92678e87d61145c76ab601a1b3a023e32c7134	5000				max	0.000546	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			S	Fbar	c0db6195a524239e5b7347eb7a92678e87d61145c76ab601a1b3a023e32c7134	5000				min	0.021454	0.1174

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			S	C	c0db6195a5 24239e5b73 47eb7a9267 8e87d61145 c76ab601a1 b3a023e32c 7134	5000				max	0.007217	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			S	Cbar	c0db6195a5 24239e5b73 47eb7a9267 8e87d61145 c76ab601a1 b3a023e32c 7134	5000				min	0.024414	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			A	F	c0db6195a5 24239e5b73 47eb7a9267 8e87d61145 c76ab601a1 b3a023e32c 7134	5000				max	- 0.013422	0.0642
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			A	Fbar	c0db6195a5 24239e5b73 47eb7a9267 8e87d61145 c76ab601a1 b3a023e32c 7134	5000				min	- 0.084088	0.1174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			A	C	c0db6195a5 24239e5b73 47eb7a9267 8e87d61145 c76ab601a1 b3a023e32c 7134	5000				max	- 0.015202	0.1032
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			A	Cbar	c0db6195a5 24239e5b73 47eb7a9267 8e87d61145 c76ab601a1 b3a023e32c 7134	5000				min	- 0.093254	0.1744
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			G	F	808f40d5ed cc5e75db98 07d0e79132 808a205022 3fc33e4615 d428f4879d e842	5000				max	0.017682	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			G	Fbar	808f40d5ed cc5e75db98 07d0e79132 808a205022 3fc33e4615 d428f4879d e842	5000				min	0.063723	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			G	C	808f40d5ed cc5e75db98 07d0e79132 808a205022 3fc33e4615 d428f4879d e842	5000				max	0.028266	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			G	Cbar	808f40d5ed cc5e75db98 07d0e79132 808a205022 3fc33e4615 d428f4879d e842	5000				min	0.068226	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			P	F	808f40d5ed cc5e75db98 07d0e79132 808a205022 3fc33e4615 d428f4879d e842	5000				max	0.020749	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			P	Fbar	808f40d5ed cc5e75db98 07d0e79132 808a205022 3fc33e4615 d428f4879d e842	5000				min	0.072963	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			P	C	808f40d5ed cc5e75db98 07d0e79132 808a205022 3fc33e4615 d428f4879d e842	5000				max	0.030373	0.0802

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			P	Cbar	808f40d5edcc5e75db9807d0e79132808a2050223fc33e4615d428f4879de842	5000				min	0.076054	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			S	F	808f40d5edcc5e75db9807d0e79132808a2050223fc33e4615d428f4879de842	5000				max	0.005965	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			S	Fbar	808f40d5edcc5e75db9807d0e79132808a2050223fc33e4615d428f4879de842	5000				min	0.037824	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			S	C	808f40d5edcc5e75db9807d0e79132808a2050223fc33e4615d428f4879de842	5000				max	0.011849	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			S	Cbar	808f40d5edcc5e75db9807d0e79132808a2050223fc33e4615d428f4879de842	5000				min	0.039141	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			A	F	808f40d5edcc5e75db9807d0e79132808a2050223fc33e4615d428f4879de842	5000				max	0.004923	0.0478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			A	Fbar	808f40d5edcc5e75db9807d0e79132808a2050223fc33e4615d428f4879de842	5000				min	- 0.083602	0.2256
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			A	C	808f40d5edcc5e75db9807d0e79132808a2050223fc33e4615d428f4879de842	5000				max	0.0105	0.0802
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			A	Cbar	808f40d5edcc5e75db9807d0e79132808a2050223fc33e4615d428f4879de842	5000				min	- 0.09016	0.2866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			G	F	ac097f5436d465def21edd2761f8642d87d58fe927b24f542a88a55f52f8806c	5000				max	0.022647	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			G	Fbar	ac097f5436d465def21edd2761f8642d87d58fe927b24f542a88a55f52f8806c	5000				min	0.075905	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			G	C	ac097f5436d465def21edd2761f8642d87d58fe927b24f542a88a55f52f8806c	5000				max	0.031882	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			G	Cbar	ac097f5436d465def21edd2761f8642d87d58fe927b24f542a88a55f52f8806c	5000				min	0.079822	0.3318

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			P	F	ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000				max	0.027193	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			P	Fbar	ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000				min	0.077878	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			P	C	ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000				max	0.031801	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			P	Cbar	ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000				min	0.081427	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			S	F	ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000				max	0.011386	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			S	Fbar	ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000				min	0.036215	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			S	C	ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000				max	0.015041	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			S	Cbar	ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000				min	0.040677	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			A	F	ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000				max	0.001657	0.05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			A	Fbar	ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000				min	- 0.060416	0.2684
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			A	C	ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000				max	0.005869	0.0856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			A	Cbar	ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000				min	- 0.061676	0.3318
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			G	F	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbe24e0d c0a1da0700 06d7	5000				max	0.01966	0.0538

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			G	Fbar	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				min	0.05769	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			G	C	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				max	0.031893	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			G	Cbar	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				min	0.062201	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			P	F	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				max	0.023888	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			P	Fbar	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				min	0.06539	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			P	C	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				max	0.031287	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			P	Cbar	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				min	0.067133	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			S	F	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				max	0.009133	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			S	Fbar	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				min	0.026972	0.2172
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			S	C	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				max	0.015036	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			S	Cbar	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				min	0.028272	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			A	F	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				max	- 0.001984	0.0538
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			A	Fbar	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				min	- 0.075837	0.2172

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			A	C	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				max	0.000382	0.0892
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			A	Cbar	aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000				min	- 0.076378	0.2798
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			G	F	c4c26b6164 49eea019e9 00985ad1d3 2480fefea6 431244007d 8e08883638 302a	5000				max	0.024812	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			G	Fbar	c4c26b6164 49eea019e9 00985ad1d3 2480fefea6 431244007d 8e08883638 302a	5000				min	0.073251	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			G	C	c4c26b6164 49eea019e9 00985ad1d3 2480fefea6 431244007d 8e08883638 302a	5000				max	0.033257	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			G	Cbar	c4c26b6164 49eea019e9 00985ad1d3 2480fefea6 431244007d 8e08883638 302a	5000				min	0.077014	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			P	F	c4c26b6164 49eea019e9 00985ad1d3 2480fefea6 431244007d 8e08883638 302a	5000				max	0.026806	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			P	Fbar	c4c26b6164 49eea019e9 00985ad1d3 2480fefea6 431244007d 8e08883638 302a	5000				min	0.072015	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			P	C	c4c26b6164 49eea019e9 00985ad1d3 2480fefea6 431244007d 8e08883638 302a	5000				max	0.030116	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			P	Cbar	c4c26b6164 49eea019e9 00985ad1d3 2480fefea6 431244007d 8e08883638 302a	5000				min	0.07688	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			S	F	c4c26b6164 49eea019e9 00985ad1d3 2480fefea6 431244007d 8e08883638 302a	5000				max	0.013393	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			S	Fbar	c4c26b6164 49eea019e9 00985ad1d3 2480fefea6 431244007d 8e08883638 302a	5000				min	0.030512	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			S	C	c4c26b6164 49eea019e9 00985ad1d3 2480fefea6 431244007d 8e08883638 302a	5000				max	0.016042	0.0848

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			S	Cbar	c4c26b616449eea019e900985ad1d32480fe6a6431244007d8e08883638302a	5000				min	0.036468	0.2966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			A	F	c4c26b616449eea019e900985ad1d32480fe6a6431244007d8e08883638302a	5000				max	0.002839	0.0488
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			A	Fbar	c4c26b616449eea019e900985ad1d32480fe6a6431244007d8e08883638302a	5000				min	-0.077474	0.2336
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			A	C	c4c26b616449eea019e900985ad1d32480fe6a6431244007d8e08883638302a	5000				max	0.003999	0.0848
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			A	Cbar	c4c26b616449eea019e900985ad1d32480fe6a6431244007d8e08883638302a	5000				min	-0.078686	0.2966

Table 88: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapol- ated
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			G	F	0.156	0.0838	0.156	0.16635	20f8c53a40989baf87cea6fbf9099a5de51125facd12f7bcff6ec360eed078a	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			G	Fbar	0.3224	-0.095	-0.3224	-0.398277	ed794fcc68ae94b1114b1ef8e95a855e4faeced86074dce5635a652ab603c6a1	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			G	C	0.2158	0.1336	0.2158	0.241229	21fb4b9e9dcca03fabbf80aa5ed190582bf58d3a09c60df18a37db8718a54b	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			G	Cbar	0.4236	-0.1426	-0.4236	-0.496566	98f866d8407cbcd6730f876203c4b8f9d882ebf248fd0a95757496d0869f92d9	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			P	F	0.1384	0.0838	0.1384	0.149803	aae516c6dc7de1bca6a201d3aed351223b7ecce82a16e1550c49addb243bf210	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			P	Fbar	0.2668	-0.095	-0.2668	-0.341392	eba644a7beb6948a178beb2c04d6b65ae34636bdfd5d62445f54c87404fe0906c	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			P	C	0.2	0.1336	0.2	0.222521	c661ee4fc1070efa2ede4242adb78557821be504ba7cc153f45803437541dd7	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			P	Cbar	0.366	-0.1426	-0.366	-0.436092	83f9cc294b30a2e162ada31a7dde719e3bb56063db9d421c4f395ed8f5032f6c	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			S	F	0.11	0.0838	0.11	0.111143	e13faf2f1e10d91a8999a77fdae12416473a950918e692e3b4444ca135595879	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			S	Fbar	0.1456	-0.095	-0.1456	-0.204442	3891e121fd5b4cdc9ada2e0c35f33e0f9bdef00e7e696dcbbcb8e89d93089f498	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			S	C	0.1522	0.1336	0.1522	0.164003	1b59caaf91ebbe6ea0dc6a9e0d17a40c5c868d90d217468ec03ba61b22c199	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			S	Cbar	0.2198	-0.1426	-0.2198	-0.268776	1ba42465580915c15af0a1a4516af16fb9a85231f6c1a152abf9c0fad82c66c	leave_one_out_naive_single	Gradient Attention Rollout	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			A	F	0.163	0.0838	0.163	0.175677	83e2949bdbc248445c0e9601c6f2e82a1f5c3ff731df58ea5683a4fb2f4f1ce5	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			A	Fbar	0.3278	-0.095	-0.3278	-0.264111	06cb9fe8eb7ed872fb1ba76a5ba29623a30cc0b6af903c40f3958a488d594c12	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			A	C	0.2268	0.1336	0.2268	0.251344	40c93e01dc441430dfff6f231cc1bd72cf2c08b46cc40a2b28b69e5ee7b7e42d	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			A	Cbar	0.384	-0.1426	-0.384	-0.318686	9cf3e64087bd6a325b7ab6970cedfd50d3c6cc1e136e55ee3b46ced3a50f610e	leave_one_out_naive_single	Gradient Attention Rollout	True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			G	F	0.1416	0.0642	0.1416	0.13283	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			G	Fbar	0.3662	-0.1174	-0.3662	-0.389651	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			G	C	0.2136	0.1032	0.2136	0.192577	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fc af66cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			G	Cbar	0.465	-0.1744	-0.465	-0.494525	8b7e3d0d3bb832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			P	F	0.1314	0.0642	0.1314	0.118286	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			P	Fbar	0.2982	-0.1174	-0.2982	-0.33411	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			P	C	0.1992	0.1032	0.1992	0.177514	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb652f5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			P	Cbar	0.3958	-0.1744	-0.3958	-0.436448	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			S	F	0.0882	0.0642	0.0882	0.087654	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			S	Fbar	0.1834	-0.1174	-0.1834	-0.204854	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfe5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			S	C	0.1354	0.1032	0.1354	0.128183	0597e52db6fa0240b006f5a941c56355395e172468625684417b85369abd9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			S	Cbar	0.2556	-0.1744	-0.2556	-0.280014	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			A	F	0.1274	0.0642	0.1274	0.140822	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			A	Fbar	0.387	-0.1174	-0.387	-0.302912	0479bd94d55b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			A	C	0.182	0.1032	0.182	0.197202	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			A	Cbar	0.4592	-0.1744	-0.4592	-0.365946	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			G	F	0.1264	0.0478	0.1264	0.108718	32aadaa12ddabdd8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			G	Fbar	0.4088	-0.2256	-0.4088	-0.472523	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			G	C	0.1928	0.0802	0.1928	0.164534	ca0f8e136de5f154c8192ea26d25b443107a0ce9a13cdc68fcafe6c6f509dfe8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			G	Cbar	0.5092	-0.2866	-0.5092	-0.577426	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa617757675995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			P	F	0.117	0.0478	0.117	0.096251	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaf4eed27a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			P	Fbar	0.3484	-0.2256	-0.3484	-0.421363	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			P	C	0.1816	0.0802	0.1816	0.151227	9a811ffb87b60a1a088e297dd804b613929e5b2603ceb65f2f5f7ea3824850	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			P	Cbar	0.4482	-0.2866	-0.4482	-0.524254	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcbb7e	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			S	F	0.0744	0.0478	0.0744	0.068435	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			S	Fbar	0.2656	-0.2256	-0.2656	-0.303424	7d4b88b02806fb76216285b714ede6b03232d115412d337809b3c0fce5f25df	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			S	C	0.117	0.0802	0.117	0.105151	0597e52db66af0240b006f5a941c56355395e17246862584417b85369ab1d9c	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			S	Cbar	0.341	-0.2866	-0.341	-0.380141	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			A	F	0.1214	0.0478	0.1214	0.116477	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			A	Fbar	0.4694	-0.2256	-0.4694	-0.385798	0479bd94d55b6777d2342b89cfb365243b2954e7ab81c7bfc656373cc838cb4	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			A	C	0.1752	0.0802	0.1752	0.1647	e005ed9391ee7599f95fcd3b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			A	Cbar	0.5422	-0.2866	-0.5422	-0.45204	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			G	F	0.1346	0.05	0.1346	0.111953	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			G	Fbar	0.4294	-0.2684	-0.4294	-0.505305	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9f014af3e5c1	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			G	C	0.203	0.0856	0.203	0.171118	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fc af6c6cf509dfc8	full_naive__single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			G	Cbar	0.531	-0.3318	-0.531	-0.610822	8b7e3dd03b832b2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3ef	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			P	F	0.1264	0.05	0.1264	0.099207	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			P	Fbar	0.378	-0.2684	-0.378	0.455878	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			P	C	0.1892	0.0856	0.1892	0.157399	9a811f1bc87b60a1a088e2974d804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			P	Cbar	0.4782	-0.3318	-0.4782	0.559627	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcbb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			S	F	0.0824	0.05	0.0824	0.071014	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			S	Fbar	0.3062	-0.2684	-0.3062	0.342415	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0fce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			S	C	0.1256	0.0856	0.1256	0.110559	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			S	Cbar	0.3798	-0.3318	-0.3798	0.420477	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			A	F	0.1214	0.05	0.1214	0.119743	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			A	Fbar	0.479	-0.2684	-0.479	0.418584	0479bd94d55b6777d2342b89cfcb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			A	C	0.1782	0.0856	0.1782	0.172331	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			A	Cbar	0.5484	-0.3318	-0.5484	0.486724	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			G	F	0.1372	0.0538	0.1372	0.11754	32aad12d dabdb8bcf85 2f2fd28247 b4991b2618 eaa18b804a 4a42458ef4 3b6c	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			G	Fbar	0.4084	-0.2172	-0.4084	- 0.46609	71870e37c8 2e52267a45 a60e4fee16 50b178adcd 01114bf002 cdf9014af3 e5c1	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			G	C	0.2074	0.0892	0.2074	0.175507	ca0f8e136d e5f154e819 2ea26d25b4 43107e0ce9 a13cdc68fc af6c6cf509 dfc8	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			G	Cbar	0.5102	-0.2798	-0.5102	- 0.572401	8b7e3d0d3b 832bb2a95a 9cdcf0fb538 89e3aa6f77 57676995c8 5104a31aa1 a3cf	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			P	F	0.1282	0.0538	0.1282	0.104312	10d6906cd7 b38fd614f1 f69c2cbb0a 349453728f a7d8c23094 70aaef4eed 2f7a	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			P	Fbar	0.3492	-0.2172	-0.3492	- 0.41459	caca1e14db 070990a340 144d1ce512 0da7e3b1ef 054fce6c12 9e60ad10cd 5cc3	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			P	C	0.1928	0.0892	0.1928	0.161513	9a811f1bc8 7b60a1a088 e297dd804b 613929e5b2 603ceb65f2 ff5f7ea382 4850	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			P	Cbar	0.4518	-0.2798	-0.4518	- 0.518933	309e2d79b5 8dca1ab5a6 96bf079b29 df2ef71ad4 e6ca1506ef 04eb6c989d cb7e	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			S	F	0.0846	0.0538	0.0846	0.075467	39839bb66f 1409dab85e 47e4773d5d 6272ab445b 18a1303edf b75285ea15 50b4	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			S	Fbar	0.2688	-0.2172	-0.2688	- 0.295772	7d4b88b028 06fb762162 85b714edc6 b053232d115 412d337809 b3c0fce5f 25df	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			S	C	0.1292	0.0892	0.1292	0.114164	0597e52db6 6af0240b00 6f5a941c56 355395e172 4686256844 17b85369ab 1d9c	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			S	Cbar	0.3458	-0.2798	-0.3458	- 0.374072	5a59f15422 35429a98dd 7dc65254db 6298682c22 22b5a652f6 f05e2028ba 9efa	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			A	F	0.1234	0.0538	0.1234	0.125384	18440113e8 769665f578 4f93b8ca7a 310cd8517 02d4f59913 29e37c59af 1ea6	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			A	Fbar	0.4552	-0.2172	-0.4552	0.379363	-0.04799d94d55b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			A	C	0.1778	0.0892	0.1778	0.177418	e005d9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			A	Cbar	0.5232	-0.2798	-0.5232	-0.446822	e2b95c2158f9b47b9462dd7d77147200f1307cd4453969a71056318550d631	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			G	F	0.135	0.0488	0.135	0.110188	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			G	Fbar	0.4054	-0.2336	-0.4054	-0.478651	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			G	C	0.2034	0.0848	0.2034	0.170143	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafe6c6f509dfc8	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			G	Cbar	0.5078	-0.2966	-0.5078	-0.584814	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			P	F	0.1244	0.0488	0.1244	0.097594	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			P	Fbar	0.3558	-0.2336	-0.3558	-0.427815	cacale1e14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			P	C	0.1866	0.0848	0.1866	0.156484	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			P	Cbar	0.4552	-0.2966	-0.4552	-0.53208	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			S	F	0.083	0.0488	0.083	0.069607	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive__single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			S	Fbar	0.2802	-0.2336	-0.2802	-0.310712	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive__single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			S	C	0.1258	0.0848	0.1258	0.109758	0597e52db66a0240b006f5a941c56355395e172468625684417b85369ab149c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			S	Cbar	0.3526	-0.2966	-0.3526	-0.389065	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			A	F	0.1208	0.0488	0.1208	0.117961	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			A	Fbar	0.4694	-0.2336	-0.4694	-0.391926	0479bd94d55b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			A	C	0.1752	0.0848	0.1752	0.171201	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			A	Cbar	0.5384	-0.2966	-0.5384	-0.459714	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False

Table 89: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^*_z	ER^*_c	ER^*_s
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			e247146c47 e662c14bbe ee900a94d9 52b114e556 d37d70ed8a 85b7cd8469 3c64 c0db6195a5 24239e5b73 47eb7a9267 8e87d61145 c76ab601a1 b3a023e32c 7134	5000						0.01035	0.075877	0.025429
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			c0db6195a5 24239e5b73 47eb7a9267 8e87d61145 c76ab601a1 b3a023e32c 7134	5000						0.00877	0.023451	0.021023
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			808f40d5ed cc5e75db98 07d0e79132 808a205022 3fc33e4615 d428f4879d e842	5000						0.017682	0.063723	0.028266
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			ac097f5436 d465def21e dd2761f864 2d87d58fe9 27b24f542a 88a55f52f8 806c	5000						0.022647	0.075905	0.031882
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			aeb5f3e1df f3cf2aba78 7ecd646a26 ebf2d768c9 3bdbc24e0d c0a1da0700 06d7	5000						0.01966	0.05769	0.031893
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			c4c26b6164 49ea019e9 00985ad1d3 2480fefa6 431244007d 8e08883638 302a	5000						0.024812	0.073251	0.033257

Table 90: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{E}}$	$ER^p_{\mathcal{C}^*}$	$ER^p_{\mathcal{C}^*}$	$ER^p_{\mathcal{F}^*}$	$ER^p_{\mathcal{E}^*}$	$ER^p_{\mathcal{C}^*}$	$ER^p_{\mathcal{C}^*}$	$ER^p_{\mathcal{F}^*}$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			0.072966	-0.011403	0.074592	-0.022521	0.070092	-0.001143	0.058842	-0.011803	0.048976	-0.012677
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			0.029525	0.013114	0.03591	0.021686	0.040648	0.000546	0.021454	0.007217	0.024414	-0.013422
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			0.068226	0.020749	0.072963	0.030373	0.076054	0.005965	0.037824	0.011849	0.039141	0.004923
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			0.079822	0.027193	0.077878	0.031801	0.081427	0.011386	0.036215	0.015041	0.040677	0.001657
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			0.062201	0.023888	0.06539	0.031287	0.067133	0.009133	0.026972	0.015036	0.028272	-0.001984
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			0.077014	0.026806	0.072015	0.030116	0.07688	0.013393	0.030512	0.016042	0.036465	0.002839

Table 91: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^a_e	ER^a_c	$ER^a_{\bar{c}}$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Best Individual	Naive			-0.063689	-0.024544	-0.065314
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Naive			-0.084088	-0.015202	-0.093254
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Naive			-0.083602	0.0105	-0.09016
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Naive			-0.060416	0.005869	-0.061676
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Naive			-0.075837	0.000382	-0.076378
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Naive			-0.077474	0.003999	-0.078686

Table 92: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	G	F	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				max	- 0.011305	0.0852
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	G	Fbar	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				min	0.05672	0.0966
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	G	C	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				max	- 0.013091	0.132
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	G	Cbar	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				min	0.055115	0.1484
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	P	F	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				max	- 0.006502	0.0852
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	P	Fbar	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				min	0.050136	0.0966
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	P	C	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				max	- 0.00703	0.132
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	P	Cbar	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				min	0.048501	0.1484
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	S	F	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				max	- 0.003664	0.0852
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	S	Fbar	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				min	0.025706	0.0966
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	S	C	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				max	- 0.003623	0.132
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	S	Cbar	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				min	0.026611	0.1484
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	A	F	a1e1c32d1e 3728316290 aafd637541 d2444869d0 cc69ae1ee6 6630527e4a 0d7b	5000				max	- 0.009595	0.0852

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	A	Fbar	a1e1c32d1e3728316290aafd637541d2444869d0cc69ae1ee66630527e4a0d7b	5000	Geometry			min	-0.007622	0.0966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	A	C	a1e1c32d1e3728316290aafd637541d2444869d0cc69ae1ee66630527e4a0d7b	5000				max	-0.012499	0.132
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	A	Cbar	a1e1c32d1e3728316290aafd637541d2444869d0cc69ae1ee66630527e4a0d7b	5000				min	-0.007605	0.1484
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	G	F	3ab12bec1eb4d428a74bd6e2d892110ec4987706722f50f8a67c25509853a38a	5000				max	-0.006069	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	G	Fbar	3ab12bec1eb4d428a74bd6e2d892110ec4987706722f50f8a67c25509853a38a	5000				min	0.05501	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	G	C	3ab12bec1eb4d428a74bd6e2d892110ec4987706722f50f8a67c25509853a38a	5000				max	-0.011792	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	G	Cbar	3ab12bec1eb4d428a74bd6e2d892110ec4987706722f50f8a67c25509853a38a	5000				min	0.055542	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	P	F	3ab12bec1eb4d428a74bd6e2d892110ec4987706722f50f8a67c25509853a38a	5000				max	-0.007314	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	P	Fbar	3ab12bec1eb4d428a74bd6e2d892110ec4987706722f50f8a67c25509853a38a	5000				min	0.053072	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	P	C	3ab12bec1eb4d428a74bd6e2d892110ec4987706722f50f8a67c25509853a38a	5000				max	-0.010487	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	P	Cbar	3ab12bec1eb4d428a74bd6e2d892110ec4987706722f50f8a67c25509853a38a	5000				min	0.054622	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	S	F	3ab12bec1eb4d428a74bd6e2d892110ec4987706722f50f8a67c25509853a38a	5000				max	0.00153	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	S	Fbar	3ab12bec1eb4d428a74bd6e2d892110ec4987706722f50f8a67c25509853a38a	5000				min	0.028044	0.0928

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	S	C	3ab12bec1e b4d428a74b d6e2d89211 0ec4987706 722f50f8a6 7c25509853 a38a	5000	Geometry			max	0.000173	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	S	Cbar	3ab12bec1e b4d428a74b d6e2d89211 0ec4987706 722f50f8a6 7c25509853 a38a	5000				min	0.02767	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	A	F	3ab12bec1e b4d428a74b d6e2d89211 0ec4987706 722f50f8a6 7c25509853 a38a	5000				max	- 0.011376	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	A	Fbar	3ab12bec1e b4d428a74b d6e2d89211 0ec4987706 722f50f8a6 7c25509853 a38a	5000				min	- 0.012133	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	A	C	3ab12bec1e b4d428a74b d6e2d89211 0ec4987706 722f50f8a6 7c25509853 a38a	5000				max	- 0.016221	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	A	Cbar	3ab12bec1e b4d428a74b d6e2d89211 0ec4987706 722f50f8a6 7c25509853 a38a	5000				min	- 0.011447	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	G	F	64983b4f12 f077ccaa11 0e4af12e69 235c984d1d b26a6d777a 0896ad7552 8981	5000				max	- 0.006069	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	G	Fbar	64983b4f12 f077ccaa11 0e4af12e69 235c984d1d b26a6d777a 0896ad7552 8981	5000				min	0.05501	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	G	C	64983b4f12 f077ccaa11 0e4af12e69 235c984d1d b26a6d777a 0896ad7552 8981	5000				max	- 0.011792	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	G	Cbar	64983b4f12 f077ccaa11 0e4af12e69 235c984d1d b26a6d777a 0896ad7552 8981	5000				min	0.055542	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	P	F	64983b4f12 f077ccaa11 0e4af12e69 235c984d1d b26a6d777a 0896ad7552 8981	5000				max	- 0.007314	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	P	Fbar	64983b4f12 f077ccaa11 0e4af12e69 235c984d1d b26a6d777a 0896ad7552 8981	5000				min	0.053072	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	P	C	64983b4f12 f077ccaa11 0e4af12e69 235c984d1d b26a6d777a 0896ad7552 8981	5000				max	- 0.010487	0.1352

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	P	Cbar	64983b4f12f077ccaa110e4af12e69235c984d1db26a6d777a0896ad75528981	5000	Geometry			min	0.054622	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	S	F	64983b4f12f077ccaa110e4af12e69235c984d1db26a6d777a0896ad75528981	5000				max	0.00153	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	S	Fbar	64983b4f12f077ccaa110e4af12e69235c984d1db26a6d777a0896ad75528981	5000				min	0.028044	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	S	C	64983b4f12f077ccaa110e4af12e69235c984d1db26a6d777a0896ad75528981	5000				max	0.000173	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	S	Cbar	64983b4f12f077ccaa110e4af12e69235c984d1db26a6d777a0896ad75528981	5000				min	0.02767	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	A	F	64983b4f12f077ccaa110e4af12e69235c984d1db26a6d777a0896ad75528981	5000				max	- 0.011376	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	A	Fbar	64983b4f12f077ccaa110e4af12e69235c984d1db26a6d777a0896ad75528981	5000				min	- 0.012133	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	A	C	64983b4f12f077ccaa110e4af12e69235c984d1db26a6d777a0896ad75528981	5000				max	- 0.016221	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	A	Cbar	64983b4f12f077ccaa110e4af12e69235c984d1db26a6d777a0896ad75528981	5000				min	- 0.011447	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	G	F	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				max	- 0.005846	0.0872
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	G	Fbar	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				min	0.053597	0.092
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	G	C	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				max	- 0.01028	0.1356
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	G	Cbar	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				min	0.054412	0.1442

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	P	F	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				max	-0.009389	0.0872
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	P	Fbar	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				min	0.052427	0.092
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	P	C	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				max	-0.011344	0.1356
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	P	Cbar	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				min	0.052414	0.1442
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	S	F	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				max	-0.001408	0.0872
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	S	Fbar	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				min	0.025515	0.092
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	S	C	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				max	-0.002627	0.1356
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	S	Cbar	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				min	0.026063	0.1442
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	A	F	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				max	-0.011364	0.0872
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	A	Fbar	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				min	-0.012546	0.092
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	A	C	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				max	-0.017186	0.1356
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	A	Cbar	f269f68578e41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				min	-0.011628	0.1442
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	G	F	6fa4f7668fbad5c507a18c53dab7e8122eb2a51102fc4b9aa233e232a2f49b88	5000				max	-0.006069	0.0864

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	G	Fbar	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000	Geometry			min	0.05501	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	G	C	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000				max	- 0.011792	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	G	Cbar	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000				min	0.055542	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	P	F	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000				max	- 0.007314	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	P	Fbar	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000				min	0.053072	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	P	C	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000				max	- 0.010487	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	P	Cbar	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000				min	0.054622	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	S	F	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000				max	0.00153	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	S	Fbar	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000				min	0.028044	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	S	C	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000				max	0.000173	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	S	Cbar	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000				min	0.02767	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	A	F	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000				max	- 0.011376	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	A	Fbar	6fa4f7668f bad5c507a1 8c53dab7e8 122eb2a511 02fc4b9aa2 33e232a2f4 9b88	5000				min	- 0.012133	0.0928

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	A	C	6fa4f7668fbad5c507a18c53dab7e8122eb2a51102fe4b9aa233e232a2f49b88	5000				max	-0.016221	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	A	Cbar	6fa4f7668fbad5c507a18c53dab7e8122eb2a51102fe4b9aa233e232a2f49b88	5000				min	-0.011447	0.146

Table 93: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	G	F	0.1524	0.0852	0.1524	0.16370532	32aadaa12d dabb8bcf85 2f2fd28247 b4991b2618 eaa18b804a 4a42458ef4 3b6c	full_naive_ single_pool		True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	G	Fbar	0.317	-0.0966	-0.317	- 0.37372	71870e37c8 2e52267a45 a60e4fee16 50b178adcd 01114bf002 cdf9014af3 e5c1	full_naive_ single_pool		False
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	G	C	0.2146	0.132	0.2146	0.227691	ca0f8e136d c5f154c819 2ea26d25b4 43107e0ce9 a13cdc68fc af6c6cf509 dfc8	full_naive_ single_pool		False
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	G	Cbar	0.4202	-0.1484	-0.4202	- 0.475315	8b7e3d0d3b 832bb2a95a 9cdc0fb538 89c3aa6f77 57676995c8 5104a31aa1 a3cf	full_naive_ single_pool		False
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	P	F	0.14	0.0852	0.14	0.146502	10d6906cd7 b38fd614f1 f69c2cbb0a 349453728f a7d8c23094 70aaef4eed 2f7a	full_naive_ single_pool		True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	P	Fbar	0.2672	-0.0966	-0.2672	- 0.317336	cacale14db 070990a340 144d1ce512 0da7e3b1ef 054fce6c12 9e60ad110cd 5ce3	full_naive_ single_pool		False
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	P	C	0.2034	0.132	0.2034	0.21043	9a811f1bc8 7b60a1a088 e297dd804b 613929e5b2 603ceb65f2 f5f7ea382 4850	full_naive_ single_pool		False
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	P	Cbar	0.3676	-0.1484	-0.3676	- 0.416101	309e2d79b5 8dca1ab5a6 96bf079b29 df2ef71ad4 e6ca1506ef 04eb6c989d cb7e	full_naive_ single_pool		False
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	S	F	0.1086	0.0852	0.1086	0.112264	39839bb66f 1409dab85e 47e4773d5d 6272ab445b 18a1303edf b75285ea15 50b4	full_naive_ single_pool		True
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	S	Fbar	0.1602	-0.0966	-0.1602	- 0.185906	74d4b88b028 06fb762162 85b714edc6 b03232d115 412d337809 b3c0cfce5f 25df	full_naive_ single_pool		False
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	S	C	0.1534	0.132	0.1534	0.157023	0597e52db6 6af0240b00 6f5a941c56 355395e172 4686256844 17b85369ab 1d9c	full_naive_ single_pool		False
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	S	Cbar	0.2302	-0.1484	-0.2302	- 0.256811	5a59f15422 35429a98dd 7dc65254db 6298682c22 22b5a652f6 f05e2028ba 9efa	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	A	F	0.1624	0.0852	0.1624	0.171995	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	A	Fbar	0.2946	-0.0966	-0.2946	0.286978	-0.0479bd94d55b6777d2342b89cfefb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	A	C	0.2254	0.132	0.2254	0.237899	ee759995fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	A	Cbar	0.3536	-0.1484	-0.3536	0.345995	-0.0e2b95c215824db7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	G	F	0.1594	0.0864	0.1594	0.165469	32adaaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	G	Fbar	0.3158	-0.0928	-0.3158	0.37081	-0.071870c37c82e52267a45a60e4fee1650b178adcd01114bf002cd99014af3e5c1	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	G	C	0.2198	0.1352	0.2198	0.231592	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafe66cf509dfc8	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	G	Cbar	0.418	-0.146	-0.418	0.473542	-0.08b7e3d0d3bb832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	P	F	0.1408	0.0864	0.1408	0.148114	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	P	Fbar	0.2612	-0.0928	-0.2612	0.314272	-0.0cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	P	C	0.2036	0.1352	0.2036	0.214087	9a811f1bc87b60a1a088e297dd804b613929e5b2603ce6552ff5f7ea3824850	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	P	Cbar	0.3596	-0.146	-0.3596	0.414222	-0.0309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	S	F	0.1152	0.0864	0.1152	0.11367	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	S	Fbar	0.1544	-0.0928	-0.1544	-0.182444	744b88b02806fb76216285b714edc6b03232d115412d337809b5c0cfe5f25df	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	S	C	0.1604	0.1352	0.1604	0.160227	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	S	Cbar	0.227	-0.146	-0.227	0.25467	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	A	F	0.1624	0.0864	0.1624	0.173776	18440113e8769665f5784f93b8ca7a310fcd851702d44f5991329e37c59af1ea6	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	A	Fbar	0.2962	-0.0928	-0.2962	-0.284067	0479bd94d55b6777d2342b89cfeb365243b2954e7ab81e7bfc656373cc838cb4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	A	C	0.2262	0.1352	0.2262	0.242421	ee005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	A	Cbar	0.3556	-0.146	-0.3556	-0.344153	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	G	F	0.1594	0.0864	0.1594	0.165469	32aadaa12ddabb48bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	G	Fbar	0.3158	-0.0928	-0.3158	-0.37081	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	G	C	0.2198	0.1352	0.2198	0.231592	ca0f8e136de5f154c8192ea26d25b443107e0ee9a13cdc68feaf6c6cf509dfc8	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	G	Cbar	0.418	-0.146	-0.418	-0.473542	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	P	F	0.1408	0.0864	0.1408	0.148114	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	P	Fbar	0.2612	-0.0928	-0.2612	-0.314272	ccac1e14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	P	C	0.2036	0.1352	0.2036	0.214087	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff57fea3824850	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	P	Cbar	0.3596	-0.146	-0.3596	-0.414222	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	S	F	0.1152	0.0864	0.1152	0.11367	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	S	Fbar	0.1544	-0.0928	-0.1544	-0.182444	7d4b88b02806bf76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	S	C	0.1604	0.1352	0.1604	0.160227	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	S	Cbar	0.227	-0.146	-0.227	-0.25467	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	A	F	0.1624	0.0864	0.1624	0.173776	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	A	Fbar	0.2962	-0.0928	-0.2962	-0.284067	0479bd94d55b6777d2342b89cfefeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	A	C	0.2262	0.1352	0.2262	0.242421	e005ed9391ee7599f95fcd63b6db9e86847dclf0e2805ff0632b86b8e7822357	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	A	Cbar	0.3556	-0.146	-0.3556	-0.344153	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	G	F	0.1608	0.0872	0.1608	0.166646	32adaa12dbdbd8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	G	Fbar	0.3166	-0.092	-0.3166	-0.370197	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	G	C	0.2218	0.1356	0.2218	0.23208	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcdfc8	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	G	Cbar	0.4178	-0.1442	-0.4178	-0.472212	8b7e3d043b832b2a95a9cdc0fb53889c3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	P	F	0.1398	0.0872	0.1398	0.149189	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	P	Fbar	0.2612	-0.092	-0.2612	0.313627	cacae1e14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	P	C	0.2032	0.1356	0.2032	0.214544	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	P	Cbar	0.3604	-0.1442	-0.3604	0.412814	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	S	F	0.1132	0.0872	0.1132	0.114608	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	S	Fbar	0.1562	-0.092	-0.1562	0.181715	74db88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	S	C	0.158	0.1356	0.158	0.160627	0597e524b66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	S	Cbar	0.227	-0.1442	-0.227	0.253063	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	A	F	0.1636	0.0872	0.1636	0.174964	18440113e8769665f5784f93b8ca7a310fcd851702d44f5991329e37c59af1ea6	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	A	Fbar	0.296	-0.092	-0.296	0.283454	0479bd94d55b6777d2342b89cfefeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	A	C	0.2258	0.1356	0.2258	0.242986	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e782357	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	A	Cbar	0.3544	-0.1442	-0.3544	0.342772	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	G	F	0.1594	0.0864	0.1594	0.165469	32aadaa12d dabdb8bcf85 2f2fd28247 b4991b2618 eaa18b804a 4a42458ef4 3b6c	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	G	Fbar	0.3158	-0.0928	-0.3158	- 0.37081	71870e37c8 2e52267a45 a60e4fee16 50b178adcd 01114bf002 cdf9014af3 e5c1	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	G	C	0.2198	0.1352	0.2198	0.231592	ca0f8e136d e5f154e819 2ea26d25b4 43107e0ce9 a13cdc68fc af6c6cf509 dfc8	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	G	Cbar	0.418	-0.146	-0.418	- 0.473542	8b7e3d0d3b 832bb2a95a 9cdc0fb538 89c3aa6f77 57676995c8 5104a31aa1 a3cf	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	P	F	0.1408	0.0864	0.1408	0.148114	10d6906cd7 b38fd614f1 f69c2cbb0a 349453728f a7d8c23094 70aef4eed 2f7a	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	P	Fbar	0.2612	-0.0928	-0.2612	- 0.314272	cacale14db 070990a340 144d1ce512 0da7e3b1ef 054fce6c12 9e60ad10cd 5ce3	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	P	C	0.2036	0.1352	0.2036	0.214087	9a811f1bc8 7b60a1a088 e297dd804b 613929e5b2 603ceb65f2 ff5f7ea382 4850	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	P	Cbar	0.3596	-0.146	-0.3596	- 0.414222	309c2d79b5 8dc1ab5a6 96bf079b29 df2ef71ad4 e6ca1506ef 04eb6c989d cb7e	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	S	F	0.1152	0.0864	0.1152	0.11367	39839bb66f 1409dab85e 47e4773d5d 6272ab445b 18a1303edf b75285ea15 50b4	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	S	Fbar	0.1544	-0.0928	-0.1544	- 0.182444	7d4b88b028 06fb762162 85b714edc6 b03232d115 412d337809 b3c0cfce5f 25df	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	S	C	0.1604	0.1352	0.1604	0.160227	0597e52db6 6af0240b00 6f5a941c56 355395e172 4686256844 17b85369ab 1d9c	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	S	Cbar	0.227	-0.146	-0.227	- 0.25467	5a59f15422 35429a98dd 7dc65254db 6298682c22 22b5a652f6 f05e2028ba 9efa	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	A	F	0.1624	0.0864	0.1624	0.173776	18440113e8 769665f578 4f93b8ca7a 310fd8517 02d4f59913 29e37c59af 1ea6	full_naive_ single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	A	Fbar	0.2962	-0.0928	-0.2962	-0.284067	0479bd94d55b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	A	C	0.2262	0.1352	0.2262	0.242421	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	A	Cbar	0.3556	-0.146	-0.3556	-0.344153	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False

Table 94: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^*_Z	ER^*_S	ER^*_C
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	a1e1c32d1e3728316290aafd637541d2444869d0cc69ae1ee66630527e4a0d7b	5000				Gradient Attention Rollout;CheferTranformer Attribution		-0.011305	0.05672	-0.013091
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	3ab12bec1eb4d428a74bd6e2d892110ec4987706722f50f8a67c25509853a38a	5000				Gradient Attention Rollout;CheferTranformer Attribution		-0.006069	0.05501	-0.011792
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	64983b4f12f077ccaa110e4af12e69235c984d1db26a6d777a0896ad75528981	5000				Gradient Attention Rollout;CheferTranformer Attribution		-0.006069	0.05501	-0.011792
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	f269f68578ed41350ec4f3ebaf5b099194d37486b2ed6c6ea747a82cd5b971636	5000				Gradient Attention Rollout;CheferTranformer Attribution		-0.005846	0.053597	-0.01028
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	6fa4f7668fbad5c507a18c53dab7e8122eb2a51102fc4b9aa233e232a2f49b88	5000				Gradient Attention Rollout;CheferTranformer Attribution		-0.006069	0.05501	-0.011792

Table 95: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^p_{\mathcal{D}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{E}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{G}}$	$ER^s_{\mathcal{F}}$	$ER^s_{\mathcal{E}}$	$ER^s_{\mathcal{C}}$	$ER^s_{\mathcal{G}}$	$ER^s_{\mathcal{F}}$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry		2	0.055115	-0.006502	0.050136	-0.00703	0.048501	-0.003664	0.025706	-0.003623	0.026611	-0.009595
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Noise		2	0.055542	-0.007314	0.053072	-0.010487	0.054622	0.00153	0.028044	0.000173	0.02767	-0.011376
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Noise		2	0.055542	-0.007314	0.053072	-0.010487	0.054622	0.00153	0.028044	0.000173	0.02767	-0.011376
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Noise		2	0.054412	-0.009389	0.052427	-0.011344	0.052414	-0.001408	0.025515	-0.002627	0.026063	-0.011364
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Noise		2	0.055542	-0.007314	0.053072	-0.010487	0.054622	0.00153	0.028044	0.000173	0.02767	-0.011376

Table 96: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_E	ER^*_C	ER^*_V
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	Dual Geometry Noise		2	-0.007622	-0.012499	-0.007605
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	Dual Geometry Noise		2	-0.012133	-0.016221	-0.011447
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	Dual Geometry Noise		2	-0.012133	-0.016221	-0.011447
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	Dual Geometry Noise		2	-0.012546	-0.017186	-0.011628
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	Dual Geometry Noise		2	-0.012133	-0.016221	-0.011447

Table 97: ImageNet–ViT-B/16

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet–ViT-B/16	A	Fbar	0479bd94d55b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4		11	nonnegative__slope__ordinary__least_squares	0.766045	0.766045	False	-0.212978	0.011511	0.035763	0.932338	-0.601	-0.095	-0.6768	-0.2932
ImageNet–ViT-B/16	S	C	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c		11	nonnegative__slope__ordinary__least_squares	1.001377	1.001377	False	0.024841	0.001407	0.012505	0.907251	0.0132	0.1336	0.0218	0.1534
ImageNet–ViT-B/16	P	F	1046906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a		11	nonnegative__slope__ordinary__least_squares	1.343624	1.343624	False	0.032025	0.002577	0.016921	0.826658	0.0008	0.0838	0.0066	0.1386
ImageNet–ViT-B/16	A	F	18440113e8769665f5784f93b8ca7a310fed851702d4f5991329e37c59af1ea6		11	nonnegative__slope__ordinary__least_squares	1.484433	1.484433	False	0.045521	0.003508	0.019744	0.810454	0.0008	0.0838	0.0232	0.163
ImageNet–ViT-B/16	P	Cbar	309e2d79b58dca1ab5a696bf079b29df2ef71a44e6ca1506ef04eb6c989dc7e		11	nonnegative__slope__ordinary__least_squares	0.782588	0.782588	False	-0.299965	0.046077	0.071552	0.801055	-0.6802	-0.1426	-0.8032	-0.366
ImageNet–ViT-B/16	G	F	32aadaa12ddabd8bcbf852f2fd28247b4991b2618eaa18b80444a42458ef43b6c		11	nonnegative__slope__ordinary__least_squares	1.470239	1.470239	False	0.038441	0.003515	0.019761	0.807202	0.0008	0.0838	0.0114	0.156
ImageNet–ViT-B/16	S	F	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edf675285ea1550b4		11	nonnegative__slope__ordinary__least_squares	1.171888	1.171888	False	0.012419	0.000719	0.008936	0.928616	0.0008	0.0838	0.0028	0.11
ImageNet–ViT-B/16	S	Cbar	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa		11	nonnegative__slope__ordinary__least_squares	0.892397	0.892397	False	-0.12438	0.017985	0.044702	0.930624	-0.6802	-0.1426	-0.7142	-0.2198
ImageNet–ViT-B/16	G	Fbar	71870c37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1		11	nonnegative__slope__ordinary__least_squares	0.765916	0.765916	False	-0.299733	0.039445	0.066203	0.800786	-0.601	-0.095	-0.7268	-0.3224
ImageNet–ViT-B/16	S	Fbar	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df		11	nonnegative__slope__ordinary__least_squares	0.910996	0.910996	False	-0.097903	0.018756	0.045651	0.922836	-0.601	-0.095	-0.6238	-0.1456
ImageNet–ViT-B/16	G	Cbar	8b7c3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf		11	nonnegative__slope__ordinary__least_squares	0.738862	0.738862	False	-0.365668	0.040854	0.067375	0.801901	-0.6802	-0.1426	-0.8402	-0.4236
ImageNet–ViT-B/16	P	C	9a81f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850		11	nonnegative__slope__ordinary__least_squares	1.142914	1.142914	False	0.059565	0.00459	0.022582	0.796213	0.0132	0.1336	0.0364	0.2
ImageNet–ViT-B/16	G	C	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafc6cf509dfc8		11	nonnegative__slope__ordinary__least_squares	1.219239	1.219239	False	0.066751	0.007369	0.028614	0.734704	0.0132	0.1336	0.0396	0.2158

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ViT-B/16	P	Fbar	caca1e14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3		11	nonnegative_slope_ordinary_least_squares	0.806412	0.806412	False	-0.239437	0.044239	0.070111	0.798919	-0.601	-0.095	-0.6902	-0.2668
ImageNet-ViT-B/16	A	C	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357		11	nonnegative_slope_ordinary_least_squares	1.413105	1.413105	False	0.051369	0.003844	0.020666	0.87702	0.0132	0.1336	0.0466	0.2268
ImageNet-ViT-B/16	A	Cbar	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631		11	nonnegative_slope_ordinary_least_squares	0.767332	0.767332	False	-0.232123	0.012512	0.037286	0.93445	-0.6802	-0.1426	-0.7568	-0.3522

Table 98: ImageNet-ViT-B/16

Cell	Condition	Metric	Reference Methods
ImageNet-ViT-B/16	A	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient
ImageNet-ViT-B/16	S	C	Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	F	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient
ImageNet-ViT-B/16	A	F	Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient
ImageNet-ViT-B/16	G	F	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient
ImageNet-ViT-B/16	S	F	Attention Rollout;Gradient Shap;InputXGradient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	S	Cbar	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient
ImageNet-ViT-B/16	G	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient
ImageNet-ViT-B/16	G	Fbar	Attention GradCAM;CheferTransformer Attribution;FeatureAblation;FullLRP;Gradient

Cell	Condition	Metric	Reference Methods
ImageNet-ViT-B/16	S	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient
ImageNet-ViT-B/16	G	Cbar	Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	G	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	P	Fbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	C	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency
ImageNet-ViT-B/16	A	Cbar	Attention GradCAM;CheferTran sformer Attribution;FeatureAbl ation;FullLRP;Gradient Attention Rollout;Gradient Shap;InputXGrad ient;Integrated Gradients;Occlusion;PartialLRP;Saliency

Table 99: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ϵ_R	Clean Quality Raw
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	G	F	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		max	-0.011305	0.0852
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	G	Fbar	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		min	0.05672	0.0966
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	G	C	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		max	-0.013091	0.132
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	G	Cbar	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		min	0.055115	0.1484
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	P	F	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		max	-0.006502	0.0852
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	P	Fbar	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		min	0.050136	0.0966
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	P	C	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		max	-0.00703	0.132
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	P	Cbar	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		min	0.048501	0.1484
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	S	F	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		max	-0.003664	0.0852
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	S	Fbar	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		min	0.025706	0.0966
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	S	C	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		max	-0.003623	0.132
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	S	Cbar	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		min	0.026611	0.1484
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	A	F	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		max	-0.009595	0.0852

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	A	Fbar	b61d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		min	-0.007622	0.0966
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	A	C	b61d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		max	-0.012499	0.132
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	A	Cbar	b61d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		min	-0.007605	0.1484
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	G	F	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		max	-0.006069	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	G	Fbar	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		min	0.05501	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	G	C	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		max	-0.011792	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	G	Cbar	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		min	0.055542	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	P	F	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		max	-0.007314	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	P	Fbar	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		min	0.053072	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	P	C	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		max	-0.010487	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	P	Cbar	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		min	0.054622	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	S	F	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		max	0.00153	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	S	Fbar	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		min	0.028044	0.0928

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	S	C	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		max	0.000173	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	S	Cbar	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		min	0.02767	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	A	F	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		max	-0.011376	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	A	Fbar	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		min	-0.012133	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	A	C	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		max	-0.016221	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	A	Cbar	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939498	5000	Spearman	NOISE-S		min	-0.011447	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	G	F	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		max	-0.006069	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	G	Fbar	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		min	0.05501	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	G	C	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		max	-0.011792	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	G	Cbar	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		min	0.055542	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	P	F	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		max	-0.007314	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	P	Fbar	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		min	0.053072	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	P	C	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		max	-0.010487	0.1352

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	P	Cbar	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		min	0.054622	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	S	F	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		max	0.00153	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	S	Fbar	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		min	0.028044	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	S	C	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		max	0.000173	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	S	Cbar	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		min	0.02767	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	A	F	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		max	-0.011376	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	A	Fbar	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		min	-0.012133	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	A	C	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		max	-0.016221	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	A	Cbar	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		min	-0.011447	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	G	F	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		max	-0.005846	0.0872
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	G	Fbar	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		min	0.053597	0.092
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	G	C	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		max	-0.01028	0.1356
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	G	Cbar	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		min	0.054412	0.1442

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	P	F	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		max	-0.009389	0.0872
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	P	Fbar	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		min	0.052427	0.092
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	P	C	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		max	-0.011344	0.1356
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	P	Cbar	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		min	0.052414	0.1442
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	S	F	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		max	-0.001408	0.0872
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	S	Fbar	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		min	0.025515	0.092
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	S	C	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		max	-0.002627	0.1356
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	S	Cbar	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		min	0.026063	0.1442
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	A	F	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		max	-0.011364	0.0872
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	A	Fbar	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		min	-0.012546	0.092
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	A	C	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		max	-0.017186	0.1356
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	A	Cbar	436e38ef68e3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		min	-0.011628	0.1442
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	G	F	9bd043f476f91a45b54ef2bcd06dd04d8620b9223782fe3a9462e5d70021bc84	5000	Spearman	NOISE-S		max	-0.006069	0.0864

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	G	Fbar	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		min	0.05501	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	G	C	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		max	- 0.011792	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	G	Cbar	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		min	0.055542	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	P	F	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		max	- 0.007314	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	P	Fbar	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		min	0.053072	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	P	C	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		max	- 0.010487	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	P	Cbar	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		min	0.054622	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	S	F	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		max	0.00153	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	S	Fbar	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		min	0.028044	0.0928
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	S	C	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		max	0.000173	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	S	Cbar	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		min	0.02767	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	A	F	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		max	- 0.011376	0.0864
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	A	Fbar	9bd043f476 f91a45b54e f2bcd06dd0 4d8620b922 3782fe3a94 62e5d70021 bc84	5000	Spearman	NOISE-S		min	- 0.012133	0.0928

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	A	C	9bd043f476f91a45b54ef2bcd06dd04d8620b9223782fe3a9462e5d70021bc84	5000	Spearman	NOISE-S		max	-0.016221	0.1352
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	A	Cbar	9bd043f476f91a45b54ef2bcd06dd04d8620b9223782fe3a9462e5d70021bc84	5000	Spearman	NOISE-S		min	-0.011447	0.146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	G	F	d1196f72e05190d9593f6a6bdb52cd0e7d1836f0652b9c2cf72c6b1d7da d58c	5000	Kendall	NOISE-K		max	0.009844	0.0734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	G	Fbar	d1196f72e05190d9593f6a6bdb52cd0e7d1836f0652b9c2cf72c6b1d7da d58c	5000	Kendall	NOISE-K		min	0.044827	0.097
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	G	C	d1196f72e05190d9593f6a6bdb52cd0e7d1836f0652b9c2cf72c6b1d7da d58c	5000	Kendall	NOISE-K		max	0.014984	0.1198
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	G	Cbar	d1196f72e05190d9593f6a6bdb52cd0e7d1836f0652b9c2cf72c6b1d7da d58c	5000	Kendall	NOISE-K		min	0.047272	0.1478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	P	F	d1196f72e05190d9593f6a6bdb52cd0e7d1836f0652b9c2cf72c6b1d7da d58c	5000	Kendall	NOISE-K		max	0.011153	0.0734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	P	Fbar	d1196f72e05190d9593f6a6bdb52cd0e7d1836f0652b9c2cf72c6b1d7da d58c	5000	Kendall	NOISE-K		min	0.046859	0.097
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	P	C	d1196f72e05190d9593f6a6bdb52cd0e7d1836f0652b9c2cf72c6b1d7da d58c	5000	Kendall	NOISE-K		max	0.016914	0.1198
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	P	Cbar	d1196f72e05190d9593f6a6bdb52cd0e7d1836f0652b9c2cf72c6b1d7da d58c	5000	Kendall	NOISE-K		min	0.047831	0.1478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	S	F	d1196f72e05190d9593f6a6bdb52cd0e7d1836f0652b9c2cf72c6b1d7da d58c	5000	Kendall	NOISE-K		max	0.005564	0.0734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	S	Fbar	d1196f72e05190d9593f6a6bdb52cd0e7d1836f0652b9c2cf72c6b1d7da d58c	5000	Kendall	NOISE-K		min	0.03247	0.097
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	S	C	d1196f72e05190d9593f6a6bdb52cd0e7d1836f0652b9c2cf72c6b1d7da d58c	5000	Kendall	NOISE-K		max	0.007194	0.1198

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	S	Cbar	d1196f72e05190d9593f6a6bdb52cd00e7d1836f0652b9c2cf72c6b1d7da458c	5000	Kendall	NOISE-K		min	0.032276	0.1478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	A	F	d1196f72e05190d9593f6a6bdb52cd00e7d1836f0652b9c2cf72c6b1d7da458c	5000	Kendall	NOISE-K		max	-0.005878	0.0734
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	A	Fbar	d1196f72e05190d9593f6a6bdb52cd00e7d1836f0652b9c2cf72c6b1d7da458c	5000	Kendall	NOISE-K		min	-0.008916	0.097
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	A	C	d1196f72e05190d9593f6a6bdb52cd00e7d1836f0652b9c2cf72c6b1d7da458c	5000	Kendall	NOISE-K		max	-0.008059	0.1198
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	A	Cbar	d1196f72e05190d9593f6a6bdb52cd00e7d1836f0652b9c2cf72c6b1d7da458c	5000	Kendall	NOISE-K		min	-0.006065	0.1478
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	G	F	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		max	0.017365	0.0506
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	G	Fbar	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		min	0.023316	0.1026
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	G	C	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		max	0.01449	0.0956
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	G	Cbar	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		min	0.023088	0.1508
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	P	F	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		max	0.014187	0.0506
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	P	Fbar	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		min	0.032175	0.1026
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	P	C	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		max	0.017172	0.0956
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	P	Cbar	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		min	0.031779	0.1508

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	S	F	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		max	0.002683	0.0506
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	S	Fbar	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		min	0.022172	0.1026
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	S	C	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		max	- 0.001372	0.0956
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	S	Cbar	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		min	0.019553	0.1508
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	A	F	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		max	0.032167	0.0506
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	A	Fbar	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		min	- 0.001626	0.1026
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	A	C	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		max	0.030538	0.0956
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	A	Cbar	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		min	- 0.003963	0.1508
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	G	F	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		max	- 0.00794	0.0874
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	G	Fbar	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		min	0.057188	0.0946
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	G	C	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		max	- 0.006011	0.1362
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	G	Cbar	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		min	0.056237	0.1464
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	P	F	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		max	- 0.004458	0.0874

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	P	Fbar	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		min	0.053324	0.0946
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	P	C	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		max	- 3.0163e-05	0.1362
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	P	Cbar	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		min	0.054535	0.1464
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	S	F	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		max	- 0.000642	0.0874
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	S	Fbar	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		min	0.030284	0.0946
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	S	C	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		max	0.001772	0.1362
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	S	Cbar	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		min	0.031627	0.1464
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	A	F	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		max	- 0.01086	0.0874
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	A	Fbar	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		min	- 0.016154	0.0946
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	A	C	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		max	- 0.015034	0.1362
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	A	Cbar	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		min	- 0.01834	0.1464
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	G	F	f0cdc5dfe60de7d48dadf4e8f3d7bb b13757547625fd0dbe6d657590463d4e27	5000	Kendall	NOISE-K		max	0.00902	0.0726
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	G	Fbar	f0cdc5dfe60de7d48dadf4e8f3d7bb b13757547625fd0dbe6d657590463d4e27	5000	Kendall	NOISE-K		min	0.053261	0.096

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	G	C	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		max	0.009083	0.123
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	G	Cbar	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		min	0.054333	0.1468
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	P	F	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		max	0.011028	0.0726
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	P	Fbar	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		min	0.065053	0.096
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	P	C	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		max	0.008656	0.123
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	P	Cbar	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		min	0.063048	0.1468
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	S	F	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		max	0.005902	0.0726
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	S	Fbar	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		min	0.039959	0.096
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	S	C	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		max	0.00299	0.123
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	S	Cbar	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		min	0.037783	0.1468
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	A	F	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		max	0.005309	0.0726
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	A	Fbar	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		min	- 0.011682	0.096
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	A	C	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		max	0.000219	0.123

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	A	Cbar	f0cdc5dfe6 0de7d48dad f4e8f3d7bb b137575476 25fd0dbe6d 657590463d 4e27	5000	Kendall	NOISE-K		min	- 0.008433	0.1468
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	G	F	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		max	- 0.000167	0.0764
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	G	Fbar	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		min	0.041039	0.0978
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	G	C	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		max	0.002044	0.125
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	G	Cbar	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		min	0.040515	0.1484
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	P	F	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		max	0.003722	0.0764
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	P	Fbar	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		min	0.045504	0.0978
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	P	C	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		max	0.00537	0.125
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	P	Cbar	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		min	0.043701	0.1484
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	S	F	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		max	- 0.002751	0.0764
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	S	Fbar	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		min	0.027799	0.0978
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	S	C	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		max	- 0.001613	0.125
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	S	Cbar	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		min	0.029411	0.1484

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	A	F	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		max	- 0.003532	0.0764
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	A	Fbar	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		min	- 0.000903	0.0978
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	A	C	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		max	- 0.006207	0.125
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	A	Cbar	91ea6f68ca f34287f3c6 8f3be028b7 4d2fbb00eb 3c5efeea6f 1c9b49456a 5f04	5000	Kendall	NOISE-K		min	- 0.001605	0.1484

Table 100: ImageNet-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	G	F	0.1524	0.0852	0.1524	0.16370532	32adaa12d dabb8bcf85 2f2fd28247 b4991b2618 eaa18b804a 4a42458ef4 3b6c	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	G	Fbar	0.317	-0.0966	-0.317	- 0.37372	71870e37c8 2e52267a45 a60e4fee16 50b178adcd 01114bf002 cdf9014af3 e5c1	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	G	C	0.2146	0.132	0.2146	0.227691	ca0f8e136d e5f154e819 2ea26d25b4 43107e0ce9 a13cdc68fc af6c6cf509 dfc8	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	G	Cbar	0.4202	-0.1484	-0.4202	- 0.475315	8b7e3d0d3b 832bb2a95a 9cdc0fb538 89c3aa6f77 57676995c8 5104a31aa1 a3cf	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	P	F	0.14	0.0852	0.14	0.146502	10d6906cd7 b38fd614f1 f69c2cbb0a 349453728f a7d8c23094 70aaef4eed 2f7a	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	P	Fbar	0.2672	-0.0966	-0.2672	- 0.317336	cacale14db 070990a340 144d1ce512 0da7e3b1ef 054fce6c12 9e60ad110cd 5ce3	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	P	C	0.2034	0.132	0.2034	0.21043	9a811f1bc8 7b60a1a088 e297dd804b 613929e5b2 603ceb65f2 f5f7ea382 4850	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	P	Cbar	0.3676	-0.1484	-0.3676	- 0.416101	309e2d79b5 8dca1ab5a6 96bf079b29 df2ef71ad4 e6ca1506ef 04eb6c989d cb7e	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	S	F	0.1086	0.0852	0.1086	0.112264	39839bb66f 1409dab85e 47e4773d5d 6272ab445b 18a1303edf b75285ea15 50b4	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	S	Fbar	0.1602	-0.0966	-0.1602	- 0.185906	744b88b028 06fb762162 85b714edc6 b03232d115 412d337809 b3c0fce5f 25df	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	S	C	0.1534	0.132	0.1534	0.157023	0597e52db6 6af0240b00 6f5a941c56 355395e172 4686256844 17b85369ab 1d9c	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	S	Cbar	0.2302	-0.1484	-0.2302	- 0.256811	5a59f15422 35429a98dd 7dc65254db 6298682c22 22b5a652f6 f05e2028ba 9efa	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	A	F	0.1624	0.0852	0.1624	0.171995	18440113e8769665f5784f93bb8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	A	Fbar	0.2946	-0.0966	-0.2946	-0.286978	0479bd94d55b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	A	C	0.2254	0.132	0.2254	0.237899	e005ed9391ee759995fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	A	Cbar	0.3536	-0.1484	-0.3536	-0.345995	e2b95c2158f9fb47b94624db7d477147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	G	F	0.1594	0.0864	0.1594	0.165469	32adaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	G	Fbar	0.3158	-0.0928	-0.3158	-0.37081	71870c37c82e52267a45a60e4fee1650b178adcd01114bf002cd9014af3e5c1	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	G	C	0.2198	0.1352	0.2198	0.231592	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafe66cf509dfc8	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	G	Cbar	0.418	-0.146	-0.418	-0.473542	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	P	F	0.1408	0.0864	0.1408	0.148114	10d6906cd7b38fd614f1f69e2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	P	Fbar	0.2612	-0.0928	-0.2612	-0.314272	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	P	C	0.2036	0.1352	0.2036	0.214087	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceeb65f2ff5f7ea3824850	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	P	Cbar	0.3596	-0.146	-0.3596	-0.414222	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	S	F	0.1152	0.0864	0.1152	0.11367	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	S	Fbar	0.1544	-0.0928	-0.1544	-0.182444	744b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfe5f25df	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	S	C	0.1604	0.1352	0.1604	0.160227	0597e524b66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	S	Cbar	0.227	-0.146	-0.227	0.25467	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	A	F	0.1624	0.0864	0.1624	0.173776	18440113e8769665f5784f93b8ca7a310fcd851702d44f5991329e37c59af1ea6	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	A	Fbar	0.2962	-0.0928	-0.2962	-0.284067	0479bd94d55b677d2342b89cfeb365243b2954e7ab81e7bfc656373cc838cb4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	A	C	0.2262	0.1352	0.2262	0.242421	ee005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	A	Cbar	0.3556	-0.146	-0.3556	-0.344153	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	G	F	0.1594	0.0864	0.1594	0.165469	32aadaa12ddabb48bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	G	Fbar	0.3158	-0.0928	-0.3158	-0.37081	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	G	C	0.2198	0.1352	0.2198	0.231592	ca0f8e136de5f154c8192ea26d25b443107e0ee9a13cdc68feaf6c6cf509dfc8	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	G	Cbar	0.418	-0.146	-0.418	-0.473542	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	P	F	0.1408	0.0864	0.1408	0.148114	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	P	Fbar	0.2612	-0.0928	-0.2612	-0.314272	ccacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	P	C	0.2036	0.1352	0.2036	0.214087	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	P	Cbar	0.3596	-0.146	-0.3596	0.414222	-309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	S	F	0.1152	0.0864	0.1152	0.11367	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	S	Fbar	0.1544	-0.0928	-0.1544	0.182444	-7d4b88b02806bf76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	S	C	0.1604	0.1352	0.1604	0.160227	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	S	Cbar	0.227	-0.146	-0.227	0.25467	-5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	A	F	0.1624	0.0864	0.1624	0.173776	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	A	Fbar	0.2962	-0.0928	-0.2962	0.284067	-0479bd94d55b6777d2342b89cfefb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	A	C	0.2262	0.1352	0.2262	0.242421	e005ed9391ee7599f95fcd63b6db9e86847dclf0e2805ff0632b86b8e7822357	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	A	Cbar	0.3556	-0.146	-0.3556	0.344153	-e2b95c2158f9fb47b9462ddbf7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	G	F	0.1608	0.0872	0.1608	0.166646	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	G	Fbar	0.3166	-0.092	-0.3166	0.370197	-71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	G	C	0.2218	0.1356	0.2218	0.23208	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcdfc8	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	G	Cbar	0.4178	-0.1442	-0.4178	-0.472212	8b7e3d0d3b832bb2a95a9cdc0fb53889c3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	P	F	0.1398	0.0872	0.1398	0.149189	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaf4eed2f7a	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	P	Fbar	0.2612	-0.092	-0.2612	0.313627	cacae1e14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	P	C	0.2032	0.1356	0.2032	0.214544	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	P	Cbar	0.3604	-0.1442	-0.3604	-0.412814	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	S	F	0.1132	0.0872	0.1132	0.114608	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	S	Fbar	0.1562	-0.092	-0.1562	-0.181715	74d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	S	C	0.158	0.1356	0.158	0.160627	0597e524b66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	S	Cbar	0.227	-0.1442	-0.227	-0.253063	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	A	F	0.1636	0.0872	0.1636	0.174964	18440113e8769665f5784f93b8ca7a310fcd851702d44f5991329e37c59af1ea6	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	A	Fbar	0.296	-0.092	-0.296	-0.283454	0479bd94d55b6777d2342b89cfefeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	A	C	0.2258	0.1356	0.2258	0.242986	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b5e782357	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	A	Cbar	0.3544	-0.1442	-0.3544	-0.342772	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	G	F	0.1594	0.0864	0.1594	0.165469	0.165469	32aadaa12d dabdb8bcf85 2f2fd28247 b4991b2618 eaa18b804a 4a42458ef4 3b6c	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	G	Fbar	0.3158	-0.0928	-0.3158	-	0.37081	71870e37c8 2e52267a45 a60e4fee16 50b178adcd 01114bf002 cdf9014af3 e5c1	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	G	C	0.2198	0.1352	0.2198	0.231592	0.231592	ca0f8e136d e5f154e819 2ea26d25b4 43107e0ce9 a13cdc68fc af6c6cf509 dfc8	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	G	Cbar	0.418	-0.146	-0.418	-	0.473542	8b7e3d0d3b 832bb2a95a 9cdc0fb538 89c3aa6f77 57676995c8 5104a31aa1 a3cf	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	P	F	0.1408	0.0864	0.1408	0.148114	0.148114	10d6906cd7 b38fd614f1 f69c2cbb0a 349453728f a7d8c23094 70aef4eed 2f7a	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	P	Fbar	0.2612	-0.0928	-0.2612	-	0.314272	cacale14db 070990a340 144d1ce512 0da7e3b1ef 054fce6c12 9e60ad10cd 5ce3	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	P	C	0.2036	0.1352	0.2036	0.214087	0.214087	9a811f1bc8 7b60a1a088 e297dd804b 613929e5b2 603ceb65f2 ff5f7ea382 4850	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	P	Cbar	0.3596	-0.146	-0.3596	-	0.414222	309c2d79b5 8dc1ab5a6 96bf079b29 df2ef71ad4 e6ca1506ef 04eb6c989d cb7e	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	S	F	0.1152	0.0864	0.1152	0.11367	0.11367	39839bb66f 1409dab85e 47e4773d5d 6272ab445b 18a1303edf b75285ea15 50b4	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	S	Fbar	0.1544	-0.0928	-0.1544	-	0.182444	7d4b88b028 06fb762162 85b714cdc6 b03232d115 412d337809 b3c0cfce5f 25df	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	S	C	0.1604	0.1352	0.1604	0.160227	0.160227	0597e52db6 6af0240b00 6f5a941c56 355395e172 4686256844 17b85369ab 1d9c	full_naive_ single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	S	Cbar	0.227	-0.146	-0.227	-	0.25467	5a59f15422 35429a98dd 7dc65254db 6298682c22 22b5a652f6 f05e2028ba 9efa	full_naive_ single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	A	F	0.1624	0.0864	0.1624	0.173776	0.173776	18440113e8 769665f578 4f93b8ca7a 310fd8517 02d4f59913 29c37c59af 1ea6	full_naive_ single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	A	Fbar	0.2962	-0.0928	-0.2962	-0.284067	0479b49d455b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	A	C	0.2262	0.1352	0.2262	0.242421	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	A	Cbar	0.3556	-0.146	-0.3556	-0.344153	e2b95c2158f9fb47b946d4db7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	G	F	0.1562	0.0734	0.1562	0.146356	32aadaa12ddabdd8bc852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	G	Fbar	0.3292	-0.097	-0.3292	-0.374027	71870e37c82e52267a45a60e4fee1650b178adcd91114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	G	C	0.2278	0.1198	0.2278	0.212816	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafe6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	G	Cbar	0.4276	-0.1478	-0.4276	-0.474872	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	P	F	0.1418	0.0734	0.1418	0.130647	10d6906cd7b38fd614ff69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	P	Fbar	0.2708	-0.097	-0.2708	-0.317659	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	P	C	0.2134	0.1198	0.2134	0.196486	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	P	Cbar	0.3678	-0.1478	-0.3678	-0.415631	309e2d79b58dcalab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	S	F	0.104	0.0734	0.104	0.098436	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	S	Fbar	0.1538	-0.097	-0.1538	-0.18627	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	S	C	0.152	0.1198	0.152	0.144806	0597e52db66afo240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	S	Cbar	0.224	-0.1478	-0.224	0.256276	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	A	F	0.1486	0.0734	0.1486	0.154478	18440113e8769665f734f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	A	Fbar	0.2962	-0.097	-0.2962	0.287284	0479bd94d55b6777d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	A	C	0.2126	0.1198	0.2126	0.220659	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	A	Cbar	0.3516	-0.1478	-0.3516	0.345535	e2b95c21589f9b47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	G	F	0.1302	0.0506	0.1302	0.112835	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	G	Fbar	0.355	-0.1026	-0.355	0.378316	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	G	C	0.1978	0.0956	0.1978	0.18331	ca0f8e136de5f154c8192ea26425b443107e0ce9a13cdc68fcafe66cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	G	Cbar	0.454	-0.1508	-0.454	0.477088	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995e85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	P	F	0.1142	0.0506	0.1142	0.100013	10d6906cd7b38fd614f1f69c2cbb0a349453728fa748c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	P	Fbar	0.29	-0.1026	-0.29	0.322175	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	P	C	0.186	0.0956	0.186	0.168828	9a81f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2ff577ea3824850	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	P	Cbar	0.3862	-0.1508	-0.3862	-0.417979	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	S	F	0.0744	0.0506	0.0744	0.071717	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	S	Fbar	0.1692	-0.1026	-0.1692	0.191372	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	S	C	0.1192	0.0956	0.1192	0.120572	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	S	Cbar	0.2394	-0.1508	-0.2394	0.258953	5a59f1542235429a98dd7dc65254db629b682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	A	F	0.1528	0.0506	0.1528	0.120633	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	A	Fbar	0.2932	-0.1026	-0.2932	0.291574	0479bd94d55b6777d2342b89cfefb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	A	C	0.217	0.0956	0.217	0.186462	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	A	Cbar	0.3518	-0.1508	-0.3518	0.347837	e2b95c2158f9fb47b9462dd7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	G	F	0.159	0.0874	0.159	0.16694	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	G	Fbar	0.315	-0.0946	-0.315	0.372188	71870e37c82e52267a45a60e4fee1650b178adcd01114bf002cdf9014af3e5c1	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	G	C	0.2268	0.1362	0.2268	0.232811	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafc6cf509dfc8	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	G	Cbar	0.4176	-0.1464	-0.4176	0.473837	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	P	F	0.145	0.0874	0.145	0.149458	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaf4eed2f7a	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	P	Fbar	0.2624	-0.0946	-0.2624	0.315724	cacale14db070990a340144d1ce5120da7e3b1ef054fce6e129e60ad10cd5ce3	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	P	C	0.2152	0.1362	0.2152	0.21523	9a811f1bc87b660a1a088e297dd804b613929e5b2603ceb65f2f5f7ea3824850	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	P	Cbar	0.36	-0.1464	-0.36	0.414535	309e2d79b58dca1ab5a696b079b29df2ef71ad4e6ca1506ef04eb6c989dc7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	S	F	0.1142	0.0874	0.1142	0.114842	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	S	Fbar	0.1538	-0.0946	-0.1538	0.184084	74d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	S	C	0.163	0.1362	0.163	0.161228	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab149c	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	S	Cbar	0.2234	-0.1464	-0.2234	0.255027	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	A	F	0.1644	0.0874	0.1644	0.17526	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	A	Fbar	0.3016	-0.0946	-0.3016	0.285446	0479bd94d55b6777d2342b89cf6b365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	A	C	0.2288	0.1362	0.2288	0.243834	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive_single_pool		True
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	A	Cbar	0.3628	-0.1464	-0.3628	0.34446	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	G	F	0.1542	0.0726	0.1542	0.14518	32aadaa12dbdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	G	Fbar	0.32	-0.096	-0.32	-0.373261	71870637c82e52267a45a60e4fee1650b178adcd01114bf002cf99014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	G	C	0.2258	0.123	0.2258	0.216717	ca0f8e136de5f154c8192ea26d25b443107e0ce9a13cdc68fcafe6cf509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	G	Cbar	0.4198	-0.1468	-0.4198	0.474133	832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	P	F	0.1406	0.0726	0.1406	0.129572	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	P	Fbar	0.2518	-0.096	-0.2518	0.316853	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	P	C	0.2088	0.123	0.2088	0.200144	9a811f1bc87b60a1a088e297dd804b613929e5b2603ceb65f2f5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	P	Cbar	0.3518	-0.1468	-0.3518	0.414848	309e2d79b58dca1ab5a696bf079b29df2ef71ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	S	F	0.1034	0.0726	0.1034	0.097498	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	S	Fbar	0.1454	-0.096	-0.1454	0.185359	74db88b02806fb76216285b714edc6b03232d115412d337809b3c0cfce5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	S	C	0.151	0.123	0.151	0.14801	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	S	Cbar	0.2176	-0.1468	-0.2176	0.255383	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9efa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	A	F	0.1586	0.0726	0.1586	0.153291	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	A	Fbar	0.2982	-0.096	-0.2982	0.286518	0479bd94d55b6777d2342b89cfecb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	A	C	0.2254	0.123	0.2254	0.225181	005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805f0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	A	Cbar	0.3532	-0.1468	-0.3532	-0.344767	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	G	F	0.1506	0.0764	0.1506	0.150767	32aadaa12ddabdb8bcf852f2fd28247b4991b2618eaa18b804a4a42458ef43b6c	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	G	Fbar	0.3336	-0.0978	-0.3336	-0.374639	71870e37c82e52267a45a00e4fee1650b178aded01114bf002cdf9014af3e5c1	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	G	C	0.2212	0.125	0.2212	0.219156	ca0f8e136de5f154c8192ea26d25b4431070ce9a13cdc68fcafc6cef509dfc8	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	G	Cbar	0.4348	-0.1484	-0.4348	-0.475315	8b7e3d0d3b832bb2a95a9cdc0fb53889e3aa6f7757676995c85104a31aa1a3cf	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	P	F	0.1384	0.0764	0.1384	0.134678	10d6906cd7b38fd614f1f69c2cbb0a349453728fa7d8c2309470aaef4eed2f7a	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	P	Fbar	0.2728	-0.0978	-0.2728	-0.318304	cacale14db070990a340144d1ce5120da7e3b1ef054fce6c129e60ad10cd5ce3	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	P	C	0.2078	0.125	0.2078	0.20243	9a811f1bc87b60a1a088e297d804b613929e5b2603ceb65f2ff5f7ea3824850	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	P	Cbar	0.3724	-0.1484	-0.3724	-0.416101	309e2d79b58dca1ab5a696bf079b294f2e771ad4e6ca1506ef04eb6c989dcb7e	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	S	F	0.0992	0.0764	0.0992	0.101951	39839bb66f1409dab85e47e4773d5d6272ab445b18a1303edfb75285ea1550b4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	S	Fbar	0.1592	-0.0978	-0.1592	-0.186999	7d4b88b02806fb76216285b714edc6b03232d115412d337809b3c0cfe5f25df	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	S	C	0.1484	0.125	0.1484	0.150013	0597e52db66af0240b006f5a941c56355395e172468625684417b85369ab1d9c	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	S	Cbar	0.2274	-0.1484	-0.2274	-0.256811	-	5a59f1542235429a98dd7dc65254db6298682c2222b5a652f6f05e2028ba9cfa	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	A	F	0.1554	0.0764	0.1554	0.158932	-	18440113e8769665f5784f93b8ca7a310fcd851702d4f5991329e37c59af1ea6	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	A	Fbar	0.2888	-0.0978	-0.2888	0.287897	-	0479bd94d55b677d2342b89cfeb365243b2954e7ab81c7bfc656373cc838cb4	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	A	C	0.2218	0.125	0.2218	0.228007	-	e005ed9391ee7599f95fcd63b6db9e86847dc1f0e2805ff0632b86b8e7822357	full_naive_single_pool		False
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	A	Cbar	0.3476	-0.1484	-0.3476	0.345995	-	e2b95c2158f9fb47b9462ddb7d77147200f1307cd4453969a71056318550d631	full_naive_single_pool		False

Table 101: ImageNet-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^*_Z	ER^*_S	ER^*_C
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	be1d1979e7552fb5bd8e2126a36fc72ef77e68044010a4fe3c1f25be8984349a	5000	Spearman	NOISE-S		Gradient Attention Rollout;CheferTran sformer Attribution		-	0.05672	-
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	b54b8513e4774bb8f8a40554c7876bb428fa058087fb039dfd90489017939d98	5000	Spearman	NOISE-S		Gradient Attention Rollout;CheferTran sformer Attribution		-	0.05501	-
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	566157ea61b51f24ab73a93444e012083051d676858eec239cd318bc32406a71	5000	Spearman	NOISE-S		Gradient Attention Rollout;CheferTran sformer Attribution		-	0.05501	-
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	436e38ef68c3dbda76647a1291bd8fbb9964ee1d758b34858e54c4ef29388901	5000	Spearman	NOISE-S		Gradient Attention Rollout;CheferTran sformer Attribution		-	0.053597	-
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	9b4034f476f91a45b54ef2bcd06dd04d8620b9223782fe3a9462e5d70021bc84	5000	Spearman	NOISE-S		Gradient Attention Rollout;CheferTran sformer Attribution		-	0.05501	-
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	d1196f72e05190d9593f6a6bdb52cd30c7d1836f0652b9c2cf72c6b1d7da d58c	5000	Kendall	NOISE-K		Gradient Attention Rollout;CheferTran sformer Attribution;Occlusion		0.009844	0.044827	0.014984
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	33e4fb51ac6163432ca0c154c0ed28acc89517f1fa2c769e07a103f4be7c35ea	5000	Kendall	NOISE-K		Gradient Attention Rollout;CheferTran sformer Attribution;Occlusion		0.017365	0.023316	0.01449
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	038fb812ca8e24568d7e2e75f6c23707bbe869bcd0109e617da094f46b0ae3e4	5000	Kendall	NOISE-K		Gradient Attention Rollout;CheferTran sformer Attribution;Occlusion		-	0.057188	-
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	f0cdc5dfe60de7d48dadf4e8f3d7bb b13757547625fd0dbe6d657590463d4e27	5000	Kendall	NOISE-K		Gradient Attention Rollout;CheferTran sformer Attribution;Occlusion		0.00902	0.053261	0.009083
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	91ea6f68ca f34287f3c68f3be028b74d2fbb00eb3c5efeea6f1c9b49456a5f04	5000	Kendall	NOISE-K		Gradient Attention Rollout;CheferTran sformer Attribution;Occlusion		-	0.041039	0.002044

Table 102: ImageNet–ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^p_{\mathcal{D}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	0.055115	-0.006502	0.050136	-0.00703	0.048501	-0.003664	0.025706	-0.003623	0.026611	-0.009595
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	0.055542	-0.007314	0.053072	-0.010487	0.054622	0.00153	0.028044	0.000173	0.02767	-0.011376
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	0.055542	-0.007314	0.053072	-0.010487	0.054622	0.00153	0.028044	0.000173	0.02767	-0.011376
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	0.054412	-0.009389	0.052427	-0.011344	0.052414	-0.001408	0.025515	-0.002627	0.026063	-0.011364
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	0.055542	-0.007314	0.053072	-0.010487	0.054622	0.00153	0.028044	0.000173	0.02767	-0.011376
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	0.047272	0.011153	0.046859	0.016914	0.047831	0.005564	0.03247	0.007194	0.032276	-0.005878
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	0.023088	0.014187	0.032175	0.017172	0.031779	0.002683	0.022172	-0.001372	0.019553	0.032167
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	0.056237	-0.004458	0.053324	-3.0163e-05	0.054535	-0.000642	0.030284	0.001772	0.031627	-0.01086
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	0.054333	0.011028	0.065053	0.008656	0.063048	0.005902	0.039959	0.00299	0.037783	0.005309
ImageNet–ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	0.040515	0.003722	0.045504	0.00537	0.043701	-0.002751	0.027799	-0.001613	0.029411	-0.003532

Table 103: ImageNet-ViT-B/16

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_E	ER^*_C	ER^*_V
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-S		2	-0.007622	-0.012499	-0.007605
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-S		2	-0.012133	-0.016221	-0.011447
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-S		2	-0.012133	-0.016221	-0.011447
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-S		2	-0.012546	-0.017186	-0.011628
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-S		2	-0.012133	-0.016221	-0.011447
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Simple Averaging	NOISE-K		3	-0.008916	-0.008059	-0.006065
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Borda	NOISE-K		3	-0.001626	0.030538	-0.003963
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Kemeny	NOISE-K		3	-0.016154	-0.015034	-0.01834
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	RRF	NOISE-K		3	-0.011682	0.000219	-0.008433
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Test	Schulze	NOISE-K		3	-0.000903	-0.006207	-0.001605

Table 104: ImageNet-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	4ff74e67fa 6a12ebecdb 695cd47bbc 391985e190 918cd2c2bb 6d3541f5af 9f9f	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	0.00877	- 0.011305	- 0.020075	-0.03132	- 0.008297	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	dbc30b656b fb6c9da161 94598b69f4 63e4b92666 c8aa6a35b6 a2569b8cac bc30	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	0.023451	0.05672	0.033269	0.019675	0.047058	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	401aa70087 6448aee65c 9d12010ce0 d2b1eecfad 5b62abf2a7 e7be34719b 5855	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	0.021023	- 0.013091	- 0.034114	- 0.045399	- 0.022589	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	f526d2f42a 39ca58d886 972ddb913 b9b56941b4 97c41f3401 b0eec52d32 900c	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	0.029525	0.055115	0.02559	0.011939	0.039595	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	accafb2182 290a6b42cc 71725d7980 f309734a29 acbd1a27fa a9d0e9c3e7 e801	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	0.013114	- 0.006502	- 0.019616	- 0.029987	- 0.008692	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	d1472d6790 7098bb81ef 26dc9315aa 17ebb15bad e66320d989 852f3dde91 9aaa	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	0.03591	0.050136	0.014227	0.000375	0.028159	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	1aac445192 51277f86a d699b81f95 34ed0b9402 fe037e7ac0 75f57d9a88 f965	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	0.021686	-0.00703	- 0.028716	- 0.038916	- 0.018285	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	71d7bb878b 07cf70cd24 2cce0f27db 2cf409eea0 b34903c6a2 54738b7a4b 8835	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	0.040648	0.048501	0.007853	- 0.006263	0.021826	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	755148373d 42ff5080ce 99436275a9 dc8d66ec49 ac4c2ecd65 ab55da57b9 8644	5000	Spearman	NOISE-S	Simple Averaging	Speckle	0.000546	- 0.003664	-0.00421	- 0.012994	0.005169	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	2e77852595 55f36ad0fe 13df5c5caf 322a988016 a91ad0cec4 18e7ddb604 3dec	5000	Spearman	NOISE-S	Simple Averaging	Speckle	0.021454	0.025706	0.004251	- 0.009236	0.017799	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	ec824db68d 5409979f12 52d4b4f30a d29c4459e1 1f667b5f79 e8d31610d8 7d55	5000	Spearman	NOISE-S	Simple Averaging	Speckle	0.007217	- 0.003623	-0.01084	- 0.019666	- 0.001825	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	e6b1dcd47f 8b945f5066 78876d55dd 4442096b5d 9df63b4a2e a7c4fe4bbb ad92	5000	Spearman	NOISE-S	Simple Averaging	Speckle	0.024414	0.026611	0.002198	- 0.011471	0.015775	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	551ffa9646 2136f7534f 8774b1cd83 c79421dc2b 9d8c7ee1bc 926886de76 d524	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	- 0.013422	- 0.009595	0.003827	- 0.006508	0.014824	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	877b38e31c 7c55d7fe9d 96cfefe9d5 6909b0d2f9 c7af3abf50 4b2c3ae04b 2f17	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	- 0.084088	- 0.007622	0.076466	0.061197	0.091783	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	b0290488a4 568ec459b7 c463ed7ecb fdccd18ef2 a126c9496d e4578a2d5a 1d7c	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	- 0.015202	- 0.012499	0.002703	- 0.008297	0.013986	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	b17ff3d678 b1b1357790 c81129854e 3f1021fff9 ad305303ff 854d439cce 680f	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	- 0.093254	- 0.007605	0.085649	0.07011	0.101173	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	fe15ae0fc1 5d94ccb1b9 6abf9b4032 682a25ef46 d80ebba305 eaa5529ae9 4374	5000	Spearman	NOISE-S	Borda	Gaussian	0.017682	- 0.006069	- 0.023751	- 0.035076	- 0.011747	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	696c727a33 1753bcbec4a dcbed90ae6 5207ac7f1a 24a56b9b7f 968bd46153 b292	5000	Spearman	NOISE-S	Borda	Gaussian	0.063723	0.05501	- 0.008714	- 0.022878	0.005792	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	22b4883ff5 b675006c0a be135c2415 3a3f0cdafb 73a527c2db a2882badff 90ce	5000	Spearman	NOISE-S	Borda	Gaussian	0.028266	- 0.011792	- 0.040058	- 0.050907	- 0.028535	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	d2065fca19 fbc551ba8b b1c73e258a 9e7f5a78e0 ec8b13d4bc 8f176aada 9813	5000	Spearman	NOISE-S	Borda	Gaussian	0.068226	0.055542	- 0.012684	- 0.026866	0.001877	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	caacdae8f4 b10c82110a b5b99a71a4 7006d67c5f 51c3cccd13 90ff51d0d3 9ff1	5000	Spearman	NOISE-S	Borda	Salt Pepper	0.020749	- 0.007314	- 0.028064	- 0.038796	- 0.016799	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	133332c4fd 794cebdbe2 d23f72fcb1 48f3cbd2cf c500c0968f c553985a61 8097	5000	Spearman	NOISE-S	Borda	Salt Pepper	0.072963	0.053072	- 0.019891	- 0.035249	- 0.004601	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	4cd655e36d 9792ad7902 0bbd459fda f5da3a5caa 8808253a37 f26c7f7c58 e5de	5000	Spearman	NOISE-S	Borda	Salt Pepper	0.030373	- 0.010487	-0.04086	- 0.051373	- 0.029999	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	5a5dcd835d c246c4be88 d573731581 e324a08dd1 9c3c6ae706 52fb1877a5 ec38	5000	Spearman	NOISE-S	Borda	Salt Pepper	0.076054	0.054622	- 0.021432	- 0.036794	-0.00596	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	fbe18064ad fdda9a6598 1240d477f7 7612a76de1 443bb6667a 5aa49c3725 7e08	5000	Spearman	NOISE-S	Borda	Speckle	0.005965	0.00153	- 0.004435	- 0.013127	0.004879	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	9b7a140376f472cb97794c870e99255bbc0ba8cc5fd1b93120d22ec80e87748	5000	Spearman	NOISE-S	Borda	Speckle	0.037824	0.028044	-0.00978	-0.02456	0.004954	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	6928a341b9100103ea3c0a6c4efbca95577b7f7c83e0de81c2806d1dd2f4340e	5000	Spearman	NOISE-S	Borda	Speckle	0.011849	0.000173	-	-	-	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	eb527987abb92212fccc948c9d85a754ae43d3be88e556b7e5471412460a37b	5000	Spearman	NOISE-S	Borda	Speckle	0.039141	0.02767	-	-	0.003772	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	bb994a29a287730d69d93b9176204ef6e8eb9996ad464ecb6056cc917f93fd42	5000	Spearman	NOISE-S	Borda	Adversarial	0.004923	-	-	-	-	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	86bcb17954195e703b71f3e5ca6900a001171cd2de4f7f1cef3bfec5314e2cc4	5000	Spearman	NOISE-S	Borda	Adversarial	-	0.012133	0.071469	0.05622	0.087034	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	8b49ecc48b1a747cd958ed58bb086a24d29a4450940c80b04ae96b75b8afad7	5000	Spearman	NOISE-S	Borda	Adversarial	0.0105	-	-	-	-	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	0219353d9a591e8de9e55623dc23be1f7e91a8c05fefc236740f8de67ff24816	5000	Spearman	NOISE-S	Borda	Adversarial	-0.09016	-	0.078713	0.063178	0.094617	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	7aed27c20ed892cfdcd25bb7da25dba999e8cebf4431a5b386c890a10bd9232d	5000	Spearman	NOISE-S	RRF	Gaussian	0.01966	-	-	-	-	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	63c2d3b1aa305dd5fa4bac0011797763e21fd727cc479f0e37291cd518ccf788	5000	Spearman	NOISE-S	RRF	Gaussian	0.05769	0.053597	-	-	0.010502	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	cb745cd0a6fc717a35429c82ade0eb2459dc0e0801d363f8a9313b5e8b534a35	5000	Spearman	NOISE-S	RRF	Gaussian	0.031893	-0.01028	-	-	-	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	c41093c1cb1a59a224b50a22c8fe2c22d41fa6328b05b572a56d42085cbb7190	5000	Spearman	NOISE-S	RRF	Gaussian	0.062201	0.054412	-0.00779	-0.02255	0.006887	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	77526897a909eae1413e85bca62a2d44af565401f5a690acc160bf80e418199d	5000	Spearman	NOISE-S	RRF	Salt Pepper	0.023888	-	-	-	-	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	b6c9c9582191799c5490bc3d3fc09b3e94158a576083e9fcefcha220bf9af5	5000	Spearman	NOISE-S	RRF	Salt Pepper	0.06539	0.052427	-	-	0.002229	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	bafb75e8a3ec2b2d71f1c4cb05257898471446fa6c9e82432ddde9a318bc591b	5000	Spearman	NOISE-S	RRF	Salt Pepper	0.031287	-0.011344	-0.042631	-0.052795	-0.032125	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	1d59aead64e0632208a90af70885c50f3038ad617d6005161fe169bdf4d6e3aa2	5000	Spearman	NOISE-S	RRF	Salt Pepper	0.067133	0.052414	-0.014719	-0.0298	0.000739	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	3b26c95930465481549a98a33010dd69eaf7404ae5bf546afb398134042bedb	5000	Spearman	NOISE-S	RRF	Speckle	0.009133	-0.001408	-0.010541	-0.019218	-0.001438	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	392aef5ac57cde88ed3a1037af184d98fde8e4434f8ad4728371a0c4fa209c63	5000	Spearman	NOISE-S	RRF	Speckle	0.026972	0.025515	-0.001457	-0.015833	0.012808	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	cd1bbdc3bb1da3c69734a15c23b2e7c4a41b3124c3f1bcd4e5f7a5aa4ba9b118	5000	Spearman	NOISE-S	RRF	Speckle	0.015036	-0.002627	-0.017664	-0.02646	-0.008637	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	934e9eef34a9a415378f4ec014f9d086b7c065fdebef2ddbe7c42110e3114a872	5000	Spearman	NOISE-S	RRF	Speckle	0.028272	0.026063	-0.002209	-0.016796	0.012611	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	8facc2f11c93fc7d1c699eb5e0ac0b2405aefbf4d5d3214f2c61d4b0fac5e50	5000	Spearman	NOISE-S	RRF	Adversarial	-0.001984	-0.011364	-0.00938	-0.019471	0.001267	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	c2d7ced9b062a19bb27e4bb304a99c41386e0f07ebb80dfc8da050fe503954daf	5000	Spearman	NOISE-S	RRF	Adversarial	-0.075837	-0.012546	0.063291	0.048209	0.078657	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	05a9f998d45672837ba49105af0de5e097cb04183629a84ed463f8d97c0e093c	5000	Spearman	NOISE-S	RRF	Adversarial	0.000382	-0.017186	-0.017568	-0.027843	-0.006863	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	d85a44c3fe34f4b914bd8615fa473b58f57aa65de483da3d837ca09c2bf23943	5000	Spearman	NOISE-S	RRF	Adversarial	-0.076378	-0.011628	0.06475	0.049165	0.080395	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	2c9b06891b56b4a7fe635f4b1e765fec2c628bdbc b4c4afd96480db86f050ba71	5000	Spearman	NOISE-S	Kemeny	Gaussian	0.022647	-0.006069	-0.028717	-0.039551	-0.017365	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	90d5fbc04aab54a2f38fcf4115b7b2a158ebdf63945a802c0045f60c7a3e510b9	5000	Spearman	NOISE-S	Kemeny	Gaussian	0.075905	0.05501	-0.020895	-0.035651	-0.005852	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	cd8478eb4a6de5139d328da2f877fca3b8fecb516bce8e34b6e0927b3e9e328c	5000	Spearman	NOISE-S	Kemeny	Gaussian	0.031882	-0.011792	-0.043674	-0.053851	-0.032978	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	3eeaa73793 3879735c47 117fbec18e 85aca4497b 7df16e2e8f 75e2bb1713 c937	5000	Spearman	NOISE-S	Kemeny	Gaussian	0.079822	0.055542	- 0.024281	- 0.039104	- 0.009223	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	974587cad7 484a0cb2e7 73a52b2ec0 226049ec6c2 b228688de8 0dfc170e61 4e8e	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	0.027193	- 0.007314	- 0.034508	- 0.044952	- 0.023602	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	9a067e88b3 805a4d15f1 f81f0af0c5 f8341740ff 6cd20d2bd6 21cf707a12 03ef	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	0.077878	0.053072	- 0.024806	- 0.039925	- 0.009612	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	2d0c107da4 8ddb56c804 2b658baaab a830a35c23 d47437f3ae 644613037c 7439	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	0.031801	- 0.010487	- 0.042289	- 0.052336	- 0.031884	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	8db5d1acd7 4c755ab087 3408f3929c 1d738e82d0 47eaa5653d 242b15492a 147d	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	0.081427	0.054622	- 0.026805	- 0.042086	- -0.01164	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	2d99c74980 f025862306 c3e113eebf c59c1ab7c6 e40f6f5236 9804a250a4 4d99	5000	Spearman	NOISE-S	Kemeny	Speckle	0.011386	0.00153	- 0.009857	- 0.018343	- 0.000799	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	f04fd2defc d3f6f52f66 4699e5450c 45a0b32c77 7f08cfedcd c79202f083 d217	5000	Spearman	NOISE-S	Kemeny	Speckle	0.036215	0.028044	- 0.008171	- 0.023368	- 0.007168	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	0b196f0d31 9ec12e3ac7 d9153b19f0 c4c7b097d7 765b1b0086 b7b0c019b8 9c2c	5000	Spearman	NOISE-S	Kemeny	Speckle	0.015041	0.000173	- 0.014868	- 0.023316	- 0.006088	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	06da50d579 d75ee5cef1 9002faa4d3 b47dfe3459 07919bce70 2d8ff218fe ac0b	5000	Spearman	NOISE-S	Kemeny	Speckle	0.040677	0.02767	- 0.013007	- 0.028286	- 0.002481	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	48169f0a4d 3ea555edb4 09d36be585 6592fd9619 7103cf2313 516b6001e2 3250	5000	Spearman	NOISE-S	Kemeny	Adversarial	0.001657	- 0.011376	- 0.013033	- 0.023091	- 0.002241	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	976c728e2b a4c4ac4ac4 4769389140 aecfaa1265 3449da54cf 49d983b731 e9a8	5000	Spearman	NOISE-S	Kemeny	Adversarial	- 0.060416	- 0.012133	0.048282	0.033059	0.06371	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	170fd2e202 11e681d8cf 71ee0f8f00 aa751eb4c6 b74a6bdb65 63a9f68b8f 95d0	5000	Spearman	NOISE-S	Kemeny	Adversarial	0.005869	- 0.016221	-0.02209	- 0.032492	- 0.011159	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	298bcfe49f 6ec9c6a04e a478b2b852 670e3f9ce4 ff5b1f85b8 80854d6180 8c36	5000	Spearman	NOISE-S	Kemeny	Adversarial	- 0.061676	- 0.011447	0.05023	0.034685	0.066165	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	3b485fb164 9d1b05ab45 da2b83d2b3 a372429a44 da1038c2bd d85787fb80 0a68	5000	Spearman	NOISE-S	Schulze	Gaussian	0.024812	- 0.006069	- 0.030881	- 0.041859	- 0.019159	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	eeba420a89 f5b924a8c8 af11f882c6 7a75c8033f 7338fc5343 b91f74b15d 9103	5000	Spearman	NOISE-S	Schulze	Gaussian	0.073251	0.05501	- 0.018241	- 0.032649	- 0.003452	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	f0fc12ed48 0a8f84be3b 376d23205f 0c45a47958 98110a8972 3f8da765dd 8452	5000	Spearman	NOISE-S	Schulze	Gaussian	0.033257	- 0.011792	-0.04505 0.055397	- 0.034177	-	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	121fde8e35 43c40dff7c 96f31f84bb d69917a03b fbc5fd829b eda52338d7 127b	5000	Spearman	NOISE-S	Schulze	Gaussian	0.077014	0.055542	- 0.021473	- 0.036076	- 0.006674	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	2d741a42eb 5a6f782e46 57a633d219 623b152c17 b5cb8fc7d6 85017f0e9b a41d	5000	Spearman	NOISE-S	Schulze	Salt Pepper	0.026806	- 0.007314	-0.03412 0.044698	- 0.023063	-	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	93f5e25ddc ba4cb0ca9c 44b13cd930 ef75b41413 f37c9625a0 1d64db4ad4 5b56	5000	Spearman	NOISE-S	Schulze	Salt Pepper	0.072015	0.053072	- 0.018943	- 0.033856	- 0.003612	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	9e5a8db978 ae8f4d2f7 9df780b8e9 3f773b08dc 07ef7737e6 226eb8c9e4 436f	5000	Spearman	NOISE-S	Schulze	Salt Pepper	0.030116	- 0.010487	- 0.040603	- 0.050738	- 0.030031	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	4f1b76b4a2 7a9ea27141 454f364fed a74b1bbdc1 995b8eaaacc 813f7ae84f fedc	5000	Spearman	NOISE-S	Schulze	Salt Pepper	0.07688	0.054622	- 0.022258	- 0.037261	- 0.006938	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	25d7b7b375 cbe804c7b0 25011799ad e36fc91f98 30d5bc1aa8 8f5cbc46d6 dc7a	5000	Spearman	NOISE-S	Schulze	Speckle	0.013393	0.00153	- 0.011863	-0.02067 -0.00259	-	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	a0155fbf97 f8541314ef ce79260742 ddc6987554 5b27f3c6dd 426d5cc400 1677	5000	Spearman	NOISE-S	Schulze	Speckle	0.030512	0.028044	- 0.002468	- 0.017227	0.012305	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	f95fa55f66 4ae1b0451c dab3b8e0d3 d6f82067ec 2010514fe3 56fafc6603 2cfe	5000	Spearman	NOISE-S	Schulze	Speckle	0.016042	0.000173	- 0.015869	- 0.024609	-0.00669	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	bdc51dccb0 365987efe4 a5d28e5b91 527db6d70c aa25cfb09a 2e99eale92 70c4	5000	Spearman	NOISE-S	Schulze	Speckle	0.036465	0.02767	- 0.008795	- 0.023901	0.006145	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	2d04baf4f3 e954873818 11b608c898 2cb327e995 76a7e6a6dd 932cd4f12f 7748	5000	Spearman	NOISE-S	Schulze	Adversarial	0.002839	- 0.011376	- 0.014215	- 0.024831	- 0.002828	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	adb4cadb79595d1615d04e3ce796e2567b563bc5fde2692aaee2125d2142b96	5000	Spearman	NOISE-S	Schulze	Adversarial	-0.077474	-0.012133	0.065341	0.04997	0.080693	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	5d53b6bb5d5f39dc394f323e3227f9d0a0e2bd4272b6706752212c5579afc73cf	5000	Spearman	NOISE-S	Schulze	Adversarial	0.003999	-0.016221	-0.02022	-0.030979	-0.008879	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	7b96e8daeeddf9c71db560bb9d6e393b1f770d560918552e69bc3762c5bab10	5000	Spearman	NOISE-S	Schulze	Adversarial	-0.078686	-0.011447	0.06724	0.051523	0.083032	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	629a356fee89543f32d059aa3d45b4207b732e23d1f15b428aec9463efc4a5170	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	0.00877	0.009844	0.001074	-0.009269	0.011435	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	97f448b70ae899c07eefdd36da914d3c693c05fb5b49e2b038a247ecf2ab5e00	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	0.023451	0.044827	0.021375	0.008766	0.033874	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	a0b93996540ffcaee9886bfcddeb6fdd73ea6f9a68354e94d48267d9671509ce	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	0.021023	0.014984	-0.006039	-0.016052	0.004013	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	54f031d600f0f0c13dced611b62e2dae93b543bd985dcf84a6a147b520ee2c4c	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	0.029525	0.047272	0.017746	0.005086	0.03039	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	35f37b9d68090c79f3c1dac8b796758096c46ca3d15921764d337fda1f4d40f3	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	0.013114	0.011153	-0.001961	-0.011539	0.007471	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	43f1c7a4f30e68c7c0c348ea4fd9f12b1a1b6b736205450ce7eeb992e459eaf2	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	0.03591	0.046859	0.010949	-0.001588	0.023722	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	0eab41dd5656f6172165b0cb5fe1511110b76833d92820cafc459104ae2a74dc	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	0.021686	0.016914	-0.004772	-0.014022	0.00464	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	d82b2c007c475482711df8fac803f4faf9d5097e8d959f70ab18618bf77b1f60b	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	0.040648	0.047831	0.007183	-0.005543	0.020324	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	ee410cc485c1ce5fa6748a5534ae91878282abe9dfe4363cb64cc5f9c5e1934a	5000	Kendall	NOISE-K	Simple Averaging	Speckle	0.000546	0.005564	0.005019	-0.003846	0.013743	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	4ddfdb425f37ee8fc74b1591852fe2756e938bf1e8f7dc8e4ed210c9ece7980	5000	Kendall	NOISE-K	Simple Averaging	Speckle	0.021454	0.03247	0.011016	-0.001446	0.023462	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	c2c2dd8ac6 47f303ac5c 31ec9b554c b2fd2b70ea 6e23981d7c 3061a3c71c 4140	5000	Kendall	NOISE-K	Simple Averaging	Speckle	0.007217	0.007194	- 2.2865e- 05	- 0.008482	0.008409	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	b5cedd43cf 7f17cfa57b fd333657a0 f767a24847 9ac41e503a b6a6608077 90c6	5000	Kendall	NOISE-K	Simple Averaging	Speckle	0.024414	0.032276	0.007862	- 0.004853	0.020769	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	3cd40ecf5f 4f29f1bcc2 af0a59f719 3ab6988a84 ade38de5ed 77ed54d10f 37d8	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	- 0.013422	- 0.005878	0.007543	- 0.002937	0.01814	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	c363f6e9ac 2b97cdb055 7793054e32 768049b038 35a3bd3371 e0330ec51e 2a4a	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	- 0.084088	- 0.008916	0.075173	0.061068	0.08928	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	9d13fdacb3 808d40390a 0bcab09ee9 e53ab90d5f 445822f206 af8cb508e0 1e34	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	- 0.015202	- 0.008059	0.007142	- 0.003513	0.017948	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	98d6939265 d2e3930269 5355c5d924 eb22aa02d1 607e5f71fe c3e6fb3ca7 8a9c	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	- 0.093254	- 0.006065	0.087189	0.072655	0.101739	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	4fdde4d112 9f388d11e6 2ac741575c 4039c4b553 a543bec829 21b8	5000	Kendall	NOISE-K	Borda	Gaussian	0.017682	0.017365	- 0.000317	- 0.012649	0.011714	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	633d4b97c1 ebbeb12b88 40e7ee7cfd 7644b2442f f1a68df46d 43172688ea ec5b	5000	Kendall	NOISE-K	Borda	Gaussian	0.063723	0.023316	- 0.040408	- 0.055894	- 0.024897	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	11c8f6a3ff 74284a794f f4d667fdd8 cc60c15cb4 3b859ec6f3 e99b3037bb 3d57	5000	Kendall	NOISE-K	Borda	Gaussian	0.028266	0.01449	- 0.013776	- 0.025747	- 0.001984	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	b7659ffae3 0d9cd732f4 a9f12edece a18799f8cc 59933620bf 9ddee54a3 daf1	5000	Kendall	NOISE-K	Borda	Gaussian	0.068226	0.023088	- 0.045137	- 0.060855	-0.02953	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	96c7ef0109 b4fd70d8a6 21f1c9a658 3095eec74f d345372705 588cab1078 81e8	5000	Kendall	NOISE-K	Borda	Salt Pepper	0.020749	0.014187	- 0.006562	- 0.017883	0.0048	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	fa397bc7ef 0db151b1f6 f2aa672774 674b292522 20ba18ccfa e87b6a15da 2380	5000	Kendall	NOISE-K	Borda	Salt Pepper	0.072963	0.032175	- 0.040789	- 0.056652	- 0.025406	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	bca9f64b13 8ca7fe2bb4 e7a1ae717b 11bd27806e 2a8538e113 25cc01eea4 29f7	5000	Kendall	NOISE-K	Borda	Salt Pepper	0.030373	0.017172	- 0.013201	- 0.024205	- 0.002016	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	4d65d110932654cfb185e0e6a640d2d15677cf54a3ca0b9470df731376e888e86	5000	Kendall	NOISE-K	Borda	Salt Pepper	0.076054	0.031779	-0.044275	-0.060005	-0.028798	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	91507eccd8000e8dfc462c460fd9860379f7f1857af1d8037d7f383b24da704a	5000	Kendall	NOISE-K	Borda	Speckle	0.005965	0.002683	-0.003281	-0.013039	0.006361	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	4633c96f809fc33abadb a6e8f7b5dc af6dde886c5a76721c404c7e631205e04a	5000	Kendall	NOISE-K	Borda	Speckle	0.037824	0.022172	-0.015653	-0.031248	0.000231	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	a4129508912b56da5544a7bada272ce82214c4c19537c05f6073ff1694ae7489	5000	Kendall	NOISE-K	Borda	Speckle	0.011849	-0.001372	-0.013221	-0.022658	-0.003687	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	39aab21014bdb25ae97248b5d9d0f148b942e1f5ba4a638cc4fa0af0aaed5c65	5000	Kendall	NOISE-K	Borda	Speckle	0.039141	0.019553	-0.019588	-0.035373	-0.003151	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	3fede71cefba704bbaa2a641168576e3c824992acblcb5bb2efc99555c9a5eb6	5000	Kendall	NOISE-K	Borda	Adversarial	0.004923	0.032167	0.027244	0.015876	0.038595	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	40196ccdee439d8553982cb661b5376c70e18fabf06f478bb4a56855886680d9	5000	Kendall	NOISE-K	Borda	Adversarial	-0.083602	-0.001626	0.081976	0.065959	0.098057	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	62e365d41926c451799cf5757fafb233f96809a8f3f0d89271df4073d0e9717e	5000	Kendall	NOISE-K	Borda	Adversarial	0.0105	0.030538	0.020038	0.008569	0.031604	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	3f5135a805fe7169cd397e9c8be10e0181358ba96691f62ffa5e0211c735482d	5000	Kendall	NOISE-K	Borda	Adversarial	-0.09016	-0.003963	0.086196	0.069777	0.102872	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	544a932c87d54a3ee32e038b7af40c1955f3d63845d4b42f4398cefd48677ebd	5000	Kendall	NOISE-K	RRF	Gaussian	0.01966	0.00902	-0.01064	-0.022518	0.001305	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	027412ae26ecb3144a8577c86f2e7491969d7f355c11d9b71141f411314c8b9	5000	Kendall	NOISE-K	RRF	Gaussian	0.05769	0.053261	-0.004429	-0.019114	0.010318	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	7d81d0a3526ab275b760ca9f523d1c46b5fce2396bbeb1dee9c57bde030f5b2e6	5000	Kendall	NOISE-K	RRF	Gaussian	0.031893	0.009083	-0.02281	-0.0343	-0.011232	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	802afba10e5d84ec52a7a7da8b322f61a380376f350ecd2a8cf0d80b092f91f2	5000	Kendall	NOISE-K	RRF	Gaussian	0.062201	0.054333	-0.007869	-0.022412	0.006852	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	169d7dd092d1584eebae174c19ee2adb690533db56124d60532d76b8bfe994b2	5000	Kendall	NOISE-K	RRF	Salt Pepper	0.023888	0.011028	-0.01286	-0.024216	-0.001451	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	1df1d87055cdd9171cc8f72b94cb504331906c2ce182fbaac2ac40f1530640f4	5000	Kendall	NOISE-K	RRF	Salt Pepper	0.06539	0.065053	-0.000337	-0.014733	0.014266	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	150ee4572279a6c3d54a27343bb36be15545f0cfa86b4e313f56d1467e2b3de5	5000	Kendall	NOISE-K	RRF	Salt Pepper	0.031287	0.008656	-0.022631	-0.033821	-0.011515	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	870023d366d8e5e383cc67c2b5795b0a48f27093a259ea2acc89a21d0c0012e4	5000	Kendall	NOISE-K	RRF	Salt Pepper	0.067133	0.063048	-0.004084	-0.01862	0.01093	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	847c98e0b8e300091ffa7934f331679fd0850ca51b08117dc51bad1ac6a0c70d	5000	Kendall	NOISE-K	RRF	Speckle	0.009133	0.005902	-0.003231	-0.012713	0.006285	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	9bb34e303a351e7337f8e541f6665d4b6c3759bfbb38d1ef2862b309ab3c7dc	5000	Kendall	NOISE-K	RRF	Speckle	0.026972	0.039959	-0.012987	-0.001306	0.027577	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	ef043ee2889b9db87f9a40356db9754e8f979f1754fd0e83cf8f9fb1d768dcd	5000	Kendall	NOISE-K	RRF	Speckle	0.015036	0.00299	-0.012047	-0.021385	-0.002679	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	5a0abd43b02afcdc6230480c2303e4f50db792610984bc7ee8e191b4fd086358f	5000	Kendall	NOISE-K	RRF	Speckle	0.028272	0.037783	-0.009511	-0.005134	0.024254	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	5f0cbd29bc83552361951966aa5d9799f49c72fcd8a57a754163c6fc0a4eb8eb	5000	Kendall	NOISE-K	RRF	Adversarial	-0.001984	0.005309	0.007293	-0.003503	0.018385	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	5def189f5cc7e5b15ff08ea5989b954e1cfef0e3a143d9bb7c6cec73beca8131	5000	Kendall	NOISE-K	RRF	Adversarial	-0.075837	-0.011682	0.064155	0.049229	0.079412	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	82cd29dba010373e217c20497d86d4a0e4ad40fb9a83a4ecc08d73fde4d12902	5000	Kendall	NOISE-K	RRF	Adversarial	0.000382	0.000219	-0.000163	-0.01138	0.011224	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	351bff54eb9ef01bf5baaeabaa008db3537dd1c1031cef02a3b6155a950ce265	5000	Kendall	NOISE-K	RRF	Adversarial	-0.076378	-0.008433	0.067945	0.052457	0.083653	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	e6753462d36da33276ca9751bc5e5d871d13b47375acb3d49bc22cc531f7c81	5000	Kendall	NOISE-K	Kemeny	Gaussian	0.022647	-0.00794	-0.030587	-0.041475	-0.018882	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	df5090f39c f3fde20a6c 67fde2bc2e 354f4b96b2 b7ecac9bac 88ec7e7106 1ec4	5000	Kendall	NOISE-K	Kemeny	Gaussian	0.075905	0.057188	- 0.018716	-0.03329	- 0.003701	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	279f8397a0 ea4effd9dd c7653c4f33 d02c8c4c56 7ced5fcf4e 913362a24f 60d1	5000	Kendall	NOISE-K	Kemeny	Gaussian	0.031882	- 0.006011	- 0.037893	- 0.048428	- 0.027087	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	9f4e004c04 244a33cf21 d18dfdb0a3 bb9ada69a 89c7dc480a 6961bc8248 c731	5000	Kendall	NOISE-K	Kemeny	Gaussian	0.079822	0.056237	- 0.023585	-0.03846	- 0.008593	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	3e6dda0a1c ed783e900e d80af4b3a0 f677cc51f4 013d98a975 a301524035 3a71	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	0.027193	- 0.004458	- 0.031652	-0.04201	- 0.020819	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	3fbc60f2eb 0113c85e99 fb2d13c003 f2ed112fa4 ebecd92225 d471b1ef7b 5065	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	0.077878	0.053324	- 0.024554	-0.03951	-0.00948	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	039ec357e6 1a6565d7bb cdeb7bbf705 bf84b8d875 ffc3ca6c91 03d41f3932 45f0	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	0.031801	- 3.0163e-05	- 0.031831	- 0.042054	-0.0212	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	38b79afabe 715d0121de aa2006a6d9 941c58aebb 4425e9c2d3 9923fc6b32 46c6	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	0.081427	0.054535	- 0.026892	- 0.042028	- 0.011767	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	8b57cb84f4 44efdb10cb 5c32b4b8fe 01fb8257be 7799cd49ef 2fd3aea9cc 97d4	5000	Kendall	NOISE-K	Kemeny	Speckle	0.011386	- 0.000642	- 0.012029	- 0.020468	- 0.003086	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	3cad6cbc08 aa7c400f07 6e41cc5b1a e47e577116 55d99554e8 63dc49f145 dc2e	5000	Kendall	NOISE-K	Kemeny	Speckle	0.036215	0.030284	- 0.005931	- 0.020838	0.009458	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	8c3b85b823 a44111e9b5 f804a290c0 3e3c50bb7d f86dc13491 dbdf91baa1 131a	5000	Kendall	NOISE-K	Kemeny	Speckle	0.015041	0.001772	-0.01327	- 0.021841	- 0.004369	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	3a850a13c6 66d2f55f5e a0fb2624ed 6da00537a7 1e4ff4a4e0 a6aebd7f3 d4a7	5000	Kendall	NOISE-K	Kemeny	Speckle	0.040677	0.031627	-0.00905	- 0.024162	0.006407	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	dd67176c65 1f737cf176 90dd159375 e03c24f93d 245587373f a9b4a57cfd 6ed8	5000	Kendall	NOISE-K	Kemeny	Adversarial	0.001657	-0.01086	- 0.012518	- 0.022913	- 0.001586	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	d9c8e46903 2d24afffed bc1953b758 d7257e08bd 040790fa0d 728cd622ad d272	5000	Kendall	NOISE-K	Kemeny	Adversarial	- 0.060416	- 0.016154	0.044261	0.029096	0.059863	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	a9ba8add7af6ee4afb2057502e258d55fa82eb97f27838d3d8831565f13c7b5	5000	Kendall	NOISE-K	Kemeny	Adversarial	0.005869	-0.015034	-0.020903	-0.031427	-0.010041	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	8acb420b36a587f6c8d19575872be909d21acd40f5ec27fe61a22499c7312149	5000	Kendall	NOISE-K	Kemeny	Adversarial	-0.061676	-0.01834	0.043337	0.027921	0.059182	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	e274c2065bc961b7c61731b5a6b37894aa37ff516cb68053b5c3d3397b909d29	5000	Kendall	NOISE-K	Schulze	Gaussian	0.024812	-0.000167	-0.024979	-0.03707	-0.012567	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	0a313cef938ee9285b26a361647ef55e49466dba63f59c02c9160749657da5d2	5000	Kendall	NOISE-K	Schulze	Gaussian	0.073251	0.041039	-0.032211	-0.047463	-0.016991	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	b695a0db9456138bad108470aa7e33b772d9d5035fd4820aea5c9d32bfb070d	5000	Kendall	NOISE-K	Schulze	Gaussian	0.033257	0.002044	-0.031213	-0.04303	-0.019196	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	962902be2f53c24a9fe85a11d6ac5026700a532638b1214e6b6ce1a11fd8b9d7	5000	Kendall	NOISE-K	Schulze	Gaussian	0.077014	0.040515	-0.036499	-0.051991	-0.02107	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	a57d67b1e6fc135613fd2e4e43f375bf9976daacc85534a3b39cb1cac78b08f7d	5000	Kendall	NOISE-K	Schulze	Salt Pepper	0.026806	0.003722	-0.023084	0.034921	0.011077	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	d7f476ec5b3cbadb2be22417f9a155d2e0175e4fd0b06dc6debc453141c565cef	5000	Kendall	NOISE-K	Schulze	Salt Pepper	0.072015	0.045504	-0.026511	-0.041994	-0.01079	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	09156cf7fd2bbdaf2c95a23d3a716be2e063cf28fb0805ca4459f3010844e29	5000	Kendall	NOISE-K	Schulze	Salt Pepper	0.030116	0.00537	-0.024745	-0.035981	-0.012829	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	51ac61aa7048ceec9084c4872431ed449a7eb04f9b99a375093f252f63fa19ea2	5000	Kendall	NOISE-K	Schulze	Salt Pepper	0.07688	0.043701	-0.03318	-0.048565	-0.017504	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	30523688ad04c100e10a366e16a05a9b0e69188b17c442dbca1a51a9490a3a12	5000	Kendall	NOISE-K	Schulze	Speckle	0.013393	-0.002751	-0.016144	-0.02581	-0.006256	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	3af436a8cf622d7b991eb4da6329727c9db4c2c7b2a44ba23154e549f2ae7962	5000	Kendall	NOISE-K	Schulze	Speckle	0.030512	0.027799	-0.002713	-0.018539	0.012825	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	86916bc3fd482f42a3b54c9cfdc4fa7c2b4e4e1cb37d7a19837f1a3551279dc1	5000	Kendall	NOISE-K	Schulze	Speckle	0.016042	-0.001613	-0.017655	-0.027297	-0.007924	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	27211ad85175a62a07ecf312d07423a4c679da8aeab6be5c8d2743b10a65e19c	5000	Kendall	NOISE-K	Schulze	Speckle	0.036465	0.029411	-0.007053	-0.023131	0.009035	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	d919fabd9ecf923d18d5da5e6644dcf8caeb529df2c0517c5a6990daf0f36c64	5000	Kendall	NOISE-K	Schulze	Adversarial	0.002839	-0.003532	-0.00637	-0.017667	0.005089	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	b884eeac9fa4fa682970b6e009977e86b72c027a82ff74592fa934852b073015	5000	Kendall	NOISE-K	Schulze	Adversarial	-0.077474	-0.000903	0.076571	0.061006	0.092252	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	ed543fa4d475732b5ec0c1f9d2f39142b138e90b6108e99072d0cf084265103c	5000	Kendall	NOISE-K	Schulze	Adversarial	0.003999	-0.006207	-0.010207	-0.021606	0.001451	0.95
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	18e6fdd591a11e4941906b35e69c72dafea0bd8c07ef7820a92f33ade015038c	5000	Kendall	NOISE-K	Schulze	Adversarial	-0.078686	-0.001605	0.077081	0.061187	0.093259	0.95

Table 105: ImageNet-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	4ff74e67fa6a12ebecdb695cd47bbc391985e190918ed2c2bb6d3541f5af99f	0.99995	1	False	0.99935	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	dbc30b656bfb6c9da16194598b69f463e4b92666c8aa6a35b6a2569b8cacbc30	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	401aa700876448aee65c9d12010ce0d2b1eefad5b62abf2a7e7be34719b5855	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	f526d2f42a39ca584886972ddb913b9b56941b497c41f3401b0eec52d32900c	0.0001	0.0615	False	0.00025	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	accaf2182290a6b42cc71725d7980f309734a29acbd1a27faa9d0e9c3e7e801	0.99985	1	False	0.99975	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	d1472d67907098b68fef26dc9315aa17eb815bad e66320d989852f3dde919aaa	0.02235	1	False	0.0221	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	1aac44519251277ff8ead699b81f9534ed0b9402fe037e7ac075f57d9a88f965	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	71d7bb878b07cf70cd242cce0f27db2cfd09eea0b3d903c6a254738b7a4b8835	0.1389	1	False	0.13645	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	755148373d42f5080ce99436275a9dc8d66ec49ac4c2ecd65ab5ada57b98644	0.8278	1	False	0.8111	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	2e7785259555f36ad0fe13d15c5caf322a988016a91ad0cec418e7ddb6043dec	0.26875	1	False	0.2662	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	ec824db68d5409979f1252d4b4f30ad29c4459e11f667b5f79e8d31610d87d55	0.9922	1	False	0.99055	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	e6b1dcd47f8b945f506678876d55dd4442096b5d9df63b4a2ea7c4fe4bbb ad92	0.37995	1	False	0.37365	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	551ffa9646 2136f7534f 8774b1cd83 c79421dc2b 9d8c7ee1bc 926886de76 d524	0.2548	1	False	0.232	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	877b38e31c 7c55d7fe9d 96cfefe9d5 6909b0d2f9 c7af3abf50 4b2c3ae04b 2f17	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	b0290488a4 568ec459b7 c463ed7ecb fdccd18ef2 a126c9496d e4578a2d5a 1d7c	0.32455	1	False	0.3104	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	b17f93d678 b1b1357790 c81129854e 3f1021fff9 ad305303ff 854d439cce680f	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	fe15ae0fc1 5d94ccb1b9 6abf9b4032 682a25ef46 d80ebba305 eaa5529ae9 4374	0.99995	1	False	0.99995	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	696c727a33 1753bcb4a dcbcd90ae6 5207ac7f1a 24a56b9b7f 968bd46153 b292	0.88555	1	False	0.8787	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	22b4883ff5 b675006c0a be135c2415 3a3f0cbbfa 73a527c2db a2882badf90ce	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	d2065fca19 fbc551ba8b b1c73e258a 9e7f5a78e0 cc8b13d4bc 8f176aaeda 9813	0.95995	1	False	0.95575	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	caacdcae8f4 b10c82110a b5b99a71a4 7006d67e5f 51c3cccd13 90ff51d0d39ff1	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	133332c4fd 794cebdbe2 d23f72fcb1 48f3cbd2cf c500c0968f c553985a61	0.99455	1	False	0.9948	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	8097 4cd655e36d 9792ad7902 0bbd459fda f5da3a5caa 8808253a37	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	f26c7f7c58e5de 5a5dc8335d c246c4be88 d573731581 e324a08dd1 9c3c6ae706 52fb1877a5 ec38	0.99685	1	False	0.9971	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	fbe18064ad fd4a9a6598 1240d477f7 7612a76de1 443bbb667a 5aa49c3725 7e08	0.846	1	False	0.81935	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	9b7a140376f472cb9f7794c870e9f255bbcb0baf8cc5fd1b93120d22ec80e87748	0.90485	1	False	0.8958	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	6928a341b9100103ea3c0a6c4efbca a95577bf7c83e0de81c280641dd2f4340e	0.9948	1	False	0.9924	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	eb527987abb92212fcc948c9d85a754ae43d3be88e5556b7e5471412460a37b	0.9341	1	False	0.9287	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	bb994a29a287730d69d93b9176204ef6e8eb9996ad464ecb6056cc917f93fdd2	0.99935	1	False	0.9978	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	86bcb17954195e703b71f3e5ca6900a001171cd2de47f1cef	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	3bfec5314e2cc48b49eccc48b1a747cdc958ed58bb086a24d29a4450940c80b04ae96b75b8afad7	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	0219353d9a591e8de9e55623dc23be1f7e91a8c05fetc236740f8de67f24816	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	7aed27c20ed892cfdcd25bb7da25dba999e8cebfd431a5b386c890a10bd9232d	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	63c2d3b1aa305dd5fa4bac0011797763c21fd727cc479f0e37291cd518ccf788	0.7112	1	False	0.7078	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	cb745cd0a6fc717a35429c82ade0eb2459dc0e0801d363f8a9313b5e8b534a35	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	c41003c1cb1a59a224b50a22c8fe2c22d41fa6328b05b572a56d42085cbb7190	0.85485	1	False	0.84895	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	77526897a909eac1413e85bca62a2d44af565401f5a690acc160bf80e418199d	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	b6c9c9582191799c5490bc3d3fc09b3e94158a576083e9fcef cba220bffe9af5	0.9588	1	False	0.95415	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	bafb75e8a3ec2b2d71f1c4cb05257898471446fa6c9e82432ddde9a318bc591b	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	1d59aead64e0632208a90af70885c50f3038d617d6005161fe169bdf4d6e3aa2	0.9726	1	False	0.9697	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	3b26c95930465481549a98a33010dd69eaf7404ae5bf546afb398134042bedb	0.9913	1	False	0.98875	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	592aef5ac57cde88ed3a1037af184d98fde8e4434f8ad4728371a0c4fa209c63	0.5863	1	False	0.5689	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	cd1bbde3bb1da3c69734a15c23b2e7c4a41b3124c3f1bcd4e5f7a5aa4ba9b118	0.99995	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	934e9eef34a9a415378f4ec014f9d086b7c065fdebf2ddbe7c42110e3114a872	0.62605	1	False	0.60595	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	8facc2f11c93fc7d1c699eb5e0ac0b2405afebf4d5df3214f2c61d4b0fac5e50	0.96785	1	False	0.95715	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	c2d7ced9b062a19bb27e4bb304a99c41386e0f07eb80dfc8da050fe503954daf	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	05a9f998d45672837ba49105af0de5e097cb04183629a84ed463f8d97c0e093c	0.9997	1	False	0.9994	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	d85a44c3fe34f4b914bd8615fa473b58f57aa65de483da3d837ca09c2bf23943	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	2c9b06891b56b4a7fe635f4b1e765fe2c628dbdbc b4c4afd96480db86f050ba71	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	90d5fbc04aab5da2f38fcf415b7b2a158ebdf63945a802c0045f60c7a3e510b9	0.9963	1	False	0.9972	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	cd8478eb4a6de5139d328da2f877fca3b8fecb516bce8e34b6e0927b3e9e328c	1	1	False	1	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	3eeaa737933879733c47117fbec18e85aca4497b74f16e2e8f75e2bb1713c937	0.9994	1	False	0.99925	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	974587cad7484a0cb2e773a52b2ec0226049c6c2b228688de80dfc170e614e8e	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	9a067e88b3805a4d15f1f81f0af0c5f8341740ff6cd20d2bd621cf707a1203ef	0.99895	1	False	0.9996	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	2d0c107da48ddb56c8042b658baaab830a35c23d47437f3ae644613037c7439	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	8db5d1acd74c755ab0873408f3929c1d738e82d047eaa5653d4242b15492a147d	0.99955	1	False	0.9998	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	2d99c74980f025862306c3e113eebf c59c1ab7c6e40f6f52369804a250a44d99	0.9886	1	False	0.98325	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	f04fd2defcd3f6f52f664699e5450c45a0b32c777f08cfedcd c79202f083d217	0.85765	1	False	0.85285	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	0b196f0d319ec12e3ac7d9153b19f0c4c7b097d7765b1b0086b7b0c019b89c2c	0.99965	1	False	0.9995	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	06da50d579d75ee5cef19002faa4d3b47dfc345907919bce702d8ff218feac0b	0.95315	1	False	0.9493	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	48169f0a4d3ea555edb409d36be5856592fd96197103cf2313516b6001e23250	0.99335	1	False	0.9914	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	976c728c2ba4c4ac4ac44769389140aecfaa12653449da54cf494983b731e9a8	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	170fd2e20211e681d8cf7fee0f8f0aa751eb4c6b74a6bdb6563a9f68b8f95d0	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	298bcef49f6ec9c6a04ea478b2b852670e3f9cc4ff5b1f85b880854d61808c36	5e-05	0.032	True	5e-05	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	3b485fb1649d1b05ab45da2b83d2b3a372429a44da1038c2bd485787fb800a68	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	eeba420a89f5b924a8c8af11f882c67a75c8033f7338fc6343b91f74b15d9103	0.99315	1	False	0.99145	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	f0fc12ed480a8f84be3b376d23205f0c45a4795898110a89723f8da765dd8452	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	121fde8e3543c40df7c96f31f84bbd69917a03bfbc5fd829bed52338d7127b	0.998	1	False	0.99755	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	2d741a42eb5a6f782e4657a633d219623b152c17b5cb8fc7d685017f0e9ba41d	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	93f5e25ddcbe4cb0ca9c44bf3cd930e775b41413f37c9625a01d64db4ad45b56	0.99365	1	False	0.99235	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	9e5a8db978ae8f4d2ff79df780b8e93f773b08dc07ef7737e6226eb8c9e4436f	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	4f1b76b4a27a9ea27141454f364fcd a74b1bbdc1995b8eaacc813f7ae84ffedc	0.99795	1	False	0.99785	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	25d7b7b375cbe804c7b025011799ade36fc91f9830d5bc1aa88f5cbc46d6dc7a	0.9962	1	False	0.9943	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	a0155fbf97f8541314efce79260742d4dc69875545b27f3c6dd426d5cc4001677	0.6308	1	False	0.62205	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	f95fa55f664ae1b0451cdab3b8e0d3d6f82067ec2010514fe356fafc66032cfe	0.99975	1	False	0.99965	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	bdc51dccb0365987efe4a5d28e5b91527db6d70caa25cfb09a2e99ea1e9270c4	0.87625	1	False	0.87215	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	2d04baf4f3e95487381811b608c8982cb327e99576a7e6a6dd932cd4f12f7748	0.99625	1	False	0.99345	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	adb4cadb79595fd1615d04e3ce796e2567b563bc5fde2692aaee2125d2142b96	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	5d53b6bb5d5f39dc394f323e3227f9d0a0e2bd272b6706752212c5579afc73cf7b96e8daee4ddff9c71db560bb9d6e393b1f770d560918352e69be3762c5bab10	0.99995	1	False	0.99995	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	629a356fee89543f32d4059aa3d45b4207b732e23d1f15b428ae9463efe4a5170	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	97f448b70ae899c07eefdd36da914d3c693c05fb5b49e2b038a247ecf2ab5e00	0.41775	1	False	0.4224	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	a0b93996540ffcaec9886bffdeb6fdd73ea6f9a68354e94d4826749671509ce	0.00035	0.21455	False	0.00045	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	54f031d600f0f0c13dced6116b2e2dae93b543bd985dcf84a6a147b520ee2c4c	0.88165	1	False	0.87875	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	35f37b9d68090c79f3c1dac8b796758096c46ca3d15921764d337fda1f4d40f3	0.00225	1	False	0.0032	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	43f1c7a4f30e68c7c0c348ea4fd9f12b1a1b6b736205450ce7eeb992e459eaf2	0.66325	1	False	0.64935	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	0eab41dd5656f6172165b0cb5fe1511110b76833d92820cafc459104ae2a74dc	0.04595	1	False	0.0439	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	d82bc007c475482711df8fac803fafaf9d5097e8d959f70ab18618bf77b1f60b	0.8489	1	False	0.83935	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	ee410cc485c1ce5fa6748a5534ae91878282abe9dfe4363cb64cc5f9c5e1934a	0.13735	1	False	0.1338	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	4ddfdba425f37ee8fc74b1591852fe2756e938bf1e8f7dc8e4ed210c9ece7980	0.1293	1	False	0.1312	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar		0.04205	1	False	0.04095	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	c2c2dd8ac647f303ac5c31ec9b554cb2fd2b70ea6e23981d7c3061a3c71c4140	0.5078	1	False	0.49665	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	b5cedd43cf7f17cfa57bfd333657a0f767a248479ac41e503abb6a660807790c6	0.11485	1	False	0.11475	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	3cd40ecf5f4f29f1bcc2af0a59f7193ab6988a84ade38de5ed77ed54d10f37d8	0.08205	1	False	0.0834	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	c363f6e9ac2b97cd0557793054e32768049b03835a3bd3371e0330ec51e2a4a	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	9d13fdacb3808d40390a0bcab09ee9e53ab90d5f445822f206af8cb508e01e34	0.09415	1	False	0.0976	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	98d6939265d2e3930269535c5e9d24eb22aa02d1607e5371fe	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	c36fb3ca78a9cfe55f167444fdde4d1129f388d11e62ac741575c4039c4b553a543bec82921b8	0.51705	1	False	0.5215	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	633d44b97c1ebefb12b8840e7ee7cfd7644b2442ff1a68df46d43172688eae5b	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	11c8f6a3ff74284a794ff4d667fd8cc60c15cb43b859ec6f3e99b3037bb3d57	0.98745	1	False	0.9883	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	b7659ffae30d9cd732f4a9f12edeceaa18799f8ecc59933620bf9ddeef54a3daf1	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	96c7ef0109b4fd70d8a621f1c9a6583095eec74fd345372705588cab107881e8	0.87305	1	False	0.8667	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	fa397bc7ef0db151b1f6f2aa672774674b29252220ba18ccfae87b6a15da2380	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	bca9f64b138ca7fe2bb4e7a1ae717b11bd27806e2a8538e11325cc01eea429f7	0.991	1	False	0.9886	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	4d65d110932654cfb185e0ea640d2d15677ef54a3ca0b9470df731376e888e86	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	91507eccd800e8dfc462c460fd9860379f7f1857af1d8037d7f383b24da704a	0.74865	1	False	0.73915	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	4633c96f809fc33abadba6e8f7b5dc af6dde886c5a76721c404c7e631205e04a	0.97515	1	False	0.97255	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	a4129508912b56da5544a7bada272ce82214c4c19537c05f6073ff1694ae7d89	0.99635	1	False	0.99695	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	39aab21014bdb25ae97248b5d9d0f148b942e1f5ba4a538cc4fa0af0aaed5c65	0.993	1	False	0.9908	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	3fede71cefba704baaa2a641168576e3c824992acblcb5bb2efc99555c9a5eb6	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	40196ccdee439d8553982cb661b3376c70e18fabf06f478bb4a56855886680d9	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	62e365d41926c451799cf5757fab233f96809a8f3f0d89271df4073d0e9717e	0.00045	0.2754	False	0.00045	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	3f5135a805fe7169cd397e9c8be10e0181358ba96691f62f1a5e0211c735482d	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	544a932c87d54a3ee32e038b7af40c1955f3d63845d4b42f4398cedf48677ebd	0.96125	1	False	0.9596	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	027412ae26ecb314a4a8577c86f2e7491969d7f355c11d9b71141f411314c8b9	0.7255	1	False	0.72285	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	7d81d0a3526ab275b760ca9f323d1c46b5fce2396beb1dee9c57bde030f5b2e6	0.9999	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	802afba10e5d84ec52a7a7da8b322f61a380376f350ecd2a8cf0d80b092f91f2	0.8539	1	False	0.8514	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	169d7dd092d1584eebae174c19ee2adb690533db56124d60532d76b8bfe994b2	0.98585	1	False	0.98685	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	1df1d87055cdd9171cc8f72b94cb504331906c2ce182fbaac2ac40f1530640f4	0.52305	1	False	0.5116	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	150ee4572279a6c3d54a27343bb36be15545f0cf a86b4e313f56d1467e2b3de5	0.9999	1	False	0.99985	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	870023d366d8e5e383cc67c2b5795b0a48f27093a259ea2acc89a21d0c0012e4	0.71265	1	False	0.70255	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	847c98e0b8e300091ffa7934f331679fd0850ca51b08117dc51bad1ac6a0c70d	0.7524	1	False	0.7411	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	9bb34e303a351e7337f8e541f6665d4b6c3759bfbb38d1e1f2862b309ab3c7dc	0.03965	1	False	0.03705	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	ef043ee2889b9db87f9a40356db9754e8f8979f1754fd0e83cf89fb1d768dcd	0.9937	1	False	0.9939	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	5a0abdd3b02afcdc6230480c2303e4f50db792610984be7ee8e191b4fd086358f	0.1064	1	False	0.0985	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	5f0cbcd29bc83552361951966aa549799f49c72fcd8a57a754163c6fc0a4eb8eb	0.1005	1	False	0.09355	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	5def189f5cc7e5b15ff08ea5989b954e1cfeff0e3a14349bb7c6cec73beca8131	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	82cd29dba010373e217c20497d86d4a0e4ad40fb9a83a4ecc08473fde4d12902	0.51855	1	False	0.50345	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	351bf54eb9ef01bf5baeaba008db3537dd1c1031cef02a3b6155a950ce265	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	e6753462436da33276ca9751bc5e5df871d13b47375acb3dd9bc22cc531f7c81	1	1	False	1	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	d5090f39cf3dc20a6c67fdc2bc2e354f4b96b2b7ecac9bac88ec7e71061ec4	0.99325	1	False	0.99275	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	279f8397a0ea4effd9ddc7653c4f33d02c8c4c567ced5fcf4e913362a24f60d1	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	9f4e004c04244a33cf21d18dfdb0a3bb9adaf69a89c7dc480a6961bc8248c731	0.99905	1	False	0.9989	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	3e6dda0a1ced783e900ed80af4b3a0f677cc51f4013d98a975a3015240353a71	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	3fbc60f2eb0113c85e99fb2d13c9003f2ed112fa4ebecd92225d471b1ef7b5065	0.999	1	False	0.99935	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	039ee357e61a6565d7bbcd57bb705b584b8d875ffc3ca6c9103d41f393245f0	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	38b79afabe715d0121dea2006aed9941c58aebb4425e9c2d39923fc6b3246e6	0.99955	1	False	0.99995	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	8b57cb84f444efdb10cb5c32b4b8fc01fb8257be7799cd49e62fd3aea9cc97d4	0.9978	1	False	0.9958	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	3cnd68cbc08aa7c400f076e41cc5b11ae47e57711655d99554e863dc49f145dc2e	0.7834	1	False	0.77405	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	8c3b85b823a44111e9b5f804a290e03e3c50bb7df86dc13491dbdf91baa1131a	0.99885	1	False	0.9987	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	3a850a13c666d2f55f5ea0fb2624ed6da00537a71e4ffa4e0a6aebd7f3d4a7	0.8789	1	False	0.8696	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	dd67176c651f737cf17696dd159375e03c24f93dd245587373fa9b4a57cfd6ed8	0.9902	1	False	0.98815	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	d9c8e469032d24affedbc1953b758d7257e08bd040790fa0d728cd622add272	5e-05	0.032	True	5e-05	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	a9baf8add7af6ee4afb2057502e258d55fa82eb97f27838d3d8831565f13c7b5	0.9999	1	False	0.99995	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	8acb420b36a587f6c8d19575872be909d21acd40f5cc27fc61a22499c7312149	5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	e274c2065bc961b7c61731b5a6b37894aa37ff516cb68053b5c3d3397b909d29	0.99995	1	False	0.99985	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	0a313cef938ee9285b26a361647ef55e49466dba63f59c02c9160749657da5d2	0.99995	1	False	0.9998	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	b695a0db9456138bad108470aa7e33b772d9d5035fd4820aea5c9d32bfb070d	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	962902be2f53e24a9fc85a11d6ac5026700a532638b1214e6b6ce1a11fd8b9d7	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	a57d67b1e6fc135613fd2e4e43f375bf9976dacc85534a3b39cb1cac78b08f7d	1	1	False	0.99995	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	d7f476ec5b3cbadb2be22417f9a155d2e0175e4fd0b6dc6deb	0.9992	1	False	0.99935	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	c453141c565cef09156cf77d2bbdaf2c95a23d3a716be2e063cf28fb0805ca4459f3010844e29	1	1	False	1	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	51ac61aa7048cec9084c4872431ed449a7eb04f9b99a375093f252f63fa19ea2	1	1	False	0.9999	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	3052368ad04c100e10a366e16a05a9b0e69188b17c4424bca1a51a9490a3a12	0.9995	1	False	0.99945	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	3af436a8cf622d7b991eb4da6329727c9db4c2c7b2a44ba23154e549f2ae7962	0.6359	1	False	0.62875	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	86916bc3fd482f42a3b54c9cfdc4fa7c2b4e4e1cb37d7a19837f1a3551279dc1	0.99995	1	False	0.99985	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	27211ad85175a62a07ecf312d07423a4c679da8aeab6be5c842743b10a65e19cd919fabd9ecf923d18d5da5e6644dcf8caeb529df2c0517c5a6990daf0f36c64b884eeac9fa4fa682970b6e009977e86b72c027a82ff74592fa934852b073015ed543fa4d475732b5ec0c1f9d2f39142b138e90b6108e99072d0cf084265103c18e6fdd591a11e4941906b35e69c72dafa0bd8c07ef7820a92f33ade015038c	0.81145	1	False	0.80745	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F		0.87435	1	False	0.8609	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar		5e-05	0.032	True	5e-05	better
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C		0.9602	1	False	0.9565	worse
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar		5e-05	0.032	True	5e-05	better

Table 106: ImageNet–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
ImageNet	ViT-B/16	ViT	Test	Best Individual	5000	0.0838	0.095	0.1336	0.1426	0.0722	-0.2274	0.0822	-0.281	0.0546	-0.1718	0.0664	-0.2234
ImageNet	ViT-B/16	ViT	Test	Simple Averaging	5000	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096	-0.2214
ImageNet	ViT-B/16	ViT	Test	Borda	5000	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014	-0.1616
ImageNet	ViT-B/16	ViT	Test	Kemeny	5000	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036	-0.1464
ImageNet	ViT-B/16	ViT	Test	RRF	5000	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036	-0.172
ImageNet	ViT-B/16	ViT	Test	Schulze	5000	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018	-0.1586

Table 107: ImageNet-ViT-B/16

Dataset	Model	Architecture	Split	Method	R^c_c	R^s_s	$R^c_{c'}$	$R^s_{s'}$	$R^c_{c''}$	$R^s_{s''}$	$R^c_{c'''}_{\text{assumed}}$	F^s_{assumed}	C^s_{assumed}	C^s_{assumed}	F^s_{assumed}	
ImageNet	ViT-B/16	ViT	Test	Best Individual	0.0262	-0.0506	0.0186	-0.0772	0.0792	-0.2328	0.0932	-0.2414	0.156	0.3224	0.2158	0.4236
ImageNet	ViT-B/16	ViT	Test	Simple Averaging	0.024	-0.066	0.0322	-0.0812	0.0632	-0.2696	0.0788	-0.2848	0.1416	0.3662	0.2136	0.465
ImageNet	ViT-B/16	ViT	Test	Borda	0.0266	-0.04	0.0368	-0.0544	0.0736	-0.2438	0.095	-0.2556	0.1264	0.4088	0.1928	0.5092
ImageNet	ViT-B/16	ViT	Test	Kemeny	0.0324	-0.0378	0.04	-0.048	0.0714	-0.2106	0.0926	-0.2166	0.1346	0.4294	0.203	0.531
ImageNet	ViT-B/16	ViT	Test	RRF	0.0308	-0.0516	0.04	-0.066	0.0696	-0.238	0.0886	-0.2434	0.1372	0.4084	0.2074	0.5102
ImageNet	ViT-B/16	ViT	Test	Schulze	0.0342	-0.0466	0.041	-0.056	0.072	-0.2358	0.0904	-0.2418	0.135	0.4054	0.2034	0.5078

Table 108: ImageNet-ViT-B/16

Dataset	Model	Architecture	Split	Method	$F^p_{\text{perturbed}}$	$C^p_{\text{perturbed}}$	$\hat{C}^p_{\text{perturbed}}$	$F^s_{\text{perturbed}}$	$\hat{F}^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$\hat{C}^s_{\text{perturbed}}$	$F^a_{\text{perturbed}}$	$\hat{F}^a_{\text{perturbed}}$	$C^a_{\text{perturbed}}$	$\hat{C}^a_{\text{perturbed}}$	Selected Sources
ImageNet	ViT-B/16	ViT	Test	Best Individual	0.2668	0.2	0.366	0.11	0.1456	0.1522	0.2198	0.163	0.3278	0.2268	0.384	81fbe3ad271a7f8aea403c4a5cdafec0a30f2fb30352af70f8e0dbfb2f0c46cc
ImageNet	ViT-B/16	ViT	Test	Simple Averaging	0.2982	0.1992	0.3958	0.0882	0.1834	0.1354	0.2556	0.1274	0.387	0.182	0.4592	
ImageNet	ViT-B/16	ViT	Test	Borda	0.3484	0.1816	0.4482	0.0744	0.2656	0.117	0.341	0.1214	0.4694	0.1752	0.5422	
ImageNet	ViT-B/16	ViT	Test	Kemeny	0.378	0.1892	0.4782	0.0824	0.3062	0.1256	0.3798	0.1214	0.479	0.1782	0.5484	
ImageNet	ViT-B/16	ViT	Test	RRF	0.3492	0.1928	0.4518	0.0846	0.2688	0.1292	0.3458	0.1234	0.4552	0.1778	0.5232	
ImageNet	ViT-B/16	ViT	Test	Schulze	0.3558	0.1866	0.4552	0.083	0.2802	0.1258	0.3526	0.1208	0.4694	0.1752	0.5384	

Table 109: ImageNet–ViT-B/16

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
ImageNet	ViT-B/16	Best Individual	Dataset Model	All	20	5						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	All	20	0	6	0	14			
ImageNet	ViT-B/16	Borda	Dataset Model	All	20	1	13	0	7	16	0	4
ImageNet	ViT-B/16	Kemeny	Dataset Model	All	20	10	14	0	6	16	0	4
ImageNet	ViT-B/16	RRF	Dataset Model	All	20	1	11	0	9	16	0	4
ImageNet	ViT-B/16	Schulze	Dataset Model	All	20	4	12	0	8	16	0	4
ImageNet	ViT-B/16	Best Individual	Dataset Model	Quality	4	4						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Quality	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Kemeny	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	RRF	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Schulze	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Best Individual	Dataset Model	Robustness All	16	1						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Robustness All	16	0	6	0	10			
ImageNet	ViT-B/16	Borda	Dataset Model	Robustness All	16	1	13	0	3	16	0	0
ImageNet	ViT-B/16	Kemeny	Dataset Model	Robustness All	16	10	14	0	2	16	0	0
ImageNet	ViT-B/16	RRF	Dataset Model	Robustness All	16	1	11	0	5	16	0	0
ImageNet	ViT-B/16	Schulze	Dataset Model	Robustness All	16	4	12	0	4	16	0	0
ImageNet	ViT-B/16	Best Individual	Dataset Model	Gaussian	4	0						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Gaussian	4	0	2	0	2			
ImageNet	ViT-B/16	Borda	Dataset Model	Gaussian	4	0	4	0	0	4	0	0
ImageNet	ViT-B/16	Kemeny	Dataset Model	Gaussian	4	2	4	0	0	4	0	0
ImageNet	ViT-B/16	RRF	Dataset Model	Gaussian	4	0	4	0	0	4	0	0
ImageNet	ViT-B/16	Schulze	Dataset Model	Gaussian	4	2	4	0	0	4	0	0
ImageNet	ViT-B/16	Best Individual	Dataset Model	Salt Pepper	4	0						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Salt Pepper	4	0	3	0	1			
ImageNet	ViT-B/16	Borda	Dataset Model	Salt Pepper	4	0	4	0	0	4	0	0
ImageNet	ViT-B/16	Kemeny	Dataset Model	Salt Pepper	4	4	4	0	0	4	0	0
ImageNet	ViT-B/16	RRF	Dataset Model	Salt Pepper	4	1	4	0	0	4	0	0
ImageNet	ViT-B/16	Schulze	Dataset Model	Salt Pepper	4	0	4	0	0	4	0	0
ImageNet	ViT-B/16	Best Individual	Dataset Model	Speckle	4	0						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Speckle	4	0	1	0	3			
ImageNet	ViT-B/16	Borda	Dataset Model	Speckle	4	0	4	0	0	4	0	0
ImageNet	ViT-B/16	Kemeny	Dataset Model	Speckle	4	2	4	0	0	4	0	0
ImageNet	ViT-B/16	RRF	Dataset Model	Speckle	4	0	3	0	1	4	0	0
ImageNet	ViT-B/16	Schulze	Dataset Model	Speckle	4	2	4	0	0	4	0	0
ImageNet	ViT-B/16	Best Individual	Dataset Model	Adversarial	4	1						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Adversarial	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Adversarial	4	1	1	0	3	4	0	0
ImageNet	ViT-B/16	Kemeny	Dataset Model	Adversarial	4	2	2	0	2	4	0	0
ImageNet	ViT-B/16	RRF	Dataset Model	Adversarial	4	0	0	0	4	4	0	0
ImageNet	ViT-B/16	Schulze	Dataset Model	Adversarial	4	0	0	0	4	4	0	0
ImageNet	ViT-B/16	Best Individual	Overall	All	80	21						
ImageNet	ViT-B/16	Simple Averaging	Overall	All	80	12	34	1	45			
ImageNet	ViT-B/16	Borda	Overall	All	80	14	46	2	32	52	3	25
ImageNet	ViT-B/16	Kemeny	Overall	All	80	18	48	0	32	56	0	24
ImageNet	ViT-B/16	RRF	Overall	All	80	9	48	1	31	52	1	27
ImageNet	ViT-B/16	Schulze	Overall	All	80	9	46	0	34	50	3	27
ImageNet	ViT-B/16	Best Individual	Overall	Quality	16	11						
ImageNet	ViT-B/16	Simple Averaging	Overall	Quality	16	1	5	0	11			
ImageNet	ViT-B/16	Borda	Overall	Quality	16	1	4	0	12	5	1	10
ImageNet	ViT-B/16	Kemeny	Overall	Quality	16	0	4	0	12	7	0	9
ImageNet	ViT-B/16	RRF	Overall	Quality	16	0	4	0	12	6	0	10
ImageNet	ViT-B/16	Schulze	Overall	Quality	16	3	4	0	12	7	1	8
ImageNet	ViT-B/16	Best Individual	Overall	Robustness All	64	10						
ImageNet	ViT-B/16	Simple Averaging	Overall	Robustness All	64	11	29	1	34			
ImageNet	ViT-B/16	Borda	Overall	Robustness All	64	13	42	2	20	47	2	15
ImageNet	ViT-B/16	Kemeny	Overall	Robustness All	64	18	44	0	20	49	0	15
ImageNet	ViT-B/16	RRF	Overall	Robustness All	64	9	44	1	19	46	1	17
ImageNet	ViT-B/16	Schulze	Overall	Robustness All	64	6	42	0	22	43	2	19
ImageNet	ViT-B/16	Best Individual	Overall	Gaussian	16	2						
ImageNet	ViT-B/16	Simple Averaging	Overall	Gaussian	16	1	7	0	9			
ImageNet	ViT-B/16	Borda	Overall	Gaussian	16	4	12	0	4	13	1	2
ImageNet	ViT-B/16	Kemeny	Overall	Gaussian	16	6	12	0	4	15	0	1
ImageNet	ViT-B/16	RRF	Overall	Gaussian	16	1	13	0	3	15	0	1
ImageNet	ViT-B/16	Schulze	Overall	Gaussian	16	2	12	0	4	14	1	1
ImageNet	ViT-B/16	Best Individual	Overall	Salt Pepper	16	2						
ImageNet	ViT-B/16	Simple Averaging	Overall	Salt Pepper	16	0	5	1	10			
ImageNet	ViT-B/16	Borda	Overall	Salt Pepper	16	5	12	0	4	15	1	0
ImageNet	ViT-B/16	Kemeny	Overall	Salt Pepper	16	7	12	0	4	16	0	0
ImageNet	ViT-B/16	RRF	Overall	Salt Pepper	16	3	12	1	3	14	1	1
ImageNet	ViT-B/16	Schulze	Overall	Salt Pepper	16	1	12	0	4	14	0	2
ImageNet	ViT-B/16	Best Individual	Overall	Speckle	16	2						
ImageNet	ViT-B/16	Simple Averaging	Overall	Speckle	16	3	8	0	8			
ImageNet	ViT-B/16	Borda	Overall	Speckle	16	1	11	0	5	12	0	4
ImageNet	ViT-B/16	Kemeny	Overall	Speckle	16	2	12	0	4	13	0	3
ImageNet	ViT-B/16	RRF	Overall	Speckle	16	5	11	0	5	13	0	3
ImageNet	ViT-B/16	Schulze	Overall	Speckle	16	3	12	0	4	10	1	5
ImageNet	ViT-B/16	Best Individual	Overall	Adversarial	16	4						
ImageNet	ViT-B/16	Simple Averaging	Overall	Adversarial	16	7	9	0	7			
ImageNet	ViT-B/16	Borda	Overall	Adversarial	16	3	7	2	7	7	0	9
ImageNet	ViT-B/16	Kemeny	Overall	Adversarial	16	3	8	0	8	5	0	11
ImageNet	ViT-B/16	RRF	Overall	Adversarial	16	0	8	0	8	4	0	12

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	6	0	10	5	0	11

Table 110: ImageNet–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
ImageNet	ViT-B/16	ViT	Test	Best Individual	5000	0.0838	0.095	0.1336	0.1426	0.0106	0.1072	0.0264	0.133	0.0058	0.0742	0.0232	0.104
ImageNet	ViT-B/16	ViT	Test	Simple Averaging	5000	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214
ImageNet	ViT-B/16	ViT	Test	Borda	5000	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616
ImageNet	ViT-B/16	ViT	Test	Kemeny	5000	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464
ImageNet	ViT-B/16	ViT	Test	RRF	5000	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172
ImageNet	ViT-B/16	ViT	Test	Schulze	5000	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586

Table 111: ImageNet-ViT-B/16

Dataset	Model	Architecture	Split	Method	R_p^c	R_p^s	R_c^c	R_c^s	R_p^a	R_p^b	R_c^a	R_c^b	Selected Sources
ImageNet	ViT-B/16	ViT	Test	Best Individual	0.002	0.013	0.0078	0.0198	0.0224	0.0758	0.0334	0.0766	57bb17968a060f98f694a0b56eb36b9ca69d9868afa0a3222bf4cffb4ce56b7e
ImageNet	ViT-B/16	ViT	Test	Simple Averaging	0.024	0.066	0.0322	0.0812	0.0632	0.2696	0.0788	0.2848	
ImageNet	ViT-B/16	ViT	Test	Borda	0.0266	0.04	0.0368	0.0544	0.0736	0.2438	0.095	0.2556	
ImageNet	ViT-B/16	ViT	Test	Kemeny	0.0324	0.0378	0.04	0.048	0.0714	0.2106	0.0926	0.2166	
ImageNet	ViT-B/16	ViT	Test	RRF	0.0308	0.0516	0.04	0.066	0.0696	0.238	0.0886	0.2434	
ImageNet	ViT-B/16	ViT	Test	Schulze	0.0342	0.0466	0.041	0.056	0.072	0.2358	0.0904	0.2418	

Table 112: ImageNet-ViT-B/16

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
ImageNet	ViT-B/16	Best Individual	Dataset Model	All	20	20						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	All	20	0	0	0	20			
ImageNet	ViT-B/16	Borda	Dataset Model	All	20	0	0	0	20	8	0	12
ImageNet	ViT-B/16	Kemeny	Dataset Model	All	20	0	0	0	20	8	0	12
ImageNet	ViT-B/16	RRF	Dataset Model	All	20	0	0	0	20	8	0	12
ImageNet	ViT-B/16	Schulze	Dataset Model	All	20	0	0	0	20	8	0	12
ImageNet	ViT-B/16	Best Individual	Dataset Model	Quality	4	4						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Quality	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Kemeny	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	RRF	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Schulze	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Best Individual	Dataset Model	Robustness All	16	16						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Robustness All	16	0	0	0	16			
ImageNet	ViT-B/16	Borda	Dataset Model	Robustness All	16	0	0	0	16	8	0	8
ImageNet	ViT-B/16	Kemeny	Dataset Model	Robustness All	16	0	0	0	16	8	0	8
ImageNet	ViT-B/16	RRF	Dataset Model	Robustness All	16	0	0	0	16	8	0	8
ImageNet	ViT-B/16	Schulze	Dataset Model	Robustness All	16	0	0	0	16	8	0	8
ImageNet	ViT-B/16	Best Individual	Dataset Model	Gaussian	4	4						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Gaussian	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Kemeny	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	RRF	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Schulze	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Best Individual	Dataset Model	Salt Pepper	4	4						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Salt Pepper	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Salt Pepper	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Kemeny	Dataset Model	Salt Pepper	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	RRF	Dataset Model	Salt Pepper	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Schulze	Dataset Model	Salt Pepper	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Best Individual	Dataset Model	Speckle	4	4						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Speckle	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Speckle	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Kemeny	Dataset Model	Speckle	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	RRF	Dataset Model	Speckle	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Schulze	Dataset Model	Speckle	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Best Individual	Dataset Model	Adversarial	4	4						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Adversarial	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Kemeny	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	RRF	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Schulze	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Best Individual	Overall	All	80	68						
ImageNet	ViT-B/16	Simple Averaging	Overall	All	80	5	10	0	70			
ImageNet	ViT-B/16	Borda	Overall	All	80	4	10	0	70	41	3	36
ImageNet	ViT-B/16	Kemeny	Overall	All	80	1	9	0	71	40	0	40
ImageNet	ViT-B/16	RRF	Overall	All	80	0	7	0	73	38	1	41
ImageNet	ViT-B/16	Schulze	Overall	All	80	3	9	0	71	37	4	39
ImageNet	ViT-B/16	Best Individual	Overall	Quality	16	11						
ImageNet	ViT-B/16	Simple Averaging	Overall	Quality	16	1	5	0	11			
ImageNet	ViT-B/16	Borda	Overall	Quality	16	1	4	0	12	5	1	10
ImageNet	ViT-B/16	Kemeny	Overall	Quality	16	0	4	0	12	7	0	9
ImageNet	ViT-B/16	RRF	Overall	Quality	16	0	4	0	12	6	0	10
ImageNet	ViT-B/16	Schulze	Overall	Quality	16	3	4	0	12	7	1	8
ImageNet	ViT-B/16	Best Individual	Overall	Robustness All	64	57						
ImageNet	ViT-B/16	Simple Averaging	Overall	Robustness All	64	4	5	0	59			
ImageNet	ViT-B/16	Borda	Overall	Robustness All	64	3	6	0	58	36	2	26
ImageNet	ViT-B/16	Kemeny	Overall	Robustness All	64	1	5	0	59	33	0	31
ImageNet	ViT-B/16	RRF	Overall	Robustness All	64	0	3	0	61	32	1	31
ImageNet	ViT-B/16	Schulze	Overall	Robustness All	64	0	5	0	59	30	3	31
ImageNet	ViT-B/16	Best Individual	Overall	Gaussian	16	14						
ImageNet	ViT-B/16	Simple Averaging	Overall	Gaussian	16	1	2	0	14			
ImageNet	ViT-B/16	Borda	Overall	Gaussian	16	1	2	0	14	9	1	6
ImageNet	ViT-B/16	Kemeny	Overall	Gaussian	16	0	2	0	14	9	0	7
ImageNet	ViT-B/16	RRF	Overall	Gaussian	16	0	1	0	15	9	0	7
ImageNet	ViT-B/16	Schulze	Overall	Gaussian	16	0	2	0	14	8	1	7
ImageNet	ViT-B/16	Best Individual	Overall	Salt Pepper	16	13						
ImageNet	ViT-B/16	Simple Averaging	Overall	Salt Pepper	16	2	2	0	14			
ImageNet	ViT-B/16	Borda	Overall	Salt Pepper	16	1	3	0	13	8	1	7
ImageNet	ViT-B/16	Kemeny	Overall	Salt Pepper	16	1	3	0	13	8	0	8
ImageNet	ViT-B/16	RRF	Overall	Salt Pepper	16	0	2	0	14	8	1	7
ImageNet	ViT-B/16	Schulze	Overall	Salt Pepper	16	0	3	0	13	8	1	7
ImageNet	ViT-B/16	Best Individual	Overall	Speckle	16	14						
ImageNet	ViT-B/16	Simple Averaging	Overall	Speckle	16	1	1	0	15			
ImageNet	ViT-B/16	Borda	Overall	Speckle	16	1	1	0	15	10	0	6
ImageNet	ViT-B/16	Kemeny	Overall	Speckle	16	0	0	0	16	9	0	7
ImageNet	ViT-B/16	RRF	Overall	Speckle	16	0	0	0	16	9	0	7
ImageNet	ViT-B/16	Schulze	Overall	Speckle	16	0	0	0	16	7	1	8
ImageNet	ViT-B/16	Best Individual	Overall	Adversarial	16	16						
ImageNet	ViT-B/16	Simple Averaging	Overall	Adversarial	16	0	0	0	16			
ImageNet	ViT-B/16	Borda	Overall	Adversarial	16	0	0	0	16	9	0	7
ImageNet	ViT-B/16	Kemeny	Overall	Adversarial	16	0	0	0	16	7	0	9
ImageNet	ViT-B/16	RRF	Overall	Adversarial	16	0	0	0	16	6	0	10

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	0	0	16	7	0	9

Table 113: ImageNet–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R^{μ}_F	R^{μ}_F	R^{μ}_C	R^{μ}_C	R^{μ}_F	R^{μ}_F	R^{μ}_C	R^{μ}_C
ImageNet	ViT-B/16	ViT	Test	Best Individual	5000	0.0838	0.095	0.1336	0.1426	0.0722	0.2274	0.0822	0.281	0.0546	0.1718	0.0664	0.2234
ImageNet	ViT-B/16	ViT	Test	Simple Averaging	5000	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214
ImageNet	ViT-B/16	ViT	Test	Borda	5000	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616
ImageNet	ViT-B/16	ViT	Test	Kemeny	5000	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464
ImageNet	ViT-B/16	ViT	Test	RRF	5000	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172
ImageNet	ViT-B/16	ViT	Test	Schulze	5000	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586

Table 114: ImageNet-ViT-B/16

Dataset	Model	Architecture	Split	Method	R_p^r	R_p^s	R_c^r	R_c^s	R_p^a	R_p^b	R_c^a	R_c^b	Selected Sources
ImageNet	ViT-B/16	ViT	Test	Best Individual	0.0262	0.0506	0.0186	0.0772	0.0792	0.2328	0.0932	0.2414	d4a595f98cc57fbe9f78 b0b1b3c01a36fd6e6268 1c2430292b758ceab22f880e
ImageNet	ViT-B/16	ViT	Test	Simple Averaging	0.024	0.066	0.0322	0.0812	0.0632	0.2696	0.0788	0.2848	
ImageNet	ViT-B/16	ViT	Test	Borda	0.0266	0.04	0.0368	0.0544	0.0736	0.2438	0.095	0.2556	
ImageNet	ViT-B/16	ViT	Test	Kemeny	0.0324	0.0378	0.04	0.048	0.0714	0.2106	0.0926	0.2166	
ImageNet	ViT-B/16	ViT	Test	RRF	0.0308	0.0516	0.04	0.066	0.0696	0.238	0.0886	0.2434	
ImageNet	ViT-B/16	ViT	Test	Schulze	0.0342	0.0466	0.041	0.056	0.072	0.2358	0.0904	0.2418	

Table 115: ImageNet–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	R_E^p	R_V^p	R_C^p	R_F^p	R_E^p	R_V^p	R_C^p
ImageNet	ViT-B/16	ViT	Test	Best Individual	5000	0.0838	0.095	0.1336	0.1426	0.0222	0.1256	0.0442	0.1552	0.0134	0.09	0.0346	0.1222
ImageNet	ViT-B/16	ViT	Test	Simple Averaging	5000	0.0732	0.1014	0.1134	0.1546	0.0638	0.2342	0.0844	0.2832	0.0538	0.1724	0.071	0.2164
ImageNet	ViT-B/16	ViT	Test	Borda	5000	0.0706	0.1056	0.105	0.16	0.0626	0.2252	0.0846	0.2738	0.0554	0.1784	0.0788	0.2232
ImageNet	ViT-B/16	ViT	Test	Kemeny	5000	0.0728	0.1102	0.112	0.1654	0.0626	0.2398	0.082	0.286	0.0536	0.1818	0.0726	0.225
ImageNet	ViT-B/16	ViT	Test	RRF	5000	0.0676	0.1094	0.1054	0.1634	0.064	0.2346	0.0874	0.284	0.052	0.1812	0.0704	0.2266
ImageNet	ViT-B/16	ViT	Test	Schulze	5000	0.0756	0.111	0.1144	0.1664	0.0652	0.2388	0.0834	0.286	0.0528	0.1786	0.073	0.2208

Table 116: ImageNet-ViT-B/16

Dataset	Model	Architecture	Split	Method	R_p^r	R_p^s	R_c^r	R_c^s	R_p^a	R_p^b	R_c^a	R_c^b	Selected Sources
ImageNet	ViT-B/16	ViT	Test	Best Individual	0.008	0.0152	0.0102	0.025	0.0422	0.0298	0.0538	0.0318	1aecc4d53c47bddbb27e 583a8fcc1c9116fc2562 28023b39999a86267187 59fc
ImageNet	ViT-B/16	ViT	Test	Simple Averaging	0.0252	0.068	0.0244	0.0852	0.061	0.2726	0.0758	0.2896	
ImageNet	ViT-B/16	ViT	Test	Borda	0.0236	0.06	0.0268	0.0786	0.0676	0.2478	0.0896	0.2566	
ImageNet	ViT-B/16	ViT	Test	Kemeny	0.0234	0.0676	0.0236	0.0822	0.0748	0.265	0.0936	0.272	
ImageNet	ViT-B/16	ViT	Test	RRF	0.0232	0.0698	0.0246	0.0878	0.0776	0.2562	0.0972	0.2668	
ImageNet	ViT-B/16	ViT	Test	Schulze	0.0214	0.0682	0.0232	0.0846	0.0702	0.255	0.089	0.2648	

Table 117: ImageNet–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	R_E^p	R_V^p	R_C^p	R_F^p	R_E^p	R_V^p	R_C^p
ImageNet	ViT-B/16	ViT	Test	Best Individual	5000	0.0838	0.095	0.1336	0.1426	0.0222	0.1256	0.0442	0.1552	0.0134	0.09	0.0346	0.1222
ImageNet	ViT-B/16	ViT	Test	Simple Averaging	5000	0.0732	0.1014	0.1134	0.1546	0.0638	0.2342	0.0844	0.2832	0.0538	0.1724	0.071	0.2164
ImageNet	ViT-B/16	ViT	Test	Borda	5000	0.0706	0.1056	0.105	0.16	0.0626	0.2252	0.0846	0.2738	0.0554	0.1784	0.0788	0.2232
ImageNet	ViT-B/16	ViT	Test	Kemeny	5000	0.0728	0.1102	0.112	0.1654	0.0626	0.2398	0.082	0.286	0.0536	0.1818	0.0726	0.225
ImageNet	ViT-B/16	ViT	Test	RRF	5000	0.0676	0.1094	0.1054	0.1634	0.064	0.2346	0.0874	0.284	0.052	0.1812	0.0704	0.2266
ImageNet	ViT-B/16	ViT	Test	Schulze	5000	0.0756	0.111	0.1144	0.1664	0.0652	0.2388	0.0834	0.286	0.0528	0.1786	0.073	0.2208

Table 118: ImageNet-ViT-B/16

Dataset	Model	Architecture	Split	Method	R_p^r	R_p^s	R_c^r	R_c^s	R_p^a	R_p^b	R_c^a	R_c^b	Selected Sources
ImageNet	ViT-B/16	ViT	Test	Best Individual	0.008	0.0152	0.0102	0.025	0.0422	0.0298	0.0538	0.0318	1aecc4d53c47bddbb27e 583a8fcc1c9116fc2562 28023b39999a86267187 59fc
ImageNet	ViT-B/16	ViT	Test	Simple Averaging	0.0252	0.068	0.0244	0.0852	0.061	0.2726	0.0758	0.2896	
ImageNet	ViT-B/16	ViT	Test	Borda	0.0236	0.06	0.0268	0.0786	0.0676	0.2478	0.0896	0.2566	
ImageNet	ViT-B/16	ViT	Test	Kemeny	0.0234	0.0676	0.0236	0.0822	0.0748	0.265	0.0936	0.272	
ImageNet	ViT-B/16	ViT	Test	RRF	0.0232	0.0698	0.0246	0.0878	0.0776	0.2562	0.0972	0.2668	
ImageNet	ViT-B/16	ViT	Test	Schulze	0.0214	0.0682	0.0232	0.0846	0.0702	0.255	0.089	0.2648	

Table 119: ImageNet-ViT-B/16

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
ImageNet	ViT-B/16	Best Individual	Dataset Model	All	20	9						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	All	20	3	4	0	16			
ImageNet	ViT-B/16	Borda	Dataset Model	All	20	0	7	0	13	8	0	12
ImageNet	ViT-B/16	Kemeny	Dataset Model	All	20	8	10	0	10	8	0	12
ImageNet	ViT-B/16	RRF	Dataset Model	All	20	0	7	0	13	8	0	12
ImageNet	ViT-B/16	Schulze	Dataset Model	All	20	0	8	0	12	8	0	12
ImageNet	ViT-B/16	Best Individual	Dataset Model	Quality	4	4						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Quality	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Kemeny	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	RRF	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Schulze	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Best Individual	Dataset Model	Robustness All	16	5						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Robustness All	16	3	4	0	12			
ImageNet	ViT-B/16	Borda	Dataset Model	Robustness All	16	0	7	0	9	8	0	8
ImageNet	ViT-B/16	Kemeny	Dataset Model	Robustness All	16	8	10	0	6	8	0	8
ImageNet	ViT-B/16	RRF	Dataset Model	Robustness All	16	0	7	0	9	8	0	8
ImageNet	ViT-B/16	Schulze	Dataset Model	Robustness All	16	0	8	0	8	8	0	8
ImageNet	ViT-B/16	Best Individual	Dataset Model	Gaussian	4	2						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Gaussian	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Gaussian	4	0	2	0	2	2	0	2
ImageNet	ViT-B/16	Kemeny	Dataset Model	Gaussian	4	2	2	0	2	2	0	2
ImageNet	ViT-B/16	RRF	Dataset Model	Gaussian	4	0	2	0	2	2	0	2
ImageNet	ViT-B/16	Schulze	Dataset Model	Gaussian	4	0	2	0	2	2	0	2
ImageNet	ViT-B/16	Best Individual	Dataset Model	Salt Pepper	4	2						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Salt Pepper	4	0	1	0	3			
ImageNet	ViT-B/16	Borda	Dataset Model	Salt Pepper	4	0	2	0	2	2	0	2
ImageNet	ViT-B/16	Kemeny	Dataset Model	Salt Pepper	4	2	2	0	2	2	0	2
ImageNet	ViT-B/16	RRF	Dataset Model	Salt Pepper	4	0	2	0	2	2	0	2
ImageNet	ViT-B/16	Schulze	Dataset Model	Salt Pepper	4	0	2	0	2	2	0	2
ImageNet	ViT-B/16	Best Individual	Dataset Model	Speckle	4	1						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Speckle	4	1	1	0	3			
ImageNet	ViT-B/16	Borda	Dataset Model	Speckle	4	0	2	0	2	2	0	2
ImageNet	ViT-B/16	Kemeny	Dataset Model	Speckle	4	2	2	0	2	2	0	2
ImageNet	ViT-B/16	RRF	Dataset Model	Speckle	4	0	1	0	3	2	0	2
ImageNet	ViT-B/16	Schulze	Dataset Model	Speckle	4	0	2	0	2	2	0	2
ImageNet	ViT-B/16	Best Individual	Dataset Model	Adversarial	4	0						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Adversarial	4	2	2	0	2			
ImageNet	ViT-B/16	Borda	Dataset Model	Adversarial	4	0	1	0	3	2	0	2
ImageNet	ViT-B/16	Kemeny	Dataset Model	Adversarial	4	2	4	0	0	2	0	2
ImageNet	ViT-B/16	RRF	Dataset Model	Adversarial	4	0	2	0	2	2	0	2
ImageNet	ViT-B/16	Schulze	Dataset Model	Adversarial	4	0	2	0	2	2	0	2
ImageNet	ViT-B/16	Best Individual	Overall	All	80	32						
ImageNet	ViT-B/16	Simple Averaging	Overall	All	80	16	28	1	51			
ImageNet	ViT-B/16	Borda	Overall	All	80	11	33	2	45	41	3	36
ImageNet	ViT-B/16	Kemeny	Overall	All	80	17	39	0	41	40	0	40
ImageNet	ViT-B/16	RRF	Overall	All	80	1	29	1	50	38	1	41
ImageNet	ViT-B/16	Schulze	Overall	All	80	6	35	0	45	37	4	39
ImageNet	ViT-B/16	Best Individual	Overall	Quality	16	11						
ImageNet	ViT-B/16	Simple Averaging	Overall	Quality	16	1	5	0	11			
ImageNet	ViT-B/16	Borda	Overall	Quality	16	1	4	0	12	5	1	10
ImageNet	ViT-B/16	Kemeny	Overall	Quality	16	0	4	0	12	7	0	9
ImageNet	ViT-B/16	RRF	Overall	Quality	16	0	4	0	12	6	0	10
ImageNet	ViT-B/16	Schulze	Overall	Quality	16	3	4	0	12	7	1	8
ImageNet	ViT-B/16	Best Individual	Overall	Robustness All	64	21						
ImageNet	ViT-B/16	Simple Averaging	Overall	Robustness All	64	15	23	1	40			
ImageNet	ViT-B/16	Borda	Overall	Robustness All	64	10	29	2	33	36	2	26
ImageNet	ViT-B/16	Kemeny	Overall	Robustness All	64	17	35	0	29	33	0	31
ImageNet	ViT-B/16	RRF	Overall	Robustness All	64	1	25	1	38	32	1	31
ImageNet	ViT-B/16	Schulze	Overall	Robustness All	64	3	31	0	33	30	3	31
ImageNet	ViT-B/16	Best Individual	Overall	Gaussian	16	6						
ImageNet	ViT-B/16	Simple Averaging	Overall	Gaussian	16	2	5	0	11			
ImageNet	ViT-B/16	Borda	Overall	Gaussian	16	3	8	0	8	9	1	6
ImageNet	ViT-B/16	Kemeny	Overall	Gaussian	16	5	8	0	8	9	0	7
ImageNet	ViT-B/16	RRF	Overall	Gaussian	16	0	7	0	9	9	0	7
ImageNet	ViT-B/16	Schulze	Overall	Gaussian	16	0	8	0	8	8	1	7
ImageNet	ViT-B/16	Best Individual	Overall	Salt Pepper	16	3						
ImageNet	ViT-B/16	Simple Averaging	Overall	Salt Pepper	16	5	8	1	7			
ImageNet	ViT-B/16	Borda	Overall	Salt Pepper	16	3	9	0	7	8	1	7
ImageNet	ViT-B/16	Kemeny	Overall	Salt Pepper	16	5	11	0	5	8	0	8
ImageNet	ViT-B/16	RRF	Overall	Salt Pepper	16	0	9	1	6	8	1	7
ImageNet	ViT-B/16	Schulze	Overall	Salt Pepper	16	2	11	0	5	8	1	7
ImageNet	ViT-B/16	Best Individual	Overall	Speckle	16	7						
ImageNet	ViT-B/16	Simple Averaging	Overall	Speckle	16	3	3	0	13			
ImageNet	ViT-B/16	Borda	Overall	Speckle	16	2	5	0	11	10	0	6
ImageNet	ViT-B/16	Kemeny	Overall	Speckle	16	2	6	0	10	9	0	7
ImageNet	ViT-B/16	RRF	Overall	Speckle	16	1	3	0	13	9	0	7
ImageNet	ViT-B/16	Schulze	Overall	Speckle	16	1	4	0	12	7	1	8
ImageNet	ViT-B/16	Best Individual	Overall	Adversarial	16	5						
ImageNet	ViT-B/16	Simple Averaging	Overall	Adversarial	16	5	7	0	9			
ImageNet	ViT-B/16	Borda	Overall	Adversarial	16	2	7	2	7	9	0	7
ImageNet	ViT-B/16	Kemeny	Overall	Adversarial	16	5	10	0	6	7	0	9
ImageNet	ViT-B/16	RRF	Overall	Adversarial	16	0	6	0	10	6	0	10

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	8	0	8	7	0	9

Table 120: ImageNet-ViT-B/16

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
ImageNet	ViT-B/16	Best Individual	Dataset Model	All	20	20						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	All	20	0	0	0	20			
ImageNet	ViT-B/16	Borda	Dataset Model	All	20	0	0	0	20	8	0	12
ImageNet	ViT-B/16	Kemeny	Dataset Model	All	20	0	0	0	20	9	0	11
ImageNet	ViT-B/16	RRF	Dataset Model	All	20	0	0	0	20	5	0	15
ImageNet	ViT-B/16	Schulze	Dataset Model	All	20	0	0	0	20	9	0	11
ImageNet	ViT-B/16	Best Individual	Dataset Model	Quality	4	4						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Quality	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Kemeny	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	RRF	Dataset Model	Quality	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Schulze	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Best Individual	Dataset Model	Robustness All	16	16						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Robustness All	16	0	0	0	16			
ImageNet	ViT-B/16	Borda	Dataset Model	Robustness All	16	0	0	0	16	8	0	8
ImageNet	ViT-B/16	Kemeny	Dataset Model	Robustness All	16	0	0	0	16	9	0	7
ImageNet	ViT-B/16	RRF	Dataset Model	Robustness All	16	0	0	0	16	5	0	11
ImageNet	ViT-B/16	Schulze	Dataset Model	Robustness All	16	0	0	0	16	7	0	9
ImageNet	ViT-B/16	Best Individual	Dataset Model	Gaussian	4	4						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Gaussian	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Gaussian	4	0	0	0	4	3	0	1
ImageNet	ViT-B/16	Kemeny	Dataset Model	Gaussian	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	RRF	Dataset Model	Gaussian	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Schulze	Dataset Model	Gaussian	4	0	0	0	4	1	0	3
ImageNet	ViT-B/16	Best Individual	Dataset Model	Salt Pepper	4	4						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Salt Pepper	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Salt Pepper	4	0	0	0	4	0	0	4
ImageNet	ViT-B/16	Kemeny	Dataset Model	Salt Pepper	4	0	0	0	4	1	0	3
ImageNet	ViT-B/16	RRF	Dataset Model	Salt Pepper	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Schulze	Dataset Model	Salt Pepper	4	0	0	0	4	1	0	3
ImageNet	ViT-B/16	Best Individual	Dataset Model	Speckle	4	4						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Speckle	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Speckle	4	0	0	0	4	3	0	1
ImageNet	ViT-B/16	Kemeny	Dataset Model	Speckle	4	0	0	0	4	4	0	0
ImageNet	ViT-B/16	RRF	Dataset Model	Speckle	4	0	0	0	4	1	0	3
ImageNet	ViT-B/16	Schulze	Dataset Model	Speckle	4	0	0	0	4	3	0	1
ImageNet	ViT-B/16	Best Individual	Dataset Model	Adversarial	4	4						
ImageNet	ViT-B/16	Simple Averaging	Dataset Model	Adversarial	4	0	0	0	4			
ImageNet	ViT-B/16	Borda	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Kemeny	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	RRF	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Schulze	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
ImageNet	ViT-B/16	Best Individual	Overall	All	80	75						
ImageNet	ViT-B/16	Simple Averaging	Overall	All	80	2	2	1	77			
ImageNet	ViT-B/16	Borda	Overall	All	80	1	3	0	77	44	1	35
ImageNet	ViT-B/16	Kemeny	Overall	All	80	1	1	0	79	41	4	35
ImageNet	ViT-B/16	RRF	Overall	All	80	3	3	1	76	43	1	36
ImageNet	ViT-B/16	Schulze	Overall	All	80	0	2	0	78	46	1	33
ImageNet	ViT-B/16	Best Individual	Overall	Quality	16	15						
ImageNet	ViT-B/16	Simple Averaging	Overall	Quality	16	1	1	0	15			
ImageNet	ViT-B/16	Borda	Overall	Quality	16	0	0	0	16	5	0	11
ImageNet	ViT-B/16	Kemeny	Overall	Quality	16	0	0	0	16	4	1	11
ImageNet	ViT-B/16	RRF	Overall	Quality	16	0	0	0	16	6	0	10
ImageNet	ViT-B/16	Schulze	Overall	Quality	16	0	0	0	16	8	0	8
ImageNet	ViT-B/16	Best Individual	Overall	Robustness All	64	60						
ImageNet	ViT-B/16	Simple Averaging	Overall	Robustness All	64	1	1	1	62			
ImageNet	ViT-B/16	Borda	Overall	Robustness All	64	1	3	0	61	39	1	24
ImageNet	ViT-B/16	Kemeny	Overall	Robustness All	64	1	1	0	63	37	3	24
ImageNet	ViT-B/16	RRF	Overall	Robustness All	64	3	3	1	60	37	1	26
ImageNet	ViT-B/16	Schulze	Overall	Robustness All	64	0	2	0	62	38	1	25
ImageNet	ViT-B/16	Best Individual	Overall	Gaussian	16	15						
ImageNet	ViT-B/16	Simple Averaging	Overall	Gaussian	16	0	0	1	15			
ImageNet	ViT-B/16	Borda	Overall	Gaussian	16	0	1	0	15	11	1	4
ImageNet	ViT-B/16	Kemeny	Overall	Gaussian	16	0	0	0	16	9	1	6
ImageNet	ViT-B/16	RRF	Overall	Gaussian	16	2	1	1	14	9	0	7
ImageNet	ViT-B/16	Schulze	Overall	Gaussian	16	0	0	0	16	8	0	8
ImageNet	ViT-B/16	Best Individual	Overall	Salt Pepper	16	15						
ImageNet	ViT-B/16	Simple Averaging	Overall	Salt Pepper	16	0	0	0	16			
ImageNet	ViT-B/16	Borda	Overall	Salt Pepper	16	0	1	0	15	7	0	9
ImageNet	ViT-B/16	Kemeny	Overall	Salt Pepper	16	1	1	0	15	6	2	8
ImageNet	ViT-B/16	RRF	Overall	Salt Pepper	16	0	1	0	15	10	1	5
ImageNet	ViT-B/16	Schulze	Overall	Salt Pepper	16	0	1	0	15	8	1	7
ImageNet	ViT-B/16	Best Individual	Overall	Speckle	16	14						
ImageNet	ViT-B/16	Simple Averaging	Overall	Speckle	16	1	1	0	15			
ImageNet	ViT-B/16	Borda	Overall	Speckle	16	1	1	0	15	12	0	4
ImageNet	ViT-B/16	Kemeny	Overall	Speckle	16	0	0	0	16	12	0	4
ImageNet	ViT-B/16	RRF	Overall	Speckle	16	1	1	0	15	10	0	6
ImageNet	ViT-B/16	Schulze	Overall	Speckle	16	0	1	0	15	12	0	4
ImageNet	ViT-B/16	Best Individual	Overall	Adversarial	16	16						
ImageNet	ViT-B/16	Simple Averaging	Overall	Adversarial	16	0	0	0	16			
ImageNet	ViT-B/16	Borda	Overall	Adversarial	16	0	0	0	16	9	0	7
ImageNet	ViT-B/16	Kemeny	Overall	Adversarial	16	0	0	0	16	10	0	6
ImageNet	ViT-B/16	RRF	Overall	Adversarial	16	0	0	0	16	8	0	8

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	0	0	16	10	0	6

Table 121: ImageNet-ViT-B/16

Cell	Dataset	Model	Condition	Metric	Seed Count	Mean	Standard Deviation	Minimum	Maximum	Range	First Half Mean	Second Half Mean	Half Bank Absolute Difference
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	F	8	0.0017	0.001327	-0.0008	0.0034	0.0042	0.00195	0.00145	0.0005
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Fbar	8	0.38645	0.004368	0.38	0.3928	0.0128	0.38435	0.38855	0.0042
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	C	8	0.014875	0.001002	0.0126	0.016	0.0034	0.01545	0.0143	0.00115
ImageNet-ViT-B/16	ImageNet	ViT-B/16	Clean	Cbar	8	0.461325	0.004818	0.455	0.4688	0.0138	0.4605	0.46215	0.00165
ImageNet-ViT-B/16	ImageNet	ViT-B/16	G	F	8	0.0118	0.0016	0.0104	0.0154	0.005	0.011	0.0126	0.0016
ImageNet-ViT-B/16	ImageNet	ViT-B/16	G	Fbar	8	0.7228	0.00372	0.7186	0.7282	0.0096	0.72315	0.72245	0.0007
ImageNet-ViT-B/16	ImageNet	ViT-B/16	G	C	8	0.044325	0.0011	0.0428	0.0458	0.003	0.0438	0.04485	0.00105
ImageNet-ViT-B/16	ImageNet	ViT-B/16	G	Cbar	8	0.8361	0.003353	0.8324	0.841	0.0086	0.83675	0.83545	0.0013
ImageNet-ViT-B/16	ImageNet	ViT-B/16	P	F	8	0.007225	0.001134	0.0058	0.0088	0.003	0.0074	0.00705	0.00035
ImageNet-ViT-B/16	ImageNet	ViT-B/16	P	Fbar	8	0.69455	0.001326	0.692	0.6966	0.0046	0.6948	0.6943	0.0005
ImageNet-ViT-B/16	ImageNet	ViT-B/16	P	C	8	0.039575	0.001584	0.0372	0.0418	0.0046	0.03975	0.0394	0.00035
ImageNet-ViT-B/16	ImageNet	ViT-B/16	P	Cbar	8	0.805375	0.001212	0.803	0.8068	0.0038	0.8054	0.80535	5e-05
ImageNet-ViT-B/16	ImageNet	ViT-B/16	S	F	8	0.00455	0.001084	0.0028	0.0062	0.0034	0.00455	0.00455	0
ImageNet-ViT-B/16	ImageNet	ViT-B/16	S	Fbar	8	0.5363	0.003624	0.5326	0.5438	0.0112	0.5377	0.5349	0.0028
ImageNet-ViT-B/16	ImageNet	ViT-B/16	S	C	8	0.0238	0.001512	0.0214	0.0256	0.0042	0.02355	0.02405	0.0005
ImageNet-ViT-B/16	ImageNet	ViT-B/16	S	Cbar	8	0.62185	0.003338	0.6188	0.6284	0.0096	0.62265	0.62105	0.0016
ImageNet-ViT-B/16	ImageNet	ViT-B/16	A	F	8	0.02595	0.002527	0.0228	0.0298	0.007	0.02545	0.02645	0.001
ImageNet-ViT-B/16	ImageNet	ViT-B/16	A	Fbar	8	0.47095	0.005774	0.4624	0.4792	0.0168	0.4717	0.4702	0.0015
ImageNet-ViT-B/16	ImageNet	ViT-B/16	A	C	8	0.047575	0.002408	0.0436	0.0508	0.0072	0.04705	0.0481	0.00105
ImageNet-ViT-B/16	ImageNet	ViT-B/16	A	Cbar	8	0.548475	0.005402	0.542	0.5562	0.0142	0.55015	0.5468	0.00335

Table 122: ImageNet-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	ae47d623e9 639748b3cb 6cc2b42927 477a58ec93 b9965ed287 58f61d6c2e 5f1c	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	max	0.0017	0.0118	0.0625	0.1298	-1.0768
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	7e509dbc3f 11dfa77f50 f1d139aba9 bb9b654c7c 7be9da46c3 7aefe40344 21e7	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	min	0.38645	0.7228	0.26905	0.3566	- 0.325404
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	981d55ddf5 1440f16ef9 506015caed 24b083058b 66088abe5a ecdfeb9fc5 b4fa	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	max	0.014875	0.044325	0.088325	0.169275	- 0.916502
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	bdc9647bdc 92b3ddeb23 d8bb840b0b 3092321ec2 5ad8741178 83a17d60c3 4177	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	min	0.461325	0.8361	0.286925	0.3711	- 0.293369
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	8ec0a65b74 c1fd684139 4cd911d67a f4d4724266 4af188b3c9 ad135576ec f86d	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	max	0.0017	0.007225	0.0625	0.124175	-0.9868
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	a499e2c1ea 0391464965 9b95cd945d 7dfd5e2fa 68331b1389 33db4d5cd9 93e7	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	min	0.38645	0.69455	0.26905	0.39635	- 0.473146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	b351aafdeb 7fa299326d 57737effdc 939c8e2f47 b0aadbadaa dd9decff64 27f3	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	max	0.014875	0.039575	0.088325	0.159625	- 0.807246
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	7253e30fd4 c7b1419d01 691b540986 e6d5e78c96 62d9572ac3 360ed877e8 8deb	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	min	0.461325	0.805375	0.286925	0.409575	- 0.427464
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	450b4e551e 6bf480800f 7f4c615bee 401deccc0f 35e692a286 429d7f7e66 5d80	5000	Spearman	NOISE-S	Simple Averaging	Speckle	max	0.0017	0.00455	0.0625	0.08365	-0.3384
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	46bda2f6b8 e7512e2210 9baae0647a 1107f3d0a3 eabd64c99f 878c7489c2 02f0	5000	Spearman	NOISE-S	Simple Averaging	Speckle	min	0.38645	0.5363	0.26905	0.3529	- 0.311652
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	87ea27acb9 096b002ff 0bfl33ff3d 4d7688bb1a ac97d97cfb 0659760379 81c4	5000	Spearman	NOISE-S	Simple Averaging	Speckle	max	0.014875	0.0238	0.088325	0.1116	- 0.263515
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	bc5ef25412 0af8bc340a bad2a4069 d9ef8c93cb 50a6879aa9 c32acbc39e 170a	5000	Spearman	NOISE-S	Simple Averaging	Speckle	min	0.461325	0.62185	0.286925	0.36625	- 0.276466

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	32ab414aa0 a064e38ed0 5b48c510b8 7d8791f3ab 5dc5656398 2e5558b52d 0b44	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	max	0.0017	0.02595	0.0625	0.10145	-0.6232
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	691413d164 7d54b9f0c0 9979339fbf 6a072c3f00 9bf8e75f51 4202c9677f b8b7	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	min	0.38645	0.47095	0.26905	0.08395	0.687976
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	440cb15651 0bff9de661 cbf6bbb69c 109e5511c5 71027fe696 e34a2e4182 9d65	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	max	0.014875	0.047575	0.088325	0.134425	- 0.521936
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	03bcb488ca 467b1401c5 99a53f463e 10a02c2f6f 3a84128a91 914f431a2b 19b2	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	min	0.461325	0.548475	0.286925	0.089275	0.688856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	3f8c42c7be d71ff167b1 feb81f155e b01e9d6162 641dc7a845 5af91669dc 2237	5000	Spearman	NOISE-S	Borda	Gaussian	max	0.0017	0.0118	0.0461	0.1146	-1.4859
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	c1fe9caf72 7611ffc8e5 53066ce906 3319dea1ab d027f9eb14 378c3c8469 4357	5000	Spearman	NOISE-S	Borda	Gaussian	min	0.38645	0.7228	0.16085	0.314	- 0.952129
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	6d8cf2867d 2991750031 0635d6bd78 1115650ae8 c98b81e96b 93f0c3aa3d 0903	5000	Spearman	NOISE-S	Borda	Gaussian	max	0.014875	0.044325	0.065325	0.148475	- 1.272866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	ebc7d088d0 e92b9009b1 3d774a81ff 3148a0f99a bd8753b899 5fc5c71ac9 e3cb	5000	Spearman	NOISE-S	Borda	Gaussian	min	0.461325	0.8361	0.174725	0.3269	-0.87094
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	c198773c00 c864dc3588 f0a89bb511 2af1b9f845 64f409f9d6 c7ccf949c0 6a2e	5000	Spearman	NOISE-S	Borda	Salt Pepper	max	0.0017	0.007225	0.0461	0.109775	- 1.381236
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	cd8f814244 e2a8b287b8 081d91034e 3ff20a7143 881a718f93 21c4ef3302 d7f1	5000	Spearman	NOISE-S	Borda	Salt Pepper	min	0.38645	0.69455	0.16085	0.34615	- 1.152005
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	ff668036de ae5d2ea272 aeae506d29 dab4897c7b efb1096b9d 1cd3437428 7c1d	5000	Spearman	NOISE-S	Borda	Salt Pepper	max	0.014875	0.039575	0.065325	0.142025	- 1.174129
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	0c59f115c8 951a46f5b1 3957cba84e 94468fa799 ffb1304bd8 25b02aa566 4bfe	5000	Spearman	NOISE-S	Borda	Salt Pepper	min	0.461325	0.805375	0.174725	0.357175	- 1.044212
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	aa1ba7219f 58310d8642 dcb3f5141a f3725b0fcd 5cb7b802a9 32392ca943 1a48	5000	Spearman	NOISE-S	Borda	Speckle	max	0.0017	0.00455	0.0461	0.06985	- 0.515184

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	9b5ad67e0b8c55c30676039525a4cc18989e612e1ebf42aaae156505d44a451	5000	Spearman	NOISE-S	Borda	Speckle	min	0.38645	0.5363	0.16085	0.2707	-0.682934
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	ad890be61fe007cd30e1ec093c8f414e90da736923de5e1a05951426a980c8ec	5000	Spearman	NOISE-S	Borda	Speckle	max	0.014875	0.0238	0.065325	0.0932	-0.426713
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	9aa7ffad93595793fd601c1a84b804def2f81953d913d6734ecc96063bbdd6ae3	5000	Spearman	NOISE-S	Borda	Speckle	min	0.461325	0.62185	0.174725	0.28085	-0.607383
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	2df5965c64143895f326845424412a741f291234d56b45a630c84ccd3b655ad2	5000	Spearman	NOISE-S	Borda	Adversarial	max	0.0017	0.02595	0.0461	0.09545	-1.070499
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	fc8f936a7909bc5e0e83fbed9264f84ba4f4ee71cc05db0342b4340bfc5cb854	5000	Spearman	NOISE-S	Borda	Adversarial	min	0.38645	0.47095	0.16085	0.00155	0.990364
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	107ba004b398da1f185ee0d386778706148d00d00ead4947498e6e3bbc964e5d	5000	Spearman	NOISE-S	Borda	Adversarial	max	0.014875	0.047575	0.065325	0.127625	-0.953693
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	6683d6fdad073647d4874aa2b350478b18558d8f4006018389fd5729b9edb0f	5000	Spearman	NOISE-S	Borda	Adversarial	min	0.461325	0.548475	0.174725	0.006275	0.964086
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	90a54f36e8531dbe1ba0a8af757692656df51a0717e2f93ffc0a43b8fbc0367e	5000	Spearman	NOISE-S	RRF	Gaussian	max	0.0017	0.0118	0.0521	0.1254	-1.40691
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	000209a0fb9ae806e60374a7e6392c23a6dd9416aa4006551471a9267e6433e5	5000	Spearman	NOISE-S	RRF	Gaussian	min	0.38645	0.7228	0.16925	0.3144	-0.857607
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	20664a461b4127fc85255c20447c79eb44a087aab74b07c079467707bc813db3	5000	Spearman	NOISE-S	RRF	Gaussian	max	0.014875	0.044325	0.074325	0.163075	-1.19408
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	fc0163018d924a2469a0bf73efe6ed982bc66b05d70545fff4ef39c58edf25a8	5000	Spearman	NOISE-S	RRF	Gaussian	min	0.461325	0.8361	0.181525	0.3259	-0.795345
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	45c73b2b0f2f2a2b0767a5a77ae38309ba1faefb09145c5e79104d262d09c0df	5000	Spearman	NOISE-S	RRF	Salt Pepper	max	0.0017	0.007225	0.0521	0.120975	-1.321977
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	ae79b2e5ce6d99c524a468980d58b0102241df7f1a2c319a4ae22efed0d6b3fa5	5000	Spearman	NOISE-S	RRF	Salt Pepper	min	0.38645	0.69455	0.16925	0.34535	-1.040473

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	1c6c68f621 5f61183afc 93dafb1c30 1c0d49b3ba 154350628f fef8d21044 7e00	5000	Spearman	NOISE-S	RRF	Salt Pepper	max	0.014875	0.039575	0.074325	0.153225	- 1.061554
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	6cdc1370f0 a2d199d584 675985ecac 1f755b56b9 6e12e07312 9b70da0fa1 3fd4	5000	Spearman	NOISE-S	RRF	Salt Pepper	min	0.461325	0.805375	0.181525	0.353575	- 0.947803
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	0fc26f5e08 4b2ba22f00 0a2c5c78de edc5ad4eef 3410181170 9fc446827e d7b8	5000	Spearman	NOISE-S	RRF	Speckle	max	0.0017	0.00455	0.0521	0.08005	- 0.536468
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	7478c6510c 1ac170f52f 77fc2f44bf 53f241774c bd9377d399 64cd289d82 9629	5000	Spearman	NOISE-S	RRF	Speckle	min	0.38645	0.5363	0.16925	0.2675	- 0.580502
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	f104a04912 8aeecc3ce0f bb29482d86 2444942988 ac3ff0ab8d f58edccdee 55f3	5000	Spearman	NOISE-S	RRF	Speckle	max	0.014875	0.0238	0.074325	0.1054	- 0.418096
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	92a9ec6d84 e39257aa87 4e23692507 4e1bbde478 6953a4d648 585119a4a9 d77a	5000	Spearman	NOISE-S	RRF	Speckle	min	0.461325	0.62185	0.181525	0.27605	- 0.520727
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	4120370f81 f47c9d14a6 61fca84b70 23fe08d31e 09aea2fe52 ba0a0e3182 b9a3	5000	Spearman	NOISE-S	RRF	Adversarial	max	0.0017	0.02595	0.0521	0.09745	- 0.870441
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	d9e3610ea4 9ed920cf91 251aecedcc e915bcf54d db4dc6876a9 0e67702420 392b	5000	Spearman	NOISE-S	RRF	Adversarial	min	0.38645	0.47095	0.16925	0.01575	0.906942
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	b836bacc39 fab2a90440 5885df246b 9f459453c6 01efe288f0 26ef56f1fd 56db	5000	Spearman	NOISE-S	RRF	Adversarial	max	0.014875	0.047575	0.074325	0.130225	- 0.752102
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	458c242aaa b6d9e9939e 886377b143 5ed57ca69a e0646f1901 a037e91171 67a8	5000	Spearman	NOISE-S	RRF	Adversarial	min	0.461325	0.548475	0.181525	0.025275	0.860763
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	2ca6303cce 29c15e9e19 bb57892e08 0b2515bc59 db34da9098 0aa741a244 3156	5000	Spearman	NOISE-S	Kemeny	Gaussian	max	0.0017	0.0118	0.0483	0.1228	- 1.542443
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	72928c2f70 dac7d43301 ed0cc55fd2 1f198c081e 198e3eae08 bdb40a1d86 36ee	5000	Spearman	NOISE-S	Kemeny	Gaussian	min	0.38645	0.7228	0.11805	0.2934	- 1.485388
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	eea22d6f07 fb419845ad c7dd155eb2 0babeef0b d807650a8a 5336aalf3a 131a	5000	Spearman	NOISE-S	Kemeny	Gaussian	max	0.014875	0.044325	0.070725	0.158675	- 1.243549

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	97097c2b41 68033f13fb 57549b4b0e 7d23425413 e1af79cd86 41383c5545 dd1e	5000	Spearman	NOISE-S	Kemeny	Gaussian	min	0.461325	0.8361	0.129525	0.3051	-1.35553
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	96a5598178 632e540548 7189a15545 43b-d32fa42 6b3cad7c53 0eed8ccb73 5a52	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	max	0.0017	0.007225	0.0483	0.119175	-1.467391
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	bf9e7a76a a786ea8590 5ef3153cc3 993157ae70 6899ed6a76 bfff5a6451 ce53	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	min	0.38645	0.69455	0.11805	0.31655	-1.681491
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	eb05b8255c fd460edd0c 9bbe07f952 78efcf624e f5d19775ab 93c9c24396 7d63	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	max	0.014875	0.039575	0.070725	0.149625	-1.115589
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	07e47cc725 f87e2c46e1 05e6ac8a6b 3ac4d00964 dfee0d5cac 77f031e382 9b3e	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	min	0.461325	0.805375	0.129525	0.327175	-1.52596
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	ac54ea765d 37f1212ab9 177380d99e 71c800470f 1708fet7ba e24c5920cb 35ec	5000	Spearman	NOISE-S	Kemeny	Speckle	max	0.0017	0.00455	0.0483	0.07785	-0.611801
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	f36ad85204 931ac88c0d 610f16fb68 96f1e02c1f a17e26ee84 637b0ca338 d48a	5000	Spearman	NOISE-S	Kemeny	Speckle	min	0.38645	0.5363	0.11805	0.2301	-0.949174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	6133c504de 758ab431f6 2896437844 e598c145a8 d1d33adc0d 0e1f287fee 5550	5000	Spearman	NOISE-S	Kemeny	Speckle	max	0.014875	0.0238	0.070725	0.1018	-0.439378
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	1afe06d0f4 e57d49e4d5 1eae1a6dc7 7c87f89815 5989894149 b5762a4ed2 2e2d	5000	Spearman	NOISE-S	Kemeny	Speckle	min	0.461325	0.62185	0.129525	0.24205	-0.868751
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	1e75381a3c d9eb3300ad a4c7d5d01e b8380cef56 4587d6c2a a4d3a2a325 0abe	5000	Spearman	NOISE-S	Kemeny	Adversarial	max	0.0017	0.02595	0.0483	0.09545	-0.97619
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	63b9ad40cd d8b603b956 e86918509a 9c83c916e2 53a7966062 0fdbbc18498 d6d1	5000	Spearman	NOISE-S	Kemeny	Adversarial	min	0.38645	0.47095	0.11805	-0.00805	1.068191
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	c4eb26f622 49a6952c80 599645d419 ca75eaa202 77002cf7ec b95b0f2368 b5f9	5000	Spearman	NOISE-S	Kemeny	Adversarial	max	0.014875	0.047575	0.070725	0.130625	-0.846942
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	f02d192ebe 704ad71ec9 aa96cf9d9b d369ea8365 780afa9f47 044f870460 a3e1	5000	Spearman	NOISE-S	Kemeny	Adversarial	min	0.461325	0.548475	0.129525	7.5e-05	0.999421

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	6cad8f83b 9f059606b6 673c5bd1a8 e4c12827a2 18ce7a237d 3566cde6bf 5ba2	5000	Spearman	NOISE-S	Schulze	Gaussian	max	0.0017	0.0118	0.0471	0.1232	- 1.615711
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	ebdb2faeb1 c87d74b1f 60a43d3b86 0d6155dc5e f22350b673 570327f40e 2093	5000	Spearman	NOISE-S	Schulze	Gaussian	min	0.38645	0.7228	0.15285	0.3174	- 1.076546
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	93e4261928 39a3e24149 8ea2416729 0c6553bbc9 b139599417 db6401a9a5 2ce9	5000	Spearman	NOISE-S	Schulze	Gaussian	max	0.014875	0.044325	0.069925	0.159075	- 1.274937
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	1f03d5aca8 f13aa739b2 d1e1c22dd1 4acc0c6dd0 f9ebf184b9 f56250e1aa 3177	5000	Spearman	NOISE-S	Schulze	Gaussian	min	0.461325	0.8361	0.164725	0.3283	- 0.993019
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	99738007b8 a504f4265e f203558543 25fb9fa17d fb22a8f1e1 370a8e3486 beb5	5000	Spearman	NOISE-S	Schulze	Salt Pepper	max	0.0017	0.007225	0.0471	0.117175	- 1.487792
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	f3c3dc2e7a fd95847a32 375dba3156 eceaac196e cff29624be d58d866c3f df33	5000	Spearman	NOISE-S	Schulze	Salt Pepper	min	0.38645	0.69455	0.15285	0.33875	- 1.216225
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	d0ba50c4e3 d8c92900cf 4a1dbf83e3 5a39fe38af cd07a65931 2a29052c48 59ab	5000	Spearman	NOISE-S	Schulze	Salt Pepper	max	0.014875	0.039575	0.069925	0.147025	-1.10261
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	010a11902c f28b894972 cd90d5fd8b f19002670f 13017c1fd2 f11d7b7804 82cc	5000	Spearman	NOISE-S	Schulze	Salt Pepper	min	0.461325	0.805375	0.164725	0.350175	- 1.125816
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	d5bca80472 4dfad77e7a ac42458446 fbfe969dd4 2518f2da05 cc4e587773 dc38	5000	Spearman	NOISE-S	Schulze	Speckle	max	0.0017	0.00455	0.0471	0.07845	- 0.665605
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	d421f0e4f2 b34fe969d0 8df5930fd9 cb123d3925 40f1c02a11 6b813706e6 72ac	5000	Spearman	NOISE-S	Schulze	Speckle	min	0.38645	0.5363	0.15285	0.2561	- 0.675499
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	7e92604f28 4e649f9138 035711b6da 63563686dc 7419552cee 02cde40693 3259	5000	Spearman	NOISE-S	Schulze	Speckle	max	0.014875	0.0238	0.069925	0.102	- 0.458706
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	d6531c5e7b deeca98e14 4567050c95 9f0044b266 23b460e2c5 104efb1d25 6868	5000	Spearman	NOISE-S	Schulze	Speckle	min	0.461325	0.62185	0.164725	0.26925	- 0.634542
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	f1f4e05c58 4d699c067f 4ff41bcf35 ff4d02e592 80b089c79c f53a2ab739 c2bb	5000	Spearman	NOISE-S	Schulze	Adversarial	max	0.0017	0.02595	0.0471	0.09485	-1.0138

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	e7d9a7ebc6f3d952aeea263e43cbdc2b6316779153e3b284e8ef86aaca7dcbee	5000	Spearman	NOISE-S	Schulze	Adversarial	min	0.38645	0.47095	0.15285	0.00155	0.989859
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	a767b06427e9d769d6b7939eb56c499b5fbf6408920522c1f3e1ca2f02c0bc3c	5000	Spearman	NOISE-S	Schulze	Adversarial	max	0.014875	0.047575	0.069925	0.127625	-0.82517
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	301d7b351e73e7169c81696550922b0b986322cb35558ce4c21674a5e66d5880	5000	Spearman	NOISE-S	Schulze	Adversarial	min	0.461325	0.548475	0.164725	0.010075	0.938837
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	8d5dc683d27a95c8165b1673b42de2bc682a9700a081119168b833e15cdbf82f	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	max	0.0017	0.0118	0.0625	0.1298	-1.0768
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	4179242e1519ccaf8984fe17955ff77f98cfd5eb6cb707c100c88130b635e46	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	min	0.38645	0.7228	0.26905	0.3566	-0.325404
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	aa0e9214f59caabb1e3335fe6933422c229739d76bfe99de0822ee8c8d858c8d	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	max	0.014875	0.044325	0.088325	0.169275	-0.916502
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	62acee686d709821b651f75d0128e0200a38f865f3c56848c870cba81112d32f	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	min	0.461325	0.8361	0.286925	0.3711	-0.293369
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	55ad8fb6b2c9bbce3b6fe81f981184ca66dbab51ef4002986a23b9a3bdc	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	max	0.0017	0.007225	0.0625	0.124175	-0.9868
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	e2ee71cdeebcd78719b0c96e9dea0c427d3bd49a34ce0c33059d9415940c93e05318	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	min	0.38645	0.69455	0.26905	0.39635	-0.473146
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	82d309e1bbdb2a3602197f9f42b689cc19c3977f1434f3497f48a0264072ab4a	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	max	0.014875	0.039575	0.088325	0.159625	-0.807246
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	3ebdcb01e0cc6f547d1d2b913bc344c207df0a041eda90bee2f502818694b30	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	min	0.461325	0.805375	0.286925	0.409575	-0.427464
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	db0075e3da b5H71f4320f665480032215fc4c1161cde2283f6e292e62e6e62	5000	Kendall	NOISE-K	Simple Averaging	Speckle	max	0.0017	0.00455	0.0625	0.08365	-0.3384
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	15fa9f33508e7e2483a214fb6b9cad8b8fbf29bb76250c332c7497c77b81aa59	5000	Kendall	NOISE-K	Simple Averaging	Speckle	min	0.38645	0.5363	0.26905	0.3529	-0.311652

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	8ea3b52f27 2a4033d175 3199abf28a 077441f8e6 a22f3188bb ceee587eb9 a2dd eb33f8995f 89a06cee2d c81ab88aaa 13c6651a6b 446118a804 6b44358e82 4597 cf26f28c00 b50142931d 1cf897de36 918bb206cd be2db3f4e5 3c6029c76f 8541	5000	Kendall	NOISE-K	Simple Averaging	Speckle	max	0.014875	0.0238	0.088325	0.1116	- 0.263515
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	eb33f8995f 89a06cee2d c81ab88aaa 13c6651a6b 446118a804 6b44358e82 4597 cf26f28c00 b50142931d 1cf897de36 918bb206cd be2db3f4e5 3c6029c76f 8541	5000	Kendall	NOISE-K	Simple Averaging	Speckle	min	0.461325	0.62185	0.286925	0.36625	- 0.276466
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	8ddea81257 ef54dc00ef 3471eea3c7 acfcac5604 53233f0fc5 ec6fd0b0da be1b 6757aaccfc 615e290c43 dec67abed1 05a8e638df 27598ded04 1d330cdf8e d52c	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	max	0.0017	0.02595	0.0625	0.10145	-0.6232
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	8ddea81257 ef54dc00ef 3471eea3c7 acfcac5604 53233f0fc5 ec6fd0b0da be1b 6757aaccfc 615e290c43 dec67abed1 05a8e638df 27598ded04 1d330cdf8e d52c	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	min	0.38645	0.47095	0.26905	0.08395	0.687976
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	79a6691e97 9486d76233 f16f344eb5 5c206967f6 e99b396009 e69a92afcc a4db 0b6783e000 ee4fb8492a b09e2c9b40 3d62c3cbb3 9fa3d6c413 560df37859 e060	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	max	0.014875	0.047575	0.088325	0.134425	- 0.521936
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	79a6691e97 9486d76233 f16f344eb5 5c206967f6 e99b396009 e69a92afcc a4db 0b6783e000 ee4fb8492a b09e2c9b40 3d62c3cbb3 9fa3d6c413 560df37859 e060	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	min	0.461325	0.548475	0.286925	0.089275	0.688856
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	0b6783e000 ee4fb8492a b09e2c9b40 3d62c3cbb3 9fa3d6c413 560df37859 e060 1dada0616a 06438fc61 782c47609f 8a4c566f7f b9404bf19 626adbcb41b e576	5000	Kendall	NOISE-K	Borda	Gaussian	max	0.0017	0.0118	0.0461	0.1146	-1.4859
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	0b6783e000 ee4fb8492a b09e2c9b40 3d62c3cbb3 9fa3d6c413 560df37859 e060 1dada0616a 06438fc61 782c47609f 8a4c566f7f b9404bf19 626adbcb41b e576	5000	Kendall	NOISE-K	Borda	Gaussian	min	0.38645	0.7228	0.16085	0.314	- 0.952129
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	d69935737b 9f6ce0dbac 9f3b1d9e92 3fb0177f77 66281b6fdd 21c5390a0d 0407	5000	Kendall	NOISE-K	Borda	Gaussian	max	0.014875	0.044325	0.065325	0.148475	- 1.272866
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	d69935737b 9f6ce0dbac 9f3b1d9e92 3fb0177f77 66281b6fdd 21c5390a0d 0407	5000	Kendall	NOISE-K	Borda	Gaussian	min	0.461325	0.8361	0.174725	0.3269	-0.87094
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	46cee63e5c d485be232e ae879eceba cf78231537 6c2b7f4e8b d2c3cbc686 47ac cd9f95ea96 5581d6bf45 41852a7e94 b5caeaaf8 d326b11230 6a0ef937b6 c5f1	5000	Kendall	NOISE-K	Borda	Salt Pepper	max	0.0017	0.007225	0.0461	0.109775	- 1.381236
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	46cee63e5c d485be232e ae879eceba cf78231537 6c2b7f4e8b d2c3cbc686 47ac cd9f95ea96 5581d6bf45 41852a7e94 b5caeaaf8 d326b11230 6a0ef937b6 c5f1	5000	Kendall	NOISE-K	Borda	Salt Pepper	min	0.38645	0.69455	0.16085	0.34615	- 1.152005
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	68aa7ddb21 d5fe107b73 e2236ef318 4baafa90f1 be83076c2e 1d35498652 0c35 27e96162a6 6d23ce215f f823df1770 956fa7cc9c 8a5c327ee7 19eff29720 3172	5000	Kendall	NOISE-K	Borda	Salt Pepper	max	0.014875	0.039575	0.065325	0.142025	- 1.174129

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	5e85c74d97 41b8b66888 eb9b18cf7d 14e5dc1ac3 a8fd703462 9c887692f4 1ede ad44c95a23 6430f31079 83547dc04c 4124972463 83908876ea d3009289bf 9ace 5e9fe7447f b505a11422 f2a7efdded 3881c4256e ef6b397e3f 0bd44a0e1e0 fc77	5000	Kendall	NOISE-K	Borda	Salt Pepper	min	0.461325	0.805375	0.174725	0.357175	- 1.044212
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	ad44c95a23 6430f31079 83547dc04c 4124972463 83908876ea d3009289bf 9ace 5e9fe7447f b505a11422 f2a7efdded 3881c4256e ef6b397e3f 0bd44a0e1e0 fc77	5000	Kendall	NOISE-K	Borda	Speckle	max	0.0017	0.00455	0.0461	0.06985	- 0.515184
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	ad44c95a23 6430f31079 83547dc04c 4124972463 83908876ea d3009289bf 9ace 5e9fe7447f b505a11422 f2a7efdded 3881c4256e ef6b397e3f 0bd44a0e1e0 fc77	5000	Kendall	NOISE-K	Borda	Speckle	min	0.38645	0.5363	0.16085	0.2707	- 0.682934
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	3500b1a8b3 b65e843420 a1ff7d9520 5498be428c c286deb39 aee271e066 15e8 1075916c48 bfb5c80cc0 30d8b3b1a5 173a628b56 1014a05bec e781f36878 2e64	5000	Kendall	NOISE-K	Borda	Speckle	max	0.014875	0.0238	0.065325	0.0932	- 0.426713
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	3500b1a8b3 b65e843420 a1ff7d9520 5498be428c c286deb39 aee271e066 15e8 1075916c48 bfb5c80cc0 30d8b3b1a5 173a628b56 1014a05bec e781f36878 2e64	5000	Kendall	NOISE-K	Borda	Speckle	min	0.461325	0.62185	0.174725	0.28085	- 0.607383
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	f61ecf876b cb764fd3eb e12b4b2924 bcd78acd70 7a534aef8e 5af557bc6c 903e 6ae249aff3 9bc4f8029e 8fe88dd0ad 30499e043b 78d28e049a a874fdc172 6bbb 4924bd85be 6f8ac0b100 4d09875a44 bd0b1afed1 4cdaaaa69c 41571d5dfc d6fc	5000	Kendall	NOISE-K	Borda	Adversarial	max	0.0017	0.02595	0.0461	0.09545	- 1.070499
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	f61ecf876b cb764fd3eb e12b4b2924 bcd78acd70 7a534aef8e 5af557bc6c 903e 6ae249aff3 9bc4f8029e 8fe88dd0ad 30499e043b 78d28e049a a874fdc172 6bbb 4924bd85be 6f8ac0b100 4d09875a44 bd0b1afed1 4cdaaaa69c 41571d5dfc d6fc	5000	Kendall	NOISE-K	Borda	Adversarial	min	0.38645	0.47095	0.16085	0.00155	0.990364
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	4924bd85be 6f8ac0b100 4d09875a44 bd0b1afed1 4cdaaaa69c 41571d5dfc d6fc 67deb91714 eba945eabd cb2627d5bf a01c9c945e bf60a18919 51a27b80ce 7886 9389c81e5e bd995af977 a90839ed49 b51a9dfa23 0dd581f892 eaf1749639 78ec 956f1354a6 26295aa439 1062163347 2c3ca0cf2a 88a40fea21 a020ff1464 817f 84cd7bd443 fc92b9dca 9fb3e6cf5d 775f5e0fc5 78d65927ba 5bbc5c3ba2 f0e3 80591474f5 79ce3399e7 ed1360632a 29bc88266b 2782f44df cc36c91374 9896	5000	Kendall	NOISE-K	Borda	Adversarial	max	0.014875	0.047575	0.065325	0.127625	- 0.953693
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	4924bd85be 6f8ac0b100 4d09875a44 bd0b1afed1 4cdaaaa69c 41571d5dfc d6fc 67deb91714 eba945eabd cb2627d5bf a01c9c945e bf60a18919 51a27b80ce 7886 9389c81e5e bd995af977 a90839ed49 b51a9dfa23 0dd581f892 eaf1749639 78ec 956f1354a6 26295aa439 1062163347 2c3ca0cf2a 88a40fea21 a020ff1464 817f 84cd7bd443 fc92b9dca 9fb3e6cf5d 775f5e0fc5 78d65927ba 5bbc5c3ba2 f0e3 80591474f5 79ce3399e7 ed1360632a 29bc88266b 2782f44df cc36c91374 9896	5000	Kendall	NOISE-K	Borda	Adversarial	min	0.461325	0.548475	0.174725	0.006275	0.964086
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	9389c81e5e bd995af977 a90839ed49 b51a9dfa23 0dd581f892 eaf1749639 78ec 956f1354a6 26295aa439 1062163347 2c3ca0cf2a 88a40fea21 a020ff1464 817f 84cd7bd443 fc92b9dca 9fb3e6cf5d 775f5e0fc5 78d65927ba 5bbc5c3ba2 f0e3 80591474f5 79ce3399e7 ed1360632a 29bc88266b 2782f44df cc36c91374 9896	5000	Kendall	NOISE-K	RRF	Gaussian	max	0.0017	0.0118	0.0521	0.1254	-1.40691
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	9389c81e5e bd995af977 a90839ed49 b51a9dfa23 0dd581f892 eaf1749639 78ec 956f1354a6 26295aa439 1062163347 2c3ca0cf2a 88a40fea21 a020ff1464 817f 84cd7bd443 fc92b9dca 9fb3e6cf5d 775f5e0fc5 78d65927ba 5bbc5c3ba2 f0e3 80591474f5 79ce3399e7 ed1360632a 29bc88266b 2782f44df cc36c91374 9896	5000	Kendall	NOISE-K	RRF	Gaussian	min	0.38645	0.7228	0.16925	0.3144	- 0.857607
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	84cd7bd443 fc92b9dca 9fb3e6cf5d 775f5e0fc5 78d65927ba 5bbc5c3ba2 f0e3 80591474f5 79ce3399e7 ed1360632a 29bc88266b 2782f44df cc36c91374 9896	5000	Kendall	NOISE-K	RRF	Gaussian	max	0.014875	0.044325	0.074325	0.163075	-1.19408
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	84cd7bd443 fc92b9dca 9fb3e6cf5d 775f5e0fc5 78d65927ba 5bbc5c3ba2 f0e3 80591474f5 79ce3399e7 ed1360632a 29bc88266b 2782f44df cc36c91374 9896	5000	Kendall	NOISE-K	RRF	Gaussian	min	0.461325	0.8361	0.181525	0.3259	- 0.795345

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	95d19d89a4 c834b781b3 2199d587ec f04044ec48 da4aca5e85 606e257116 54e7	5000	Kendall	NOISE-K	RRF	Salt Pepper	max	0.0017	0.007225	0.0521	0.120975	- 1.321977
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	fee61e85b3 f9c13c1784 73e2d61be0 f20b821beb 8f99eccdad 4200dbd305 654a	5000	Kendall	NOISE-K	RRF	Salt Pepper	min	0.38645	0.69455	0.16925	0.34535	- 1.040473
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	e5b484c7c0 0db42a6ec7 1754506f86 2a09bdb8a2 574aba6995 234fca673e 65b8	5000	Kendall	NOISE-K	RRF	Salt Pepper	max	0.014875	0.039575	0.074325	0.153225	- 1.061554
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	85f998abe7 039ab7ef8 b97b06df9c 1be58d7b7c 9a36a5f65f b5d6aaf210 7025	5000	Kendall	NOISE-K	RRF	Salt Pepper	min	0.461325	0.805375	0.181525	0.353575	- 0.947803
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	a09b21eece affa689cd6 f784c99d3c cc1ebf92f5 fd889aac7a d1d88bd8ba d932	5000	Kendall	NOISE-K	RRF	Speckle	max	0.0017	0.00455	0.0521	0.08005	- 0.536468
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	97b2d9b50b 0479e98c4c 942eaeceb21 e27995da11 4ec6cf8316 68589f2aaa 9abb	5000	Kendall	NOISE-K	RRF	Speckle	min	0.38645	0.5363	0.16925	0.2675	- 0.580502
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	495011cccd df6b2ed7d3 a67e2f1a96 4301dddf77 aa95844449 d4e4ca03e5 ee6e	5000	Kendall	NOISE-K	RRF	Speckle	max	0.014875	0.0238	0.074325	0.1054	- 0.418096
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	c73217949c ff35220f0e b44c2fa274 901f2245f5 a7baa36458 54ac2d0d43 3f76	5000	Kendall	NOISE-K	RRF	Speckle	min	0.461325	0.62185	0.181525	0.27605	- 0.520727
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	e2c7adc98d bb08b863b5 3cbf835f6c 9f4d6832bd 8b26dfef5e 39639ab5c1 6248	5000	Kendall	NOISE-K	RRF	Adversarial	max	0.0017	0.02595	0.0521	0.09745	- 0.870441
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	759330717d d8260b7b17 59d8d7cc44 d63adc4921 b542ac80d6 c5e4605db6 1143	5000	Kendall	NOISE-K	RRF	Adversarial	min	0.38645	0.47095	0.16925	0.01575	0.906942
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	e4664573fc ec2708a929 01b27ed258 0706ca0759 575019c67e 9a14d58e67 3b0f	5000	Kendall	NOISE-K	RRF	Adversarial	max	0.014875	0.047575	0.074325	0.130225	- 0.752102
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	93d0c2eaba 4cd6583333 09691f52e1 2106326142 a16b95a615 373d1b7247 7607	5000	Kendall	NOISE-K	RRF	Adversarial	min	0.461325	0.548475	0.181525	0.025275	0.860763
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	8db23bacbd 306b085ac8 178ec22a2d c68a5125f6 8bce421a69 5ff9864851 c3eb	5000	Kendall	NOISE-K	Kemeny	Gaussian	max	0.0017	0.0118	0.0483	0.1228	- 1.542443

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	b3edaec96f bcd525d247 0c234c301d 2bdd85a22 9d3eb86cb3 9bb4452fb4 5d07	5000	Kendall	NOISE-K	Kemeny	Gaussian	min	0.38645	0.7228	0.11805	0.2934	- 1.485388
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	5306734189 6370471f3b b48ce5db50 1eeebf7783 fbc724d14f 9da090c3d7 d447	5000	Kendall	NOISE-K	Kemeny	Gaussian	max	0.014875	0.044325	0.070725	0.158675	- 1.243549
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	7015b8da05 36542c2884 c92236c322 e9cb2ebdc8 745ed8a9f5 17eec70724 ae7e	5000	Kendall	NOISE-K	Kemeny	Gaussian	min	0.461325	0.8361	0.129525	0.3051	-1.35553
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	d57f40dde8 8e4ed29e7b 5085f7b269 b2538820ab 8e9ef6a3c8 0c8c07fcec ad8e	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	max	0.0017	0.007225	0.0483	0.119175	- 1.467391
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	557e5ac615 14d20daea5 86874a835a ed9ab945f2 63fb635123 1bd3b2e27d 524d	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	min	0.38645	0.69455	0.11805	0.31655	- 1.681491
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	894ca02af1 f90851da90 863c6a340b 49ed17def4 ed18f3dbae 81bb144965 fa68	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	max	0.014875	0.039575	0.070725	0.149625	- 1.115589
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	7031ab6867 ae198b419a ec74ab41e8 996b49975b f22a51291a 229b1af9bf 4ef4	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	min	0.461325	0.805375	0.129525	0.327175	-1.52596
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	30590a70c5 123bbaa820 1391b16c39 f3496d63a3 fb28ed912e 26cb2fc5a2 e347	5000	Kendall	NOISE-K	Kemeny	Speckle	max	0.0017	0.00455	0.0483	0.07785	- 0.611801
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	ae1e47993a 51c733e139 23c8820397 0197038c7f 0aa0241834 4a9c03801c d782	5000	Kendall	NOISE-K	Kemeny	Speckle	min	0.38645	0.5363	0.11805	0.2301	- 0.949174
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	01040c25aa 0276a521cd 378429b55a c48f3ed5a2 e337f15073 92158adfba d009	5000	Kendall	NOISE-K	Kemeny	Speckle	max	0.014875	0.0238	0.070725	0.1018	- 0.439378
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	49c7a11e28 fae405755a bdd63fa2fa 50c7513f39 5ebe8c454d 078803c07f 4168	5000	Kendall	NOISE-K	Kemeny	Speckle	min	0.461325	0.62185	0.129525	0.24205	- 0.868751
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	2bdfbe9b89 f043ed62f9 32d6eb6a85 f5cee2fe17 5208b9b919 8bb5cba3c1 7192	5000	Kendall	NOISE-K	Kemeny	Adversarial	max	0.0017	0.02595	0.0483	0.09545	-0.97619
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	68c6e3d580 c94870c57b 83823e1960 28a7a369b 85f497130c 6393992341 4573	5000	Kendall	NOISE-K	Kemeny	Adversarial	min	0.38645	0.47095	0.11805	-0.00805	1.068191

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	bdb8df348c 3053683c36 2c7e057822 7dad9f08ac b3c99b645f 69490510c7 aa23	5000	Kendall	NOISE-K	Kemeny	Adversarial	max	0.014875	0.047575	0.070725	0.130625	- 0.846942
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	c70fb158fb d02fe492fa 368c02cd01 49ca331e0e a579902649 1aalc9fa b585	5000	Kendall	NOISE-K	Kemeny	Adversarial	min	0.461325	0.548475	0.129525	7.5e-05	0.999421
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	0ed38b103e 03d22f27d5 94f72334f4 0df3f553ad 31e838d0e7 ca106b96be 1083	5000	Kendall	NOISE-K	Schulze	Gaussian	max	0.0017	0.0118	0.0471	0.1232	- 1.615711
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	018a922c7f bc043c5593 7190ac11ce 9567c78b13 f35dc0f65 53f6f749b 0c18	5000	Kendall	NOISE-K	Schulze	Gaussian	min	0.38645	0.7228	0.15285	0.3174	- 1.076546
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	75c8174f16 25282a8492 ddac795d39 383ec0b8a1 0dfbbd01e8 875c4b7d97 e382	5000	Kendall	NOISE-K	Schulze	Gaussian	max	0.014875	0.044325	0.069925	0.159075	- 1.274937
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	719dbb3aee dc920bed3e cbf4196d19 345593a4b3 20064cf106 3775198d7f ce39	5000	Kendall	NOISE-K	Schulze	Gaussian	min	0.461325	0.8361	0.164725	0.3283	- 0.993019
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	630f491c83 0d9e916b1c 45febdcf9a 2a5862a818 ed9410a5d7 c2fa6aa0e5 clae	5000	Kendall	NOISE-K	Schulze	Salt Pepper	max	0.0017	0.007225	0.0471	0.117175	- 1.487792
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	b04102de9b cd259d2d39 cc793689e1 309439014d d15e18e168 867a0b8375 f116	5000	Kendall	NOISE-K	Schulze	Salt Pepper	min	0.38645	0.69455	0.15285	0.33875	- 1.216225
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	ebd3d387a7 e9e3f0401c a8a274513a 0db17cf5ad 482047c563 a76f907eec 0f92	5000	Kendall	NOISE-K	Schulze	Salt Pepper	max	0.014875	0.039575	0.069925	0.147025	-1.10261
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	1ccfd03b0e 7a4acbe1d6 a30f5d214f 4ed270d176 f955b4287a bb51d57cd7 ccd5	5000	Kendall	NOISE-K	Schulze	Salt Pepper	min	0.461325	0.805375	0.164725	0.350175	- 1.125816
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	1179908d31 ed24d492c0 6621367f2f 12cc38bb74 34d2e2a2bb 97950babec 552f	5000	Kendall	NOISE-K	Schulze	Speckle	max	0.0017	0.00455	0.0471	0.07845	- 0.665605
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	dd50927f7e be9a3e2b25 3a04d35f08 141b1c660e 4ccb6fcb5 cd325ccbfc 91a0	5000	Kendall	NOISE-K	Schulze	Speckle	min	0.38645	0.5363	0.15285	0.2561	- 0.675499
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	681aa00868 178b575a94 8caae21d43 384dc5674d 5fa6d935e2 f8331b93b0 ea65	5000	Kendall	NOISE-K	Schulze	Speckle	max	0.014875	0.0238	0.069925	0.102	- 0.458706

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	e86fbf1894 448167d9e3 4b47677e0c ceedb7e3ac 05a29e6895 65ce917d17 8383	5000	Kendall	NOISE-K	Schulze	Speckle	min	0.461325	0.62185	0.164725	0.26925	-0.634542
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	d24b0efa7f 804e5f4092 1144b72290 e7d7534b22 d862733a01 f7505d4a3d c392	5000	Kendall	NOISE-K	Schulze	Adversarial	max	0.0017	0.02595	0.0471	0.09485	-1.0138
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	fa096f8fcb b40fe0c23d 27589cbcec d9c3d0e9f4 71d53c7a2c 41ee2e48f4 c4c4	5000	Kendall	NOISE-K	Schulze	Adversarial	min	0.38645	0.47095	0.15285	0.00155	0.989859
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	bc4c8c26de 090b26c55b 4cb1487e01 478f14e25e 8c220471f0 f919a4b1b6 1af6	5000	Kendall	NOISE-K	Schulze	Adversarial	max	0.014875	0.047575	0.069925	0.127625	-0.82517
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	663fbc3259 d57316cf10 af055095b2 f1e6cc154f 55e19ab3ea 809822ad28 041f	5000	Kendall	NOISE-K	Schulze	Adversarial	min	0.461325	0.548475	0.164725	0.010075	0.938837

Table 123: ImageNet-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	ae47d623e9639748b3cb6cc2b42927477a58ec93b9965ed28758f61d6c2e5f1c	0.0835	0.1406	-0.683832	-0.392968	0.0108	-0.622209	-0.186523	1	0.0026	0.019	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	7e509dbc3f11dfa77f50f1d139aba9bbf9b64c7c7be9da46c37ae64034421e7	0.28985	0.4058	-0.400035	0.07463	0.0492	0.012658	0.136917	1	0.0374	0.061	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	981455ddf51440f16ef9506015caed24b083058b66088abe5aecdfb9fc5b4fa	0.117125	0.170275	-0.453789	-0.462713	0.001	-0.621325	-0.316683	1	-0.0076	0.0096	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	bdc9647bdc92b3ddbb23d8bb840b0b3092321ec25ad874117883a17d60c34177	0.312925	0.4159	-0.329072	0.035703	0.0448	-0.022938	0.093845	1	0.033	0.05661	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	8ec0a65b74c1fd6841394cd911d67af4d47242664af188b3c9ad135576ecf86d	0.0835	0.132775	-0.59012	-0.39668	0.0086	-0.607886	-0.204126	1	0.0006	0.0164	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	aa499e2c1ea039b4649659b95cd945d7dfd5e2fa68331b138933bd45cd993e7	0.28985	0.42735	-0.474383	0.001237	0.031	-0.06436	0.066381	1	0.0192	0.0426	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	b351aafdeb7fa299326d57737effdc939c8e2f47b0aadbadaad9decf6427f3	0.117125	0.163825	-0.398719	-0.408527	0.0042	-0.556512	-0.273126	1	-0.004	0.0124	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	7253e30fd4c7b1419d01691b540986e645e78c9662d9572ac3360ed877e88deb	0.312925	0.437775	-0.398977	-0.028486	0.0282	-0.089725	0.031884	1	0.016	0.04	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	450b4e551e6bf480800f7f4c615bee401decc0f35e692a286d29d7f7e665d80	0.0835	0.10405	-0.246108	-0.092292	0.0204	-0.244727	0.048548	1	0.0128	0.0278	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	46bda2f6b8e7512e22109baae0647a1107f3d0a3eabdd64c99f878c7489c202f0	0.28985	0.3761	-0.297568	-0.014084	0.0232	-0.072699	0.044259	1	0.0126	0.034	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	87ea27aeb9096b002ff0bf133ff3d4d7688bb1aac97d97cfeb065976037981c4	0.117125	0.1296	-0.10651	-0.157005	0.018	-0.267135	-0.055265	1	0.0102	0.0258	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	be5ef254120af818e340ab42a4f069d9ef8c93cb50a6879aa9c32acbc39e170a	0.312925	0.39165	-0.251578	-0.024888	0.0254	-0.079972	0.029571	1	0.0148	0.0364	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	32ab414aa0a064c38ed05b48c510b87d8791f3ab5dc56563982e5558b52d0b44	0.0835	0.13645	-0.634132	0.010932	0.035	-0.173971	0.190738	1	0.0268	0.0434	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	691413d1647d54b9f0c09979339fbf6a072c3f009b18e75f514202c9677fb8b7	0.28985	0.17635	0.391582	0.296394	0.0924	0.244897	0.349304	1	0.0788	0.1062	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	440cb156510bff9de661cbf6bbb69c109e5511c571027fe696e34a2e41829d65	0.117125	0.177825	-0.51825	-0.003686	0.0434	-0.13765	0.123003	1	0.0348	0.052	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	03bcb488ca467b1401c599a53f463e10a02c2f6f3a84128a91914f431a2b19f2	0.312925	0.194875	0.377247	0.311609	0.1056	0.261709	0.362125	1	0.0916	0.11961	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	38e42c7be471ff167b1feb81f155eb01e9d6162641dc7a8455af91669dc2237	0.0847	0.1476	-0.742621	-0.743279	0.033	-1.098437	-0.451537	1	0.0244	0.0416	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	c1fe9caf727611f8e553066ce9063319dea1abd027f9eb14378c3c84694357	0.29365	0.407	-0.386004	-0.566126	0.093	-0.722324	-0.426902	1	0.0804	0.1056	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	6d8cf2867d29917500310635d6bd78111565Dae8c98b81e96b93f0c3aa3d0903	0.120325	0.175475	-0.458342	-0.814524	0.027	-1.052627	-0.60278	1	0.0178	0.0362	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	ebc7d088d0e92b9009b13d774a81ff3148a0f99abd8753b8995fe5c71ac9e3cb	0.315325	0.4181	-0.325934	-0.545006	0.0912	-0.686083	-0.418623	1	0.0784	0.104	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	c198773c00c864dc3588f0a89bb5112af1b9f84564f409f9d6c7ccf949c06e2e	0.0847	0.133575	-0.577037	-0.8042	0.0238	-1.145977	-0.525103	1	0.0156	0.0322	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	cd8f814244e2a8b287b8081d91034e3ff20a7143881a718f9321c4ef3302df7f	0.29365	0.43335	-0.475736	-0.676269	0.0872	-0.848577	-0.523776	1	0.074	0.1	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	ff668036dea65d2ea272aene506d29dab4897c7bafb1096b9d1cd34374287e1d	0.120325	0.164025	-0.363183	-0.810946	0.022	-1.040774	-0.609318	1	0.0134	0.0306	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	0c59f115c8951a46f5b13957cba84e94468fa799ffb1304bd825b02aa5664bfe	0.315325	0.445775	-0.4137	-0.630512	0.0886	-0.784377	-0.492993	1	0.0754	0.1018	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	aa1ba7219f58310d8642dcb3f5141af3725b0fcd5cb7b802a932392ca9431a48	0.0847	0.11065	-0.306375	-0.208809	0.0408	-0.42415	-0.017265	1	0.033	0.0486	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	9b5ad67e0b8c855c30676039525a4cc18989e612e1ebf42aaae156505d44a451	0.29365	0.3819	-0.300528	-0.382407	0.1112	-0.511631	-0.267356	1	0.0988	0.124	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	ad890bc61fe007cd30e1ec093c8f414e90da7369234de5e1a05951426a980c8ec	0.120325	0.1366	-0.135259	-0.291454	0.0434	-0.444839	-0.152668	1	0.0352	0.0518	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	9aa7f9ad93595793fd601c1a84b804def2f81953d913d6734ecc96063bbd6ae3	0.315325	0.39485	-0.2522	-0.355183	0.114	-0.474128	-0.249054	1	0.101	0.127	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	2df5965c64143895f326845424412a741f291234d56b45a630c84ccd3b655ad2	0.0847	0.13645	-0.61098	-0.459519	0.041	-0.745431	-0.212432	1	0.0326	0.0496	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	fc5f936a7909bc5e0e83fbed9264f84ba4f4ee71cc05db0342b4340bfc5cb854	0.29365	0.17475	0.404904	0.58546	0.1732	0.505871	0.670206	1	0.1594	0.1872	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	107ba004b398daflf85ee0d386778706148d00d00ead4947498e6e3bbc964e5d	0.120325	0.178625	-0.484521	-0.469172	0.051	-0.667107	-0.288931	1	0.0424	0.0598	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	6683d6fdad073647d4874aa2bb350478bf855848f4006018389fd5729b9edb0f	0.315325	0.192875	0.38833	0.575757	0.1866	0.50194	0.652699	1	0.1726	0.2008	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	90a54f36e8531dbelba0a8af757692656df51a0717e2f93ffe0a43b8fde0367e	0.0855	0.149	-0.74269	-0.66422	0.0236	-0.969134	-0.408905	1	0.015	0.032	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	000209a0fb9ae806e60374a7e6392c23a6dd9416aa4006551471a9267e6433a5	0.29445	0.4062	-0.379521	-0.478086	0.0918	-0.616404	-0.354656	1	0.0792	0.1044	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	20664a461b4127fc85255c20447c79eb44a087aab74b07c079467707bc813db3	0.120725	0.177475	-0.470077	-0.724003	0.0144	-0.925185	-0.544331	1	0.0056	0.0232	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	fc0163018d024a2469a0bf73fef6ed982bc66b05d70545fff4ef39c58edf25a8	0.317125	0.4183	-0.319038	-0.476307	0.0924	-0.603713	-0.361538	1	0.0794	0.1054	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	45c73b2b0f2f2a2b0767a5a77ae38309ba1faefb09145c5e79104d262d09c0df	0.0855	0.132575	-0.550585	-0.771392	0.0116	-1.059247	-0.533899	1	0.0038	0.0196	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	ae79b2e5ce6d99c524a468980d58b0102241d7f1a2c319a4ae22efc0d6b3fa5	0.29445	0.43335	-0.471727	-0.568746	0.088	-0.718858	-0.432597	1	0.0754	0.1008	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	1c6c68f6215f61183afc93dafb1c301c0d49b3ba154350628ffe8d210447e00	0.120725	0.163625	-0.355353	-0.706201	0.0104	-0.895542	-0.535125	1	0.002	0.0188	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	6cdc1370f0a2d199d584675985ecac1f755b56b96e12a073129b70da0fa13fd4	0.317125	0.444975	-0.403153	-0.54465	0.0914	-0.682058	-0.419746	1	0.0784	0.1044	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	0fc26f5e084b2ba22f000a2c5c78dedc5ad4eef34101811709fc446827e47b8	0.0855	0.10865	-0.27076	-0.265708	0.0286	-0.45692	-0.097553	1	0.0212	0.036	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	7478c6510c1ac170f52f77fc2f44bf53f241774cbd9377d39964cd289d829629	0.29445	0.3801	-0.290881	-0.289621	0.1126	-0.402112	-0.188437	1	0.1002	0.1248	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	f10da049128aee3ce0fbb29482d862444942988ac3ff0ab8df58edccdee55f3	0.120725	0.1342	-0.111617	-0.306479	0.0288	-0.438838	-0.182643	1	0.0208	0.0366	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	92a9ec6d84e39257aa874e236925074e1bbde4786953a4d648585119a4a9d77a	0.317125	0.39485	-0.245093	-0.275635	0.1188	-0.379195	-0.182944	1	0.1062	0.1312	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	4120370f81f47c9d14a661fca84b7023fe08d31e09aea2fe52ba0a0e3182b9a3	0.0855	0.13765	-0.609942	-0.2605	0.0402	-0.487813	-0.057608	1	0.0326	0.0478	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	49e3610ea49ed920cf91251aeccdcc e915bcf54ddbdc6876a90e67702420392b	0.29445	0.17495	0.405841	0.501101	0.1592	0.427396	0.577807	1	0.1456	0.1728	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	b836bace39fab2a904405885df246b9f459453c601efe288f026ef56f1fd56db	0.120725	0.178225	-0.476289	-0.275813	0.048	-0.431864	-0.13198	1	0.0402	0.0558	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	458c242aaa b6d9e9939e886377b1435ed57ca69ae0646f1901a037e9117167a8	0.317125	0.194075	0.388017	0.472746	0.1688	0.403588	0.545157	1	0.1548	0.1828	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	2ca6303cce29c15c9e19bb57892e080b2515bc59db34da90980aa741a2443156	0.0847	0.1476	-0.742621	-0.799822	0.0248	-1.136906	-0.516068	1	0.0168	0.0328	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	72928c2f70dac7d43301ed0cc55fd21f198c081e198e3eae8b4b40a1d8636ee	0.29365	0.407	-0.386004	-1.099384	0.1136	-1.397686	-0.85578	1	0.1008	0.1264	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	ean22d6f07fb419845adc7dd155eb20babeeef0bd807650a8a5336aa1f3a131a	0.120325	0.175475	-0.458342	-0.785207	0.0168	-0.993496	-0.600628	1	0.0084	0.0254	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	97097c2b4168033f13fb57549b4b0e7d23425413e1af79cd8641383c5545dd1e	0.315325	0.4181	-0.325934	-1.029596	0.113	-1.288802	-0.813535	1	0.1	0.1262	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	96a5598178 632e540548 7189a15545 43bd32fa42 6b3cad7c53 0eed8ccb73 5a52	0.0847	0.133575	-0.5777037	-0.890355	0.0144	-1.216849	-0.620542	1	0.0068	0.022	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	bff9e7a76a a786ea8590 5ef3153cc3 993157ae70 6899ed6a76 bfff5a6451ce53	0.29365	0.43335	-0.475736	-1.205754	0.1168	-1.525622	-0.947038	1	0.1036	0.13	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	eb05ab8255c fd460edd0c 9bbe07f952 78efcf624e f5d19775ab 93c9c24396 7d63	0.120325	0.164025	-0.363183	-0.752406	0.0144	-0.95532	-0.572899	1	0.0062	0.0226	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	07e47cc725 f87e2c46e1 05e6ac8a6b 3ac4d00964 dfee0d5cac 77f031e382 9b3e	0.315325	0.445775	-0.4137	-1.11226	0.1186	-1.387853	-0.883716	1	0.10539	0.132	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	ac54ea765d 37f1212ab9 177380d99e 71c800470f 1708fe77ba e24c5920cb 35ec	0.0847	0.11065	-0.306375	-0.305426	0.0328	-0.514557	-0.120437	1	0.0254	0.0404	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	f36ad85204 931ac88c0d 610f16fb68 96f1e02c1f a17e26ee84 637b0ca338 d48a	0.29365	0.3819	-0.300528	-0.648646	0.1518	-0.866687	-0.465151	1	0.1388	0.1646	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	6133c504de 758ab431f6 2896437844 e598c145a8 d1d33adc0d 0e1f287fec5550	0.120325	0.1366	-0.135259	-0.304119	0.0348	-0.445272	-0.177888	1	0.027	0.0426	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	1af6e0640f4 e57d49e4d5 1eae1a6dc7 7c87f89815 5989894149 b5762a4ed2 2e2d	0.315325	0.39485	-0.2522	-0.616551	0.1528	-0.810812	-0.452999	1	0.1394	0.1658	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	1e75381a3c d9eb3300ad a4c7d5d01e b8380cef56 4587dd6c2a a4d3a2a325 0abe	0.0847	0.13645	-0.61098	-0.365211	0.041	-0.623491	-0.141938	1	0.0332	0.049	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	63b9ad40cd d8b603b956 e86918509a 9e83c916a2 53a7966062 0fdbc18498 d6d1	0.29365	0.17475	0.404904	0.663288	0.1828	0.552349	0.784758	1	0.1686	0.197	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	c4eb26f622 49a6952c80 599645d419 ca75eaa202 77002c77ec b95b0f2368 b5f9	0.120325	0.178625	-0.484521	-0.362421	0.048	-0.532516	-0.208	1	0.0398	0.0564	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	f02d192ebe 704ad71ec9 aa96cf9d9b d369ea8365 780afa9f47 044f870460 a3e1	0.315325	0.192875	0.38833	0.611091	0.1928	0.509755	0.720924	1	0.1784	0.2072	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	6cad8ff83b 9f059606b6 673c5bd1a8 e4c12827a2 18ce7a237d 3566cde6bf 5ba2	0.0847	0.1476	-0.742621	-0.87309	0.0244	-1.23965	-0.574355	1	0.0162	0.0324	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	ebdb2faeb1c87df74b1f60a43d3b860d6155dc5ef22350b673570327f40e2093	0.29365	0.407	-0.386004	-0.690542	0.0896	-0.868891	-0.535976	1	0.077	0.1022	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	93e426192839a3e241498ea24167290c6553bbc9b139599417db6401a9a52cc9	0.120325	0.175475	-0.458342	-0.816595	0.0164	-1.030649	-0.624503	1	0.0078	0.0252	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	1f034d5aca8f13aa739b2d1e1c22dd14acc0c6dd0f9ebf184b9f56250e1aa3177	0.315325	0.4181	-0.325934	-0.667085	0.0898	-0.828378	-0.525415	1	0.0768	0.1026	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	99738007b8a504f4265ef20355854325fb9fa17dfb22a8f1e1370a8e3486beb5	0.0847	0.133575	-0.577037	-0.910755	0.0164	-1.251246	-0.632866	1	0.0084	0.0244	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	f3c3dc2e7af95847a32375dba3156ecceaac196ecff29624bed58d866c3fd33	0.29365	0.43335	-0.475736	-0.740489	0.0946	-0.930994	-0.576007	1	0.0818	0.1076	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	d0ba50c4e3d8c92900cf4a1dbf83e35a39fc38afcd07a659312a29052c4859ab	0.120325	0.164025	-0.363183	-0.739427	0.017	-0.942249	-0.559374	1	0.0086	0.0254	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	010a11902cf28b894972cd90d5fd8bf19002670f13017c1fd2f11d7b780482cc	0.315325	0.445775	-0.4137	-0.712116	0.0956	-0.883309	-0.561116	1	0.0826	0.1086	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	d5bca804724dfad77e7aac42458446fbfe969dd42518f2da05cc4e587773de38	0.0847	0.11065	-0.306375	-0.35923	0.0322	-0.586588	-0.16259	1	0.0248	0.0398	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	d421f0e4f2b34fe969d08df5930fd9cb123d392540f1c02a116b813706e672ac	0.29365	0.3819	-0.300528	-0.374971	0.1258	-0.515803	-0.25179	1	0.113	0.1386	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	7e92604f284c49f9138035711b6da63563686dc7419552cee02cde406933259	0.120325	0.1366	-0.135259	-0.323447	0.0346	-0.471584	-0.191135	1	0.0266	0.0426	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	d6531c5e7bdefca98e144567050c959f004b26623b460e2c5104efb1d256868	0.315325	0.39485	-0.2522	-0.382342	0.1256	-0.51139	-0.26765	1	0.1126	0.1386	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	f1f4e05c584d699c067f4ff41bcf35ff402659280b089c79cf53a2ab739c2bb	0.0847	0.13645	-0.61098	-0.40282	0.0416	-0.683341	-0.16547	1	0.0334	0.0498	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	e749a7ebc6f3d952aeeca263e43cbdc2be316779153e3b284e8ef86aaca7dcbee	0.29365	0.17475	0.404904	0.584956	0.1732	0.500998	0.67215	1	0.1594	0.1868	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	a767b06427e9d769d6b7939eb56c499b5fbf6408920522c1f3e1ca2f02e0bc3c	0.120325	0.178625	-0.484521	-0.340649	0.051	-0.514351	-0.179683	1	0.0424	0.0596	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	301d7b351e73e7169c81696550922b0b986322cb35558ce4c21674a5e66d5880	0.315325	0.192875	0.38833	0.550508	0.1828	0.471772	0.63201	1	0.1686	0.1968	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	8a5dc683d27a95c8165b1673b42de2bc682a9700a081119168b833e15cdbf82f	0.0717	0.1444	-1.013947	-0.062853	0.0146	-0.265126	0.128021	1	0.0076	0.0216	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	41792d2e15819ccaf8984fe17955ff77f98cfd5eb6cb707c100c88130b635e46	0.28945	0.3936	-0.35982	0.034416	0.037	-0.022628	0.090115	1	0.0262	0.0476	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	aa0e9214f59caabb1e3335fc6933d22c229739d76bfe994e0822ee8c8d858c8d	0.104925	0.183475	-0.74863	-0.167872	0.0142	-0.307739	-0.03678	1	0.0066	0.0216	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	62ac6e686d709821b651f75d0128e0200a38f865f3c56848c870c8a81112432f	0.313525	0.4085	-0.302926	0.009557	0.0374	-0.043719	0.062243	1	0.0266	0.0482	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	55ad8fb6b2c9bbce3b6fe81f981184ca66dbab51eff4002986a23b9a3bdc	0.0717	0.134575	-0.876918	-0.109882	0.0104	-0.29787	0.071564	1	0.004	0.017	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	e2ee71cdceebcd78719b0c96e9dea0c427d3bd49a34ce0c33059d9415940c93e05318	0.28945	0.42375	-0.463983	-0.009163	0.0274	-0.068761	0.049159	1	0.0166	0.038	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	82d309c1bbdb2a3602197f942b689cc19c3977f1434f3497f48a0264072ab4a	0.104925	0.173825	-0.65666	-0.150586	0.0142	-0.280115	-0.028009	1	0.0074	0.0212	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	3ebdcb01e0cc6f5b47d1d2b913bc344c207d0a041eda90bee2f502818694b30	0.313525	0.437575	-0.395662	-0.031801	0.028	-0.087714	0.022803	1	0.017	0.039	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	db0075e3dab5ff71f4320fd65d80032215fe4c1161ede2283f6c292662e6e62	0.0717	0.09945	-0.387029	0.048629	0.0158	-0.099402	0.192991	1	0.0094	0.022	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	15fa9f33508e7c2483a214fb6b9cad8b8fbf29bb76250c332c7497c77b81aa59	0.28945	0.3825	-0.321472	0.00982	0.0296	-0.043057	0.063545	1	0.0198	0.0398	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	8ea3b52f272a4033d1753199abf28a077441ffe6a22f3188bbceee587eb9a2dd	0.104925	0.1282	-0.221825	-0.04169	0.0166	-0.144825	0.056974	1	0.0102	0.023	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	eb33f8995f89a06cee2dc81ab88aaa13c6651a6b446118a8046b44358e824597cf26f28c00b50142931d1cf897de36918bb206cdbe2db3f4e53c6029c76f85418ddea81257ef54dc00ef3471eca3c7acfcac560453233f0fc5ec6fd0b0da	0.313525	0.39785	-0.268958	-0.007508	0.0316	-0.058722	0.043846	1	0.0216	0.042	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	be1b6757aeffcc615c290c43dec67abed105a8e638df27598ded041d330cdf8e4d52c	0.0717	0.12265	-0.7106	0.0874	0.0212	-0.087636	0.261809	1	0.0142	0.0282	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	79a6691e979486d76233f16f3446b55c206967f6e99b396009e69a92afcca4db	0.28945	0.17475	0.396269	0.291707	0.0908	0.244606	0.340221	1	0.0784	0.1034	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	0b6783e000ee4fb8492ab09e2c9b403d62c3cbb39fa3d6c413560df37859e060	0.104925	0.165025	-0.57279	0.050854	0.0306	-0.070235	0.168226	1	0.0234	0.038	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	1dada0616a06438fcf61782c47609f8a4c566f7fbf9404bf1962aadbca41be576	0.313525	0.196875	0.37206	0.316796	0.1076	0.271209	0.363159	1	0.0948	0.1206	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	469935737b9f6ce0dbac9f3b1d9e923fb0177f7766281b6fdd21c5390a0d0407	0.0489	0.1184	-1.421268	-0.064632	0.0038	-0.428572	0.303595	1	-0.0044	0.012	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	46cee63e5cd485be232eae879ceceba	0.28385	0.3678	-0.295755	-0.656375	0.0538	-0.812747	-0.518389	1	0.041	0.0666	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	cf782315376c2b7f4e8bd2c3cbc68647ac	0.080725	0.153475	-0.901208	-0.371659	0.005	-0.609315	-0.145293	1	-0.0036	0.0136	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	cd9f95ea965581d6bfd541852a7e94b5caeaaf8d326b112306a0ef937b6c5f1	0.310525	0.3821	-0.230497	-0.640443	0.0552	-0.782523	-0.512859	1	0.04219	0.06821	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	68aa7ddb21d5fe107b73e2236ef3184baafa90f1be83076c2e1d354986520c35	0.0489	0.106975	-1.187628	-0.193609	-0.0028	-0.53912	0.145694	1	-0.011	0.0054	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	27e96162a66d23cc215ff823df1770956fa7ce9c8a5c327ee719ef297203172	0.28385	0.40455	-0.425225	-0.72678	0.0584	-0.897666	-0.576203	1	0.0456	0.0714	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	5e85c74d97411b8b6688eb9b18cf7d14e5dc1ac3a8fd7034629c887692f41ede	0.080725	0.146425	-0.813874	-0.360255	0.0044	-0.584208	-0.149927	1	-0.0044	0.013	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar		0.310525	0.419175	-0.349891	-0.694321	0.062	-0.845015	-0.558753	1	0.049	0.075	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	ad44c95a236430f3107983547dc04c412d97246383908876ea43009289bf9ace	0.0489	0.06985	-0.428425	-0.086759	0	-0.321988	0.148464	1	-0.0072	0.007	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	5e9fe7447fb505a11422f2a7efdded3881c4256eef6b397e3f0bd4a0e1e0fc77	0.28385	0.3671	-0.293289	-0.389646	0.0964	-0.519636	-0.274095	1	0.0838	0.1094	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	3500b1a8b3b65e843420a1ff7d95205498be428cc286deb39aee271e06615e8	0.080725	0.0954	-0.18179	-0.244923	0.0022	-0.404341	-0.094021	1	-0.0054	0.0098	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	107f916c48bfb5c80cc030d8b3b1a5173a628b561014a05bec	0.310525	0.38245	-0.231624	-0.375759	0.1016	-0.492971	-0.26894	1	0.0888	0.1148	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	e781f368782e64f61ecf876bcb764fd3ebe12b4b2924bcd78acd707a534aef8e	0.0489	0.12685	-1.59407	0.523571	0.0314	0.198325	0.885966	1	0.0234	0.0394	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	5af557bc6c903e6ae249aff39bc4f8029e8fe88dd0ad30499e043b78428e0d9a	0.28385	0.17775	0.373789	0.616575	0.1762	0.535315	0.703517	1	0.162	0.1906	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	as74fde1726bbb4924bd85be6f8ac0b1004d09875a44bd0b1afed14cdaaaa69c	0.080725	0.169425	-1.098792	0.145099	0.0418	-0.062148	0.349308	1	0.0336	0.05	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	41571d5dfcd6fc674de91714eba945eaabdcb2627d5bfa01c9c945ebf60a1891951a27b80ce	0.310525	0.196675	0.366637	0.597449	0.1904	0.521669	0.677605	1	0.1762	0.2048	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	78869389c81e5ebd995af977a90839ed49b51a9dfa230dd581f892	0.0709	0.1424	-1.008463	-0.398447	0.017	-0.692057	-0.140051	1	0.009	0.0252	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	eaf174963978ec956f1354a626295aa43910621633472c3ca0cf2a88a40faa21a020ff1464817f	0.29045	0.4028	-0.386814	-0.470794	0.0884	-0.606179	-0.349106	1	0.0758	0.101	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	84cd7bd443fc92bf9dca9fb3e6cf5d775f5e0fc578d65927ba5b5bc5c3ba2f0a3	0.108125	0.181475	-0.678382	-0.515699	0.0184	-0.712894	-0.338458	1	0.01	0.0272	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	80591474f579ce3399e7ed1360632a29bc88266b2782ff44dfcc36c913749896	0.314525	0.4163	-0.323583	-0.471762	0.0904	-0.597403	-0.357298	1	0.0776	0.1032	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	95d19d89a4c834b781b32199d587ecf04044cc48da4aca5e85606e25711654e7	0.0709	0.133375	-0.881171	-0.440806	0.0124	-0.723155	-0.191235	1	0.0048	0.0204	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	fee61e85b3f9c13c178473e2d61be0f20b821beb8f99eccdad4200bd305654a	0.29045	0.44275	-0.524359	-0.516114	0.0974	-0.659593	-0.384235	1	0.085	0.11	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	e5b484c7c00db42a6ec71754506f862a09bdbb8a2574aba6995234fca673e65b8	0.108125	0.169225	-0.565087	-0.496467	0.016	-0.681678	-0.325874	1	0.0078	0.0244	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	85f998abe7039ab7eff8b97b06df9c1be58d7b7c9a36a5f65fb5d6aaf2107025	0.314525	0.453575	-0.442095	-0.505708	0.1	-0.640366	-0.384816	1	0.0874	0.1128	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	a09b21ceceaaffa689cd6f784c99d3ccc1ebf92f5fd889aac7ad1d88bd8ba4932	0.0709	0.09885	-0.394217	-0.142251	0.0188	-0.335188	0.035672	1	0.0118	0.0258	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	97b2d9b50b0479e98e4c9d2eaeab21e27995da114ec6cf831668589f2aaa9abb	0.29045	0.3909	-0.345843	-0.23466	0.1234	-0.345516	-0.134826	1	0.111	0.1356	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	495011cccd4f6b2ed7d3a67e2f1a964301d4dd47aa95844d49d4e4ca03e5ee6e	0.108125	0.1272	-0.176416	-0.24168	0.0218	-0.37206	-0.11806	1	0.0144	0.0292	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	c73217949cff35220f0eb44c2fa274901f2245f5a7baa3645854ac2d0d433f76	0.314525	0.40425	-0.285271	-0.235456	0.1282	-0.338393	-0.142333	1	0.1158	0.1406	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	e2c7adc98dbb08b863b53cbf835f6c9f4d6832bd8b26df6e5e39639ab5c16248	0.0709	0.13265	-0.870945	0.000504	0.0352	-0.222828	0.212521	1	0.0278	0.0426	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	759330717d48260b7b1759d8d7cc44d63adc4921b542ac80d6c5e4605db61143	0.29045	0.17275	0.405233	0.501709	0.157	0.428154	0.579189	1	0.1436	0.1706	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	e4664573fcec2708a92901b27ed2580706ca0759575019c67e9a14d58e673b0f	0.108125	0.177825	-0.644624	-0.107478	0.0476	-0.261169	0.036952	1	0.0398	0.0554	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	93d0c2eaba4cd658333309691f52e12106326142a16b95a615373d1b72477607	0.314525	0.195275	0.379143	0.48162	0.17	0.411528	0.554304	1	0.156	0.184	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	8db23bacbd306b085ac8178ec22a2dc68a5125fe8bcc421a695ff9864851c3eb	0.0857	0.1472	-0.71762	-0.824823	0.0244	-1.16061	-0.545464	1	0.0166	0.0324	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	b3edaec96fbcd525d2470e234c301d2bdd85a229d3eb86cb39bb4452fb45d07	0.29185	0.4078	-0.397293	-1.088094	0.1144	-1.385856	-0.844089	1	0.1016	0.127	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	5306734189 6370471f3b b48ce5db50 1eeebf7783 fbc724d14f 9da090c3d7 d447	0.121325	0.182475	-0.504018	-0.739531	0.0238	-0.951342	-0.551741	1	0.0154	0.0322	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	7015b8da05 36542c2884 e92236c322 e9cb2ebdc8 745ed8a9f5 17eec70724 ae7e	0.314925	0.4185	-0.328888	-1.026642	0.1134	-1.287729	-0.810963	1	0.1002	0.1264	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	457f40dde8 8e4ed29e7b 5085f7b269 b2538820ab 8e9ef6a3c8	0.0857	0.137775	-0.607643	-0.859748	0.0186	-1.18202	-0.59083	1	0.011	0.0264	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	0c8c07fcec8e 557e5ac615 14d20daea5 86874a835a ed9ab945f2 63fb635123 1bd3b2e27d 524d	0.29185	0.43215	-0.480726	-1.200764	0.1156	-1.522063	-0.944104	1	0.1028	0.1286	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	894ca02af1 d90851da90 863c6a340b 49ed17def4 ed18f3dbae 81bb144965 fa68	0.121325	0.175625	-0.447558	-0.66803	0.026	-0.871186	-0.486115	1	0.0178	0.0342	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	7031ab6867 ae198b419a ec74ab41e8 999b49975b f22a51291a 229b1af9bf4ef4	0.314925	0.445375	-0.414226	-1.111735	0.1182	-1.387008	-0.884211	1	0.1052	0.1312	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	30590a70c5 123bbaa820 1391b16c39 f3496d63a3 fb28ed912e	0.0857	0.10965	-0.279463	-0.332338	0.0318	-0.541868	-0.14843	1	0.0244	0.0392	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	26cb2fc5a2e347 ae1e47993a 51c733e139 23c8820397 0197038c7f 0aa0241834 4a9c03801c d782	0.29185	0.3825	-0.310605	-0.638569	0.1524	-0.858676	-0.457933	1	0.13939	0.1652	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	010d0c25aa 0276a521cd 378429b55a c48f9ed5a2 e337f15073 92158adfba d009	0.121325	0.1392	-0.147332	-0.292046	0.0374	-0.433302	-0.166225	1	0.0298	0.0452	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	49c7a11e28 fae4057c5a bdd63fa2fa 50c7513f39 5eb68c454d 078803c07f 4168	0.314925	0.39845	-0.265222	-0.603529	0.1564	-0.79906	-0.439724	1	0.143	0.1694	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	2bdfbe9b89 f043ed62f9 32d6eb6a85 f5cee2fe17 5208b9b919 8bb5cba3c1 7192	0.0857	0.13845	-0.615519	-0.360671	0.043	-0.618217	-0.141245	1	0.0352	0.051	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	68c6e3d580 e94870c57b 83823e1960 28a7af369b 85f497130c 6393992341 4573	0.29185	0.16935	0.419736	0.648455	0.1774	0.537243	0.768627	1	0.1634	0.1914	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	bdb8df348c 3053683c36 2c7c057822 7dad9f08ac b3c99b645f 69490510c7 aa23	0.121325	0.181225	-0.493715	-0.353227	0.0506	-0.524217	-0.19748	1	0.0424	0.059	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	c70fb158fb d02fe492fa 368c02cd01 49ca331e0e a579902649 1aa1cdc9fa b585	0.314925	0.185675	0.410415	0.589006	0.1856	0.487781	0.696949	1	0.1712	0.1998	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	0ed38b103e 03d22f27d5 94f72334f4 0df3f553ad 31e838d0e7 ce106b96be 1083	0.0747	0.1388	-0.858099	-0.757612	0.0156	-1.110478	-0.462304	1	0.00739	0.0238	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	018a922c7f bc043c5593 7190ac11ce 9567c78b13 ff35dc0f65	0.28865	0.3892	-0.348346	-0.7282	0.0718	-0.908509	-0.573638	1	0.059	0.0846	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	53f66f749b0c18 75c8174f16 25282a8492 ddac795d39 383ec0b8a1 0dfbbd01e8 875c4b7d97 e382	0.110125	0.176875	-0.606129	-0.668808	0.0178	-0.882968	-0.476359	1	0.009	0.0268	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	719dbb3aee dc920bed3e cbf4196d19 3d5593a4b3 20064cf106 3775198d7f ce39	0.312925	0.4013	-0.282416	-0.710603	0.073	-0.872911	-0.569031	1	0.06	0.0862	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	630f491c83 0d9e916b1c 45febdcf9a 2a5862a818 ed9410a5d7 c2fa6aa0e5c1ae	0.0747	0.131175	-0.756024	-0.731768	0.014	-1.064553	-0.455542	1	0.006	0.0222	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	b04102de9b cd259d2d39 cc793689e1 309439014d d15e18e168 867a0b8375 f116	0.28865	0.42175	-0.461112	-0.755113	0.083	-0.948583	-0.590059	1	0.0704	0.0954	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	ce3d3d387a7 e9e3f0401c a8a274513a 0db17cf5ad 482047c563 a76f907eec0f92	0.110125	0.168225	-0.527582	-0.575028	0.0212	-0.774698	-0.394076	1	0.0126	0.0298	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	1ccfd03b0e 7a4acbe1d6 a30f5d214f 4ed270d176 f955b4287a bb51d57cd7 ccd5	0.312925	0.432975	-0.383638	-0.742178	0.0828	-0.914981	-0.591294	1	0.07	0.0954	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	1179908d31 ed24d492c0 6621367f2f 12cc38bb74 34d2e2a2bb 97950babec 552f	0.0747	0.09465	-0.267068	-0.398537	0.0162	-0.621053	-0.203264	1	0.009	0.0234	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	dd50927f7e be9a3e2b25 3a04d35f08 141b1c660e 4ccb6ffcb5 cd325ccbfc91a0	0.28865	0.3771	-0.306426	-0.369072	0.121	-0.509413	-0.244399	1	0.1084	0.134	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	681aa00868 178b575a94 8caae21d3 384dc5674d 5fa6d935e2 f8331b93b0 ea65	0.110125	0.1246	-0.131442	-0.327264	0.0226	-0.472922	-0.193932	1	0.0148	0.0304	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	e86bf1894 448167d9e3 4b47677e0c ccedb7e3ac 05a29e6895 65ce917d17 8383	0.312925	0.39445	-0.260526	-0.374017	0.1252	-0.504516	-0.256879	1	0.1122	0.1382	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	d24b0efa7f804e5f40921144b72290e7d7534b22d862733a01f7505d4a3dc392fa096f8fcb b40fe0c23d27589cbcecd9c3d0e9f471d53c7a2c41ee2e48f4c4c4bcb4e8c26de090b26c55b4cb1487e01478f14e25e8c220471f0f919a4b1b61a6663fbc3259d57316cfl0af055095b2f1e6cc154f55e19ab3ea809822ad28041f	0.0747	0.12945	-0.732932	-0.280869	0.0346	-0.547104	-0.0505	1	0.0268	0.0422	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar		0.28865	0.18215	0.368959	0.6209	0.1806	0.536462	0.710852	1	0.1668	0.1946	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C		0.110125	0.174225	-0.582066	-0.243104	0.0466	-0.414635	-0.085366	1	0.0386	0.0546	1
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar		0.312925	0.200875	0.358073	0.580764	0.1908	0.501188	0.664428	1	0.1766	0.2052	1

Table 124: ImageNet-ViT-B/16

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	ae47d623e9639748b3cb6cc2b42927477a58ec93b9965ed28758f61d6c2e5f1c	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	7e509dbc3f11dfa77f50fld139aba9bbf9b64c7c7be9da46c37ae4034421e7	0.9904	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	981d55ddf51440f16ef9506015caed24b083058b66088abe5aecdfb9fc5b4fa	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	bdc9647bdc92b3dabb23d8bb840b0b3092321ec25ad874117883a17d60c34177	0.886044	False	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	8ec0a65b74c1fd6841394cd911d67af4d47242664af188b3c9ad135576ecf86d	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	a499e2c1ea039b4649659b95cd945d7dfdb5e2fa68331b138933db4d5cd993e7	0.511076	False	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	b351aafdeb7fa299326d57737effdc939c8e2f47b0aadbadaddd9deccff6427f3	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	7253e30fd4c7b1419d01691b540986e6d5e78e9662d9572ac3360ed877e88deb	0.176909	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	450b4e551e6bf480800f7f4c615bee401deccc0f35e692a286d29d777e665d80	0.101555	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	46bda2f6b8e7512e22109baae0647a1107f3d0a3eabd64c99f878c7489c202f0	0.321066	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	87ea27aeb9096b002ff0bf133ff3d4d7688bb1aac97d97cfb065976037981c4	0.0017	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	be5ef254120af8bc340abdd2a4f069d9ef8c93cb50a6879aa9c32acbc39e170a	0.188509	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	32ab414aa0a064e38ed05b48c510b87d8791f3ab5dc56563982e5558b52d0b44	0.545327	False	advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	691413d1647d54b9f0c09979339fbf6a072c3f009b5f8e75f514202c9677fb8b7	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	440cb156510bff9de661cbf6bb69c109e5511c571027fe696e34a2e41829d65	0.474574	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	03bcb488ca467b1401c599a53f463e10a02c2f6f3a84128a91914f431a2b19b2	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	3f8c42c7be471ff167b1feb81f155eb01e9d6162641dc7a8455af91669dc2237	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	c1fe9caf727611f8e8e553066ce9063319dea1abd027f9eb14378c3c84694357	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	6d8cf2867d29917500310635d6bd781115650ae8c98b81e96b93f0c3aa3d0903	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	ebc7d088d0e92b9009b13d774a81ff3148a0f99abdb8753b8995fc5c71ac9e3cb	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	c198773c00c864dc3588f0a89bb5112af1b9f84564f409f9d6c7ccf949c06e2e	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	cd8f814244e2a8b287b8081d91034e3ff20a7143881a718f9321c4ef3302df7f	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	ff668036dea65d2ea272aeae506d29dab4897c7beffb1096b9d1cd34374287c1d	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	0c59f115c8951a46f5b13957cba84e94468fa799ffb1304bd825b02aa5664bfe	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	aa1ba7219f58310d8642dcb3f5141af3725b0fcd5cb7b802a932392ca9431a48	0.016451	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	9b5ad67e0b8c855c30676039525a4cc18989e612e1ebf42aaa	0	False	quality_only
						e156505d44a451			

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	ad890be61fe007cd30e1ec093c8f414e90da736923de5e1a05951426a980c8ec	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	9aa7ffad93595793fd601c1a84b804def2f81953d913d6734ecc96063bbd6ae3	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	2df5965c64143895f326845424412a741f291234d56b45a630c84ccd3b655ad2	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	fc8f936a7909bc5e0e83fbed9264f84ba4f4ee71cc05db0342b4340bfc5cb854	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	107ba004b398daf1f85ee0d386778706148d00d00ead4947498e6e3bbc964e5d	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	6683d6fdad073647d4874aa2bb350478bf8558d8f4006018389fd5729b9edb0f	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	90a54f36e8531dbe1ba0a8af757692656df51a0717e2f93fbc0a43b8fbc0367e	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	000209a0fb9ae806e60374a7e6392c23a6dd9416aa4006551471a9267e6433e5	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	20664a461b4127fc85255c20447c79eb44a087aab74b07c079467707bc813db3	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	fc0163018d024a2469a0b7f3ef6ed982bc66b05d70545ff4ef39c58edf25a8	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	45c73b2b0f2f2a2b0767a5a77ae38309ba1faefb09145c5e791044262d09c0df	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	ae79b2e5ce6d99c524a468980d58b0102241df7f1a2c319a4ae22fe0d6b3fa5	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	1c6c68f6215f61183afc93dafb1c301c0d49b3ba154350628ffef8d210447e00	0	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	6cdc1370f0a2d199d584675985ecac1f755b56b96e12e073129b70da0fa13fd4	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	0fc26f5e084b2ba22f000a2c5c78dedc5ad4eef34101811709fc446827e47b8	0.00075	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	7478c6510c1ac170f52f77fc2f44bf53f241774cbd9377d39964cd289d829629	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	f10da049128aee3ca0fb29482d862444942988ac3ff0ab8df58edccdee55f3	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	92a9ec6d84e39257aa874e236925074e1bbde4786953a4d648585119a4a9d77a	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	4120370f81f47c9d14a661fca84b7023fe08d31e09aea2fe52ba0a0e3182b9a3	0.00505	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	d9e3610ea49ed920cf91251aecdccce915bcf54ddbdc6876a90e67702420392b	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	b836bacc39fab2a904405885df246b9f459453c601efe288f026ef56f1fd56db	5.0003e-05	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	458c242aaa b6d9e9939e886377b1435ed57ca69ae0646f1901a037e9117167a8	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	2ca6303cce29c15c9e19bb57892e080b2515bc594b34da90980aa741a2443156	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	72928c2f70dac7d43301ed0cc55fd21f198c081e198e3eae8b4b40a1d8636ee	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	aaa22d6f07fb419845adc7dd155eb20babeef0bd807650a8a5336aa1f3a131a	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	97097c2b4168033f13fb57549b4b0e7d23425413e1af79cd8641383c5545dd1e	0	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	96a5598178632e5405487189a1554543bd32fa426b3cad7c530eed8ccb735a52	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	bff9e7a76aa786ea85905ef3153cc3993157ae706899ed6a76bfff5a6451ce53	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	eb05b8255cfd460edd0c9bbe07f95278efcf624ef5d19775ab93c9c243967d63	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	07e47cc725f87e2c46e105e6ac8a6b3ac4d00964dfee0d5cac77f031e3829b3e	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	ac54ea765d37f1212ab9177380d99e71c800470f1708fef7bae24c5920cb35ec	0.0002	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	f36ad85204931ac88c0d610f16fb6896f1e02c1fa17e26ee84637b0ca338d48a	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	6133c504de758ab431f62896437844e598c145a8d1d33adc0d0e1f287fee5550	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	1afe06d0f4e57d49e4d51ee1a6dc77c87f898155989894149b5762a4ed22e2d	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	1e75381a3cd9eb3300ad4c7d5d01eb8380cec564587dd6c2aa4d3a2a3250abe	0.00045	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	63b9ad40cd8b603b956e86918509a9c83c916e253a79660620fdbec18498d6d1	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	c4eb26f62249a6952c80599645d419ca75eaa20277002cf7ecb95b0f2368b5f9	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	f02d192ebe704ad71ec9aa96cf9d9bd369ea8365780afa9f47044f870460a3e1	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	F	6cad8ff83b9f059606b6673c5bd1a8e4c12827a218ce7a237d3566cde6bf5ba2	0	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Fbar	ebdb2faeb1c87df74b1f60a43d3b860d6155dc5ef22350b673570327f40e2093	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	C	93e426192839a3e241498ea24167290c6553bbe9b139599417db6401a9a52ce9	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	G	Cbar	1f03d5aca8f13aa739b2d1e1c22dd14acc0c6dd0f9ebf184b9f56250e1aa3177	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	F	99738007b8a504f4265ef20355854325fb9fa17dfb22a8f1e1370a8e3486beb5	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Fbar	f3c3dc2e7af95847a32375dba3156eeceae196ecff29624bed58d866c3fd33	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	C	d0ba50c4e3d8c92900cf4a1dbf83e35a39fe38afcd07a659312a29052c4859ab	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	P	Cbar	010a11902cf28b894972cd90d5fd8bf19002670f13017c1fd2f1147b780482cc	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	F	d5bca804724dfad77e7aac42458446fbfe969dd42518f2da05cc4e587773de38	0.0001	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Fbar	4421f0e4f2b34fe969d08df5930fd9cb123d392540flc02a116b813706e672ac	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	C	7e92604f284c649f9138035711b6da63563686dc7419552cee02cde406933259	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	S	Cbar	d6531c5e7bdefca98e144567050c959f0044b26623b460e2c5104efb1d256868	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	F	ff4e05c584d699c067f4ff41becf35ff4d402e59280b089e79cf53a2ab739c2bb	0.0003	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Fbar	e7d9a7ebc6f3d952aeaa263e43cbdc2be316779153e3b284e8ef86aaca7dcbee	1	True	advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	C	a767b06427 e9d769d6b7 939eb56c49 9b5fbf6408 920522c1f3 e1ca2f02c0bc3c	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	2	A	Cbar	301d7b351e 73e7169c81 696550922b 0b986322cb 35558ce4c2 1674a5e66d 5880	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	8d5dc683d2 7a95c8165b 1673b42de2 bc682a9700 a081119168 b833e15cbbf82f	0.262263	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	41792d2e15 819ccaf898 4fe17955ff 7798ef45e b6cb707c10 0c88130b63 5e46	0.882044	False	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	aa0e9214f5 9caabb1e33 35fc6933d2 2c229739d7 6bfe99de08 22ee8c8d85 8c8d	0.0057	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	62acee686d 709821b651 f75d0128e0 200a38f865 f3c56848c8 70cba81112 432f	0.640182	False	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	55ad8fb6b2 c9bbcc3b6f e81f981184 ca66dbab51 eff4002986 a23b9a3bdc e2ee	0.118706	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	71cdeebcd7 8719b0c96e 9dea0c427d 3bd49a34ce 0c33059d94 15940c93e0 5318	0.377119	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	82d309c1bb db2a360219 7f9f42b689 cc19c3977f 1434f3497f 48a0264072 ab4a	0.00765	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	3ebdcdb01e0 cc6f5b47d1 d2b913bc34 4c207df0a0 41eda90bee 2f50281869 4b30	0.127406	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	db0075e3da b5ff71f432 0fd65d8003 2215fcf4c1 161cde2283 f6e292e62e6e62	0.739537	False	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	15fa9f3350 8e7e2483a2 14fb6b9cad 8b8fbf29bb 76250c332c 7497c77b81 aa59	0.639832	False	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	8ea3b52f27 2a4033d175 3199abf28a 077441ffe6 a22f3188bb ceee587eb9 a2dd	0.20366	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	eb33f8995f89a06cee2dc81ab88aaa13c6651a6b446118a8046b44358e824597	0.383569	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	cf26f28c00b50142931d1cf897de36918bb206cdbe2db3f4e5	0.834592	False	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	3c6029c76f85418ddea81257e54dc00ef3471eea3c7acfae560453233f0fc5ec6fd0b0da	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	be1b6757aecffe615e290c43dec67abed105a8e638df27598ded041d330cdf8e	0.79784	False	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	d52c79a6691e979486d76233f16f3446b55c206967f6e99b396009e69a92afcc	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	a4db0b6783e000ee4fb8492ab09e2c9b403d62c3cbb39fa3d6c413560df37859e060	0.341767	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	1dada0616a06438fcf61782c47609f8a4c566fffb9f404bf19626adbc41b	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	e576d69935737b9f6ce0dbac9f3b1d9e923fb0177f7766281b6fdd21c5390a0d	0.00065	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	040746cee63e5cd485be232eae879eceba	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	cf782315376c2b7f4e8bd2c3cbc68647accd9f95ea965581d6bfd541852a7e94b5caeaef8d326b11230	0.068503	False	no_advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	6a0ef937b6c5f168aa7ddb21d5fe107b73e2236ef3184baafa90f1be83076c2e1d354986520c35	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	27e96162a66d23cc215ff823df1770956fa7cc9c8a5c327ee7	0.0006	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	19eff2972031725e85c74d9741b8b66888eb9b18cf7d14e5dc1ac3a8fd7034629c887692f41ede	0	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	ad44c95a236430f3107983547dc04c412d97246383908876ea43009289bf9ace	0.186809	False	no_advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	5e9fe7447fb505a11422f2a7efdded3881c4256eef6b397e3f0bd4a0e1e0fc77	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	3500b1a8b3b65e843420a1ff7d95205498be428cc286debf39aee271e06615e8	0.00095	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	1075916c48bfb5c80cc030d8b3b1a5173a628b561014a05bec	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	e781f368782e64f61ecf876bcb764fd3eb	0.9989	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	e12b4b2924bcd78acd707a534ae8e5af557bc6c903e	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	6ae249aff39bc4f8029e8fe88dd0ad30499e043b78d28e0d9a	0.915396	False	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	as874fdc1726bbb4924bd85be6f8ac0b1004d09875a44bd0b1afed14cdaaaa69c	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	41571d5dfcd6fc67deb91714eba945eabdcb2627d5bfa01c9c945ebf60a1891951a27b80ce7886	0.0014	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	9389c81e5ebd995af977a90839ed49b51a9dfa230dd581f892eaf174963978ec	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	956f1354a626295aa43910621633472c3ca0cf2a88a40fea21a020ff1464817f84cd7bd443fc92bfb9dca9fb3e6cf5d775f5e0fc578d65927ba5bbc5c3ba2f0e3	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	80591474f579ce3399e7ed1360632a29bc88266b2782ff44dfcc36c913749896	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	95d19d89a4c834b781b32199d587ecf04044ec48da4aca5e85606e25711654e7	0.00015	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	fee61e85b3f9c13c178473e2d61be0f20b821beb8f99cccdad4200dbd305654a	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	e5b484c7c00db42a6ec71754506f862a09bdb8a2574aba6995234fca673e675b8	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	85f998abe7039ab7eff8b97b06df9c1be58d7b7c9a36a5f65fb5d6aaf2107025	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	a09b21ceceaafa689cd6f784c99d3cc1ebf92f5fd889aac7ad1d88bd8bad932	0.058903	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	97b2d9b50b0479e98c4c9d2eaeceb21e27995da114ec6cf831668589f2aaa9abb	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	495011cccd df6b2ed7d3a67e2f1a964301dddff7aa95844d49d4e4ca03e5ee6e	5.0003e-05	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	c73217949cff35220f0eb44c2fa274901f2245f5a7baa3645854ac2d0d4337f6	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	e2c7adc98dbb08b863b53cbf835f6c9f4d6832bd8b26dffe5e39639ab5c16248	0.500625	False	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	759330717dd8260b7b1759d8d7cc44d63adc4921b542ac80d6c5e4605db61143	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	e4664573fec2708a92901b27ed2580706ca0759575019c67e9a14d58e673b0f	0.075104	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	93d0c2eabaa4cd658333309691f52e12106326142a16b95a615373d1b72477607	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	8db23bacbd306b085ac8178ec22a2dc68a5125fe8bec421a695f9864851c3eb	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	b3edaec96f bcd525d2470e234c301d2bdd85a229d3eb86cb39bb4452fb45d07	0	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	5306734189 6370471f3b b48ce5db50 1eecbf7783 fbc724d14f 9da090c3d7 d447	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	7015b8da05 36542c2884 c92236c322 e9cb2ebdc8 745ed8a9f5 17eec70724 ae7e	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	d57f40dde8 8e4ed29e7b 5085f7b269 b2538820ab 8e9ef6a3c8	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	0c8c07fcecadd8e 557e5ac615 14d20daea5 86874a835a ed9ab945f2 63fb635123 1bd3b2e27d 524d	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	894ca02af1 d90851da90 863c6a340b 49ed17def4 ed18f3dbae 81bb144965 fa68	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	7031ab6867 ae198b419a ec74ab41e8 996b49975b f22a51291a 229b1af9b4ef4	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	30590a70c5 123bbaa820 1391b16c39 f3496d63a3 fb28ed912e 26cb2fc5a2e347	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	ae1e47993a 51c733e139 23c8820397 0197038c7f 0aa0241834 4a9c03801c d782	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	010d0c25aa 0276a521cd 378429b55a c48f3ed5a2 e337f15073 92158adfba d009	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	49c7a11e28 fae4057c5a bdd63fa2fa 50c7513f39 5ebe8c454d 078803c07f 4168	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	2bdfbe9b89 f043ed62f9 32d6eb6a85 f5cee2fe17 5208b9b919 8bb5cba3c1 7192	0.00095	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	68c6c3d580 c94870c57b 83823e1960 28a7af369b 85f497130c 6393992341 4573	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	bdb8df348c 3053683c36 2c7c057822 7dad9f08ac b3c99b645f 69490510c7 aa23	0	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar	c70fb158fbd02fe492fa368c02cd0149ca331e0ea5799026491aa1cdc9fab585	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	F	0ed38b103e03d22f27d594f72334f40df3f553ad31e838d0e7ce106b96be1083	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Fbar	018a922c7fbc043c55937190ac11ce9567c78b13ff35dc0f6553f66f749b0c18	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	C	75c8174f1625282a8492ddac795d39383ec0b8a10dfbbd01e8875c4b7d97e382	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	G	Cbar	719dbb3aeedc920bed3ecbf4196d193d5593a4b320064cf1063775198d7f7ce39	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	F	630f491c830d9e916b1c45febdcf9a2a5862a818ed9410a5d7c2fa6aa0e5c1ae	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Fbar	b04102de9bced259d2d39cc793689e1309439014dd15e18e168867a0b8375f116	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	C	ebd3d387a7e9e3f0401ca8a274513a0db17cf5ad482047c563a76f907eec0f92	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	P	Cbar	1ccfd03b0e7a4acbed16a30f5d214f4ed270d176f955b4287abb51d57cd7ccd5	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	F	1179908d31ed24d492c06621367f2f12cc38bb7434d2e2a2bbb97950babec552f	5.0003e-05	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Fbar	dd5092777ebe9a3e2b253a04d35f08141b1c660e4ccb6ffcb5cd325ccbfc91a0	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	C	681aa00868178b575a948caae721d3384dc5674d5fa6d935e2f8331b93b0ea65	0	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	S	Cbar	e86fbf1894448167d9e34b47677e0ccedb7e3ac05a29e689565ce917d178383	0	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	F	d24b0efa7f804e5f40921144b72290e7d7534b22d862733a01f7505d4a3dc392	0.0086	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Fbar	fa096f8fcb40fe0c23d27589cbcec9c3d0e9f471d53c7a2c41ee2e48f4e4c4bc4c8c26de090b26c55b4cb1487e01478f14e25e8c220471f0f919a4b1b61af6	1	True	advantage
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	C	663fbc3259d57316cf10a055095b2f1e6cc154f55e19ab3ea809822ad28041f	0.00155	False	quality_only
ImageNet-ViT-B/16	ImageNet	ViT-B/16	3	A	Cbar		1	True	advantage

Table 125: ImageNet-ViT-B/16

Dataset	Model	Condition	K	Condition Kind	Sample Count	F	$\hat{F}$	C	$\hat{C}$
ImageNet	ViT-B/16	Adversarial Sara 2 255	20	Adversarial	5000	0.02595	0.47095	0.047575	0.548475
ImageNet	ViT-B/16	Clean	20	Clean	5000	0.0017	0.38645	0.014875	0.461325
ImageNet	ViT-B/16	Gaussian 0.15	20	Factory	5000	0.0118	0.7228	0.044325	0.8361
ImageNet	ViT-B/16	Salt Pepper 0.05	20	Factory	5000	0.007225	0.69455	0.039575	0.805375
ImageNet	ViT-B/16	Speckle 0.15	20	Factory	5000	0.00455	0.5363	0.0238	0.62185

2 ResNet-18

Table 126: ImageNet–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	Sample Count	F	F	C	$\hat{C}$	$R^u_{\mathcal{E}}$	$R^p_{\mathcal{E}}$	$R^+_{\mathcal{E}}$	$R^+_{\mathcal{E}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	5000	0.044	0.4272	0.124667	0.569267	0.066333	0.0492	0.024933	-0.0362
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	5000	0.027133	0.640933	0.095733	0.7948	0.0772	0.059333	0.0232	-0.024333
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11	5000	0.0224	0.6304	0.0908	0.7818	0.0804	0.0578	0.0268	-0.0194
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NAIVE	11	3	5000	0.031333	0.6224	0.100667	0.776467	0.0724	0.054867	0.0256	-0.028067
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Ind	11	11	5000	0.0294	0.6288	0.105	0.7822	0.0766	0.0472	0.0254	-0.026
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NAIVE	11	3	5000	0.031467	0.6242	0.100867	0.778267	0.0682	0.0464	0.0214	-0.0286
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Ind	11	11	5000	0.0312	0.625	0.1026	0.78	0.066	0.0432	0.021	-0.028
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	5000	0.029133	0.623	0.0972	0.7764	0.0632	0.0474	0.020067	-0.0262
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Ind	11	11	5000	0.03	0.6202	0.0996	0.7764	0.0664	0.0466	0.022	-0.0266
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	5000	0.029867	0.622067	0.0982	0.775733	0.064467	0.047	0.020267	-0.026933
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Ind	11	11	5000	0.0304	0.6284	0.1002	0.7814	0.0688	0.0488	0.0224	-0.027

Table 127: ImageNet–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$R^q_{\mathcal{C}}$	$R^p_{\mathcal{C}}$	$R^q_{\mathcal{C}_\perp}$	$R^p_{\mathcal{C}_\perp}$	$R^q_{\mathcal{E}}$	$R^p_{\mathcal{E}}$	$R^q_{\mathcal{E}_\perp}$	$R^p_{\mathcal{E}_\perp}$	$R^q_{\mathcal{C}_\perp \mathcal{E}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.238067	0.217667	0.069667	-0.1094	-0.0742	-0.072267	-0.077467	0.006	-0.282
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.2602	0.230467	0.0732	-0.0892	0.068333	0.067133	0.000467	0.0016	-0.136533
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11	0.2558	0.2322	0.0768	-0.0844	0.064	0.0578	-0.0006	0.0014	-0.1444
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.256133	0.226267	0.075267	-0.0932	0.046667	0.040867	-0.013333	0.0006	-0.159733
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Ind	11	11	0.2506	0.2176	0.0696	-0.0988	0.0496	0.0422	-0.0132	0.0006	-0.158
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.246	0.2188	0.067933	-0.094533	0.048467	0.0426	-0.011933	-6.6667e-05	-0.1588
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Ind	11	11	0.242	0.2132	0.0624	-0.0958	0.0452	0.0408	-0.0164	0.0042	-0.1622
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.242733	0.217933	0.066467	-0.090467	0.048267	0.040067	-0.011067	0.002667	-0.158667
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Ind	11	11	0.2468	0.2138	0.0662	-0.0926	0.0414	0.0366	-0.0172	-0.0014	-0.163
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.245	0.218867	0.0684	-0.091467	0.045867	0.039467	-0.012133	0.0002	-0.160467
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Ind	11	11	0.2484	0.2186	0.0682	-0.0942	0.0486	0.0442	-0.0124	0.0044	-0.161

Table 128: ImageNet–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$R^p_{\mathcal{C}}$	$R^s_{\mathcal{C}}$	$R^p_{\mathcal{C}_0}$	$F^p_{\text{structured}}$	$F^s_{\text{structured}}$	$C^p_{\text{structured}}$	$C^s_{\text{structured}}$	$F^p_{\text{structured}}$	$F^s_{\text{structured}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	-0.266733	-0.131533	0.017667	0.110333	0.5014	0.362733	0.851267	0.0932	0.499467
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	-0.1262	-0.054467	0.001267	0.104333	0.5726	0.355933	0.931333	0.086467	0.5738
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11	-0.1386	-0.0584	-0.0002	0.1028	0.5664	0.3466	0.9262	0.0802	0.5726
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NAIVE	11	3	-0.152067	-0.069733	0.0012	0.103733	0.575733	0.3568	0.9362	0.0862	0.581533
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Ind	11	11	-0.1552	-0.0688	0.001	0.106	0.5792	0.3556	0.9402	0.0766	0.5866
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NAIVE	11	3	-0.149867	-0.068133	0.001533	0.099667	0.575733	0.346867	0.937067	0.077867	0.5816
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Ind	11	11	-0.157	-0.072	0.0062	0.0972	0.5798	0.3446	0.9422	0.0744	0.5842
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	-0.153467	-0.068067	0.004267	0.092333	0.574733	0.339933	0.935067	0.076533	0.582933
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Ind	11	11	-0.159	-0.0714	0.003	0.0964	0.5788	0.3464	0.9394	0.0766	0.5836
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	-0.153067	-0.0694	0.001933	0.094333	0.5762	0.3432	0.9362	0.076867	0.5826
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Ind	11	11	-0.154	-0.0706	0.007	0.0992	0.5798	0.3486	0.9424	0.0792	0.5842

Table 129: ImageNet–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	C^p unperturbed	C^p perturbed	F^s perturbed	$\hat{F}^s$ perturbed	C^s perturbed	$\hat{C}^s$ perturbed	F^a perturbed	$\hat{F}^a$ perturbed	C^a perturbed
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.342333	0.836	0.068933	0.504667	0.194333	0.7008	0.0078	0.4212	0.015267
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.3262	0.921	0.050333	0.640467	0.168933	0.849267	0.0028	0.639333	0.006533
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11	0.323	0.9204	0.0492	0.631	0.1676	0.8402	0.003	0.629	0.0064
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.326933	0.928533	0.056933	0.635733	0.175933	0.8462	0.003267	0.6218	0.007467
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Ind	11	11	0.3226	0.9374	0.0548	0.642	0.1746	0.851	0.0034	0.6282	0.0062
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.319667	0.928133	0.052867	0.636133	0.1688	0.8464	0.002867	0.624267	0.006333
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Ind	11	11	0.3158	0.937	0.0522	0.6414	0.165	0.852	0.0032	0.6208	0.0068
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.315133	0.929867	0.0492	0.634067	0.163667	0.844467	0.002933	0.620333	0.006733
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Ind	11	11	0.3134	0.9354	0.052	0.6374	0.1658	0.8478	0.0034	0.6216	0.007
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.317067	0.9288	0.050133	0.6342	0.1666	0.845133	0.002933	0.621867	0.006733
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Ind	11	11	0.3188	0.9354	0.0528	0.6408	0.1684	0.852	0.0034	0.624	0.006

Table 130: ImageNet–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$C^*_{\text{aggregated}}$	$SD(F)$	$SD(\hat{F})$	$SD(C)$	$SD(\hat{C})$	$SD(R^*_\epsilon)$	$SD(R^*_\epsilon)$	$SD(R^*_\epsilon)$	$SD(R^*_\epsilon)$
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.5516	0.003274	0.004503	0.001332	0.00358	0.002335	0.00296	0.003062	0.002254
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.793533	0.003972	0.008406	0.007433	0.007203	0.003617	0.005672	0.002623	0.003859
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11	0.782								
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.775267	0.0041	0.01069	0.008705	0.012426	0.005769	0.004496	0.00453	0.003807
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Ind	11	11	0.7812								
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.776733	0.004411	0.01403	0.007404	0.016318	0.007448	0.004729	0.004084	0.003995
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Ind	11	11	0.7738								
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.772133	0.003844	0.015109	0.005632	0.015509	0.002553	0.002946	0.006395	0.004468
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Ind	11	11	0.7734								
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.7738	0.004105	0.015503	0.005437	0.017534	0.00342	0.000346	0.00189	0.004822
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Ind	11	11	0.7744								

Table 131: ImageNet–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R_{\mathcal{C}}^s)$	$SD(R_{\mathcal{C}}^p)$	$SD(R_{\mathcal{C}}^u)$	$SD(R_{\mathcal{C}}^v)$	$SD(R_{\mathcal{C}}^w)$	$SD(R_{\mathcal{C}}^x)$	$SD(R_{\mathcal{C}}^y)$	$SD(R_{\mathcal{C}}^z)$	$SD(R_{\mathcal{C}}^a)$
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.005547	0.0045	0.002701	0.000346	0.008156	0.004614	0.007527	0.007299	0.002946
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.003329	0.003258	0.003639	0.006954	0.006987	0.003035	0.004688	0.004762	0.005108
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11									
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.008601	0.004225	0.004636	0.007102	0.007529	0.009403	0.008556	0.002615	0.007865
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Ind	11	11									
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.005903	0.005231	0.001474	0.006417	0.011272	0.012701	0.006389	0.005116	0.012805
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Ind	11	11									
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.001137	0.002901	0.001617	0.005205	0.013255	0.011528	0.010473	0.003107	0.013345
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Ind	11	11									
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.003	0.004406	0.004574	0.0045	0.011802	0.011717	0.010631	0.006902	0.01429
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Ind	11	11									

Table 132: ImageNet–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R^u_{\mathcal{C}})$	$SD(R^v_{\mathcal{C}})$	$SD(R^a_{\mathcal{C}})$	$SD(F^u_{\text{averaged}})$	$SD(F^v_{\text{averaged}})$	$SD(C^u_{\text{averaged}})$	$SD(C^v_{\text{averaged}})$	$SD(C^a_{\text{averaged}})$	$SD(F^u_{\text{averaged}})$	$SD(F^v_{\text{averaged}})$
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.006198	0.007159	0.005033	0.005315	0.004454	0.006854	0.001102	0.003672	0.001514	
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.004084	0.003029	0.004244	0.005991	0.003219	0.01006	0.00411	0.002248	0.00537	
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11										
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.010955	0.009352	0.002433	0.002082	0.004225	0.001587	0.005142	0.000917	0.001793	
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Ind	11	11										
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.015684	0.008967	0.006469	0.006123	0.002774	0.001553	0.003765	0.002715	0.004386	
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Ind	11	11										
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.012215	0.010944	0.002139	0.004244	0.002501	0.006769	0.002715	0.006363	0.0053	
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Ind	11	11										
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.013939	0.012126	0.0079	0.004965	0.005231	0.005381	0.005103	0.004041	0.003816	
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Ind	11	11										

Table 133: ImageNet–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$	$SD(C^s_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^s_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.005805	0.004015	0.002386	0.003035	0.003075	0.004162	0.001249	0.009027	0.001222
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.004176	0.004015	0.002101	0.004989	0.003859	0.004743	0.000346	0.008122	0.000503
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11									
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.004562	0.001528	0.000702	0.007767	0.00411	0.008072	0.000416	0.013037	0.001604
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Ind	11	11									
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.004632	0.00363	0.000462	0.0089	0.00604	0.008834	0.000416	0.009868	0.001026
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Ind	11	11									
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.008479	0.005637	0.004341	0.006178	0.00412	0.006543	0.000808	0.014727	0.001026
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Ind	11	11									
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.007991	0.0038	0.002663	0.007686	0.002946	0.008764	0.000924	0.008601	0.001172
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Ind	11	11									

Table 134: ImageNet-ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C_{\text{parameter}}^*)$	Selected Individu al
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	1	3	0.007686	{*C*:'GuidedBack prop*',"Cbar*':'LRP*',"F*':'GuidedBack prop*',"Fbar*':'LRP*')}
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NAIVE	11	3	0.008171	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Ind	11	11		
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NAIVE	11	3	0.014716	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Ind	11	11		
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NAIVE	11	3	0.010001	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Ind	11	11		
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NAIVE	11	3	0.015627	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Ind	11	11		
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NAIVE	11	3	0.010096	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Ind	11	11		

Table 135: ImageNet-ResNet-18

Cell	Dataset	Model	Distance Model	Selected Size	Candidate Count	Forced Fallback	Selection Rule	Scope	Alpha	Selected Methods	Ordered Methods	Prefix P Values	Task Id	Task Digest	Artifact Root	Manifest Content Digest	Manifest Assumpti on Id
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	11	True	Largest Not Rejected	Global In Sample	0.05	["GuidedBackprop", "DeepLiftShap", "Occlusion", "Shap", "Integrated Gradients", "Saliency", "LRR", "Deconvolution"]	["GuidedBackprop", "DeepLiftShap", "Occlusion", "Shap", "Integrated Gradients", "Saliency", "LRR", "Deconvolution"]	["size":2,"select--value":0.002}, {"size":9,"p__value":0.002}, {"size":10,"p__value":0.002}, {"size":11,"p__value":0.002}]	select--	8d99b22ccf4b768f7c4b3e4faa9b524f5bbd6f22082139937718e58472616e	selection/imagenet100--Resnet18/Spearman/8D99B22Ccf4bbe768F7C1E3A4Faa9B92A75Bbd6F22032139937713E58472616E	238aa4e0e80f787aaddb8374a49e02e751f46a5ebcfda17c7c0d0ebb97bf7a20	paper-assumptions-v1
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	11	True	Largest Not Rejected	Global In Sample	0.05	["GuidedBackprop", "DeepLiftShap", "Occlusion", "Shap", "Integrated Gradients", "Saliency", "LRR", "Deconvolution"]	["GuidedBackprop", "DeepLiftShap", "Occlusion", "Shap", "Integrated Gradients", "Saliency", "LRR", "Deconvolution"]	["size":2,"select--value":0.002}, {"size":8,"p__value":0.002}, {"size":9,"p__value":0.002}, {"size":10,"p__value":0.002}, {"size":11,"p__value":0.002}]	select--	d7d3ee64d36245f46091d029f889776269912cba9145ac0655432535fcf9b15a	selection/imagenet100--Resnet18/Kendall/D7D3Ee64D36247F46091D920F889776260912Cba9147Ac0655532535Fe9B15A	6a9a19ef1f19d6a0f5f48aacb492bf6bbd8054f86a2b6f562f6bc47813652757	paper-assumptions-v1

Table 136: ImageNet-ResNet-18

Cell	Dataset	Model	Distance Model	Selected Size	Manifest Assumpti on Digest
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	1c7b548112db6d5428f6 de085c24e9480fb37feb 4de4f9cc49617c6493ae 9bad
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	1c7b548112db6d5428f6 de085c24e9480fb37feb 4de4f9cc49617c6493ae 9bad

Table 137: ImageNet–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R^s_F	R^s	R^s_C	R^s_R	R^s_F
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	5000	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1378
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Spearman	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Spearman	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Spearman	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Spearman	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Spearman	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	5000	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1378
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Kendall	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Kendall	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Kendall	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Kendall	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Kendall	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592

Table 138: ImageNet-ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R^p_p	R^p_c	R^p_o	R^p_e	R^s_p	R^s_c	R^s_o	R^s_e	R^s_c	R^s_e
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Spearman	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Spearman	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Spearman	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Spearman	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Spearman	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Kendall	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Kendall	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Kendall	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Kendall	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Kendall	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864

Table 139: ImageNet-ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R_s	Selected Sources
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	0.002	3102f14ae28876c574f8 36787c1c08631f7d7356 54dddc7d798c951cf86d 73f3
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	0.0754	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	0.0754	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Spearman	0.0532	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Spearman	0.0532	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	0.0492	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	0.0492	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Spearman	0.0608	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Spearman	0.0608	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Spearman	0.0506	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	0.0506	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	0.002	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	0.0754	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	0.0754	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Kendall	0.0532	3102f14ae28876c574f8 36787c1c08631f7d7356 54dddc7d798c951cf86d 73f3
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Kendall	0.0532	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	0.0492	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	0.0492	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Kendall	0.0608	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Kendall	0.0608	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Kendall	0.0506	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	0.0506	

Table 140: ImageNet–ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R^s_F	R^s	R^s_C	R^s	R^s_F
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	5000	0.1716	0.1752	0.292	0.2952	0.15	-0.103	0.328	-0.3102	0.1378
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	5000	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1376
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	5000	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1378
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Spearman	5000	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Spearman	5000	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	5000	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	5000	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Spearman	5000	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Spearman	5000	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Spearman	5000	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	5000	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	5000	0.1716	0.1752	0.292	0.2952	0.15	-0.103	0.328	-0.3102	0.1378
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	5000	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1376
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	5000	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1378
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Kendall	5000	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Kendall	5000	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	5000	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	5000	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Kendall	5000	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Kendall	5000	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Kendall	5000	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592
ImageNet–ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	5000	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592

Table 141: ImageNet-ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R^p_s	R^p_c	R^p_o	R^p_e	R^a_s	R^a_c	R^a_o	R^a_e	R^a_s	R^a_c	R^a_e
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	-0.0686	0.3176	-0.2856	0.0618	-0.037	0.1178	-0.095	-0.1058	0.0216	-0.2096	-0.2096
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	-0.1768
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	-0.1768
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Spearman	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	-0.1882
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Spearman	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	-0.1882
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	-0.179
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	-0.179
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Spearman	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	-0.1914
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Spearman	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	-0.1914
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Spearman	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	-0.1864
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	-0.1864
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	-0.0686	0.3176	-0.2856	0.0618	-0.037	0.1178	-0.095	-0.1058	0.0216	-0.2096	-0.2096
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	-0.1768
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	-0.1768
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Kendall	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	-0.1882
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Kendall	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	-0.1882
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	-0.179
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	-0.179
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Kendall	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	-0.1914
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Kendall	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	-0.1914
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Kendall	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	-0.1864
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	-0.1864

Table 142: ImageNet-ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	R^s C	F^s actuated	F^s actuated	C^s actuated	C^s actuated	F^s actuated	F^s actuated	C^s actuated	C^s actuated	F^s actuated
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	0.0572	0.3216	0.2782	0.62	0.6054	0.3094	0.2438	0.6096	0.5808	0.2334
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	0.0754	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012	0.6808	0.246
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	0.0754	0.329	0.3628	0.6334	0.707	0.3104	0.3426	0.6012	0.6808	0.246
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Spearman	0.0532	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Spearman	0.0532	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	0.0492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	0.0492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Spearman	0.0608	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Spearman	0.0608	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Spearman	0.0506	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	0.0506	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	0.0572	0.3216	0.2782	0.62	0.6054	0.3094	0.2438	0.6096	0.5808	0.2334
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	0.0754	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012	0.6808	0.246
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	0.0754	0.329	0.3628	0.6334	0.707	0.3104	0.3426	0.6012	0.6808	0.246
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Kendall	0.0532	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Kendall	0.0532	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	0.0492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	0.0492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Kendall	0.0608	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Kendall	0.0608	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Kendall	0.0506	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	0.0506	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346

Table 143: ImageNet-ResNet-18

Cell	Dataset	Model	Architecture	Split	Method	Setting	Distance Model	F^s_{attached}	C^s_{attached}	C^s_{attached}	F^s_{attached}	F^s_{attached}	C^s_{attached}	C^s_{attached}	Selected Sources
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Spearman	0.2122	0.4098	0.3902	0.0658	0.1536	0.0824	0.238	1a822ff1e60319eff182 97814f9bd5b691116f07 0246d6b7e0c1da4ced9c dd19
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Spearman	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	1a822ff1e60319eff182 97814f9bd5b691116f07 0246d6b7e0c1da4ced9c dd19
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Spearman	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Spearman	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Spearman	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Spearman	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Spearman	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Spearman	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Spearman	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Spearman	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Spearman	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Best Individual	Best Individual	Kendall	0.2122	0.4098	0.3902	0.0658	0.1536	0.0824	0.238	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	Naive	Kendall	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Simple Averaging	NOISE	Kendall	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	Naive	Kendall	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Borda	NOISE	Kendall	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	Naive	Kendall	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Kemeny	NOISE	Kendall	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	Naive	Kendall	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	RRF	NOISE	Kendall	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	Naive	Kendall	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	
ImageNet-ResNet-18	ImageNet	ResNet-18	CNN	Test	Schulze	NOISE	Kendall	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	

Table 144: ImageNet-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Simple Averaging	F	quality	0.1726	clean__selected_best_individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Simple Averaging	Fbar	quality	0.2698	clean__selected_best_individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Simple Averaging	C	quality	0.2872	clean__selected_best_individual	0.292	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Simple Averaging	Cbar	quality	0.4004	clean__selected_best_individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Simple Averaging	R_F_g	robustness	0.156	clean__selected_best_individual	0.15	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.1262	clean__selected_best_individual	0.103	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Simple Averaging	R_C_g	robustness	0.347	clean__selected_best_individual	0.328	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.3426	clean__selected_best_individual	0.3102	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.1294	clean__selected_best_individual	0.1378	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.107	clean__selected_best_individual	0.0686	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.3086	clean__selected_best_individual	0.3176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.3174	clean__selected_best_individual	0.2856	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Simple Averaging	R_F_s	robustness	0.0722	clean__selected_best_individual	0.0618	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.0666	clean__selected_best_individual	0.037	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Simple Averaging	R_C_s	robustness	0.1188	clean__selected_best_individual	0.1178	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.13	clean__selected_best_individual	0.095	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Simple Averaging	R_F_a	robustness	0.0908	clean__selected_best_individual	0.1058	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.0428	clean__selected_best_individual	0.0216	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Simple Averaging	R_C_a	robustness	0.1732	clean__selected_best_individual	0.2096	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.0784	clean__selected_best_individual	0.0572	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Simple Averaging	F	quality	0.1726	naive_q11	0.1726	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Simple Averaging	Fbar	quality	0.2698	naive_q11	0.251	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Simple Averaging	C	quality	0.2872	naive_q11	0.286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Simple Averaging	Cbar	quality	0.4004	naive_q11	0.3862	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Simple Averaging	R_F_g	robustness	0.156	naive_q11	0.1564	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.1262	naive_q11	0.1118	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Simple Averaging	R_C_g	robustness	0.347	naive_q11	0.3474	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.3426	naive_q11	0.3208	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.1294	naive_q11	0.1376	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.107	naive_q11	0.0916	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.3086	naive_q11	0.3152	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.3174	naive_q11	0.2946	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Simple Averaging	R_F_s	robustness	0.0722	naive_q11	0.0734	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.0666	naive_q11	0.0636	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Simple Averaging	R_C_s	robustness	0.1188	naive_q11	0.1192	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.13	naive_q11	0.1196	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Simple Averaging	R_F_a	robustness	0.0908	naive_q11	0.0944	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.0428	naive_q11	0.0338	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Simple Averaging	R_C_a	robustness	0.1732	naive_q11	0.1768	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.0784	naive_q11	0.0754	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Simple Averaging	F	quality	0.1726	NOISE__spearman	0.1726	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Simple Averaging	Fbar	quality	0.2698	NOISE__spearman	0.251	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Simple Averaging	C	quality	0.2872	NOISE__spearman	0.286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Simple Averaging	Cbar	quality	0.4004	NOISE__spearman	0.3862	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Simple Averaging	R_F_g	robustness	0.156	NOISE_ spearman	0.1564	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.1262	NOISE_ spearman	0.1118	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Simple Averaging	R_C_g	robustness	0.347	NOISE_ spearman	0.3474	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.3426	NOISE_ spearman	0.3208	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.1294	NOISE_ spearman	0.1378	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.107	NOISE_ spearman	0.0916	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.3086	NOISE_ spearman	0.3152	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.3174	NOISE_ spearman	0.2946	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Simple Averaging	R_F_s	robustness	0.0722	NOISE_ spearman	0.0734	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.0666	NOISE_ spearman	0.0636	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Simple Averaging	R_C_s	robustness	0.1188	NOISE_ spearman	0.1192	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.13	NOISE_ spearman	0.1196	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Simple Averaging	R_F_a	robustness	0.0908	NOISE_ spearman	0.0944	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.0428	NOISE_ spearman	0.0338	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Simple Averaging	R_C_a	robustness	0.1732	NOISE_ spearman	0.1768	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.0784	NOISE_ spearman	0.0754	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Simple Averaging	F	quality	0.1726	NOISE_ kendall	0.1726	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Simple Averaging	Fbar	quality	0.2698	NOISE_ kendall	0.251	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Simple Averaging	C	quality	0.2872	NOISE_ kendall	0.286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Simple Averaging	Cbar	quality	0.4004	NOISE_ kendall	0.3862	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Simple Averaging	R_F_g	robustness	0.156	NOISE_ kendall	0.1564	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	0.1262	NOISE_ kendall	0.1118	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Simple Averaging	R_C_g	robustness	0.347	NOISE_ kendall	0.3474	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	0.3426	NOISE_ kendall	0.3208	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.1294	NOISE_ kendall	0.1378	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	0.107	NOISE_ kendall	0.0916	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.3086	NOISE_ kendall	0.3152	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	0.3174	NOISE_ kendall	0.2946	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Simple Averaging	R_F_s	robustness	0.0722	NOISE_ kendall	0.0734	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	0.0666	NOISE_ kendall	0.0636	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Simple Averaging	R_C_s	robustness	0.1188	NOISE_ kendall	0.1192	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	0.13	NOISE_ kendall	0.1196	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Simple Averaging	R_F_a	robustness	0.0908	NOISE_ kendall	0.0944	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.0428	NOISE_ kendall	0.0338	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Simple Averaging	R_C_a	robustness	0.1732	NOISE_ kendall	0.1768	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.0784	NOISE_ kendall	0.0754	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Borda	F	quality	0.1876	clean_ selected_best_ individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Borda	Fbar	quality	0.1982	clean_ selected_best_ individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Borda	C	quality	0.312	clean_ selected_best_ individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Borda	Cbar	quality	0.3216	clean_ selected_best_ individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Borda	R_F_g	robustness	0.1676	clean_ selected_best_ individual	0.15	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.13	clean_ selected_best_ individual	0.103	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Borda	R_C_g	robustness	0.3406	clean__selected_best_individual	0.328	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.3498	clean__selected_best_individual	0.3102	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Borda	R_F_p	robustness	0.1502	clean__selected_best_individual	0.1378	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.1106	clean__selected_best_individual	0.0686	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Borda	R_C_p	robustness	0.3128	clean__selected_best_individual	0.3176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.3188	clean__selected_best_individual	0.2856	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Borda	R_F_s	robustness	0.0764	clean__selected_best_individual	0.0618	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.051	clean__selected_best_individual	0.037	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Borda	R_C_s	robustness	0.1138	clean__selected_best_individual	0.1178	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.1142	clean__selected_best_individual	0.095	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Borda	R_F_a	robustness	0.1108	clean__selected_best_individual	0.1058	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.0262	clean__selected_best_individual	0.0216	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Borda	R_C_a	robustness	0.203	clean__selected_best_individual	0.2096	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.072	clean__selected_best_individual	0.0572	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Borda	F	quality	0.1876	naive_q11	0.158	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Borda	Fbar	quality	0.1982	naive_q11	0.2186	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Borda	C	quality	0.312	naive_q11	0.2756	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Borda	Cbar	quality	0.3216	naive_q11	0.3464	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Borda	R_F_g	robustness	0.1676	naive_q11	0.1692	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.13	naive_q11	0.0996	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Borda	R_C_g	robustness	0.3406	naive_q11	0.3384	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.3498	naive_q11	0.3208	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Borda	R_F_p	robustness	0.1502	naive_q11	0.1624	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.1106	naive_q11	0.0788	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Borda	R_C_p	robustness	0.3128	naive_q11	0.3208	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.3188	naive_q11	0.2822	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Borda	R_F_s	robustness	0.0764	naive_q11	0.0748	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.051	naive_q11	0.0428	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Borda	R_C_s	robustness	0.1138	naive_q11	0.1142	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.1142	naive_q11	0.103	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Borda	R_F_a	robustness	0.1108	naive_q11	0.095	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.0262	naive_q11	0.019	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Borda	R_C_a	robustness	0.203	naive_q11	0.1882	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.072	naive_q11	0.0532	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Borda	F	quality	0.1876	NOISE__spearman	0.158	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Borda	Fbar	quality	0.1982	NOISE__spearman	0.2186	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Borda	C	quality	0.312	NOISE__spearman	0.2756	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Borda	Cbar	quality	0.3216	NOISE__spearman	0.3464	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Borda	R_F_g	robustness	0.1676	NOISE__spearman	0.1692	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.13	NOISE__spearman	0.0996	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Borda	R_C_g	robustness	0.3406	NOISE__spearman	0.3384	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.3498	NOISE__spearman	0.3208	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Borda	R_F_p	robustness	0.1502	NOISE__spearman	0.1624	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.1106	NOISE__spearman	0.0788	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Borda	R_C_p	robustness	0.3128	NOISE__spearman	0.3208	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.3188	NOISE__spearman	0.2822	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Borda	R_F_s	robustness	0.0764	NOISE__spearman	0.0748	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.051	NOISE__spearman	0.0428	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Borda	R_C_s	robustness	0.1138	NOISE__spearman	0.1142	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.1142	NOISE_spearman	0.103	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Borda	R_F_a	robustness	0.1108	NOISE_spearman	0.095	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.0262	NOISE_spearman	0.019	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Borda	R_C_a	robustness	0.203	NOISE_spearman	0.1882	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.072	NOISE_spearman	0.0532	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Borda	F	quality	0.1876	NOISE_kendall	0.158	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Borda	Fbar	quality	0.1982	NOISE_kendall	0.2186	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Borda	C	quality	0.312	NOISE_kendall	0.2756	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Borda	Cbar	quality	0.3216	NOISE_kendall	0.3464	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Borda	R_F_g	robustness	0.1676	NOISE_kendall	0.1692	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Borda	R_Fbar_g	robustness	0.13	NOISE_kendall	0.0996	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Borda	R_C_g	robustness	0.3406	NOISE_kendall	0.3384	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Borda	R_Cbar_g	robustness	0.3498	NOISE_kendall	0.3208	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Borda	R_F_p	robustness	0.1502	NOISE_kendall	0.1624	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	0.1106	NOISE_kendall	0.0788	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Borda	R_C_p	robustness	0.3128	NOISE_kendall	0.3208	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	0.3188	NOISE_kendall	0.2822	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Borda	R_F_s	robustness	0.0764	NOISE_kendall	0.0748	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Borda	R_Fbar_s	robustness	0.051	NOISE_kendall	0.0428	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Borda	R_C_s	robustness	0.1138	NOISE_kendall	0.1142	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Borda	R_Cbar_s	robustness	0.1142	NOISE_kendall	0.103	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Borda	R_F_a	robustness	0.1108	NOISE_kendall	0.095	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.0262	NOISE_kendall	0.019	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Borda	R_C_a	robustness	0.203	NOISE_kendall	0.1882	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.072	NOISE_kendall	0.0532	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kemeny	F	quality	0.1874	clean_selected_best_individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kemeny	Fbar	quality	0.1658	clean_selected_best_individual	0.1752	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kemeny	C	quality	0.3128	clean_selected_best_individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kemeny	Cbar	quality	0.2872	clean_selected_best_individual	0.2952	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Kemeny	R_F_g	robustness	0.1704	clean_selected_best_individual	0.15	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.096	clean_selected_best_individual	0.103	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Kemeny	R_C_g	robustness	0.332	clean_selected_best_individual	0.328	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.3062	clean_selected_best_individual	0.3102	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Kemeny	R_F_p	robustness	0.1628	clean_selected_best_individual	0.1378	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.0684	clean_selected_best_individual	0.0686	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Kemeny	R_C_p	robustness	0.3156	clean_selected_best_individual	0.3176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.2774	clean_selected_best_individual	0.2856	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Kemeny	R_F_s	robustness	0.0846	clean_selected_best_individual	0.0618	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.0446	clean_selected_best_individual	0.037	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Kemeny	R_C_s	robustness	0.1202	clean_selected_best_individual	0.1178	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.1034	clean_selected_best_individual	0.095	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Kemeny	R_F_a	robustness	0.1106	clean_selected_best_individual	0.1058	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.0272	clean_selected_best_individual	0.0216	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Kemeny	R_C_a	robustness	0.2054	clean_selected_best_individual	0.2096	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.0746	clean_selected_best_individual	0.0572	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kemeny	F	quality	0.1874	naive_q11	0.1556	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kemeny	Fbar	quality	0.1658	naive_q11	0.2234	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kemeny	C	quality	0.3128	naive_q11	0.271	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kemeny	Cbar	quality	0.2872	naive_q11	0.3492	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Kemeny	R_F_g	robustness	0.1704	naive_q11	0.1668	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.096	naive_q11	0.0684	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Kemeny	R_C_g	robustness	0.332	naive_q11	0.3296	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.3062	naive_q11	0.2774	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Kemeny	R_F_p	robustness	0.1628	naive_q11	0.1614	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.0684	naive_q11	0.045	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Kemeny	R_C_p	robustness	0.3156	naive_q11	0.317	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.2774	naive_q11	0.2522	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Kemeny	R_F_s	robustness	0.0846	naive_q11	0.0748	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.0446	naive_q11	0.0362	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Kemeny	R_C_s	robustness	0.1202	naive_q11	0.1136	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.1034	naive_q11	0.0994	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Kemeny	R_F_a	robustness	0.1106	naive_q11	0.0904	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.0272	naive_q11	0.015	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Kemeny	R_C_a	robustness	0.2054	naive_q11	0.179	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.0746	naive_q11	0.0492	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kemeny	F	quality	0.1874	NOISE_spearman	0.1556	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kemeny	Fbar	quality	0.1658	NOISE_spearman	0.2234	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kemeny	C	quality	0.3128	NOISE_spearman	0.271	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kemeny	Cbar	quality	0.2872	NOISE_spearman	0.3492	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Kemeny	R_F_g	robustness	0.1704	NOISE_spearman	0.1668	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.096	NOISE_spearman	0.0684	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Kemeny	R_C_g	robustness	0.332	NOISE_spearman	0.3296	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.3062	NOISE_spearman	0.2774	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Kemeny	R_F_p	robustness	0.1628	NOISE_spearman	0.1614	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.0684	NOISE_spearman	0.045	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Kemeny	R_C_p	robustness	0.3156	NOISE_spearman	0.317	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.2774	NOISE_spearman	0.2522	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Kemeny	R_F_s	robustness	0.0846	NOISE_spearman	0.0748	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.0446	NOISE_spearman	0.0362	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Kemeny	R_C_s	robustness	0.1202	NOISE_spearman	0.1136	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.1034	NOISE_spearman	0.0994	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Kemeny	R_F_a	robustness	0.1106	NOISE_spearman	0.0904	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.0272	NOISE_spearman	0.015	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Kemeny	R_C_a	robustness	0.2054	NOISE_spearman	0.179	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.0746	NOISE_spearman	0.0492	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kemeny	F	quality	0.1874	NOISE_kendall	0.1556	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kemeny	Fbar	quality	0.1658	NOISE_kendall	0.2234	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kemeny	C	quality	0.3128	NOISE_kendall	0.271	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kemeny	Cbar	quality	0.2872	NOISE_kendall	0.3492	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Kemeny	R_F_g	robustness	0.1704	NOISE_kendall	0.1668	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	0.096	NOISE_kendall	0.0684	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Kemeny	R_C_g	robustness	0.332	NOISE_kendall	0.3296	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	0.3062	NOISE_kendall	0.2774	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Kemeny	R_F_p	robustness	0.1628	NOISE_kendall	0.1614	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	0.0684	NOISE_kendall	0.045	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Kemeny	R_C_p	robustness	0.3156	NOISE_kendall	0.317	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	0.2774	NOISE_kendall	0.2522	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Kemeny	R_F_s	robustness	0.0846	NOISE_kendall	0.0748	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	0.0446	NOISE_kendall	0.0362	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Kemeny	R_C_s	robustness	0.1202	NOISE_kendall	0.1136	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	0.1034	NOISE_kendall	0.0994	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Kemeny	R_F_a	robustness	0.1106	NOISE_kendall	0.0904	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.0272	NOISE_kendall	0.015	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Kemeny	R_C_a	robustness	0.2054	NOISE_kendall	0.179	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.0746	NOISE_kendall	0.0492	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	RRF	F	quality	0.1886	clean_selected_best_individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	RRF	Fbar	quality	0.1868	clean_selected_best_individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	RRF	C	quality	0.3152	clean_selected_best_individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	RRF	Cbar	quality	0.3094	clean_selected_best_individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	RRF	R_F_g	robustness	0.1646	clean_selected_best_individual	0.15	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.1144	clean_selected_best_individual	0.103	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	RRF	R_C_g	robustness	0.3352	clean_selected_best_individual	0.328	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.3324	clean_selected_best_individual	0.3102	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	RRF	R_F_p	robustness	0.1572	clean_selected_best_individual	0.1378	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.0966	clean_selected_best_individual	0.0686	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	RRF	R_C_p	robustness	0.3154	clean_selected_best_individual	0.3176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.3072	clean_selected_best_individual	0.2856	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	RRF	R_F_s	robustness	0.0822	clean_selected_best_individual	0.0618	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.0468	clean_selected_best_individual	0.037	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	RRF	R_C_s	robustness	0.1146	clean_selected_best_individual	0.1178	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.108	clean_selected_best_individual	0.095	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	RRF	R_F_a	robustness	0.1102	clean_selected_best_individual	0.1058	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.032	clean_selected_best_individual	0.0216	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	RRF	R_C_a	robustness	0.205	clean_selected_best_individual	0.2096	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.0754	clean_selected_best_individual	0.0572	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	RRF	F	quality	0.1886	naive_q11	0.1612	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	RRF	Fbar	quality	0.1868	naive_q11	0.2176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	RRF	C	quality	0.3152	naive_q11	0.2812	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	RRF	Cbar	quality	0.3094	naive_q11	0.3424	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	RRF	R_F_g	robustness	0.1646	naive_q11	0.1648	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.1144	naive_q11	0.0776	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	RRF	R_C_g	robustness	0.3352	naive_q11	0.3286	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.3324	naive_q11	0.2944	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	RRF	R_F_p	robustness	0.1572	naive_q11	0.1624	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.0966	naive_q11	0.066	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	RRF	R_C_p	robustness	0.3154	naive_q11	0.3134	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.3072	naive_q11	0.2654	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	RRF	R_F_s	robustness	0.0822	naive_q11	0.0742	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.0468	naive_q11	0.0342	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	RRF	R_C_s	robustness	0.1146	naive_q11	0.1126	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.108	naive_q11	0.0958	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	RRF	R_F_a	robustness	0.1102	naive_q11	0.0956	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.032	naive_q11	0.0246	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	RRF	R_C_a	robustness	0.205	naive_q11	0.1914	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.0754	naive_q11	0.0608	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	RRF	F	quality	0.1886	NOISE_spearman	0.1612	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	RRF	Fbar	quality	0.1868	NOISE_spearman	0.2176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	RRF	C	quality	0.3152	NOISE_spearman	0.2812	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	RRF	Cbar	quality	0.3094	NOISE_spearman	0.3424	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	RRF	R_F_g	robustness	0.1646	NOISE_spearman	0.1648	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.1144	NOISE_spearman	0.0776	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	RRF	R_C_g	robustness	0.3352	NOISE_spearman	0.3286	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.3324	NOISE_spearman	0.2944	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	RRF	R_F_p	robustness	0.1572	NOISE_spearman	0.1624	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.0966	NOISE_spearman	0.066	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	RRF	R_C_p	robustness	0.3154	NOISE_spearman	0.3134	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.3072	NOISE_spearman	0.2654	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	RRF	R_F_s	robustness	0.0822	NOISE_spearman	0.0742	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.0468	NOISE_spearman	0.0342	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	RRF	R_C_s	robustness	0.1146	NOISE_spearman	0.1126	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.108	NOISE_spearman	0.0958	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	RRF	R_F_a	robustness	0.1102	NOISE_spearman	0.0956	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.032	NOISE_spearman	0.0246	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	RRF	R_C_a	robustness	0.205	NOISE_spearman	0.1914	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.0754	NOISE_spearman	0.0608	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	RRF	F	quality	0.1886	NOISE_kendall	0.1612	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	RRF	Fbar	quality	0.1868	NOISE_kendall	0.2176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	RRF	C	quality	0.3152	NOISE_kendall	0.2812	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	RRF	Cbar	quality	0.3094	NOISE_kendall	0.3424	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	RRF	R_F_g	robustness	0.1646	NOISE_kendall	0.1648	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	RRF	R_Fbar_g	robustness	0.1144	NOISE_kendall	0.0776	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	RRF	R_C_g	robustness	0.3352	NOISE_kendall	0.3286	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	RRF	R_Cbar_g	robustness	0.3324	NOISE_kendall	0.2944	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	RRF	R_F_p	robustness	0.1572	NOISE_kendall	0.1624	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	0.0966	NOISE_kendall	0.066	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	RRF	R_C_p	robustness	0.3154	NOISE_kendall	0.3134	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	0.3072	NOISE_kendall	0.2654	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	RRF	R_F_s	robustness	0.0822	NOISE_kendall	0.0742	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	RRF	R_Fbar_s	robustness	0.0468	NOISE_kendall	0.0342	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	RRF	R_C_s	robustness	0.1146	NOISE_kendall	0.1126	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	RRF	R_Cbar_s	robustness	0.108	NOISE_kendall	0.0958	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	RRF	R_F_a	robustness	0.1102	NOISE_kendall	0.0956	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.032	NOISE_kendall	0.0246	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	RRF	R_C_a	robustness	0.205	NOISE_kendall	0.1914	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.0754	NOISE_kendall	0.0608	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Schulze	F	quality	0.1876	clean_selected_best_individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Schulze	Fbar	quality	0.2018	clean_selected_best_individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Schulze	C	quality	0.312	clean_selected_best_individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Schulze	Cbar	quality	0.3258	clean_selected_best_individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Schulze	R_F_g	robustness	0.1686	clean_selected_best_individual	0.15	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.1176	clean_selected_best_individual	0.103	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Schulze	R_C_g	robustness	0.337	clean_selected_best_individual	0.328	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.3336	clean_selected_best_individual	0.3102	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Schulze	R_F_p	robustness	0.1578	clean_selected_best_individual	0.1378	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.0996	clean_selected_best_individual	0.0686	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Schulze	R_C_p	robustness	0.321	clean_selected_best_individual	0.3176	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.3072	clean_selected_best_individual	0.2856	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Schulze	R_F_s	robustness	0.0788	clean_selected_best_individual	0.0618	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.049	clean_selected_best_individual	0.037	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Schulze	R_C_s	robustness	0.115	clean_selected_best_individual	0.1178	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.111	clean_selected_best_individual	0.095	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Schulze	R_F_a	robustness	0.1092	clean_selected_best_individual	0.1058	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.0352	clean_selected_best_individual	0.0216	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Schulze	R_C_a	robustness	0.2016	clean_selected_best_individual	0.2096	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.0798	clean_selected_best_individual	0.0572	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Schulze	F	quality	0.1876	naive_q11	0.1576	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Schulze	Fbar	quality	0.2018	naive_q11	0.2182	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Schulze	C	quality	0.312	naive_q11	0.276	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Schulze	Cbar	quality	0.3258	naive_q11	0.3444	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Schulze	R_F_g	robustness	0.1686	naive_q11	0.1662	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.1176	naive_q11	0.0762	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Schulze	R_C_g	robustness	0.337	naive_q11	0.3296	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.3336	naive_q11	0.288	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Schulze	R_F_p	robustness	0.1578	naive_q11	0.1592	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.0996	naive_q11	0.0656	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Schulze	R_C_p	robustness	0.321	naive_q11	0.3124	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.3072	naive_q11	0.2696	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Schulze	R_F_s	robustness	0.0788	naive_q11	0.077	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.049	naive_q11	0.035	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Schulze	R_C_s	robustness	0.115	naive_q11	0.112	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.111	naive_q11	0.0958	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Schulze	R_F_a	robustness	0.1092	naive_q11	0.0926	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.0352	naive_q11	0.017	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Schulze	R_C_a	robustness	0.2016	naive_q11	0.1864	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.0798	naive_q11	0.0506	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Schulze	F	quality	0.1876	NOISE_spearman	0.1576	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Schulze	Fbar	quality	0.2018	NOISE_spearman	0.2182	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Schulze	C	quality	0.312	NOISE_spearman	0.276	max	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Schulze	Cbar	quality	0.3258	NOISE_ spearman	0.3444	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Schulze	R_F_g	robustness	0.1686	NOISE_ spearman	0.1662	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.1176	NOISE_ spearman	0.0762	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Schulze	R_C_g	robustness	0.337	NOISE_ spearman	0.3296	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.3336	NOISE_ spearman	0.288	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Schulze	R_F_p	robustness	0.1578	NOISE_ spearman	0.1592	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.0996	NOISE_ spearman	0.0656	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Schulze	R_C_p	robustness	0.321	NOISE_ spearman	0.3124	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.3072	NOISE_ spearman	0.2696	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Schulze	R_F_s	robustness	0.0788	NOISE_ spearman	0.077	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.049	NOISE_ spearman	0.035	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Schulze	R_C_s	robustness	0.115	NOISE_ spearman	0.112	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.111	NOISE_ spearman	0.0958	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Schulze	R_F_a	robustness	0.1092	NOISE_ spearman	0.0926	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.0352	NOISE_ spearman	0.017	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Schulze	R_C_a	robustness	0.2016	NOISE_ spearman	0.1864	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.0798	NOISE_ spearman	0.0506	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Schulze	F	quality	0.1876	NOISE_ kendall	0.1576	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Schulze	Fbar	quality	0.2018	NOISE_ kendall	0.2182	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Schulze	C	quality	0.312	NOISE_ kendall	0.276	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Schulze	Cbar	quality	0.3258	NOISE_ kendall	0.3444	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Schulze	R_F_g	robustness	0.1686	NOISE_ kendall	0.1662	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	0.1176	NOISE_ kendall	0.0762	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Schulze	R_C_g	robustness	0.337	NOISE_ kendall	0.3296	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	0.3336	NOISE_ kendall	0.288	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Schulze	R_F_p	robustness	0.1578	NOISE_ kendall	0.1592	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	0.0996	NOISE_ kendall	0.0656	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Schulze	R_C_p	robustness	0.321	NOISE_ kendall	0.3124	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	0.3072	NOISE_ kendall	0.2696	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Schulze	R_F_s	robustness	0.0788	NOISE_ kendall	0.077	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Schulze	R_Fbar_s	robustness	0.049	NOISE_ kendall	0.035	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Schulze	R_C_s	robustness	0.115	NOISE_ kendall	0.112	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Schulze	R_Cbar_s	robustness	0.111	NOISE_ kendall	0.0958	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Schulze	R_F_a	robustness	0.1092	NOISE_ kendall	0.0926	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.0352	NOISE_ kendall	0.017	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Schulze	R_C_a	robustness	0.2016	NOISE_ kendall	0.1864	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.0798	NOISE_ kendall	0.0506	min	Worse

Table 145: ImageNet–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	Methods	F	$\bar{F}$	C	$\bar{C}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{L}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	Dual Geometry Noise	5	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb	0.1726	0.2698	0.2872	0.4004	0.156	0.1262	0.347	0.3426	0.1294	0.107	0.3086
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	Dual Geometry Noise	5	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb	0.1876	0.1982	0.312	0.3216	0.1676	0.13	0.3406	0.3498	0.1502	0.1106	0.3128
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	Dual Geometry Noise	5	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb	0.1874	0.1658	0.3128	0.2872	0.1704	0.096	0.332	0.3062	0.1628	0.0684	0.3156
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	Dual Geometry Noise	5	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb	0.1886	0.1868	0.3152	0.3094	0.1646	0.1144	0.3352	0.3324	0.1572	0.0966	0.3154
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	Dual Geometry Noise	5	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb	0.1876	0.2018	0.312	0.3258	0.1686	0.1176	0.337	0.3336	0.1578	0.0996	0.321

Table 146: ImageNet–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	$R^o_{\mathcal{D}_{\text{train}}}$	$R^o_{\mathcal{D}_{\text{val}}}$	R^o_E	$R^o_{\mathcal{C}_+}$	$R^o_{\mathcal{C}_-}$	R^o_F	R^o_G	$R^o_{\mathcal{G}_+}$	$R^o_{\mathcal{G}_-}$
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	Dual Geometry Noise	5	0.3174	0.0722	0.0666	0.1188	0.13	0.0908	0.0428	0.1732	0.0784
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	Dual Geometry Noise	5	0.3188	0.0764	0.051	0.1138	0.1142	0.1108	0.0262	0.203	0.072
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	Dual Geometry Noise	5	0.2774	0.0846	0.0446	0.1202	0.1034	0.1106	0.0272	0.2054	0.0746
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	Dual Geometry Noise	5	0.3072	0.0822	0.0468	0.1146	0.108	0.1102	0.032	0.205	0.0754
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	Dual Geometry Noise	5	0.3072	0.0788	0.049	0.115	0.111	0.1092	0.0352	0.2016	0.0798

Table 147: ImageNet–ResNet-18

Group Dimension	Group Value	Measure	Endpoints	Excluded Zero Clean Boundaries	Wins	Ties	Losses	Win Rate	Mean NOISE	Mean NAIVE	Mean Difference	Median Difference
Overall	All	A	640	0	469	39	132	0.732812	0.452892	0.426762	0.02613	0.013929
Overall	All	Q	640	0	127	310	203	0.198437	0.843397	0.846121	-0.002724	0
Overall	All	G	640	0	425	30	185	0.664062	0.590378	0.572137	0.018241	0.012502
Geometry	NOISE-K	A	320	0	214	23	83	0.66875	0.447236	0.426762	0.020475	0.011605
Geometry	NOISE-K	Q	320	0	49	155	116	0.153125	0.839543	0.846121	-0.006578	0
Geometry	NOISE-K	G	320	0	192	16	112	0.6	0.585161	0.572137	0.013024	0.008906
Geometry	NOISE-S	A	320	0	255	16	49	0.796875	0.458548	0.426762	0.031786	0.016326
Geometry	NOISE-S	Q	320	0	78	155	87	0.24375	0.847252	0.846121	0.001131	0
Geometry	NOISE-S	G	320	0	233	14	73	0.728125	0.595595	0.572137	0.023458	0.01612
Cell	DermaMNIST–ResNet-18	A	160	0	104	18	38	0.65	0.413823	0.406371	0.007452	0.006916
Cell	DermaMNIST–ResNet-18	Q	160	0	22	90	48	0.1375	0.793295	0.803071	-0.009776	0
Cell	DermaMNIST–ResNet-18	G	160	0	84	16	60	0.525	0.558124	0.552566	0.005558	0.00359
Cell	DermaMNIST–ViT-B/16	A	160	0	70	20	70	0.4375	0.470379	0.469939	0.00044	0
Cell	DermaMNIST–ViT-B/16	Q	160	0	27	60	73	0.16875	0.877105	0.884256	-0.007151	0
Cell	DermaMNIST–ViT-B/16	G	160	0	55	13	92	0.34375	0.599925	0.600957	-0.001032	-0.000538
Cell	ImageNet–ResNet-18	A	160	0	137	0	23	0.85625	0.496722	0.469438	0.027284	0.031843
Cell	ImageNet–ResNet-18	Q	160	0	39	80	41	0.24375	0.812409	0.814995	-0.002586	0
Cell	ImageNet–ResNet-18	G	160	0	128	0	32	0.8	0.628333	0.611403	0.016929	0.022846
Cell	ImageNet–ViT-B/16	A	160	0	158	1	1	0.9875	0.430644	0.3613	0.069345	0.044877
Cell	ImageNet–ViT-B/16	Q	160	0	39	80	41	0.24375	0.890781	0.882162	0.008618	0
Cell	ImageNet–ViT-B/16	G	160	0	158	1	1	0.9875	0.575131	0.523623	0.051508	0.046306
Rule	Borda	A	128	0	93	8	27	0.726562	0.453264	0.425375	0.027889	0.016037
Rule	Borda	Q	128	0	25	62	41	0.195312	0.845777	0.848649	-0.002873	0
Rule	Borda	G	128	0	85	8	35	0.664062	0.590026	0.570834	0.019192	0.015577
Rule	Kemeny	A	128	0	104	8	16	0.8125	0.461085	0.425041	0.036044	0.021968
Rule	Kemeny	Q	128	0	20	62	46	0.15625	0.848248	0.852649	-0.004401	0
Rule	Kemeny	G	128	0	94	7	27	0.734375	0.597992	0.573777	0.024215	0.018785
Rule	RRF	A	128	0	95	9	24	0.742188	0.459029	0.430432	0.028598	0.019214
Rule	RRF	Q	128	0	27	62	39	0.210938	0.845835	0.848603	-0.002768	0
Rule	RRF	G	128	0	87	7	34	0.679688	0.595753	0.575579	0.020174	0.016809
Rule	Schulze	A	128	0	99	6	23	0.773438	0.457597	0.427735	0.029862	0.015907
Rule	Schulze	Q	128	0	24	62	42	0.1875	0.844968	0.848161	-0.003193	0
Rule	Schulze	G	128	0	86	5	37	0.671875	0.594291	0.57383	0.020461	0.019537
Rule	Simple Averaging	A	128	0	78	8	42	0.609375	0.433484	0.425226	0.008257	0.001855
Rule	Simple Averaging	Q	128	0	31	62	35	0.242188	0.83216	0.832543	-0.000383	0
Rule	Simple Averaging	G	128	0	73	3	52	0.570312	0.573829	0.566666	0.007162	0.001469
Metric	C	A	160	0	130	5	25	0.8125	0.235397	0.220297	0.015101	0.011985
Metric	C	Q	160	0	26	80	54	0.1625	0.766951	0.77309	-0.006139	0
Metric	C	G	160	0	107	1	52	0.66875	0.411791	0.398947	0.012845	0.012893
Metric	Cbar	A	160	0	120	8	32	0.75	0.572949	0.531761	0.041188	0.0281
Metric	Cbar	Q	160	0	43	50	67	0.26875	0.845468	0.849271	-0.003803	0
Metric	Cbar	G	160	0	109	6	45	0.68125	0.686305	0.661284	0.025021	0.01781
Metric	F	A	160	0	120	5	35	0.75	0.243922	0.227401	0.016522	0.01198
Metric	F	Q	160	0	21	100	39	0.13125	0.857996	0.862183	-0.004187	0
Metric	F	G	160	0	113	2	45	0.70625	0.436868	0.421013	0.015856	0.013696
Metric	Fbar	A	160	0	99	21	40	0.61875	0.7593	0.72759	0.03171	0.004836
Metric	Fbar	Q	160	0	37	80	43	0.23125	0.903175	0.89994	0.003234	0
Metric	Fbar	G	160	0	96	21	43	0.6	0.826548	0.807306	0.019242	0.003817
Noise	A	A	160	0	143	3	14	0.89375	0.391845	0.352173	0.039672	0.019188
Noise	A	Q	160	0	65	60	35	0.40625	0.763842	0.747725	0.016117	0
Noise	A	G	160	0	132	0	28	0.825	0.521881	0.487109	0.034682	0.023838
Noise	G	A	160	0	106	13	41	0.6625	0.458924	0.439154	0.01977	0.007812
Noise	G	Q	160	0	22	80	58	0.1375	0.807618	0.81805	-0.010431	0
Noise	G	G	160	0	94	11	55	0.5875	0.584233	0.573649	0.010584	0.00565
Noise	P	A	160	0	106	16	38	0.6625	0.465449	0.445013	0.020436	0.004444
Noise	P	Q	160	0	20	80	60	0.125	0.847572	0.856296	-0.008724	0
Noise	P	G	160	0	90	13	57	0.5625	0.599936	0.588599	0.011337	0.001782
Noise	S	A	160	0	114	7	39	0.7125	0.495349	0.470707	0.024642	0.0181
Noise	S	Q	160	0	20	90	50	0.125	0.954557	0.962414	-0.007856	0
Noise	S	G	160	0	109	6	45	0.68125	0.655462	0.639101	0.016361	0.01453

Table 148: ImageNet–ResNet-18

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparis on Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	8cbcadec500 f6481f9f2a f2ebanae79 76337730b7 71aa06b8d4 13d8edbccc8 df33	89f0171a10e 54932f4782 9158300734 2fac4bb0a2 8ef22fac12 5ffcf10d70 0658	e174bee6e3 763b405af8 a445f44ef1 cd37212fd3 96c22ad5ce 9b224bae51 ca7f	Spearman	NOISE-S	Simple Averaging	g	0.52902	0.521725	0.007295	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	b64a756b5b b5a8be6861 52455ddb11 3fa2dda145 40afb0e5d cbaa4b1f17 1394	d158de2e01 fec4ca20a0 9c54cf9b12 bb5975b542 c8d1af0e6f 2bced8b0d4 6370	e71d41cae8 f0d7da60d7 ec811bf5b4 c270f7e9f4 dd528d2261 83cd6155e3 9986	Spearman	NOISE-S	Simple Averaging	g	0.435775	0.424675	0.011101	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	5d7e91f274 f4dc749dbc afb8b83dd 779e21d020 81fb4152d1 980539b7b 50c3	cffc1196dc 1973bc3592 f0bbdd2d98 723a11ff73 6c588e9edd f2f4bb990b 27a5	f44eabfaa2 5f4e834e2b d026881ab6 6e65024f93 965158b22a 23ed17e4e5 40f8	Spearman	NOISE-S	Simple Averaging	g	0.6396	0.6334	0.0062	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	8523cbe516 dcc191cb63 36c44dc626 753031f5f6 ce1050c957 4a13f63ac7 8e4a	5c182ca8a1 0d54122473 c8d7fe99b9 3a55959948 810b415ef5 042e0d4731 96b8	ccc450986c 3bc3bbc540 dc94352008 88c0f795b1 08fde262d1 3672ab1c52 6306	Spearman	NOISE-S	Simple Averaging	g	0.3012	0.293	0.0082	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	d66781c05e 70eb150bc4 f4ee4eb3e6 e7606270f9 8e95da6532 6b68a12c80 6589	7cda43ab66 8d7e559fd1 5db71a4bd2 665ca8f4fb 6e56ab4b36 474fe1d9ba e0111	52d175828b 023bf35fab db300b204d ee0c3e93af bdc451f4a8 79d4e4f9e1 142c	Spearman	NOISE-S	Simple Averaging	p	0.495188	0.481527	0.01366	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	38628f4d7a ebefc30b44 d5635df40b 67d44b4717 5c5ce98d35 16b01b48e7 715e	009895ceb6 64beed1f4e 3e61ded587 85e49c80b3 40cf52e1ce eeefafd2bc 76a8	90722e2449 393f696b34 c6b721c44d a5c8da3fb7 f2db7c0d52 de1de98f50 1566	Spearman	NOISE-S	Simple Averaging	p	0.47004	0.468178	0.001863	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	ce09faf41e d40f67441f 80a7b98232 c9b5518c83 b19fe3aa0f bc1ae5b122 2593	9e670deba4 537325388b ca974f976e 3a2eca70f8 ee281ad09f eae93314a6 7f15	fafe9a78d f888c0050e 9990d475e3 9b96d18996 5e2853884 c50a25ac12 2ece	Spearman	NOISE-S	Simple Averaging	p	0.611	0.6012	0.0098	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	4bee20c2f1 27d5b3bff4 618ccca915 0cce8d50cc 4c8be5bbbf 35735270c1 f6e3	6af711278b 8f7b4e1f18 08e43cf8cb 2e50be7459 a8690dec2f e4e78c4b18 9492	c781b23f98 bc20127f93 79cc8e39be e38d1fc1c8 6c36b3872a 0826c4c486 e06e	Spearman	NOISE-S	Simple Averaging	p	0.3196	0.3192	0.0004	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	9c05d1075d cab622f617 0e9f16d849 1585bd14bf 491a95d40a e9bb2cb350 d037	7ecba23ed0 1012e6c285 f9e3913650 8f260260c0 f5aff3a61e 6704869acb add3	6b6726d7cb 1b6a102714 0d8fd92d9c 49b1eec38f d8cd33d903 c1c19a511b 949f	Spearman	NOISE-S	Simple Averaging	s	0.331551	0.313216	0.018335	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	25b5d63ea0 62bc80865e 2c20d0acdb 2907d7f14e ce0f9c28d1 cd0526254e 8b39	79495cdcbc 4c6bc3a7a3 092f49d8c3 f66d603307 b6b9b330d0 cc66cb8c97 a173	9936b28979 da709cb90d 4be04f8bd3 29927b9b95 0dd3fde801 10d6072c5c 7f94	Spearman	NOISE-S	Simple Averaging	s	0.609371	0.59944	0.009931	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	1a754d5ee6 bb4962fd47 cc1e168912 7a3cea8c99 1dc1b0bc1a a8f6c7631e 013a	536d58f696 d49d907540 6f84ce775d 755fd7bb87 8e747b3c91 977f1614bf 6334	94de8ed349 0caa5f5cf1c c5480677d0 aad550d2d8 9a0624b93b 698177d006 5cdd	Spearman	NOISE-S	Simple Averaging	s	0.4234	0.4052	0.0182	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	2e4316cf30 a557134ad0 9ab7282e73 3fb840ab30 d6e7e7d3a1 f3c67b5d68 d0b2	dadd4fac6ec 4dd49610ca 0066fb34e9 3ef21c5d46 535605429d e5e6102546 abae	730888f335 4c3b285857 89e70aa561 def3079e95 1c2e02af45 a9c9bb0ff7 2145	Spearman	NOISE-S	Simple Averaging	s	0.506	0.4942	0.0118	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	961b199228 9a758c7507 ea0620db63 407f6e20c9 019aaadece a17bb1e21a de26	e4d8f97220 e4c3bf1e74 4f74f8ff0a 1a3733a7a3 0c72aacf18 8bade9f058 2a13	93a7ef6184 65ac73d948 c7c9c340d4 41ff870b46 0603ff7272 bf7837bf8 f44b	Spearman	NOISE-S	Simple Averaging	a	0.099665	0.093451	0.006214	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	6758ce1977 4da5543fe2 52e836ed02 5679c1c207 f3a80cc411 c257061fbe 57bb	e772980630 53dc669c9c 0fecd2d541 cc5e483f92 3aa042618c 67ecf4a7ea 0c3e	c6cc185fae f8cd9b979e 7f1d93a18 294def2328 d9273df824 f41f21697a fe2b	Spearman	NOISE-S	Simple Averaging	a	0.756214	0.74044	0.015774	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	37d1560160 d170261505 0fe892c2ae 28de7202a0 4f045ac014 209885cfb6 e433	4a94ad78d7 9237daa041 c71b1d0dfe d7513d14d0 003d1851dd 16900f638 8a8f	dfa6bea696 402234fa33 865ec9da3d edc7db8d6b 190fa5084a 58748ca719 2751	Spearman	NOISE-S	Simple Averaging	a	0.1142	0.1092	0.005	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	flc993e20b d404b66d48 1bdbcc1063 9b757a4345 5e88ef0725 7e4c32d3e8 19a6	a168daaa81 843958bda8 6c4877644b 025e4e6433 893a297cdf e5ae480e59 be50	e804c44fda 0a71839810 697cb0da81 1c87b55bc1 9559bb1d75 97b4e4cb2c dda6	Spearman	NOISE-S	Simple Averaging	a	0.7082	0.6892	0.019	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	3befff4d8aa 3ca147b5d8 908600eeb5 91698584f5 d1e8ca7177 8f03fe4505 4dff	e846752619 332a1ecdff 961674f758 3ac270bc8c 69638daf30 d80fc859b7 4019	25b03b2452 3f636f178a 7175197a80 b0b193fd19 5b42eebd9d 681a8dad18 c54f	Spearman	NOISE-S	Borda	g	0.566445	0.518871	0.047574	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	1320c86686 cfdea371f0 84b535721 408b9d2cf8 b09ec96175 42930e2977 6456	9166e0f15f 241cd71ecd a3e521777d 80bb9d2cf8 c8bfc2c35e ccde9b9fb7 344c	a75e28a53b e4215386d9 8cc765a422 94b2be5785 3b6d917044 62db49d09f 22ac	Spearman	NOISE-S	Borda	g	0.534412	0.495401	0.03901	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	117bd6bb6b 4556a9f3a6 e9d8502cd7 fefc297447 de329b9970 c36349891d 6edb	e23c9d3b9a c787bbf4e0 0a6a3ec472 80c97c5a4d e50e1a2017 48c3eacadf 61c8	ce35da9376 200329db47 eb0ba499be b23b669d14 9fb46def97 29c84bbbdd bfaf	Spearman	NOISE-S	Borda	g	0.6454	0.614	0.0314	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	2b63c72dd6 1d28ee21a8 cbe612bdf5 1eba8ff50 ebc7855f4b 30acdab371 2707	4add48ccf4 5458b0533e c44927c1c1 2324091890 1f4a7554e6 10aea59c39 73ec	a54511558d e768c51dec 28f1a91d14 3892fa05e6 4306954059 16718f6988 6307	Spearman	NOISE-S	Borda	g	0.3714	0.3328	0.0386	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	17d7d2aecf b6101734da 2ad738702b 2066eff9ec c4c1713dba 6a3edcf3b5 76d1	4328a7db7d 185c1e97fb 0e1c4c3282 47d0052ca8 bf878c8473 97365aa672 8e46	097cb021cf c674fe6a21 4c4e97f2c8 14ca1d028f b8b0d4113a 18b59cc202 ee70	Spearman	NOISE-S	Borda	p	0.538342	0.497361	0.040981	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	ca6a114fa3 575ef2019c 26b45098df 4c65254d55 33dbdd3990 6ad670cea7 8c80	6ee2b2a05d c79fd09733 bec1c2a3d7 85cb6b8eca 50027577a2 4f6ed2b812 f21c	afca5a5f31 41c46ceeb1 cd1b1d0288 98e3cac364 9345578e5a 6f03054f94 3c36	Spearman	NOISE-S	Borda	p	0.576219	0.538342	0.037876	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	09be14c9f9 e81655ea11 57abff1828 2cefe79a19 3e9ce810e0 eb3ce3179d 5f30	10205e5ef1 20276444b1 977210eb52 1d1c6albdf d046ffc827 457fd22618 2388	5220503435 6b4eb70637 b5509168fb 8626523649 2faa1fe965 32960a30c4 6139	Spearman	NOISE-S	Borda	p	0.6286	0.5964	0.0322	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	04711d1bbd ab0bbc809b 107340fadf 3ad533d198 6cb2f17f89 d28171cc6a 5e95	cc6c0318a7 6b27666e6d a5bd7d474c d9f4435abf b3eb4a9439 354568c05d 3342	086eddb84e 2bd9bc8df6 18de22ef2e dfbe4e000c 5f5ef4240e a4e9031755 696b	Spearman	NOISE-S	Borda	p	0.3978	0.3714	0.0264	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	023c9a0349 30a7cb5fdc 47a93d62b5 3d990cd00d 1e971a6824 b88a407925 e416	654223dcb9 27da1c6fe4 356928a16d 6e7cc81965 7dc354d3ad b88a407925 183f	89e5181fd8 998e853a95 cc450d2881 3d64ee536 a9f078ee34 c4b8cad21e 2583	Spearman	NOISE-S	Borda	s	0.337917	0.296409	0.041508	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	a4bde2fbaf efb4eaca2b 9f33799087 ab074ad715 b151714fac 9537d900fd eeb3	f8dd0e8d86 95b2dd619b b5062e2a99 a60152c75e 191304cab4 70e419a596 d209	20ccf26636 f56608e755 465cc2bd18 804dedcbd1 3949e401a 391394d153 6731	Spearman	NOISE-S	Borda	s	0.719379	0.667176	0.052203	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	4cd07c64fd 88660f1623 c452c4a5d1 897fbd229 ef9b13c484 7585b77d09 7c74	7fafd42cf3 9e3a5a6b02 e0fe2f0665 8f272cf20c baba09a238 58f29f0daa 4246	7338762a88 1ebfbc1270 c69a1a9e51 fbcd2c16bc f21222efc3 feacf53dc 8b03	Spearman	NOISE-S	Borda	s	0.4292	0.3898	0.0394	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	225ebe6f53 82db665e0e 4fe9e9b770 a915a72211 71657d2b75 4636a62898 5dc8	124daa1243 139592e322 eff8f2d0b0 1ce2fadabd 6b70b1d416 f0ea81b23f b4d0	786734cbd9 a8b559a893 645f65a047 1be90de1eb bd066bc3d2 c005a29a8e 22ad	Spearman	NOISE-S	Borda	s	0.5952	0.5506	0.0446	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	13c3c874ca 030392c0e7 bce4c26ea2 0a9c69b229 560cac244f 04a45b242b c869	779c6ae25 f2384b4d36 7aa743bb20 dfdc771c6a 6c5aef4bf6 b33a6cdcaf 9666	9a41424617 b631a77ea1 0b4e47681c e018b9d90b 7cc4fe89f3 461299696a 0ed6	Spearman	NOISE-S	Borda	a	0.090344	0.075287	0.015057	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	7d9dbc7be9 42dd70b613 805471bd66 8164d7d0ba 3bd0d903b9 9ad143ef7a 9800	a42c33ac60 b84ca6725b cca52a319 b159c6d86b 97f8f30308 70deaf28f8 406e	a7419d72ce 311c35f9b 01dd33ccde 0effeb3987 3603893b90 7de1a1a404 f240	Spearman	NOISE-S	Borda	a	0.820746	0.761472	0.059273	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	b7a1819e13 56f1df8346 1469fb207f e11e7ed223 72fd15bd60 79e0c9ec53 91be	c306c1c1ce d572a8bc43 0760c709a1 4876748bcc 296cc83c37 0f21d0e9ea 0b62	a35f5a23d b429fb2535 9c67ace74a 00a855b5ea b7c2a739b4 9875b6f7a7 e8bc	Spearman	NOISE-S	Borda	a	0.1056	0.0874	0.0182	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	be071a3b4f 1e85ebb1e0 be573d78fd 560e99291f 0506a8a5c3 707aac372a 542f	33683a9e6c 68e12a0d31 d0a3edf0cd 8c04bf5b4b 2c41ab2522 1b134d299e c238	8a74973e84 a8604d4aba 37a8cf62b4 a721459c9e f9ec024872 30dfbe8df4 1289	Spearman	NOISE-S	Borda	a	0.7688	0.7068	0.062	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	62d963093d d85ae44c2 4ae1ecfb36 f07c05330b 3f3a4f88e6 f5bbfe4d15 dae1	4365fd8339 a42b49c287 e5d06e21d9 f1044be832 19f5dc6472 69fb78d5b4 b100	56358ea453 ee90763644 1795c3614e edb79c22b9 e3a69fed84 f263ec462 292d	Spearman	NOISE-S	Kemeny	g	0.548049	0.511259	0.03679	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	73288a3ee1 33bf1f5843 4e240d727a 7cfe7847e7 b496dfca38 b5f770174b 534b	142c3bfa4c e18489e464 5a6e61fac5 4714317139 42d2816ff7 6488f7388d c660	3a1156f385 45892f1f38 00f7eec377 b8df79670d ab1b45c45a cae16ad98b 7f45	Spearman	NOISE-S	Kemeny	g	0.601966	0.537266	0.0647	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	d4df842470 enba6a4989 cecf3a30eb6 06a741b9ec 734850136a 65c6a42d69 de17	1b6f3748c9 a59de05238 9940785672 8919b7469c 452c6a3489 2ddda2fd1 08c9	1455920c08 7e450f20f5 2ff4a374f0 24d37ea8b8 e7aac8bc59 40a7af9dc3 63f3	Spearman	NOISE-S	Kemeny	g	0.6268	0.6006	0.0262	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	7e547281a9 e34f711d01 557d892c0b f6edbea32e 91f32b73d7 10175131c5 752a	379950a677 07cdf3eeb9 4e5feadb1a 99bacefa12 84340d1d94 ce67d939c0 65bd	55939b76e0 6afa9e648b 7407afdaa5 fcd74ed782 d7d8ad3c42 ca035090e6 9e9b	Spearman	NOISE-S	Kemeny	g	0.4142	0.3734	0.0408	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	508fcacd6d 7db48dfa9c 416684fc3 b334198c6d 0823b828de 950b7764f3 d09d	9bf8acf185 aec3c38546 533695dbaa 2722caa4af 3bfa2cea77 3b4f2be141 cae6	c0731461ae 56b91eea2a f776549522 8902866b43 e9039d8ba0 35c80437c9 f0e9	Spearman	NOISE-S	Kemeny	p	0.521888	0.492083	0.029804	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	795a217e74 325fe5d871 7df0e837d7 340de4141f 84c5864a8c 89cdace6d2 fa2d	ef5509023 e6b17a43ab 1fed891d76 f5b849c982 fe737ffb2 f282febb77 88c7	af87ecb1f1 13d4bfc4e9 9c3ba2f605 9e2835ee5f b6aac2a3c3 84887b01b0 a855	Spearman	NOISE-S	Kemeny	p	0.649798	0.583359	0.066439	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	3f995ec0278f2ce9bb17aafl3ad505319aa8c567acee80cc7f57807f2c345e165	f28eca34ebdbdcfaaed0b3bcd8f4eb59ef84340d7c797a4f5755f8e676f91170	e973a45b6a65e502a0adf26dda292cb2196a3aa8daebf547ccaf764794f9c2c5	Spearman	NOISE-S	Kemeny	p	0.6086	0.588	0.0206	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	6467fa916f46d5a6afe76f4b241d8a7ec30ec0365f0c899bcc2dbf94440bce7c	e9ad8d8e4753b7bca5840ee0484ccb8bbaabbbfd8023c2d02968720b4006b4bb7	c82ccd26a9af49259b469f503c510c38c1bdf7874a242157f9bb95e0ac35c21	Spearman	NOISE-S	Kemeny	p	0.4472	0.3986	0.0486	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	a2754e3525b3a3c5fe8e7656eed5779b08fcb9730afb9bb24968ac0c8e5271d17	ed09e5ee1e02dd22429415c38e7346e90e58a22f8ca3b883cbef713dbd71071d17	5f7c6b41f34b099d41eb7c30b2ea3acc68c8de6eeff2854de9f06da61f530ff	Spearman	NOISE-S	Kemeny	s	0.325439	0.293354	0.032086	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	b8f0fa5995338d7facecd466d654fd3040128e4cca7f4d46ac79e5688944f644	67c7210bf48126fdd1b8aa30c02e17b6d5341453b16ceceb64be3ab2c70b2c18f816c907ef3	4f9d3404d8aa9f4541c73508b66e64856e59c41be3ab2c70b2678f7cc5cf84aa	Spearman	NOISE-S	Kemeny	s	0.745098	0.669468	0.07563	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	4f2b992312307016a2472bcb770240e694217837933c816494c386d8e40704fc2	65087e58e404249f16747400b7f027988e760aa43addb0347fcccc1f3c1e2a8c	34a5fbd331f8675eac9885aca6b867a27d5893c3d1e6032e6a079177e672b8f	Spearman	NOISE-S	Kemeny	s	0.4114	0.3846	0.0268	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	7ed6bf4a5e569e415a02042987877f316cf22604e4893a14876686d2a2c982c8	195dbd0e255790beca3f8991ba7e15d3ac9fcb8a2f51d4f91eb9692c5f54af568	8be02caa35ee3be0033086eaa438bba3a524b649f2627a72137c2eb5f166556	Spearman	NOISE-S	Kemeny	s	0.6212	0.5514	0.0698	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	65323b9608518bfl246641f70804267c88da6fad0e9e66a7fd2fcb5d5f09630	c7829bbd4f4d316ec4dd3d23cd387cc56105611bb0b6a8ae41d774ecfc55ca77a	057f16b4c0b980f9265f30a8c0cac919ee21a685b043150731d43563b778f51c	Spearman	NOISE-S	Kemeny	a	0.08174	0.077916	0.003824	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	feclc8e247baf2897658246d363e2312fb2a99f40bb2456c3d3f405a235e019	66ab186e27f59e219b01bd9832eff8291a8506db0c39a7a5c360b5f97798e019	a6ae2666c759e37beb349db3eb2467b8b2c52fb5174f3079b7c2eb6d82d41ce	Spearman	NOISE-S	Kemeny	a	0.813337	0.750956	0.06238	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	f68f49865fd55d8ff7c6fbcc6fc5254a67c14c1d70ef891399a54ba9cdd16ca2	2b48d006363255aa9a0eade9c0b6c8fe9ddc827a6b147d3141905aff88362266	818b23304b1ce5456b9c52986593959549abdce954ca6fcad697b21c06b0abcb	Spearman	NOISE-S	Kemeny	a	0.0932	0.092	0.0012	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	6a4bc7037580cb9416fcdfd8a3b753b1487269e9b375e6cccc2802d4ed294057	3d496328cb9f786e873b682712dd22fdac8bde235f4e7297100164cb342ea71	26f6b7573ea5d19eb60a6e068620253d8a8edfbb34dbae4a5f1958	Spearman	NOISE-S	Kemeny	a	0.763	0.7	0.063	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	fb6d046f1573cd4214bc6f919793b2a745f8a4f8d33fb8208fc25eef48724020	cea94a114496f6727e4f6f55972de9f32a55ccfd63f43707d56e0e177bf7a3057	63c2fdac44980b2495d78cd77a6399af2ef1f1755158441c3102030993a9b40f2	Spearman	NOISE-S	RRF	g	0.569299	0.516968	0.052331	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	cd0dd4c03f2c91a785ab599ff274d1a9fb5b687e968da83e8ffbc2fee4c7897d	c83fa8c1da7781ccc4f873d2fa090c989dc1033115cd975097d8f84c6b1bf4e9	3310c9f82c7b4dd6d9b5a44cee90d60edac8513dce93ac2474ce8c5b0eca2e22	Spearman	NOISE-S	RRF	g	0.58928	0.531874	0.057406	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	72cc4f279dc1a68c539db26937763e5d9d65ba59ecf17a79d4d28b9fc026e20c3	65bd21d52f893b53310887f3fd463a1b2b2f2cae9a53f4c5c1304c6ff77dac96	b01a76ad856a32b60646a5a86d021541b9312a4552d59769ac824224d193a7a5	Spearman	NOISE-S	RRF	g	0.6396	0.6098	0.0298	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	594084cc62 41581266f7 89bc4530e6 6245d94a53 8cd1633a32 20c3d13f5e 59e2	5639bafa8b cb679f63c1 2618ac9e6b 18bcccde6ad cf4d3a11eb f95d348d93 ae17	2abb2fc980 ea9e926c12 14fd472b2 87ac560b8c ebbb4dd440 4a84e2b658 0871	Spearman	NOISE-S	RRF	g	0.405	0.3632	0.0418	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	6a643c97df d2d7f9058e a170e5afcc df9f9e655e 0afbbaacda6 6020ecd5bd 7d61	1198e7c4e4 d2e9e15f2c 73b7cbb526 f517d0afb5 02859c2e62 449b62f50e 1e0c	46ed3daacf 67245b991f f3edde63d3 634137190b fcf9c7e52 1cfc4467b5 7ea5	Spearman	NOISE-S	RRF	p	0.540826	0.502328	0.038497	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	9db5444984 355a3e4076 8a1515ca7d df44895758 e272c3892a 8cd1ea6836 fe1e	a8c39b52c0 622ed9a4c9 95f892e6ba e3cb358539 afecda71ee ed14011f86 9e45	d7fbeb5f43 8d83b06272 6d52ebe73a 38fb0fb23a ed6cea77e5 5644b5ae4f 22b4	Spearman	NOISE-S	RRF	p	0.638932	0.559764	0.079168	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	869985b742 023547971a 73628f5cd1 3cfe2041a2 20b3721be4 7db4655602 2be3	05701d1362 896ca74256 ea6281f56c f91d58a811 1002f48998 f6ae8f3e60 a8eb	0c6e1adea5 9621ec8136 b564773b4c 8abd6c0ace 9c07a0af9f 8eeffdaa3d7 eb26	Spearman	NOISE-S	RRF	p	0.6262	0.5946	0.0316	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	d02f5532d4 1addcb2ca3 7415c79823 1c1db05d40 b19478cff8 2a0d295eab a524	c46cfc0dab 659cac3b9a f457ecfb5 d4185e14a8 5f210795a1 c95b0c960a 45c7	4775604fb8 ae589e6e64 4460f5c467 f8dde35fae 5331837abf 5effcdcf19 0794	Spearman	NOISE-S	RRF	p	0.4412	0.3922	0.049	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	a78e129e85 ba8cd1eadb 1988d9003bc 355964f5b0 5fa0246263 4af06fe317 56a5	41241ebb42 86bfb67e42 ccbe97c45a 1c225f3ced 9de1e4289d 14d32e4d5e 5980	6c4956b7ae 9d506e8df2 c83c65bd3b 48b2e2ac4c 8ceb231170 d02b34a75a a896	Spearman	NOISE-S	RRF	s	0.338936	0.29972	0.039216	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	4fc207058b a38738ed58 c804045a79 f8f01cfd1 ee127977ae 3c095cc691 41bc	14f5e58b0c b8f83f88a2 7065bc4476 a3b2f4a469 f713991567 86a13a2b19 01c7	7a8f0198e4 3bce718ce6 a5cf7e0c7b 0dfc288faf b9748cdcaa3 20277512a1 ae5f	Spearman	NOISE-S	RRF	s	0.746371	0.679399	0.066972	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	7db2c7c949 bddf31306c 76d2fb7124 2f5bd4d00c d2a630e3bc f4b9042f3b 4cb6	b58064594a fd8ef40764 745544cc7c 6927547fbf 2057135bbe f54b1f7aa0 5fba	15eeaa1eae 29ad2306fb b5955fd498 e92f9fb880 a213070bce d427a9b625 8a7d	Spearman	NOISE-S	RRF	s	0.426	0.3938	0.0322	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	9d1dd5f9ba 4aa30e4b46 7977e85eee 3dd6bc175c 7b8ec8d63b 602c61c6b0 d408	5eb9a7c3ba d7d7e323fa af8e31c3c3 d01248dd5d 44fa42e652 a709cf4232 c3d6	f09e58aac9 3a8b045c62 5a74baecce db112d7a8c f4960aab7c 8afad96fb7 e735	Spearman	NOISE-S	RRF	s	0.6232	0.5618	0.0614	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	96e4dd8c16 3454a8be5 fca7ab1596 6e306feecb 98deb40fb 6df1c18f97 a9be	c3a9e7750b fe771841ae 5700eaf4e 3730f33793 a8b5558fdf e95ff5a351 f25b	c325b1db6b 4a9e9c93a6 ecce3e7d29 7f3a96d5ea 470418bc28 6ae3d1c38f e42d	Spearman	NOISE-S	RRF	a	0.087237	0.078394	0.008843	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	a6d6141183 a85ca20322 d1ac9d41a3 d3465b6ce0 04fa964f3e 5b8b77cfef fc52	4dc2a4e643 030bca1a58 821bedd39 122fc35284 0ec21196cd 951712a2ba 88ee	7f9e2d4f12 32d5e903b9 01ee7a79e4 5eecca1de9 6afd22cb95 8020f1f23f 40a2	Spearman	NOISE-S	RRF	a	0.839149	0.769359	0.06979	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	2a071ac2fe 5fe19693f0 b5a60f8e44 313a76f0d 7583d35be4 c1678e72ba 77a8	aae73907e6 374200ca5a 76887a7ecc 81367d2dd5 94884f2dd8 af40298ec9 7868	15096f5146 caff916c15 b2143b6a37 d9783c6c38 03d45d1835 ac63d66067 052a	Spearman	NOISE-S	RRF	a	0.1018	0.0898	0.012	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	8f3c95fa5a 64dbdeef48 8b9a8eb3af 051ab8c8ed c43923a749 4595ab8a53 cf27	2794c57950 2a23d322e6 e24ebe6beb 94cd9d226 aaa9a30ee9 5948003f89 c94d	c89a88bc3a c64aa4ed09 da5273ebdd 2c9209cccc a83308188f d40fc21fb9 be87	Spearman	NOISE-S	RRF	a	0.789	0.7184	0.0706	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	2e02a1a97458d8104470d3de7bbe621ec832e9483471c4e4b004ad97b6db5315	3e56d3eb80e78651f4d51d0f9b65c007bc74d0f87317c4e4b0a90747f10a5fae	15e5795e91a1fb4665df88220d139f8220d1393abaa5c84eb1bce5b229b62820603b0e97	Spearman	NOISE-S	Schulze	a	0.810707	0.75956	0.051147	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	00b8c12ae5220dedd1e05794e86ffa4a552b02e039e777c1ae5e8dc69aa37271	64728e8a4ca7500bd61f3ce360d49aeb85515b3a1ca8cf9d5e0f0aa4f241a0a	f95441441b1f92747f3829ec282f7e592831290f86f75d63cb4da6d2f211ef0c	Spearman	NOISE-S	Schulze	a	0.0914	0.0896	0.0018	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	aa4108ba8baf44c839056e1a72ed7e4a35ebad06e536fb1399f339085c26c	c494baf0a31a35dac05530cefa43f99144849445755855310c72c1ca87f26c	e8f7223572c1245622c105355b5c43a86fde5d7080607aae13ff5132da6a577	Spearman	NOISE-S	Schulze	a	0.7636	0.7062	0.0574	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	61c1cb9004985490c3230f4c485699aad549dd8b9344a14eb1d5fbb21275572	c791d9973fe174b674b36b20c2bba5157140cc9fde81cc2c0b82e825101f0e48	e174bce6c3763b405af8a445f44efcd37212fd396c22ad5ce9b224bae51ca7f	Kendall	NOISE-K	Simple Averaging	g	0.521091	0.521725	-0.000634	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	e7e2cceff8009b1ec8dc6a0e70325e601143753e8f7b9d9ecc185d859945d4bd	945bc094de4bcdbba6ca892f0325e74db35a6f0be315811d4b1211f629b85c13	e71d4c1ae8f0d7da60d7ec811bf5b4c270f7e9f4dd528d226183cd6155e39986	Kendall	NOISE-K	Simple Averaging	g	0.372027	0.424675	-0.052648	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	29e61bfaad63d266dd1166aa9de12b838ee5be858ff9c8f89f9e2f1cc3fcab39	9478d9c083a3687743cf122f96c2672fd20be5fa9792a4e4e7918a6273ce877e	f44eabfaa25f4e834e2bd026881ab66e6502493965158b22a23ed17e4e540f8	Kendall	NOISE-K	Simple Averaging	g	0.6342	0.6334	0.0008	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	eb24db97e614f5e0f688510bb8f558c4170bbbc15d8660f7390a09f7cb7f00c45	57c7b8d7230907e167893674f504e3197be735dfa7d997572c9a8c52ddc95	cec450986c3bc3bcb540dc9435200888c0f795b108fde262d13672ab1c526306	Kendall	NOISE-K	Simple Averaging	g	0.257	0.293	-0.036	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	f5ae926da9059d68f16ad52c07cfd379a8f1c2a179ab1b9be31b543870083aa38c	24520325e02c97f9d9fcf5e689e706885736b84dc56363487983d74da849741	52d175828b023bf35fabdb300b204de0c3e93afbd451f4a879d4e4f9e1142c	Kendall	NOISE-K	Simple Averaging	p	0.468799	0.481527	-0.012729	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	2f5c6b5f50d5c9acc744d1f2c8507f45ff758ff66ddbde6fae94c479475c543f	31948d98674bfe52a640b93fd5101a660634bd4b728d738d9ce26b261e17632a	90722e2449393f696b34ccb721c44da5c8daf3b7f2db7c0d52de1de98f501566	Kendall	NOISE-K	Simple Averaging	p	0.415088	0.468178	-0.053089	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	21a060798a4a42644f604c8f708591033770983858e03d96c75c7da14c846eae	9fa8051b4b531a545097a81d227e17657fb72c5e02e6e954ace9e6c548a0421	fafa9a78df88c0050e9990d475e39b96df89965e2e53d884c50a25ac122ece	Kendall	NOISE-K	Simple Averaging	p	0.5958	0.6012	-0.0054	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	270615ae37e64985938ef4c8543225e2f39b3ecac127d6a9433207507f68816	4d7e445d5d686ae75d9e566381e9a6b1d03c0056b244d0f6b102605e9e1d70	c781b23f98bc20127f9379cc8e39be9c38d1f1c1e86c36b3872a0826c4c486e06e	Kendall	NOISE-K	Simple Averaging	p	0.2822	0.3192	-0.037	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	9c9efe1812439e730a4bb9ee70ccefb57e0aa701f6fb8a12435dfb98f0d784b	55b18fdddb3a47cb416d7e97b2a642d18f03b763f1d9497e5f0528e583d326f2	6b6726d7cb1b6a1027140d8fd92d9c49b1eoc38f48cd33d903c1c19a511b9491	Kendall	NOISE-K	Simple Averaging	s	0.311688	0.313216	-0.001528	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	748e1dd61fa9f8da8b9ebe4e181afb99e71cddaa6724db937a41fb37d29e2b74f	d72837fd89b87d2f9933dea79bdcbb1dea1a3ebbb1ef524dfb95a083025eba8463	9936b28979da709cb90d4be04f8bd329927b9b950dd3fde80110dd6072c5c7f94	Kendall	NOISE-K	Simple Averaging	s	0.571683	0.59944	-0.027757	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	e9205f2d35b19173ad25cc8b66beb268e43ddda2a3c47119d4cc0a0cb87ddc6a6	727c7cf5c59b12d2d216ed6e978ad6cf6ad34b0a3c47119d4ccf47143cb4f555	94de8ed3490caa5fc1cc5480677d0aad550d2d89a0624b93b698177d0065cdd	Kendall	NOISE-K	Simple Averaging	s	0.406	0.4052	0.0008	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	5b7d2aa48283df54ab19198e0bd7d4ae9f6083f333150cf11cbdbad09676b3e	c1753f2026d4b58b7155edf3abc101ca9e9a04eaa897cc6f9440614446fa2575c	730888f3354c3b28585789e70aa561def3079e951c2e02af45a9c9bb0ff72145	Kendall	NOISE-K	Simple Averaging	s	0.4696	0.4942	-0.0246	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	dbe2ea3b84b22e0be5fd2a25ae30609c78107278b062d3e6b17d1f9e652983028	1375b28dc494b4244802c6eedd90ffc7c9c340d40b7a7a54a58bb1a72ab129281966bb3028	93a7ef618465ac73d948c7c9c340d40b7a7a54a58bb1a72ab129281966bb3028	Kendall	NOISE-K	Simple Averaging	a	0.097753	0.093451	0.004302	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	b335e59bcff0e568475b7de9810b8e75b35c2b9dee4233ae0df32	003f4aae1d4469587acc6cc185faef8cd9b0b79e7f1d93a18294def2328d9273df824f41f21697a1e72	c6cc185faef8cd9b0b79e7f1d93a18294def2328d9273df824f41f21697a1e72	Kendall	NOISE-K	Simple Averaging	a	0.728728	0.74044	-0.011711	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	59850324af8213c9dcbfecdca290a7b544aa015bbe004b39cbb28f4bf85cbb08e	131c8c140f684aa78931cbbd95ce670a6ccda553fc669bef20cf7a07e8b98aac	dfa6bea696402234fa33865ec9da3dedc7db8d6b190fa5084a58748ca7192751	Kendall	NOISE-K	Simple Averaging	a	0.114	0.1092	0.0048	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	122dbfcea48a5f0cf902269f9cf600fae16235bca2a8079ce93953a2dbc4b84f5	df91d939c5597d38cf399f20c6f283a82fbc4a4b8d4cec07318b232da6c233d09	e804c44fda0a71839810a697cbbda811e87b55bcb19559bb1d7597b4e4cb2cdda6	Kendall	NOISE-K	Simple Averaging	a	0.678	0.6892	-0.0112	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	951c0fe127a2f0df46c4b2a9738808e35f12020419a5fa934735a4a5137e9a80	5891a8a9cd85b40f68789bc3382e3a8bbfbda9d4112d3cc7b2b157e1c3c1238	25b03b24523f636f178a7175197a808bb193fd195b42eebd9d681a8dad18c54f	Kendall	NOISE-K	Borda	g	0.563273	0.518871	0.044402	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	5193cef8747bad0f84eddc95667274bd71ea9086bbbe86d58db5605f98327c3b	4bf615208c6a1ea2deceda20d62ac8a781cfba23a8a41d6173956eb2558457ab	a75e28a53bae4215386d98cc765a42294b2be57853b6d91704462db49d09f22ac	Kendall	NOISE-K	Borda	g	0.479543	0.495401	-0.015858	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	370407b10902a1d9d28dc34ae073fbc061bbc089484143cc4255701887932887	9b748e7df5910a7f38cbb081878a9552f096a3e55c7207d1784701298e602708e	cc35da9376200329db47eb0ba499beeb23b669d149fb46def9729c84bbbddbfaf	Kendall	NOISE-K	Borda	g	0.6526	0.614	0.0386	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	4102a30b296b76e8c66605c793fcd9d86194245fd19c87d1fcd1a8bb6ed19d19	61a4213bab69c079c95a42875852efdaf75c740ab1f40a784c0fe47e12e7490f	a54511558de768c51dec28f1a91d1143892fa05e6430695405916718f69886307	Kendall	NOISE-K	Borda	g	0.3286	0.3328	-0.0042	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	22747ac66684ef78807e0e66ea5b5fca140c235c8121de62284524f8db230682	e5c9a339941c142ea87bd55dc751efcf95be36978fb6a9385879a0e5d9008a08	097cb021cfcd746ea214c4e97f2c814ca1d028fb8b0d4113a18b59cc202ee70	Kendall	NOISE-K	Borda	p	0.524371	0.497361	0.02701	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	31d49bb05c417273077d096ace7f52f39fb897903749a2b3f23d4760271aa74	d52e6f0710735215d324c8c45a336dd3947755d1d7222cc4e064906a0d6c6d88	afca5af531d1c46ceeb1cd1b1d028898c3ac3649345578e5a6f03054f943c36	Kendall	NOISE-K	Borda	p	0.520646	0.538342	-0.017696	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	7adef0d93217680e3724a2cebdc37862607dd267c5e8554e60f0838b267e4fa2	1c3e169e89865d67f268ad1f1dd0c9826824c4cf1c46521eb7b06bb56379cb75	52205034356b4eb70637b3509168fbb6265236492faa1fe96532960a30c46139	Kendall	NOISE-K	Borda	p	0.6248	0.5964	0.0284	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	ff666744d1dddb889e4f728d7e8c2ecac72da5e8b1fe16ea5678b876345ae5c	9e09e3d755b419664f636a5f526e0c07b7969d8ae9039d8ba035c80437c9f0e9	c0731461ae56b91eea2af7765495228902866b43e9039d8ba035c80437c9f0e9	Kendall	NOISE-K	Kemeny	p	0.54362	0.492083	0.051537	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	7e2f7d157f87c325e2deb6c83ffa80d099b7363cb6329430a0d24a143e5b87d1	a9840687ee99f263206eb6c83ffa80d099b7363cb6329430a0d24a143e5b87d1	af87ecb1f113d4bfc4e99c3ba2f6059e2835ee5fb6aac2a3c384887b01b0a855	Kendall	NOISE-K	Kemeny	p	0.636448	0.583359	0.053089	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	eacff5ceff849ab190c7d7238589ca2eca3df7a4f63b2d6085ebb851875d490	9495039442839fec99f4f7db185ba2212f8eb99c99c679c16123c7d65dd32	e973a45b6a65e502a0adf26dda292cb2196a3aa8daebf547ccaf7647949dc2c5	Kendall	NOISE-K	Kemeny	p	0.6284	0.588	0.0404	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	28d56bce83fa8be157aec1974b5ee8f4f5cfda679dcf704954c291c52aaa906a	f2cab2eeb7b7e70ab1f2cc78d733b6e16e4b8926e68467671863db59c71f15f9	c82ccd26a9af4a49259b469f503c510c38c1bdf7874a242157f9bb95e0ac35c21	Kendall	NOISE-K	Kemeny	p	0.4354	0.3986	0.0368	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	cab2a66f40a7049a1330da6da25a6c7dd4eb3fdeb6b8631652499ac4d34c4e	c17bbfdd92bcbab2b11a0ebac9e1bd1dea4c69dcebb95b77cc6baeb7836c19a519	5f7c6b41f34b099d41eb7c30b2ea3acc8c8de6eeff2854de9f06da61f530ff	Kendall	NOISE-K	Kemeny	s	0.34632	0.293354	0.052967	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	affda4ae34be9e3b6a9a82548cecb671edf58272393342e99a01f82da7a84a	277cafbc337falad7a1f4c3faa9397aad481da5201f173bf72d8a2b80176247f2	4f9d3d0dd8aa9f4541c73508b566e64856e59ed11be3ab2c70b2678f7cc5cf84aa	Kendall	NOISE-K	Kemeny	s	0.732111	0.669468	0.062643	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	906af97773e381edf22f627964be2f338097c8fdd4ae8a83c0f02503cb80bbc	9f90a602b044123a0f785874049d37060eb6029f341e60767e385e10a7e1d4f08	34a5fbd331f8675eac9885acaa6b867a27d5893c341e6032e6a079177e672b8f	Kendall	NOISE-K	Kemeny	s	0.433	0.3846	0.0484	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	e306f1299e495970c346d085cb98ef39bfb2b61cf3c5875f3561ac0f6e77482	fcfcc7cfca0e3730a2b3c0b8d46b892c22499983c3c4b62cac372fb89a1e9f19	8be02caa35ee3be0033086eeaf38ba3a524bc649f2627a72137c2eb5f166556	Kendall	NOISE-K	Kemeny	s	0.6094	0.5514	0.058	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	26da093c74d67fcfb79bd30d959b9514380742b94d54bef73e358a762c709fa5	591c4871043859ac0448921fc0e222a21aa496bb439bdd45a1b1a05258a8dbfd	05716b4c0b9809265ff30a8c0cac919ee21a685b043150731dd3563b778f51c	Kendall	NOISE-K	Kemeny	a	0.091778	0.077916	0.013862	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	0658fcdcd593a0023e6114491e3ae3bcd79e02dc280318d55905155ca7967bd3	fc6a233281f66b6fb709507a8919dd204cf8e9521a09f3cce9b9fa7cd4ca4a67	a6ae2666c759e37beb349db3eb2467b8b2c52fb5174f3079b7c2eb6d82d41ce	Kendall	NOISE-K	Kemeny	a	0.834369	0.750956	0.083413	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	fc67688b6923cd047fd98a842d72aacdd186f2be0d59374bcdac468697bc	9267a8239faa55570854a37e1da537553d89c9b5fdbcb0e2e6e7dea0d88572a	181b23304b1ec5456b9c52986593959549abdcce954ca6fcad697b21c06b0abcb	Kendall	NOISE-K	Kemeny	a	0.1074	0.092	0.0154	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	e1c9eca42462ae4579f6d3b8f5d08c4ca9300e2aa77887db54e624f35c39f661	24b1db6935f6b2cff0d5b9205d3e8403988b59815ebdf03a8f14027fc402f83a	26f6b7573ea5d19eb60ae068620253dbbaedfbb1f9c40201497adba4a5f1958	Kendall	NOISE-K	Kemeny	a	0.7874	0.7	0.0874	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	cdfb486c9c029db240b1b18a14e61c283f2cd18d6afdea83c4d1129848065d3a	53711cc9f68461da64b113fa187bdc5c266cfe9824a2c66517579192a40676ad	63c2fdac44980b2495d78cd77a639af2ef1f1755158441c3102030993a9b40f2	Kendall	NOISE-K	RRF	g	0.560101	0.516968	0.043134	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	ef133cf01792ab8658d7f6101300818b2a25293d3f1b98300251a46e7dadcb11	f69a2363e09bfe766f82502a2c40b032a73c0c0391ee0778a17f4ea34a5db6e0	3310c9f82c7b4dd6d9b5a44cee90d60edac8513dce93ac2474ce8c5b0eca	Kendall	NOISE-K	RRF	g	0.52236	0.531874	-0.009515	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	6c7556ad4c352c80f1c9337dd405a6200dd8f99489da271fe58521f568877c24	16cbaeb9da46ce4a9d8513e72c4cbc2443cff86b72c8c6692207e0353500e3ba	b01a76ad856a32b60646a5a86d021541b9312a4552d59769ac824224d193a7a5	Kendall	NOISE-K	RRF	g	0.6504	0.6098	0.0406	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	d4d1237b8ebf1252868b2b0707889165fcbbe11a4b5b3999d3f1b58ca44c32ae	2ddee3d074f16cac33da6887b3d247118b305de610ae99f11ac4f4c8ea106e2ba	2abb2fc980ea9e926c1214dfd472b287ac560b8cebb64dd4404a84e2b6580871	Kendall	NOISE-K	RRF	g	0.3582	0.3632	-0.005	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	219bfb81cc605077e28f57531d3f022cb8b7b1ebf4a7260ad39647c6eb7873f	606045b7f60714ea637bbcd24a8e1f0b6fb244e27457013c610ce6aa9245540db	46ed34aacf67245b991ff3edde63d3634137190bfcff9c7e521cfc4467b57ea5	Kendall	NOISE-K	RRF	p	0.53679	0.502328	0.034461	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	c5b458c15e9f1f8da175cdcc152d295037559e637d9aed60a8db045ba1c8415	41a79af52580059671c01c5bb41b3f622feff91195aa789576146cb222b2f800	d7f7beb5f438483b062726452ebc73a38fb0fb23aed6cea77e55644b5aef422b4	Kendall	NOISE-K	RRF	p	0.560075	0.559764	0.00031	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	d12e4eb56c88970053a29202f12291894d9d550a8540661033312a30775c0ca	b5612cfbc4dc971f286c39dfca922f894d9d550a7021d8243eb3c07810762601	0c6e1adea59621ec8136b564773b4c8ab46e0ace9c07a0a9f8eeffdaa3d7eb26	Kendall	NOISE-K	RRF	p	0.6306	0.5946	0.036	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	069543da643be1f97cc9900ae49b431bb3c9019b8c940882033a6045447c8e7a	24c08cc15a79c902bcb44b59329aaec44911395f589106ee2c4d7c78fca212	4775604fb8ac589e6e644460f5c467f8dde35fae5331837abff5effdc1c190794	Kendall	NOISE-K	RRF	p	0.3834	0.3922	-0.0088	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	3be1accdef5b198edc170b1a7805965c7472a695a5eb3c274960047a885cc348	241ee7c9322b6da49441e9c1fbd44d69920891b04d16456c8fe8d2da8a4ba895	6c4956b7ae9d506e8df2c83c65bd3b48b2e2ac4c8ceb231170d02b34a75aa895	Kendall	NOISE-K	RRF	s	0.344792	0.29972	0.045073	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	ee54e7e8455f0099df5c780a4df8c0a81c6568b49bd8fb27c6ab1bd2163f9d26	b840f465563352154aa8da66f3539cdd402e2a2abb02bd05437d3dfb3fdd8151	7a8f0198e43bce718ce6a5cf7e0c7b0dfc288fafb9748cdaa320277512a1ae5	Kendall	NOISE-K	RRF	s	0.702572	0.679399	0.023173	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	9741d4141cd4614f7d38b458454f71186190e6483d475075b31ba2a567c57e6d	7ab157862b3451609b2bb0ba78a7d6355d736ccd4004d87aef6e27643225b0c5a	15eeaa1eae29ad2306fbb5955fd498e92f9fb880a213070bcedd27a9b6258a7d	Kendall	NOISE-K	RRF	s	0.4298	0.3938	0.036	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	176da2ade20d0fa21de1a10c0365d4ccc91a5b9b8f713a386b7abeeef21d6d9	0a36f8484ed90726233588ae12e84ed16b717b82e7ac2c4eae1e5b1ebf13aa2	f09e58aac93a8b045c625a7f4baeeceeb112d7ascf4960aab7c8afad96fb7e735	Kendall	NOISE-K	RRF	s	0.5826	0.5618	0.0208	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	ccfe2118efa3e171620ea9ab9bd9eab89ac0448388d59df4160e20632520cd82	9d8feb41e6145e69853f34f405e30aa386d332eb9838e948bb847d0daf1e1643	c325b1db6b4a9e9c93a6eece3e7d29733a96d5eaf470418bc286ae3d1c38fe42d	Kendall	NOISE-K	RRF	a	0.09369	0.078394	0.015296	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	e16f86787081b465439ea82cce9f57851c77fed56384b7b077d0b078f17a7d04	212dec837497fab9d782dc83729495e45e2dd340ef368da074c81d60001173	7f9e2d4f1232dbe903b901ee7a79e45eeeda1de96af22c6b958020f1f23f40a2	Kendall	NOISE-K	RRF	a	0.81501	0.769359	0.04565	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	f08282f079 1609302d88 95d0b365d6 a07da684b1 a31e40bc6c 5dc4aa7b77 3808	a1e419d621 848b8e13a4 e1908af224 a33786cc8b 3c53839bbd 99bae26c54 0f83	15096f5146 caff916c15 b2143b6a37 d978f3c638 93d45d1835 ac63d66067 052a	Kendall	NOISE-K	RRF	a	0.1102	0.0898	0.0204	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	be70d3ca48 7526b260d7 0aa6c8b465 36de5ad995 58536aa7d6 036480a4a2 e49d	742d6d5ace b0eee5a4d0 59b2ae2c00 586695d9b1 daa2a72e28 d57c81d805 ce95	c89a88bc3a c64aa4ed09 da5273ebdd 2c9209ccccc a83308188f d0fc21fb9 be87	Kendall	NOISE-K	RRF	a	0.766	0.7184	0.0476	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	2c72629cb1 4891f6f0d2 649fbcd732 701a8506c9 af207634cd 15b349c310 e944	5b48eb8edd 91450fd22d b5df04d533 1a5fd53b97 eadf6e12df 8353013a99 e454	feb26ac3e2 b7d7d22581 df0f0d31d7 d556bc7d83 2246c7690f 25099726ca c694	Kendall	NOISE-K	Schulze	g	0.564859	0.513479	0.05138	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	c133799b9c 6518027d3e 226e6d4dc4 057a5351d5 647cfab94f 36627b96ed ac30	12191124dd d9810883bf d9ccc1ac5d e5f55e7ef7 4877590840 c45a615278 b365	1482198cba 5384de1f12 a83bc303d6 9a5d15d46f 93b49d0f42 13b0cc2bdc 696a	Kendall	NOISE-K	Schulze	g	0.493498	0.533143	-0.039645	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	b5955dcf45 93d3ee43b1 0e84f9ef12 813ee84552 698eadf355 9d914afc7b dfd8	005b2447fd b60b72499 84ec31bb01 66c3729589 17de6f1e37 467354ee43 04bc	d8b79370b0 c779011140 d9fa820e91 f5a5fe774a 59b0245767 a02bce32ce a25a	Kendall	NOISE-K	Schulze	g	0.649	0.6056	0.0434	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	e7c1639e70 cefa4ea0c3 512b9ee991 4900ea3103 efcc21d318 540c765f6a 4ac8	d9a1b8082e 9c218c6afa ef266c2a60 b900d51124 ec7175df46 de83a02d79 57d3	7c8e686f95 c850ca726b ab24d490cb3 4ef6d636aa a559b8ccc6 1bf437b34a 34ca	Kendall	NOISE-K	Schulze	g	0.3406	0.3676	-0.027	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	0ebc24b55f 618ba49439 063b32689d e0650b9f0c 055dfc3a91 d8ed5140b3 1683	49e2486502 eb01998754 144373e292 626ad5646e 3dfa1e4ee0 4bb4ba9644 1a6c	aa7c6329a8 034f884a22 7e83cd95b8 be04cc52c3 d8e7c8d41f 0ae67ac921 1924	Kendall	NOISE-K	Schulze	p	0.536169	0.491773	0.044396	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	a2cc3ff677 22b52e0e83 af67d708f6 192234ecf0 29685b4aba 529a8cd103 06e5	b7d115fb62 8453fb2192 0c92b70a01 b02939bee6 5c3da4abf1 6485b98ef2 2c80	0920fc3bc5 7369abe96d fd41e826e3 980b396eef 08be9dbc2f 924ea58096 b0a5	Kendall	NOISE-K	Schulze	p	0.532133	0.559454	-0.027321	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	0a5b3e0807 d8a53fb985 3bc1fc42f0 d0fd972c1f 6ce656d598 0809408f36 4a7b	34bf5148d8 2a16b38042 b40c9c1c01 84283ad8ca 82671db1d0 6fc7daf020 5123	9430e82665 9039b66c66 eb6122952e b645ee9b81 2a1df99637 d71833a402 e0f9	Kendall	NOISE-K	Schulze	p	0.633	0.5884	0.0446	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	f341014251 0e07428096 c6aafe1226 1ad533014e db828292b7 4196579ae2 7470	e4f5a30591 869f4331f7 b65fc43ea2 f3a8080864 ea2fb438f5 7c989d1dd2 dfb9	af614ac7608 45340add1f 5f2148e508 c594b06af3 edf1cf520a 22cfafae89b9 aa90	Kendall	NOISE-K	Schulze	p	0.367	0.386	-0.019	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	62fa4e0298 9443098a5d a863b27b76 45de871241 0728b4afca 6aace8646c 6637	f6f98ec919 30ffa814e2 8e28ee60b8 044dc5d070 7f5c008172 b6f13190a4 65bf	44cc8fe278 bdca62e811 9131697219 68f2687794 9aeca24462 bee64d4c7c f308	Kendall	NOISE-K	Schulze	s	0.33919	0.298701	0.040489	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	30b1db52b9 2f7e3c42f4 07e7e5da87 c1efca1605 4946e65662 5a1816d84a 1823	937301c990 8f21e0f4ff 15e5b1f33e b5d5135ac4 6ee051752 48fa6c9359 b7fc	425d36c0db ab8b4754ff 17e113b985 9480a552ac 040d8c83a8 d09df2b17d acd8	Kendall	NOISE-K	Schulze	s	0.680672	0.677617	0.003056	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	5bbbab794 6bccbc0871 537cd5cd3b 5a238bae15 9c2294b564 dc3140c396 2df7	4bf4df97da faadc81aa3 aeb31e281d ded7b2b26b f979040903 4e6a45934d 36cc	92d4fbc1b6 d2194f3138 bf83449044 d43e60d458 61aebbc407 5953a4edf5 b6f2	Kendall	NOISE-K	Schulze	s	0.427	0.388	0.039	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	Candidate Endpoint Id	Baseline Endpoint Id	Geometry	Geometry Label	Rule	Noise	NOISE A	NAIVE A	Delta A	Outcome A
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	1f45a36af7fd65a39d34a3064329dcf03b84579d72d383a2517b2d32ed9d8f66	cd10fb193e306905ec940f7a48043fde9db0a2db0d1733238b07869b3fe22b91	7d6df3692f96aa539e551d303bfaa482133262ff82c353677324492b61d0651e	Kendall	NOISE-K	Schulze	s	0.5632	0.5598	0.0034	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	fa12360696b5e5cd04896814fd703a2a8feb4d9818eea6a884058d15c340165d87e54ac94a	c49ca629b430518a33b42a8feb4d9808498d8ad1a46910f82108e31adfdc7a97	1a0d1e25ddc12c2fb4aa893c17812839e23a3d53a2993e08cb46a2bca5d3c8f2	Kendall	NOISE-K	Schulze	a	0.09369	0.077677	0.016013	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	cf6d635b80bb7b5a96d9fb5390f532c0bf52733081d52de21ccf562d5ce839c8c	d22e12c4ff5d150e57af80aff6ffa2000514ebf2699d2bdef0d973e07f1f01491	15e5795e91a1fb4665df88220d1393abaabc84eb1bce5b229b62820603b0e97	Kendall	NOISE-K	Schulze	a	0.800908	0.75956	0.041348	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	c64afdc15e139133b16a74c3d93df9285d96d93b5fd791a9c23685c86df2d5e0	7a9e235d35ca5d01db35904996fd202311e9b9d80bfd63ab91045e1a92ca1193	f95441441b1f92747f3829ec282f7e592831290f86f75d63cb4e4a6d2f211ef0c	Kendall	NOISE-K	Schulze	a	0.1104	0.0896	0.0208	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	4e1e124e0c90ecd77c9be488d32322dedb6122b8483827fdafb02d6bf4ba5c87	a23c380ab80a578c7a22f22913a83ce71ddc9fcdacd106e7e93a8ab961ba37b	e8f7223572c1245622c105355b5c43a86fde5d7080607aae13fff5132da6a677	Kendall	NOISE-K	Schulze	a	0.754	0.7062	0.0478	win

Table 149: ImageNet–ResNet-18

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	8cbcad500f6481f9f2a12ebaaae7976337730b771aa06b8d413d8edbcc8df33	1	1	0	tie	0.727338	0.722306	0.005032	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	b64a756b5bb5a8be686152455ddb113fa2dda14540afb0e5dcbaa4b1f171394	0.609037	0.606699	0.002338	win	0.515173	0.507592	0.007581	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	5d7e91f274f4dc749dbcafb8b83dd779e21d02081fb4152d1980539b77b50c3	1	1	0	tie	0.79975	0.795864	0.003886	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	8523cbe516dcc191c6b336e44dc626753031f5f6ce1050c9574a13f63ac78e4a	0.478551	0.477354	0.001197	win	0.379657	0.373985	0.005672	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	d66781c05e79eb1509c4f4ee4eb3e6e7606270f98e95da65326b68a12c806589	1	1	0	tie	0.703696	0.693922	0.009774	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	38628f4d7aebe30b44d5635df40b67d44b47175c5ce98d3516b01b48e7715e	0.656926	0.668848	-0.011922	loss	0.555681	0.559589	-0.003908	loss
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	ce09faf41ed40f67441f80a7b98232c9b5518c83b19fe3aa40bc1ae5b1222593	1	1	0	tie	0.781665	0.775371	0.006294	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	4bee20c2f127d5b3bff4618ccca9150cce8d50cc4c8be5bbbff35735270c1f6e3	0.507785	0.520039	-0.012254	loss	0.40285	0.407427	-0.004577	loss
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	9c05d1075dcab622f6f170e9f16d8491585bd14bf491a95d40ae9bb2cb350d037	1	1	0	tie	0.575804	0.559657	0.016147	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	25b3d63ea062be80865e2c20d0acd1b2907d7f14ece0f9c28d1cd0526254e8b39	0.851654	0.856372	-0.004718	loss	0.720398	0.711648	0.003918	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	1a754d5ee6bba962fd47cc1e1689127a3cea8c991dclb0bc1a	1	1	0	tie	0.650692	0.636553	0.014139	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	a8f6c7631e013a2e4316cf30a557134ad09ab7282e733fb840ab30d6e7e7d3a1f3c67b5d68d0b2	0.80394	0.805148	-0.001208	loss	0.637804	0.630797	0.007007	win
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	961b1992289a758c7507ea0620db63407f6e20c9019aaadece17bb1e21ade26	0.462195	0.452962	0.009233	win	0.214627	0.205742	0.008885	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	6758ce1977 4da5543fe2 52e836ed02 5679e1c207 f3a80cc411 c257061fbe 57bb	1	1	0	tie	0.869606	0.860488	0.009118	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	37d1560160 d170261505 0fe892c2ae 28de7202a0 4f045ac014 209885cfb6 e433	0.377646	0.381818	-0.004173	loss	0.207671	0.204192	0.003478	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	flc993e20b d404b66d48 1bdbcc1063 9b757a4345 5e88ef0725 7e4e32d3e8 19a6	1	1	0	tie	0.841546	0.830181	0.011365	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	3befffd8aa 3ce1d7b5d8 908600eeb5 91698584f5 d1e8ca7177 8f03fe4505dffb	1	1	0	tie	0.752625	0.720327	0.032298	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	1320c86686 cfdea371f0 84b535721 4689b02cf8 b09ec96175 42930e2977 6456	0.681122	0.670635	0.010487	win	0.603324	0.576397	0.026927	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	117bd6bb6b 4556a9f3a6 e9d8502cd7 fec297447 dc329b9970 c36349891d 6edb	1	1	0	tie	0.803368	0.783582	0.019786	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	2b63c72dd6 1d28ee21a8 cbe612bdf5 1eba8fd50 ebc7855f4b 30acdab371 2707	0.532397	0.50918	0.023217	win	0.444671	0.411649	0.033022	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	17d7d2aefc b6101734da 2ad738702b 2066eff9ec c4c1713dba 6a3cdc3b55 76d1	1	1	0	tie	0.733718	0.705238	0.02848	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	ca6a114fa3 575ef2019c 26b45098df 4c65254d55 33dbdd3990 6ad670cea7 8c80	0.734407	0.728765	0.005641	win	0.650522	0.626359	0.024163	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	09be14c9f9 e81655ea11 57abff1828 2cefe79a19 3e9ce810e0 eb3ce3179d 5f30	1	1	0	tie	0.792843	0.772269	0.020574	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	04711d1bbd ab0bbc809b 107340fadb 3ad533d198 6cb2f1789 d28171cc6a 5e95	0.570241	0.568237	0.002003	win	0.476279	0.459395	0.016885	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	023c9a0349 30a7cb5fdc 47a93d62b5 3d990cd00d 1c971a6824 bdea407925 c416	1	1	0	tie	0.581306	0.544435	0.036871	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	a4bde2fbaf efb4eaca2b 9f33799087 ab074ad715 bf51714fac 9537d900fd eeb3	0.916868	0.903171	0.013697	win	0.812142	0.776256	0.035886	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	4cd07c64fd 88660f1623 c452c4a5d1 897fbda229 ef9bf3c484 7585b77d09 7c74	1	1	0	tie	0.655134	0.62434	0.030794	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	225ebe6f53 82db665e0e 4fe9e9b770 a915a72211 71657d2b75 463ea62898 50c8	0.853211	0.842411	0.0108	win	0.712623	0.681052	0.031571	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	13c3c874ca 030392c0e7 bce4c26ea2 0a9c69b229 560cac244f 04a45b242b c869	0.40723	0.398639	0.008591	win	0.191809	0.17324	0.018569	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	7494bc7be9 42dd70b613 805471bdb6 8164d7d0ba 3bd0d903b9 9ad143ef7a 9800	1	1	0	tie	0.90595	0.872624	0.033326	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	b7a8191e13 56f1d8346 1469fb207f e11e7ed223 72fd15bd60 79eec9ec53 91be	0.338896	0.317126	0.02177	win	0.189176	0.166484	0.022692	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	be071a3b4f 1e85ebb1e0 be573d78fd 560c99291f 0506a8a5c3 707aac372a 542f	1	1	0	tie	0.876812	0.840714	0.036098	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	62d963093d d85ae44c2 4ae1ecfb36 f07c05330b 3f3a4f88e6 f5bbfe4d15 dae1	1	1	0	tie	0.740304	0.715024	0.02528	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	73288a3ee1 33bf1f5843 4e240d727a 7cfe7847e7 b496dfca38 b5f770174b 534b	0.749859	0.733002	0.016857	win	0.671855	0.627548	0.044307	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	ddd8d2470 eaba6a4989 cecf30eb6 06a741b9ec 734850136a 65c6a42d69 de17	1	1	0	tie	0.791707	0.774984	0.016723	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	7e547281a9 e34f711d01 557d892c0b f6edbea32e 91f32b73d7 10175131c5 752a	0.573049	0.573755	-0.000706	loss	0.487193	0.462861	0.024332	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	508fcaed6d 7db48dfa9c 4f16684fe3 b334198c6d 0823b828de 950b7764f3 d09d	1	1	0	tie	0.722418	0.701486	0.020931	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	795a217e74 325fe5d871 74f0e837d7 340de4141f 8dc5864a8c 89cdace6d2 fa2d	0.809442	0.795888	0.013554	win	0.725241	0.681387	0.043853	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	3f995ec027 8f2ec9bb17 aaf13ad505 319aa8c67a cae80ec7f5 7807f2c345e165	1	1	0	tie	0.780128	0.766812	0.013317	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	6467fa916f46d5a6afe76f4b241d8a7ec30ce0365f0c899bcc2dbf94440bce7c	0.618705	0.612477	0.006228	win	0.526008	0.494098	0.03191	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	a2754e3525b3a3c5fe8e7656eed5779b08fcb9730afb5bc24968ac0e8e5271d7	1	1	0	tie	0.570473	0.541621	0.028851	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	bf80fa5995338d7facecd466d654fd3040128e4cca7f4d46ac79e5688944f644	0.928155	0.913367	0.014788	win	0.831605	0.781965	0.049639	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	4f2b992312307016a2d72bc7702d0e694217837933c816494c386d8e40704fc2	1	1	0	tie	0.641405	0.620161	0.021243	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	7cd6bf4a5e569e415a02042987877f316cf22604e4893a14876686d2a2c982c8	0.859436	0.847265	0.012171	win	0.730672	0.683507	0.047165	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	65323b9608518bf1246641770804267c88da6fad0e9e66a7fd	0.390764	0.418923	-0.028159	loss	0.17872	0.180668	-0.001947	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	a2fcb5d5f09630fcd1c8e247baf2897658246d363e2312fb2a99f40bb2456c3d3f405a235e019	1	1	0	tie	0.901852	0.866577	0.035275	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	f68f49865fd55d8ff7c6fbcc6fc5254a67c14c1d70ef891399a54ba9cdd16ca2	0.312962	0.339483	-0.026522	loss	0.170787	0.176727	-0.005941	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	6a4bc7037580cb9416cfd8a3b753b1487269e9b375e6ccccc2802d4ed294057	1	1	0	tie	0.873499	0.83666	0.036839	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	fb6d046f157d34cd214bc6191793b2a745f8a4f8d33fb8208fc25ee4f8724020	1	1	0	tie	0.754519	0.719005	0.035514	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	cd0dd4c03f2c91a785ab599f274d1a9fb5b687e968da383e8f5c2fee4c7897d	0.729278	0.718847	0.010431	win	0.655552	0.618333	0.037219	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	72cc4f279dc1a68c59db26937763e5d9d65ba59ecf17a79d4d28b9fc026e20e3	1	1	0	tie	0.79975	0.780897	0.018853	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	594084cc62415812667789bc4530e66245d94a538edf633a3220c3d13f5e59e2	0.558467	0.552311	0.006155	win	0.475583	0.447883	0.027699	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	6a643c97dfd2d7f9058ea170e5afccdf9f9e655e0afb5acd466020ecd5bd7d61	1	1	0	tie	0.735409	0.708751	0.026657	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	9db5444984 355a3e4076 8a1515ca7d 4f44895758 e272c3892a 8cd1ea6836fe1e	0.790726	0.756541	0.034185	win	0.710788	0.650757	0.060032	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	869985b742 023547971a 73628f5cd1 3cfe2041a2 20b3721be4 7db4655602 2be3	1	1	0	tie	0.791328	0.771103	0.020225	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	d02f5532d4 1addcb2ca3 7415e79823 1c1db05d40 b19478cfff8 2a0d295eab a524	0.608384	0.596411	0.011973	win	0.518092	0.483645	0.034447	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	478a129e85 ba8cd1eadb 1988d903bc 355964f5b0 5fa0246263 4af06fe31756a5	1	1	0	tie	0.582182	0.547467	0.034715	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	4fc207058b a38738ed58 c804045a79 f88f01cfd1 ce127977ae 3c095cc691 41bc	0.92369	0.918231	0.005458	win	0.83031	0.789839	0.040472	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	7db2c7c949 bddf31306c 76d2fb7124 2f5bd4d00c d2a630e3bc fab9042f3b dcb6	1	1	0	tie	0.652687	0.627535	0.025152	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	9d1ddf59ba 4aa30e4b46 7977e85eee 3dd6bc175c 7b8ec8d63b 602c61c6b0 d408	0.859349	0.854319	0.00503	win	0.73181	0.692789	0.039022	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	96eddd8c16 3454af8be5 fca7ab1596 6e306feecb 98deb40fb 6df1c18f97a9be	0.397942	0.406851	-0.008909	loss	0.18632	0.178591	0.00773	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	a6d6141183 a85ca20322 d1ac93d1a3 d3465b6ce0 04fa964f3e 5b8b77cfcffc52	1	1	0	tie	0.916051	0.877131	0.038919	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	2a071ac2fe 5fe19693f0 b5a60fbe44 315d76ff0d 7583d35be4 c1678e72ba 77a8	0.332029	0.319346	0.012683	win	0.183849	0.169344	0.014506	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	8f3c95fa5a 64dbdeef48 8b9a8eb3af 051ab8c8ed c43923a749 4595ab8a53 cf27	1	1	0	tie	0.888257	0.847585	0.040672	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	012206650b 636b2dbf74 a59ba7046f 86f9f10c81 401a60c591 ca72a68aaf43c9	1	1	0	tie	0.741116	0.716575	0.024585	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	98abe11f15 b26d2be6e6 e98260e16d c45fcaa32f f57d163b7e e0338535cf8552	0.751648	0.72126	0.030388	win	0.669637	0.620109	0.049529	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	be26dcfc5 1d2c46d3e9 565453edd4 e5471ac556 c6e586a095 94e1a6febb 9cb7	1	1	0	tie	0.788162	0.778203	0.009959	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	7200bfcc0b c078e636c3 046acn945d 6b9a731100 31e406e883 e315d92661 46f1	0.578563	0.560708	0.017856	win	0.488467	0.454	0.034466	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	d555b0fe46 4867b33f5c 816e657b57 ea713cca94 bf67320797 09324d26b9 609f	1	1	0	tie	0.726275	0.701265	0.02501	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	471f2bfea2 8851fee586 f6899cd948 f902a9fe3d 129e46bcab 12e948e234e38f	0.822227	0.756855	0.065372	win	0.732516	0.650711	0.081804	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	5a57e46839 a17ab53345 be6296eaf5 ee3e8eaa90 2d4269422c e8171d441d 58d0	1	1	0	tie	0.784347	0.767072	0.017275	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	2c178b3512 e09457de00 480cba8259 41f8bfceaf c2736b8a30 b7a65a9463 c5ca	0.62514	0.588774	0.036367	win	0.52779	0.476725	0.051065	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	b2119b7f8b 34ef5ee0ba 2efde5b6bd cde4b5aeea da831a5592 1cb31fe92de89c	1	1	0	tie	0.573145	0.546536	0.026609	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	cf1dda86ab ffb2951fc8 91b5faf98c 94e33670ea fb5fea9538 ea1c11c578 b82e	0.938137	0.916711	0.021426	win	0.835779	0.788149	0.04763	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	5f172a0245 987eba4f45 c6b2f612ab da2fe8015e d3c3f08bbf b4244bb49b e64b	1	1	0	tie	0.642651	0.622896	0.019754	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	84a1442c4e f2fd35d4e3 9fe09b4750 d90566235b 42eb24dcd5 0d53e123f5 c877	0.871493	0.853874	0.017618	win	0.735779	0.691375	0.044405	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	b010ee3366 723c228861 5a2ea5b0d1 8bd95dfd84 c07c1fcf88 87e84f980d 5693	0.386058	0.412338	-0.02628	loss	0.174232	0.178967	-0.004735	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	2e02a1a974 58d8104470 d3de7bbe62 1ec832e948 347d65ff6e 04ad97b6db 5315	1	1	0	tie	0.900393	0.871528	0.028865	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	00b8c12ae5 220dedd1e0 5794e86ffa a452b02e03 9c777c1ae5 endedd69aa3 7271	0.30733	0.324638	-0.017307	loss	0.167601	0.170551	-0.00295	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	aa4108ba8b af44c83905 6e1a72ed7e 4a35ebad06 e536fb1399 ff339085c2fcc	1	1	0	tie	0.873842	0.840357	0.033485	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	6b1ccb9004 985490c323 0f4c485699 aa4549d48b 9344a14eb1 d5fbb2127 5572	1	1	0	tie	0.721866	0.722306	-0.000439	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	e7e2cceff8 009b1ec8dc 6a0e70325e 601143753e 8f7b9d9ecc 185d859945 d4bd	0.549113	0.606699	-0.057586	loss	0.451979	0.507592	-0.055613	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	29e61bfaad 63d266dd11 66aa9de12b 838ee5be85 8f9c8f89f	1	1	0	tie	0.796367	0.795864	0.000502	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	9e2f1cc3fcab39 eb24db97e6 14f5e0f688 510bb8f558 c4170bbc15 d8660f7390 a09f7cb7f00c45	0.428619	0.477354	-0.048735	loss	0.331896	0.373985	-0.042089	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	f5ae926da9 059d68f16a d52c07efd3 79a8f1c2a1 9b1b9be31b 543870083a a38c	1	1	0	tie	0.684689	0.693922	-0.009233	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	2f5c6b5f50 d5c9acc744 d1f2c8507f 45f758ff6 64db4e6fae 94c479475c543f	0.612673	0.668848	-0.056175	loss	0.504295	0.559589	-0.055294	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	21a060708a da42644f60 4c8f708591 0337709838 58e03d96c7 5c7da14c84 6eae	1	1	0	tie	0.771881	0.775371	-0.00349	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	270615a9c3 7c64985938 ef4c854322 5e2f39b3ec ac127d6a94 33207507f6 8816	0.470647	0.520039	-0.049392	loss	0.36444	0.407427	-0.042987	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	9c9efe1812 439e730a4b b9ee70ce6 b57e0aa701 ff6bc8a124 35dfb98f0d 784b	1	1	0	tie	0.558291	0.559657	-0.001367	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	748e1dd61f a9f8da8b9e bc4e181afb 99e71cddaa 6725b937a4 1fb57d29e2 b74f	0.843808	0.856372	-0.012564	loss	0.694544	0.71648	-0.021936	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	e9205f2d35 b19173ad25 cc8b66beb2 68e43bdda2 9547119d4c c0a0cb87dd c6a6	1	1	0	tie	0.637181	0.636553	0.000628	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	5b7d2aa482 83df54ab19 198e0bd7d4 ae9f6083f3 33150cf11c bdbad09676 6b3e	0.783189	0.805148	-0.021959	loss	0.606453	0.630797	-0.024343	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	dbe2ea3b84 b22e0be5fd a25ae30609 c78107278b 062d3e6b17 df19c65298 3028	0.473815	0.452962	0.020852	win	0.215214	0.205742	0.009472	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	b335e59bcf b2bc07c580 f0e5568475 b74e9810b8 e75b35c2b9 dee4233ae0 df32	1	1	0	tie	0.853656	0.860488	-0.006832	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	59850324af 8213c9dcbf ecfea290a7 b544aa015b eec04b39cb 28f4b85c5b08e	0.396936	0.381818	0.015118	win	0.212722	0.204192	0.00853	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	122dbfcea4 8a5f0c9f02 269f9cf600 fac16235bc 2a8079ce93 953a2dbc4b 845	1	1	0	tie	0.823408	0.830181	-0.006773	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	951c0fe127 a20df46e4 b2a9738808 e35f120204 19a5fa9347 35a4a5137e 9a80	1	1	0	tie	0.750515	0.720327	0.030188	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	5193cef874 7bad0f84ed de95667274 bd71ea9086 bbbe86d58d b5605f9832 7c3b	0.628424	0.670635	-0.042211	loss	0.54896	0.576397	-0.027438	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	370407b109 02a1d9d28d c34ae073fb c061bb089 484143cc42 5570188793 2887	1	1	0	tie	0.807837	0.783582	0.024255	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	d102a30b29 6b76e8c666 05c793fe9d d86194245f d19c87d1fe c1a8bb6ed1 9d19	0.484375	0.50918	-0.024805	loss	0.398956	0.411649	-0.012694	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	22747ac666 84e678807e 0e66ea5b5f ca140c235c 8121de6228 4524f8db23 0682	1	1	0	tie	0.724135	0.705238	0.018897	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	31d49bb05c 417273077d 096ace7f52 f3efbe8979 037d9a2b3f 23d4760271 aa74	0.682287	0.728765	-0.046478	loss	0.596012	0.626359	-0.030347	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	7adeff0d932 17680e3724 a2cebd3786 2607dd267c 5c8554e60f f0838b267e4fa2	1	1	0	tie	0.790443	0.772269	0.018174	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	303663ce7f 2e80be6db2 362e2772a4 f6269c5b71 9a5abf7710 9ff473f9aab283	0.530071	0.568237	-0.038167	loss	0.436593	0.459395	-0.022802	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	d043a04253 7566d644c6 87fec888ee 781193212d 4358813249 59550175f9 e6d3	1	1	0	tie	0.579771	0.544435	0.035336	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	da76ef70c6 3f307ae8b9 d650ef9b53 1b4af2dff5 1e35e66c83 62e9a4aedc 2650	0.894666	0.903171	-0.008505	loss	0.781535	0.776256	0.005279	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	9940c71252 df6df90be6 5230b43608 4ce7e18e36 72ec31561f fbd27e68ffdc	1	1	0	tie	0.652534	0.62434	0.028194	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	deec5253b90082746e721d0fc26fba4e37284c2615884bce5bc1c99f61657591	0.831663	0.842411	-0.010749	loss	0.684999	0.681052	0.003947	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	3c2f5b4cb61dc7211c49d0b47061918856dbc50022e3e95e3f71e295395ee3a5	0.409284	0.398639	0.010645	win	0.193813	0.17324	0.020572	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	8cb3cc000cd26e5ca13c88a615946ab3eb7c862c4d4e0f566eea8705453b063a	1	1	0	tie	0.891322	0.872624	0.018698	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	4f7f6bb3241d83504d964865d4837157a8f83de5a9ed734ae6f0f3c1b2bee27	0.349359	0.317126	0.032233	win	0.195141	0.166484	0.028658	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	6e980754d05c5a60b9decb771a97474cc3825a02ef77207ec	1	1	0	tie	0.866256	0.840714	0.025542	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	f8501f99513f634b503dae2d84bbd0f2ef164f12cab81989f675317255a410b0d7c866c09d6590	1	1	0	tie	0.753257	0.715024	0.038233	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	f3489d80679b18a3e397318f5dfdda0edf7b3122792e4e3042ece26c1d52d81	0.729393	0.733002	-0.003609	loss	0.65313	0.627548	0.025581	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	bcb4d75c954eafdaa8803083eb5f2bbdc923b494e3f8740960086923b3ef3c881	1	1	0	tie	0.802994	0.774984	0.028011	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	77d57b031ab88c94db9266919d5d7f7972fed3f63a52cce876eb5119abfd864	0.570426	0.573755	-0.003329	loss	0.481597	0.462861	0.018736	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	ff666744d1dddb889e4f728d7e8c2ecac72da5e8b1fe16ea5678b876345ae5c	1	1	0	tie	0.737306	0.701486	0.035819	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	7e2f7d157f87c325e2deb6c83ffa80d099b7363cb6329430a0d24a143e5b87d1	0.793758	0.795888	-0.00213	loss	0.710764	0.681387	0.029377	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	eacff5ceff849ab190c7d7238589ca2eca3df7a44f63b2d6085ebb851875d90	1	1	0	tie	0.792717	0.766812	0.025905	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	28d56bc683fa8be157aec1974b5ee8f4f5cfd679dcf704954c291c52aaa906a	0.610831	0.612477	-0.001646	loss	0.515709	0.494098	0.02161	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	cab2a66f40 a70d9a1330 da6da25a6c 7d44eb3fde bbbeb86316 52499ac4d3 4c4e	1	1	0	tie	0.58849	0.541621	0.046869	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	afffda4ae3 4be9e3b6a9 a9825d8cec bb71edf382 72393342e9 9a01f82da7 a84a	0.913065	0.913367	-0.000302	loss	0.817597	0.781965	0.035632	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	906af97773 e381edf22f b27964be2f 338097cf8f dda4e8a83e 0f02503cb8 0bbc	1	1	0	tie	0.658027	0.620161	0.037866	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	e306f1299e 495970c346 d085cb98ef d39bfb2b61 cf3c5875f3 561acf06e77482	0.854938	0.847265	0.007673	win	0.721803	0.683507	0.038296	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	26da093c74 d67cfb79b d30d959b95 14380742b9 4d54bef73e 358a762c70 9fa5	0.409721	0.418923	-0.009202	loss	0.193916	0.180668	0.013249	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	0658fecdc5 93a0023e61 14491e3ae3 becd79a02dc 280318d559 05155ca796 7bd3	1	1	0	tie	0.913438	0.866577	0.046861	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	fc6b7688b6 923fcd047 fd98a842d 72aacdd186 f2be0d5937 4bcdac4686 97bc	0.34335	0.339483	0.003867	win	0.192031	0.176727	0.015304	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	e1c9eca424 62ea4579f6 d3b8f5d08c 4ca9300e2a a77887db54 e624f35c39f661	1	1	0	tie	0.887356	0.83666	0.050696	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	cdfb486c9c 029db240b1 b18a14e61c 283f2cd18d 6afdea83c4 d112984806 5d3a	1	1	0	tie	0.748399	0.719005	0.029394	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	ef133cf017 92ab8658d7 f610130081 8b2a26293d 3f1b983002 51a46e7dad cb11	0.672524	0.718847	-0.046323	loss	0.592705	0.618333	-0.025628	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	6c7556ad4c 352c80f1c9 337dd405a6 200d48f994 89da271fe5 8521f56887 7c24	1	1	0	tie	0.806474	0.780897	0.025577	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	dfd1237b8e bf1252868b 2b07078891 65fcbbe11a 4b5b3999d3 f1b58ca4c32ae	0.518679	0.552311	-0.033632	loss	0.431035	0.447883	-0.016849	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	21f9ebf81c c605077e28 f57531d3f0 22cb8b7b1e bf4a7260ad 39647c6eb7 873f	1	1	0	tie	0.732659	0.708751	0.023908	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	c5b458c15e9f1f8cda175cdec152d295037559e637d9aed60a8db045ba1c8415	0.721081	0.756541	-0.03546	loss	0.635499	0.650757	-0.015258	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	d12e4eb56c88970053a29202f12291604e9ecd10a8540661033312a30775c0ca	1	1	0	tie	0.794103	0.771103	0.023	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	069543da643be1f97cc9900ae49b431bb3c9019b8c940582033a6045447c8e7a	0.555169	0.596411	-0.041242	loss	0.461359	0.483645	-0.022286	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	3be1acc4ef5b198edc170b1a7805965c7472a695a5eb3c2749600d7a885cc3d8	1	1	0	tie	0.58719	0.547467	0.039724	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	ee54e7e8455f0099df5c780a4df8c0a81c6568b49bd8fb27c6ab1bd2163f9d26	0.904542	0.918231	-0.013689	loss	0.797186	0.789839	0.007347	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	9741d4141cdfe14f7d38b458454f71186190e6483d475075b31ba2a567c57e6d	1	1	0	tie	0.655591	0.627535	0.028056	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	176da2ade20d0dfa21de1a10c0365d4ccc91a5b9b87f13a386b7abeeff621d6d9	0.843614	0.854319	-0.010704	loss	0.701063	0.692789	0.008274	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	ccfe2118efa3e171620e8aa9b0d9eab89ac0448388d59dfdf160e20632520cd82	0.415595	0.406851	0.008745	win	0.197325	0.178591	0.018735	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	e16f86787081b465439ea82cce9f57851c77fed56384b7b077d0b078f17a7494	1	1	0	tie	0.902779	0.877131	0.025647	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	f08282f0791609302d8895d0b365d6a07da684b1a31c40bc6c5dc4aa7b773808	0.349619	0.319346	0.030274	win	0.196286	0.169344	0.026942	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	be70d3ca487526b260d70aa6c8b46536de5ad99558536aa7d6036480a4a2e49d	1	1	0	tie	0.875214	0.847585	0.027629	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	2c72629cb148916f60d2649fbc7d32701a8506c9af207634cd15b349c310e944	1	1	0	tie	0.751571	0.716575	0.034996	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	c133799b9c6518027d3e226e6d4dc4057a5351d5647efab94f36627b96edac30	0.650379	0.72126	-0.070881	loss	0.566534	0.620109	-0.053575	loss

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	b5955dcf45 93d3ee43b1 0c8d9e612 813ee84552 698eadf355 9d914afc7b dfd8	1	1	0	tie	0.805605	0.778203	0.027402	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	e7c1639e70 cefa4ea0c3 512b9ee991 490aea3103 cfcc21d318 540c765f6a4ac8	0.505191	0.560708	-0.055516	loss	0.414811	0.454	-0.039189	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	0ebc24b55f 618ba49439 063b32689d e0650b9f0c 055dfc3a91 d8ed5140b3	1	1	0	tie	0.732236	0.701265	0.03097	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	1683 a2cc3f6f77 22b52e0e83 af67d708f6 192234ecf0 29685b4aba 529a8cd103 06e5	0.701295	0.756855	-0.055559	loss	0.610887	0.650711	-0.039825	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	0a5b3e0807 d8a53fb985 3bc1fe42f0 d0fd972c1f 6ce656d598 0809408f36 4a7b	1	1	0	tie	0.795613	0.767072	0.028541	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	f341014251 0e07428096 c6aafef1226 1a4533014e db828292b7 4196579ae2 7470	0.544349	0.588774	-0.044425	loss	0.446963	0.476725	-0.029762	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	62fa4c0298 9443098a5d a863b27b76 45de871241 0728b4afca 6aace8646c 6637	1	1	0	tie	0.5824	0.546536	0.035865	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	30b1db52b9 2f7e3c42f4 07e7e5da87 c1efca1605 d946e65662 5a1816d84a 1823	0.897055	0.916711	-0.019656	loss	0.781409	0.788149	-0.006739	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	5bbbabd794 6bccbc0871 537cd5cd3b 5a238bae15 9c2294b564 dc3140c396 2d47	1	1	0	tie	0.653452	0.622896	0.030556	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	1f45a36af7 fd65a39d34 a3064329dc f03b84579d 72d383a251 7b2d32ed9d 8f66	0.83536	0.853874	-0.018514	loss	0.685912	0.691375	-0.005463	loss
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	fa12360696 b5e5cd0489 6814fd703a 18eeafa884 058d15c340 165d87e54a c94a	0.417811	0.412338	0.005473	win	0.19785	0.178967	0.018884	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	cfdb635b80b b7b5a96d9f b5390f532c 0bf5273308 1d52de21cc f562d5ce839c8c	1	1	0	tie	0.894935	0.871528	0.023407	win
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	c644fcd15e 139133b16a 74c3d93df9 285d96d93b 5fd791a9c2 3685c86df2 d5e0	0.353846	0.324638	0.029208	win	0.197648	0.170551	0.027097	win

Cell	Dataset	Model	Setting	q	Condition	Metric	Comparison Id	NOISE Q	NAIVE Q	Delta Q	Outcome Q	NOISE G	NAIVE G	Delta G	Outcome G
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	4e1e124e0c90ecd7c9be488d32322deb6122b8483827fdafb02d6bf4ba5c87	1	1	0	tie	0.868332	0.840357	0.027975	win

Table 150: ImageNet-ResNet-18

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	89f017a10e54932f478291583007342fac4bb0a28a2f22fac125ffef10d700658	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	g DeepLift FeatureAbl	0.1804	0.3336	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	db58de2e01fec4ca20a09c54cf9b12bb5975b542c8d1af0c6f25ced8b0d46370	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	g DeepLift FeatureAbl	0.238	0.3558	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	cffc1196dc1973bc3592f0bbdd42d98723a11ff736c588e9eddff4bf990b27a5	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	g DeepLift FeatureAbl	0.3024	0.6396	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	5c182ca8a10d54122473c8d7fe99b93a55959948810b415ef5042e0d473196b8	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	g DeepLift FeatureAbl	0.3706	0.6988	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	7cda43ab668d7e559fdb5db71a4bd2665ca8f4fb6e56ab4b36474fe1d9bae111	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	p DeepLift FeatureAbl	0.1804	0.319	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	009895ceb64bbeed1f4e3e61ded58785e49c80b340cf52e1ceeefafdf2bc76a8	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	p DeepLift FeatureAbl	0.238	0.3414	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	9e670deba4537325388bca974f976e3a2eca70f8ec281a0e9bena93314a67f15	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	p DeepLift FeatureAbl	0.3024	0.611	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	6af711278b8f7b4ef1f1808e43cf8cb2e50be7459a8690dec2fe4e78c4b189492	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	p DeepLift FeatureAbl	0.3706	0.6804	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	7acba23cd01012e6c285f9e39136508f260260c0f5aff3a61e6704869acbad3	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	s DeepLift FeatureAbl	0.1804	0.2604	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	79495cdcbc4c6be3a7a3092f49d8c3f66d603307b6b9b330d0cc66cb8c97a173	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	s DeepLift FeatureAbl	0.238	0.3068	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	536d58f696d4982075406f84cef75d755fd7bb878e747b3c91977f1614bf6334	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	s DeepLift FeatureAbl	0.3024	0.4234	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	dad4fac6ec4dd9610ca0066fb34e9ebf21cd546535605429de5e6102546abae	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	s DeepLift FeatureAbl	0.3706	0.494	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	e4d8f97220e4c3bf1e744f74f8f0a1a3733a7a3cc72cacf188bade9f0582a13	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap	a DeepLift FeatureAbl	0.1804	0.0834	0.8366	0.8368

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	e77298063053dc669c9c0fec2d541cc5e483f923aa042618c67ecf4a7ea0c3e	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	a	0.238	0.204	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	4a94ad78d79237daa041c71b1d0dfe0d7513d14d0003d1851dd16900ff6388a8f	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	a	0.3024	0.1142	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	a168daea818d3958bda86c4877644b025e4e6433893a297cdf e5ae480e59be50	NOISE	Spearman	NOISE-S	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	a	0.3706	0.2918	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	e846752619332a1ecdff961674f7583ac270bc8c69638daf30d80fc859b74019	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	g	0.1856	0.3572	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	9166e0f15f241cd71ecd43e521777d80bb9da78fc8bfc2c35eccde9b9fb7344c	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	g	0.1802	0.2936	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	e23c9d3b9ac787bbf4e00a6a3ec47280c97c5a4de50e1a201748e3encadf61c8	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	g	0.3116	0.6454	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	4add48ccf45458b0533ec44927c1c123240918901f4a7554c610aae59c3973ec	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	g	0.3024	0.6286	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	4328a7db7d185c1e97fb0e1c4c328247d0052ca8bf878c847397365aa6728e46	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	p	0.1856	0.3468	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	6ae2b2a05dc79fd09733bec1c2a3d785cb6b8eca50027577a24f6ed2b812f21c	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	p	0.1802	0.273	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	10205e5ef120276444b1977210eb521d1c6a1b6fd046ffc827457fd226182388	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	p	0.3116	0.6286	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	cc6c0318a76b27666e6da5bd7d474c49f4435abfb3eb4a9439354568c05d3342	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	p	0.3024	0.6022	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	654223dc927da1c6fe4356928a16d6e7cc819657dc354d3ad4888a4fd6183f	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	s	0.1856	0.2654	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	f8dd0e8d8695b2dd619bb5062e2a99a60f52c75e191304cab470e419a596d209	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAbl	s	0.1802	0.2204	0.8366	0.7854

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	7fafd42cf39e3a5a6b02e0fe2f06658f272cf20cbab9a09a23858f29f0daa4246	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	s	0.3116	0.4292	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	124daa1243139592e322eff8f2d0b01ce2fadabd6b70b1d416f0ea81b23fb4d0	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	s	0.3024	0.4048	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	7779c6ae25f2384b4d367aa743bb20dfdc771c6a6c5aef4bf6b33a6dcdaf9666	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	a	0.1856	0.0756	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	a42c33ac60b84ca6725bbca524a319b159c6d86b97f8f3030870deaf28f8406e	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	a	0.1802	0.15	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	c306c1c1ced572a8bc430760c709a14876748bcc296cc83e370f21d0e9ea0b62	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	a	0.3116	0.1056	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	33683a9e6c68e12a0d31d0a3edf0cd8c04bf5b4b2c41ab25221b134d299ec238	NOISE	Spearman	NOISE-S	Borda	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	a	0.3024	0.2312	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	4365fd8339a42b49c287e5d06e21d9f1044be83219f5dc647269fb78d5b4b100	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	g	0.175	0.3456	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	142c3bfa4ce18489e4645a6e61fac5471431713942d2816ff76488f7388dc660	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	g	0.165	0.251	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	1b6f3748c9a594e0523899407856728919b7469c452c6a34892d4da2fd108c9	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	g	0.2978	0.6268	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	379950a67707cdf3eeb94e5feadb1a99bacfea1284340d1d94ce67d939c065bd	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	g	0.2772	0.5858	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	9bf8acf185aec3c38546533695d5baa2722caa4af3bfa2ceaf73b4f2be141cae6	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	p	0.175	0.3362	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	eff5509023e6b17a43ab1fed891d76f5b849c982f6e737ffb2f282febb7788c7	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	p	0.165	0.2256	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	f28eca34ebdbdcfaaed0b3bcd8f4eb59ef84340d7c797af45755f8e676f91170	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	p	0.2978	0.6086	0.8366	0.6442

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	e9ad8d8e4753b7bca5840ee0484ccb8bbaabbd8023c2d02968720b4006b4bb7	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	p	0.2772	0.5528	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	ed09e5ee1e02dd22429415c38e7346e90e58a22f8ca3b883cbe713dbd7104aec	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	s	0.175	0.2556	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	67c210bf4812f6dd1b8aa30c02e17bd65341453b16ecec64bc18f816c907e3	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	s	0.165	0.2002	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	65087e58e404249f16747400b7f027988e760aa43addb0347fccce1f3cle2a8c	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	s	0.2978	0.4114	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	195dbd0e255790beca3f8991ba7e1543ac9bc8a2f51d4f91eb9692c5f54af568	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	s	0.2772	0.3788	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	c7829bbd4f4d316ec4dd3d23cd387cc56105611b0b6a8ae41774ecfc55ca77a	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	a	0.175	0.0684	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	66ab186e27f59e219b01bd9832eff8291a8506db0c39a7a5c360b5f977981370	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	a	0.165	0.1562	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	2b48d006363255aa9a0eade9c0b6c8fe9ddc827a6b1d7d3141905aff88362266	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	a	0.2978	0.0932	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	f3d96328cb9f786e873b682712dd22fdac8bde235f4e7297100164cb342ea71	NOISE	Spearman	NOISE-S	Kemeny	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	a	0.2772	0.237	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	cea94a114496f6727e4f6f559724e932a55ccfd63f43707d56e0e177bf7a3057	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	g	0.1834	0.359	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	c83fa8c1da7781ccc4873d2fa090c9894c1033115cd975097d8f84e6b1bf4e9	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	g	0.1606	0.259	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	65b621d52f893b53310887f3fd463a1b2b2f2cae9a53f4c5c1304c6ff77dac96	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	g	0.3066	0.6396	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	5639bafa8bcb679f63c12618ac9e6b18bccdc6adcf4d3a11ebf95d348d93ae17	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	g	0.2748	0.595	0.8366	0.6306

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	1198e7c4e4d2e9e15f2c73b7cbb526f517d0afb502859c2e62449b62f50e1e0c	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift	p	0.1834	0.3484	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	a8c39f52c0622ed9a4c995f892e6bae3cb358539afeeda71eed14011f869a45	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift	p	0.1606	0.2326	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	05701d1362896ca74256ea6281f56cf91d58a8111002f48998f6ae8f3e60a8eb	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift	p	0.3066	0.6262	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	c46cfcd0dab669ca3b9a9fd57ecfbcd4185e14a85f210795a1c95b0c960a45c7	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift	p	0.2748	0.5588	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	41241ebb4286bf67e42ccbc97c45a1c225f3ced9de1e4289d14d32e4d5e5980	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift	s	0.1834	0.2662	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	14f5e58b0cb8f83f88a27065bc4476a3b2f4a469f71399156786a13a2b1901c7	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift	s	0.1606	0.1992	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	b58064594afdf8e40764745544cc7c6927547fbf2057135bbe54b1f7aa05fba	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift	s	0.3066	0.426	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	5eb9a7c3ba4d7d7e323faaf8e31c3cd01248dd5d44fa42c652a709cf4232c3d6	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift	s	0.2748	0.3768	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	c3a9e7750bfe771841ae5700eae4e3730f33793a8b5558fdf e95ff5a351f25b	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift	a	0.1834	0.073	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	4dc2a4e643030bc1a858821beded39122fc352840ec21196cd951712a2ba88ee	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift	a	0.1606	0.1346	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	aae73907e6374200ca5a76887a7ecc81367d2da594884f2dd8af40298ec97868	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift	a	0.3066	0.1018	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	2794c579502a23d322e6e24e6e6be94cd4d9d226aaa9a30ee95948003f89c94d	NOISE	Spearman	NOISE-S	RRF	GuidedBackprop DeepLift Shap DeepLift	a	0.2748	0.211	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	07d48b48a0fdc614e2fd4d3fd7cb721608aa3a9734407383c410b561e6f7e0c7	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift	g	0.1704	0.3464	0.8366	0.6306

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	5432407761 7aa1416c17 318deeb1d5 f5ace4b84a 54748e5caa 58098bdf8 dc85	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	g	0.1726	0.2544	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	c0522143b3 a2034224c1 3cdd742afa 6daef6c4c 6bda462d6e 50fb3e1bf9 25e4	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	g	0.2974	0.6212	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	f8f3eb53c0 7435e7c26f a050a238d9 d75d4ceaa1 76e2dd196b b337b85e2d 00ea	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	g	0.2872	0.5876	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	957e4f9228 4ec33471ef f868df5920 9ab8ee9771 e18d63cc28 1e7387bb24 072d	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	p	0.1704	0.3398	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	560c469fd d77450a2e9 50dd0b10ef 6b1e7d2199 b6b372f148 0d92ae247f 1956	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	p	0.1726	0.2238	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	5d30127930 7b9d02570b c537f53bef d15113fb21 a5e8c5153e 2faca27837 8c9f	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	p	0.2974	0.6152	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	04a427ed87 981944c92a f03027a7fa 796936261f a061fc4e81 7f9306fe5e 8d1e	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	p	0.2872	0.5544	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	c7fbec66b c9ab6826f5 c063359122 c49a976c93 c37735320a 971e2556de 57c9	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	s	0.1704	0.258	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	27ddc35156 6e48ecdc1e 19ca2fac5f 818011e6c8 c4135031ab 67c129f2c3 51c7	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	s	0.1726	0.2006	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	d29909310c 69c346e92f 232d41924d 5f955efb7e 09f6f5be46 8327dd45fe 0bf8	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	s	0.2974	0.413	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	62f10bd3e1 3eaa7fea42 61dc66831d 702829cab7 1437af5a88 7c6d861a09 beab	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	s	0.2872	0.3788	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	5726006b4e 119538c3e8 f9d0155b8a ae27e92da7 0e0461c9dd 27f73e32e4 dc79	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	a	0.1704	0.0658	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	3e56d3eb80 e78651fd45 1d0f9b65c0 07be74d0f8 7311c4e4b0 a90747f10a 5fae	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift FeatureAblation	a	0.1726	0.1584	0.8366	0.8368

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	6d728e8a4c a7500bd61f 3ce360d49a eb85515b3a 1ca8cf9d5e 9f0aa424 1a0a	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.2974	0.0914	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	c494ba0a3 1a35dac055 30cef1a43f 9914484944 5755855310 c72c1ca87f 2ac7	NOISE	Spearman	NOISE-S	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.2872	0.2364	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	e791d9973f a521b674b3 6b20c2bba5 157140cc9f de81cc2c0b 82e825101f 0e48	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.1726	0.3286	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	945bc094de 4bcbba6ca 892f3f637c 7db35a6f0b e315811d4b 1211f629b8 5c13	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.2698	0.396	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	9478d9c083 a3687743cf f2f2696c26 72fd20e5fa 9792a4e4e7 918a6273ce 877e	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.2872	0.6342	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	57c7bf8d72 30907e1678 93674f504e 3197be735d fa7c99757 2c9a8c52dd dc95	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.4004	0.743	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	2d520325e0 2c97ff9d9f cf5e689e70 6885736b84 dc56363487 983d7d4a84 97d1	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.1726	0.302	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	31948d9867 4bfe52a640 b93fd5101a 660634bd4b 728d738d9c e26b261e17 632a	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.2698	0.3768	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	9fa8051b4b 531a545097 a81d227e17 657fb72c5e 02e6e954ac ec9e6c548a 0421	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.2872	0.5958	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	4d7e445d5d 686eae75d9 e5663f81e9 a6b1d03c00 56b244d0f6 b102605e9e 1d70	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.4004	0.7178	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	55b18fdddb 3a47cb416d 7e97b2a642 d18f03b763 fd9497c5f 0528e583d3 26f2	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.1726	0.2448	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	d72837fd89 b87d2f9933 dea79bdcbl dea1a3ebbl ef524dfb95 a083025eba 8463	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.2698	0.3364	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	727c7cf5c5 9b12d2d216 ed6e978ad6 cfe6ad34b0 a3cf168116 ff47143cb4 f555	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.2872	0.406	0.8366	0.7854

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	c1753f2026d4b58b7155edf3abc101ca9e9a04ea897cc6f9449614446fa2575c	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.4004	0.5304	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	1375b28dc494b4244802c6eedd90ff0b7a7a54a58bb1a72ab129281966bbac43	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.1726	0.0818	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	f003f4aea1d4469587ace477e73d458bdc08a92df700a74f24c9763f925f1e72	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.2698	0.227	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	131c8c140f684aa78931cb95cb670a6ccda553fe669bef20cf7a07e8b98aac	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.2872	0.114	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	d91d939c5597d38cf39920c6f283a82bc4a4b8d4cec07318b232da6c233409	NOISE	Kendall	NOISE-K	Simple Averaging	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.4004	0.322	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	5891a8a9cd85b40f68789bc3382e3a8bbfbf8a9d4112d3cc7b2b157e1c3c1238	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.1876	0.3552	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	4bf615208c6a1ea2deced2a0d62ac8a781cfba23a8a41d6173956eb2558437eb	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.1982	0.3282	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	9b748e7df5910a7f38cb081878a9552f096a3e55c7207d1784701298e602708e	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.312	0.6526	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	61a4213bab69e079c95a42875852efdaf75c740ab1f40a784c0fe47e12e7490f	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.3216	0.6714	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	e5c9a339941c142ea87bd55dc751efcf95be36978fb6a9385879a0e5d9008a08	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.1876	0.3378	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	d52e6f0710735215d324c8c45a336df4947755d1d7222cc4e064906a0d6c6d88	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.1982	0.3088	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	1c3e169e89865d67f268ad1f1dd0c9826824c4cf1c46521eb7b06bb56379cb75	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.312	0.6248	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	84b12825ad4b1bdbce995f150ab2bbe354f16eb054a6ce7f9feebc07b5603ea96	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.3216	0.6404	0.8366	0.6442

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	837f0a7e6175383d32b381dec6db39bf3d45d1565ac8936b5456be1bcbe8a80	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.1876	0.264	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	6470f102e6a8266f16934995f7d89a2882b4cd36643a3ee6592931bacae07378	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.1982	0.2492	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	baabe7efb23324e031715d7b58b6fb96a73dbdcfa4aa70211c043d6e9a552d5e	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.312	0.4258	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	8f0ceb86949055866ad618bc375e0750d6f2168929b064cda86a0cece5db40	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.3216	0.4358	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	1279cf94d9c0f4450ff5c9e9d40fa4a762981e6c4e1e18dfb4b8dee8e6e81968	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.1876	0.0768	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	0f65fd8dd10ecc1ae74f25074a854f99e3255181a9b991ac1828591811c8c1ce	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.1982	0.172	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	3045e0ed7445f126091dd149662b5b4217e09d0cf7dbeb81b98152cf9dda6995	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.312	0.109	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	965d93a7acb9ed0173e296c6f358b98fe12c9b17fe92ab151e18e7130e3db1c2	NOISE	Kendall	NOISE-K	Borda	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.3216	0.2496	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	c369e254ffc93e7090808461059a4b96aaa7882f73b50729d2c2a4712718c600	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.1874	0.3578	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	08bdce2992e0cd7116d9247215f390dad14e1fa2c1e0c8661dbea83ea594f366	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.1658	0.2618	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	43933f8829273c10837e1cab238a586dfcc214987f72f619b28938467fbaa17	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.3128	0.6448	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	558347b61ecf924fbc6e6d7d72a1a04c585f8d3a492f1cc17bc373abb3f5b0a8	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.2872	0.5934	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	9e09e3d755b419664f636a5f526e0c07bf969d8a5e364a7b871d3ede3f15b4a0	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.1874	0.3502	0.8366	0.6442

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	a9804687ee99f263206e8ed50733f65ed37c2f31e47fde2a451f8453e1f175f0	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.1658	0.2342	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	9495039442839fdec99f4f7db185ba2212f8eb99c99c679c16123fc7d65d3212	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.3128	0.2384	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	f2cab2eeb7b7e70ab1f2cc78d733b6e16e4b8926e68467671863db59c71f15f9	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.2872	0.5646	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	c17bbfdd92b5ba2b11a0ebac9e1bd1dea4c69dceb95b77cc6baeb7836c19a519	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.1874	0.272	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	277caf337fa1ad7a1f4c3faa9397aad4814a5201f173bf72d8a2b80176247f2	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.1658	0.2104	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	9f90a602b044123a0f785874049d37060eb6029f34db6f767e385e10a7e1df408	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.3128	0.433	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	fcfcc7cfcae03730a2b3c0b8d46b892c22499983c3c4b62cac32fb89a1e9f19	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.2872	0.3906	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	591c4871043859ac0448921f0e222a21aa496bb439bdd45a1b1a05258a8d4fd	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.1874	0.0768	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	fc6a233281985b6fb709507a8919dd204cf8e9521a09f3cce9b9fa7cd4ca4a67	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.1658	0.1386	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	9267a8239faa55570854a37e1da5537553d89c9beffbcb0e2e6e7dea0d88572a	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.3128	0.1074	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	24b1db6935f6b2cfff0d5b9205d3e8403988b59815edbf03ef814027fc402f83a	NOISE	Kendall	NOISE-K	Kemeny	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.2872	0.2126	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	53711cc9f68461da64b113fa187bdc5c266cfc9824a2c66517579192a40676ad	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.1886	0.3532	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	f69a2363e09bfec766f82502a2cd0b032e73c0c0391ee678a17f4ea34a5db6e0	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.1868	0.3012	0.8366	0.6306

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	16cbaeb9da46ce4a9d8513e72c4cbc2443cf86b72c8c6692207e0335300e3ba	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.3152	0.6504	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	2dee3d074f16cac33da6887b3d247118b305de610ae99f11ac14c8eea106e2ba	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.3094	0.6418	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	606045b7f60714ea637bcd24a8e1f0b6fb244e27457013c610ce6aa9245540db	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.1886	0.3458	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	41a79af52580059671c01c56b41b3fb22feff91195aa789576146cb222b2f800	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.1868	0.2834	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	b5612cfbc4dc971f286c39dfca922f894dd5d50a7021d8243eb3c07810762601	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.3152	0.6306	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	24c08cc15aa79c902bcb44b59329aac44911395f589106ee2c4d7c78fe212	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.3094	0.6166	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	241ee7c9322b6da49441e9c1fbd44d69920891b04d16456c8fe8d2da8a4b05ef	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.1886	0.2708	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	b840f465563352154aa8da66f3539cdd402e2a2abb02bd05437d3dfb3fdd8151	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.1868	0.2336	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	7ab157862b3451609b2b0ba78a7d6355d736ccd4004d87aef6e27643225b0c5a	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.3152	0.4298	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	0a36f8484e4907f26233588ae12e84ed16b717b82e7ac2c4eae1e5b1ebf13aa2	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.3094	0.4174	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	9d8feb41ef1d5e69853f344405e30aa386d332eb9838e948bb8470d0af1e1643	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.1886	0.0784	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	212dec837497fab9d782dc83729495e45e2dd340eff368da0774c81d60001173	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.1868	0.1548	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	a1e419d621848b8e13a4e1908af224a33786cc8b3c53839bbd99bae26c549f83	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.3152	0.1102	0.8366	0.8368

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	742d6d5ace b0ee5a4d0 59b2ae2c00 586695d9b1 daa2a72e28 d57c81d805 ce95	NOISE	Kendall	NOISE-K	RRF	GuidedBackprop DeepLift Shap DeepLift Occlusion	a	0.3094	0.234	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	5b48eb8edd 91450fd22d b5df04d533 1a5fd53b97 eadf6e12df 8353013a99 4454	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.1876	0.3562	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	12191124dd d9810883bf d9ccc1ac5d e5f55e7ef7 4877590840 c45a615278 b365	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.2018	0.3194	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	005b2447fd bc60b72499 84ec31bb01 66e3729589 17de6f1e37 467354ee43 04bc	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.312	0.649	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	b909d51b24 ec7175df46 de83a02d79 57d3	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	g	0.3258	0.6594	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	49e2486502 eb01998754 144373e292 626ad5646e 3dfa1e4ee0 4bb4ba9644 1a6c	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.1876	0.3454	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	b7d115fb62 8453fb2192 0c92b70a01 b02939bee6 5c3da4abf1 6485b98ef2 2e80	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.2018	0.3014	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	34bf5148d8 2a16b38042 b40c9c1c01 84283ad8ca 82671db1d0 6fc7da0f20 5123	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.312	0.633	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	e4f5a30591 869f43317 b65fc43ea2 f3a8080864 ea2fb438f5 7c989d1dd2 dfb9	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	p	0.3258	0.633	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	f6f98ec919 30ffa814e2 8e28eef6b8 044dc5d070 7f5c008172 b6f13190a4 65bf	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.1876	0.2664	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	937301c990 8f21e0f4ff 15e5b1f33e b5d5135ac4 6eecd51752 48fa6c9359 b7fc	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.2018	0.2508	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	4bfd4f97da faadc81aa3 aeb31e281d ded7b2b26b f9790d0903 4e6a45934d 36ec	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.312	0.427	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	cd10fb193e 306905ec94 0f7a48043f dc9db0a2db od1733238b 07869b3fe2 2b91	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Shap DeepLift Occlusion	s	0.3258	0.4368	0.8366	0.7854

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	c49ca629b430518a33b42a8feb4d980849d8ad1a46910f82108e31adfdca7a97	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Occlusion	a Shap DeepLift FeatureAbl	0.1876	0.0784	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	22e12ca4f5d150e57af80aff6ffa2000514ebf2699d2bdef0d973e07f1f01491	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Occlusion	a Shap DeepLift FeatureAbl	0.2018	0.1666	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	7e9e235d35ca5d01db35904996fd202311e9b9d80bfd63ab91045e1a92ca1193	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Occlusion	a Shap DeepLift FeatureAbl	0.312	0.1104	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	a23c380ab80a578e7a22f22913a83ee71ddc9cfdacd106e7e93a8ab961ba37b	NOISE	Kendall	NOISE-K	Schulze	GuidedBackprop DeepLift Occlusion	a Shap DeepLift FeatureAbl	0.3258	0.246	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	F	e174bee6e3763b405af8a445f44ef1cd37212fd396c22ad5ce9b224bae51ca7f	NAIVE			Simple Averaging	Saliency InputXGradients IntegratedGradients GuidedBackprop Deconvolution Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1726	0.329	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	e71d4c1ae8f0d7da60d7ec811bf5b4c270f7e9f4d4528d226183ed6155e39986	NAIVE			Simple Averaging	Saliency InputXGradients IntegratedGradients GuidedBackprop Deconvolution Occlusion DeepLift GradientShap DeepLiftShap LRP		0.251	0.3628	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	C	f44eabfaa25f4e834e2bd026881ab66e65024f93965158b22a23ed17e4e540f8	NAIVE			Simple Averaging	Saliency InputXGradients IntegratedGradients GuidedBackprop Deconvolution Occlusion DeepLift GradientShap DeepLiftShap LRP		0.286	0.6334	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	cec450986c3bc3bbc540dc9435200888c0f795b108fde262d13672ab1c526306	NAIVE			Simple Averaging	Saliency InputXGradients IntegratedGradients GuidedBackprop Deconvolution Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3862	0.707	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	F	52d175828b023bf35fabdb300b204dee0c3e93afbdc451f4a879d4e4f9e1142c	NAIVE			Simple Averaging	Saliency InputXGradients IntegratedGradients GuidedBackprop Deconvolution Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1726	0.3102	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	90722e2449393f696b34ecb721e44da5c8daf3b7f2db7c0d52de1de98f501566	NAIVE			Simple Averaging	Saliency InputXGradients IntegratedGradients GuidedBackprop Deconvolution Occlusion DeepLift GradientShap DeepLiftShap LRP		0.251	0.3426	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	C	fafef9a78df888c0050e9990d4775e39b964f89965e2e53d884c50a25ac122ece	NAIVE			Simple Averaging	Saliency InputXGradients IntegratedGradients GuidedBackprop Deconvolution Occlusion DeepLift GradientShap DeepLiftShap LRP		0.286	0.6012	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	c781b23f98bc20127f9379cc8e39bea38d1fc1c86c36b3872a0826c4c486e06e	NAIVE			Simple Averaging	Saliency InputXGradients IntegratedGradients GuidedBackprop Deconvolution Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3862	0.6808	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	F	6b6726d7cb1b6a1027140d8fd9249c49b1eec38fd8cd33d903c1e19a511b9491	NAIVE			Simple Averaging	Saliency InputXGradients IntegratedGradients GuidedBackprop Deconvolution Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1726	0.246	0.8366	0.7854

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Fbar	9936b28979da709cb90d4be04f8bd329927b9b950dd3fde80110d6072c5c7f94	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.251	0.3146	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	C	94de8ed3490caaf5cflc5480677d0aad550d2d89a0624b93b698177d0065cdd	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.286	0.4052	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Cbar	730888f3354c3b28585789e70aa561def3079e951c2e02af45a9c9bb0f72145	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3862	0.5058	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	F	93a7ef618465ac73d948c7c9c340d441f870b460603ff7272bf7837bf8f44b	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1726	0.0782	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	c6cc185faef8cbb9b79e7f1df93a18294de7232849273df824f41f21697afe2b	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.251	0.2172	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	C	dfa6bea696402234fa33866ec9da3dedc7db8d6b190fa5084a58748ca7192751	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.286	0.1092	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	e804c44fda0a71839810697cb0da811c87b55bc19559bb1d7597b4e4cb2c4da6	NAIVE			Simple Averaging	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3862	0.3108	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	F	25b03b24523f636f178a7175197a80b0b193fd195b42eebd9d681a8dad18c54f	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.158	0.3272	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	a75c28a53be4215386d98cc765a42294b2be57853b6d91704462db49d09f22ac	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2186	0.3182	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	C	cc35da9376200329db47eb0ba499be523b669d149fb46def9729c84bbbddbfaf	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2756	0.614	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	a54511558de768c51dec28f1a91d143892fa05e6430695405916718f69886307	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3464	0.6672	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	F	097cb021cf674fe6a214c4e97f2c814ca1d028fb8b0d4113a18b59cc202ec70	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.158	0.3204	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	afca5af531d1c46ceeblcd1b1d028898e3cac3649345578e5a6f03054f943e36	NAIVE			Borda	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2186	0.2974	0.8366	0.6442

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	C	5220503435 6b4eb70637 b3509168fb 8626523649 2faa1fe965 32960a30c4 6139	NAIVE			Borda	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.2756	0.5964	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	086edd4b84e 2bd9bcb8df6 18de22ef2e dfbe4e000c 5f5ef4240e a4e9031755 696b	NAIVE			Borda	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.3464	0.6286	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	F	89e5181fd8 998e853a95 cc450d2881 3d64eef536 a9f078ee34 c4becad21e 2583	NAIVE			Borda	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.158	0.2328	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Fbar	20ccf26636 f56608e755 465cc2bd18 804dedcbd1 394a9c401a 391394d153 6731	NAIVE			Borda	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.2186	0.2614	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	C	7338762a88 1ebfbc1270 c69a1a9e51 fbed2c16bc f21222efc3 feacff53dc 8b03	NAIVE			Borda	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.2756	0.3898	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Cbar	786734cbd9 a8b559a893 645f65a047 1be90de1eb bd066bc3d2 c005a29a8e 22ad	NAIVE			Borda	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.3464	0.4494	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	F	9a41424617 b631a77ea1 0b4e47681c e018b9d90b 7cc4fe89f3 461299696a 0ed6	NAIVE			Borda	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.158	0.063	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	a7419d72ee 31b1c35f9b 01df35ccde 0ef6eb3987 3603893b90 7delala404 f240	NAIVE			Borda	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.2186	0.1996	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	C	a35f5a23d b429fb2535 9c67ace74a 00a855b5ea b7c2a739b4 9875bf67a7 e8bc	NAIVE			Borda	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.2756	0.0874	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	8a74973e84 a8604d4aba 37a8cf62b4 a721459c9e f9ec024872 30dfbe8df4 1289	NAIVE			Borda	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.3464	0.2932	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	F	56358ea453 ee90763644 1795c3614e edb79c22b9 e3a69fc484 ff263ec462 292e	NAIVE			Kemeny	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.1556	0.3224	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	3a1156f385 45892ff138 00f7eec377 b8df79670d ab1b45c45a cne16ad98b 7f45	NAIVE			Kemeny	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.2234	0.2918	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	C	1455920c08 7e450f20f5 2ff4a374f0 24d37ea8b8 e7aac8bc59 40a7af9dc3 63f3	NAIVE			Kemeny	Saliency InputXGrad ient Integrated Gradients GuidedBack prop Deconvlution FeatureAbl ation Occlusion DeepLift Gradient Shap DeepLiftShap LRP		0.271	0.6006	0.8366	0.6306

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	55939b76e06afa9e648b7407afd4a5fd74ed782d7d8ad3c42ca035090e69e9b	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3492	0.6266	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	F	c0731461ae56b91ee2af7765495228902866b43e9039d8ba035c80437c9f0e9	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1556	0.317	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	a187ecb1f113d4bfc4e99c3ba2f6059e2835ee5fb6aec2a3c384887b01b0a855	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2234	0.2684	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	C	e973a45b6a65e502a0adf26dda292cb2196a3aa8daebf547cca7f64794f9c2c5	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.271	0.588	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	c82ccd26a9afa49259b469f503c510c38c1bd178744a242157f9bb95e0ac35c21	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3492	0.6014	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	F	5f7c6b41f34b099d41eb7c30b2ea3aac68c8de6eeff2854de9f06da61f530ff	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1556	0.2304	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Fbar	4f9d3d0dd8aa9f4541c73508b66e64856e59c41be3ab2c70b26787cc5cf84aa	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2234	0.2596	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	C	34a5fbd331f8675eac9885acaa6b867a27d5893c3d1e6032e6a079177e672b8f	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.271	0.3846	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Cbar	8b6f02caa35ee3be0033086eeaa38ba3a524bc649f2627a72137c2eb5f166556	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3492	0.4486	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	F	057f16b4c0b980f9255f30a8c0cae919ee21a685b043150731dd3563b778f51c	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1556	0.0652	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	a6ae2666c759e37beb349dbe3eb2467b8b2c52fb5174f9079b7c2eb6d82d41ce	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2234	0.2084	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	C	818b23304b1ec5456b9c52986593959549abdce954ca6fcad697b21c06b0abcb	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.271	0.092	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	26f6b7573ea5d19eb60ae6068620253dba8edfbb1f9c40201497adb4a4a5f1958	NAIVE			Kemeny	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3492	0.3	0.8366	0.8368

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	F	63c2fdac44980b249d78cd77a639a12ef1f1755158441c3102030993a9b40f2	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1612	0.326	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	3310c9f82c7b4dd6d9b5a44cee90d60edac8513dce93ac2474ce8c5b0eca4222	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2176	0.2952	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	C	b01a76ad856a32b60646a5a86d021541b9312a4552d59769ac824224d193a7a5	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2812	0.6098	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	2abbb2fc980ea9e926e1214fd472b287ac560b8cebb64dd4404a84e2b6580871	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3424	0.6368	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	F	46ed3daacf67245b991f13edde63d3634137190bfe9c7e521cfc4467b57ea5	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1612	0.3236	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	d7fbef5438d83b062726d52ebe73a38fb0fb23ae46eaa77e55644b5ae422b4	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2176	0.2836	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	C	0c6e1adea59621ec8136b564773b4c8abd6c0ace9c07a0af9f8eefdaa3d7eb26	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2812	0.5946	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	4775604fb8ac589e6e644460f5c467f8dde35fae5331837abf5effdcf190794	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3424	0.6078	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	F	6c4956b7ae9d506e8df2c83c65bd3b48b2e2ac4c8ceb231170d02b34a75aa896	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1612	0.2354	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Fbar	7a8f0198e43bce718ce6a5cf7e0c7b0dfc288fafb9748cdaa320277512a1aef5	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2176	0.2518	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	C	15eaa1ae29ad2306fbb5955fd498e929fb880a213070bcedd27a9b6258a7d	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2812	0.3938	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Cbar	f09e58aac93a8b045c625a74baeece4b112d7a8cf4960aab7c8afad96fb7e735	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3424	0.4382	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	F	e325b1db6b4a9e9c93a6ecee3e7d297f3a96d5ea470418bc286ae3d1c38fe42d	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1612	0.0656	0.8366	0.8368

Cell	Dataset	Model	Setting	Q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	7f9e2d4f1232dbe903b901ee7a79e45eeeda1de96afdf22eb958020f1f23f40a2	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2176	0.193	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	C	15096f5146caff916c15b2143b6a37d978f3c63803d45d1835ac63d66067052a	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2812	0.0898	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	c89a88bc3ac64aa4ed09da5273ebdd2c9209ccccac83308188fd0fc21fb9be87	NAIVE			RRF	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3424	0.2816	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	F	fb26ac3c2b7a7d22581df0fd0d31d7d556bc7d832246c7690f25099726cac694	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1576	0.3238	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	1482198cba5384de1f12a83bc303d69a5d15d46f93b49d0f4213b0cc2bdc696a	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2182	0.2944	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	C	d8b79370b0e779011140d9fa820e91f5a5fe774a59b0245767a02bcc32ce	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.276	0.6056	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	a25a7c8e686f95c850ca726bab2d490cb34efd6d36aa559b8ccc61bf437b34a34ca	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3444	0.6324	0.8366	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	F	aa7c6329a8034f884a227e83cd95b8be04cc52c3dbe7c8fd1f0ae67ac9211924	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1576	0.3168	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	0920fc3bc57369abe96df4d1e826e3980b396eef08be9dbc2f924ea58096b0a5	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2182	0.2838	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	C	9430e826659039b66c66eb6122952eb645ee9b812a1df99637d71833a402e0f9	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.276	0.5884	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	a61dac760845340add1f5f2148e508c594b06af3ed1fcf520a22cfac89b9aa90	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3444	0.614	0.8366	0.6442
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	F	44cc8fe278bdca62e811913169721968f26877949aeac24462bee64d4c7cf308	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1576	0.2346	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Fbar	425d36c0dbab8b4754ff77e113b9859480a552ac040d8c83a8d09df2b17dad8	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2182	0.2532	0.8366	0.7854

Cell	Dataset	Model	Setting	q	Condition	Metric	Endpoint Id	Source Kind	Geometry	Geometry Label	Rule	Methods	Noise	Clean Quality Raw	Perturbed Quality Raw	A_{clean}	$A_{perturbed}$
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	C	92d4f8e1b6d2194f3138b83449044d43e60d45861aebbc4075953a4edf5b6f2	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.276	0.388	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Cbar	74d6df3692f96aa539e551d303bfaa482133262ff8c35367732d492b61d0651e	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3444	0.4402	0.8366	0.7854
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	F	1a0d1e25ddc12c2fb4aa893c17812839e23a3d53a2993e08cb6a2bca5d3c8f2	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.1576	0.065	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	15e5795e91a1fb4665df88220d1393abaabc84eb1bce5b229b62820603b0e97	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.2182	0.2012	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	C	f95411441b1f9274f73829ec282f7e592831290f86f75d63cbe4a6d2f211ef0c	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.276	0.0896	0.8366	0.8368
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	e8f7223572c1245622c105355b5c43a86fde5d7080607aac13ff5132da6a677	NAIVE			Schulze	Saliency InputXGradient IntegratedGradients GuidedBackprop Deconvolution FeatureAb ation Occlusion DeepLift GradientShap DeepLiftShap LRP		0.3444	0.2938	0.8366	0.8368

Table 151: ImageNet-ResNet-18

Cell	Dataset	Model	Setting	q	Condition	Metric	Normaliz ed Clean Raw	Normaliz ed Perturbed Raw	q_{clean}	$q_{perturbed}$	A	Q	Q Raw	G	Clean Clipped	Perturbed Clipped	Retention Capped
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	0.215635	0.52902	0.215635	0.52902	0.52902	1	2.453315	0.727338	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	0.715515	0.435775	0.715515	0.435775	0.435775	0.609037	0.609037	0.515173	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	0.3024	0.6396	0.3024	0.6396	0.6396	1	2.115079	0.79975	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	0.6294	0.3012	0.6294	0.3012	0.3012	0.478551	0.478551	0.379657	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	0.215635	0.495188	0.215635	0.495188	0.495188	1	2.29642	0.703696	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	0.715515	0.47004	0.715515	0.47004	0.47004	0.656926	0.656926	0.555681	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	0.3024	0.611	0.3024	0.611	0.611	1	2.020503	0.781665	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	0.6294	0.3196	0.6294	0.3196	0.3196	0.507785	0.507785	0.40285	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	0.215635	0.331551	0.215635	0.331551	0.331551	1	1.537558	0.575804	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	0.715515	0.609371	0.715515	0.609371	0.609371	0.851654	0.851654	0.720398	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	0.3024	0.4234	0.3024	0.4234	0.4234	1	1.400132	0.650692	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	0.6294	0.506	0.6294	0.506	0.506	0.80394	0.80394	0.637804	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	0.215635	0.099665	0.215635	0.099665	0.099665	0.462195	0.462195	0.214627	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	0.715515	0.756214	0.715515	0.756214	0.756214	1	1.056881	0.869606	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	0.3024	0.1142	0.3024	0.1142	0.1142	0.377646	0.377646	0.207671	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	0.6294	0.7082	0.6294	0.7082	0.7082	1	1.125199	0.841546	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	0.22185	0.566445	0.22185	0.566445	0.566445	1	2.553274	0.752625	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	0.784604	0.534412	0.784604	0.534412	0.534412	0.681122	0.681122	0.603324	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	0.3116	0.6454	0.3116	0.6454	0.6454	1	2.071245	0.803368	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	0.6976	0.3714	0.6976	0.3714	0.3714	0.532397	0.532397	0.444671	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	0.22185	0.538342	0.22185	0.538342	0.538342	1	2.4266	0.733718	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	0.784604	0.576219	0.784604	0.576219	0.576219	0.734407	0.734407	0.650522	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	0.3116	0.6286	0.3116	0.6286	0.6286	1	2.01733	0.792843	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	0.6976	0.3978	0.6976	0.3978	0.3978	0.570241	0.570241	0.476279	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	0.22185	0.337917	0.22185	0.337917	0.337917	1	1.523175	0.581306	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	0.784604	0.719379	0.784604	0.719379	0.719379	0.916868	0.916868	0.812142	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	0.3116	0.4292	0.3116	0.4292	0.4292	1	1.377407	0.655134	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	0.6976	0.5952	0.6976	0.5952	0.5952	0.853211	0.853211	0.712623	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	0.22185	0.090344	0.22185	0.090344	0.090344	0.40723	0.40723	0.191809	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	0.784604	0.820746	0.784604	0.820746	0.820746	1	1.046063	0.90595	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	0.3116	0.1056	0.3116	0.1056	0.1056	0.338896	0.338896	0.189176	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	0.6976	0.7688	0.6976	0.7688	0.7688	1	1.102064	0.876812	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	0.20918	0.548049	0.20918	0.548049	0.548049	1	2.61999	0.740304	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	0.802773	0.601966	0.802773	0.601966	0.601966	0.749859	0.749859	0.671855	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	0.2978	0.6268	0.2978	0.6268	0.6268	1	2.104768	0.791707	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	0.7228	0.4142	0.7228	0.4142	0.4142	0.573049	0.573049	0.487193	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	0.20918	0.521888	0.20918	0.521888	0.521888	1	2.494921	0.722418	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	0.802773	0.649798	0.802773	0.649798	0.649798	0.809442	0.809442	0.725241	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	0.2978	0.6086	0.2978	0.6086	0.6086	1	2.043653	0.780128	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	0.7228	0.4472	0.7228	0.4472	0.4472	0.618705	0.618705	0.526008	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	0.20918	0.325439	0.20918	0.325439	0.325439	1	1.555786	0.570473	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	0.802773	0.745098	0.802773	0.745098	0.745098	0.928155	0.928155	0.831605	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	0.2978	0.4114	0.2978	0.4114	0.4114	1	1.381464	0.641405	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	0.7228	0.6212	0.7228	0.6212	0.6212	0.859436	0.859436	0.730672	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	0.20918	0.08174	0.20918	0.08174	0.08174	0.390764	0.390764	0.17872	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	0.802773	0.813337	0.802773	0.813337	0.813337	1	1.013159	0.901852	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	0.2978	0.0932	0.2978	0.0932	0.0932	0.312962	0.312962	0.170787	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	0.7228	0.763	0.7228	0.763	0.763	1	1.055617	0.873499	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	0.219221	0.569299	0.219221	0.569299	0.569299	1	2.596923	0.754519	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	0.808033	0.58928	0.808033	0.58928	0.58928	0.729278	0.729278	0.655552	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	0.3066	0.6396	0.3066	0.6396	0.6396	1	2.086106	0.79975	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	0.7252	0.405	0.7252	0.405	0.405	0.558467	0.558467	0.475583	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	0.219221	0.540826	0.219221	0.540826	0.540826	1	2.467039	0.735409	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	0.808033	0.638932	0.808033	0.638932	0.638932	0.790726	0.790726	0.710788	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	C	0.3066	0.6262	0.3066	0.6262	0.6262	1	2.042401	0.791328	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Cbar	0.7252	0.4412	0.7252	0.4412	0.4412	0.608384	0.608384	0.518092	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	F	0.219221	0.338936	0.219221	0.338936	0.338936	1	1.546093	0.582182	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Fbar	0.808033	0.746371	0.808033	0.746371	0.746371	0.92369	0.92369	0.83031	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	C	0.3066	0.426	0.3066	0.426	0.426	1	1.389432	0.652687	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Speckle	Cbar	0.7252	0.6232	0.7252	0.6232	0.6232	0.859349	0.859349	0.73181	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	F	0.219221	0.087237	0.219221	0.087237	0.087237	0.397942	0.397942	0.18632	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Fbar	0.808033	0.839149	0.808033	0.839149	0.839149	1	1.038509	0.916051	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	C	0.3066	0.1018	0.3066	0.1018	0.1018	0.332029	0.332029	0.183849	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Adversarial	Cbar	0.7252	0.789	0.7252	0.789	0.789	1	1.087976	0.888257	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	F	0.203682	0.549318	0.203682	0.549318	0.549318	1	2.696946	0.74116	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Fbar	0.793689	0.596575	0.793689	0.596575	0.596575	0.751648	0.751648	0.669637	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	C	0.2974	0.6212	0.2974	0.6212	0.6212	1	2.088769	0.788162	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Gaussian	Cbar	0.7128	0.4124	0.7128	0.4124	0.4124	0.578563	0.578563	0.488467	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	F	0.203682	0.527476	0.203682	0.527476	0.527476	1	2.589709	0.726275	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Salt Pepper	Fbar	0.793689	0.652592	0.793689	0.652592							

Cell	Dataset	Model	Setting	q	Condition	Metric	Normalized Clean Raw	Normalized Perturbed Raw	$q_{clean}^{perturbed}$	$q_{perturbed}$	A	Q	Q Raw	G	Clean Clipped	Perturbed Clipped	Retention Capped
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	0.2872	0.6342	0.2872	0.6342	0.6342	1	2.208217	0.796367	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	0.5996	0.257	0.5996	0.257	0.257	0.428619	0.428619	0.331896	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	0.206311	0.468799	0.206311	0.468799	0.468799	1	2.272288	0.684689	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	0.677504	0.415088	0.677504	0.415088	0.415088	0.612673	0.612673	0.504295	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	0.2872	0.5958	0.2872	0.5958	0.5958	1	2.074513	0.771881	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	0.5996	0.2822	0.5996	0.2822	0.2822	0.470647	0.470647	0.36444	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	0.206311	0.311688	0.206311	0.311688	0.311688	1	1.510767	0.558291	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	0.677504	0.571683	0.677504	0.571683	0.571683	0.843808	0.843808	0.694544	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	0.2872	0.406	0.2872	0.406	0.406	1	1.413649	0.637181	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	0.5996	0.4696	0.5996	0.4696	0.4696	0.783189	0.783189	0.606453	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	0.206311	0.097753	0.206311	0.097753	0.097753	0.473815	0.473815	0.215214	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	0.677504	0.728728	0.677504	0.728728	0.728728	1	1.075607	0.853056	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	0.2872	0.114	0.2872	0.114	0.114	0.396936	0.396936	0.212722	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	0.5996	0.678	0.5996	0.678	0.678	1	1.130754	0.823408	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	0.224241	0.563273	0.224241	0.563273	0.563273	1	2.51191	0.750515	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	0.763089	0.479543	0.763089	0.479543	0.479543	0.628424	0.628424	0.54896	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	0.312	0.6526	0.312	0.6526	0.6526	1	2.091667	0.807837	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	0.6784	0.3286	0.6784	0.3286	0.3286	0.484375	0.484375	0.398956	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	0.224241	0.524371	0.224241	0.524371	0.524371	1	2.338428	0.724135	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	0.763089	0.520646	0.763089	0.520646	0.520646	0.682287	0.682287	0.596012	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	0.312	0.6248	0.312	0.6248	0.6248	1	2.002564	0.790443	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	0.6784	0.3596	0.6784	0.3596	0.3596	0.530071	0.530071	0.436593	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	0.224241	0.336134	0.224241	0.336134	0.336134	1	1.498988	0.579771	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	0.763089	0.682709	0.763089	0.682709	0.682709	0.894666	0.894666	0.781535	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	0.312	0.4258	0.312	0.4258	0.4258	1	1.364744	0.652534	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	0.6784	0.5642	0.6784	0.5642	0.5642	0.831663	0.831663	0.684999	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	0.224241	0.091778	0.224241	0.091778	0.091778	0.409284	0.409284	0.193813	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	0.763089	0.794455	0.763089	0.794455	0.794455	1	1.041104	0.891322	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	0.312	0.109	0.312	0.109	0.109	0.349359	0.349359	0.195141	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	0.6784	0.7504	0.6784	0.7504	0.7504	1	1.106132	0.866256	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	0.224002	0.567396	0.224002	0.567396	0.567396	1	2.532997	0.753257	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	0.801817	0.58484	0.801817	0.58484	0.58484	0.729393	0.729393	0.65313	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	0.3128	0.6448	0.3128	0.6448	0.6448	1	2.061381	0.802994	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	0.7128	0.4066	0.7128	0.4066	0.4066	0.570426	0.570426	0.481597	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	0.224002	0.54362	0.224002	0.54362	0.54362	1	2.426854	0.737306	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	0.801817	0.636448	0.801817	0.636448	0.636448	0.793758	0.793758	0.710764	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	0.3128	0.6284	0.3128	0.6284	0.6284	1	2.008951	0.792717	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	0.7128	0.4354	0.7128	0.4354	0.4354	0.610831	0.610831	0.515709	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	0.224002	0.34632	0.224002	0.34632	0.34632	1	1.54606	0.58849	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	0.801817	0.732111	0.801817	0.732111	0.732111	0.913065	0.913065	0.817597	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	0.3128	0.433	0.3128	0.433	0.433	1	1.384271	0.658027	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	0.7128	0.6094	0.7128	0.6094	0.6094	0.854938	0.854938	0.721803	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	0.224002	0.091778	0.224002	0.091778	0.091778	0.409721	0.409721	0.193916	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	0.801817	0.834369	0.801817	0.834369	0.834369	1	1.040598	0.913438	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	0.3128	0.1074	0.3128	0.1074	0.1074	0.34335	0.34335	0.192031	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	0.7128	0.7874	0.7128	0.7874	0.7874	1	1.104658	0.887359	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	0.225436	0.560101	0.225436	0.560101	0.560101	1	2.484522	0.748399	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	0.776715	0.52236	0.776715	0.52236	0.52236	0.672524	0.672524	0.592705	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	0.3152	0.6504	0.3152	0.6504	0.6504	1	2.063452	0.806474	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	0.6906	0.3582	0.6906	0.3582	0.3582	0.518679	0.518679	0.431035	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	0.225436	0.53679	0.225436	0.53679	0.53679	1	2.381115	0.732659	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	0.776715	0.560075	0.776715	0.560075	0.560075	0.721081	0.721081	0.635499	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	0.3152	0.6306	0.3152	0.6306	0.6306	1	2.000635	0.794103	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	0.6906	0.3834	0.6906	0.3834	0.3834	0.555169	0.555169	0.461359	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	F	0.225436	0.344792	0.225436	0.344792	0.344792	1	1.529445	0.58719	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Fbar	0.776715	0.702572	0.776715	0.702572	0.702572	0.904542	0.904542	0.797186	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	C	0.3152	0.4298	0.3152	0.4298	0.4298	1	1.363579	0.655591	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Speckle	Cbar	0.6906	0.5826	0.6906	0.5826	0.5826	0.843614	0.843614	0.701063	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	F	0.225436	0.09369	0.225436	0.09369	0.09369	0.415595	0.415595	0.197325	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Fbar	0.776715	0.81501	0.776715	0.81501	0.81501	1	1.049303	0.902779	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	C	0.3152	0.1102	0.3152	0.1102	0.1102	0.349619	0.349619	0.196286	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Adversarial	Cbar	0.6906	0.766	0.6906	0.766	0.766	1	1.10918	0.875214	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	F	0.224241	0.564859	0.224241	0.564859	0.564859	1	2.518981	0.751571	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Fbar	0.758786	0.493498	0.758786	0.493498	0.493498	0.650379	0.650379	0.566534	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	C	0.312	0.649	0.312	0.649	0.649	1	2.080128	0.805605	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Gaussian	Cbar	0.6742	0.3406	0.6742	0.3406	0.3406	0.505191	0.505191	0.414811	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	F	0.224241	0.536169	0.224241	0.536169	0.536169	1	2.391039	0.732236	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Fbar	0.758786	0.532133	0.758786	0.532133	0.532133	0.701295	0.701295	0.610887	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	C	0.312	0.633	0.312	0.633	0.633	1	2.028846	0.795613	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Salt Pepper	Cbar	0.6742	0.367	0.6742	0.367	0.367	0.544349	0.544349	0.446963			

Cell	Dataset	Model	Setting	q	Condition	Metric	Normalized Clean Raw	Normalized Perturbed Raw	q_{clean}	$q_{perturbed}$	A	Q	Q Raw	G	Clean Clipped	Perturbed Clipped	Retention Capped
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	0.6138	0.3192	0.6138	0.3192	0.3192	0.520039	0.520039	0.407427	False	False	False
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	F	0.206311	0.313216	0.206311	0.313216	0.313216	1	1.518173	0.559657	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Fbar	0.699976	0.59944	0.699976	0.59944	0.59944	0.856372	0.856372	0.71648	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	C	0.286	0.4052	0.286	0.4052	0.4052	1	1.416783	0.636553	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Cbar	0.6138	0.4942	0.6138	0.4942	0.4942	0.805148	0.805148	0.630797	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	F	0.206311	0.093451	0.206311	0.093451	0.093451	0.452962	0.452962	0.205742	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	0.699976	0.74044	0.699976	0.74044	0.74044	1	1.057807	0.860488	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	C	0.286	0.1092	0.286	0.1092	0.1092	0.381818	0.381818	0.204192	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	0.6138	0.6892	0.6138	0.6892	0.6892	1	1.122841	0.830181	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	F	0.18886	0.518871	0.18886	0.518871	0.518871	1	2.747389	0.720327	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	0.738704	0.495401	0.738704	0.495401	0.495401	0.670635	0.670635	0.576397	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	C	0.2756	0.614	0.2756	0.614	0.614	1	2.227866	0.783582	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	0.6536	0.3328	0.6536	0.3328	0.3328	0.50918	0.50918	0.411649	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	F	0.18886	0.497361	0.18886	0.497361	0.497361	1	2.633495	0.705238	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	0.738704	0.538342	0.738704	0.538342	0.538342	0.728765	0.728765	0.626359	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	C	0.2756	0.5964	0.2756	0.5964	0.5964	1	2.164006	0.772269	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	0.6536	0.3714	0.6536	0.3714	0.3714	0.568237	0.568237	0.459395	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	F	0.18886	0.296409	0.18886	0.296409	0.296409	1	1.569469	0.544435	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Fbar	0.738704	0.667176	0.738704	0.667176	0.667176	0.903171	0.903171	0.776256	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	C	0.2756	0.3898	0.2756	0.3898	0.3898	1	1.414369	0.62434	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Cbar	0.6536	0.5506	0.6536	0.5506	0.5506	0.842411	0.842411	0.681052	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	F	0.18886	0.075287	0.18886	0.075287	0.075287	0.398639	0.398639	0.17324	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	0.738704	0.761472	0.738704	0.761472	0.761472	1	1.030822	0.872624	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	C	0.2756	0.0874	0.2756	0.0874	0.0874	0.317126	0.317126	0.166484	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	0.6536	0.7068	0.6536	0.7068	0.7068	1	1.081395	0.840714	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	F	0.185991	0.511259	0.185991	0.511259	0.511259	1	2.748839	0.715024	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	0.732967	0.537266	0.732967	0.537266	0.537266	0.733002	0.733002	0.627548	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	C	0.271	0.6006	0.271	0.6006	0.6006	1	2.216236	0.774984	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	0.6508	0.3734	0.6508	0.3734	0.3734	0.573755	0.573755	0.462861	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	F	0.185991	0.492083	0.185991	0.492083	0.492083	1	2.645738	0.701486	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	0.732967	0.583359	0.732967	0.583359	0.583359	0.795888	0.795888	0.681387	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	C	0.271	0.588	0.271	0.588	0.588	1	2.169742	0.766812	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	0.6508	0.3986	0.6508	0.3986	0.3986	0.612477	0.612477	0.494098	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	F	0.185991	0.293354	0.185991	0.293354	0.293354	1	1.577247	0.541621	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Fbar	0.732967	0.669468	0.732967	0.669468	0.669468	0.913367	0.913367	0.781065	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	C	0.271	0.3846	0.271	0.3846	0.3846	1	1.419188	0.620161	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Cbar	0.6508	0.5514	0.6508	0.5514	0.5514	0.847265	0.847265	0.683507	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	F	0.185991	0.077916	0.185991	0.077916	0.077916	0.418923	0.418923	0.180668	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	0.732967	0.750956	0.732967	0.750956	0.750956	1	1.024543	0.866577	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	C	0.271	0.092	0.271	0.092	0.092	0.339483	0.339483	0.176727	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	0.6508	0.7	0.6508	0.7	0.7	1	1.075599	0.83666	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	F	0.192685	0.516968	0.192685	0.516968	0.516968	1	2.682974	0.719005	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	0.7399	0.531874	0.7399	0.531874	0.531874	0.718847	0.718847	0.618333	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	C	0.2812	0.6098	0.2812	0.6098	0.6098	1	2.168563	0.780897	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	0.6576	0.3632	0.6576	0.3632	0.3632	0.552311	0.552311	0.447883	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	F	0.192685	0.502328	0.192685	0.502328	0.502328	1	2.606998	0.708751	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	0.7399	0.559764	0.7399	0.559764	0.559764	0.756541	0.756541	0.650757	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	C	0.2812	0.5946	0.2812	0.5946	0.5946	1	2.114509	0.771103	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	0.6576	0.3922	0.6576	0.3922	0.3922	0.596411	0.596411	0.483645	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	F	0.192685	0.29972	0.192685	0.29972	0.29972	1	1.555494	0.547467	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Fbar	0.7399	0.679399	0.7399	0.679399	0.679399	0.918231	0.918231	0.789839	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	C	0.2812	0.3938	0.2812	0.3938	0.3938	1	1.400427	0.627535	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Cbar	0.6576	0.5618	0.6576	0.5618	0.5618	0.854319	0.854319	0.692789	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	F	0.192685	0.078394	0.192685	0.078394	0.078394	0.406851	0.406851	0.178591	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Fbar	0.7399	0.769359	0.7399	0.769359	0.769359	1	1.039816	0.877131	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	C	0.2812	0.0898	0.2812	0.0898	0.0898	0.319346	0.319346	0.169344	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Adversarial	Cbar	0.6576	0.7184	0.6576	0.7184	0.7184	1	1.092457	0.847585	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	F	0.188382	0.513479	0.188382	0.513479	0.513479	1	2.725741	0.716575	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Fbar	0.739182	0.533143	0.739182	0.533143	0.533143	0.72126	0.72126	0.620109	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	C	0.276	0.6056	0.276	0.6056	0.6056	1	2.194203	0.778203	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Gaussian	Cbar	0.6556	0.3676	0.6556	0.3676	0.3676	0.560708	0.560708	0.454	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	F	0.188382	0.491773	0.188382	0.491773	0.491773	1	2.610514	0.701265	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Fbar	0.739182	0.559454	0.739182	0.559454	0.559454	0.756855	0.756855	0.650711	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	C	0.276	0.5884	0.276	0.5884	0.5884	1	2.131884	0.767072	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Salt Pepper	Cbar	0.6556	0.386	0.6556	0.386	0.386	0.588774	0.588774	0.476725	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	F	0.188382	0.298701	0.188382	0.298701	0.298701	1	1.585619	0.546536	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Fbar	0.739182	0.677617	0.739182	0.677617	0.677617	0.916711	0.916711	0.788149	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	C	0.276	0.388	0.276	0.388	0.388	1	1.405797	0.622896	False	False	True
ImageNet-ResNet-18	ImageNet	ResNet-18	NAIVE q=11	11	Speckle	Cbar											

1441

[illegible]

[illegible]

[illegible]

Table 153: ImageNet–ResNet-18

Cell	Dataset	Model	Setting	Q	Geometry	Geometry Label	Rule	Endpoint Count	NOISE A Mean	NAIVE A Mean	Delta A Mean	A Wins	A Ties	A Losses	NOISE Q Mean	NAIVE Q Mean	Delta Q Mean
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Kendall	NOISE-K	Borda	16	0.487994	0.46872	0.019274	12	0	4	0.800633	0.808635	-0.008002
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Kendall	NOISE-K	Kemeny	16	0.52433	0.475266	0.049064	16	0	0	0.826593	0.827135	-0.000542
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Kendall	NOISE-K	RRF	16	0.502912	0.478838	0.024074	13	0	3	0.811302	0.820179	-0.008877
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Kendall	NOISE-K	Schulze	16	0.492832	0.475163	0.01767	12	0	4	0.80658	0.820947	-0.014367
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-K	5	Kendall	NOISE-K	Simple Averaging	16	0.432729	0.449203	-0.016475	4	0	12	0.784925	0.798078	-0.013153
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Spearman	NOISE-S	Borda	16	0.507863	0.46872	0.039143	16	0	0	0.814648	0.808635	0.006013
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Spearman	NOISE-S	Kemeny	16	0.517057	0.475266	0.041791	16	0	0	0.827648	0.827135	0.000513
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Spearman	NOISE-S	RRF	16	0.525127	0.478838	0.046289	16	0	0	0.824991	0.820179	0.004813
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Spearman	NOISE-S	Schulze	16	0.516999	0.475163	0.041836	16	0	0	0.830037	0.820947	0.00909
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	Spearman	NOISE-S	Simple Averaging	16	0.459377	0.449203	0.010173	16	0	0	0.796733	0.798078	-0.001344

Table 154: ImageNet–ResNet-18

Cell	Dataset	Model	Setting	Q	Q Wins	Q Ties	Q Losses	NOISE G Mean	NAIVE G Mean	Delta G Mean	G Wins	G Ties	G Losses
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-K	5	2	8	6	0.618676	0.608398	0.010279	12	0	4
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-K	5	2	8	6	0.651258	0.619505	0.031753	16	0	0
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-K	5	2	8	6	0.632179	0.619416	0.012763	12	0	4
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-K	5	2	8	6	0.624135	0.617189	0.006946	10	0	6
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-K	5	2	8	6	0.576805	0.592509	-0.015704	4	0	12
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	8	8	0	0.636394	0.608398	0.027996	16	0	0
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	5	8	3	0.646492	0.619505	0.026986	14	0	2
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	7	8	1	0.65078	0.619416	0.031365	16	0	0
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	6	8	2	0.647611	0.617189	0.030422	14	0	2
ImageNet–ResNet-18	ImageNet	ResNet-18	NOISE-S	4	3	8	5	0.598997	0.592509	0.006488	14	0	2

Table 155: ImageNet-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Simple Averaging	F	quality	0.1726	clean__selected_best_individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Simple Averaging	Fbar	quality	0.2698	clean__selected_best_individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Simple Averaging	C	quality	0.2872	clean__selected_best_individual	0.292	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Simple Averaging	Cbar	quality	0.4004	clean__selected_best_individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Simple Averaging	R_F_g	robustness	0.156	clean__selected_best_individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	-0.1262	clean__selected_best_individual	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Simple Averaging	R_C_g	robustness	0.347	clean__selected_best_individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	-0.3426	clean__selected_best_individual	-0.3102	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.1294	clean__selected_best_individual	0.1378	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	-0.107	clean__selected_best_individual	-0.0686	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.3086	clean__selected_best_individual	0.3176	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	-0.3174	clean__selected_best_individual	-0.2856	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Simple Averaging	R_F_s	robustness	0.0722	clean__selected_best_individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	-0.0666	clean__selected_best_individual	-0.037	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Simple Averaging	R_C_s	robustness	0.1188	clean__selected_best_individual	0.1178	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	-0.13	clean__selected_best_individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Simple Averaging	R_F_a	robustness	-0.0908	clean__selected_best_individual	-0.1058	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.0428	clean__selected_best_individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Simple Averaging	R_C_a	robustness	-0.1732	clean__selected_best_individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.0784	clean__selected_best_individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Simple Averaging	F	quality	0.1726	naive_q11	0.1726	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Simple Averaging	Fbar	quality	0.2698	naive_q11	0.251	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Simple Averaging	C	quality	0.2872	naive_q11	0.286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Simple Averaging	Cbar	quality	0.4004	naive_q11	0.3862	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Simple Averaging	R_F_g	robustness	0.156	naive_q11	0.1564	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	-0.1262	naive_q11	-0.1118	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Simple Averaging	R_C_g	robustness	0.347	naive_q11	0.3474	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	-0.3426	naive_q11	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.1294	naive_q11	0.1376	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	-0.107	naive_q11	-0.0916	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.3086	naive_q11	0.3152	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	-0.3174	naive_q11	-0.2946	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Simple Averaging	R_F_s	robustness	0.0722	naive_q11	0.0734	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	-0.0666	naive_q11	-0.0636	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Simple Averaging	R_C_s	robustness	0.1188	naive_q11	0.1192	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	-0.13	naive_q11	-0.1196	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Simple Averaging	R_F_a	robustness	-0.0908	naive_q11	-0.0944	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.0428	naive_q11	0.0338	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Simple Averaging	R_C_a	robustness	-0.1732	naive_q11	-0.1768	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.0784	naive_q11	0.0754	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Simple Averaging	F	quality	0.1726	NOISE__spearman	0.1726	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Simple Averaging	Fbar	quality	0.2698	NOISE__spearman	0.251	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Simple Averaging	C	quality	0.2872	NOISE__spearman	0.286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Simple Averaging	Cbar	quality	0.4004	NOISE__spearman	0.3862	min	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Simple Averaging	R_F_g	robustness	0.156	NOISE_ spearman	0.1564	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	-0.1262	NOISE_ spearman	-0.1118	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Simple Averaging	R_C_g	robustness	0.347	NOISE_ spearman	0.3474	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	-0.3426	NOISE_ spearman	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.1294	NOISE_ spearman	0.1378	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	-0.107	NOISE_ spearman	-0.0916	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.3086	NOISE_ spearman	0.3152	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	-0.3174	NOISE_ spearman	-0.2946	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Simple Averaging	R_F_s	robustness	0.0722	NOISE_ spearman	0.0734	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	-0.0666	NOISE_ spearman	-0.0636	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Simple Averaging	R_C_s	robustness	0.1188	NOISE_ spearman	0.1192	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	-0.13	NOISE_ spearman	-0.1196	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Simple Averaging	R_F_a	robustness	-0.0908	NOISE_ spearman	-0.0944	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.0428	NOISE_ spearman	0.0338	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Simple Averaging	R_C_a	robustness	-0.1732	NOISE_ spearman	-0.1768	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.0784	NOISE_ spearman	0.0754	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Simple Averaging	F	quality	0.1726	NOISE_ kendall	0.1726	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Simple Averaging	Fbar	quality	0.2698	NOISE_ kendall	0.251	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Simple Averaging	C	quality	0.2872	NOISE_ kendall	0.286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Simple Averaging	Cbar	quality	0.4004	NOISE_ kendall	0.3862	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Simple Averaging	R_F_g	robustness	0.156	NOISE_ kendall	0.1564	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Simple Averaging	R_Fbar_g	robustness	-0.1262	NOISE_ kendall	-0.1118	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Simple Averaging	R_C_g	robustness	0.347	NOISE_ kendall	0.3474	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Simple Averaging	R_Cbar_g	robustness	-0.3426	NOISE_ kendall	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Simple Averaging	R_F_p	robustness	0.1294	NOISE_ kendall	0.1378	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Simple Averaging	R_Fbar_p	robustness	-0.107	NOISE_ kendall	-0.0916	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Simple Averaging	R_C_p	robustness	0.3086	NOISE_ kendall	0.3152	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Simple Averaging	R_Cbar_p	robustness	-0.3174	NOISE_ kendall	-0.2946	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Simple Averaging	R_F_s	robustness	0.0722	NOISE_ kendall	0.0734	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Simple Averaging	R_Fbar_s	robustness	-0.0666	NOISE_ kendall	-0.0636	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Simple Averaging	R_C_s	robustness	0.1188	NOISE_ kendall	0.1192	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Simple Averaging	R_Cbar_s	robustness	-0.13	NOISE_ kendall	-0.1196	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Simple Averaging	R_F_a	robustness	-0.0908	NOISE_ kendall	-0.0944	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Simple Averaging	R_Fbar_a	robustness	0.0428	NOISE_ kendall	0.0338	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Simple Averaging	R_C_a	robustness	-0.1732	NOISE_ kendall	-0.1768	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Simple Averaging	R_Cbar_a	robustness	0.0784	NOISE_ kendall	0.0754	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Borda	F	quality	0.1876	clean_ selected_best_ individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Borda	Fbar	quality	0.1982	clean_ selected_best_ individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Borda	C	quality	0.312	clean_ selected_best_ individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Borda	Cbar	quality	0.3216	clean_ selected_best_ individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Borda	R_F_g	robustness	0.1676	clean_ selected_best_ individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Borda	R_Fbar_g	robustness	-0.13	clean_ selected_best_ individual	-0.103	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Borda	R_C_g	robustness	0.3406	clean__selected_best_individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Borda	R_Cbar_g	robustness	-0.3498	clean__selected_best_individual	-0.3102	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Borda	R_F_p	robustness	0.1502	clean__selected_best_individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	-0.1106	clean__selected_best_individual	-0.0686	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Borda	R_C_p	robustness	0.3128	clean__selected_best_individual	0.3176	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	-0.3188	clean__selected_best_individual	-0.2856	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Borda	R_F_s	robustness	0.0764	clean__selected_best_individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Borda	R_Fbar_s	robustness	-0.051	clean__selected_best_individual	-0.037	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Borda	R_C_s	robustness	0.1138	clean__selected_best_individual	0.1178	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Borda	R_Cbar_s	robustness	-0.1142	clean__selected_best_individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Borda	R_F_a	robustness	-0.1108	clean__selected_best_individual	-0.1058	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.0262	clean__selected_best_individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Borda	R_C_a	robustness	-0.203	clean__selected_best_individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.072	clean__selected_best_individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Borda	F	quality	0.1876	naive_q11	0.158	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Borda	Fbar	quality	0.1982	naive_q11	0.2186	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Borda	C	quality	0.312	naive_q11	0.2756	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Borda	Cbar	quality	0.3216	naive_q11	0.3464	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Borda	R_F_g	robustness	0.1676	naive_q11	0.1692	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Borda	R_Fbar_g	robustness	-0.13	naive_q11	-0.0996	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Borda	R_C_g	robustness	0.3406	naive_q11	0.3384	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Borda	R_Cbar_g	robustness	-0.3498	naive_q11	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Borda	R_F_p	robustness	0.1502	naive_q11	0.1624	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	-0.1106	naive_q11	-0.0788	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Borda	R_C_p	robustness	0.3128	naive_q11	0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	-0.3188	naive_q11	-0.2822	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Borda	R_F_s	robustness	0.0764	naive_q11	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Borda	R_Fbar_s	robustness	-0.051	naive_q11	-0.0428	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Borda	R_C_s	robustness	0.1138	naive_q11	0.1142	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Borda	R_Cbar_s	robustness	-0.1142	naive_q11	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Borda	R_F_a	robustness	-0.1108	naive_q11	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.0262	naive_q11	0.019	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Borda	R_C_a	robustness	-0.203	naive_q11	-0.1882	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.072	naive_q11	0.0532	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Borda	F	quality	0.1876	NOISE__spearman	0.158	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Borda	Fbar	quality	0.1982	NOISE__spearman	0.2186	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Borda	C	quality	0.312	NOISE__spearman	0.2756	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Borda	Cbar	quality	0.3216	NOISE__spearman	0.3464	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Borda	R_F_g	robustness	0.1676	NOISE__spearman	0.1692	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Borda	R_Fbar_g	robustness	-0.13	NOISE__spearman	-0.0996	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Borda	R_C_g	robustness	0.3406	NOISE__spearman	0.3384	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Borda	R_Cbar_g	robustness	-0.3498	NOISE__spearman	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Borda	R_F_p	robustness	0.1502	NOISE__spearman	0.1624	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	-0.1106	NOISE__spearman	-0.0788	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Borda	R_C_p	robustness	0.3128	NOISE__spearman	0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	-0.3188	NOISE__spearman	-0.2822	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Borda	R_F_s	robustness	0.0764	NOISE__spearman	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Borda	R_Fbar_s	robustness	-0.051	NOISE__spearman	-0.0428	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Borda	R_C_s	robustness	0.1138	NOISE__spearman	0.1142	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Borda	R_Cbar_s	robustness	-0.1142	NOISE_spearman	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Borda	R_F_a	robustness	-0.1108	NOISE_spearman	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.0262	NOISE_spearman	0.019	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Borda	R_C_a	robustness	-0.203	NOISE_spearman	-0.1882	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.072	NOISE_spearman	0.0532	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Borda	F	quality	0.1876	NOISE_kendall	0.158	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Borda	Fbar	quality	0.1982	NOISE_kendall	0.2186	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Borda	C	quality	0.312	NOISE_kendall	0.2756	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Borda	Cbar	quality	0.3216	NOISE_kendall	0.3464	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Borda	R_F_g	robustness	0.1676	NOISE_kendall	0.1692	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Borda	R_Fbar_g	robustness	-0.13	NOISE_kendall	-0.0996	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Borda	R_C_g	robustness	0.3406	NOISE_kendall	0.3384	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Borda	R_Cbar_g	robustness	-0.3498	NOISE_kendall	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Borda	R_F_p	robustness	0.1502	NOISE_kendall	0.1624	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Borda	R_Fbar_p	robustness	-0.1106	NOISE_kendall	-0.0788	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Borda	R_C_p	robustness	0.3128	NOISE_kendall	0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Borda	R_Cbar_p	robustness	-0.3188	NOISE_kendall	-0.2822	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Borda	R_F_s	robustness	0.0764	NOISE_kendall	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Borda	R_Fbar_s	robustness	-0.051	NOISE_kendall	-0.0428	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Borda	R_C_s	robustness	0.1138	NOISE_kendall	0.1142	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Borda	R_Cbar_s	robustness	-0.1142	NOISE_kendall	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Borda	R_F_a	robustness	-0.1108	NOISE_kendall	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Borda	R_Fbar_a	robustness	0.0262	NOISE_kendall	0.019	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Borda	R_C_a	robustness	-0.203	NOISE_kendall	-0.1882	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Borda	R_Cbar_a	robustness	0.072	NOISE_kendall	0.0532	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kemeny	F	quality	0.1874	clean_selected_best_individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kemeny	Fbar	quality	0.1658	clean_selected_best_individual	0.1752	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kemeny	C	quality	0.3128	clean_selected_best_individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kemeny	Cbar	quality	0.2872	clean_selected_best_individual	0.2952	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Kemeny	R_F_g	robustness	0.1704	clean_selected_best_individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	-0.096	clean_selected_best_individual	-0.103	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Kemeny	R_C_g	robustness	0.332	clean_selected_best_individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	-0.3062	clean_selected_best_individual	-0.3102	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Kemeny	R_F_p	robustness	0.1628	clean_selected_best_individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	-0.0684	clean_selected_best_individual	-0.0686	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Kemeny	R_C_p	robustness	0.3156	clean_selected_best_individual	0.3176	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	-0.2774	clean_selected_best_individual	-0.2856	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Kemeny	R_F_s	robustness	0.0846	clean_selected_best_individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	-0.0446	clean_selected_best_individual	-0.037	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference clean_ selected_best_ individual	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Kemeny	R_C_s	robustness	0.1202	clean_ selected_best_ individual	0.1178	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	-0.1034	clean_ selected_best_ individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Kemeny	R_F_a	robustness	-0.1106	clean_ selected_best_ individual	-0.1058	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.0272	clean_ selected_best_ individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Kemeny	R_C_a	robustness	-0.2054	clean_ selected_best_ individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.0746	clean_ selected_best_ individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kemeny	F	quality	0.1874	naive_q11	0.1556	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kemeny	Fbar	quality	0.1658	naive_q11	0.2234	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kemeny	C	quality	0.3128	naive_q11	0.271	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kemeny	Cbar	quality	0.2872	naive_q11	0.3492	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Kemeny	R_F_g	robustness	0.1704	naive_q11	0.1668	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	-0.096	naive_q11	-0.0684	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Kemeny	R_C_g	robustness	0.332	naive_q11	0.3296	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	-0.3062	naive_q11	-0.2774	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Kemeny	R_F_p	robustness	0.1628	naive_q11	0.1614	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	-0.0684	naive_q11	-0.045	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Kemeny	R_C_p	robustness	0.3156	naive_q11	0.317	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	-0.2774	naive_q11	-0.2522	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Kemeny	R_F_s	robustness	0.0846	naive_q11	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	-0.0446	naive_q11	-0.0362	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Kemeny	R_C_s	robustness	0.1202	naive_q11	0.1136	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	-0.1034	naive_q11	-0.0994	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Kemeny	R_F_a	robustness	-0.1106	naive_q11	-0.0904	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.0272	naive_q11	0.015	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Kemeny	R_C_a	robustness	-0.2054	naive_q11	-0.179	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.0746	naive_q11	0.0492	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kemeny	F	quality	0.1874	NOISE_ spearman	0.1556	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kemeny	Fbar	quality	0.1658	NOISE_ spearman	0.2234	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kemeny	C	quality	0.3128	NOISE_ spearman	0.271	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kemeny	Cbar	quality	0.2872	NOISE_ spearman	0.3492	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Kemeny	R_F_g	robustness	0.1704	NOISE_ spearman	0.1668	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	-0.096	NOISE_ spearman	-0.0684	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Kemeny	R_C_g	robustness	0.332	NOISE_ spearman	0.3296	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	-0.3062	NOISE_ spearman	-0.2774	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Kemeny	R_F_p	robustness	0.1628	NOISE_ spearman	0.1614	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	-0.0684	NOISE_ spearman	-0.045	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Kemeny	R_C_p	robustness	0.3156	NOISE_ spearman	0.317	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	-0.2774	NOISE_ spearman	-0.2522	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Kemeny	R_F_s	robustness	0.0846	NOISE_ spearman	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	-0.0446	NOISE_ spearman	-0.0362	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Kemeny	R_C_s	robustness	0.1202	NOISE_ spearman	0.1136	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	-0.1034	NOISE_ spearman	-0.0994	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Kemeny	R_F_a	robustness	-0.1106	NOISE_ spearman	-0.0904	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.0272	NOISE_ spearman	0.015	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Kemeny	R_C_a	robustness	-0.2054	NOISE_ spearman	-0.179	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.0746	NOISE_ spearman	0.0492	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kemeny	F	quality	0.1874	NOISE_ kendall	0.1556	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kemeny	Fbar	quality	0.1658	NOISE_ kendall	0.2234	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kemeny	C	quality	0.3128	NOISE_ kendall	0.271	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kemeny	Cbar	quality	0.2872	NOISE_ kendall	0.3492	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Kemeny	R_F_g	robustness	0.1704	NOISE_ kendall	0.1668	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Kemeny	R_Fbar_g	robustness	-0.096	NOISE_ kendall	-0.0684	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Kemeny	R_C_g	robustness	0.332	NOISE_ kendall	0.3296	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Kemeny	R_Cbar_g	robustness	-0.3062	NOISE_ kendall	-0.2774	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Kemeny	R_F_p	robustness	0.1628	NOISE_ kendall	0.1614	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Kemeny	R_Fbar_p	robustness	-0.0684	NOISE_ kendall	-0.045	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Kemeny	R_C_p	robustness	0.3156	NOISE_ kendall	0.317	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Kemeny	R_Cbar_p	robustness	-0.2774	NOISE_ kendall	-0.2522	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Kemeny	R_F_s	robustness	0.0846	NOISE_ kendall	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Kemeny	R_Fbar_s	robustness	-0.0446	NOISE_ kendall	-0.0362	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Kemeny	R_C_s	robustness	0.1202	NOISE_ kendall	0.1136	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Kemeny	R_Cbar_s	robustness	-0.1034	NOISE_ kendall	-0.0994	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Kemeny	R_F_a	robustness	-0.1106	NOISE_ kendall	-0.0904	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Kemeny	R_Fbar_a	robustness	0.0272	NOISE_ kendall	0.015	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Kemeny	R_C_a	robustness	-0.2054	NOISE_ kendall	-0.179	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Kemeny	R_Cbar_a	robustness	0.0746	NOISE_ kendall	0.0492	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	RRF	F	quality	0.1886	clean_ selected_best_ individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	RRF	Fbar	quality	0.1868	clean_ selected_best_ individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	RRF	C	quality	0.3152	clean_ selected_best_ individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	RRF	Cbar	quality	0.3094	clean_ selected_best_ individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	RRF	R_F_g	robustness	0.1646	clean_ selected_best_ individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	RRF	R_Fbar_g	robustness	-0.1144	clean_ selected_best_ individual	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	RRF	R_C_g	robustness	0.3352	clean_ selected_best_ individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	RRF	R_Cbar_g	robustness	-0.3324	clean_ selected_best_ individual	-0.3102	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	RRF	R_F_p	robustness	0.1572	clean_ selected_best_ individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	-0.0966	clean_ selected_best_ individual	-0.0686	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	RRF	R_C_p	robustness	0.3154	clean_ selected_best_ individual	0.3176	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	-0.3072	clean_ selected_best_ individual	-0.2856	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	RRF	R_F_s	robustness	0.0822	clean_ selected_best_ individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	RRF	R_Fbar_s	robustness	-0.0468	clean_ selected_best_ individual	-0.037	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	RRF	R_C_s	robustness	0.1146	clean_ selected_best_ individual	0.1178	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	RRF	R_Cbar_s	robustness	-0.108	clean_ selected_best_ individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	RRF	R_F_a	robustness	-0.1102	clean_ selected_best_ individual	-0.1058	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.032	clean_ selected_best_ individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	RRF	R_C_a	robustness	-0.205	clean_ selected_best_ individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.0754	clean_ selected_best_ individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	RRF	F	quality	0.1886	naive_q11	0.1612	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	RRF	Fbar	quality	0.1868	naive_q11	0.2176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	RRF	C	quality	0.3152	naive_q11	0.2812	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	RRF	Cbar	quality	0.3094	naive_q11	0.3424	min	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	RRF	R_F_g	robustness	0.1646	naive_q11	0.1648	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	RRF	R_Fbar_g	robustness	-0.1144	naive_q11	-0.0776	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	RRF	R_C_g	robustness	0.3352	naive_q11	0.3286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	RRF	R_Cbar_g	robustness	-0.3324	naive_q11	-0.2944	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	RRF	R_F_p	robustness	0.1572	naive_q11	0.1624	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	-0.0966	naive_q11	-0.066	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	RRF	R_C_p	robustness	0.3154	naive_q11	0.3134	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	-0.3072	naive_q11	-0.2654	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	RRF	R_F_s	robustness	0.0822	naive_q11	0.0742	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	RRF	R_Fbar_s	robustness	-0.0468	naive_q11	-0.0342	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	RRF	R_C_s	robustness	0.1146	naive_q11	0.1126	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	RRF	R_Cbar_s	robustness	-0.108	naive_q11	-0.0958	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	RRF	R_F_a	robustness	-0.1102	naive_q11	-0.0956	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.032	naive_q11	0.0246	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	RRF	R_C_a	robustness	-0.205	naive_q11	-0.1914	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.0754	naive_q11	0.0608	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	RRF	F	quality	0.1886	NOISE_spearman	0.1612	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	RRF	Fbar	quality	0.1868	NOISE_spearman	0.2176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	RRF	C	quality	0.3152	NOISE_spearman	0.2812	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	RRF	Cbar	quality	0.3094	NOISE_spearman	0.3424	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	RRF	R_F_g	robustness	0.1646	NOISE_spearman	0.1648	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	RRF	R_Fbar_g	robustness	-0.1144	NOISE_spearman	-0.0776	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	RRF	R_C_g	robustness	0.3352	NOISE_spearman	0.3286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	RRF	R_Cbar_g	robustness	-0.3324	NOISE_spearman	-0.2944	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	RRF	R_F_p	robustness	0.1572	NOISE_spearman	0.1624	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	-0.0966	NOISE_spearman	-0.066	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	RRF	R_C_p	robustness	0.3154	NOISE_spearman	0.3134	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	-0.3072	NOISE_spearman	-0.2654	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	RRF	R_F_s	robustness	0.0822	NOISE_spearman	0.0742	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	RRF	R_Fbar_s	robustness	-0.0468	NOISE_spearman	-0.0342	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	RRF	R_C_s	robustness	0.1146	NOISE_spearman	0.1126	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	RRF	R_Cbar_s	robustness	-0.108	NOISE_spearman	-0.0958	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	RRF	R_F_a	robustness	-0.1102	NOISE_spearman	-0.0956	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.032	NOISE_spearman	0.0246	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	RRF	R_C_a	robustness	-0.205	NOISE_spearman	-0.1914	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.0754	NOISE_spearman	0.0608	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	RRF	F	quality	0.1886	NOISE_kendall	0.1612	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	RRF	Fbar	quality	0.1868	NOISE_kendall	0.2176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	RRF	C	quality	0.3152	NOISE_kendall	0.2812	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	RRF	Cbar	quality	0.3094	NOISE_kendall	0.3424	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	RRF	R_F_g	robustness	0.1646	NOISE_kendall	0.1648	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	RRF	R_Fbar_g	robustness	-0.1144	NOISE_kendall	-0.0776	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	RRF	R_C_g	robustness	0.3352	NOISE_kendall	0.3286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	RRF	R_Cbar_g	robustness	-0.3324	NOISE_kendall	-0.2944	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	RRF	R_F_p	robustness	0.1572	NOISE_kendall	0.1624	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	RRF	R_Fbar_p	robustness	-0.0966	NOISE_kendall	-0.066	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	RRF	R_C_p	robustness	0.3154	NOISE_kendall	0.3134	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	RRF	R_Cbar_p	robustness	-0.3072	NOISE_kendall	-0.2654	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	RRF	R_F_s	robustness	0.0822	NOISE_kendall	0.0742	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	RRF	R_Fbar_s	robustness	-0.0468	NOISE_kendall	-0.0342	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	RRF	R_C_s	robustness	0.1146	NOISE_kendall	0.1126	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	RRF	R_Cbar_s	robustness	-0.108	NOISE_kendall	-0.0958	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	RRF	R_F_a	robustness	-0.1102	NOISE_kendall	-0.0956	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	RRF	R_Fbar_a	robustness	0.032	NOISE_kendall	0.0246	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	RRF	R_C_a	robustness	-0.205	NOISE_kendall	-0.1914	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	RRF	R_Cbar_a	robustness	0.0754	NOISE_kendall	0.0608	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Schulze	F	quality	0.1876	clean_selected_best_individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Schulze	Fbar	quality	0.2018	clean_selected_best_individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Schulze	C	quality	0.312	clean_selected_best_individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Schulze	Cbar	quality	0.3258	clean_selected_best_individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Schulze	R_F_g	robustness	0.1686	clean_selected_best_individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	-0.1176	clean_selected_best_individual	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Schulze	R_C_g	robustness	0.337	clean_selected_best_individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	-0.3336	clean_selected_best_individual	-0.3102	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Schulze	R_F_p	robustness	0.1578	clean_selected_best_individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	-0.0996	clean_selected_best_individual	-0.0686	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Schulze	R_C_p	robustness	0.321	clean_selected_best_individual	0.3176	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	-0.3072	clean_selected_best_individual	-0.2856	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Schulze	R_F_s	robustness	0.0788	clean_selected_best_individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Schulze	R_Fbar_s	robustness	-0.049	clean_selected_best_individual	-0.037	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Schulze	R_C_s	robustness	0.115	clean_selected_best_individual	0.1178	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Schulze	R_Cbar_s	robustness	-0.111	clean_selected_best_individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Schulze	R_F_a	robustness	-0.1092	clean_selected_best_individual	-0.1058	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.0352	clean_selected_best_individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Schulze	R_C_a	robustness	-0.2016	clean_selected_best_individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.0798	clean_selected_best_individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Schulze	F	quality	0.1876	naive_q11	0.1576	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Schulze	Fbar	quality	0.2018	naive_q11	0.2182	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Schulze	C	quality	0.312	naive_q11	0.276	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Schulze	Cbar	quality	0.3258	naive_q11	0.3444	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Schulze	R_F_g	robustness	0.1686	naive_q11	0.1662	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	-0.1176	naive_q11	-0.0762	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Schulze	R_C_g	robustness	0.337	naive_q11	0.3296	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	-0.3336	naive_q11	-0.288	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Schulze	R_F_p	robustness	0.1578	naive_q11	0.1592	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	-0.0996	naive_q11	-0.0656	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Schulze	R_C_p	robustness	0.321	naive_q11	0.3124	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	-0.3072	naive_q11	-0.2696	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Schulze	R_F_s	robustness	0.0788	naive_q11	0.077	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Schulze	R_Fbar_s	robustness	-0.049	naive_q11	-0.035	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Schulze	R_C_s	robustness	0.115	naive_q11	0.112	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Schulze	R_Cbar_s	robustness	-0.111	naive_q11	-0.0958	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Schulze	R_F_a	robustness	-0.1092	naive_q11	-0.0926	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.0352	naive_q11	0.017	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Schulze	R_C_a	robustness	-0.2016	naive_q11	-0.1864	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.0798	naive_q11	0.0506	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Schulze	F	quality	0.1876	NOISE_spearman	0.1576	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Schulze	Fbar	quality	0.2018	NOISE_spearman	0.2182	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Schulze	C	quality	0.312	NOISE_spearman	0.276	max	Better

Cell	Dataset	Model	q	Condition	Metric	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Schulze	Cbar	quality	0.3258	NOISE_ spearman	0.3444	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Schulze	R_F_g	robustness	0.1686	NOISE_ spearman	0.1662	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	-0.1176	NOISE_ spearman	-0.0762	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Schulze	R_C_g	robustness	0.337	NOISE_ spearman	0.3296	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	-0.3336	NOISE_ spearman	-0.288	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Schulze	R_F_p	robustness	0.1578	NOISE_ spearman	0.1592	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	-0.0996	NOISE_ spearman	-0.0656	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Schulze	R_C_p	robustness	0.321	NOISE_ spearman	0.3124	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	-0.3072	NOISE_ spearman	-0.2696	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Schulze	R_F_s	robustness	0.0788	NOISE_ spearman	0.077	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Schulze	R_Fbar_s	robustness	-0.049	NOISE_ spearman	-0.035	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Schulze	R_C_s	robustness	0.115	NOISE_ spearman	0.112	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Schulze	R_Cbar_s	robustness	-0.111	NOISE_ spearman	-0.0958	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Schulze	R_F_a	robustness	-0.1092	NOISE_ spearman	-0.0926	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.0352	NOISE_ spearman	0.017	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Schulze	R_C_a	robustness	-0.2016	NOISE_ spearman	-0.1864	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.0798	NOISE_ spearman	0.0506	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Schulze	F	quality	0.1876	NOISE_ kendall	0.1576	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Schulze	Fbar	quality	0.2018	NOISE_ kendall	0.2182	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Schulze	C	quality	0.312	NOISE_ kendall	0.276	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Schulze	Cbar	quality	0.3258	NOISE_ kendall	0.3444	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	F	Schulze	R_F_g	robustness	0.1686	NOISE_ kendall	0.1662	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Fbar	Schulze	R_Fbar_g	robustness	-0.1176	NOISE_ kendall	-0.0762	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	C	Schulze	R_C_g	robustness	0.337	NOISE_ kendall	0.3296	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian	Cbar	Schulze	R_Cbar_g	robustness	-0.3336	NOISE_ kendall	-0.288	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	F	Schulze	R_F_p	robustness	0.1578	NOISE_ kendall	0.1592	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Fbar	Schulze	R_Fbar_p	robustness	-0.0996	NOISE_ kendall	-0.0656	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	C	Schulze	R_C_p	robustness	0.321	NOISE_ kendall	0.3124	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper	Cbar	Schulze	R_Cbar_p	robustness	-0.3072	NOISE_ kendall	-0.2696	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	F	Schulze	R_F_s	robustness	0.0788	NOISE_ kendall	0.077	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Fbar	Schulze	R_Fbar_s	robustness	-0.049	NOISE_ kendall	-0.035	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	C	Schulze	R_C_s	robustness	0.115	NOISE_ kendall	0.112	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle	Cbar	Schulze	R_Cbar_s	robustness	-0.111	NOISE_ kendall	-0.0958	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	F	Schulze	R_F_a	robustness	-0.1092	NOISE_ kendall	-0.0926	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Fbar	Schulze	R_Fbar_a	robustness	0.0352	NOISE_ kendall	0.017	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	C	Schulze	R_C_a	robustness	-0.2016	NOISE_ kendall	-0.1864	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial	Cbar	Schulze	R_Cbar_a	robustness	0.0798	NOISE_ kendall	0.0506	max	Better

Table 156: ImageNet-ResNet-18

Cell	Dataset	Model	Geometry	Selected Q	NOISE Q	Exact	Within One	Selected Is NOISE Tied	Selected Fidelity	NOISE Fidelity	Fidelity Regret	NOISE Tied q	Tie Policy
ImageNet-ResNet-18	ImageNet	ResNet-18	Borda	5	5	True	True	True	0.1876	0.1876	0	[5]	smallest_q_within_absolute_1e-12
ImageNet-ResNet-18	ImageNet	ResNet-18	Kemeny	5	5	True	True	True	0.1874	0.1874	0	[5]	smallest_q_within_absolute_1e-12

Table 157: ImageNet–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	Methods	F	$\bar{F}$	C	$\bar{C}$	$R^p_{\bar{F}}$	$R^p_{\bar{C}}$	$R^p_{\bar{F}}$	$R^p_{\bar{C}}$	$R^p_{\bar{F}}$	$R^p_{\bar{C}}$	
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	Dual Geometry Noise	5	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb lation", "Occlusion"]	0.1726	0.2698	0.2872	0.4004	0.156	-0.1262	0.347	-0.3426	0.1294	-0.107	0.3086
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	Dual Geometry Noise	5	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb lation", "Occlusion"]	0.1876	0.1982	0.312	0.3216	0.1676	-0.13	0.3406	-0.3498	0.1502	-0.1106	0.3128
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	Dual Geometry Noise	5	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb lation", "Occlusion"]	0.1874	0.1658	0.3128	0.2872	0.1704	-0.096	0.332	-0.3062	0.1628	-0.0684	0.3156
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	Dual Geometry Noise	5	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb lation", "Occlusion"]	0.1886	0.1868	0.3152	0.3094	0.1646	-0.1144	0.3352	-0.3324	0.1572	-0.0966	0.3154
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	Dual Geometry Noise	5	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb lation", "Occlusion"]	0.1876	0.2018	0.312	0.3258	0.1686	-0.1176	0.337	-0.3336	0.1578	-0.0996	0.321

Table 158: ImageNet–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	$R^o_{\mathcal{D}_{\text{test}}}$	R^o_P	$R^o_{\mathcal{F}}$	$R^o_{\mathcal{G}}$	$R^o_{\mathcal{V}}$	$R^o_{\mathcal{F}}$	$R^o_{\mathcal{G}}$	$R^o_{\mathcal{V}}$	$R^o_{\mathcal{F}}$	$R^o_{\mathcal{G}}$	$R^o_{\mathcal{V}}$	$F^o_{\text{estimated}}$	F^o_{assigned}	$C^o_{\text{estimated}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	Dual Geometry Noise	5	-0.3174	0.0722	-0.0666	0.1188	-0.13	-0.0908	0.0428	-0.1732	0.0784	0.3286	0.396	0.6342		
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	Dual Geometry Noise	5	-0.3188	0.0764	-0.051	0.1138	-0.1142	-0.1108	0.0262	-0.203	0.072	0.3552	0.3282	0.6526		
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	Dual Geometry Noise	5	-0.2774	0.0846	-0.0446	0.1202	-0.1034	-0.1106	0.0272	-0.2054	0.0746	0.3578	0.2618	0.6448		
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	Dual Geometry Noise	5	-0.3072	0.0822	-0.0468	0.1146	-0.108	-0.1102	0.032	-0.205	0.0754	0.3532	0.3012	0.6504		
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	Dual Geometry Noise	5	-0.3072	0.0788	-0.049	0.115	-0.111	-0.1092	0.0352	-0.2016	0.0798	0.3562	0.3194	0.649		

Table 159: ImageNet–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	C^s unperturbed	F^s perturbed	$\bar{F}^s$ perturbed	C^p unperturbed	$\bar{C}^p$ unperturbed	F^p perturbed	$\bar{F}^p$ perturbed	C^s perturbed	$\bar{C}^s$ perturbed	F^s perturbed	$\bar{F}^s$ perturbed	C^s perturbed
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	Dual Geometry Noise	5	0.743	0.302	0.3768	0.5958	0.7178	0.2448	0.3364	0.406	0.5304	0.0818	0.227	0.114
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	Dual Geometry Noise	5	0.6714	0.3378	0.3088	0.6248	0.6404	0.264	0.2492	0.4258	0.4358	0.0768	0.172	0.109
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	Dual Geometry Noise	5	0.5934	0.3502	0.2342	0.6284	0.5646	0.272	0.2104	0.433	0.3906	0.0768	0.1386	0.1074
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	Dual Geometry Noise	5	0.6418	0.3458	0.2834	0.6306	0.6166	0.2708	0.2336	0.4298	0.4174	0.0784	0.1548	0.1102
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	Dual Geometry Noise	5	0.6594	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.1104

Table 160: ImageNet-ResNet-18

Cell	Dataset	Model	Method	Setting	Q	C^* estimated
ImageNet-ResNet-18	ImageNet	ResNet-18	Simple Averaging	Dual Geometry Noise	5	0.322
ImageNet-ResNet-18	ImageNet	ResNet-18	Borda	Dual Geometry Noise	5	0.2496
ImageNet-ResNet-18	ImageNet	ResNet-18	Kemeny	Dual Geometry Noise	5	0.2126
ImageNet-ResNet-18	ImageNet	ResNet-18	RRF	Dual Geometry Noise	5	0.234
ImageNet-ResNet-18	ImageNet	ResNet-18	Schulze	Dual Geometry Noise	5	0.246

Table 161: ImageNet-ResNet-18

Cell	Dataset	Model	Q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.1804	clean_selected_best_individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.238	clean_selected_best_individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.3024	clean_selected_best_individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.3706	clean_selected_best_individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	0.1532	clean_selected_best_individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	-0.1178	clean_selected_best_individual	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	0.3372	clean_selected_best_individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	-0.3282	clean_selected_best_individual	-0.3102	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	0.1386	clean_selected_best_individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	-0.1034	clean_selected_best_individual	-0.0686	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.3086	clean_selected_best_individual	0.3176	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.3098	clean_selected_best_individual	-0.2856	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	0.08	clean_selected_best_individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	-0.0688	clean_selected_best_individual	-0.037	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.121	clean_selected_best_individual	0.1178	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	-0.1234	clean_selected_best_individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	-0.097	clean_selected_best_individual	-0.1058	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	0.034	clean_selected_best_individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	-0.1882	clean_selected_best_individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	0.0788	clean_selected_best_individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.1804	naive_q11	0.1726	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.238	naive_q11	0.251	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.3024	naive_q11	0.286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.3706	naive_q11	0.3862	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	0.1532	naive_q11	0.1564	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	-0.1178	naive_q11	-0.1118	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	0.3372	naive_q11	0.3474	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	-0.3282	naive_q11	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	0.1386	naive_q11	0.1376	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	-0.1034	naive_q11	-0.0916	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.3086	naive_q11	0.3152	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.3098	naive_q11	-0.2946	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	0.08	naive_q11	0.0734	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	-0.0688	naive_q11	-0.0636	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.121	naive_q11	0.1192	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	-0.1234	naive_q11	-0.1196	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	-0.097	naive_q11	-0.0944	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	0.034	naive_q11	0.0338	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	-0.1882	naive_q11	-0.1768	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	0.0788	naive_q11	0.0754	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.1804	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.1726	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.238	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.251	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.3024	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.3706	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.3862	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	0.1532	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.1564	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	-0.1178	NOISE_ same_ geometry_ dual_ geometry_ shared_q	-0.1118	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	0.3372	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.3474	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	-0.3282	NOISE_ same_ geometry_ dual_ geometry_ shared_q	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	0.1386	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	-0.1034	NOISE_ same_ geometry_ dual_ geometry_ shared_q	-0.0916	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.3086	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.3152	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.3098	NOISE_ same_ geometry_ dual_ geometry_ shared_q	-0.2946	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	0.08	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.0734	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	-0.0688	NOISE_ same_ geometry_ dual_ geometry_ shared_q	-0.0636	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.121	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.1192	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	-0.1234	NOISE_ same_ geometry_ dual_ geometry_ shared_q	-0.1196	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	-0.097	NOISE_ same_ geometry_ dual_ geometry_ shared_q	-0.0944	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	0.034	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.0338	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	-0.1882	NOISE_ same_ geometry_ dual_ geometry_ shared_q	-0.1768	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	0.0788	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.0754	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Simple Averaging	F	quality	0.1804	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.1726	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Simple Averaging	Fbar	quality	0.238	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.2698	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Simple Averaging	C	quality	0.3024	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.2872	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Simple Averaging	Cbar	quality	0.3706	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.4004	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_g	robustness	0.1532	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.156	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_g	robustness	-0.1178	NOISE_ same_ geometry_ dual_ geometry_ shared_q	-0.1262	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_g	robustness	0.3372	NOISE_ same_ geometry_ dual_ geometry_ shared_q	0.347	max	Worse

Cell	Dataset	Model	Q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_g	robustness	-0.3282	dual__geometry__shared_q	-0.3426	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_p	robustness	0.1386	dual__geometry__shared_q	0.1294	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_p	robustness	-0.1034	dual__geometry__shared_q	-0.107	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_p	robustness	0.3086	dual__geometry__shared_q	0.3086	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_p	robustness	-0.3098	dual__geometry__shared_q	-0.3174	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_s	robustness	0.08	dual__geometry__shared_q	0.0722	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_s	robustness	-0.0688	dual__geometry__shared_q	-0.0666	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_s	robustness	0.121	dual__geometry__shared_q	0.1188	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_s	robustness	-0.1234	dual__geometry__shared_q	-0.13	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Simple Averaging	R_F_a	robustness	-0.097	dual__geometry__shared_q	-0.0908	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Simple Averaging	R_Fbar_a	robustness	0.034	dual__geometry__shared_q	0.0428	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Simple Averaging	R_C_a	robustness	-0.1882	dual__geometry__shared_q	-0.1732	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Simple Averaging	R_Cbar_a	robustness	0.0788	dual__geometry__shared_q	0.0784	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.1856	clean__selected__best__individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.1802	clean__selected__best__individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.3116	clean__selected__best__individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.3024	clean__selected__best__individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	0.1716	clean__selected__best__individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	-0.1134	clean__selected__best__individual	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	0.3338	clean__selected__best__individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	-0.3262	clean__selected__best__individual	-0.3102	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	0.1612	clean__selected__best__individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	-0.0928	clean__selected__best__individual	-0.0686	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	0.317	clean__selected__best__individual	0.3176	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	-0.2998	clean__selected__best__individual	-0.2856	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	0.0798	clean__selected__best__individual	0.0618	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	-0.0402	clean_selected_best_individual	-0.037	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	0.1176	clean_selected_best_individual	0.1178	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	-0.1024	clean_selected_best_individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	-0.11	clean_selected_best_individual	-0.1058	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	0.0302	clean_selected_best_individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	-0.206	clean_selected_best_individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	0.0712	clean_selected_best_individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.1856	naive_q11	0.158	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.1802	naive_q11	0.2186	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.3116	naive_q11	0.2756	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.3024	naive_q11	0.3464	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	0.1716	naive_q11	0.1692	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	-0.1134	naive_q11	-0.0996	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	0.3338	naive_q11	0.3384	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	-0.3262	naive_q11	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	0.1612	naive_q11	0.1624	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	-0.0928	naive_q11	-0.0788	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	0.317	naive_q11	0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	-0.2998	naive_q11	-0.2822	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	0.0798	naive_q11	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	-0.0402	naive_q11	-0.0428	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	0.1176	naive_q11	0.1142	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	-0.1024	naive_q11	-0.103	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	-0.11	naive_q11	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	0.0302	naive_q11	0.019	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	-0.206	naive_q11	-0.1882	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	0.0712	naive_q11	0.0532	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.1856	NOISE_same_geometry	0.158	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.1802	NOISE_same_geometry	0.2186	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.3116	NOISE_same_geometry	0.2756	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.3024	NOISE_same_geometry	0.3464	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	0.1716	NOISE_same_geometry	0.1692	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	-0.1134	NOISE_same_geometry	-0.0996	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	0.3338	NOISE_same_geometry	0.3384	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	-0.3262	NOISE_same_geometry	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	0.1612	NOISE_same_geometry	0.1624	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	-0.0928	NOISE_same_geometry	-0.0788	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	0.317	NOISE_same_geometry	0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	-0.2998	NOISE_same_geometry	-0.2822	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	0.0798	NOISE_same_geometry	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	-0.0402	NOISE_same_geometry	-0.0428	max	Better

Cell	Dataset	Model	Q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	0.1176	NOISE__same_geometry	0.1142	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	-0.1024	NOISE__same_geometry	-0.103	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	-0.11	NOISE__same_geometry	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	0.0302	NOISE__same_geometry	0.019	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	-0.206	NOISE__same_geometry	-0.1882	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	0.0712	NOISE__same_geometry	0.0532	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Borda	F	quality	0.1856	NOISE__dual_geometry__shared_q	0.1876	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Borda	Fbar	quality	0.1802	NOISE__dual_geometry__shared_q	0.1982	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Borda	C	quality	0.3116	NOISE__dual_geometry__shared_q	0.312	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Borda	Cbar	quality	0.3024	NOISE__dual_geometry__shared_q	0.3216	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Borda	R_F_g	robustness	0.1716	NOISE__dual_geometry__shared_q	0.1676	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_g	robustness	-0.1134	NOISE__dual_geometry__shared_q	-0.13	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Borda	R_C_g	robustness	0.3338	NOISE__dual_geometry__shared_q	0.3406	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_g	robustness	-0.3262	NOISE__dual_geometry__shared_q	-0.3498	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Borda	R_F_p	robustness	0.1612	NOISE__dual_geometry__shared_q	0.1502	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_p	robustness	-0.0928	NOISE__dual_geometry__shared_q	-0.1106	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Borda	R_C_p	robustness	0.317	NOISE__dual_geometry__shared_q	0.3128	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_p	robustness	-0.2998	NOISE__dual_geometry__shared_q	-0.3188	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Borda	R_F_s	robustness	0.0798	NOISE__dual_geometry__shared_q	0.0764	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_s	robustness	-0.0402	NOISE__dual_geometry__shared_q	-0.051	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Borda	R_C_s	robustness	0.1176	NOISE__dual_geometry__shared_q	0.1138	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_s	robustness	-0.1024	NOISE__dual_geometry__shared_q	-0.1142	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Borda	R_F_a	robustness	-0.11	NOISE__dual_geometry__shared_q	-0.1108	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Borda	R_Fbar_a	robustness	0.0302	NOISE__dual_geometry__shared_q	0.0262	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Borda	R_C_a	robustness	-0.206	NOISE__dual_geometry__shared_q	-0.203	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Borda	R_Cbar_a	robustness	0.0712	NOISE__dual_geometry__shared_q	0.072	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.175	clean_selected_best_individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.165	clean_selected_best_individual	0.1752	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.2978	clean_selected_best_individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.2772	clean_selected_best_individual	0.2952	min	Better

Cell	Dataset	Model	Q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	0.1706	clean_selected_best_individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	-0.086	clean_selected_best_individual	-0.103	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	0.329	clean_selected_best_individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	-0.3086	clean_selected_best_individual	-0.3102	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	0.1612	clean_selected_best_individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	-0.0606	clean_selected_best_individual	-0.0686	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	0.3108	clean_selected_best_individual	0.3176	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	-0.2756	clean_selected_best_individual	-0.2856	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.0806	clean_selected_best_individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	-0.0352	clean_selected_best_individual	-0.037	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.1136	clean_selected_best_individual	0.1178	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	-0.1016	clean_selected_best_individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	-0.1066	clean_selected_best_individual	-0.1058	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	0.0088	clean_selected_best_individual	0.0216	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	-0.2046	clean_selected_best_individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	0.0402	clean_selected_best_individual	0.0572	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.175	naive_q11	0.1556	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.165	naive_q11	0.2234	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.2978	naive_q11	0.271	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.2772	naive_q11	0.3492	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	0.1706	naive_q11	0.1668	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	-0.086	naive_q11	-0.0684	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	0.329	naive_q11	0.3296	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	-0.3086	naive_q11	-0.2774	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	0.1612	naive_q11	0.1614	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	-0.0606	naive_q11	-0.045	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	0.3108	naive_q11	0.317	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	-0.2756	naive_q11	-0.2522	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.0806	naive_q11	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	-0.0352	naive_q11	-0.0362	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.1136	naive_q11	0.1136	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	-0.1016	naive_q11	-0.0994	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	-0.1066	naive_q11	-0.0904	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	0.0088	naive_q11	0.015	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	-0.2046	naive_q11	-0.179	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	0.0402	naive_q11	0.0492	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.175	NOISE_same_geometry	0.1556	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.165	NOISE_same_geometry	0.2234	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.2978	NOISE_same_geometry	0.271	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.2772	NOISE__same_geometry__NOISE__	0.3492	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	0.1706	NOISE__same_geometry__NOISE__	0.1668	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	-0.086	NOISE__same_geometry__NOISE__	-0.0684	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	0.329	NOISE__same_geometry__NOISE__	0.3296	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	-0.3086	NOISE__same_geometry__NOISE__	-0.2774	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	0.1612	NOISE__same_geometry__NOISE__	0.1614	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	-0.0606	NOISE__same_geometry__NOISE__	-0.045	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	0.3108	NOISE__same_geometry__NOISE__	0.317	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	-0.2756	NOISE__same_geometry__NOISE__	-0.2522	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.0806	NOISE__same_geometry__NOISE__	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	-0.0352	NOISE__same_geometry__NOISE__	-0.0362	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.1136	NOISE__same_geometry__NOISE__	0.1136	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	-0.1016	NOISE__same_geometry__NOISE__	-0.0994	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	-0.1066	NOISE__same_geometry__NOISE__	-0.0904	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	0.0088	NOISE__same_geometry__NOISE__	0.015	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	-0.2046	NOISE__same_geometry__NOISE__	-0.179	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	0.0402	NOISE__same_geometry__NOISE__	0.0492	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Kemeny	F	quality	0.175	geometry__dual__shared_q	0.1874	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Kemeny	Fbar	quality	0.165	geometry__dual__shared_q	0.1658	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Kemeny	C	quality	0.2978	geometry__dual__shared_q	0.3128	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Kemeny	Cbar	quality	0.2772	geometry__dual__shared_q	0.2872	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Kemeny	R_F_g	robustness	0.1706	geometry__dual__shared_q	0.1704	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_g	robustness	-0.086	geometry__dual__shared_q	-0.096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Kemeny	R_C_g	robustness	0.329	geometry__dual__shared_q	0.332	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_g	robustness	-0.3086	geometry__dual__shared_q	-0.3062	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Kemeny	R_F_p	robustness	0.1612	geometry__dual__shared_q	0.1628	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_p	robustness	-0.0606	geometry__dual__shared_q	-0.0684	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Kemeny	R_C_p	robustness	0.3108	geometry__dual__shared_q	0.3156	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_p	robustness	-0.2756	geometry__dual__shared_q	-0.2774	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Kemeny	R_F_s	robustness	0.0806	geometry__dual__shared_q	0.0846	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_s	robustness	-0.0352	geometry__dual__shared_q	-0.0446	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Kemeny	R_C_s	robustness	0.1136	dual__geometry__shared_q	0.1202	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_s	robustness	-0.1016	dual__geometry__shared_q	-0.1034	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Kemeny	R_F_a	robustness	-0.1066	dual__geometry__shared_q	-0.1106	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Kemeny	R_Fbar_a	robustness	0.0088	dual__geometry__shared_q	0.0272	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Kemeny	R_C_a	robustness	-0.2046	dual__geometry__shared_q	-0.2054	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Kemeny	R_Cbar_a	robustness	0.0402	dual__geometry__shared_q	0.0746	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.1834	clean__selected__best__individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.1606	clean__selected__best__individual	0.1752	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.3066	clean__selected__best__individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.2748	clean__selected__best__individual	0.2952	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	0.1756	clean__selected__best__individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	-0.0984	clean__selected__best__individual	-0.103	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	0.333	clean__selected__best__individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-0.3202	clean__selected__best__individual	-0.3102	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	0.165	clean__selected__best__individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	-0.072	clean__selected__best__individual	-0.0686	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	0.3196	clean__selected__best__individual	0.3176	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	-0.284	clean__selected__best__individual	-0.2856	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.0828	clean__selected__best__individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	-0.0386	clean__selected__best__individual	-0.037	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.1194	clean__selected__best__individual	0.1178	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	-0.102	clean__selected__best__individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	-0.1104	clean__selected__best__individual	-0.1058	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	0.026	clean__selected__best__individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	-0.2048	clean__selected__best__individual	-0.2096	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	0.0638	clean_selected_best_individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.1834	naive_q11	0.1612	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.1606	naive_q11	0.2176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.3066	naive_q11	0.2812	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.2748	naive_q11	0.3424	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	0.1756	naive_q11	0.1648	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	-0.0984	naive_q11	-0.0776	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	0.333	naive_q11	0.3286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-0.3202	naive_q11	-0.2944	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	0.165	naive_q11	0.1624	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	-0.072	naive_q11	-0.066	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	0.3196	naive_q11	0.3134	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	-0.284	naive_q11	-0.2654	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.0828	naive_q11	0.0742	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	-0.0386	naive_q11	-0.0342	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.1194	naive_q11	0.1126	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	-0.102	naive_q11	-0.0958	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	-0.1104	naive_q11	-0.0956	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	0.026	naive_q11	0.0246	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	-0.2048	naive_q11	-0.1914	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	0.0638	naive_q11	0.0608	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.1834	NOISE_same_geometry_NOISE_same_geometry	0.1612	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.1606	NOISE_same_geometry	0.2176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.3066	NOISE_same_geometry	0.2812	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.2748	NOISE_same_geometry	0.3424	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	0.1756	NOISE_same_geometry	0.1648	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	-0.0984	NOISE_same_geometry	-0.0776	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	0.333	NOISE_same_geometry	0.3286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-0.3202	NOISE_same_geometry	-0.2944	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	0.165	NOISE_same_geometry	0.1624	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	-0.072	NOISE_same_geometry	-0.066	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	0.3196	NOISE_same_geometry	0.3134	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	-0.284	NOISE_same_geometry	-0.2654	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.0828	NOISE_same_geometry	0.0742	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	-0.0386	NOISE_same_geometry	-0.0342	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.1194	NOISE_same_geometry	0.1126	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	-0.102	NOISE_same_geometry	-0.0958	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	-0.1104	NOISE_same_geometry	-0.0956	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	0.026	NOISE_same_geometry	0.0246	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	-0.2048	NOISE_same_geometry	-0.1914	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	0.0638	NOISE_same_geometry	0.0608	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	RRF	F	quality	0.1834	dual_shared_q	0.1886	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	RRF	Fbar	quality	0.1606	dual_shared_q	0.1868	min	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	RRF	C	quality	0.3066	dual__geometry__shared_q	0.3152	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	RRF	Cbar	quality	0.2748	dual__geometry__shared_q	0.3094	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	RRF	R_F_g	robustness	0.1756	dual__geometry__shared_q	0.1646	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_g	robustness	-0.0984	dual__geometry__shared_q	-0.1144	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	RRF	R_C_g	robustness	0.333	dual__geometry__shared_q	0.3352	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_g	robustness	-0.3202	dual__geometry__shared_q	-0.3324	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	RRF	R_F_p	robustness	0.165	dual__geometry__shared_q	0.1572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_p	robustness	-0.072	dual__geometry__shared_q	-0.0966	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	RRF	R_C_p	robustness	0.3196	dual__geometry__shared_q	0.3154	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_p	robustness	-0.284	dual__geometry__shared_q	-0.3072	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	RRF	R_F_s	robustness	0.0828	dual__geometry__shared_q	0.0822	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_s	robustness	-0.0386	dual__geometry__shared_q	-0.0468	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	RRF	R_C_s	robustness	0.1194	dual__geometry__shared_q	0.1146	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_s	robustness	-0.102	dual__geometry__shared_q	-0.108	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	RRF	R_F_a	robustness	-0.1104	dual__geometry__shared_q	-0.1102	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	RRF	R_Fbar_a	robustness	0.026	dual__geometry__shared_q	0.032	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	RRF	R_C_a	robustness	-0.2048	dual__geometry__shared_q	-0.205	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	RRF	R_Cbar_a	robustness	0.0638	dual__geometry__shared_q	0.0754	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.1704	clean__selected__best__individual	0.1716	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.1726	clean__selected__best__individual	0.1752	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.2974	clean__selected__best__individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.2872	clean__selected__best__individual	0.2952	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	0.176	clean__selected__best__individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	-0.0818	clean__selected__best__individual	-0.103	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	0.3238	clean__selected__best__individual	0.328	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	-0.3004	clean__selected__best__individual	-0.3102	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	0.1694	clean__selected__best__individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	-0.0512	clean__selected__best__individual	-0.0686	max	Better

Cell	Dataset	Model	Q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	0.3178	clean_selected_best_individual	0.3176	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	-0.2672	clean_selected_best_individual	-0.2856	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.0876	clean_selected_best_individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	-0.028	clean_selected_best_individual	-0.037	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.1156	clean_selected_best_individual	0.1178	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-0.0916	clean_selected_best_individual	-0.095	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	-0.1046	clean_selected_best_individual	-0.1058	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	0.0142	clean_selected_best_individual	0.0216	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	-0.206	clean_selected_best_individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	0.0508	clean_selected_best_individual	0.0572	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.1704	naive_q11	0.1576	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.1726	naive_q11	0.2182	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.2974	naive_q11	0.276	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.2872	naive_q11	0.3444	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	0.176	naive_q11	0.1662	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	-0.0818	naive_q11	-0.0762	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	0.3238	naive_q11	0.3296	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	-0.3004	naive_q11	-0.288	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	0.1694	naive_q11	0.1592	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	-0.0512	naive_q11	-0.0656	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	0.3178	naive_q11	0.3124	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	-0.2672	naive_q11	-0.2696	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.0876	naive_q11	0.077	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	-0.028	naive_q11	-0.035	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.1156	naive_q11	0.112	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-0.0916	naive_q11	-0.0958	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	-0.1046	naive_q11	-0.0926	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	0.0142	naive_q11	0.017	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	-0.206	naive_q11	-0.1864	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	0.0508	naive_q11	0.0506	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.1704	NOISE_same_geometry	0.1576	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.1726	NOISE_same_geometry	0.2182	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.2974	NOISE_same_geometry	0.276	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.2872	NOISE_same_geometry	0.3444	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	0.176	NOISE_same_geometry	0.1662	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	-0.0818	NOISE_same_geometry	-0.0762	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	0.3238	NOISE_same_geometry	0.3296	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	-0.3004	NOISE_same_geometry	-0.288	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	0.1694	NOISE_same_geometry	0.1592	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	-0.0512	NOISE_same_geometry	-0.0656	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	0.3178	NOISE_same_geometry	0.3124	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	-0.2672	NOISE__same_geometry__NOISE__	-0.2696	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.0876	NOISE__same_geometry__NOISE__	0.077	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	-0.028	NOISE__same_geometry__NOISE__	-0.035	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.1156	NOISE__same_geometry__NOISE__	0.112	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-0.0916	NOISE__same_geometry__NOISE__	-0.0958	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	-0.1046	NOISE__same_geometry__NOISE__	-0.0926	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	0.0142	NOISE__same_geometry__NOISE__	0.017	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	-0.206	NOISE__same_geometry__NOISE__	-0.1864	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	0.0508	NOISE__same_geometry__NOISE__	0.0506	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Spearman	NOISE-S	borda	Schulze	F	quality	0.1704	dual_geometry__shared_q	0.1876	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Spearman	NOISE-S	borda	Schulze	Fbar	quality	0.1726	dual_geometry__shared_q	0.2018	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Spearman	NOISE-S	borda	Schulze	C	quality	0.2974	dual_geometry__shared_q	0.312	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Spearman	NOISE-S	borda	Schulze	Cbar	quality	0.2872	dual_geometry__shared_q	0.3258	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	Spearman	NOISE-S	borda	Schulze	R_F_g	robustness	0.176	dual_geometry__shared_q	0.1686	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_g	robustness	-0.0818	dual_geometry__shared_q	-0.1176	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	Spearman	NOISE-S	borda	Schulze	R_C_g	robustness	0.3238	dual_geometry__shared_q	0.337	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_g	robustness	-0.3004	dual_geometry__shared_q	-0.3336	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	Spearman	NOISE-S	borda	Schulze	R_F_p	robustness	0.1694	dual_geometry__shared_q	0.1578	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_p	robustness	-0.0512	dual_geometry__shared_q	-0.0996	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	Spearman	NOISE-S	borda	Schulze	R_C_p	robustness	0.3178	dual_geometry__shared_q	0.321	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_p	robustness	-0.2672	dual_geometry__shared_q	-0.3072	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	Spearman	NOISE-S	borda	Schulze	R_F_s	robustness	0.0876	dual_geometry__shared_q	0.0788	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_s	robustness	-0.028	dual_geometry__shared_q	-0.049	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	Spearman	NOISE-S	borda	Schulze	R_C_s	robustness	0.1156	dual_geometry__shared_q	0.115	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_s	robustness	-0.0916	dual_geometry__shared_q	-0.111	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	Spearman	NOISE-S	borda	Schulze	R_F_a	robustness	-0.1046	dual_geometry__shared_q	-0.1092	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	Spearman	NOISE-S	borda	Schulze	R_Fbar_a	robustness	0.0142	dual_geometry__shared_q	0.0352	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	Spearman	NOISE-S	borda	Schulze	R_C_a	robustness	-0.206	dual_geometry__shared_q	-0.2016	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	Spearman	NOISE-S	borda	Schulze	R_Cbar_a	robustness	0.0508	dual_geometry__shared_q	0.0798	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.1726	clean_selected_best_individual	0.1716	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.2698	clean_selected_best_individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.2872	clean_selected_best_individual	0.292	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.4004	clean_selected_best_individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	0.156	clean_selected_best_individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	-0.1262	clean_selected_best_individual	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	0.347	clean_selected_best_individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	-0.3426	clean_selected_best_individual	-0.3102	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	0.1294	clean_selected_best_individual	0.1378	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	-0.107	clean_selected_best_individual	-0.0686	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	0.3086	clean_selected_best_individual	0.3176	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	-0.3174	clean_selected_best_individual	-0.2856	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	0.0722	clean_selected_best_individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	-0.0666	clean_selected_best_individual	-0.037	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.1188	clean_selected_best_individual	0.1178	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	-0.13	clean_selected_best_individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	-0.0908	clean_selected_best_individual	-0.1058	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	0.0428	clean_selected_best_individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	-0.1732	clean_selected_best_individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	0.0784	clean_selected_best_individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.1726	naive_q11	0.1726	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.2698	naive_q11	0.251	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.2872	naive_q11	0.286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.4004	naive_q11	0.3862	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	0.156	naive_q11	0.1564	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	-0.1262	naive_q11	-0.1118	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	0.347	naive_q11	0.3474	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	-0.3426	naive_q11	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	0.1294	naive_q11	0.1376	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	-0.107	naive_q11	-0.0916	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	0.3086	naive_q11	0.3152	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	-0.3174	naive_q11	-0.2946	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	0.0722	naive_q11	0.0734	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	-0.0666	naive_q11	-0.0636	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.1188	naive_q11	0.1192	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	-0.13	naive_q11	-0.1196	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	-0.0908	naive_q11	-0.0944	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	0.0428	naive_q11	0.0338	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	-0.1732	naive_q11	-0.1768	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	0.0784	naive_q11	0.0754	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.1726	NOISE__same_geometry	0.1726	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.2698	NOISE__same_geometry	0.251	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.2872	NOISE__same_geometry	0.286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.4004	NOISE__same_geometry	0.3862	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	0.156	NOISE__same_geometry	0.1564	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	-0.1262	NOISE__same_geometry	-0.1118	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	0.347	NOISE__same_geometry	0.3474	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	-0.3426	NOISE__same_geometry	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	0.1294	NOISE__same_geometry	0.1378	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	-0.107	NOISE__same_geometry	-0.0916	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	0.3086	NOISE__same_geometry	0.3152	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	-0.3174	NOISE__same_geometry	-0.2946	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	0.0722	NOISE__same_geometry	0.0734	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	-0.0666	NOISE__same_geometry	-0.0636	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.1188	NOISE__same_geometry	0.1192	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	-0.13	NOISE__same_geometry	-0.1196	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	-0.0908	NOISE__same_geometry	-0.0944	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	0.0428	NOISE__same_geometry	0.0338	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	-0.1732	NOISE__same_geometry	-0.1768	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	0.0784	NOISE__same_geometry	0.0754	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Simple Averaging	F	quality	0.1726	geometry__dual__shared_q	0.1726	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	Fbar	quality	0.2698	geometry__dual__shared_q	0.2698	min	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Simple Averaging	C	quality	0.2872	geometry__dual__shared_q	0.2872	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	Cbar	quality	0.4004	geometry__dual__shared_q	0.4004	min	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_g	robustness	0.156	geometry__dual__shared_q	0.156	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_g	robustness	-0.1262	geometry__dual__shared_q	-0.1262	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_g	robustness	0.347	geometry__dual__shared_q	0.347	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_g	robustness	-0.3426	geometry__dual__shared_q	-0.3426	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_p	robustness	0.1294	geometry__dual__shared_q	0.1294	max	Equal

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_p	robustness	-0.107	dual__geometry__shared_q	-0.107	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_p	robustness	0.3086	dual__geometry__shared_q	0.3086	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_p	robustness	-0.3174	dual__geometry__shared_q	-0.3174	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_s	robustness	0.0722	dual__geometry__shared_q	0.0722	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_s	robustness	-0.0666	dual__geometry__shared_q	-0.0666	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_s	robustness	0.1188	dual__geometry__shared_q	0.1188	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_s	robustness	-0.13	dual__geometry__shared_q	-0.13	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Simple Averaging	R_F_a	robustness	-0.0908	dual__geometry__shared_q	-0.0908	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Fbar_a	robustness	0.0428	dual__geometry__shared_q	0.0428	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Simple Averaging	R_C_a	robustness	-0.1732	dual__geometry__shared_q	-0.1732	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Simple Averaging	R_Cbar_a	robustness	0.0784	dual__geometry__shared_q	0.0784	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.1876	clean__selected__best__individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.1982	clean__selected__best__individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.312	clean__selected__best__individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.3216	clean__selected__best__individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	0.1676	clean__selected__best__individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	-0.13	clean__selected__best__individual	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	0.3406	clean__selected__best__individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	-0.3498	clean__selected__best__individual	-0.3102	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	0.1502	clean__selected__best__individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	-0.1106	clean__selected__best__individual	-0.0686	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	0.3128	clean__selected__best__individual	0.3176	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	-0.3188	clean__selected__best__individual	-0.2856	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.0764	clean__selected__best__individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	-0.051	clean__selected__best__individual	-0.037	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.1138	clean__selected__best__individual	0.1178	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	-0.1142	clean_selected_best_individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	-0.1108	clean_selected_best_individual	-0.1058	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	0.0262	clean_selected_best_individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	-0.203	clean_selected_best_individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	0.072	clean_selected_best_individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.1876	naive_q11	0.158	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.1982	naive_q11	0.2186	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.312	naive_q11	0.2756	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.3216	naive_q11	0.3464	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	0.1676	naive_q11	0.1692	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	-0.13	naive_q11	-0.0996	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	0.3406	naive_q11	0.3384	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	-0.3498	naive_q11	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	0.1502	naive_q11	0.1624	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	-0.1106	naive_q11	-0.0788	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	0.3128	naive_q11	0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	-0.3188	naive_q11	-0.2822	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.0764	naive_q11	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	-0.051	naive_q11	-0.0428	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.1138	naive_q11	0.1142	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	-0.1142	naive_q11	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	-0.1108	naive_q11	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	0.0262	naive_q11	0.019	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	-0.203	naive_q11	-0.1882	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	0.072	naive_q11	0.0532	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.1876	NOISE_same_geometry	0.158	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.1982	NOISE_same_geometry	0.2186	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.312	NOISE_same_geometry	0.2756	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.3216	NOISE_same_geometry	0.3464	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	0.1676	NOISE_same_geometry	0.1692	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	-0.13	NOISE_same_geometry	-0.0996	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	0.3406	NOISE_same_geometry	0.3384	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	-0.3498	NOISE_same_geometry	-0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	0.1502	NOISE_same_geometry	0.1624	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	-0.1106	NOISE_same_geometry	-0.0788	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	0.3128	NOISE_same_geometry	0.3208	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	-0.3188	NOISE_same_geometry	-0.2822	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.0764	NOISE_same_geometry	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	-0.051	NOISE_same_geometry	-0.0428	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.1138	NOISE_same_geometry	0.1142	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	-0.1142	NOISE_same_geometry	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	-0.1108	NOISE_same_geometry	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	-0.1108	NOISE_same_geometry	-0.095	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	0.0262	NOISE__same_geometry	0.019	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	-0.203	NOISE__same_geometry	-0.1882	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	0.072	NOISE__same_geometry	0.0532	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Borda	F	quality	0.1876	dual__geometry__shared_q	0.1876	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Borda	Fbar	quality	0.1982	dual__geometry__shared_q	0.1982	min	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Borda	C	quality	0.312	dual__geometry__shared_q	0.312	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Borda	Cbar	quality	0.3216	dual__geometry__shared_q	0.3216	min	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Borda	R_F_g	robustness	0.1676	dual__geometry__shared_q	0.1676	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_g	robustness	-0.13	dual__geometry__shared_q	-0.13	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Borda	R_C_g	robustness	0.3406	dual__geometry__shared_q	0.3406	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_g	robustness	-0.3498	dual__geometry__shared_q	-0.3498	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Borda	R_F_p	robustness	0.1502	dual__geometry__shared_q	0.1502	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_p	robustness	-0.1106	dual__geometry__shared_q	-0.1106	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Borda	R_C_p	robustness	0.3128	dual__geometry__shared_q	0.3128	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_p	robustness	-0.3188	dual__geometry__shared_q	-0.3188	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Borda	R_F_s	robustness	0.0764	dual__geometry__shared_q	0.0764	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_s	robustness	-0.051	dual__geometry__shared_q	-0.051	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Borda	R_C_s	robustness	0.1138	dual__geometry__shared_q	0.1138	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_s	robustness	-0.1142	dual__geometry__shared_q	-0.1142	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Borda	R_F_a	robustness	-0.1108	dual__geometry__shared_q	-0.1108	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Borda	R_Fbar_a	robustness	0.0262	dual__geometry__shared_q	0.0262	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Borda	R_C_a	robustness	-0.203	dual__geometry__shared_q	-0.203	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Borda	R_Cbar_a	robustness	0.072	dual__geometry__shared_q	0.072	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.1874	clean_selected_best_individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.1658	clean_selected_best_individual	0.1752	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.3128	clean_selected_best_individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.2872	clean_selected_best_individual	0.2952	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	0.1704	clean_selected_best_individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	-0.096	clean_selected_best_individual	-0.103	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	0.332	clean_selected_best_individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	-0.3062	clean_selected_best_individual	-0.3102	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	0.1628	clean_selected_best_individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	-0.0684	clean_selected_best_individual	-0.0686	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	0.3156	clean_selected_best_individual	0.3176	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	-0.2774	clean_selected_best_individual	-0.2856	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	0.0846	clean_selected_best_individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	-0.0446	clean_selected_best_individual	-0.037	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	0.1202	clean_selected_best_individual	0.1178	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	-0.1034	clean_selected_best_individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	-0.1106	clean_selected_best_individual	-0.1058	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	0.0272	clean_selected_best_individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	-0.2054	clean_selected_best_individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	0.0746	clean_selected_best_individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.1874	naive_q11	0.1556	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.1658	naive_q11	0.2234	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.3128	naive_q11	0.271	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.2872	naive_q11	0.3492	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	0.1704	naive_q11	0.1668	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	-0.096	naive_q11	-0.0684	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	0.332	naive_q11	0.3296	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	-0.3062	naive_q11	-0.2774	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	0.1628	naive_q11	0.1614	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	-0.0684	naive_q11	-0.045	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	0.3156	naive_q11	0.317	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	-0.2774	naive_q11	-0.2522	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	0.0846	naive_q11	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	-0.0446	naive_q11	-0.0362	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	0.1202	naive_q11	0.1136	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	-0.1034	naive_q11	-0.0994	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	-0.1106	naive_q11	-0.0904	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	0.0272	naive_q11	0.015	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	-0.2054	naive_q11	-0.179	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	0.0746	naive_q11	0.0492	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.1874	NOISE_same_geometry	0.1556	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.1658	NOISE_same_geometry	0.2234	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.3128	NOISE_same_geometry	0.271	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.2872	NOISE_same_geometry	0.3492	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	0.1704	NOISE_same_geometry	0.1668	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	-0.096	NOISE__same_geometry__NOISE__	-0.0684	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	0.332	NOISE__same_geometry__NOISE__	0.3296	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	-0.3062	NOISE__same_geometry__NOISE__	-0.2774	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	0.1628	NOISE__same_geometry__NOISE__	0.1614	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	-0.0684	NOISE__same_geometry__NOISE__	-0.045	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	0.3156	NOISE__same_geometry__NOISE__	0.317	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	-0.2774	NOISE__same_geometry__NOISE__	-0.2522	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	0.0846	NOISE__same_geometry__NOISE__	0.0748	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	-0.0446	NOISE__same_geometry__NOISE__	-0.0362	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	0.1202	NOISE__same_geometry__NOISE__	0.1136	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	-0.1034	NOISE__same_geometry__NOISE__	-0.0994	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	-0.1106	NOISE__same_geometry__NOISE__	-0.0904	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	0.0272	NOISE__same_geometry__NOISE__	0.015	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	-0.2054	NOISE__same_geometry__NOISE__	-0.179	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	0.0746	NOISE__same_geometry__NOISE__	0.0492	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Kemeny	F	quality	0.1874	dual__geometry__shared_q	0.1874	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Kemeny	Fbar	quality	0.1658	dual__geometry__shared_q	0.1658	min	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Kemeny	C	quality	0.3128	dual__geometry__shared_q	0.3128	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Kemeny	Cbar	quality	0.2872	dual__geometry__shared_q	0.2872	min	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_g	robustness	0.1704	dual__geometry__shared_q	0.1704	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_g	robustness	-0.096	dual__geometry__shared_q	-0.096	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_g	robustness	0.332	dual__geometry__shared_q	0.332	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_g	robustness	-0.3062	dual__geometry__shared_q	-0.3062	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_p	robustness	0.1628	dual__geometry__shared_q	0.1628	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_p	robustness	-0.0684	dual__geometry__shared_q	-0.0684	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_p	robustness	0.3156	dual__geometry__shared_q	0.3156	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_p	robustness	-0.2774	dual__geometry__shared_q	-0.2774	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_s	robustness	0.0846	dual__geometry__shared_q	0.0846	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_s	robustness	-0.0446	dual__geometry__shared_q	-0.0446	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_s	robustness	0.1202	dual__geometry__shared_q	0.1202	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_s	robustness	-0.1034	dual__geometry__shared_q	-0.1034	max	Equal

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference Value	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Kemeny	R_F_a	robustness	-0.1106	dual__geometry__shared_q	-0.1106	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Kemeny	R_Fbar_a	robustness	0.0272	dual__geometry__shared_q	0.0272	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Kemeny	R_C_a	robustness	-0.2054	dual__geometry__shared_q	-0.2054	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Kemeny	R_Cbar_a	robustness	0.0746	dual__geometry__shared_q	0.0746	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.1886	clean__selected__best__individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.1868	clean__selected__best__individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.3152	clean__selected__best__individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.3094	clean__selected__best__individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.1646	clean__selected__best__individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	-0.1144	clean__selected__best__individual	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	0.3352	clean__selected__best__individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	-0.3324	clean__selected__best__individual	-0.3102	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	0.1572	clean__selected__best__individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	-0.0966	clean__selected__best__individual	-0.0686	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	0.3154	clean__selected__best__individual	0.3176	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	-0.3072	clean__selected__best__individual	-0.2856	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.0822	clean__selected__best__individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	-0.0468	clean__selected__best__individual	-0.037	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.1146	clean__selected__best__individual	0.1178	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-0.108	clean__selected__best__individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	-0.1102	clean__selected__best__individual	-0.1058	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	0.032	clean__selected__best__individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	-0.205	clean__selected__best__individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	0.0754	clean__selected__best__individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.1886	naive_q11	0.1612	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.1868	naive_q11	0.2176	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.3152	naive_q11	0.2812	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.3094	naive_q11	0.3424	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.1646	naive_q11	0.1648	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	-0.1144	naive_q11	-0.0776	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	0.3352	naive_q11	0.3286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	-0.3324	naive_q11	-0.2944	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	0.1572	naive_q11	0.1624	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	-0.0966	naive_q11	-0.066	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	0.3154	naive_q11	0.3134	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	-0.3072	naive_q11	-0.2654	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.0822	naive_q11	0.0742	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	-0.0468	naive_q11	-0.0342	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.1146	naive_q11	0.1126	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-0.108	naive_q11	-0.0958	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	-0.1102	naive_q11	-0.0956	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	0.032	naive_q11	0.0246	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	-0.205	naive_q11	-0.1914	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	0.0754	naive_q11	0.0608	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.1886	NOISE_ same_ geometry	0.1886	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.1868	NOISE_ same_ geometry	0.1868	min	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.3152	NOISE_ same_ geometry	0.3152	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.3094	NOISE_ same_ geometry	0.3094	min	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.1646	NOISE_ same_ geometry	0.1648	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	-0.1144	NOISE_ same_ geometry	-0.0776	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	0.3352	NOISE_ same_ geometry	0.3286	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	-0.3324	NOISE_ same_ geometry	-0.2944	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	0.1572	NOISE_ same_ geometry	0.1624	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	-0.0966	NOISE_ same_ geometry	-0.066	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	0.3154	NOISE_ same_ geometry	0.3134	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	-0.3072	NOISE_ same_ geometry	-0.2654	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.0822	NOISE_ same_ geometry	0.0742	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	-0.0468	NOISE_ same_ geometry	-0.0342	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.1146	NOISE_ same_ geometry	0.1126	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-0.108	NOISE_ same_ geometry	-0.0958	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	-0.1102	NOISE_ same_ geometry	-0.0956	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	0.032	NOISE_ same_ geometry	0.0246	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	-0.205	NOISE_ same_ geometry	-0.1914	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	0.0754	NOISE_ same_ geometry	0.0608	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	RRF	F	quality	0.1886	dual_ geometry_ shared_q	0.1886	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	RRF	Fbar	quality	0.1868	dual_ geometry_ shared_q	0.1868	min	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	RRF	C	quality	0.3152	dual_ geometry_ shared_q	0.3152	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	RRF	Cbar	quality	0.3094	dual_ geometry_ shared_q	0.3094	min	Equal

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	RRF	R_F_g	robustness	0.1646	dual__geometry__shared_q	0.1646	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_g	robustness	-0.1144	dual__geometry__shared_q	-0.1144	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	RRF	R_C_g	robustness	0.3352	dual__geometry__shared_q	0.3352	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_g	robustness	-0.3324	dual__geometry__shared_q	-0.3324	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	RRF	R_F_p	robustness	0.1572	dual__geometry__shared_q	0.1572	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_p	robustness	-0.0966	dual__geometry__shared_q	-0.0966	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	RRF	R_C_p	robustness	0.3154	dual__geometry__shared_q	0.3154	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_p	robustness	-0.3072	dual__geometry__shared_q	-0.3072	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	RRF	R_F_s	robustness	0.0822	dual__geometry__shared_q	0.0822	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_s	robustness	-0.0468	dual__geometry__shared_q	-0.0468	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	RRF	R_C_s	robustness	0.1146	dual__geometry__shared_q	0.1146	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_s	robustness	-0.108	dual__geometry__shared_q	-0.108	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	RRF	R_F_a	robustness	-0.1102	dual__geometry__shared_q	-0.1102	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	RRF	R_Fbar_a	robustness	0.032	dual__geometry__shared_q	0.032	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	RRF	R_C_a	robustness	-0.205	dual__geometry__shared_q	-0.205	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	RRF	R_Cbar_a	robustness	0.0754	dual__geometry__shared_q	0.0754	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.1876	clean__selected__best__individual	0.1716	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.2018	clean__selected__best__individual	0.1752	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.312	clean__selected__best__individual	0.292	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.3258	clean__selected__best__individual	0.2952	min	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	0.1686	clean__selected__best__individual	0.15	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	-0.1176	clean__selected__best__individual	-0.103	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	0.337	clean__selected__best__individual	0.328	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	-0.3336	clean__selected__best__individual	-0.3102	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	0.1578	clean__selected__best__individual	0.1378	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	-0.0996	clean__selected__best__individual	-0.0686	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	0.321	clean__selected__best__individual	0.3176	max	Better

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	-0.3072	clean_selected_best_individual	-0.2856	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	0.0788	clean_selected_best_individual	0.0618	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	-0.049	clean_selected_best_individual	-0.037	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	0.115	clean_selected_best_individual	0.1178	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	-0.111	clean_selected_best_individual	-0.095	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	-0.1092	clean_selected_best_individual	-0.1058	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	0.0352	clean_selected_best_individual	0.0216	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	-0.2016	clean_selected_best_individual	-0.2096	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	0.0798	clean_selected_best_individual	0.0572	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.1876	naive_q11	0.1576	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.2018	naive_q11	0.2182	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.312	naive_q11	0.276	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.3258	naive_q11	0.3444	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	0.1686	naive_q11	0.1662	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	-0.1176	naive_q11	-0.0762	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	0.337	naive_q11	0.3296	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	-0.3336	naive_q11	-0.288	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	0.1578	naive_q11	0.1592	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	-0.0996	naive_q11	-0.0656	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	0.321	naive_q11	0.3124	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	-0.3072	naive_q11	-0.2696	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	0.0788	naive_q11	0.077	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	-0.049	naive_q11	-0.035	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	0.115	naive_q11	0.112	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	-0.111	naive_q11	-0.0958	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	-0.1092	naive_q11	-0.0926	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	0.0352	naive_q11	0.017	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	-0.2016	naive_q11	-0.1864	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	0.0798	naive_q11	0.0506	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.1876	NOISE_same_geometry	0.1576	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.2018	NOISE_same_geometry	0.2182	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.312	NOISE_same_geometry	0.276	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.3258	NOISE_same_geometry	0.3444	min	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	0.1686	NOISE_same_geometry	0.1662	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	-0.1176	NOISE_same_geometry	-0.0762	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	0.337	NOISE_same_geometry	0.3296	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	-0.3336	NOISE_same_geometry	-0.288	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	0.1578	NOISE_same_geometry	0.1592	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	-0.0996	NOISE_same_geometry	-0.0656	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	0.321	NOISE_same_geometry	0.3124	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	-0.3072	NOISE_same_geometry	-0.2696	max	Worse

Cell	Dataset	Model	q	Condition	Metric	Geometry	Geometry Label	Center Rule	Rule	Column	Endpoint Group	Value	Reference	Reference Value	Direction	Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	0.0788	NOISE__same_geometry	0.077	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	-0.049	NOISE__same_geometry	-0.035	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	0.115	NOISE__same_geometry	0.112	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	-0.111	NOISE__same_geometry	-0.0958	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	-0.1092	NOISE__same_geometry	-0.0926	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	0.0352	NOISE__same_geometry	0.017	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	-0.2016	NOISE__same_geometry	-0.1864	max	Worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	0.0798	NOISE__same_geometry	0.0506	max	Better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kendall	NOISE-K	kemeny	Schulze	F	quality	0.1876	dual_geometry_shared_q	0.1876	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kendall	NOISE-K	kemeny	Schulze	Fbar	quality	0.2018	dual_geometry_shared_q	0.2018	min	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kendall	NOISE-K	kemeny	Schulze	C	quality	0.312	dual_geometry_shared_q	0.312	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kendall	NOISE-K	kemeny	Schulze	Cbar	quality	0.3258	dual_geometry_shared_q	0.3258	min	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	Kendall	NOISE-K	kemeny	Schulze	R_F_g	robustness	0.1686	dual_geometry_shared_q	0.1686	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_g	robustness	-0.1176	dual_geometry_shared_q	-0.1176	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	Kendall	NOISE-K	kemeny	Schulze	R_C_g	robustness	0.337	dual_geometry_shared_q	0.337	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_g	robustness	-0.3336	dual_geometry_shared_q	-0.3336	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	Kendall	NOISE-K	kemeny	Schulze	R_F_p	robustness	0.1578	dual_geometry_shared_q	0.1578	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_p	robustness	-0.0996	dual_geometry_shared_q	-0.0996	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	Kendall	NOISE-K	kemeny	Schulze	R_C_p	robustness	0.321	dual_geometry_shared_q	0.321	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_p	robustness	-0.3072	dual_geometry_shared_q	-0.3072	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	Kendall	NOISE-K	kemeny	Schulze	R_F_s	robustness	0.0788	dual_geometry_shared_q	0.0788	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_s	robustness	-0.049	dual_geometry_shared_q	-0.049	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	Kendall	NOISE-K	kemeny	Schulze	R_C_s	robustness	0.115	dual_geometry_shared_q	0.115	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_s	robustness	-0.111	dual_geometry_shared_q	-0.111	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	Kendall	NOISE-K	kemeny	Schulze	R_F_a	robustness	-0.1092	dual_geometry_shared_q	-0.1092	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	Kendall	NOISE-K	kemeny	Schulze	R_Fbar_a	robustness	0.0352	dual_geometry_shared_q	0.0352	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	Kendall	NOISE-K	kemeny	Schulze	R_C_a	robustness	-0.2016	dual_geometry_shared_q	-0.2016	max	Equal
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	Kendall	NOISE-K	kemeny	Schulze	R_Cbar_a	robustness	0.0798	dual_geometry_shared_q	0.0798	max	Equal

Table 162: ImageNet-ResNet-18

Cell	Dataset	Model	Geometry	Center Rule	Selected Q	NOISE Q	Exact	Within One	Selected Is NOISE Tied	Selected Fidelity	NOISE Fidelity	Fidelity Regret	NOISE Tied q	Tie Policy
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	borda	4	5	False	True	False	0.1856	0.1876	0.002	[5]	smallest_q_within_absolute_1e-12
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	kemeny	5	5	True	True	True	0.1874	0.1874	0	[5]	smallest_q_within_absolute_1e-12

Table 163: ImageNet-ResNet-18

Cell	Dataset	Model	Method	Setting	Q	Geometry	Geometry Label	Center Rule	Methods	F	$\bar{F}$	C	$\bar{C}$	R_F^p	R_F^s	R_C^p	R_C^s
ImageNet-ResNet-18	ImageNet	ResNet-18	Simple Averaging	NOISE-S	4	Spearman	NOISE-S	borda	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAbation"]	0.1804	0.238	0.3024	0.3706	0.1532	-0.1178	0.3372	-0.3282
ImageNet-ResNet-18	ImageNet	ResNet-18	Borda	NOISE-S	4	Spearman	NOISE-S	borda	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAbation"]	0.1856	0.1802	0.3116	0.3024	0.1716	-0.1134	0.3338	-0.3262
ImageNet-ResNet-18	ImageNet	ResNet-18	Kemeny	NOISE-S	4	Spearman	NOISE-S	borda	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAbation"]	0.175	0.165	0.2978	0.2772	0.1706	-0.086	0.329	-0.3086
ImageNet-ResNet-18	ImageNet	ResNet-18	RRF	NOISE-S	4	Spearman	NOISE-S	borda	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAbation"]	0.1834	0.1606	0.3066	0.2748	0.1756	-0.0984	0.333	-0.3202
ImageNet-ResNet-18	ImageNet	ResNet-18	Schulze	NOISE-S	4	Spearman	NOISE-S	borda	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAbation"]	0.1704	0.1726	0.2974	0.2872	0.176	-0.0818	0.3238	-0.3004
ImageNet-ResNet-18	ImageNet	ResNet-18	Simple Averaging	NOISE-K	5	Kendall	NOISE-K	kemeny	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAbation", "Occlusion"]	0.1726	0.2698	0.2872	0.4004	0.156	-0.1262	0.347	-0.3426
ImageNet-ResNet-18	ImageNet	ResNet-18	Borda	NOISE-K	5	Kendall	NOISE-K	kemeny	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAbation", "Occlusion"]	0.1876	0.1982	0.312	0.3216	0.1676	-0.13	0.3406	-0.3498
ImageNet-ResNet-18	ImageNet	ResNet-18	Kemeny	NOISE-K	5	Kendall	NOISE-K	kemeny	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAbation", "Occlusion"]	0.1874	0.1658	0.3128	0.2872	0.1704	-0.096	0.332	-0.3062
ImageNet-ResNet-18	ImageNet	ResNet-18	RRF	NOISE-K	5	Kendall	NOISE-K	kemeny	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAbation", "Occlusion"]	0.1886	0.1868	0.3152	0.3094	0.1646	-0.1144	0.3352	-0.3324
ImageNet-ResNet-18	ImageNet	ResNet-18	Schulze	NOISE-K	5	Kendall	NOISE-K	kemeny	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAbation", "Occlusion"]	0.1876	0.2018	0.312	0.3258	0.1686	-0.1176	0.337	-0.3336

Table 164: ImageNet–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	R^o_E	R^o_F	$R^o_{C_G}$	$R^o_{S_G}$	$R^o_{C_F}$	$R^o_{S_F}$	$R^o_{C_G}$	$R^o_{S_G}$	$R^o_{C_F}$	$R^o_{S_F}$	$R^o_{C_G}$	$R^o_{S_F}$
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	NOISE-S	4	0.1386	-0.1034	0.3086	-0.3098	0.08	-0.0688	0.121	-0.1234	-0.097	0.034	-0.1882	0.0788
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	NOISE-S	4	0.1612	-0.0928	0.317	-0.2998	0.0798	-0.0402	0.1176	-0.1024	-0.11	0.0302	-0.206	0.0712
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	NOISE-S	4	0.1612	-0.0606	0.3108	-0.2756	0.0806	-0.0352	0.1136	-0.1016	-0.1066	0.0088	-0.2046	0.0402
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	NOISE-S	4	0.165	-0.072	0.3196	-0.284	0.0828	-0.0386	0.1194	-0.102	-0.1104	0.026	-0.2048	0.0638
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	NOISE-S	4	0.1694	-0.0512	0.3178	-0.2672	0.0876	-0.028	0.1156	-0.0916	-0.1046	0.0142	-0.206	0.0508
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	NOISE-K	5	0.1294	-0.107	0.3086	-0.3174	0.0722	-0.0666	0.1188	-0.13	-0.0908	0.0428	-0.1732	0.0784
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	NOISE-K	5	0.1502	-0.1106	0.3128	-0.3188	0.0764	-0.051	0.1138	-0.1142	-0.1108	0.0262	-0.203	0.072
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	NOISE-K	5	0.1628	-0.0684	0.3156	-0.2774	0.0846	-0.0446	0.1202	-0.1034	-0.1106	0.0272	-0.2054	0.0746
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	NOISE-K	5	0.1572	-0.0966	0.3154	-0.3072	0.0822	-0.0468	0.1146	-0.108	-0.1102	0.032	-0.205	0.0754
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	NOISE-K	5	0.1578	-0.0996	0.321	-0.3072	0.0788	-0.049	0.115	-0.111	-0.1092	0.0352	-0.2016	0.0798

Table 165: ImageNet–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	F^0 perurbed	F^0 perurbed	C^0 perurbed	C^0 perurbed	F^0 perurbed	F^0 perurbed	C^0 perurbed	C^0 perurbed	F^0 perurbed	F^0 perurbed	C^0 perurbed	C^0 perurbed
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	NOISE-S	4	0.3336	0.3558	0.6396	0.6988	0.319	0.3414	0.611	0.6804	0.2604	0.3068	0.4234	0.494
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	NOISE-S	4	0.3572	0.2936	0.6454	0.6286	0.3468	0.273	0.6286	0.6022	0.2654	0.2204	0.4292	0.4048
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	NOISE-S	4	0.3456	0.251	0.6268	0.5858	0.3362	0.2256	0.6086	0.5528	0.2556	0.2002	0.4114	0.3788
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	NOISE-S	4	0.359	0.259	0.6396	0.595	0.3484	0.2326	0.6262	0.5588	0.2662	0.1992	0.426	0.3768
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	NOISE-S	4	0.3464	0.2544	0.6212	0.5876	0.3398	0.2238	0.6152	0.5544	0.258	0.2006	0.413	0.3788
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	NOISE-K	5	0.3286	0.396	0.6342	0.743	0.302	0.3768	0.5958	0.7178	0.2448	0.3364	0.406	0.5304
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	NOISE-K	5	0.3552	0.3282	0.6526	0.6714	0.3378	0.3088	0.6248	0.6404	0.264	0.2492	0.4258	0.4358
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	NOISE-K	5	0.3578	0.2618	0.6448	0.5934	0.3502	0.2342	0.6284	0.5646	0.272	0.2104	0.433	0.3906
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	NOISE-K	5	0.3532	0.3012	0.6504	0.6418	0.3458	0.2834	0.6306	0.6166	0.2708	0.2336	0.4298	0.4174
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	NOISE-K	5	0.3562	0.3194	0.649	0.6594	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368

Table 166: ImageNet–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	F^a perurbed	F^a perurbed	C^a perurbed	C^a perurbed
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	NOISE-S	4	0.0834	0.204	0.1142	0.2918
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	NOISE-S	4	0.0756	0.15	0.1056	0.2312
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	NOISE-S	4	0.0684	0.1562	0.0932	0.237
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	NOISE-S	4	0.073	0.1346	0.1018	0.211
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	NOISE-S	4	0.0658	0.1584	0.0914	0.2364
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	NOISE-K	5	0.0818	0.227	0.114	0.322
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	NOISE-K	5	0.0768	0.172	0.109	0.2496
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	NOISE-K	5	0.0768	0.1386	0.1074	0.2126
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	NOISE-K	5	0.0784	0.1548	0.1102	0.234
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	NOISE-K	5	0.0784	0.1666	0.1104	0.246

Table 167: ImageNet-ResNet-18

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Kemeny	2341.4	10000	kendall__mallows__exact__distance	0.367314	0.002	0.071103	11	False	True	["GuidedBackprop", "DeepLift"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Kemeny	1829.8	15000	kendall__mallows__exact__distance	0.657412	0.002	0.092809	11	False	True	["GuidedBackprop", "DeepLift"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Kemeny	3010.4	20000	kendall__mallows__exact__distance	0.523529	0.002	0.053303	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Kemeny	3433	25000	kendall__mallows__exact__distance	0.345765	0.002	0.045407	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Kemeny	3377.5	30000	kendall__mallows__exact__distance	0.43653	0.002	0.046342	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Kemeny	3218.6	35000	kendall__mallows__exact__distance	0.498314	0.002	0.049178	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "IntegratedGradients"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Kemeny	3257.5	40000	kendall__mallows__exact__distance	0.484005	0.002	0.048461	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "IntegratedGradients", "Saliency"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Kemeny	3164.8	45000	kendall__mallows__exact__distance	0.507886	0.002	0.050196	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "IntegratedGradients", "Saliency"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Kemeny	3430.5	50000	kendall__mallows__exact__distance	0.485199	0.002	0.045449	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "IntegratedGradients", "Saliency", "Deconvolution"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Kemeny	3733	55000	kendall__mallows__exact__distance	0.470366	0.002	0.040792	11	True	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "IntegratedGradients", "Saliency", "Deconvolution"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Borda	1.0999e+05	10000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.530299	0.002	0.000567	11	False	True	["GuidedBackprop", "DeepLift"]	select--Shapet100 Resnet18 Spearman 8D99B22Ccf	8d99b22ccfcbbe768f7c1e3e4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Borda	1.0523e+05	15000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.661997	0.002	0.000619	11	False	True	["GuidedBackprop", "DeepLift"]	select--Shapet100 Resnet18 Spearman 8D99B22Ccf	8d99b22ccfcbbe768f7c1e3e4faa9b92a75bbd6f22032139937713e58472616e

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Borda	2.0796e+05	20000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.533641	0.002	0.000479	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Borda	2.3254e+05	25000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.475614	0.002	0.000324	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Borda	2.3084e+05	30000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.505821	0.002	0.00033	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Borda	2.2177e+05	35000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.569208	0.002	0.000372	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "Integrated Gradients"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Borda	2.2576e+05	40000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.574619	0.002	0.00035	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "Integrated Gradients", "Saliency"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Borda	2.1949e+05	45000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.612495	0.002	0.000391	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "Integrated Gradients", "Saliency", "Deconvolution"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Borda	2.5082e+05	50000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.548654	0.002	0.000237	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "Integrated Gradients", "Saliency", "Deconvolution"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Borda	2.9165e+05	55000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.518147	0.002	0.0002	11	True	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "Integrated Gradients", "Saliency", "Deconvolution", "LRP"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e

Table 168: ImageNet-ResNet-18

Cell	Dataset	Model	Distance Model	Q	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9313659805583625,"theta":0.07110297416172548},"refit":true,"statistic":0.36731423860643314}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9113679650165656,"theta":0.09280854997290532},"refit":true,"statistic":0.6574116057318559}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9480924490778351,"theta":0.05330326135759485},"refit":true,"statistic":0.523528703970783}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9556080685815598,"theta":0.04540742009442508},"refit":true,"statistic":0.34576468985521125}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9547156230169029,"theta":0.04634175979141623},"refit":true,"statistic":0.436530392986687}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9520115263126965,"theta":0.04917813679274675},"refit":true,"statistic":0.4983138493909424}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9526947385293467,"theta":0.04846074297873692},"refit":true,"statistic":0.4840045116519351}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9510434376363106,"theta":0.05019554173189128},"refit":true,"statistic":0.5078858931173807}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9555683046674079,"theta":0.04544903207196327},"refit":true,"statistic":0.48519850278359905}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9600283587462892,"theta":0.04079245459584505},"refit":true,"statistic":0.47036583430258405}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0005672574205980102,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5302987023290755}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0006187030635993298,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.661996931655774}

Cell	Dataset	Model	Distance Model	Q	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0004793360027024571,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5336408661525791}}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00032355900022518886,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.47561392773924416}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0003296815780387451,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5058211492112044}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	{ "B":499,"model__name__": "spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__", "p__value":0.002,"parameters":{ "approximation": "multi__proposal__importance__binned__symmetric", "bin__count":795,"boundary":false,"calibration__config__digest": "b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669", "converged":true,"ess":3393.3187352208124,"exact":false,"full__support":true,"maximum__calibrated__distance":2509780,"maximum__symmetry__residual":0.9541754783417995,"maximum__unsampled__distance_gap__fraction":0.002012925435695559,"original__maximum__distance":1603644,"pilot__digest": "a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795", "pilot__seed":20260714,"r__hat":0.9999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion": "exact__reverse__symmetry", "theoretical__maximum__distance":2509780,"theta":0.00037161212964381327,"upper__tail__probability__bound":0.002493330037518726,"validation__bin__ess":1.005307755246587,"validation__distances__digest": "b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd"}, "refit":true,"statistic":0.5692083884711345}

Cell	Dataset	Model	Distance Model	Q	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0003499978521621438,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.57461867804773}}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00039056033155161903,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.6124953641736898}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00023691392619625912,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5486543799104231}}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0002004249795012898,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5181465957489088}

Table 169: ImageNet-ResNet-18

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	Borda	Quality	max	5	0.312	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	Borda	Quality	min	2	0.2586	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	Borda	Quality	max	5	0.1876	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	Borda	Quality	min	2	0.1452	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	Borda	Robustness	max	11	-0.1882	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	Borda	Robustness	max	5	0.072	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	Borda	Robustness	max	8	-0.094	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	Borda	Robustness	max	6	0.0324	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	Borda	Robustness	max	6	0.3474	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	Borda	Robustness	max	9	-0.2942	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	Borda	Robustness	max	7	0.178	[7]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	Borda	Robustness	max	9	-0.0828	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	Borda	Robustness	max	7	0.3256	[7]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	Borda	Robustness	max	9	-0.2636	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	Borda	Robustness	max	8	0.1664	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	Borda	Robustness	max	3	-0.047	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	Borda	Robustness	max	7	0.126	[7,8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	Borda	Robustness	max	9	-0.0898	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	Borda	Robustness	max	8	0.0866	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	Borda	Robustness	max	3	-0.0274	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	Kemeny	Quality	max	5	0.3128	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	Kemeny	Quality	min	2	0.2586	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	Kemeny	Quality	max	5	0.1874	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	Kemeny	Quality	min	2	0.1452	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	Kemeny	Robustness	max	11	-0.179	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	max	5	0.0746	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	Kemeny	Robustness	max	11	-0.0904	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	max	6	0.036	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	Kemeny	Robustness	max	7	0.3358	[7]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	Kemeny	Robustness	max	9	-0.2642	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	Kemeny	Robustness	max	3	0.175	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	Kemeny	Robustness	max	9	-0.0522	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	Kemeny	Robustness	max	8	0.3216	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	Kemeny	Robustness	max	9	-0.2452	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	Kemeny	Robustness	max	3	0.1672	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	Kemeny	Robustness	max	3	-0.0356	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	Kemeny	Robustness	max	8	0.1234	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	Kemeny	Robustness	max	6	-0.0882	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	Kemeny	Robustness	max	5	0.0846	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	Kemeny	Robustness	max	3	-0.0222	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	RRF	Quality	max	5	0.3152	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	RRF	Quality	min	2	0.256	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	RRF	Quality	max	5	0.1886	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	RRF	Quality	min	2	0.1424	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	RRF	Robustness	max	10	-0.1868	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	RRF	Robustness	max	6	0.0784	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	RRF	Robustness	max	11	-0.0956	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	RRF	Robustness	max	6	0.0382	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	RRF	Robustness	max	6	0.3436	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	RRF	Robustness	max	9	-0.2768	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	RRF	Robustness	max	4	0.1756	[4]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	RRF	Robustness	max	9	-0.07	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	RRF	Robustness	max	6	0.321	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	RRF	Robustness	max	9	-0.2524	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	RRF	Robustness	max	3	0.1658	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	RRF	Robustness	max	9	-0.052	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	RRF	Robustness	max	7	0.1262	[7]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	RRF	Robustness	max	8	-0.0882	[8,9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	RRF	Robustness	max	7	0.0858	[7]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	RRF	Robustness	max	3	-0.0276	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	Schulze	Quality	max	5	0.312	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	Schulze	Quality	min	2	0.2586	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	Schulze	Quality	max	5	0.1876	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	Schulze	Quality	min	2	0.1452	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	Schulze	Robustness	max	9	-0.1846	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	Schulze	Robustness	max	5	0.0798	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	Schulze	Robustness	max	11	-0.0926	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	Schulze	Robustness	max	5	0.0352	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	Schulze	Robustness	max	6	0.339	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	Schulze	Robustness	max	10	-0.2776	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	Schulze	Robustness	max	3	0.1794	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	Schulze	Robustness	max	9	-0.0652	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	Schulze	Robustness	max	5	0.321	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	Schulze	Robustness	max	10	-0.2512	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	Schulze	Robustness	max	3	0.1698	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	Schulze	Robustness	max	3	-0.0382	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	Schulze	Robustness	max	6	0.1206	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	Schulze	Robustness	max	2	-0.0906	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	Schulze	Robustness	max	3	0.0878	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	Schulze	Robustness	max	3	-0.0238	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	Simple Averaging	Quality	max	2	0.3056	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	Simple Averaging	Quality	min	2	0.2646	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	Simple Averaging	Quality	max	2	0.1814	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	Simple Averaging	Quality	min	2	0.15	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	Simple Averaging	Robustness	max	8	-0.173	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	max	4	0.0788	[4]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	Simple Averaging	Robustness	max	5	-0.0908	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	max	5	0.0428	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	Simple Averaging	Robustness	max	8	0.35	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	Simple Averaging	Robustness	max	3	-0.3048	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	Simple Averaging	Robustness	max	3	0.1726	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	Simple Averaging	Robustness	max	3	-0.088	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	Simple Averaging	Robustness	max	8	0.3218	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	max	3	-0.2764	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	Simple Averaging	Robustness	max	3	0.1618	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	max	3	-0.0568	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	Simple Averaging	Robustness	max	8	0.124	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	Simple Averaging	Robustness	max	3	-0.0928	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	Simple Averaging	Robustness	max	4	0.08	[4]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	Simple Averaging	Robustness	max	3	-0.0282	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

Table 170: ImageNet-ResNet-18

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap"]	0.1814	0.15	0.3056	0.2646	0.3442	0.2508	0.6302	0.5798	0.3322	0.2146	0.603
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Borda	False	["GuidedBack prop", "DeepLiftShap"]	0.1818	0.1452	0.308	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614
ImageNet-ResNet-18	ImageNet	ResNet-18	2	RRF	False	["GuidedBack prop", "DeepLiftShap"]	0.1812	0.1424	0.3074	0.256	0.3456	0.2472	0.6344	0.5794	0.3418	0.2126	0.6132
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Kemeny	False	["GuidedBack prop", "DeepLiftShap"]	0.1818	0.1452	0.308	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Schulze	False	["GuidedBack prop", "DeepLiftShap"]	0.1818	0.1452	0.308	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]	0.1762	0.1638	0.2996	0.2752	0.3488	0.2518	0.628	0.58	0.338	0.2206	0.6078
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]	0.1762	0.1586	0.3034	0.2688	0.3458	0.2502	0.621	0.5822	0.3378	0.2056	0.6118
ImageNet-ResNet-18	ImageNet	ResNet-18	3	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]	0.1762	0.1612	0.3022	0.2716	0.345	0.2474	0.6178	0.5848	0.342	0.2144	0.6124
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]	0.17	0.1904	0.2916	0.3044	0.345	0.2452	0.6196	0.5826	0.3372	0.226	0.608
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]	0.1658	0.1786	0.2924	0.291	0.3452	0.2466	0.6206	0.581	0.3356	0.2168	0.6088
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]	0.1804	0.238	0.3024	0.3706	0.3336	0.3558	0.6396	0.6988	0.319	0.3414	0.611
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]	0.1856	0.1802	0.3116	0.3024	0.3572	0.2936	0.6454	0.6286	0.3468	0.273	0.6286
ImageNet-ResNet-18	ImageNet	ResNet-18	4	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]	0.1834	0.1606	0.3066	0.2748	0.359	0.259	0.6396	0.595	0.3484	0.2326	0.6262
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]	0.175	0.165	0.2978	0.2772	0.3456	0.251	0.6268	0.5858	0.3362	0.2256	0.6086
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]	0.1704	0.1726	0.2974	0.2872	0.3464	0.2544	0.6212	0.5876	0.3398	0.2238	0.6152
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]	0.1726	0.2698	0.2872	0.4004	0.3286	0.396	0.6342	0.743	0.302	0.3768	0.5958
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]	0.1876	0.1982	0.312	0.3216	0.3552	0.3282	0.6526	0.6714	0.3378	0.3088	0.6248
ImageNet-ResNet-18	ImageNet	ResNet-18	5	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]	0.1886	0.1868	0.3152	0.3094	0.3532	0.3012	0.6504	0.6418	0.3458	0.2834	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]	0.1874	0.1658	0.3128	0.2872	0.3578	0.2618	0.6448	0.5934	0.3502	0.2342	0.6284
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]	0.1876	0.2018	0.312	0.3258	0.3562	0.3194	0.649	0.6594	0.3454	0.3014	0.633
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]	0.1738	0.2632	0.2876	0.3954	0.3296	0.387	0.6354	0.732	0.3066	0.3682	0.6014
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]	0.1782	0.2092	0.2986	0.3324	0.3554	0.3258	0.646	0.6682	0.338	0.3024	0.6174
ImageNet-ResNet-18	ImageNet	ResNet-18	6	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]	0.1798	0.1964	0.2986	0.318	0.3512	0.293	0.6422	0.6312	0.3416	0.2696	0.6196
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]	0.1806	0.1868	0.306	0.3056	0.344	0.2644	0.623	0.6008	0.3348	0.2416	0.6132
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]	0.181	0.1956	0.3008	0.3152	0.3478	0.2824	0.6398	0.6186	0.3356	0.2632	0.6156
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]	0.1742	0.2592	0.2898	0.3896	0.3302	0.3744	0.6346	0.721	0.3124	0.3592	0.6054
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]	0.1698	0.2242	0.289	0.3482	0.3478	0.3284	0.6342	0.6684	0.3354	0.303	0.6146
ImageNet-ResNet-18	ImageNet	ResNet-18	7	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]	0.1728	0.2046	0.2912	0.323	0.3424	0.2906	0.6282	0.6296	0.3296	0.2732	0.605

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{toxin}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]	0.1716	0.2088	0.2884	0.3304	0.3446	0.279	0.6242	0.615	0.332	0.2558	0.605
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]	0.175	0.1954	0.2966	0.3174	0.342	0.2732	0.6212	0.6108	0.3388	0.2662	0.6092
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.1724	0.2574	0.285	0.3894	0.3298	0.3698	0.635	0.715	0.315	0.352	0.6068
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.1634	0.2196	0.2844	0.3448	0.3376	0.3214	0.6266	0.6638	0.3298	0.3014	0.6016
ImageNet-ResNet-18	ImageNet	ResNet-18	8	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.1682	0.2076	0.2878	0.3306	0.3376	0.2886	0.6226	0.6268	0.3306	0.2698	0.6004
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.1642	0.2098	0.282	0.3298	0.3322	0.2856	0.6104	0.623	0.3298	0.2628	0.6036
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.1672	0.2068	0.2844	0.3316	0.333	0.2836	0.6094	0.6188	0.329	0.2634	0.6006
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]	0.1748	0.2538	0.2882	0.3882	0.3262	0.3634	0.629	0.7084	0.312	0.3426	0.6022
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]	0.1618	0.2388	0.2778	0.3664	0.3334	0.3216	0.6196	0.6606	0.328	0.3012	0.6024
ImageNet-ResNet-18	ImageNet	ResNet-18	9	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]	0.1644	0.2258	0.2798	0.3552	0.3346	0.2958	0.6122	0.632	0.3242	0.2778	0.594
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]	0.1574	0.2394	0.2744	0.3634	0.3262	0.2916	0.6022	0.6276	0.3226	0.279	0.593
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]	0.1578	0.2342	0.2694	0.3564	0.3248	0.2994	0.6022	0.6382	0.3194	0.28	0.5896
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]	0.1736	0.2494	0.2858	0.3858	0.3272	0.3622	0.631	0.7058	0.3132	0.3432	0.604
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]	0.1616	0.2284	0.2768	0.3514	0.3302	0.3254	0.6164	0.6654	0.3192	0.2988	0.5936
ImageNet-ResNet-18	ImageNet	ResNet-18	10	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]	0.1638	0.217	0.2772	0.3388	0.3302	0.3012	0.6094	0.6356	0.3202	0.277	0.59
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]	0.1586	0.2292	0.2722	0.3546	0.3218	0.3004	0.5952	0.6362	0.3154	0.2762	0.5872

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{dist}	C_{clean}	C_{clean}	$\bar{F}$ Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	$\bar{C}$ Perturbed Salt-pep per-0.05
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Schulze	False	['GuidedBack prop','DeepLiftShap','DeepLift','FeatureAbl ation','Occlusion','Gradient Shap','Integrated Gradients','Saliency','InputXGGrad ient','Deconvolution']	0.1618	0.2262	0.2758	0.3522	0.3222	0.2966	0.6004	0.6298	0.3182	0.2748	0.5914
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Simple Averaging	True	['GuidedBack prop','DeepLiftShap','DeepLift','FeatureAbl ation','Occlusion','Gradient Shap','Integrated Gradients','Saliency','InputXGGrad ient','Deconvolution','LRP']	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Borda	True	['GuidedBack prop','DeepLiftShap','DeepLift','FeatureAbl ation','Occlusion','Gradient Shap','Integrated Gradients','Saliency','InputXGGrad ient','Deconvolution','LRP']	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964
ImageNet-ResNet-18	ImageNet	ResNet-18	11	RRF	True	['GuidedBack prop','DeepLiftShap','DeepLift','FeatureAbl ation','Occlusion','Gradient Shap','Integrated Gradients','Saliency','InputXGGrad ient','Deconvolution','LRP']	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Kemeny	True	['GuidedBack prop','DeepLiftShap','DeepLift','FeatureAbl ation','Occlusion','Gradient Shap','Integrated Gradients','Saliency','InputXGGrad ient','Deconvolution','LRP']	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Schulze	True	['GuidedBack prop','DeepLiftShap','DeepLift','FeatureAbl ation','Occlusion','Gradient Shap','Integrated Gradients','Saliency','InputXGGrad ient','Deconvolution','LRP']	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884

Table 171: ImageNet–ResNet-18

Cell	Dataset	Model	Q	C Perturbed Salt-pep per-0.05	F Perturbed Speckle- 0.15	F Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	F Perturbed Adversar ial-sara -2-255	F Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	R_F Gaussian-0.15	R_F Gaussian-0.15	R_C Gaussian-0.15	R_C Gaussian-0.15	R_F Salt-pepper-0.05
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.551	0.2532	0.1868	0.4078	0.3658	0.0666	0.1256	0.0932	0.2054	0.1628	-0.1008	0.3246	-0.3152	0.1508
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.541	0.2634	0.173	0.4186	0.3492	0.0658	0.122	0.0922	0.2	0.168	-0.1014	0.3244	-0.3204	0.1608
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.5448	0.2594	0.179	0.4144	0.3594	0.0652	0.119	0.0926	0.1954	0.1644	-0.1048	0.327	-0.3234	0.1606
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.541	0.2634	0.173	0.4186	0.3492	0.0658	0.122	0.0922	0.2	0.168	-0.1014	0.3244	-0.3204	0.1608
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.541	0.2634	0.173	0.4186	0.3492	0.0658	0.122	0.0922	0.2	0.168	-0.1014	0.3244	-0.3204	0.1608
ImageNet–ResNet-18	ImageNet	ResNet-18	3	0.5516	0.253	0.192	0.4112	0.368	0.0608	0.1456	0.0852	0.2218	0.1726	-0.088	0.3284	-0.3048	0.1618
ImageNet–ResNet-18	ImageNet	ResNet-18	3	0.5416	0.2602	0.186	0.4164	0.3674	0.0612	0.1364	0.0856	0.2154	0.1696	-0.0916	0.3176	-0.3134	0.1616
ImageNet–ResNet-18	ImageNet	ResNet-18	3	0.5482	0.2566	0.1888	0.413	0.3678	0.0622	0.141	0.0858	0.2192	0.1688	-0.0862	0.3156	-0.3132	0.1658
ImageNet–ResNet-18	ImageNet	ResNet-18	3	0.5632	0.2512	0.2126	0.4032	0.3936	0.0586	0.1786	0.0824	0.2654	0.175	-0.0548	0.328	-0.2782	0.1672
ImageNet–ResNet-18	ImageNet	ResNet-18	3	0.5556	0.2536	0.2024	0.4058	0.3834	0.06	0.172	0.0832	0.2552	0.1794	-0.068	0.3282	-0.29	0.1698
ImageNet–ResNet-18	ImageNet	ResNet-18	4	0.6804	0.2604	0.3068	0.4234	0.494	0.0834	0.204	0.1142	0.2918	0.1532	-0.1178	0.3372	-0.3282	0.1386
ImageNet–ResNet-18	ImageNet	ResNet-18	4	0.6022	0.2654	0.2204	0.4292	0.4048	0.0756	0.15	0.1056	0.2312	0.1716	-0.1134	0.3338	-0.3262	0.1612
ImageNet–ResNet-18	ImageNet	ResNet-18	4	0.5588	0.2662	0.1992	0.426	0.3768	0.073	0.1346	0.1018	0.211	0.1756	-0.0984	0.333	-0.3202	0.165
ImageNet–ResNet-18	ImageNet	ResNet-18	4	0.5528	0.2556	0.2002	0.4114	0.3788	0.0684	0.1562	0.0932	0.237	0.1706	-0.086	0.329	-0.3086	0.1612
ImageNet–ResNet-18	ImageNet	ResNet-18	4	0.5544	0.258	0.2006	0.413	0.3788	0.0658	0.1584	0.0914	0.2364	0.176	-0.0818	0.3238	-0.3004	0.1694
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.7178	0.2448	0.3364	0.406	0.5304	0.0818	0.227	0.114	0.322	0.156	-0.1262	0.347	-0.3426	0.1294
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.6404	0.264	0.2492	0.4258	0.4358	0.0768	0.172	0.109	0.2496	0.1676	-0.13	0.3406	-0.3498	0.1502
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.6166	0.2708	0.2336	0.4298	0.4174	0.0784	0.1548	0.1102	0.234	0.1646	-0.1144	0.3352	-0.3324	0.1572
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.5646	0.272	0.2104	0.433	0.3906	0.0768	0.1386	0.1074	0.2126	0.1704	-0.096	0.332	-0.3062	0.1628
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.1104	0.246	0.1686	-0.1176	0.337	-0.3336	0.1578
ImageNet–ResNet-18	ImageNet	ResNet-18	6	0.706	0.2494	0.3292	0.4076	0.5232	0.0804	0.2218	0.1126	0.317	0.1558	-0.1238	0.3478	-0.3366	0.1328
ImageNet–ResNet-18	ImageNet	ResNet-18	6	0.6392	0.2546	0.2518	0.415	0.4394	0.074	0.1768	0.1012	0.2648	0.1772	-0.1166	0.3474	-0.3358	0.1598
ImageNet–ResNet-18	ImageNet	ResNet-18	6	0.5984	0.2594	0.2354	0.4182	0.4134	0.0766	0.1582	0.1052	0.2396	0.1714	-0.0966	0.3436	-0.3152	0.1618
ImageNet–ResNet-18	ImageNet	ResNet-18	6	0.5716	0.2616	0.2166	0.4194	0.3938	0.0706	0.1508	0.0984	0.2342	0.1634	-0.0776	0.317	-0.2952	0.1542
ImageNet–ResNet-18	ImageNet	ResNet-18	6	0.5938	0.262	0.2346	0.4214	0.4126	0.073	0.1668	0.1002	0.2482	0.1668	-0.0868	0.339	-0.3034	0.1546
ImageNet–ResNet-18	ImageNet	ResNet-18	7	0.6972	0.2478	0.318	0.4066	0.5148	0.0802	0.2222	0.1122	0.314	0.156	-0.1152	0.3448	-0.3314	0.1382
ImageNet–ResNet-18	ImageNet	ResNet-18	7	0.6394	0.2538	0.2644	0.415	0.4524	0.0708	0.1926	0.0966	0.2788	0.178	-0.1042	0.3452	-0.3202	0.1566
ImageNet–ResNet-18	ImageNet	ResNet-18	7	0.599	0.2586	0.2412	0.4174	0.4234	0.0724	0.1794	0.0982	0.2626	0.1696	-0.086	0.337	-0.3066	0.1568
ImageNet–ResNet-18	ImageNet	ResNet-18	7	0.5846	0.2514	0.2376	0.4094	0.4228	0.068	0.183	0.094	0.2716	0.173	-0.0702	0.3358	-0.2846	0.1604
ImageNet–ResNet-18	ImageNet	ResNet-18	7	0.594	0.2546	0.2322	0.4116	0.412	0.073	0.17	0.0982	0.2544	0.167	-0.0778	0.3246	-0.2934	0.1638
ImageNet–ResNet-18	ImageNet	ResNet-18	8	0.688	0.2498	0.3212	0.409	0.5122	0.0812	0.218	0.112	0.3108	0.1574	-0.1124	0.35	-0.3256	0.1426
ImageNet–ResNet-18	ImageNet	ResNet-18	8	0.6302	0.25	0.2592	0.4104	0.4428	0.0694	0.1998	0.0946	0.2864	0.1742	-0.1018	0.3422	-0.319	0.1664
ImageNet–ResNet-18	ImageNet	ResNet-18	8	0.5988	0.2512	0.236	0.4096	0.4188	0.0688	0.1836	0.0952	0.2662	0.1694	-0.081	0.3348	-0.2962	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	8	0.5922	0.2458	0.2426	0.4054	0.4284	0.066	0.1884	0.0914	0.2754	0.168	-0.0758	0.3284	-0.2932	0.1656
ImageNet–ResNet-18	ImageNet	ResNet-18	8	0.592	0.248	0.2422	0.4048	0.4304	0.0668	0.1866	0.092	0.2734	0.1658	-0.0768	0.325	-0.2872	0.1618
ImageNet–ResNet-18	ImageNet	ResNet-18	9	0.6816	0.2466	0.3168	0.4056	0.506	0.0784	0.22	0.1078	0.3136	0.1514	-0.1096	0.3408	-0.3202	0.1372
ImageNet–ResNet-18	ImageNet	ResNet-18	9	0.63	0.2388	0.2668	0.4016	0.4562	0.0646	0.2154	0.0892	0.3068	0.1716	-0.0828	0.3418	-0.2942	0.1662
ImageNet–ResNet-18	ImageNet	ResNet-18	9	0.6076	0.2384	0.2578	0.3996	0.4434	0.0674	0.2026	0.0926	0.2918	0.1702	-0.07	0.3324	-0.2768	0.1598
ImageNet–ResNet-18	ImageNet	ResNet-18	9	0.6086	0.233	0.2682	0.3882	0.455	0.0602	0.2156	0.0854	0.3088	0.1688	-0.0522	0.3278	-0.2642	0.1652
ImageNet–ResNet-18	ImageNet	ResNet-18	9	0.61	0.235	0.2698	0.389	0.458	0.061	0.2202	0.0848	0.3138	0.167	-0.0652	0.3328	-0.2818	0.1616
ImageNet–ResNet-18	ImageNet	ResNet-18	10	0.6816	0.2472	0.314	0.4056	0.504	0.0776	0.217	0.1074	0.3106	0.1536	-0.1128	0.3452	-0.32	0.1396
ImageNet–ResNet-18	ImageNet	ResNet-18	10	0.6292	0.2372	0.2652	0.3972	0.4524	0.0644	0.2072	0.0884	0.3018	0.1686	-0.097	0.3396	-0.314	0.1576
ImageNet–ResNet-18	ImageNet	ResNet-18	10	0.6022	0.239	0.2524	0.399	0.4354	0.0668	0.1968	0.0904	0.2886	0.1664	-0.0842	0.3322	-0.2968	0.1564
ImageNet–ResNet-18	ImageNet	ResNet-18	10	0.6076	0.2312	0.2586	0.3876	0.445	0.0628	0.2066	0.0874	0.2994	0.1632	-0.0712	0.323	-0.2816	0.1568
ImageNet–ResNet-18	ImageNet	ResNet-18	10	0.6034	0.2386	0.2648	0.3906	0.449	0.0644	0.2116	0.0888	0.3036	0.1604	-0.0704	0.3246	-0.2776	0.1564
ImageNet–ResNet-18	ImageNet	ResNet-18	11	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	0.1564	-0.1118	0.3474	-0.3208	0.1376
ImageNet–ResNet-18	ImageNet	ResNet-18	11	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	0.1692	-0.0996	0.3384	-0.3208	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	11	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	0.1648	-0.0776	0.3286	-0.2944	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	11	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	0.1668	-0.0684	0.3296	-0.2774	0.1614
ImageNet–ResNet-18	ImageNet	ResNet-18	11	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	0.1662	-0.0762	0.3296	-0.288	0.1592

Table 172: ImageNet-ResNet-18

Cell	Dataset	Model	Q	R_F	R_C	R_D	R_F	R_C	R_D	R_F	R_C	R_D	R_F	R_C	R_D	R_F	R_C	R_D
				Salt-pepp	Salt-pepp	Salt-pepp	Salt-pepp	Salt-pepp	Salt-pepp	Salt-pepp	Salt-pepp	Salt-pepp	Salt-pepp	Salt-pepp	Salt-pepp	Salt-pepp	Salt-pepp	Salt-pepp
ImageNet-ResNet-18	ImageNet	ResNet-18	2	-0.0646	0.2974	-0.2864	0.0718	-0.0368	0.1022	-0.1012	-0.1148	0.0244	-0.2124	0.0592				
ImageNet-ResNet-18	ImageNet	ResNet-18	2	-0.0614	0.306	-0.2824	0.0816	-0.0278	0.1106	-0.0906	-0.116	0.0232	-0.2158	0.0586				
ImageNet-ResNet-18	ImageNet	ResNet-18	2	-0.0702	0.3058	-0.2888	0.0782	-0.0366	0.107	-0.1034	-0.116	0.0234	-0.2148	0.0606				
ImageNet-ResNet-18	ImageNet	ResNet-18	2	-0.0614	0.306	-0.2824	0.0816	-0.0278	0.1106	-0.0906	-0.116	0.0232	-0.2158	0.0586				
ImageNet-ResNet-18	ImageNet	ResNet-18	3	-0.0614	0.306	-0.2824	0.0816	-0.0278	0.1106	-0.0906	-0.116	0.0232	-0.2158	0.0586				
ImageNet-ResNet-18	ImageNet	ResNet-18	3	-0.0568	0.3082	-0.2764	0.0768	-0.0282	0.1116	-0.0928	-0.1154	0.0182	-0.2144	0.0534				
ImageNet-ResNet-18	ImageNet	ResNet-18	3	-0.047	0.3084	-0.2728	0.084	-0.0274	0.113	-0.0986	-0.115	0.0222	-0.2178	0.0534				
ImageNet-ResNet-18	ImageNet	ResNet-18	3	-0.0532	0.3102	-0.2766	0.0804	-0.0276	0.1108	-0.0962	-0.114	0.0202	-0.2164	0.0524				
ImageNet-ResNet-18	ImageNet	ResNet-18	3	-0.0356	0.3164	-0.2588	0.0812	-0.0222	0.1116	-0.0892	-0.1114	0.0118	-0.2092	0.039				
ImageNet-ResNet-18	ImageNet	ResNet-18	3	-0.0382	0.3164	-0.2646	0.0878	-0.0238	0.1134	-0.0924	-0.1058	0.0066	-0.2092	0.0358				
ImageNet-ResNet-18	ImageNet	ResNet-18	4	-0.1034	0.3086	-0.3098	0.08	-0.0688	0.121	-0.1234	-0.097	0.034	-0.1882	0.0788				
ImageNet-ResNet-18	ImageNet	ResNet-18	4	-0.0928	0.317	-0.2998	0.0798	-0.0402	0.1176	-0.1024	-0.11	0.0302	-0.206	0.0712				
ImageNet-ResNet-18	ImageNet	ResNet-18	4	-0.072	0.3196	-0.284	0.0828	-0.0386	0.1194	-0.102	-0.1104	0.026	-0.2048	0.0638				
ImageNet-ResNet-18	ImageNet	ResNet-18	4	-0.0606	0.3108	-0.2756	0.0806	-0.0352	0.1136	-0.1016	-0.1066	0.0088	-0.2046	0.0402				
ImageNet-ResNet-18	ImageNet	ResNet-18	4	-0.0512	0.3178	-0.2672	0.0876	-0.028	0.1156	-0.0916	-0.1046	0.0142	-0.206	0.0508				
ImageNet-ResNet-18	ImageNet	ResNet-18	5	-0.107	0.3086	-0.3174	0.0722	-0.0666	0.1188	-0.113	-0.0908	0.0428	-0.1732	0.0784				
ImageNet-ResNet-18	ImageNet	ResNet-18	5	-0.1106	0.3128	-0.3188	0.0764	-0.051	0.1138	-0.1142	-0.1108	0.0262	-0.203	0.074				
ImageNet-ResNet-18	ImageNet	ResNet-18	5	-0.0968	0.318	-0.3072	0.0468	-0.0318	0.1202	-0.108	-0.102	0.002	-0.203	0.0702				
ImageNet-ResNet-18	ImageNet	ResNet-18	5	-0.0684	0.3156	-0.2774	0.0846	-0.0446	0.1202	-0.1034	-0.1106	0.0272	-0.2054	0.0746				
ImageNet-ResNet-18	ImageNet	ResNet-18	5	-0.0996	0.321	-0.3072	0.0788	-0.049	0.115	-0.111	-0.0992	0.352	-0.2016	0.0798				
ImageNet-ResNet-18	ImageNet	ResNet-18	6	-0.105	0.3138	-0.3106	0.0756	-0.066	0.12	-0.1278	-0.0934	0.0314	-0.175	0.0784				
ImageNet-ResNet-18	ImageNet	ResNet-18	6	-0.0932	0.3188	-0.3068	0.0764	-0.0426	0.1164	-0.107	-0.1042	0.0324	-0.1974	0.0676				
ImageNet-ResNet-18	ImageNet	ResNet-18	6	-0.0732	0.321	-0.2804	0.0796	-0.039	0.1196	-0.0954	-0.1032	0.0382	-0.1934	0.0784				
ImageNet-ResNet-18	ImageNet	ResNet-18	6	-0.0548	0.3072	-0.266	0.081	-0.0298	0.1134	-0.0882	-0.11	0.036	-0.2076	0.0714				
ImageNet-ResNet-18	ImageNet	ResNet-18	6	-0.0676	0.3148	-0.2786	0.081	-0.039	0.1206	-0.0974	-0.108	0.0288	-0.2006	0.067				
ImageNet-ResNet-18	ImageNet	ResNet-18	7	-0.1	0.3156	-0.3076	0.0736	-0.0588	0.1168	-0.1252	-0.094	0.037	-0.1776	0.0756				
ImageNet-ResNet-18	ImageNet	ResNet-18	7	-0.0788	0.3256	-0.2912	0.084	-0.0402	0.126	-0.1042	-0.099	0.0316	-0.1924	0.0694				
ImageNet-ResNet-18	ImageNet	ResNet-18	7	-0.0686	0.3138	-0.276	0.0858	-0.0366	0.1262	-0.1004	-0.1004	0.0252	-0.193	0.0604				
ImageNet-ResNet-18	ImageNet	ResNet-18	7	-0.047	0.3166	-0.2542	0.0798	-0.0288	0.121	-0.0924	-0.1036	0.0258	-0.1944	0.0588				
ImageNet-ResNet-18	ImageNet	ResNet-18	7	-0.0702	0.3128	-0.2766	0.0796	-0.0368	0.115	-0.0962	-0.102	0.0262	-0.1916	0.063				
ImageNet-ResNet-18	ImageNet	ResNet-18	8	-0.0946	0.3218	-0.2986	0.0774	-0.0638	0.1224	-0.1228	-0.0912	0.0394	-0.1773	0.0766				
ImageNet-ResNet-18	ImageNet	ResNet-18	8	-0.0818	0.3172	-0.2854	0.0866	-0.0396	0.126	-0.098	-0.094	0.0198	-0.1808	0.0584				
ImageNet-ResNet-18	ImageNet	ResNet-18	8	-0.0622	0.3126	-0.2682	0.083	-0.0284	0.1218	-0.0882	-0.0994	0.024	-0.1926	0.0644				
ImageNet-ResNet-18	ImageNet	ResNet-18	8	-0.053	0.3216	-0.2624	0.0816	-0.0328	0.1234	-0.0986	-0.0982	0.0214	-0.1906	0.0544				
ImageNet-ResNet-18	ImageNet	ResNet-18	8	-0.0566	0.3162	-0.2604	0.0808	-0.0354	0.1204	-0.0988	-0.1004	0.0202	-0.1924	0.0582				
ImageNet-ResNet-18	ImageNet	ResNet-18	9	-0.0888	0.314	-0.2934	0.0718	-0.063	0.1174	-0.1178	-0.0964	0.0338	-0.1804	0.0746				
ImageNet-ResNet-18	ImageNet	ResNet-18	9	-0.0624	0.3246	-0.2636	0.077	-0.028	0.1238	-0.0898	-0.0972	0.0234	-0.1886	0.0596				
ImageNet-ResNet-18	ImageNet	ResNet-18	9	-0.052	0.3142	-0.2524	0.074	-0.032	0.1198	-0.0882	-0.097	0.0232	-0.1872	0.0634				
ImageNet-ResNet-18	ImageNet	ResNet-18	9	-0.0396	0.3186	-0.2452	0.0756	-0.0288	0.1138	-0.0916	-0.0972	0.0238	-0.189	0.0546				
ImageNet-ResNet-18	ImageNet	ResNet-18	9	-0.0458	0.3202	-0.2536	0.0772	-0.0356	0.1196	-0.1016	-0.0968	0.014	-0.1846	0.0426				
ImageNet-ResNet-18	ImageNet	ResNet-18	10	-0.0938	0.3182	-0.2958	0.0736	-0.0646	0.1198	-0.1182	-0.096	0.0324	-0.1784	0.0752				
ImageNet-ResNet-18	ImageNet	ResNet-18	10	-0.0704	0.3168	-0.2778	0.0756	-0.0368	0.1204	-0.101	-0.0972	0.0212	-0.1868	0.0496				
ImageNet-ResNet-18	ImageNet	ResNet-18	10	-0.0328	0.3128	-0.2534	0.0792	-0.0352	0.1192	-0.0962	-0.0956	0.016	-0.1874	0.052				
ImageNet-ResNet-18	ImageNet	ResNet-18	10	-0.047	0.315	-0.2535	0.0726	-0.0294	0.1154	-0.0904	-0.0958	0.0226	-0.1842	0.0552				
ImageNet-ResNet-18	ImageNet	ResNet-18	10	-0.0486	0.3156	-0.2512	0.0768	-0.0386	0.1148	-0.0968	-0.0974	0.0146	-0.187	0.0486				
ImageNet-ResNet-18	ImageNet	ResNet-18	11	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	0.0784				
ImageNet-ResNet-18	ImageNet	ResNet-18	11	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	0.0532				
ImageNet-ResNet-18	ImageNet	ResNet-18	11	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	0.0608				
ImageNet-ResNet-18	ImageNet	ResNet-18	11	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	0.0492				
ImageNet-ResNet-18	ImageNet	ResNet-18	11	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	0.0506				

Table 173: ImageNet-ResNet-18

Cell	Q	Rule	Predicted Score	Theta	Mean Distance	Actual F	Predicted Q	NOISE Q	Actual Regret	Actual Near Optimal 95	Dual Geometry Score	Dual Geometry Predicted Q	Dual Geometry Actual Regret	Dual Geometry Actual Near Optimal 95
ImageNet-ResNet-18	2	Borda	0.171067	4.239551	5.7148	0.1818	4	5	0.002	True	0.171067	5	0	True
ImageNet-ResNet-18	3	Borda	0.171443	4.386417	5.364533	0.1762	4	5	0.002	False	0.170558	5	0	True
ImageNet-ResNet-18	4	Borda	0.176989	3.54931	7.57135	0.1856	4	5	0.002	True	0.173717	5	0	True
ImageNet-ResNet-18	5	Borda	0.172512	3.457704	7.84256	0.1876	4	5	0.002	True	0.176148	5	0	True
ImageNet-ResNet-18	6	Borda	0.170775	3.41039	7.984733	0.1782	4	5	0.002	False	0.172239	5	0	True
ImageNet-ResNet-18	7	Borda	0.169595	3.427477	7.933229	0.1698	4	5	0.002	False	0.168571	5	0	True
ImageNet-ResNet-18	8	Borda	0.164607	3.392996	8.03735	0.1634	4	5	0.002	False	0.163351	5	0	True
ImageNet-ResNet-18	9	Borda	0.157607	3.42122	7.952067	0.1618	4	5	0.002	False	0.154635	5	0	True
ImageNet-ResNet-18	10	Borda	0.160269	3.193735	8.65292	0.1616	4	5	0.002	False	0.156015	5	0	True
ImageNet-ResNet-18	11	Borda	0.160312	2.9804	9.335673	0.158	4	5	0.002	False	0.157057	5	0	True
ImageNet-ResNet-18	2	Kemeny	0.171067	4.239551	5.7148	0.1818	5	5	0	True	0.171067	5	0	True
ImageNet-ResNet-18	3	Kemeny	0.169673	5.013329	4.046133	0.17	5	5	0	False	0.170558	5	0	True
ImageNet-ResNet-18	4	Kemeny	0.170446	3.987173	6.3539	0.175	5	5	0	False	0.173717	5	0	True
ImageNet-ResNet-18	5	Kemeny	0.179783	3.694213	7.15368	0.1874	5	5	0	True	0.176148	5	0	True
ImageNet-ResNet-18	6	Kemeny	0.173703	3.657112	7.259267	0.1806	5	5	0	True	0.172239	5	0	True
ImageNet-ResNet-18	7	Kemeny	0.167547	3.749178	6.999	0.1716	5	5	0	False	0.168571	5	0	True
ImageNet-ResNet-18	8	Kemeny	0.162094	3.678705	7.1977	0.1642	5	5	0	False	0.163351	5	0	True
ImageNet-ResNet-18	9	Kemeny	0.151663	3.719726	7.081622	0.1574	5	5	0	False	0.154635	5	0	True
ImageNet-ResNet-18	10	Kemeny	0.151761	3.455865	7.84806	0.1586	5	5	0	False	0.156015	5	0	True
ImageNet-ResNet-18	11	Kemeny	0.153802	3.223616	8.559164	0.1556	5	5	0	False	0.157057	5	0	True

Table 174: ImageNet-ResNet-18

Dataset	Model	Architecture	Split	Metric	Sample Count	Noise	Condition Id	Robustness	Selected Method
ImageNet	ResNet-18	CNN	Test	R_F	5000	gaussian	gaussian-0.15	0.078	LRP
ImageNet	ResNet-18	CNN	Test	R_Fbar	5000	gaussian	gaussian-0.15	0.0108	InputXGradient
ImageNet	ResNet-18	CNN	Test	R_C	5000	gaussian	gaussian-0.15	0.2344	LRP
ImageNet	ResNet-18	CNN	Test	R_Cbar	5000	gaussian	gaussian-0.15	0.184	InputXGradient
ImageNet	ResNet-18	CNN	Test	R_F	5000	salt_pepper	salt-pepper-0.05	0.0442	LRP
ImageNet	ResNet-18	CNN	Test	R_Fbar	5000	salt_pepper	salt-pepper-0.05	0.0086	InputXGradient
ImageNet	ResNet-18	CNN	Test	R_C	5000	salt_pepper	salt-pepper-0.05	0.2042	LRP
ImageNet	ResNet-18	CNN	Test	R_Cbar	5000	salt_pepper	salt-pepper-0.05	0.1848	InputXGradient
ImageNet	ResNet-18	CNN	Test	R_F	5000	speckle	speckle-0.15	0.0238	LRP
ImageNet	ResNet-18	CNN	Test	R_Fbar	5000	speckle	speckle-0.15	0.0004	InputXGradient
ImageNet	ResNet-18	CNN	Test	R_C	5000	speckle	speckle-0.15	0.0644	LRP
ImageNet	ResNet-18	CNN	Test	R_Cbar	5000	speckle	speckle-0.15	0.047	InputXGradient
ImageNet	ResNet-18	CNN	Test	R_F	5000	adversarial	adversarial-sara-2-255	0.036	LRP
ImageNet	ResNet-18	CNN	Test	R_Fbar	5000	adversarial	adversarial-sara-2-255	0.0026	Deconvolution
ImageNet	ResNet-18	CNN	Test	R_C	5000	adversarial	adversarial-sara-2-255	0.1048	LRP
ImageNet	ResNet-18	CNN	Test	R_Cbar	5000	adversarial	adversarial-sara-2-255	0.002	Deconvolution

Table 175: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	G	F	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				max	-0.029616	0.044
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	G	Fbar	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				min	-0.016248	0.4272
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	G	C	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				max	-0.028703	0.124667
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	G	Cbar	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				min	-0.020363	0.569267
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	P	F	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				max	-0.025974	0.044
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	P	Fbar	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				min	-0.019921	0.4272
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	P	C	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				max	-0.027777	0.124667
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	P	Cbar	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				min	-0.025113	0.569267
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	S	F	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				max	-0.002731	0.044
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	S	Fbar	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				min	-0.028785	0.4272
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	S	C	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				max	-0.005048	0.124667
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	S	Cbar	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				min	-0.030783	0.569267
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	A	F	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				max	-0.001732	0.044

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	A	Fbar	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				min	0.00794	0.4272
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	A	C	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				max	0.001219	0.124667
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	A	Cbar	33706f8ee8fda2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000				min	0.006271	0.569267
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	G	F	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				max	-0.011715	0.027133
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	G	Fbar	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				min	0.124285	0.640933
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	G	C	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				max	0.004083	0.095733
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	G	Cbar	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				min	0.113173	0.7948
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	P	F	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				max	-0.007667	0.027133
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	P	Fbar	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				min	0.137817	0.640933
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	P	C	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				max	-0.004113	0.095733
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	P	Cbar	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				min	0.111058	0.7948
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	S	F	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				max	-2.266e-05	0.027133
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	S	Fbar	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				min	0.08282	0.640933

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	S	C	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				max	0.0045920	0.95733
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	S	Cbar	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				min	0.067867	0.7948
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	A	F	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				max	0.00461	0.027133
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	A	Fbar	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				min	0.0197220	0.640933
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	A	C	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				max	0.0068190	0.095733
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	A	Cbar	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fdb1e	5000				min	0.021558	0.7948
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	G	F	ed73509580b6a1e74268ee7918c3e02c76f43cdb63c43f0c60686f12daf615bd	5000				max	-0.005931	0.0224
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	G	Fbar	ed73509580b6a1e74268ee7918c3e02c76f43cdb63c43f0c60686f12daf615bd	5000				min	0.120447	0.6304
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	G	C	ed73509580b6a1e74268ee7918c3e02c76f43cdb63c43f0c60686f12daf615bd	5000				max	0.001757	0.0908
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	G	Cbar	ed73509580b6a1e74268ee7918c3e02c76f43cdb63c43f0c60686f12daf615bd	5000				min	0.106438	0.7818
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	P	F	ed73509580b6a1e74268ee7918c3e02c76f43cdb63c43f0c60686f12daf615bd	5000				max	-0.006327	0.0224
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	P	Fbar	ed73509580b6a1e74268ee7918c3e02c76f43cdb63c43f0c60686f12daf615bd	5000				min	0.128031	0.6304
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	P	C	ed73509580b6a1e74268ee7918c3e02c76f43cdb63c43f0c60686f12daf615bd	5000				max	-0.000226	0.0908

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	P	Cbar	ed73509580 b6a1e74268 ee7918c3e0 2c76f43cdb 63c43f0c60 686f12daf6 15bd	5000				min	0.099483	0.7818
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	S	F	ed73509580 b6a1e74268 ee7918c3e0 2c76f43cdb 63c43f0c60 686f12daf6 15bd	5000				max	0.005214	0.0224
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	S	Fbar	ed73509580 b6a1e74268 ee7918c3e0 2c76f43cdb 63c43f0c60 686f12daf6 15bd	5000				min	0.080477	0.6304
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	S	C	ed73509580 b6a1e74268 ee7918c3e0 2c76f43cdb 63c43f0c60 686f12daf6 15bd	5000				max	0.009313	0.0908
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	S	Cbar	ed73509580 b6a1e74268 ee7918c3e0 2c76f43cdb 63c43f0c60 686f12daf6 15bd	5000				min	0.063125	0.7818
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	A	F	ed73509580 b6a1e74268 ee7918c3e0 2c76f43cdb 63c43f0c60 686f12daf6 15bd	5000				max	0.00712	0.0224
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	A	Fbar	ed73509580 b6a1e74268 ee7918c3e0 2c76f43cdb 63c43f0c60 686f12daf6 15bd	5000				min	0.018669	0.6304
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	A	C	ed73509580 b6a1e74268 ee7918c3e0 2c76f43cdb 63c43f0c60 686f12daf6 15bd	5000				max	0.009141	0.0908
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	A	Cbar	ed73509580 b6a1e74268 ee7918c3e0 2c76f43cdb 63c43f0c60 686f12daf6 15bd	5000				min	0.018218	0.7818
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	G	F	a0797fb5a0 26f9b0edcc 3a1f3b1044 a4e8b6ed61 a548650b1f d5731bc4ce 0fc7	5000				max	- 0.018808	0.031333
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	G	Fbar	a0797fb5a0 26f9b0edcc 3a1f3b1044 a4e8b6ed61 a548650b1f d5731bc4ce 0fc7	5000				min	0.103489	0.6224
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	G	C	a0797fb5a0 26f9b0edcc 3a1f3b1044 a4e8b6ed61 a548650b1f d5731bc4ce 0fc7	5000				max	- 0.002059	0.100667
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	G	Cbar	a0797fb5a0 26f9b0edcc 3a1f3b1044 a4e8b6ed61 a548650b1f d5731bc4ce 0fc7	5000				min	0.09157	0.776467

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	P	F	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000	Geometry			max	-0.014682	0.031333
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	P	Fbar	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000				min	0.110754	0.6224
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	P	C	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000				max	-0.010468	0.100667
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	P	Cbar	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000				min	0.086355	0.776467
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	S	F	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000				max	0.000925	0.031333
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	S	Fbar	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000				min	0.066773	0.6224
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	S	C	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000				max	0.005539	0.100667
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	S	Cbar	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000				min	0.05146	0.776467
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	A	F	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000				max	0.003027	0.031333
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	A	Fbar	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000				min	0.01722	0.6224
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	A	C	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000				max	0.005297	0.100667
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	A	Cbar	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000				min	0.018849	0.776467
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	G	F	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				max	-0.013552	0.0294

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	G	Fbar	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000	Geometry			min	0.106122	0.6288
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	G	C	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				max	- 0.009415	0.105
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	G	Cbar	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				min	0.092804	0.7822
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	P	F	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				max	- 0.021175	0.0294
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	P	Fbar	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				min	0.112363	0.6288
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	P	C	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				max	- 0.021026	0.105
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	P	Cbar	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				min	0.082858	0.7822
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	S	F	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				max	0.001394	0.0294
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	S	Fbar	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				min	0.067683	0.6288
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	S	C	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				max	- 0.001112	0.105
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	S	Cbar	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				min	0.05275	0.7822
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	A	F	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				max	0.004104	0.0294
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	A	Fbar	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				min	0.017739	0.6288

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	A	C	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000	Geometry			max	0.001874	0.105
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	A	Cbar	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000				min	0.019475	0.7822
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	G	F	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				max	- 0.023081	0.031467
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	G	Fbar	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				min	0.105204	0.6242
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	G	C	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				max	- 0.012276	0.100867
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	G	Cbar	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				min	0.092346	0.778267
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	P	F	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				max	- 0.02323	0.031467
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	P	Fbar	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				min	0.112565	0.6242
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	P	C	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				max	- 0.018022	0.100867
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	P	Cbar	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				min	0.088441	0.778267
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	S	F	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				max	- 0.003321	0.031467
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	S	Fbar	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				min	0.068392	0.6242
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	S	C	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				max	- 0.00184	0.100867

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	S	Cbar	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				min	0.0531720	0.778267
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	A	F	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				max	0.0025620	0.031467
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	A	Fbar	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				min	0.0167	0.6242
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	A	C	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				max	0.0040650	0.100867
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	A	Cbar	36ce59e27e1471b28a3ebab9367783075f7b1d328c206ce13748ac64dbbbe4c5b	5000				min	0.0194420	0.778267
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	G	F	308cb16170307aa3807ddb898a4a9a668ed877990e53b82209fe81d89f5450a3	5000				max	-0.025135	0.0312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	G	Fbar	308cb16170307aa3807ddb898a4a9a668ed877990e53b82209fe81d89f5450a3	5000				min	0.1019	0.625
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	G	C	308cb16170307aa3807ddb898a4a9a668ed877990e53b82209fe81d89f5450a3	5000				max	-0.017005	0.1026
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	G	Cbar	308cb16170307aa3807ddb898a4a9a668ed877990e53b82209fe81d89f5450a3	5000				min	0.088795	0.78
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	P	F	308cb16170307aa3807ddb898a4a9a668ed877990e53b82209fe81d89f5450a3	5000				max	-0.026268	0.0312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	P	Fbar	308cb16170307aa3807ddb898a4a9a668ed877990e53b82209fe81d89f5450a3	5000				min	0.110799	0.625
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	P	C	308cb16170307aa3807ddb898a4a9a668ed877990e53b82209fe81d89f5450a3	5000				max	-0.024378	0.1026
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	P	Cbar	308cb16170307aa3807ddb898a4a9a668ed877990e53b82209fe81d89f5450a3	5000				min	0.081197	0.78

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	S	F	308cb16170 307aa3807d db898a4a9a 668ed87799 0e53b82209 fe81d89f54 50a3	5000	Geometry			max	- 0.003629	0.0312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	S	Fbar	308cb16170 307aa3807d db898a4a9a 668ed87799 0e53b82209 fe81d89f54 50a3	5000				min	0.064022	0.625
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	S	C	308cb16170 307aa3807d db898a4a9a 668ed87799 0e53b82209 fe81d89f54 50a3	5000				max	- 0.007767	0.1026
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	S	Cbar	308cb16170 307aa3807d db898a4a9a 668ed87799 0e53b82209 fe81d89f54 50a3	5000				min	0.049413	0.78
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	A	F	308cb16170 307aa3807d db898a4a9a 668ed87799 0e53b82209 fe81d89f54 50a3	5000				max	0.003026	0.0312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	A	Fbar	308cb16170 307aa3807d db898a4a9a 668ed87799 0e53b82209 fe81d89f54 50a3	5000				min	0.021031	0.625
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	A	C	308cb16170 307aa3807d db898a4a9a 668ed87799 0e53b82209 fe81d89f54 50a3	5000				max	0.003669	0.1026
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	A	Cbar	308cb16170 307aa3807d db898a4a9a 668ed87799 0e53b82209 fe81d89f54 50a3	5000				min	0.024358	0.78
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	G	F	304af6c9ab de626764ec a51cc0db03 34075d36e7 069bbd19c6 0c073e1016 f3ef	5000				max	- 0.026807	0.029133
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	G	Fbar	304af6c9ab de626764ec a51cc0db03 34075d36e7 069bbd19c6 0c073e1016 f3ef	5000				min	0.105061	0.623
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	G	C	304af6c9ab de626764ec a51cc0db03 34075d36e7 069bbd19c6 0c073e1016 f3ef	5000				max	- 0.014001	0.0972
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	G	Cbar	304af6c9ab de626764ec a51cc0db03 34075d36e7 069bbd19c6 0c073e1016 f3ef	5000				min	0.092642	0.7764
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	P	F	304af6c9ab de626764ec a51cc0db03 34075d36e7 069bbd19c6 0c073e1016 f3ef	5000				max	- 0.020814	0.029133

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	P	Fbar	304af6c9abde626764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000				min	0.10998	0.623
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	P	C	304af6c9abde626764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000				max	- 0.017287	0.0972
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	P	Cbar	304af6c9abde626764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000				min	0.084959	0.7764
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	S	F	304af6c9abde626764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000				max	- 0.003848	0.029133
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	S	Fbar	304af6c9abde626764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000				min	0.069113	0.623
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	S	C	304af6c9abde626764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000				max	- 0.002474	0.0972
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	S	Cbar	304af6c9abde626764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000				min	0.053123	0.7764
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	A	F	304af6c9abde626764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000				max	0.003767	0.029133
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	A	Fbar	304af6c9abde626764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000				min	0.019336	0.623
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	A	C	304af6c9abde626764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000				max	0.006289	0.0972
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	A	Cbar	304af6c9abde626764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000				min	0.021906	0.7764
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	G	F	6e1d901450c817a89fb2668f5abf552d8b1f6bab2ef319a34ba95637739e5c00	5000				max	- 0.02408	0.03
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	G	Fbar	6e1d901450c817a89fb2668f5abf552d8b1f6bab2ef319a34ba95637739e5c00	5000				min	0.098326	0.6202

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	G	C	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000	Geometry			max	- 0.010944	0.0996
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	G	Cbar	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000				min	0.088309	0.7764
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	P	F	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000				max	- 0.02214	0.03
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	P	Fbar	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000				min	0.106393	0.6202
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	P	C	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000				max	- 0.022468	0.0996
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	P	Cbar	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000				min	0.079426	0.7764
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	S	F	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000				max	- 0.002214	0.03
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	S	Fbar	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000				min	0.06264	0.6202
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	S	C	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000				max	- 0.003286	0.0996
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	S	Cbar	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000				min	0.049789	0.7764
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	A	F	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000				max	0.003811	0.03
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	A	Fbar	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000				min	0.015042	0.6202
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	A	C	6e1d901450 c817a89fb2 668f5abf55 2d8b1f6bab 2ef319a34b a95637739e 5c00	5000				max	0.005362	0.0996

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	A	Cbar	6e1d901450c817a89fb2668f5abf552d8b1f6bab2ef319a34ba95637739e5c00	5000	Geometry			min	0.020639	0.7764
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	G	F	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				max	- 0.025941	0.029867
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	G	Fbar	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				min	0.102705	0.622067
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	G	C	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				max	- 0.012155	0.0982
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	G	Cbar	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				min	0.0909	0.775733
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	P	F	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				max	- 0.021659	0.029867
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	P	Fbar	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				min	0.10934	0.622067
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	P	C	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				max	- 0.01679	0.0982
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	P	Cbar	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				min	0.085402	0.775733
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	S	F	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				max	- 0.003901	0.029867
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	S	Fbar	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				min	0.067933	0.622067
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	S	C	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				max	- 0.000768	0.0982
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	S	Cbar	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				min	0.051748	0.775733

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	A	F	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000	Geometry			max	0.00341	0.029867
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	A	Fbar	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				min	0.0167930	0.622067
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	A	C	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				max	0.005792	0.0982
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	A	Cbar	d10dcf40daa15894aaed2ddd6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000				min	0.0194760	0.775733
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	G	F	455397943176a5697de55eb3a22171020857991c51114ea939929ed67afa7058	5000				max	-0.021898	0.0304
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	G	Fbar	455397943176a5697de55eb3a22171020857991c51114ea939929ed67afa7058	5000				min	0.10514	0.6284
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	G	C	455397943176a5697de55eb3a22171020857991c51114ea939929ed67afa7058	5000				max	-0.009596	0.1002
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	G	Cbar	455397943176a5697de55eb3a22171020857991c51114ea939929ed67afa7058	5000				min	0.089873	0.7814
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	P	F	455397943176a5697de55eb3a22171020857991c51114ea939929ed67afa7058	5000				max	-0.020182	0.0304
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	P	Fbar	455397943176a5697de55eb3a22171020857991c51114ea939929ed67afa7058	5000				min	0.114345	0.6284
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	P	C	455397943176a5697de55eb3a22171020857991c51114ea939929ed67afa7058	5000				max	-0.01793	0.1002
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	P	Cbar	455397943176a5697de55eb3a22171020857991c51114ea939929ed67afa7058	5000				min	0.084109	0.7814
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	S	F	455397943176a5697de55eb3a22171020857991c51114ea939929ed67afa7058	5000				max	-0.001952	0.0304

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	S	Fbar	4553979431 76a5697de5 5eb3a22171 020857991c 51114ea939 929ed67afa 7058	5000				min	0.068434	0.6284
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	S	C	4553979431 76a5697de5 5eb3a22171 020857991c 51114ea939 929ed67afa 7058	5000				max	- 0.001422	0.1002
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	S	Cbar	4553979431 76a5697de5 5eb3a22171 020857991c 51114ea939 929ed67afa 7058	5000				min	0.0509	0.7814
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	A	F	4553979431 76a5697de5 5eb3a22171 020857991c 51114ea939 929ed67afa 7058	5000				max	0.003616	0.0304
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	A	Fbar	4553979431 76a5697de5 5eb3a22171 020857991c 51114ea939 929ed67afa 7058	5000				min	0.021507	0.6284
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	A	C	4553979431 76a5697de5 5eb3a22171 020857991c 51114ea939 929ed67afa 7058	5000				max	0.004063	0.1002
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	A	Cbar	4553979431 76a5697de5 5eb3a22171 020857991c 51114ea939 929ed67afa 7058	5000				min	0.02536	0.7814

Table 176: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	G	F	0.110333	0.044	0.110333	0.13995	cfe0e909548d331a4598a35e8754c4a5eb45b0276a5039a00283dfedc0a0d1b5	leave_one_out_naive_single	GuidedBackprop	False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	G	Fbar	0.5014	-0.4272	-0.5014	-0.485152	d1be1c18e7c798aa606014c0bad61a2742c6c6194c7822c0c730c05ba7ca4a3	leave_one_out_naive_single	LRP	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	G	C	0.362733	0.124667	0.362733	0.391436	6a1baec4422f9a45a550fb0b5adf2064c3464215020f778b51ebbaef9c565761	leave_one_out_naive_single	GuidedBackprop	False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	G	Cbar	0.851267	-	-	-	95b554003bc024fcb8c74cbaf58cb4437218db4cc5d6bd42eb3d72e6c10620b	leave_one_out_naive_single	LRP	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	P	F	0.0932	0.044	0.0932	0.119174	4c5325f63bd20157f85264e54d80a81cf910a9b5f412e1c0fa2d04b4ac43d968	leave_one_out_naive_single	GuidedBackprop	False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	P	Fbar	0.499467	-0.4272	-	-	09ad128ce383e198d13347f47f38feb116331a21346c72dbdf474527bcd8dc	leave_one_out_naive_single	LRP	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	P	C	0.342333	0.124667	0.342333	0.370111	11ed0db2052376c2122bf8eb58bb6d9d0dc1612f370cdd365418b9dd1a760449	leave_one_out_naive_single	GuidedBackprop	False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	P	Cbar	0.836	-	-0.836	-	bcbal0e90ade6940d3e6596ecfaa1b3cd2cd422ec4c1da13f2074891cefbbad	leave_one_out_naive_single	LRP	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	S	F	0.068933	0.044	0.068933	0.071664	5165ff17acd49692fe423148ef4959fc2dda633507279b32875ec36ee5d9eb18	leave_one_out_naive_single	GuidedBackprop	False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	S	Fbar	0.504667	-0.4272	-	-	19399a18c53d81c45967d55cec56bbdb1156b1e7c6871a7e80940e40ccca8fe3d	leave_one_out_naive_single	LRP	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	S	C	0.194333	0.124667	0.194333	0.199381	7a09f680fa0f358ed3f9b5eb8d73f5e1807eb77a8f90a5deb3e577de2ef92246	leave_one_out_naive_single	GuidedBackprop	False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	S	Cbar	0.7008	-	-0.7008	-	07d7a69a9a02d824aa4a5c483b246b6b21bd02dba5aeb0c48e3e77cd525a5354	leave_one_out_naive_single	LRP	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	A	F	0.0078	0.044	0.0078	0.006068	ed4abc805c7384eb4b8326a3fec13819dff312b3a8815f9468f177d0ee86324c	leave_one_out_naive_single	GuidedBackprop	False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	A	Fbar	0.4212	-0.4272	-0.4212	-0.42914	cb2acb6336c1c944b9e889941decddfd541fe1107c1057224f1f8637932a0ab	leave_one_out_naive_single	LRP	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	A	C	0.015267	0.124667	0.015267	0.014047	066ed30a6d863cb1ca35ec492343212caf4c2fa21faca0f165af528e9e551034	leave_one_out_naive_single	GuidedBackprop	False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	A	Cbar	0.5516	-0.569267	-0.5516	-0.557871	0ea2c9856ff64d23384df39c6063c0a8222c7cbb530e90567ea7c	leave_one_out_naive_single	LRP	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	G	F	0.104333	0.027133	0.104333	0.116048	96175b901675220e5eda66264ad28b9cfb70834493440bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	G	Fbar	0.5726	-0.640933	-0.5726	-0.696885	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	G	C	0.355933	0.095733	0.355933	0.351851	09d031ba10ff4c789872e569838956182da1d1bc112d46feaa644b057e06c02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	G	Cbar	0.931333	-0.7948	-0.931333	-1.044506	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	P	F	0.086467	0.027133	0.086467	0.094133	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	P	Fbar	0.5738	-0.640933	-0.5738	-0.711617	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	P	C	0.3262	0.095733	0.3262	0.330313	d094395d3fe0f971151f64c72a837c7fb22480162073e57e6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	P	Cbar	0.921	-0.7948	-0.921	-1.032058	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e84fd65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	S	F	0.050333	0.027133	0.050333	0.050356	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True

										Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapol- ated
Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric								
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	S	Fbar	0.640467	-	0.640933	0.640467	0.723287	44d7d552c7485f902acd6ba6794bea0678b8c1423df20a30851a17b2c0b78e	full_naive_ single_pool	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	S	C	0.168933	0.095733	0.168933	0.164341	229d394fa15363cb512e79779bffa1e4c7caf71ac190fbbb025ca5d316e536fe	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	S	Cbar	0.849267	-0.7948	-	0.849267	0.917133	240ec8fbacae59c13157870f09ddfc7745e98766d65606393fd4270b8e399676b	full_naive_ single_pool	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	A	F	0.0028	0.027133	0.0028	-	0.00181	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_ single_pool	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	A	Fbar	0.639333	-	-	-	0.659056	cfb75348014eada709bcfd3a6321d8b4f114aa008330da1644314c0b5da2d2f	full_naive_ single_pool	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	A	C	0.006533	0.095733	0.006533	-	0.000286	81ecb394c6c630e3dfaa299e97f0960d1c47c6fbb69ee9d3f902ad76b813e66f	full_naive_ single_pool	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	A	Cbar	0.793533	-0.7948	-	0.793533	0.815091	3fb7535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_ single_pool	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	G	F	0.1028	0.0224	0.1028	0.108731	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_ single_pool	True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	G	Fbar	0.5664	-0.6304	-0.5664	-	0.686847	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_ single_pool	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	G	C	0.3466	0.0908	0.3466	0.344843	09d031ba10ff4e789872e569838956182da1d1bcb112d46faa644b057e06cc02	full_naive_ single_pool	True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	G	Cbar	0.9262	-0.7818	-0.9262	-	1.032638	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398cd96b6c	full_naive_ single_pool	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	P	F	0.0802	0.0224	0.0802	0.086527	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_ single_pool	True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	P	Fbar	0.5726	-0.6304	-0.5726	-	0.700631	a31f58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_ single_pool	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	P	C	0.323	0.0908	0.323	0.323226	d094395d3fe0f971151f64c72a837c6fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	P	Cbar	0.9204	-0.7818	-0.9204	-1.019883	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	S	F	0.0492	0.0224	0.0492	0.043986	1216db5846b3decd9576ec70705f79de8eab1ade96693305cda7fd5322dd3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	S	Fbar	0.631	-0.6304	-0.631	-0.711477	44d7df52c7485f902acd6ba6794bea0678b8c1423df20a30851a17b2c0bf8e	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	S	C	0.1676	0.0908	0.1676	0.158287	229d394fa15363cb512e79779bffa1e4c7ca71ac190fbbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	S	Cbar	0.8402	-0.7818	-0.8402	-0.903325	240ec8fbacae59c13157870f09ddfec7745e98766d65606393f4270b8e399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	A	F	0.003	0.0224	0.003	-0.00412	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	A	Fbar	0.629	-0.6304	-0.629	-0.647669	efb75348014aada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	A	C	0.0064	0.0908	0.0064	-0.002741	81ecb394c6c630e3dffa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	A	Cbar	0.782	-0.7818	-0.782	-0.800218	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	G	F	0.103733	0.031333	0.103733	0.122541	96175b901675220e5eda66264ad28b9cfb708344934f0bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	G	Fbar	0.575733	-0.6224	-0.575733	-0.679222	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319447cc17da93ac	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	G	C	0.3568	0.100667	0.3568	0.358859	09d031ba10ff4c789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	G	Cbar	0.9362	-0.776467	-0.9362	1.02777	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339c94398ed96b6c	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	P	F	0.0862	0.031333	0.0862	0.100882	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	P	Fbar	0.581533	-0.6224	-	-	a31f58ff51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	P	C	0.326933	0.100667	0.326933	0.337401	d094395d3fe0f971151f64c72a837c9fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	P	Cbar	0.928533	-	-	-	9c0a36660b1565fe147d5a617647a423144ff6b91aa84fc23e8dfd65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	S	F	0.056933	0.031333	0.056933	0.056008	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	S	Fbar	0.635733	-0.6224	-	-	44d7fd52c7485ff902acd6ba6794bea0678b8c1423df20a30851a17b2c0b58e	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	S	C	0.175933	0.100667	0.175933	0.170394	229d4394fa15363cb512e79779bffa1e4c7caf71ac190fbbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	S	Cbar	0.8462	-0.776467	-0.8462	-	240ec8fbacac59c13157870f09ddfe7745e98766d65606393fd270b8e399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	A	F	0.003267	0.031333	0.003267	0.000239	cb12bd05020da6c49662894f9df02bd477f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	A	Fbar	0.6218	-0.6224	-0.6218	-	cfb75348014eada709bcfd3a6321d8b4f114aa008330da1644314c0b5da2d2f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	A	C	0.007467	0.100667	0.007467	0.002169	81ecb394c6c630e3dfaa299e97f0960d1c47c6feb69ee9d3f902ad476b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	A	Cbar	0.775267	-	-	-	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	G	F	0.106	0.0294	0.106	0.11955296175b901675220e5eda66264ad28b9c6b70834493f40bc53b30abe3dfdc61f2	96175b901675220e5eda66264ad28b9c6b70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	G	Fbar	0.5792	-0.6288	-0.5792	-0.68532264ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	64ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	G	C	0.3556	0.105	0.3556	0.36501509d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	G	Cbar	0.9402	-0.7822	-0.9402	-1.0330041010706ce289282242d7b8bd7fa5856708b47b99d424d761339e94398ed96b6c	1010706ce289282242d7b8bd7fa5856708b47b99d424d761339e94398ed96b6c	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	P	F	0.0766	0.0294	0.0766	0.097775c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	P	Fbar	0.5866	-0.6288	-0.5866	-0.698963ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	P	C	0.3226	0.105	0.3226	0.343626d094395d3fe0f971151f64c72a837cffb22480162073e57c6d2728183eda13b4	d094395d3fe0f971151f64c72a837cffb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	P	Cbar	0.9374	-0.7822	-0.9374	-1.0202589c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	S	F	0.0548	0.0294	0.0548	0.0534061216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	S	Fbar	0.642	-0.6288	-0.642	-0.70968344d7df52c7485ff902acd6ba6794bea0678b8c1423df20a30851a17b2c0bf8e	44d7df52c7485ff902acd6ba6794bea0678b8c1423df20a30851a17b2c0bf8e	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	S	C	0.1746	0.105	0.1746	0.175712229d394fa15363cb512e79779bffa1e4c7ca71ac190fbb025ca5d316e536fe	229d394fa15363cb512e79779bffa1e4c7ca71ac190fbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	S	Cbar	0.851	-0.7822	-0.851	-0.90375240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	A	F	0.0034	0.0294	0.0034	-0.000704cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	A	Fbar	0.6282	-0.6288	-0.6282	-0.645939	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da242f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	A	C	0.0062	0.105	0.0062	0.004326	81ecb394c6c30e3dffa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	A	Cbar	0.7812	-0.7822	-0.7812	-0.800675	3fb5d53ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	G	F	0.099667	0.031467	0.099667	0.122747	96175b901675220e5eda66204ad28b9c9b70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	G	Fbar	0.575733	-0.6242	-	-0.575733	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	G	C	0.346867	0.100867	0.346867	0.359143	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	G	Cbar	0.937067	-	-	-0.778267	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	P	F	0.077867	0.031467	0.077867	0.101096	ef133875fed40c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	P	Fbar	0.5816	-0.6242	-0.5816	-0.694165	a31f58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	P	C	0.319667	0.100867	0.319667	0.337688	d094395d3fe0f971151f64c72a837c9fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	P	Cbar	0.928133	-	-	-0.778267	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	S	F	0.052867	0.031467	0.052867	0.056188	1216db5846b3dcfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	S	Fbar	0.636133	-0.6242	-	-0.636133	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	S	C	0.1688	0.100867	0.1688	0.17064	229d394fa15363cb512e79779bffa4c7caf71ac190fbbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	S	Cbar	0.8464	-0.778267	-0.8464	-0.899572	240ec8fbacae59c13157870f09ddfc7745e98766d65606393fd4270b8e399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	A	F	0.002867	0.031467	0.002867	0.000304	cb12b405020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	A	Fbar	0.624267	-0.6242	-	-	cfb75348014eada709bcd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	A	C	0.006333	0.100867	0.006333	0.002269	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	A	Cbar	0.776733	-0.778267	-	-	3fb535ce15abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	G	F	0.0972	0.0312	0.0972	0.122335	96175b901675220e5eda66264ad28b9c9b70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	G	Fbar	0.5798	-0.625	-0.5798	-0.6817	6dd4ff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	G	C	0.3446	0.1026	0.3446	0.361605	09d031ba10ff4e789872ce569838956182da1d1bc112d4feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	G	Cbar	0.9422	-0.78	-0.9422	-	1.03099589282242d7b8bdffaf5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	P	F	0.0744	0.0312	0.0744	0.100668	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	P	Fbar	0.5842	-0.625	-0.5842	-	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	P	C	0.3158	0.1026	0.3158	0.340178	d094395d3fe0f971151f64c72a837cfb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	P	Cbar	0.937	-0.78	-0.937	-1.018197	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8df65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	S	F	0.0522	0.0312	0.0522	0.055829	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	S	Fbar	0.6414	-0.625	-0.6414	-0.705422	44d7df52c7485f902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	S	C	0.165	0.1026	0.165	0.172767	229d394fa15363cb512e797799ff1ae4c7caf71ac190fbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	S	Cbar	0.852	-0.78	-0.852	-0.901413	240ec8fbacae59c13157870f09ddfc7745e98766de5606393fd4270b8e399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	A	F	0.0032	0.0312	0.0032	0.000174	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	A	Fbar	0.6208	-0.625	-0.6208	-0.641831	cfb75348014eada709bcfd3a6321d8b4fl14aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	A	C	0.0068	0.1026	0.0068	0.003131	81ecb394c6c30e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	A	Cbar	0.7738	-0.78	-0.7738	-0.798158	3fbcd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	G	F	0.092333	0.029133	0.092333	0.11914	96175b901675220e5eda66264ad28b9c6b70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	G	Fbar	0.574733	-0.623	-0.574733	-0.679794	6ddff6c0e5314315fb9071782e9434045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	G	C	0.339933	0.0972	0.339933	0.353934	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	G	Cbar	0.935067	-0.7764	-0.935067	-1.027709	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		True

											Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapol- ated	
Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric										
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	P	F		0.076533	0.029133	0.076533	0.097347	c6133875fe d04c430a2 b460813697 6ab78a5217 17eb0f5ca6 7bc2a5d0f3 774f	full_naive_ single_pool		True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	P	Fbar		0.582933	-0.623	-	0.582933	0.692913	a31f58f51 ef458303b7 929aa88c8e 67b5964444 6131588a1d d1ea42fd57 4198	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	P	C		0.315133	0.0972	0.315133	0.33242	d094395d3f e0971151f 64c72a837c ffb2248016 2073e57c6d 2728183eda 13b4	full_naive_ single_pool		True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	P	Cbar		0.929867	-0.7764	-	0.929867	1.014826	9c0a36660b 1565fe147d 5a617647a4 23144ff6fb 01aa84fc23 e8dfd65b42 d017	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	S	F		0.0492	0.029133	0.0492	0.053048	1216db5846 b3decfd957 6ec70705f7 9de8eab1ad e96693305c da7fd5322d 3763	full_naive_ single_pool		True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	S	Fbar		0.634067	-0.623	-	0.634067	0.703179	44df52c7 485ff902ac d6ba6794be a0678b8c14 23df20a30 851a17b2c0 bf8e	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	S	C		0.163667	0.0972	0.163667	0.166141	229d394fa1 5363cb512e 79779bff1a e4c7caf71a c190fbbb02 5ca5d316e5 36fe	full_naive_ single_pool		True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	S	Cbar		0.844467	-0.7764	-	0.844467	0.897589	240ec8fbac ae59c13157 870f09ddfc 7745e98766 d65606393f 4270b8e399 676b	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	A	F		0.002933	0.029133	0.002933	-	0.000834	cb12bd0502 0da6c49662 894f9df02b d77f90df92 333417073c d64279a291 6a84	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	A	Fbar		0.620333	-0.623	-	0.620333	0.639669	cfb7534801 4eada709bc fd3a6321d8 b4f114aa00 833f0da164 4314c0b5da 2d2f	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	A	C		0.006733	0.0972	0.006733	0.000444	81ecb394c6 c630e3dfaa 299e97f096 0d1c47c6ef b69ee9d3f9 02ad76b813 e66f	full_naive_ single_pool		True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	A	Cbar		0.772133	-0.7764	-	0.772133	0.794039	3fbd535ce1 abe6b8eeea 4802cfb9a8 a9d40aa5f4 c50de9aeed 78660c87ca 4915	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	G	F		0.0964	0.03	0.0964	0.12048	96175b9016 75220e5eda 66264ad28b 9cfb708344 93f40bc53b 30abe3dfdc 61f2	full_naive_ single_pool		True	

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	G	Fbar	0.5788	-0.6202	-0.5788	-0.677126314315fb9071782e94344045815e880ad53a32319d47cc17da93ac	6ddff60e5134315fb9071782e94344045815e880ad53a32319d47cc17da93ac	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	G	C	0.3464	0.0996	0.3464	0.35734409d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	G	Cbar	0.9394	-0.7764	-0.9394	1.02770989282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	89282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	P	F	0.0766	0.03	0.0766	0.09874c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	P	Fbar	0.5836	-0.6202	-0.5836	-0.689993a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	P	C	0.3134	0.0996	0.3134	0.335868d094395d3fe0f971151f64c72a837cfb22480162073e57c6d2728183eda13b4	d094395d3fe0f971151f64c72a837cfb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	P	Cbar	0.9354	-0.7764	-0.9354	1.0148269c0a36660b1565fe147d5a617647a423144ff6b01aa84fc23e8dfd65b42d017	9c0a36660b1565fe147d5a617647a423144ff6b01aa84fc23e8dfd65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	S	F	0.052	0.03	0.052	0.0542141216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	S	Fbar	0.6374	-0.6202	-0.6374	-0.7000444d7df52c7485f902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	44d7df52c7485f902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	S	C	0.1658	0.0996	0.1658	0.169086229d394fa15363cb512e79779bf1ae4c7ca771ac190fbb025ca5d316e536fe	229d394fa15363cb512e79779bf1ae4c7ca771ac190fbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	S	Cbar	0.8478	-0.7764	-0.8478	-0.897589240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8c399676b	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8c399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	A	F	0.0034	0.03	0.0034	-0.000411cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	A	Fbar	0.6216	-0.6202	-0.6216	-0.636642cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	A	C	0.007	0.0996	0.007	0.001638	81ecb394c6c30e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	A	Cbar	0.7734	-0.7764	-0.7734	-0.794039	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	G	F	0.094333	0.029867	0.094333	0.120274	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	G	Fbar	0.5762	-0.622067	-0.5762	-0.678905	6ddff6c0e571782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	G	C	0.3432	0.0982	0.3432	0.355355	09d031ba10f4e789872e569838956182da1d1bc112d46fcaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	G	Cbar	0.9362	-0.775733	-0.9362	-1.0271	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	P	F	0.076867	0.029867	0.076867	0.098525	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	P	Fbar	0.5826	-0.622067	-0.5826	-0.69194	a31f58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	P	C	0.317067	0.0982	0.317067	0.333857	d094395d3fe0f971151f64c72a837cffb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	P	Cbar	0.9288	-0.775733	-0.9288	-1.014202	9c0a36660b1565fe147d5a617647a423144f6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	S	F	0.050133	0.029867	0.050133	0.054034	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	S	Fbar	0.6342	-0.622067	-0.6342	-0.702133	44d7df52c7485ff902acd6ba6794bea0678b8c1423dH20a30851a17b2c0bf8e	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	S	C	0.1666	0.0982	0.1666	0.167368	229d394fa15363cb512e79779bffa1e4c7caf71ac190fbb025ca5d316e536fe	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	S	Cbar	0.845133	-	-	-	240ec8fbacae59c13157870f09ddfc7745e98766d65606393fd4270b3e399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	A	F	0.002933	0.029867	0.002933	-	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	A	Fbar	0.621867	-	-	-	cfb75348014eada709bcbfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	A	C	0.006733	0.0982	0.006733	0.000942	81ecb394c6c530e3dffa299a97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	A	Cbar	0.7738	-	-0.7738	-	3fb535ce1abab6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	G	F	0.0992	0.0304	0.0992	0.121098	96175b901675220e5eda66264ad28b9c9fb7083449c3f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	G	Fbar	0.5798	-0.6284	-0.5798	-	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	G	C	0.3486	0.1002	0.3486	0.358196	00d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	G	Cbar	0.9424	-0.7814	-0.9424	-	1010706ce289282242d7b5bd77af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	P	F	0.0792	0.0304	0.0792	0.099382	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	P	Fbar	0.5842	-0.6284	-0.5842	-	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	P	C	0.3188	0.1002	0.3188	0.33673	d094395d3fe0f971151f64c72a837cfb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	P	Cbar	0.9354	-0.7814	-0.9354	-	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8df65b42d017	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	S	F	0.0528	0.0304	0.0528	0.054752	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	S	Fbar	0.6408	-0.6284	-0.6408	-0.709234	44d7df52c7485f902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	S	C	0.1684	0.1002	0.1684	0.169822	229d394fa15363cb512e79779bffa1e4c7caf71ac190fbbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	S	Cbar	0.852	-0.7814	-0.852	-0.9029	240ec8fbacae59c13157870f09ddfe7745e98766d65606393f4270b8e399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	A	F	0.0034	0.0304	0.0034	-0.000216	cb12bd05020da6c49662894f9df02bd77f90df923334117073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	A	Fbar	0.624	-0.6284	-0.624	-0.645507	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	A	C	0.006	0.1002	0.006	0.001937	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	A	Cbar	0.7744	-0.7814	-0.7744	-0.79976	3fb-d535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True

Table 177: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^*_z	ER^*_s	ER^*_c
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	33706f8ee8fdaf2a78ff946cbaceeb95a5f8046f0dfb3a7c3345cb57f3b9b93de	5000					{'C': 'GuidedBackprop', 'Cbar': 'LRP', 'F': 'GuidedBackprop', 'Fbar': 'LRP'}	-	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	3b7223b327af31c0541927dd41ab862f2eb328cc5464662efe288da9846fd31e	5000						-	0.124285	0.004083
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	ed73509580b6a1e74268ee7918c3e02c76f43cdb63c43f0c60686f12daf615bd	5000						-	0.120447	0.001757
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	a0797fb5a026f9b0edcc3a1f3b1044a4e8b6ed61a548650b1fd5731bc4ce0fc7	5000						-	0.103489	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	a13ed4f80e88d36ba0d428604aef0965cbf6db700e04ed482d181dc3ed92269d	5000						-	0.106122	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	36ce59e27e1471b28a3ebab936778307577b1d328c206ce13748ac64dbbe4c5b	5000						-	0.105204	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	308cb16170307aa3807ddb898a4a9a668ed877990e53b82209fe81d89f5450a3	5000						-	0.1019	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	304af6c9abde626764eca51cc0db0334075d36e7069bbd19c60c073e1016f3ef	5000						-	0.105061	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	6e1d901450c817a89fb2668f5abf552d8b1f6bab2ef319a34ba95637739e5c00	5000						-	0.098326	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	d10dcf40daa15894aaed2dd4d6d8c0257e5ecd921cf2ee647adf5ec660406a91b	5000						-	0.102705	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	455397943176a5697de55eb3a22171020857991c51114ea939929ed67afa7058	5000						-	0.10514	-

Table 178: ImageNet–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	-0.020363	-0.025974	-0.019921	-0.027777	-0.025113	-0.002731	-0.028785	-0.005048	-0.030783	0.001732
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	0.113173	-0.007667	0.137817	-0.004113	0.111058	-2.266e-05	0.08282	0.004592	0.067867	0.00461
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	0.106438	-0.006327	0.128031	-0.000226	0.099483	0.005214	0.080477	0.009313	0.063125	0.00712
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	0.09157	-0.014682	0.110754	-0.010468	0.086355	0.000925	0.066773	0.005539	0.05146	0.003027
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	0.092804	-0.021175	0.112363	-0.021026	0.082858	0.001394	0.067683	-0.001112	0.05275	0.004104
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	0.092346	-0.02323	0.112565	-0.018022	0.088441	-0.003321	0.068392	-0.00184	0.053172	0.002562
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	0.088795	-0.026268	0.110799	-0.024378	0.081197	-0.003629	0.064022	-0.007767	0.049413	0.003026
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	0.092642	-0.020814	0.10998	-0.017287	0.084959	-0.003848	0.069113	-0.002474	0.053123	0.003767
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	0.088309	-0.02214	0.106393	-0.022468	0.079426	-0.002214	0.06264	-0.003286	0.049789	0.003811
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	0.0909	-0.021659	0.10934	-0.01679	0.085402	-0.003901	0.067933	-0.000768	0.051748	0.00341
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	0.089873	-0.020182	0.114345	-0.01793	0.084109	-0.001952	0.068434	-0.001422	0.0509	0.003616

Table 179: ImageNet–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_E	ER^*_C	ER^*_V
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual		1	0.00794	0.001219	0.006271
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NAIVE		11	0.019722	0.006819	0.021558
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Ind		11	0.018669	0.009141	0.018218
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	NAIVE		11	0.01722	0.005297	0.018849
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	Ind		11	0.017739	0.001874	0.019475
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	NAIVE		11	0.0167	0.004065	0.019442
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	Ind		11	0.021031	0.003669	0.024358
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NAIVE		11	0.019336	0.006289	0.021906
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Ind		11	0.015042	0.005362	0.020639
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	NAIVE		11	0.016793	0.005792	0.019476
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	Ind		11	0.021507	0.004063	0.02536

Table 180: ImageNet-ResNet-18

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ResNet-18	A	C	066ed30a6d863cb1ca35ec492343212ca4c2fa21fac40f165af528e9e551034	GuidedBackprop	10	nonnegative__slope__ordinary__least_squares	0.498919	0.498919	False	-0.048151	0.001583	0.014068	0.826873	0.1174	0.292	0.0126	0.1134
ImageNet-ResNet-18	S	Cbar	07d7a69a9a02d824aa4a5c483b246e6b21bd02dba5aeb0c48e3e77cd525a5354	LRP	10	nonnegative__slope__ordinary__least_squares	1.026708	1.026708	False	-0.085546	0.009516	0.034489	0.891457	-0.565	-0.2952	-0.7	-0.3902
ImageNet-ResNet-18	P	Fbar	09ad128cc383e198d13347fc47f38feb116331a21346c72dbdf7d4527bcd8dc	LRP	10	nonnegative__slope__ordinary__least_squares	0.99564	0.99564	False	-0.054209	0.017803	0.047174	0.765955	-0.423	-0.1752	-0.511	-0.2326
ImageNet-ResNet-18	G	C	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02		11	nonnegative__slope__ordinary__least_squares	1.420558	1.420558	False	0.215856	0.003172	0.018775	0.954785	0.1174	0.292	0.3518	0.62
ImageNet-ResNet-18	A	Cbar	0ea2c9856ff924b7a57cbfc4d23384df39c6063c0a8222c7cbb c530e90567ea7c	LRP	10	nonnegative__slope__ordinary__least_squares	1.148018	1.148018	False	0.095657	0.006747	0.029041	0.935409	-0.565	-0.2952	-0.563	-0.238
ImageNet-ResNet-18	G	Cbar	1010706ce289282242d7b8bdffaf5856705b47b99d24d761339e94398ed96b6c		11	nonnegative__slope__ordinary__least_squares	0.912882	0.912882	False	-0.318947	0.02265	0.050166	0.755578	-0.565	-0.2952	-0.8856	-0.5968
ImageNet-ResNet-18	P	C	11ed0db2052376c2122bf8eb58bb6d9d0dc1612f370cd365418b9dd1a760449	GuidedBackprop	10	nonnegative__slope__ordinary__least_squares	1.47145	1.47145	False	0.18667	0.004515	0.023756	0.935768	0.1174	0.292	0.3216	0.6096
ImageNet-ResNet-18	S	F	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cdaf7d5322d3763		11	nonnegative__slope__ordinary__least_squares	1.345791	1.345791	False	0.01384	0.000635	0.008402	0.981622	0.043	0.1716	0.0668	0.2552
ImageNet-ResNet-18	S	Fbar	19399a18c53d81c45967d5cec56fbd b1156b1e7c6871a7e80940e40ccca8fe3d	LRP	10	nonnegative__slope__ordinary__least_squares	1.081158	1.081158	False	-0.014011	0.008211	0.032037	0.893243	-0.423	-0.1752	-0.5008	-0.2122
ImageNet-ResNet-18	S	C	229d394fa15363cb512e79779bf1a e4c7caf71a c190fbb025ca5d316e536fe		11	nonnegative__slope__ordinary__least_squares	1.227074	1.227074	False	0.046869	0.000565	0.007921	0.988828	0.1174	0.292	0.1818	0.4098
ImageNet-ResNet-18	S	Cbar	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8c399676b		11	nonnegative__slope__ordinary__least_squares	1.062187	1.062187	False	-0.072907	0.01031	0.033845	0.901909	-0.565	-0.2952	-0.7	-0.3902
ImageNet-ResNet-18	A	Cbar	3fbfd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915		11	nonnegative__slope__ordinary__least_squares	1.14415	1.14415	False	0.094279	0.006757	0.027399	0.942124	-0.565	-0.2952	-0.563	-0.238
ImageNet-ResNet-18	S	Fbar	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e		11	nonnegative__slope__ordinary__least_squares	1.121249	1.121249	False	-0.004641	0.008982	0.031591	0.903619	-0.423	-0.1752	-0.5008	-0.2122

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ResNet-18	P	F	4c5325f63b d20157f852 64e54d80a8 1cf910a9b5 f412e1c0fa 2d04b4ac43 4968	GuidedBack prop	10	nonnegative__ slope__ ordinary__ least_squares	1.652665	1.652665	False	0.046456	0.004756	0.024382	0.906291	0.043	0.1696	0.0872	0.341
ImageNet-ResNet-18	S	F	5165f17ac d49692fe42 3148ef4959 fc2dda6335 07279b3287 5ec36ee5d9 eb18	GuidedBack prop	10	nonnegative__ slope__ ordinary__ least_squares	1.376655	1.376655	False	0.011092	0.000477	0.007721	0.985278	0.043	0.1696	0.0668	0.2552
ImageNet-ResNet-18	G	C	6a1baec442 2f9a45a550 fb0b5adf20 64c3464215 020f778b51 ebbaef9c56 5761	GuidedBack prop	10	nonnegative__ slope__ ordinary__ least_squares	1.450345	1.450345	False	0.210627	0.002855	0.018891	0.957233	0.1174	0.292	0.3518	0.62
ImageNet-ResNet-18	G	Fbar	6d4dff60e5 314315fb90 71782e9434 4045815e88 0ad53a3231 9d47cc17da 93ae		11	nonnegative__ slope__ ordinary__ least_squares	0.953041	0.953041	False	-0.086049	0.018674	0.045551	0.765147	-0.423	-0.1752	-0.5286	-0.2574
ImageNet-ResNet-18	S	C	7a09f680fa 0f355ed3f9 b5eb8d73f5 e1807eb77a 8f90a5deb3 e577de2ef92246	GuidedBack prop	10	nonnegative__ slope__ ordinary__ least_squares	1.236178	1.236178	False	0.045271	0.000535	0.008178	0.988605	0.1174	0.292	0.1818	0.4098
ImageNet-ResNet-18	A	C	81ecb394c6 c630e3dfaa 299e97f096 0d1c47c6ef b69ee9d3f9 02ad76b813 e66f		11	nonnegative__ slope__ ordinary__ least_squares	0.497638	0.497638	False	-0.047926	0.001584	0.013266	0.838464	0.1174	0.292	0.0126	0.1134
ImageNet-ResNet-18	G	Cbar	95b554003b c024fcba8c 74cbaf58cb 4437218db4 cc5d6bd42e b3d72e6c10 620b	LRP	10	nonnegative__ slope__ ordinary__ least_squares	0.876657	0.876657	False	-0.331852	0.021822	0.052228	0.723071	-0.565	-0.2952	-0.8856	-0.5968
ImageNet-ResNet-18	G	F	96175b9016 75220e5eda 66264ad28b 9cfb708344 93f40bc53b 30abc3dfdc61f2		11	nonnegative__ slope__ ordinary__ least_squares	1.545894	1.545894	False	0.074103	0.002445	0.016484	0.948215	0.043	0.1716	0.121	0.348
ImageNet-ResNet-18	P	Cbar	9c0a36660b 1565fe147d 5a617647a4 23144ff6fb 01aa84fc23 e8dfd65b42 d017		11	nonnegative__ slope__ ordinary__ least_squares	0.936519	0.936519	False	-0.287713	0.020052	0.047202	0.786093	-0.565	-0.2952	-0.846	-0.5668
ImageNet-ResNet-18	P	Fbar	a31ff58f51 ef458303b7 929aa88c8e 67b5964444 6131588a1d d1ea42fd57 4198		11	nonnegative__ slope__ ordinary__ least_squares	1.042961	1.042961	False	-0.043149	0.018877	0.045798	0.794231	-0.423	-0.1752	-0.511	-0.2326
ImageNet-ResNet-18	P	Cbar	bcba10e90a ade6940d3e 6596ecfaa1 b3cd2cd422 ec4e1da13f 2074891cef bbad	LRP	10	nonnegative__ slope__ ordinary__ least_squares	0.889792	0.889792	False	-0.304358	0.018675	0.048315	0.758638	-0.565	-0.2952	-0.846	-0.5668
ImageNet-ResNet-18	P	F	c6133875fe dd04c430a2 b460813697 6ab78a5217 17eb0f5ca6 7bc2a5d03774f		11	nonnegative__ slope__ ordinary__ least_squares	1.60689	1.60689	False	0.050533	0.005104	0.023815	0.904564	0.043	0.1716	0.0872	0.341
ImageNet-ResNet-18	A	F	cb12bd0502 0da6c49662 894f9df02b d77f90df92 333417073c d64279a291 6a84		11	nonnegative__ slope__ ordinary__ least_squares	0.487939	0.487939	False	-0.015049	0.000671	0.008632	0.86933	0.043	0.1716	0.007	0.0794

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ResNet-18	A	Fbar	cb2acb6336c1c944b9e889941decddfd541fe1107c1057224f1f8637932a0ab	LRP	10	nonnegative__slope__ordinary__least_squares	1.086914	1.086914	False	0.03519	0.005269	0.025664	0.929468	-0.423	-0.1752	-0.4256	-0.1536
ImageNet-ResNet-18	A	Fbar	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	LRP	11	nonnegative__slope__ordinary__least_squares	1.081035	1.081035	False	0.033816	0.005286	0.024234	0.936748	-0.423	-0.1752	-0.4256	-0.1536
ImageNet-ResNet-18	G	F	efe0e909548d331a4598a35e8754c4aeab45b0276a5039a00283dfec0a0d1b5	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.59412	1.59412	False	0.069808	0.002059	0.016041	0.954103	0.043	0.1696	0.121	0.348
ImageNet-ResNet-18	P	C	d094395d3fe0f971151f64c72a837cfeb22480162073e57c6d2728183eda	LRP	11	nonnegative__slope__ordinary__least_squares	1.436669	1.436669	False	0.192776	0.004948	0.023446	0.932654	0.1174	0.292	0.3216	0.6096
ImageNet-ResNet-18	G	Fbar	d1abe1c18ec798aa606014c0bad61aa2742c6e6194c7822c0c730c05ba7ca4a3	LRP	10	nonnegative__slope__ordinary__least_squares	0.911505	0.911505	False	-0.095757	0.017847	0.047231	0.732353	-0.423	-0.1752	-0.5286	-0.2574
ImageNet-ResNet-18	A	F	ed4abc805c7384eb4b8326a3fec13819dff312b3a8815f9468f177d0ee86324c	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.495754	0.495754	False	-0.015745	0.00066	0.009086	0.862398	0.043	0.1696	0.007	0.0794

Table 181: ImageNet-ResNet-18

Cell	Condition	Metric	Reference Methods
ImageNet-ResNet-18	A	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated
ImageNet-ResNet-18	S	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated
ImageNet-ResNet-18	P	Fbar	Gradients;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated
ImageNet-ResNet-18	G	C	Gradients;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated
ImageNet-ResNet-18	A	Cbar	Gradients;LRP;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated
ImageNet-ResNet-18	G	Cbar	Gradients;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated
ImageNet-ResNet-18	P	C	Gradients;LRP;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated
ImageNet-ResNet-18	S	F	Gradients;LRP;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated
ImageNet-ResNet-18	S	Fbar	Gradients;LRP;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated
ImageNet-ResNet-18	S	C	Gradients;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated
ImageNet-ResNet-18	S	Cbar	Gradients;LRP;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated
ImageNet-ResNet-18	A	Cbar	Gradients;LRP;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated
ImageNet-ResNet-18	S	Fbar	Gradients;LRP;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated
ImageNet-ResNet-18	P	F	Gradients;LRP;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated
ImageNet-ResNet-18	S	F	Gradients;LRP;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated
ImageNet-ResNet-18	G	C	Gradients;LRP;Occlusion;Saliency Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated

Cell	Condition	Metric	Reference Methods
ImageNet-ResNet-18	G	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	S	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;Occlusion;Saliency
ImageNet-ResNet-18	G	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;Occlusion;Saliency
ImageNet-ResNet-18	P	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;Occlusion;Saliency
ImageNet-ResNet-18	A	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;Occlusion;Saliency
ImageNet-ResNet-18	A	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency

Table 182: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	F	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				max	- 0.021759	0.1716
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	Fbar	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				min	- 0.038114	0.1752
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	C	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				max	- 0.013129	0.292
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	Cbar	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				min	- 0.025316	0.2952
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	F	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				max	- 0.020654	0.1716
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	Fbar	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				min	- 0.027134	0.1752
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	C	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				max	- 0.003305	0.292
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	Cbar	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				min	- 0.024804	0.2952
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	F	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				max	- 0.013926	0.1716
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	Fbar	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				min	- 0.016828	0.1752
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	C	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				max	0.005697	0.292
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	Cbar	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				min	- 0.005572	0.2952
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	F	4b1d9eaea4 30a030e1b1 ec8b4d3a03 83452817c4 60e6936222 3ee4d2ee75 8428	5000				max	- 0.003526	0.1716

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	Fbar	4b1d9eaea430a030e1b1ec8b4d3a0383452817c460e69362223ee4d2ee758428	5000				min	0.002999	0.1752
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	C	4b1d9eaea430a030e1b1ec8b4d3a0383452817c460e69362223ee4d2ee758428	5000				max	-0.018457	0.292
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	Cbar	4b1d9eaea430a030e1b1ec8b4d3a0383452817c460e69362223ee4d2ee758428	5000				min	0.008166	0.2952
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	F	685703c1eb6f9a505820237705f26b93642bd46c221c4b1a766b963113b499e1	5000				max	-0.011924	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	Fbar	685703c1eb6f9a505820237705f26b93642bd46c221c4b1a766b963113b499e1	5000				min	-0.037537	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	C	685703c1eb6f9a505820237705f26b93642bd46c221c4b1a766b963113b499e1	5000				max	0.011264	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	Cbar	685703c1eb6f9a505820237705f26b93642bd46c221c4b1a766b963113b499e1	5000				min	-0.035498	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	F	685703c1eb6f9a505820237705f26b93642bd46c221c4b1a766b963113b499e1	5000				max	-0.017682	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	Fbar	685703c1eb6f9a505820237705f26b93642bd46c221c4b1a766b963113b499e1	5000				min	-0.037668	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	C	685703c1eb6f9a505820237705f26b93642bd46c221c4b1a766b963113b499e1	5000				max	-0.002463	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	Cbar	685703c1eb6f9a505820237705f26b93642bd46c221c4b1a766b963113b499e1	5000				min	-0.031404	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	F	685703c1eb6f9a505820237705f26b93642bd46c221c4b1a766b963113b499e1	5000				max	-0.000124	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	Fbar	685703c1eb6f9a505820237705f26b93642bd46c221c4b1a766b963113b499e1	5000				min	-0.028525	0.251

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	C	685703c1eb 6f9a505820 237705f26b 93642bd46c 221c4b1a76 6b963113b4 99e1	5000				max	0.007388	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	Cbar	685703c1eb 6f9a505820 237705f26b 93642bd46c 221c4b1a76 6b963113b4 99e1	5000				min	- 0.022676	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	F	685703c1eb 6f9a505820 237705f26b 93642bd46c 221c4b1a76 6b963113b4 99e1	5000				max	0.009031	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	Fbar	685703c1eb 6f9a505820 237705f26b 93642bd46c 221c4b1a76 6b963113b4 99e1	5000				min	0.020324	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	C	685703c1eb 6f9a505820 237705f26b 93642bd46c 221c4b1a76 6b963113b4 99e1	5000				max	0.014802	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	Cbar	685703c1eb 6f9a505820 237705f26b 93642bd46c 221c4b1a76 6b963113b4 99e1	5000				min	0.036792	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	F	7adc2b4b81 51d069d91f 3206c3cf4b b2dad01992 9fe10c93fc 10608c006d 4c2b	5000				max	- 0.011924	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	Fbar	7adc2b4b81 51d069d91f 3206c3cf4b b2dad01992 9fe10c93fc 10608c006d 4c2b	5000				min	- 0.037537	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	C	7adc2b4b81 51d069d91f 3206c3cf4b b2dad01992 9fe10c93fc 10608c006d 4c2b	5000				max	0.011264	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	Cbar	7adc2b4b81 51d069d91f 3206c3cf4b b2dad01992 9fe10c93fc 10608c006d 4c2b	5000				min	- 0.035498	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	F	7adc2b4b81 51d069d91f 3206c3cf4b b2dad01992 9fe10c93fc 10608c006d 4c2b	5000				max	- 0.017482	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	Fbar	7adc2b4b81 51d069d91f 3206c3cf4b b2dad01992 9fe10c93fc 10608c006d 4c2b	5000				min	- 0.037668	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	C	7adc2b4b81 51d069d91f 3206c3cf4b b2dad01992 9fe10c93fc 10608c006d 4c2b	5000				max	- 0.002463	0.286

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	Cbar	7adc2b4b8151d069d91f3206c3cf4bb2dad019929fe10c93fc10608c006d4c2b	5000				min	-0.031404	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	F	7adc2b4b8151d069d91f3206c3cf4bb2dad019929fe10c93fc10608c006d4c2b	5000				max	-0.000124	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	Fbar	7adc2b4b8151d069d91f3206c3cf4bb2dad019929fe10c93fc10608c006d4c2b	5000				min	-0.028525	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	C	7adc2b4b8151d069d91f3206c3cf4bb2dad019929fe10c93fc10608c006d4c2b	5000				max	0.007388	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	Cbar	7adc2b4b8151d069d91f3206c3cf4bb2dad019929fe10c93fc10608c006d4c2b	5000				min	-0.022676	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	F	7adc2b4b8151d069d91f3206c3cf4bb2dad019929fe10c93fc10608c006d4c2b	5000				max	0.009031	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	Fbar	7adc2b4b8151d069d91f3206c3cf4bb2dad019929fe10c93fc10608c006d4c2b	5000				min	0.020324	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	C	7adc2b4b8151d069d91f3206c3cf4bb2dad019929fe10c93fc10608c006d4c2b	5000				max	0.014802	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	Cbar	7adc2b4b8151d069d91f3206c3cf4bb2dad019929fe10c93fc10608c006d4c2b	5000				min	0.036792	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		G	F	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				max	0.008846	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		G	Fbar	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				min	-0.023816	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		G	C	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				max	0.006638	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		G	Cbar	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				min	-0.03203	0.3464

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		P	F	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				max	0.015979	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		P	Fbar	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				min	-0.02626	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		P	C	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				max	0.007678	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		P	Cbar	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				min	-0.016477	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		S	F	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				max	0.006325	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		S	Fbar	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				min	-0.011654	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		S	C	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				max	0.004749	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		S	Cbar	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				min	-0.008551	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		A	F	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				max	0.000955	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		A	Fbar	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				min	0.002898	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		A	C	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				max	-0.001823	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		A	Cbar	d1ed4f281b6e6e84d26ce28b5abdd3ae4f437e93dc47da989d88cdbe9ae7b778	5000				min	0.008854	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		G	F	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				max	0.008846	0.158

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		G	Fbar	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				min	-0.023816	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		G	C	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				max	0.006638	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		G	Cbar	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				min	-0.03203	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		P	F	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				max	0.015979	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		P	Fbar	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				min	-0.02626	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		P	C	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				max	0.007678	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		P	Cbar	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				min	-0.016477	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		S	F	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				max	0.006325	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		S	Fbar	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				min	-0.011654	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		S	C	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				max	0.004749	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		S	Cbar	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				min	-0.008551	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		A	F	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				max	0.000955	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		A	Fbar	46df8a55b23d20e2072397d2a8953d753047e06508a9644c1d0563c68f39553c	5000				min	0.002898	0.2186

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		A	C	46df8a55b2 3d20e20723 97d2a8953d 753047e065 08a9644c1d 0563c68f39 553c	5000				max	- 0.001823	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		A	Cbar	46df8a55b2 3d20e20723 97d2a8953d 753047e065 08a9644c1d 0563c68f39 553c	5000				min	0.008854	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		G	F	7a79f1194a 55eae6ad74 25dec4ad73 5f0f9fa0b1 7772fd6429 1376bdae2a 46a1	5000				max	0.007756	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		G	Fbar	7a79f1194a 55eae6ad74 25dec4ad73 5f0f9fa0b1 7772fd6429 1376bdae2a 46a1	5000				min	0.007159	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		G	C	7a79f1194a 55eae6ad74 25dec4ad73 5f0f9fa0b1 7772fd6429 1376bdae2a 46a1	5000				max	- 0.000227	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		G	Cbar	7a79f1194a 55eae6ad74 25dec4ad73 5f0f9fa0b1 7772fd6429 1376bdae2a 46a1	5000				min	0.011126	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		P	F	7a79f1194a 55eae6ad74 25dec4ad73 5f0f9fa0b1 7772fd6429 1376bdae2a 46a1	5000				max	0.016435	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		P	Fbar	7a79f1194a 55eae6ad74 25dec4ad73 5f0f9fa0b1 7772fd6429 1376bdae2a 46a1	5000				min	0.007746	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		P	C	7a79f1194a 55eae6ad74 25dec4ad73 5f0f9fa0b1 7772fd6429 1376bdae2a 46a1	5000				max	0.005887	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		P	Cbar	7a79f1194a 55eae6ad74 25dec4ad73 5f0f9fa0b1 7772fd6429 1376bdae2a 46a1	5000				min	0.013345	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		S	F	7a79f1194a 55eae6ad74 25dec4ad73 5f0f9fa0b1 7772fd6429 1376bdae2a 46a1	5000				max	0.007155	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		S	Fbar	7a79f1194a 55eae6ad74 25dec4ad73 5f0f9fa0b1 7772fd6429 1376bdae2a 46a1	5000				min	- 0.004472	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		S	C	7a79f1194a 55eae6ad74 25dec4ad73 5f0f9fa0b1 7772fd6429 1376bdae2a 46a1	5000				max	0.005194	0.271

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		S	Cbar	7a79f1194a55eae6ad7425dec4ad735f0f9fa0b17772fd64291376bdae2a46a1	5000				min	-0.004777	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		A	F	7a79f1194a55eae6ad7425dec4ad735f0f9fa0b17772fd64291376bdae2a46a1	5000				max	0.004326	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		A	Fbar	7a79f1194a55eae6ad7425dec4ad735f0f9fa0b17772fd64291376bdae2a46a1	5000				min	-0.000713	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		A	C	7a79f1194a55eae6ad7425dec4ad735f0f9fa0b17772fd64291376bdae2a46a1	5000				max	0.005066	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		A	Cbar	7a79f1194a55eae6ad7425dec4ad735f0f9fa0b17772fd64291376bdae2a46a1	5000				min	0.005258	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		G	F	c9b90e4b722f921eae6685d55aea53a3aad93d9380c3ee5bd3575dbf94191968	5000				max	0.007756	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		G	Fbar	c9b90e4b722f921eae6685d55aea53a3aad93d9380c3ee5bd3575dbf94191968	5000				min	0.007159	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		G	C	c9b90e4b722f921eae6685d55aea53a3aad93d9380c3ee5bd3575dbf94191968	5000				max	-0.000227	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		G	Cbar	c9b90e4b722f921eae6685d55aea53a3aad93d9380c3ee5bd3575dbf94191968	5000				min	0.011126	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		P	F	c9b90e4b722f921eae6685d55aea53a3aad93d9380c3ee5bd3575dbf94191968	5000				max	0.016435	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		P	Fbar	c9b90e4b722f921eae6685d55aea53a3aad93d9380c3ee5bd3575dbf94191968	5000				min	0.007746	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		P	C	c9b90e4b722f921eae6685d55aea53a3aad93d9380c3ee5bd3575dbf94191968	5000				max	0.005887	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		P	Cbar	c9b90e4b722f921eae6685d55aea53a3aad93d9380c3ee5bd3575dbf94191968	5000				min	0.013345	0.3492

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		S	F	c9b90e4b72 2f921eae66 85d55aea53 a3aad93d93 80c3ee5bd3 575dbf9419 1968	5000				max	0.007158	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		S	Fbar	c9b90e4b72 2f921eae66 85d55aea53 a3aad93d93 80c3ee5bd3 575dbf9419 1968	5000				min	- 0.004472	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		S	C	c9b90e4b72 2f921eae66 85d55aea53 a3aad93d93 80c3ee5bd3 575dbf9419 1968	5000				max	0.005194	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		S	Cbar	c9b90e4b72 2f921eae66 85d55aea53 a3aad93d93 80c3ee5bd3 575dbf9419 1968	5000				min	- 0.004777	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		A	F	c9b90e4b72 2f921eae66 85d55aea53 a3aad93d93 80c3ee5bd3 575dbf9419 1968	5000				max	0.004326	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		A	Fbar	c9b90e4b72 2f921eae66 85d55aea53 a3aad93d93 80c3ee5bd3 575dbf9419 1968	5000				min	- 0.000713	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		A	C	c9b90e4b72 2f921eae66 85d55aea53 a3aad93d93 80c3ee5bd3 575dbf9419 1968	5000				max	0.005066	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		A	Cbar	c9b90e4b72 2f921eae66 85d55aea53 a3aad93d93 80c3ee5bd3 575dbf9419 1968	5000				min	0.005258	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		G	F	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				max	0.002699	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		G	Fbar	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				min	- 0.001769	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		G	C	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				max	- 0.005517	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		G	Cbar	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				min	- 0.005282	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		P	F	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				max	0.014036	0.1612

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		P	Fbar	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				min	- 0.013503	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		P	C	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				max	- 0.002167	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		P	Cbar	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				min	0.000577	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		S	F	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				max	0.004618	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		S	Fbar	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				min	- 0.003175	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		S	C	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				max	0.001878	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		S	Cbar	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				min	-0.0016	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		A	F	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				max	0.001994	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		A	Fbar	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				min	0.008417	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		A	C	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				max	- 0.00221	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		A	Cbar	d3d3204dc5 5980a96e86 dc78b29eb9 1edb419ec0 2998b9a3ac 49c3d7397b fc77	5000				min	0.015878	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		G	F	e57b928fb9 00188bc560 cafb9332e6 af7e2131ce 66bf6726c6 ac03d8987e d68f	5000				max	0.002699	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		G	Fbar	e57b928fb9 00188bc560 cafb9332e6 af7e2131ce 66bf6726c6 ac03d8987e d68f	5000				min	- 0.001769	0.2176

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		G	C	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				max	-0.005517	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		G	Cbar	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				min	-0.005282	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		P	F	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				max	0.014036	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		P	Fbar	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				min	-0.013503	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		P	C	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				max	-0.002167	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		P	Cbar	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				min	0.000577	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		S	F	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				max	0.004618	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		S	Fbar	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				min	-0.003175	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		S	C	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				max	0.001878	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		S	Cbar	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				min	-0.0016	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		A	F	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				max	0.001994	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		A	Fbar	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				min	0.008417	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		A	C	e57b928fb900188be560caf9332e6af7e2131ce66bf6726c6ac03d8987ed68f	5000				max	-0.00221	0.2812

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		A	Cbar	c57b928fb900188be560caf69332e6af7e2131ce66bf6726c6ac03d8987e4d68f	5000				min	0.015878	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		G	F	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				max	0.006064	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		G	Fbar	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				min	- 0.000397	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		G	C	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				max	- 0.00233	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		G	Cbar	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				min	0.000944	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		P	F	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				max	0.013021	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		P	Fbar	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				min	- 0.013077	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		P	C	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				max	- 0.000897	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		P	Cbar	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				min	- 0.00375	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		S	F	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				max	0.008663	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		S	Fbar	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				min	- 0.003902	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		S	C	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				max	0.002459	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		S	Cbar	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				min	- 0.001476	0.3444

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		A	F	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				max	0.00315	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		A	Fbar	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				min	0.000866	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		A	C	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				max	0.000178	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		A	Cbar	c34bcb1e1c938f68f0601b3aa3524c36f4bcb292af2a712ee89a0980fca8d500	5000				min	0.005966	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		G	F	180dff39e28876c2e50da6a8d3fd33155087b3408dba78601fecbb726ede83f8	5000				max	0.006064	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		G	Fbar	180dff39e28876c2e50da6a8d3fd33155087b3408dba78601fecbb726ede83f8	5000				min	- 0.000397	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		G	C	180dff39e28876c2e50da6a8d3fd33155087b3408dba78601fecbb726ede83f8	5000				max	- 0.00233	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		G	Cbar	180dff39e28876c2e50da6a8d3fd33155087b3408dba78601fecbb726ede83f8	5000				min	0.000944	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		P	F	180dff39e28876c2e50da6a8d3fd33155087b3408dba78601fecbb726ede83f8	5000				max	0.013021	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		P	Fbar	180dff39e28876c2e50da6a8d3fd33155087b3408dba78601fecbb726ede83f8	5000				min	- 0.013077	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		P	C	180dff39e28876c2e50da6a8d3fd33155087b3408dba78601fecbb726ede83f8	5000				max	- 0.000897	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		P	Cbar	180dff39e28876c2e50da6a8d3fd33155087b3408dba78601fecbb726ede83f8	5000				min	- 0.00375	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		S	F	180dff39e28876c2e50da6a8d3fd33155087b3408dba78601fecbb726ede83f8	5000				max	0.008663	0.1576

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		S	Fbar	180dff39e2 8876c2e50d a6a8d3fd33 155087b340 8dba78601f ecbb726ede 83f8	5000				min	- 0.003902	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		S	C	180dff39e2 8876c2e50d a6a8d3fd33 155087b340 8dba78601f ecbb726ede 83f8	5000				max	0.002459	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		S	Cbar	180dff39e2 8876c2e50d a6a8d3fd33 155087b340 8dba78601f ecbb726ede 83f8	5000				min	- 0.001476	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		A	F	180dff39e2 8876c2e50d a6a8d3fd33 155087b340 8dba78601f ecbb726ede 83f8	5000				max	0.00315	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		A	Fbar	180dff39e2 8876c2e50d a6a8d3fd33 155087b340 8dba78601f ecbb726ede 83f8	5000				min	0.000866	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		A	C	180dff39e2 8876c2e50d a6a8d3fd33 155087b340 8dba78601f ecbb726ede 83f8	5000				max	0.000178	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		A	Cbar	180dff39e2 8876c2e50d a6a8d3fd33 155087b340 8dba78601f ecbb726ede 83f8	5000				min	0.005966	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	F	d0e526cd5f 6b66e34b2b f5c8bf06a7 cdb2628601 a896bf4519 5aa3fe2989 bc6f	5000				max	- 0.021759	0.1716
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	Fbar	d0e526cd5f 6b66e34b2b f5c8bf06a7 cdb2628601 a896bf4519 5aa3fe2989 bc6f	5000				min	- 0.038114	0.1752
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	C	d0e526cd5f 6b66e34b2b f5c8bf06a7 cdb2628601 a896bf4519 5aa3fe2989 bc6f	5000				max	- 0.013129	0.292
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	Cbar	d0e526cd5f 6b66e34b2b f5c8bf06a7 cdb2628601 a896bf4519 5aa3fe2989 bc6f	5000				min	- 0.025316	0.2952
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	F	d0e526cd5f 6b66e34b2b f5c8bf06a7 cdb2628601 a896bf4519 5aa3fe2989 bc6f	5000				max	- 0.020654	0.1716
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	Fbar	d0e526cd5f 6b66e34b2b f5c8bf06a7 cdb2628601 a896bf4519 5aa3fe2989 bc6f	5000				min	- 0.027134	0.1752

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	C	d0e526cd5f6b66e34b2bf5c8bf06a7cdb2628601a896bf45195aa3fe2989bc6f	5000				max	-0.003305	0.292
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	Cbar	d0e526cd5f6b66e34b2bf5c8bf06a7cdb2628601a896bf45195aa3fe2989bc6f	5000				min	-0.024804	0.2952
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	F	d0e526cd5f6b66e34b2bf5c8bf06a7cdb2628601a896bf45195aa3fe2989bc6f	5000				max	-0.013926	0.1716
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	Fbar	d0e526cd5f6b66e34b2bf5c8bf06a7cdb2628601a896bf45195aa3fe2989bc6f	5000				min	-0.016828	0.1752
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	C	d0e526cd5f6b66e34b2bf5c8bf06a7cdb2628601a896bf45195aa3fe2989bc6f	5000				max	0.005697	0.292
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	Cbar	d0e526cd5f6b66e34b2bf5c8bf06a7cdb2628601a896bf45195aa3fe2989bc6f	5000				min	-0.005572	0.2952
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	F	d0e526cd5f6b66e34b2bf5c8bf06a7cdb2628601a896bf45195aa3fe2989bc6f	5000				max	-0.003526	0.1716
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	Fbar	d0e526cd5f6b66e34b2bf5c8bf06a7cdb2628601a896bf45195aa3fe2989bc6f	5000				min	0.002999	0.1752
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	C	d0e526cd5f6b66e34b2bf5c8bf06a7cdb2628601a896bf45195aa3fe2989bc6f	5000				max	-0.018457	0.292
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	Cbar	d0e526cd5f6b66e34b2bf5c8bf06a7cdb2628601a896bf45195aa3fe2989bc6f	5000				min	0.008166	0.2952
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	F	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				max	-0.011924	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	Fbar	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				min	-0.037537	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	C	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				max	0.011264	0.286

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	Cbar	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				min	-0.035498	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	F	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				max	-0.017682	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	Fbar	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				min	-0.037668	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	C	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				max	-0.002463	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	Cbar	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				min	-0.031404	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	F	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				max	-0.000124	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	Fbar	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				min	-0.028525	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	C	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				max	0.007388	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	Cbar	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				min	-0.022676	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	F	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				max	0.009031	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	Fbar	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				min	0.020324	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	C	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				max	0.014802	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	Cbar	c30625e85aeb01d0f90e3c5a55662007f2c31f3a1b6d6dc1ca5a3550459126be	5000				min	0.036792	0.3862

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	F	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				max	- 0.011924	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	Fbar	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				min	- 0.037537	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	C	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				max	0.011264	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	Cbar	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				min	- 0.035498	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	F	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				max	- 0.017482	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	Fbar	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				min	- 0.037668	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	C	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				max	- 0.002463	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	Cbar	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				min	- 0.031404	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	F	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				max	- 0.000124	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	Fbar	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				min	- 0.028525	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	C	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				max	0.007388	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	Cbar	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				min	- 0.022676	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	F	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				max	0.009031	0.1726

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	Fbar	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				min	0.020324	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	C	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				max	0.014802	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	Cbar	63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000				min	0.036792	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		G	F	1fb37529ef 5aabdbe92b b248e046f5 2e2cd3db52 82807513d3 d9b3eac8af 481d	5000				max	0.008846	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		G	Fbar	1fb37529ef 5aabdbe92b b248e046f5 2e2cd3db52 82807513d3 d9b3eac8af 481d	5000				min	- 0.023816	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		G	C	1fb37529ef 5aabdbe92b b248e046f5 2e2cd3db52 82807513d3 d9b3eac8af 481d	5000				max	0.006638	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		G	Cbar	1fb37529ef 5aabdbe92b b248e046f5 2e2cd3db52 82807513d3 d9b3eac8af 481d	5000				min	- 0.03203	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		P	F	1fb37529ef 5aabdbe92b b248e046f5 2e2cd3db52 82807513d3 d9b3eac8af 481d	5000				max	0.015979	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		P	Fbar	1fb37529ef 5aabdbe92b b248e046f5 2e2cd3db52 82807513d3 d9b3eac8af 481d	5000				min	- 0.02626	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		P	C	1fb37529ef 5aabdbe92b b248e046f5 2e2cd3db52 82807513d3 d9b3eac8af 481d	5000				max	0.007678	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		P	Cbar	1fb37529ef 5aabdbe92b b248e046f5 2e2cd3db52 82807513d3 d9b3eac8af 481d	5000				min	- 0.016477	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		S	F	1fb37529ef 5aabdbe92b b248e046f5 2e2cd3db52 82807513d3 d9b3eac8af 481d	5000				max	0.006325	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		S	Fbar	1fb37529ef 5aabdbe92b b248e046f5 2e2cd3db52 82807513d3 d9b3eac8af 481d	5000				min	- 0.011654	0.2186

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		S	C	1fb37529ef5aabdbe92bb248e046f52e2cd3db5282807513d3d9b3eac8af481d	5000				max	0.004749	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		S	Cbar	1fb37529ef5aabdbe92bb248e046f52e2cd3db5282807513d3d9b3eac8af481d	5000				min	-0.008551	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		A	F	1fb37529ef5aabdbe92bb248e046f52e2cd3db5282807513d3d9b3eac8af481d	5000				max	0.000955	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		A	Fbar	1fb37529ef5aabdbe92bb248e046f52e2cd3db5282807513d3d9b3eac8af481d	5000				min	0.002898	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		A	C	1fb37529ef5aabdbe92bb248e046f52e2cd3db5282807513d3d9b3eac8af481d	5000				max	-0.001823	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		A	Cbar	1fb37529ef5aabdbe92bb248e046f52e2cd3db5282807513d3d9b3eac8af481d	5000				min	0.008854	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		G	F	9a5afelcdfc83223b54b64aff397dc1ac16152e628ab1d7726a398de12e0cbbf	5000				max	0.008846	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		G	Fbar	9a5afelcdfc83223b54b64aff397dc1ac16152e628ab1d7726a398de12e0cbbf	5000				min	-0.023816	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		G	C	9a5afelcdfc83223b54b64aff397dc1ac16152e628ab1d7726a398de12e0cbbf	5000				max	0.006638	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		G	Cbar	9a5afelcdfc83223b54b64aff397dc1ac16152e628ab1d7726a398de12e0cbbf	5000				min	-0.03203	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		P	F	9a5afelcdfc83223b54b64aff397dc1ac16152e628ab1d7726a398de12e0cbbf	5000				max	0.015979	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		P	Fbar	9a5afelcdfc83223b54b64aff397dc1ac16152e628ab1d7726a398de12e0cbbf	5000				min	-0.02626	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		P	C	9a5afelcdfc83223b54b64aff397dc1ac16152e628ab1d7726a398de12e0cbbf	5000				max	0.007678	0.2756

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		P	Cbar	9a5afelcdf c83223b54b 64aff397dc 1ac16152e6 28ab1d7726 a398de12e0 cbbf	5000				min	- 0.016477	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		S	F	9a5afelcdf c83223b54b 64aff397dc 1ac16152e6 28ab1d7726 a398de12e0 cbbf	5000				max	0.006325	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		S	Fbar	9a5afelcdf c83223b54b 64aff397dc 1ac16152e6 28ab1d7726 a398de12e0 cbbf	5000				min	- 0.011654	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		S	C	9a5afelcdf c83223b54b 64aff397dc 1ac16152e6 28ab1d7726 a398de12e0 cbbf	5000				max	0.004749	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		S	Cbar	9a5afelcdf c83223b54b 64aff397dc 1ac16152e6 28ab1d7726 a398de12e0 cbbf	5000				min	- 0.008551	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		A	F	9a5afelcdf c83223b54b 64aff397dc 1ac16152e6 28ab1d7726 a398de12e0 cbbf	5000				max	0.000955	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		A	Fbar	9a5afelcdf c83223b54b 64aff397dc 1ac16152e6 28ab1d7726 a398de12e0 cbbf	5000				min	0.002898	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		A	C	9a5afelcdf c83223b54b 64aff397dc 1ac16152e6 28ab1d7726 a398de12e0 cbbf	5000				max	- 0.001823	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		A	Cbar	9a5afelcdf c83223b54b 64aff397dc 1ac16152e6 28ab1d7726 a398de12e0 cbbf	5000				min	0.008854	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		G	F	0e9f8e5a8b 5180786f26 074df2f3a6 b5f353b5e7 336633e9b4 1c71a8134d 9a14	5000				max	0.007756	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		G	Fbar	0e9f8e5a8b 5180786f26 074df2f3a6 b5f353b5e7 336633e9b4 1c71a8134d 9a14	5000				min	0.007159	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		G	C	0e9f8e5a8b 5180786f26 074df2f3a6 b5f353b5e7 336633e9b4 1c71a8134d 9a14	5000				max	- 0.000227	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		G	Cbar	0e9f8e5a8b 5180786f26 074df2f3a6 b5f353b5e7 336633e9b4 1c71a8134d 9a14	5000				min	0.011126	0.3492

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		P	F	0e9f8e5a8b5180786f26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14	5000				max	0.016438	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		P	Fbar	0e9f8e5a8b5180786f26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14	5000				min	0.007746	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		P	C	0e9f8e5a8b5180786f26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14	5000				max	0.005887	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		P	Cbar	0e9f8e5a8b5180786f26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14	5000				min	0.013345	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		S	F	0e9f8e5a8b5180786f26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14	5000				max	0.007155	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		S	Fbar	0e9f8e5a8b5180786f26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14	5000				min	- 0.004472	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		S	C	0e9f8e5a8b5180786f26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14	5000				max	0.005194	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		S	Cbar	0e9f8e5a8b5180786f26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14	5000				min	- 0.004777	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		A	F	0e9f8e5a8b5180786f26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14	5000				max	0.004326	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		A	Fbar	0e9f8e5a8b5180786f26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14	5000				min	- 0.000713	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		A	C	0e9f8e5a8b5180786f26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14	5000				max	0.005066	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		A	Cbar	0e9f8e5a8b5180786f26074df2f3a6b5f353b5e7336633e9b41c71a8134d9a14	5000				min	0.005258	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		G	F	9e8d85fe50f4aac98e9c59fef469a18c865afb735108033b35890dd80413476d	5000				max	0.007756	0.1556

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		G	Fbar	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				min	0.007159	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		G	C	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				max	- 0.000227	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		G	Cbar	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				min	0.011126	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		P	F	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				max	0.016435	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		P	Fbar	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				min	0.007746	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		P	C	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				max	0.005887	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		P	Cbar	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				min	0.013345	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		S	F	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				max	0.007155	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		S	Fbar	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				min	- 0.004472	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		S	C	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				max	0.005194	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		S	Cbar	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				min	- 0.004777	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		A	F	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				max	0.004326	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		A	Fbar	9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000				min	- 0.000713	0.2234

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		A	C	9e8d85fe50f4aac98e9c59fef469a18c865afb735108033b35890dd80413476d	5000				max	0.005066	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		A	Cbar	9e8d85fe50f4aac98e9c59fef469a18c865afb735108033b35890dd80413476d	5000				min	0.005258	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		G	F	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				max	0.002699	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		G	Fbar	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				min	- 0.001769	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		G	C	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				max	- 0.005517	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		G	Cbar	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				min	- 0.005282	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		P	F	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				max	0.014036	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		P	Fbar	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				min	- 0.013503	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		P	C	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				max	- 0.002167	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		P	Cbar	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				min	0.000577	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		S	F	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				max	0.004618	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		S	Fbar	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				min	- 0.003175	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		S	C	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				max	0.001878	0.2812

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		S	Cbar	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				min	-0.0016	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		A	F	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				max	0.001994	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		A	Fbar	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				min	0.008417	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		A	C	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				max	-0.00221	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		A	Cbar	b0a2e3e34e9109159e856d8d5b8bbc937ad849622a3428e3f027788c3471b841	5000				min	0.015878	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		G	F	e807e24afb534d24c2f5113cd957ed403ec71e63d244dc10491812a8aa257a96	5000				max	0.002699	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		G	Fbar	e807e24afb534d24c2f5113cd957ed403ec71e63d244dc10491812a8aa257a96	5000				min	-0.001769	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		G	C	e807e24afb534d24c2f5113cd957ed403ec71e63d244dc10491812a8aa257a96	5000				max	-0.005517	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		G	Cbar	e807e24afb534d24c2f5113cd957ed403ec71e63d244dc10491812a8aa257a96	5000				min	-0.005282	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		P	F	e807e24afb534d24c2f5113cd957ed403ec71e63d244dc10491812a8aa257a96	5000				max	0.014036	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		P	Fbar	e807e24afb534d24c2f5113cd957ed403ec71e63d244dc10491812a8aa257a96	5000				min	-0.013503	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		P	C	e807e24afb534d24c2f5113cd957ed403ec71e63d244dc10491812a8aa257a96	5000				max	-0.002167	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		P	Cbar	e807e24afb534d24c2f5113cd957ed403ec71e63d244dc10491812a8aa257a96	5000				min	0.000577	0.3424

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		S	F	e807e24afb 534d24c2f5 113cd957ed 403ec71e63 d244dc1049 1812a8aa25 7a96	5000				max	0.004618	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		S	Fbar	e807e24afb 534d24c2f5 113cd957ed 403ec71e63 d244dc1049 1812a8aa25 7a96	5000				min	- 0.003175	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		S	C	e807e24afb 534d24c2f5 113cd957ed 403ec71e63 d244dc1049 1812a8aa25 7a96	5000				max	0.001878	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		S	Cbar	e807e24afb 534d24c2f5 113cd957ed 403ec71e63 d244dc1049 1812a8aa25 7a96	5000				min	-0.0016	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		A	F	e807e24afb 534d24c2f5 113cd957ed 403ec71e63 d244dc1049 1812a8aa25 7a96	5000				max	0.001994	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		A	Fbar	e807e24afb 534d24c2f5 113cd957ed 403ec71e63 d244dc1049 1812a8aa25 7a96	5000				min	0.008417	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		A	C	e807e24afb 534d24c2f5 113cd957ed 403ec71e63 d244dc1049 1812a8aa25 7a96	5000				max	- 0.00221	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		A	Cbar	e807e24afb 534d24c2f5 113cd957ed 403ec71e63 d244dc1049 1812a8aa25 7a96	5000				min	0.015878	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		G	F	8e1cf25cda 1673fbe3c2 d1005293b2 27f6612a9b 1f6261887b cfd0b24170 ea05	5000				max	0.006064	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		G	Fbar	8e1cf25cda 1673fbe3c2 d1005293b2 27f6612a9b 1f6261887b cfd0b24170 ea05	5000				min	- 0.000397	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		G	C	8e1cf25cda 1673fbe3c2 d1005293b2 27f6612a9b 1f6261887b cfd0b24170 ea05	5000				max	- 0.00233	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		G	Cbar	8e1cf25cda 1673fbe3c2 d1005293b2 27f6612a9b 1f6261887b cfd0b24170 ea05	5000				min	0.000944	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		P	F	8e1cf25cda 1673fbe3c2 d1005293b2 27f6612a9b 1f6261887b cfd0b24170 ea05	5000				max	0.013021	0.1576

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		P	Fbar	8e1cf25cda1673fbe3c2d1005293b227f6612a9b1f6261887bafd0b24170ea05	5000				min	-0.013077	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		P	C	8e1cf25cda1673fbe3c2d1005293b227f6612a9b1f6261887bafd0b24170ea05	5000				max	-0.000897	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		P	Cbar	8e1cf25cda1673fbe3c2d1005293b227f6612a9b1f6261887bafd0b24170ea05	5000				min	-0.00375	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		S	F	8e1cf25cda1673fbe3c2d1005293b227f6612a9b1f6261887bafd0b24170ea05	5000				max	0.008663	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		S	Fbar	8e1cf25cda1673fbe3c2d1005293b227f6612a9b1f6261887bafd0b24170ea05	5000				min	-0.003902	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		S	C	8e1cf25cda1673fbe3c2d1005293b227f6612a9b1f6261887bafd0b24170ea05	5000				max	0.002459	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		S	Cbar	8e1cf25cda1673fbe3c2d1005293b227f6612a9b1f6261887bafd0b24170ea05	5000				min	-0.001476	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		A	F	8e1cf25cda1673fbe3c2d1005293b227f6612a9b1f6261887bafd0b24170ea05	5000				max	0.00315	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		A	Fbar	8e1cf25cda1673fbe3c2d1005293b227f6612a9b1f6261887bafd0b24170ea05	5000				min	0.000866	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		A	C	8e1cf25cda1673fbe3c2d1005293b227f6612a9b1f6261887bafd0b24170ea05	5000				max	0.000178	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		A	Cbar	8e1cf25cda1673fbe3c2d1005293b227f6612a9b1f6261887bafd0b24170ea05	5000				min	0.005966	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		G	F	302b199fe197e314869ca7e091e53960db182739bd42b5dbbeb270540ab72b7c8	5000				max	0.006064	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		G	Fbar	302b199fe197e314869ca7e091e53960db182739bd42b5dbbeb270540ab72b7c8	5000				min	-0.000397	0.2182

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		G	C	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				max	- 0.00233	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		G	Cbar	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				min	0.000944	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		P	F	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				max	0.013021	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		P	Fbar	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				min	- 0.013077	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		P	C	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				max	- 0.000897	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		P	Cbar	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				min	- 0.00375	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		S	F	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				max	0.008663	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		S	Fbar	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				min	- 0.003902	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		S	C	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				max	0.002459	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		S	Cbar	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				min	- 0.001476	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		A	F	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				max	0.00315	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		A	Fbar	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				min	0.000866	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		A	C	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				max	0.000178	0.276

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		A	Cbar	302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000				min	0.005966	0.3444

Table 183: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Quality Curve	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	F	0.3216	0.1716	0.3216	0.343359	cf0e909548d331a4598a35e8754c4aeab45b0276a5039a00283dfcd0a0d11b5	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	Fbar	0.2782	-0.1752	-0.2782	-0.240086	d39d6fd93e1acec98bb897b9c3228dc010c2879aed80f9bff2c7c9f8726325b8	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	C	0.62	0.292	0.62	0.633129	7c50bc284c34e84815b28a6fca3eeeb33c018442a8cbc1a21a8570d3ada519b4	leave_one_out_naive__single	DeepLiftShap	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		G	Cbar	0.6054	-0.2952	-0.6054	-0.580084	be9143dada523da0b9b0d9f1a78e0a35a2152d4839543c1716b875dcf1ec2229	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	F	0.3094	0.1716	0.3094	0.330054	4c5325f63bd20157f85264e54d80a81cf910a9b5f412c1c0fa2d04b4ac43d968	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	Fbar	0.2438	-0.1752	-0.2438	-0.216666	f887946448f3c9e5a245f1fe7e8ae30fea6503cf9536f5055e2ca255e4d9ccd9	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	C	0.6096	0.292	0.6096	0.612905	537b44d6de0ab9a25d469154f472974d8a046e2a10007189e8985f85d0a44514	leave_one_out_naive__single	DeepLiftShap	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		P	Cbar	0.5808	-0.2952	-0.5808	-0.555996	5d7063b09f23e916df053e23571d06997e5c7b16d2867d04b1dd13442a5975a	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	F	0.2334	0.1716	0.2334	0.247326	5165ff17acd49692fe423148ef4959fc2dda633507279b32875ec36ee5d9eb18	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	Fbar	0.2122	-0.1752	-0.2122	-0.195372	4f51889f2a5ffe996ecb445e69b002047cb93857eea66ecf7a7da49ef4e279	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	C	0.4098	0.292	0.4098	0.404103	cc175d17773f2099ceb015705bb95650eb5312ab7589e2ad322fb955fb51830c	leave_one_out_naive__single	DeepLiftShap	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		S	Cbar	0.3902	-0.2952	-0.3902	-0.384628	8ef69de9dd0adc31274a4953ab0500c0d9105f1a53c5458780574b886047a8d8	leave_one_out_naive__single	GuidedBackprop	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	F	0.0658	0.1716	0.0658	0.069326	ed4abc805c7384eb4b8326a3fec13819dff312b3a8815f9468f177d0ee86324c	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	Fbar	0.1536	-0.1752	-0.1536	0.156599	9999ec441cb4e267f30f25c0f71fe3724623f375af19e2a83b6a28b2893c9a8	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	C	0.0824	0.292	0.0824	0.100857	809f4a93b2eb2783bf8190c615c1a0804fec229a59405f8b6193a5e2ee349f41	leave_one_out_naive_single	DeepLiftShap	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		A	Cbar	0.238	-0.2952	-0.238	0.246166	b0f63d877fcb2a6835028d5e6f894ae3e32c9e47fd5d0af95ab5af4df569d0f6	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	F	0.329	0.1726	0.329	0.340924	96175b901675220e5eda66264ad28b9c6b70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	Fbar	0.3628	-0.251	-0.3628	0.325263	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	C	0.6334	0.286	0.6334	0.622136	094031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		G	Cbar	0.707	-0.3862	-0.707	0.671502	1010706cc289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	F	0.3102	0.1726	0.3102	0.327882	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	Fbar	0.3426	-0.251	-0.3426	0.304932	a31ff58f51ef458303b7929aa88c8e671559644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	C	0.6012	0.286	0.6012	0.603663	d094395d3fe0f971151f64c72a837cfb22480162073a57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		P	Cbar	0.6808	-0.3862	-0.6808	0.649396	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8df05b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	F	0.246	0.1726	0.246	0.246124	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	Fbar	0.3146	-0.251	-0.3146	-0.286075	447df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0b8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	C	0.4052	0.286	0.4052	0.397812	229d394fa15363cb512e79779bffa1e4c7caf71ac190fbbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		S	Cbar	0.5058	-0.3862	-0.5058	-0.483124	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e39967b6	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	F	0.0782	0.1726	0.0782	0.069169	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	Fbar	0.2172	-0.251	-0.2172	-0.237524	cfb75348014eada709bcfd3a6321d8b4f114aa008330da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	C	0.1092	0.286	0.1092	0.094398	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		A	Cbar	0.3108	-0.3862	-0.3108	-0.347592	3fbd535ce1abeb6b8eecea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	F	0.329	0.1726	0.329	0.340924	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	Fbar	0.3628	-0.251	-0.3628	-0.325263	6dddf6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	C	0.6334	0.286	0.6334	0.622136	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		G	Cbar	0.707	-0.3862	-0.707	-0.671502	1010706ce289282242d7b8bdf7af5856708b47b99d44761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	F	0.3104	0.1726	0.3104	0.327882	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	Fbar	0.3426	-0.251	-0.3426	-0.304932	a31ff58f51ef458303b7929aa88c8e67b5964446131588a1dd1ea42fd574198	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	C	0.6012	0.286	0.6012	0.603663	4094395d3f e0f971151f 64c72a837c ffb2248016 2073e57c6d 2728183eda 13b4	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		P	Cbar	0.6808	-0.3862	-0.6808	-	9c0a36660b 1565fe147d 5a617647a4 23144ff6fb 01aa84fc23 e8dfd65b42 d017	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	F	0.246	0.1726	0.246	0.246124	1216db5846 b3decd957 6ec70705f7 9de8eab1ad e96693305c da7fd5322d 3763	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	Fbar	0.3146	-0.251	-0.3146	-	44d7df52c7 d6ba6794be a0678b8c14 23dff20a30 851a17b2c0 bf8e	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	C	0.4052	0.286	0.4052	0.397812	229d394fa1 5363cb512e 79779bf11a e4c7ca171a c190fbb02 5ca5d316e5 36fe	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		S	Cbar	0.5058	-0.3862	-0.5058	-	240ec8fbac ae59c13157 870f09ddfc 7745e98766 d65606393f 4270b8e399 676b	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	F	0.0782	0.1726	0.0782	0.069169	cb12bd0502 0da6c49662 894f9df02b d77f90df92 333417073c d64279a291 6a84	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	Fbar	0.2172	-0.251	-0.2172	-	efb7534801 4eada709bc fd3a6321d8 b4f114aa00 833f0da164 4314c0b5da 2d2f	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	C	0.1092	0.286	0.1092	0.094398	81ecb394c6 c630c3d4aa 299e97f096 0d1c47c6ef b69ee9d3f9 02ad76b813 e66f	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		A	Cbar	0.3108	-0.3862	-0.3108	-	3fbd535ce1 abe6b8eeea 4802cfb9a8 a9440aa5f4 c50de9aead 78660c87ca 4915	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		G	F	0.3272	0.158	0.3272	0.318354	96175b9016 75220e5eda 66264ad28b 9cfb708344 93f40bc53b 30abe3dfdc 61f2	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		G	Fbar	0.3182	-0.2186	-0.3182	-	6ddff6c0e5 314315fb90 71782e9434 4045815e88 0ad53a3231 9d47cc17da 93ae	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		G	C	0.614	0.2756	0.614	0.607362	09d031ba10 ff4e789872 e569838956 182da1d1bc 112d46feaa 644b057e06 cc02	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapol- ated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		G	Cbar	0.6672	-0.3464	-0.6672	-0.63517	1010706ce2 89282242d7 b8bdfaf58 56708b47b9 9d24d76133 9e94398ed9 6b5c	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		P	F	0.3204	0.158	0.3204	0.304421	c6133875fe dd04c430a2 b460813697 6ab78a5217 17eb0f5ca6 7bc2a5d0f3 774f	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		P	Fbar	0.2974	-0.2186	-0.2974	0.27114	a31ff58f51 ef458303b7 029aa88c8e 67b5964444 6131588a1d d1ea42fd57 4198	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		P	C	0.5964	0.2756	0.5964	0.588722	d094395d3f e0f971151f 64c72a837c ffb2248016 2073e57c6d 2728183eda 13b4	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		P	Cbar	0.6286	-0.3464	-0.6286	-0.612123	9c0a36660b 1565fe147d 5a617647a4 23144ff6fb 01aa84fc23 e8dfd65b42 d017	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		S	F	0.2328	0.158	0.2328	0.226475	1216db5846 b3decfd957 6ec70705f7 9de8eab1ad e9e693305c da7fd5322d 3763	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		S	Fbar	0.2614	-0.2186	-0.2614	-0.249746	4447df52c7 485ff902ac d6ba6794be a0678b8c14 23dff20a30 851a17b2c0 b08e	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		S	C	0.3898	0.2756	0.3898	0.385051	229d394fa1 5363cb512e 79779bffa e4c7caf71a c190fbbb02 5ca5d316e5 36fe	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		S	Cbar	0.4494	-0.3464	-0.4494	-0.440849	240ec8fbac ac59c13157 870f09d4fc 7745e98766 d65606393f 4270b8e399 676b	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		A	F	0.063	0.158	0.063	0.062045	cb12bd0502 0da6c49662 894f9df02b d77f90df92 333417073c d64279a291 6a84	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		A	Fbar	0.1996	-0.2186	-0.1996	-0.202498	cfb7534801 4eada709bc fd3a6321d8 b4f114aa00 833f0da164 4314c0b5da 2d2f	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		A	C	0.0874	0.2756	0.0874	0.089223	c1ecb394c6 c630c3dfaa 299e97f096 0d1c47c6ef b69ee9d3f9 02ad76b813 e66f	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		A	Cbar	0.2932	-0.3464	-0.2932	-0.302054	3fbd535ce1 abe6b8eeea 4802cfb9a8 a9d40aa5f4 c50de9aeed 78660c87ca 4915	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		G	F	0.3272	0.158	0.3272	0.318354	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		G	Fbar	0.3182	-0.2186	-0.3182	-	6ddff6e0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		G	C	0.614	0.2756	0.614	0.607362	094031ba10f4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		G	Cbar	0.6672	-0.3464	-0.6672	-	1010706ce289282242d7b8bd17af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		P	F	0.3204	0.158	0.3204	0.304421	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		P	Fbar	0.2974	-0.2186	-0.2974	-	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd16a42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		P	C	0.5964	0.2756	0.5964	0.588722	4094395d3fe0f971151f64c72a837cffb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		P	Cbar	0.6286	-0.3464	-0.6286	-	9e0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		S	F	0.2328	0.158	0.2328	0.226475	1216db5846b33decfd39576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		S	Fbar	0.2614	-0.2186	-0.2614	-	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		S	C	0.3898	0.2756	0.3898	0.385051	229d394fa15363cb512e79779bffa1ae4c7ca71ac190fbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		S	Cbar	0.4494	-0.3464	-0.4494	-	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		A	F	0.063	0.158	0.063	0.062045	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		A	Fbar	0.1996	-0.2186	-0.1996	-0.202498	-cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		A	C	0.0874	0.2756	0.0874	0.089223	-81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		A	Cbar	0.2932	-0.3464	-0.2932	-0.302054	-3fb535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		G	F	0.3224	0.1556	0.3224	0.314644	96175b901675220e5eda66264ad28b9c9b70834493f40bc53b30abc3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		G	Fbar	0.2918	-0.2234	-0.2918	-0.298959	-6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		G	C	0.6006	0.271	0.6006	0.600827	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		G	Cbar	0.6266	-0.3492	-0.6266	-0.637726	-1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		P	F	0.317	0.1556	0.317	0.300565	-e6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		P	Fbar	0.2684	-0.2234	-0.2684	-0.276146	-a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		P	C	0.588	0.271	0.588	0.582113	-d094395d3fe0f971151f64c72a837cfb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		P	Cbar	0.6014	-0.3492	-0.6014	-0.614745	-9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		S	F	0.2304	0.1556	0.2304	0.223245	-1216db5846b3dcefd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		S	Fbar	0.2596	-0.2234	-0.2596	-0.255128	-44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		S	C	0.3846	0.271	0.3846	0.379406	229d394fa15363cb512e79779bffa1e4c7ca71ac190fbbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		S	Cbar	0.4486	-0.3492	-0.4486	-0.443823	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		A	F	0.0652	0.1556	0.0652	0.060874	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		A	Fbar	0.2084	-0.2234	-0.2084	-0.207687	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		A	C	0.092	0.271	0.092	0.086934	81ecb394c6c630c3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		A	Cbar	0.3	-0.3492	-0.3	-0.305258	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		G	F	0.3224	0.1556	0.3224	0.314644	06175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		G	Fbar	0.2918	-0.2234	-0.2918	-0.298959	6d4df6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		G	C	0.6006	0.271	0.6006	0.600827	09d031ba10ff4e789872ce569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		G	Cbar	0.6266	-0.3492	-0.6266	-0.637726	1010706ce289282242d7b8bd7fa5f856708ba47b99d24d4761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		P	F	0.317	0.1556	0.317	0.300565	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		P	Fbar	0.2684	-0.2234	-0.2684	-0.276146	af458303b7929aa88c8e67b5964446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		P	C	0.588	0.271	0.588	0.582113	4094395d3fce0f971151f64c72a837c7fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		P	Cbar	0.6014	-0.3492	-0.6014	-0.614745	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		S	F	0.2304	0.1556	0.2304	0.223245	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		S	Fbar	0.2596	-0.2234	-0.2596	-0.255128	44d7df52e7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		S	C	0.3846	0.271	0.3846	0.379406	229d394fa15363cb512e797797bdf1ae4c7ca771ac190fbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		S	Cbar	0.4486	-0.3492	-0.4486	-0.443823	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		A	F	0.0652	0.1556	0.0652	0.060874	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		A	Fbar	0.2084	-0.2234	-0.2084	-0.207687	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		A	C	0.092	0.271	0.092	0.086934	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		A	Cbar	0.3	-0.3492	-0.3	-0.305258	3fbd535ce1abe6b8eeea4802cfb998a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		G	F	0.326	0.1612	0.326	0.323301	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		G	Fbar	0.2952	-0.2176	-0.2952	-0.293431	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		G	C	0.6098	0.2812	0.6098	0.615317	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		G	Cbar	0.6368	-0.3424	-0.6368	-0.631518	1010706ce289282242d7b8bdfaf5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		P	F	0.3236	0.1612	0.3236	0.309564	c6133875fe dd04c430a2 b460813697 6ab78a5217 17eb0f5ca6 7bc2a5d0f3 774f	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		P	Fbar	0.2836	-0.2176	-0.2836	-0.270097	a31ff58f51 ef458303b7 929aa88c8e 67b5964444 6131588a1d d1ea42fd57 4198	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		P	C	0.5946	0.2812	0.5946	0.596767	d094395d3f e0971151f 64c72a837c ffb2248016 2073e57c6d 2728183eda 13b4	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		P	Cbar	0.6078	-0.3424	-0.6078	-0.608377	9c0a36660b 1565fe147d 5a617647a4 23144ff6fb 01aa84fc23 e8dfd65b42 d017	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		S	F	0.2354	0.1612	0.2354	0.230782	1216db5846 b3decfd957 6ec70705f7 9de8eab1ad e96693305c da7fd5322d 3763	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		S	Fbar	0.2518	-0.2176	-0.2518	-0.248625	44d7df52c7 485ff902ac d6ba6794be a0678b8c14 23dff20a30 851a17b2c0 b88e	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		S	C	0.3938	0.2812	0.3938	0.391922	229d394fa1 5363cb512e 79779bffa1 e4c7ca71a c190fbb02 5ca5d316e5 36fe	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		S	Cbar	0.4382	-0.3424	-0.4382	-0.4366	240ec8fbac ae59c13157 870f09ddfc 7745e98766 d65606393f 4270b8e399 676b	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		A	F	0.0656	0.1612	0.0656	0.063606	cb12bd0502 0da6c49662 894f9df02b d77f90df92 333417073c d64279a291 6a84	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		A	Fbar	0.193	-0.2176	-0.193	-0.201417	cfb7534801 4eada709bc fd3a6321d8 b41114aa00 833f0da164 4314c0b5da 2d2f	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		A	C	0.0898	0.2812	0.0898	0.09201	81ecb394c6 c630e3dfaa 299e97f096 0d1c47c6ef b69ee9d3f9 02ad76b813 e66f	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		A	Cbar	0.2816	-0.3424	-0.2816	-0.297478	3fbd535ce1 abe6b8eeea 4802cfb9a8 a9d40aa5f4 c50de9aeed 78660c87ca 4915	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		G	F	0.326	0.1612	0.326	0.323301	96175b9016 75220e5eda 66264ad28b 9cfb708344 93f40bc53b 30abe3dfdc 61f2	full_naive__single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		G	Fbar	0.2952	-0.2176	-0.2952	-0.293431	6ddff60e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		G	C	0.6098	0.2812	0.6098	0.615317	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		G	Cbar	0.6368	-0.3424	-0.6368	-0.631518	1010706cc289282242d7b8bdfaf5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		P	F	0.3236	0.1612	0.3236	0.309564	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		P	Fbar	0.2836	-0.2176	-0.2836	-0.270097	a31ff58f51ef458303b7929aa88c8e67b59644446131588ald1lea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		P	C	0.5946	0.2812	0.5946	0.596767	d094395d3fe0f971151f64c72a837cffb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		P	Cbar	0.6078	-0.3424	-0.6078	-0.608377	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		S	F	0.2354	0.1612	0.2354	0.230782	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		S	Fbar	0.2518	-0.2176	-0.2518	-0.248623	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		S	C	0.3938	0.2812	0.3938	0.391922	229d394fa15363cb512e79779bffaee4e7ca71ac190fbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		S	Cbar	0.4382	-0.3424	-0.4382	-0.4366	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		A	F	0.0656	0.1612	0.0656	0.063606	cb12bd05020da6c49662894f9df02bd477f90df92333417073cd64279a2916a84	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		A	Fbar	0.193	-0.2176	-0.193	-0.201417	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		A	C	0.0898	0.2812	0.0898	0.09201	81ecb394c6c630c3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		A	Cbar	0.2816	-0.3424	-0.2816	-0.297478	93fd535ce1abe6b8eeeca4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		G	F	0.3238	0.1576	0.3238	0.317736	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		G	Fbar	0.2944	-0.2182	-0.2944	-0.294003	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		G	C	0.6056	0.276	0.6056	0.60793	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		G	Cbar	0.6324	-0.3444	-0.6324	-0.633344	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		P	F	0.3168	0.1576	0.3168	0.303779	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		P	Fbar	0.2838	-0.2182	-0.2838	-0.270723	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		P	C	0.5884	0.276	0.5884	0.589297	d094395d3fe0f971151f64c72a837c7fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		P	Cbar	0.614	-0.3444	-0.614	-0.61025	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		S	F	0.2346	0.1576	0.2346	0.225937	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		S	Fbar	0.2532	-0.2182	-0.2532	-0.249298	444d7df52c7485ff902acd6ba6794bea0678b8c1423df20a30851a17b2c0b8fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		S	C	0.388	0.276	0.388	0.385541	229d394fa15363cb512e79779bffa1e4c7caf71ac190fbbb025ca5d316e536fe	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		S	Cbar	0.4402	-0.3444	-0.4402	-0.438724	240ec8fbacae59c13157870f09ddfc7745e98766d65606393fd4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		A	F	0.065	0.1576	0.065	0.06185	cb12bd0502dda6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		A	Fbar	0.2012	-0.2182	-0.2012	-0.202066	fb75348014eada709bcd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		A	C	0.0896	0.276	0.0896	0.089422	81ecb394c6c630c3d4faa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		A	Cbar	0.2938	-0.3444	-0.2938	-0.299766	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4e50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		G	F	0.3238	0.1576	0.3238	0.317736	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		G	Fbar	0.2944	-0.2182	-0.2944	-0.294003	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		G	C	0.6056	0.276	0.6056	0.60793	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		G	Cbar	0.6324	-0.3444	-0.6324	-0.633344	1010706ce289282242d7b8bd47af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		P	F	0.3168	0.1576	0.3168	0.303779	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		P	Fbar	0.2838	-0.2182	-0.2838	-0.270723	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1ddlea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		P	C	0.5884	0.276	0.5884	0.589297	d094395d3fe0f971151f64c72a837cffb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		P	Cbar	0.614	-0.3444	-0.614	-0.61025	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		S	F	0.2346	0.1576	0.2346	0.225937	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3733	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		S	Fbar	0.2532	-0.2182	-0.2532	-0.249298	4447df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		S	C	0.388	0.276	0.388	0.385541	229d394fa15363cb512e79779bf1ae4c7caf71ac190fbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		S	Cbar	0.4402	-0.3444	-0.4402	-0.438724	240ec8fbacae59c13157870f094dfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		A	F	0.065	0.1576	0.065	0.06185	cb12bd05020da6c49662894f9df02bd477990df92333417073cd64279a2916a84	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		A	Fbar	0.2012	-0.2182	-0.2012	-0.202066	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		A	C	0.0896	0.276	0.0896	0.089422	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		A	Cbar	0.2938	-0.3444	-0.2938	-0.299766	3bf4d535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	F	0.3216	0.1716	0.3216	0.343359	cfce0e909548d331a4598a35e87544aeab45b0276a5039a00283dfedc0a0d1b5	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	Fbar	0.2782	-0.1752	-0.2782	-0.240086	d39d6fd93e1accc98bb897b9c3228dc010c2879aed80f9bff2c7c9f8726325b8	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	C	0.62	0.292	0.62	0.633129	7c50bc284c34e84815b28a6fca3eeeb33c018442a8ebc1a21a8570d3ada519b4	leave_one_out_naive_single	DeepLiftShap	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		G	Cbar	0.6054	-0.2952	-0.6054	-0.580084	be9143dada523da0b9b0d9f1a78c0a35a2152d4839543c1716b875dcflfec2229	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	F	0.3094	0.1716	0.3094	0.330054	4c5325f63bd20157f85264e54d80a81cf910a9b5f412e1c0fa2d04b4ac43d968	leave_one_out_naive_single	GuidedBackprop	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	Fbar	0.2438	-0.1752	-0.2438	-0.216666	8879464483c9e5a245f1fe7e8ae30fea6503cf9536f5055e2ca255e4d9cc49	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	C	0.6096	0.292	0.6096	0.612905	537b44d6de0ab9a25d469154f472974d8a046e2a10007189e8985f85d0a44514	leave_one_out_naive_single	DeepLiftShap	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		P	Cbar	0.5808	-0.2952	-0.5808	-0.555996	5d7063b09f23ef916df053e23571d06997e5c7b16d2867d04b1dd13442a5975a	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	F	0.2334	0.1716	0.2334	0.247326	5165ff17acd49692fe423148ef4959fc2dda633507279b32875ec36ee5d9eb18	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	Fbar	0.2122	-0.1752	-0.2122	-0.195372	4f51889f2a5ffe996ecbb4f5c69b002047cb93857eeae6ecf7a7da49ef4e279	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	C	0.4098	0.292	0.4098	0.404103	cc175d17773f2099ceb015705bb95650eb5312ab7589e2ad322fb955fb51830c	leave_one_out_naive_single	DeepLiftShap	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		S	Cbar	0.3902	-0.2952	-0.3902	-0.384628	8ef69de9dd0adc31274a4953ab0500c0d9105f1a53c5458780574b886047a8d8	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	F	0.0658	0.1716	0.0658	0.069326	ed4abcb805c7384eb4b8326a3fec13819dff312b3a8815f9468f177d0ee86324c	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	Fbar	0.1536	-0.1752	-0.1536	-0.156599	f999ec441cb4e267f30f25c0f71fe3724623f375af19e2a83b6a28b2893cf9a8	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	C	0.0824	0.292	0.0824	0.100857	809f4a93b2eb2783bf8190c615c1a0804fec229a59405f8b6193a5e2ee349f41	leave_one_out_naive_single	DeepLiftShap	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		A	Cbar	0.238	-0.2952	-0.238	-0.246166	b0f63d877fcb2a6835028d5e6f894ae3e32c9e47fd5d0af95ab5af4df569d0f6	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	F	0.329	0.1726	0.329	0.340924	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	Fbar	0.3628	-0.251	-0.3628	-0.325263	6dddf6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	C	0.6334	0.286	0.6334	0.622136	094031ba10f4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		G	Cbar	0.707	-0.3862	-0.707	0.671502	1010706ce289282242d7b8bdfaf5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	F	0.3102	0.1726	0.3102	0.327882	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	Fbar	0.3426	-0.251	-0.3426	-	a31ff58f51929aa88c8e67b5964446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	C	0.6012	0.286	0.6012	0.603663	d094395d3fe0f971151f64c72a837c7fb22480162073a57cd2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		P	Cbar	0.6808	-0.3862	-0.6808	-	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	F	0.246	0.1726	0.246	0.246124	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	Fbar	0.3146	-0.251	-0.3146	-	4447df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	C	0.4052	0.286	0.4052	0.397812	229d394fa15363cb512e79779bf1ae4c7caf71ac190fbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		S	Cbar	0.5058	-0.3862	-0.5058	-	240ec8fbacae59c13157870f09ddfc7745e98766465606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	F	0.0782	0.1726	0.0782	0.069169	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	Fbar	0.2172	-0.251	-0.2172	-	cfb75348014eada709bcbfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	C	0.1092	0.286	0.1092	0.094398	81ecb394c6c630c3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		A	Cbar	0.3108	-0.3862	-0.3108	-0.347592	3fbdf535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	F	0.329	0.1726	0.329	0.340924	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	Fbar	0.3628	-0.251	-0.3628	-0.325263	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	C	0.6334	0.286	0.6334	0.622136	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		G	Cbar	0.707	-0.3862	-0.707	-0.671502	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	F	0.3104	0.1726	0.3104	0.327882	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	Fbar	0.3426	-0.251	-0.3426	-0.304932	a31ff58f51ef4f58303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	C	0.6012	0.286	0.6012	0.603663	4094395d3f60f971151f64c72a837cffb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		P	Cbar	0.6808	-0.3862	-0.6808	-0.649396	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	F	0.246	0.1726	0.246	0.246124	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	Fbar	0.3146	-0.251	-0.3146	-0.286075	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0b8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	C	0.4052	0.286	0.4052	0.397812	229d394fa15363cb512e79779bffa1e4c7ca771ac190fbbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		S	Cbar	0.5058	-0.3862	-0.5058	-0.483124	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	F	0.0782	0.1726	0.0782	0.069169	cb12bd05020da6c49662894f9df02bd477f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	Fbar	0.2172	-0.251	-0.2172	-0.237524	-cfb75348014eada709becfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	C	0.1092	0.286	0.1092	0.094398	81ecb394c6c630c3dfaa299c97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		A	Cbar	0.3108	-0.3862	-0.3108	-0.347592	-3fbd535ce14802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		G	F	0.3272	0.158	0.3272	0.318354	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		G	Fbar	0.3182	-0.2186	-0.3182	-0.294384	-6dddf6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		G	C	0.614	0.2756	0.614	0.607362	094031ba10f4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		G	Cbar	0.6672	-0.3464	-0.6672	-0.63517	-1010706cc289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		P	F	0.3204	0.158	0.3204	0.304421	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		P	Fbar	0.2974	-0.2186	-0.2974	-0.27114	-a31ff58f51ef458303b7929aa88c8e67b559644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		P	C	0.5964	0.2756	0.5964	0.588722	d094395d3fe0f971151f64c72a837cfb22480162073a57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		P	Cbar	0.6286	-0.3464	-0.6286	-0.612123	-9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8df05b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		S	F	0.2328	0.158	0.2328	0.226475	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		S	Fbar	0.2614	-0.2186	-0.2614	-0.249746	447df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0b8fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		S	C	0.3898	0.2756	0.3898	0.385051	229d394fa15363cb512e79779bffa1e4c7caf71ac190fbbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		S	Cbar	0.4494	-0.3464	-0.4494	0.440849	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		A	F	0.063	0.158	0.063	0.062045	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		A	Fbar	0.1996	-0.2186	-0.1996	0.202498	cfb75348014eada709bcfd3a6321d8b4f114aa008330da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		A	C	0.0874	0.2756	0.0874	0.089223	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		A	Cbar	0.2932	-0.3464	-0.2932	0.302054	3fbd535ce1abeb6b8eecea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		G	F	0.3272	0.158	0.3272	0.318354	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		G	Fbar	0.3182	-0.2186	-0.3182	0.294384	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		G	C	0.614	0.2756	0.614	0.607362	09d031ba10ff4c789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		G	Cbar	0.6672	-0.3464	-0.6672	0.63517	1010706ce289282242d7b8bdf7af5856708b47b99d424d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		P	F	0.3204	0.158	0.3204	0.304421	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		P	Fbar	0.2974	-0.2186	-0.2974	0.27114	a31ff58f51c4f58303b7929aa88c8e67b5964446131588a1dd1ea42fd574198	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		P	C	0.5964	0.2756	0.5964	0.588722	4094395d3fe0f971151f64c72a837c6fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		P	Cbar	0.6286	-0.3464	-0.6286	-0.612123	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		S	F	0.2328	0.158	0.2328	0.226475	1216db5846b3decd49576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		S	Fbar	0.2614	-0.2186	-0.2614	-0.249746	44d7df52c7d6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		S	C	0.3898	0.2756	0.3898	0.385051	229d394fa15363cb512e79779bf11ae4c7ca171ac190fbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		S	Cbar	0.4494	-0.3464	-0.4494	-0.440849	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		A	F	0.063	0.158	0.063	0.062045	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		A	Fbar	0.1996	-0.2186	-0.1996	-0.202498	efb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		A	C	0.0874	0.2756	0.0874	0.089223	81ecb394c6c630c3d4faa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		A	Cbar	0.2932	-0.3464	-0.2932	-0.302054	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa54ce50de9aedd78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		G	F	0.3224	0.1556	0.3224	0.314644	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		G	Fbar	0.2918	-0.2234	-0.2918	-0.298959	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		G	C	0.6006	0.271	0.6006	0.600827	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		G	Cbar	0.6266	-0.3492	-0.6266	-0.637726	1010706ce2 89282242d7 b8bdfaf58 56708b47b9 9d24d76133 9e94398ed9 6b5c	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		P	F	0.317	0.1556	0.317	0.300565	c6133875fe dd04c430a2 b460813697 6ab78a5217 17eb0f5ca6 7bc2a5d0f3 774f	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		P	Fbar	0.2684	-0.2234	-0.2684	-0.276146	a31ff58f51 ef458303b7 029aa88c8e 67b5964444 6131588a1d d1ea42fd57 4198	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		P	C	0.588	0.271	0.588	0.582113	d094395d3f e0f971151f 64c72a837c fb2248016 2073e57c6d 2728183eda 13b4	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		P	Cbar	0.6014	-0.3492	-0.6014	-0.614745	9c0a36660b 1565fe147d 5a617647a4 23144ff6fb 01aa84fc23 e8dfd65b42 d017	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		S	F	0.2304	0.1556	0.2304	0.223245	1216db5846 b3decfd957 6ec70705f7 9de8eab1ad e96693305c da7fd5322d 3763	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		S	Fbar	0.2596	-0.2234	-0.2596	-0.255128	4447df52c7 485ff902ac d6ba6794be a0678b8c14 23dff20a30 851a17b2c0 b08e	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		S	C	0.3846	0.271	0.3846	0.379406	229d394fa1 5363cb512e 79779bffa e4c7caf71a c190fbfb02 5ca5d316e5 36fe	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		S	Cbar	0.4486	-0.3492	-0.4486	-0.443823	240ec8fbac ac59c13157 870f094dfc 7745e98766 d65606393f 4270b8e399 676b	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		A	F	0.0652	0.1556	0.0652	0.060874	cb12bd0502 0da6c49662 894f9df02b d77f90df92 333417073c d64279a291 6a84	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		A	Fbar	0.2084	-0.2234	-0.2084	-0.207687	cfb7534801 4eada709bc fd3a6321d8 b4f114aa00 833f0da164 4314c0b5da 2d2f	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		A	C	0.092	0.271	0.092	0.086934	81ecb394c6 c630e3dfaa 299e97f096 0d1c47c6ef b69ee9d3f9 02ad76b813 e66f	full_naive__single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		A	Cbar	0.3	-0.3492	-0.3	-0.305258	3fbd535ce1 abe6b8eeea 4802cfb9a8 a9d40aa5f4 c50de9aeed 78660c87ca 4915	full_naive__single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		G	F	0.3224	0.1556	0.3224	0.314644	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		G	Fbar	0.2918	-0.2234	-0.2918	-0.298959	6ddff6e0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		G	C	0.6006	0.271	0.6006	0.600827	094031ba10f4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		G	Cbar	0.6266	-0.3492	-0.6266	-0.637726	1010706ce289282242d7b58bd17af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		P	F	0.317	0.1556	0.317	0.300565	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		P	Fbar	0.2684	-0.2234	-0.2684	-0.276146	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd16a42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		P	C	0.588	0.271	0.588	0.582113	4094395d3fe0f971151f64c72a837c7fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		P	Cbar	0.6014	-0.3492	-0.6014	-0.614745	9e0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		S	F	0.2304	0.1556	0.2304	0.223245	1216db5846b3dcefd39576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		S	Fbar	0.2596	-0.2234	-0.2596	-0.255128	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		S	C	0.3846	0.271	0.3846	0.379406	229d394fa15363cb512e79779bffa1e4c7ca71ac190fbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		S	Cbar	0.4486	-0.3492	-0.4486	-0.443823	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		A	F	0.0652	0.1556	0.0652	0.060874	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		A	Fbar	0.2084	-0.2234	-0.2084	-0.207687	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		A	C	0.092	0.271	0.092	0.086934	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		A	Cbar	0.3	-0.3492	-0.3	-0.305258	3fb535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		G	F	0.326	0.1612	0.326	0.323301	96175b901675220e5eda66264ad28b9c9fb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		G	Fbar	0.2952	-0.2176	-0.2952	-0.293431	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		G	C	0.6098	0.2812	0.6098	0.615317	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		G	Cbar	0.6368	-0.3424	-0.6368	-0.631518	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		P	F	0.3236	0.1612	0.3236	0.309564	e6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		P	Fbar	0.2836	-0.2176	-0.2836	-0.270097	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		P	C	0.5946	0.2812	0.5946	0.596767	d094395d3fe0f971151f64c72a837cfb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		P	Cbar	0.6078	-0.3424	-0.6078	-0.608377	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		S	F	0.2354	0.1612	0.2354	0.230782	1216db5846b3dcefd9576ec70705f79de8eab1ade96693305cda7fd5322d3703	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		S	Fbar	0.2518	-0.2176	-0.2518	-0.248625	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		S	C	0.3938	0.2812	0.3938	0.391922	229d394fa15363cb512e79779bffa1e4c7ca71ac190fbbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		S	Cbar	0.4382	-0.3424	-0.4382	-0.4366	240ec8fbacae59c13157870f09ddfc7745e98766d65606393fd4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		A	F	0.0656	0.1612	0.0656	0.063606	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		A	Fbar	0.193	-0.2176	-0.193	-	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		A	C	0.0898	0.2812	0.0898	0.09201	81ecb394c6c630c3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		A	Cbar	0.2816	-0.3424	-0.2816	-	3fbd535ce1abeb6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		G	F	0.326	0.1612	0.326	0.323301	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		G	Fbar	0.2952	-0.2176	-0.2952	-	6d4df6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		G	C	0.6098	0.2812	0.6098	0.615317	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		G	Cbar	0.6368	-0.3424	-0.6368	-	1010706ce289282242d7b8bd7fa5f5856708ba47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		P	F	0.3236	0.1612	0.3236	0.309564	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		P	Fbar	0.2836	-0.2176	-0.2836	-	a31ff58f51ef458303b7929aa88c8e67b5964446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		P	C	0.5946	0.2812	0.5946	0.596767	d094395d3fe0f971151f64c72a837c7fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		P	Cbar	0.6078	-0.3424	-0.6078	-0.608377	9c0a3666b01565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		S	F	0.2354	0.1612	0.2354	0.230782	1216db5846b33decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		S	Fbar	0.2518	-0.2176	-0.2518	-0.248625	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		S	C	0.3938	0.2812	0.3938	0.391922	229d394fa15363cb512e797779bdf1ae4c7ca771ac190fbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		S	Cbar	0.4382	-0.3424	-0.4382	-0.4366	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		A	F	0.0656	0.1612	0.0656	0.063606	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		A	Fbar	0.193	-0.2176	-0.193	-0.201417	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		A	C	0.0898	0.2812	0.0898	0.09201	81ecb394c6c630c3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		A	Cbar	0.2816	-0.3424	-0.2816	-0.297478	3fbd535ce1abe6b8eeea4802cf99a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		G	F	0.3238	0.1576	0.3238	0.317736	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		G	Fbar	0.2944	-0.2182	-0.2944	-0.294003	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		G	C	0.6056	0.276	0.6056	0.60793	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		G	Cbar	0.6324	-0.3444	-0.6324	-0.633344	1010706ce289282242d7b8bdfaf5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		P	F	0.3168	0.1576	0.3168	0.303779	c6133875e dd04c430a2 b460813697 6ab78a5217 17eb0f5ca6 7bc2a5d0f3 774f	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		P	Fbar	0.2838	-0.2182	-0.2838	-0.270723	a31ff58f51 ef458303b7 929aa88c8e 67b5964444 6131588a1d d1ea42fd57 4198	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		P	C	0.5884	0.276	0.5884	0.589297	d094395d3f e0971151f 64c72a837c ffb2248016 2073e57c6d 2728183eda 13b4	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		P	Cbar	0.614	-0.3444	-0.614	-0.61025	9c0a36660b 1565fe147d 5a617647a4 23144ff6fb 01aa84fc23 e8dfd65b42 d017	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		S	F	0.2346	0.1576	0.2346	0.225937	1216db5846 b3decfd957 6ec70705f7 9de8eab1ad e96693305c da7fd5322d 3763	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		S	Fbar	0.2532	-0.2182	-0.2532	-0.249298	44d7df52c7 485ff902ac d6ba6794be a0678b8c14 23dff20a30 851a17b2c0 b88e	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		S	C	0.388	0.276	0.388	0.385541	229d394fa1 5363cb512e 79779bffa e4c7ca71a c190fbb02 5ca5d316e5 36fe	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		S	Cbar	0.4402	-0.3444	-0.4402	-0.438724	240ec8fbac ae59c13157 870f09ddfc 7745e98766 d65606393f 4270b8e399 676b	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		A	F	0.065	0.1576	0.065	0.06185	cb12bd0502 0da6c49662 894f9df02b d77f90df92 333417073c d64279a291 6a84	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		A	Fbar	0.2012	-0.2182	-0.2012	-0.202066	cfb7534801 4eada709bc fd3a6321d8 b41114aa00 833f0da164 4314c0b5da 2d2f	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		A	C	0.0896	0.276	0.0896	0.089422	81ecb394c6 c630e3dfaa 299e97f096 0d1c47c6ef b69ee9d3f9 02ad76b813 e66f	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		A	Cbar	0.2938	-0.3444	-0.2938	-0.299766	3fbd535ce1 abe6b8eeea 4802cfb9a8 a9d40aa5f4 c50de9aeed 78660c87ca 4915	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		G	F	0.3238	0.1576	0.3238	0.317736	96175b9016 75220e5eda 66264ad28b 9cfb708344 93f40bc53b 30abe3dfdc 61f2	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		G	Fbar	0.2944	-0.2182	-0.2944	-0.294003	6ddff660e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		G	C	0.6056	0.276	0.6056	0.60793	09d031ba10f4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		G	Cbar	0.6324	-0.3444	-0.6324	-0.633344	1010706cc289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		P	F	0.3168	0.1576	0.3168	0.303779	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		P	Fbar	0.2838	-0.2182	-0.2838	-0.270723	a31ff58f51ef458303b7929aa88c8e67b5964446131588ald1lea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		P	C	0.5884	0.276	0.5884	0.589297	d094395d3fe0f971151f64c72a837cffb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		P	Cbar	0.614	-0.3444	-0.614	-0.61025	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		S	F	0.2346	0.1576	0.2346	0.225937	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		S	Fbar	0.2532	-0.2182	-0.2532	-0.249298	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		S	C	0.388	0.276	0.388	0.385541	229d394fa15363cb512e79779bffaee4e7ca71ac190fbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		S	Cbar	0.4402	-0.3444	-0.4402	-0.438724	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		A	F	0.065	0.1576	0.065	0.06185	cb12bd05020da6c49662894f9df02bd477f90df92333417073cd64279a2916a84	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		A	Fbar	0.2012	-0.2182	-0.2012	-0.202066	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapol ated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		A	C	0.0896	0.276	0.0896	0.089422	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f3fbd535ce14802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		A	Cbar	0.2938	-0.3444	-0.2938	-0.299766	-	full_naive_single_pool		False

Table 184: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER _F ^s	ER _F ^s	ER _C ^s	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		4b1d9eae4 30a030e1b1 ec8b4d3a03 83452817c4 60ee6936222 3ee4d2ee75 8428	5000							0.021759	0.038114	0.013129
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		685703c1eb 6f9a505820 237705f26b 93642bd46c 221c4b1a76 6b963113b4 99e1	5000							-	-	0.011264
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		7adc2b4b81 51d069d91f 3206c3cf4b b24a401992 9fe10c93fc 10608c006d 4c2b	5000							0.011924	0.037537	0.011264
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		d1ed4f281b 6e6e84d26c e28b5abdd3 ae4f437e93 dc47da989d 88cdbe9ae7 b778	5000							0.008846	-	0.006638
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		46df8a55b2 3d20e20723 97d2a8953d 753047e065 08a9644c1d 0563c68f39 553c	5000							0.008846	-	0.006638
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		7a79f1194a 55eae6ad74 25dec4ad73 5f0f9fa0b1 7772fd6429 1376bdae2a 46a1	5000							0.007756	0.007159	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		c9b90e4b72 2f921eae66 85d55aea53 a3aad93d93 80c3ee5bd3 575dbf9419 1968	5000							0.007756	0.007159	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		d3d3204dc5 5980a96e86 dc78b29eb9 1edbb419ec0 2998b9a3ac 49c3d7397b fc77	5000							0.002699	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		e57b928fb9 00188be560 cafb9332e6 af7e2131ce 66bf6726c6 ac03d8987e d68f	5000							0.002699	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		c34bcb1e1c 938f68f060 1b3aa3524c 36f4bcb292 af2a712ee8 9a0980fca8 d500	5000							0.006064	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		180dff39e2 8876c2e50d a6a8d3fd33 155087b340 8dba78601f ecbb726ede 83f8	5000							0.006064	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		d0e526cd5f 6b66e34b2b f5c8bf06a7 c4b2628601 a896bf4519 5aa3fe2989 bc6f	5000							-	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		c30625e85a eb01d0f90e 3c5a556620 07f2c31f3a 1b6d6dc1ca 5a35504591 26be	5000							0.011924	0.037537	0.011264

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER^p_L	ER^p_Z	ER^p_C	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		63de57324e d86e85f856 540185ec2d 6da2b9e0e7 f51560ca6c 834f6140d7 6cfd	5000							- 0.011924	- 0.037537	0.011264
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		1fb37529ef 5aabdbe92b b248e046f5 2e2cd3db52 82807513d3 d9b3eac8af 481d	5000							0.008846	- 0.023816	0.006638
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		9a5afe1cdf c83223b54b 64aff397dc 1ac16152e6 28ab1d7726 a398de12e0 cbbf	5000							0.008846	- 0.023816	0.006638
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		0e9f8e5a8b 5180786f26 074df2f3a6 b5f353b5e7 336633e9b4 1c71a8134d 9a14	5000							0.007756	0.007159	- 0.000227
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		9e8d85fe50 f4aac98e9c 59fef469a1 8c865afb73 5108033b35 890dd80413 476d	5000							0.007756	0.007159	- 0.000227
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		b0a2e3e34e 9109159e85 6d8d5b8bbc 937ad84962 2a3428e3f0 27788c3471 b841	5000							0.002699	- 0.001769	- 0.005517
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		e807e24afb 534d24c2f5 113cd957ed 403ec71e63 d244dc1049 1812a8aa25 7a96	5000							0.002699	- 0.001769	- 0.005517
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		8e1cf25cda 1673fbe3c2 d1005293b2 27f6612a9b 1f6261887b cfd0b24170 ea05	5000							0.006064	- 0.000397	- 0.00233
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		302b199fe1 97e314869c a7e091e539 60db182739 bd42b5dbeb 270540ab72 b7c8	5000							0.006064	- 0.000397	- 0.00233

Table 185: ImageNet–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^p_C	ER^p_F	ER^p_S	ER^p_G	ER^p_H	ER^p_I	ER^p_J	ER^p_K	ER^p_L	ER^p_M	ER^p_N
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		-0.025316	-0.020654	-0.027134	-0.003305	-0.024804	-0.013926	-0.016828	0.005697	-0.005572	-0.003526	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		-0.035498	-0.017682	-0.037668	-0.002463	-0.031404	-0.000124	-0.028525	0.007388	-0.022676	0.009031	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		-0.035498	-0.017482	-0.037668	-0.002463	-0.031404	-0.000124	-0.028525	0.007388	-0.022676	0.009031	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		-0.03203	0.015979	-0.02626	0.007678	-0.016477	0.006325	-0.011654	0.004749	-0.008551	0.000955	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		-0.03203	0.015979	-0.02626	0.007678	-0.016477	0.006325	-0.011654	0.004749	-0.008551	0.000955	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		0.011126	0.016435	0.007746	0.005887	0.013345	0.007155	-0.004472	0.005194	-0.004777	0.004326	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		0.011126	0.016435	0.007746	0.005887	0.013345	0.007155	-0.004472	0.005194	-0.004777	0.004326	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		-0.005282	0.014036	-0.013503	-0.002167	0.000577	0.004618	-0.003175	0.001878	-0.0016	0.001994	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		-0.005282	0.014036	-0.013503	-0.002167	0.000577	0.004618	-0.003175	0.001878	-0.0016	0.001994	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		0.000944	0.013021	-0.013077	-0.000897	-0.00375	0.008663	-0.003902	0.002459	-0.001476	0.00315	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		0.000944	0.013021	-0.013077	-0.000897	-0.00375	0.008663	-0.003902	0.002459	-0.001476	0.00315	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		-0.025316	-0.020654	-0.027134	-0.003305	-0.024804	-0.013926	-0.016828	0.005697	-0.005572	-0.003526	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		-0.035498	-0.017682	-0.037668	-0.002463	-0.031404	-0.000124	-0.028525	0.007388	-0.022676	0.009031	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		-0.035498	-0.017482	-0.037668	-0.002463	-0.031404	-0.000124	-0.028525	0.007388	-0.022676	0.009031	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		-0.03203	0.015979	-0.02626	0.007678	-0.016477	0.006325	-0.011654	0.004749	-0.008551	0.000955	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		-0.03203	0.015979	-0.02626	0.007678	-0.016477	0.006325	-0.011654	0.004749	-0.008551	0.000955	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		0.011126	0.016435	0.007746	0.005887	0.013345	0.007155	-0.004472	0.005194	-0.004777	0.004326	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		0.011126	0.016435	0.007746	0.005887	0.013345	0.007155	-0.004472	0.005194	-0.004777	0.004326	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		-0.005282	0.014036	-0.013503	-0.002167	0.000577	0.004618	-0.003175	0.001878	-0.0016	0.001994	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		-0.005282	0.014036	-0.013503	-0.002167	0.000577	0.004618	-0.003175	0.001878	-0.0016	0.001994	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		0.000944	0.013021	-0.013077	-0.000897	-0.00375	0.008663	-0.003902	0.002459	-0.001476	0.00315	
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		0.000944	0.013021	-0.013077	-0.000897	-0.00375	0.008663	-0.003902	0.002459	-0.001476	0.00315	

Table 186: ImageNet–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^a_p	ER^a_c	$ER^a_{\bar{c}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Spearman		0.002999	-0.018457	0.008166
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Spearman		0.020324	0.014802	0.036792
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Spearman		0.020324	0.014802	0.036792
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Spearman		0.002898	-0.001823	0.008854
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Spearman		0.002898	-0.001823	0.008854
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Spearman		-0.000713	0.005066	0.005258
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Spearman		-0.000713	0.005066	0.005258
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Spearman		0.008417	-0.00221	0.015878
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Spearman		0.008417	-0.00221	0.015878
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Spearman		0.000866	0.000178	0.005966
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Spearman		0.000866	0.000178	0.005966
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Best Individual	Kendall		0.002999	-0.018457	0.008166
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive	Kendall		0.020324	0.014802	0.036792
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE	Kendall		0.020324	0.014802	0.036792
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive	Kendall		0.002898	-0.001823	0.008854
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE	Kendall		0.002898	-0.001823	0.008854
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive	Kendall		-0.000713	0.005066	0.005258
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE	Kendall		-0.000713	0.005066	0.005258
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive	Kendall		0.008417	-0.00221	0.015878
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE	Kendall		0.008417	-0.00221	0.015878
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive	Kendall		0.000866	0.000178	0.005966
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE	Kendall		0.000866	0.000178	0.005966

Table 187: ImageNet-ResNet-18

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ResNet-18	G	C	09d031ba10ff4c7e89872e569838956182da1d1bc112d46feaa644b057e06cc02		11	nonnegative__slope__ordinary__least_squares	1.420558	1.420558	False	0.215856	0.003172	0.018775	0.954785	0.1174	0.292	0.3518	0.62
ImageNet-ResNet-18	G	Cbar	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c		11	nonnegative__slope__ordinary__least_squares	0.912882	0.912882	False	-0.318947	0.02265	0.050166	0.755578	-0.565	-0.2952	-0.8856	-0.5968
ImageNet-ResNet-18	S	F	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cdaf7d5322d3703		11	nonnegative__slope__ordinary__least_squares	1.345791	1.345791	False	0.01384	0.000635	0.008402	0.981622	0.043	0.1716	0.0668	0.2552
ImageNet-ResNet-18	S	C	229d394fa15363cb512e79779bffa1e4c7caf71ac190fbbb025ca5d316e536fe		11	nonnegative__slope__ordinary__least_squares	1.227074	1.227074	False	0.046869	0.000565	0.007921	0.988828	0.1174	0.292	0.1818	0.4098
ImageNet-ResNet-18	S	Cbar	240ec8fbacae59c13157870f094dfc7745e98766d65606393f4270b8e399676b		11	nonnegative__slope__ordinary__least_squares	1.062187	1.062187	False	-0.072907	0.01031	0.033845	0.901909	-0.565	-0.2952	-0.7	-0.3902
ImageNet-ResNet-18	A	Cbar	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aead78660c87ca4915		11	nonnegative__slope__ordinary__least_squares	1.14415	1.14415	False	0.094279	0.006757	0.027399	0.942124	-0.565	-0.2952	-0.563	-0.238
ImageNet-ResNet-18	S	Fbar	4447df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e		11	nonnegative__slope__ordinary__least_squares	1.121249	1.121249	False	-0.004641	0.008982	0.031591	0.903619	-0.423	-0.1752	-0.5008	-0.2122
ImageNet-ResNet-18	P	F	4c5325f63bd20157f85264e54d80a81cf910a9b5f412e1c0fa2d04b4ac43d968	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.652665	1.652665	False	0.046456	0.004756	0.024382	0.906291	0.043	0.1696	0.0872	0.341
ImageNet-ResNet-18	S	Fbar	4f51889f2a5ffe996ceb4f5c69b002047cb93857eea666ccf7a7da49ef4e279	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.153662	1.153662	False	0.006749	0.008795	0.033157	0.880463	-0.423	-0.1884	-0.5008	-0.2146
ImageNet-ResNet-18	S	F	5165ff17acd49692fe423148ef4959fc2dda633507279b32875ec36ee5d9eb18	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.376655	1.376655	False	0.011092	0.000477	0.007721	0.985278	0.043	0.1696	0.0668	0.2552
ImageNet-ResNet-18	P	C	537b44d6de0ab9a25d469154f472974d8a046c2a10007189e8985f85d0a44514	DeepLiftShap	10	nonnegative__slope__ordinary__least_squares	1.442326	1.442326	False	0.191746	0.004939	0.024846	0.925855	0.1174	0.2858	0.3216	0.596
ImageNet-ResNet-18	P	Cbar	5d7063b09f23ef916df053e23571d06997e5c7b16d2867d04b1dd13442a5975a	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.978334	0.978334	False	-0.267191	0.019639	0.049547	0.751194	-0.565	-0.3024	-0.846	-0.5668

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ResNet-18	G	Fbar	6ddff6c0e5314315fb9071782e94344045815e880ad533a32319d47cc17da93ae		11	nonnegative__slope__ordinary__least_squares	0.953041	0.953041	False	-0.086049	0.018674	0.045551	0.765147	-0.423	-0.1752	-0.5286	-0.2574
ImageNet-ResNet-18	G	C	7c50bc284c34e84815b28a6fca3eee b33c018442a8cbc1a21a8570d3ada519b4	DeepLiftShap	10	nonnegative__slope__ordinary__least_squares	1.44303	1.44303	False	0.211765	0.003032	0.019469	0.953177	0.1174	0.2858	0.3518	0.6088
ImageNet-ResNet-18	A	C	809f4a93b2eb2783bf8190c615c1a0804fec229a59405f8b61	DeepLiftShap	10	nonnegative__slope__ordinary__least_squares	0.529229	0.529229	False	-0.053678	0.001307	0.012783	0.863974	0.1174	0.2858	0.0126	0.1134
ImageNet-ResNet-18	A	C	93a5e2ee349f4181ecb394c6c630c3dffa299c97f0960d1c47c6efb69ee9d3f902ad76b813e66f		11	nonnegative__slope__ordinary__least_squares	0.497638	0.497638	False	-0.047926	0.001584	0.013266	0.838464	0.1174	0.292	0.0126	0.1134
ImageNet-ResNet-18	S	Cbar	8ef69de9dd0adc31274a4953ab0500c049105f1a53c5458780574b886047a8d8	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.071581	1.071581	False	-0.068297	0.010289	0.035862	0.873643	-0.565	-0.3024	-0.7	-0.397
ImageNet-ResNet-18	G	F	9617b5901675220e5eda66264ad28b9cfb70834493f40bc53b30abc3d4dc61f2		11	nonnegative__slope__ordinary__least_squares	1.545894	1.545894	False	0.074103	0.002445	0.016484	0.948215	0.043	0.1716	0.121	0.348
ImageNet-ResNet-18	P	Cbar	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8df65b42d017		11	nonnegative__slope__ordinary__least_squares	0.936519	0.936519	False	-0.287713	0.020052	0.047202	0.786093	-0.565	-0.2952	-0.846	-0.5668
ImageNet-ResNet-18	P	Fbar	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198		11	nonnegative__slope__ordinary__least_squares	1.042961	1.042961	False	-0.043149	0.018877	0.045798	0.794231	-0.423	-0.1752	-0.511	-0.2326
ImageNet-ResNet-18	A	Cbar	b0f63d877fcb2a6835028d5e6f894ae3e32c9e47fd5d0af95ab5af4df569d0f6	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.130384	1.130384	False	0.087523	0.006712	0.028965	0.921838	-0.565	-0.3024	-0.563	-0.2666
ImageNet-ResNet-18	G	Cbar	be9143dada523da0b9b0d9f1a78c0a35a2152d4839543c1716b875dcf1ec2229	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.95556	0.95556	False	-0.298002	0.02222	0.052702	0.717974	-0.565	-0.3024	-0.8856	-0.5968
ImageNet-ResNet-18	P	F	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d03774f		11	nonnegative__slope__ordinary__least_squares	1.60689	1.60689	False	0.050533	0.005104	0.023815	0.904564	0.043	0.1716	0.0872	0.341
ImageNet-ResNet-18	A	F	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84		11	nonnegative__slope__ordinary__least_squares	0.487939	0.487939	False	-0.015049	0.000671	0.008632	0.86933	0.043	0.1716	0.007	0.0794
ImageNet-ResNet-18	S	C	cc175d17773f2099ceb015705bb95650eb5312ab7589e2ad322fb955fb51830c	DeepLiftShap	10	nonnegative__slope__ordinary__least_squares	1.217323	1.217323	False	0.048644	0.000538	0.008204	0.987893	0.1174	0.2858	0.1818	0.393

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ResNet-18	A	Fbar	cfb75348014eada709bcd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f		11	nonnegative__slope__ordinary__least_squares	1.081035	1.081035	False	0.033816	0.005286	0.024234	0.936748	-0.423	-0.1752	-0.4256	-0.1536
ImageNet-ResNet-18	G	F	cf0e090548d331a4598a35e8754c4aeab45b0276a5039a00283dfcdc0a0d1b5	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.59412	1.59412	False	0.069808	0.002059	0.016041	0.954103	0.043	0.1696	0.121	0.348
ImageNet-ResNet-18	P	C	d094395d3fe0f971151f64c72a837cffb22480162073e57c6d2728183eda13b4		11	nonnegative__slope__ordinary__least_squares	1.436669	1.436669	False	0.192776	0.004948	0.023446	0.932654	0.1174	0.292	0.3216	0.6096
ImageNet-ResNet-18	G	Fbar	d39d6fd493e1acec98bb897b9c3228dc010c2879aed80f9bff2c7c9f8726325b8	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.026455	1.026455	False	-0.060251	0.017714	0.047056	0.743256	-0.423	-0.1884	-0.5286	-0.2574
ImageNet-ResNet-18	A	F	ed4abc805c7384eb4b8326a3fec13819dff312b3a8815f9468f177d0ee86324c	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	0.495754	0.495754	False	-0.015745	0.00066	0.009086	0.862398	0.043	0.1696	0.007	0.0794
ImageNet-ResNet-18	P	Fbar	f887946448f3c9e5a245f1fe7e8ae30feab503cf9536f5055e2ca255e4d9ccd9	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.095226	1.095226	False	-0.024782	0.018391	0.047946	0.760459	-0.423	-0.1884	-0.511	-0.2326
ImageNet-ResNet-18	A	Fbar	f999ec441cb4e267f30f25c0f71fe3724623f375af19e2a83b6a28b2893cf9a8	GuidedBack prop	10	nonnegative__slope__ordinary__least_squares	1.075258	1.075258	False	0.031786	0.00528	0.02569	0.914227	-0.423	-0.1884	-0.4256	-0.1802

Table 188: ImageNet-ResNet-18

Cell	Condition	Metric	Reference Methods
ImageNet-ResNet-18	G	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	S	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	S	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	S	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	S	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	S	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	S	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	C	Deconvolution;DeepLift;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	C	Deconvolution;DeepLift;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	C	Deconvolution;DeepLift;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency

Cell	Condition	Metric	Reference Methods
ImageNet-ResNet-18	S	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	S	C	Deconvolution;DeepLift;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;GuidedBackprop;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAblation;GradientShap;InputXGradient;IntegratedGradients;LRP;Occlusion;Saliency

Table 189: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			G	F	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				max	- 0.021759	0.1716
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			G	Fbar	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				min	- 0.038114	0.1752
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			G	C	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				max	- 0.013129	0.292
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			G	Cbar	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				min	- 0.025316	0.2952
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			P	F	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				max	- 0.020654	0.1716
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			P	Fbar	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				min	- 0.027134	0.1752
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			P	C	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				max	- 0.003305	0.292
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			P	Cbar	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				min	- 0.024804	0.2952
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			S	F	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				max	- 0.013926	0.1716
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			S	Fbar	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				min	- 0.016828	0.1752
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			S	C	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				max	0.005697	0.292
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			S	Cbar	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				min	- 0.005572	0.2952
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			A	F	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				max	- 0.003526	0.1716

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			A	Fbar	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				min	0.002999	0.1752
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			A	C	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				max	- 0.018457	0.292
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			A	Cbar	d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000				min	0.008166	0.2952
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			G	F	a953ca7e08 75b4837436 866f50ed2b 7a0e665385 820c725a69 f63635213e a632	5000				max	- 0.011924	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			G	Fbar	a953ca7e08 75b4837436 866f50ed2b 7a0e665385 820c725a69 f63635213e a632	5000				min	- 0.037537	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			G	C	a953ca7e08 75b4837436 866f50ed2b 7a0e665385 820c725a69 f63635213e a632	5000				max	0.011264	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			G	Cbar	a953ca7e08 75b4837436 866f50ed2b 7a0e665385 820c725a69 f63635213e a632	5000				min	- 0.035498	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			P	F	a953ca7e08 75b4837436 866f50ed2b 7a0e665385 820c725a69 f63635213e a632	5000				max	- 0.017682	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			P	Fbar	a953ca7e08 75b4837436 866f50ed2b 7a0e665385 820c725a69 f63635213e a632	5000				min	- 0.037668	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			P	C	a953ca7e08 75b4837436 866f50ed2b 7a0e665385 820c725a69 f63635213e a632	5000				max	- 0.002463	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			P	Cbar	a953ca7e08 75b4837436 866f50ed2b 7a0e665385 820c725a69 f63635213e a632	5000				min	- 0.031404	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			S	F	a953ca7e08 75b4837436 866f50ed2b 7a0e665385 820c725a69 f63635213e a632	5000				max	- 0.000124	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			S	Fbar	a953ca7e08 75b4837436 866f50ed2b 7a0e665385 820c725a69 f63635213e a632	5000				min	- 0.028525	0.251

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			S	C	a953ca7e0875b4837436866f50ed2b7a0e665385820c725a69f63635213ea632	5000				max	0.007388	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			S	Cbar	a953ca7e0875b4837436866f50ed2b7a0e665385820c725a69f63635213ea632	5000				min	-0.022676	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			A	F	a953ca7e0875b4837436866f50ed2b7a0e665385820c725a69f63635213ea632	5000				max	0.009031	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			A	Fbar	a953ca7e0875b4837436866f50ed2b7a0e665385820c725a69f63635213ea632	5000				min	0.020324	0.251
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			A	C	a953ca7e0875b4837436866f50ed2b7a0e665385820c725a69f63635213ea632	5000				max	0.014802	0.286
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			A	Cbar	a953ca7e0875b4837436866f50ed2b7a0e665385820c725a69f63635213ea632	5000				min	0.036792	0.3862
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			G	F	826314e6481a6baf29ad7cb208613b98e104aa20edaf5742e10e95f0a9e3aadc	5000				max	0.008846	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			G	Fbar	826314e6481a6baf29ad7cb208613b98e104aa20edaf5742e10e95f0a9e3aadc	5000				min	-0.023816	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			G	C	826314e6481a6baf29ad7cb208613b98e104aa20edaf5742e10e95f0a9e3aadc	5000				max	0.006638	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			G	Cbar	826314e6481a6baf29ad7cb208613b98e104aa20edaf5742e10e95f0a9e3aadc	5000				min	-0.03203	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			P	F	826314e6481a6baf29ad7cb208613b98e104aa20edaf5742e10e95f0a9e3aadc	5000				max	0.015979	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			P	Fbar	826314e6481a6baf29ad7cb208613b98e104aa20edaf5742e10e95f0a9e3aadc	5000				min	-0.02626	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			P	C	826314e6481a6baf29ad7cb208613b98e104aa20edaf5742e10e95f0a9e3aadc	5000				max	0.007678	0.2756

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			P	Cbar	826314e648 1a6baf29ad 7cb208613b 98e104aa20 edaf5742e1 0e95f0a9e3 aadc	5000				min	- 0.016477	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			S	F	826314e648 1a6baf29ad 7cb208613b 98e104aa20 edaf5742e1 0e95f0a9e3 aadc	5000				max	0.006325	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			S	Fbar	826314e648 1a6baf29ad 7cb208613b 98e104aa20 edaf5742e1 0e95f0a9e3 aadc	5000				min	- 0.011654	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			S	C	826314e648 1a6baf29ad 7cb208613b 98e104aa20 edaf5742e1 0e95f0a9e3 aadc	5000				max	0.004749	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			S	Cbar	826314e648 1a6baf29ad 7cb208613b 98e104aa20 edaf5742e1 0e95f0a9e3 aadc	5000				min	- 0.008551	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			A	F	826314e648 1a6baf29ad 7cb208613b 98e104aa20 edaf5742e1 0e95f0a9e3 aadc	5000				max	0.000955	0.158
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			A	Fbar	826314e648 1a6baf29ad 7cb208613b 98e104aa20 edaf5742e1 0e95f0a9e3 aadc	5000				min	0.002898	0.2186
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			A	C	826314e648 1a6baf29ad 7cb208613b 98e104aa20 edaf5742e1 0e95f0a9e3 aadc	5000				max	- 0.001823	0.2756
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			A	Cbar	826314e648 1a6baf29ad 7cb208613b 98e104aa20 edaf5742e1 0e95f0a9e3 aadc	5000				min	0.008854	0.3464
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			G	F	0ca46955d8 b33ae7fda8 a44a23d587 5495022738 eff16f5d5f 7b54e5872c 4beb	5000				max	0.007756	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			G	Fbar	0ca46955d8 b33ae7fda8 a44a23d587 5495022738 eff16f5d5f 7b54e5872c 4beb	5000				min	0.007159	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			G	C	0ca46955d8 b33ae7fda8 a44a23d587 5495022738 eff16f5d5f 7b54e5872c 4beb	5000				max	- 0.000227	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			G	Cbar	0ca46955d8 b33ae7fda8 a44a23d587 5495022738 eff16f5d5f 7b54e5872c 4beb	5000				min	0.011126	0.3492

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			P	F	0ca46955d8b33ae7fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000				max	0.016438	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			P	Fbar	0ca46955d8b33ae7fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000				min	0.007746	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			P	C	0ca46955d8b33ae7fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000				max	0.005887	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			P	Cbar	0ca46955d8b33ae7fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000				min	0.013345	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			S	F	0ca46955d8b33ae7fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000				max	0.007155	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			S	Fbar	0ca46955d8b33ae7fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000				min	- 0.004472	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			S	C	0ca46955d8b33ae7fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000				max	0.005194	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			S	Cbar	0ca46955d8b33ae7fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000				min	- 0.004777	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			A	F	0ca46955d8b33ae7fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000				max	0.004326	0.1556
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			A	Fbar	0ca46955d8b33ae7fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000				min	- 0.000713	0.2234
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			A	C	0ca46955d8b33ae7fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000				max	0.005066	0.271
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			A	Cbar	0ca46955d8b33ae7fda8a44a23d5875495022738eff16f5d5f7b54e5872c4beb	5000				min	0.005258	0.3492
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			G	F	385fd791e9acb977b5399e51726c5ebb10ab95942b5df8b9d1a1b612acc7a334	5000				max	0.002699	0.1612

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			G	Fbar	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				min	- 0.001769	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			G	C	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				max	- 0.005517	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			G	Cbar	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				min	- 0.005282	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			P	F	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				max	0.014036	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			P	Fbar	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				min	- 0.013503	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			P	C	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				max	- 0.002167	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			P	Cbar	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				min	0.000577	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			S	F	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				max	0.004618	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			S	Fbar	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				min	- 0.003175	0.2176
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			S	C	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				max	0.001878	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			S	Cbar	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				min	-0.0016	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			A	F	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				max	0.001994	0.1612
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			A	Fbar	385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000				min	0.008417	0.2176

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			A	C	385fd791e9ac977b5399e51726c5ebb10ab95942b5df8b9d1a1b612acc7a334	5000				max	-0.00221	0.2812
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			A	Cbar	385fd791e9ac977b5399e51726c5ebb10ab95942b5df8b9d1a1b612acc7a334	5000				min	0.015878	0.3424
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			G	F	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				max	0.006064	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			G	Fbar	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				min	-0.000397	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			G	C	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				max	-0.00233	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			G	Cbar	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				min	0.000944	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			P	F	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				max	0.013021	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			P	Fbar	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				min	-0.013077	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			P	C	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				max	-0.000897	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			P	Cbar	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				min	-0.00375	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			S	F	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				max	0.008663	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			S	Fbar	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				min	-0.003902	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			S	C	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				max	0.002459	0.276

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			S	Cbar	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				min	-0.001476	0.3444
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			A	F	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				max	0.00315	0.1576
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			A	Fbar	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				min	0.000866	0.2182
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			A	C	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				max	0.000178	0.276
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			A	Cbar	0dba3c2765e068f5a5c7522d7d931618d9b98b4d5d0dcc971f73567c1c3cff4a	5000				min	0.005966	0.3444

Table 190: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Quality Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			G	F	0.3216	0.1716	0.3216	0.343359	cf0e909548d331a4598a35e8754c4aeab45b0276a5039a00283dfcdc0a0d11b5	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			G	Fbar	0.2782	-0.1752	-0.2782	-0.240086	d39d6fd93eacec98bb897b9c3228dc010c2879aed80f9bff2c7c9f8726325b8	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			G	C	0.62	0.292	0.62	0.633129	7c50bc284c34e84815b28a6fca3eeeb33c018442a8cbc1a21a8570d3ada519b4	leave_one_out_naive__single	DeepLiftShap	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			G	Cbar	0.6054	-0.2952	-0.6054	-0.580084	be9143dada523da0b9b0d9f1a78e0a35a2152d4839543c1716b875dcf1ec2229	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			P	F	0.3094	0.1716	0.3094	0.330054	4c5325f63bd20157f85264e54d80a81cf910a9b5f412c1c0fa2d04b4ac43d968	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			P	Fbar	0.2438	-0.1752	-0.2438	-0.216666	f8879464483c9e5a245f1fe7e8ae30fea6503cf9536f5055e2ca255e4d9ccd9	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			P	C	0.6096	0.292	0.6096	0.612905	537b44d6de0ab9a25d469154f472974d8a046e2a10007189e8985f85d0a44514	leave_one_out_naive__single	DeepLiftShap	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			P	Cbar	0.5808	-0.2952	-0.5808	-0.555996	5d7063b09f23e916df053e23571d06997e5c7b16d2867d04b1dd13442a5975a	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			S	F	0.2334	0.1716	0.2334	0.247326	5165ff17acd49692fe423148ef4959fc2dda633507279b32875ec36ee5d9eb18	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			S	Fbar	0.2122	-0.1752	-0.2122	-0.195372	4f51889f2ab445e69b002047cb93857eea66ecf7a7da49ef4e279	leave_one_out_naive__single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			S	C	0.4098	0.292	0.4098	0.404103	cc175d17773f2099ceb015705bb95650eb5312ab7589e2ad322fb955fb51830c	leave_one_out_naive__single	DeepLiftShap	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			S	Cbar	0.3902	-0.2952	-0.3902	-0.384628	8ef69de9dd0adc31274a4953ab0500c0d9105f1a53c5458780574b886047a8d8	leave_one_out_naive__single	GuidedBackprop	True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			A	F	0.0658	0.1716	0.0658	0.069326	ed44bc805c7384eb4b8326a3fec13819dff312b3a8815f9468f177d0ee86324c	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			A	Fbar	0.1536	-0.1752	-0.1536	-0.156599	9999ec41c14e267f30f25c0f71fe3724623f375af19e2a83b6a28b2893c9a8	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			A	C	0.0824	0.292	0.0824	0.100857	809f4a93b2eb2783bf8190c615c1a0804fec229a59405f8b6193a5e2ee349f41	leave_one_out_naive_single	DeepLiftShap	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			A	Cbar	0.238	-0.2952	-0.238	-0.246166	b0f63d877fbcb2a6835028d5e6f894ae3e32c9e47fd5d0af95ab5af4df569d0f6	leave_one_out_naive_single	GuidedBackprop	True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			G	F	0.329	0.1726	0.329	0.340924	96175b901675220e5eda66264ad28b9c6fb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			G	Fbar	0.3628	-0.251	-0.3628	-0.325263	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			G	C	0.6334	0.286	0.6334	0.622136	094031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			G	Cbar	0.707	-0.3862	-0.707	-0.671502	1010706cc289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			P	F	0.3102	0.1726	0.3102	0.327882	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			P	Fbar	0.3426	-0.251	-0.3426	-0.304932	a31ff58f51ef458303b7929aa88c8e67159644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			P	C	0.6012	0.286	0.6012	0.603663	d094395d3fe0f971151f64c72a837cfb22480162073a57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			P	Cbar	0.6808	-0.3862	-0.6808	-0.649396	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8df65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			S	F	0.246	0.1726	0.246	0.246124	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			S	Fbar	0.3146	-0.251	-0.3146	-0.286075	447df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0b8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			S	C	0.4052	0.286	0.4052	0.397812	229d394fa15363cb512e79779bbf1ae4c7caf71ac190fbbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			S	Cbar	0.5058	-0.3862	-0.5058	0.483124	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e39967b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			A	F	0.0782	0.1726	0.0782	0.069169	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			A	Fbar	0.2172	-0.251	-0.2172	0.237524	cfb75348014eada709bcfd3a6321d8b4f114aa008330da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			A	C	0.1092	0.286	0.1092	0.094398	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			A	Cbar	0.3108	-0.3862	-0.3108	0.347592	3fbd535ce1abe6b8eecea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			G	F	0.3272	0.158	0.3272	0.318354	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			G	Fbar	0.3182	-0.2186	-0.3182	0.294384	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			G	C	0.614	0.2756	0.614	0.607362	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			G	Cbar	0.6672	-0.3464	-0.6672	0.63517	1010706ce289282242d7b8bdf7af5856708b47b994d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			P	F	0.3204	0.158	0.3204	0.304421	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			P	Fbar	0.2974	-0.2186	-0.2974	0.27114	a31ff58f51c4f58303b7929aa88c8e67b5964446131588a1dd1ea42fd574198	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			P	C	0.5964	0.2756	0.5964	0.588722	4094395d3fe0f971151f64c72a837cffb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			P	Cbar	0.6286	-0.3464	-0.6286	-	0.6121239c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			S	F	0.2328	0.158	0.2328	0.226475	1216db5846b3decd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			S	Fbar	0.2614	-0.2186	-0.2614	-	0.24974644d7df52c7d6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			S	C	0.3898	0.2756	0.3898	0.385051	229d394fa15363cb512e79779bf1ae4c7ca71ac190fbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			S	Cbar	0.4494	-0.3464	-0.4494	-	0.440849240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			A	F	0.063	0.158	0.063	0.062045	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			A	Fbar	0.1996	-0.2186	-0.1996	-	0.202498c8fb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			A	C	0.0874	0.2756	0.0874	0.089223	81ecb394c6c630c3d4faa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			A	Cbar	0.2932	-0.3464	-0.2932	-	0.3020543fbd535ce1abe6b8eeea4802cfb9a8a9d40aa54ce50de9aedd78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			G	F	0.3224	0.1556	0.3224	0.314644	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			G	Fbar	0.2918	-0.2234	-0.2918	-	0.2989596ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			G	C	0.6006	0.271	0.6006	0.600827	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			G	Cbar	0.6266	-0.3492	-0.6266	-	1010706ce2 89282242d7 b8bdfaf58 56708b47b9 9d24d76133 9e94398ed9 6b5c	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			P	F	0.317	0.1556	0.317	0.300565	c6133875fe dd04c430a2 b460813697 6ab78a5217 17eb0f5ca6 7bc2a5d0f3 774f	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			P	Fbar	0.2684	-0.2234	-0.2684	-	ef458303b7 029aa88c8e 67b5964444 6131588a1d d1ea42fd57 4198	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			P	C	0.588	0.271	0.588	0.582113	d094395d3f e0f971151f 64c72a837c fb2248016 2073e57c6d 2728183eda 13b4	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			P	Cbar	0.6014	-0.3492	-0.6014	-	9c0a36660b 1565fe147d 5a617647a4 23144ff6fb 01aa84fc23 e8dfd65b42 d017	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			S	F	0.2304	0.1556	0.2304	0.223245	1216db5846 b3decfd957 6ec70705f7 9de8eab1ad e9e693305c da7fd5322d 3763	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			S	Fbar	0.2596	-0.2234	-0.2596	-	4447df52c7 485ff902ac d6ba6794be a0678b8c14 23dff20a30 851a17b2c0 b08e	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			S	C	0.3846	0.271	0.3846	0.379406	229d394fa1 5363cb512e 79779bf1a e4c7caf71a c190fbfb02 5ca5d316e5 36fe	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			S	Cbar	0.4486	-0.3492	-0.4486	-	240ec8fbac ac59c13157 870f09d4fc 7745e98766 d65606393f 4270b8e399 676b	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			A	F	0.0652	0.1556	0.0652	0.060874	cb12bd0502 0da6c49662 8949df02b d77f90df92 333417073c d64279a291 6a84	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			A	Fbar	0.2084	-0.2234	-0.2084	-	cfb7534801 4eada709bc fd3a6321d8 b4f114aa00 833f0da164 4314c0b5da 2d2f	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			A	C	0.092	0.271	0.092	0.086934	81ecb394c6 c630e3dfaa 299e97f096 0d1c47c6ef b69ee9d3f9 02ad76b813 e66f	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			A	Cbar	0.3	-0.3492	-0.3	-	3fbd535ce1 abe6b8eeea 4802cfb9a8 a9d40aa5f4 c50de9aeed 78660c87ca 4915	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			G	F	0.326	0.1612	0.326	0.323301	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			G	Fbar	0.2952	-0.2176	-0.2952	-0.293431	6ddff6e0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			G	C	0.6098	0.2812	0.6098	0.615317	094031ba10f4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			G	Cbar	0.6368	-0.3424	-0.6368	-0.631518	1010706ce289282242d7b58bd17af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			P	F	0.3236	0.1612	0.3236	0.309564	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			P	Fbar	0.2836	-0.2176	-0.2836	-0.270097	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1aa42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			P	C	0.5946	0.2812	0.5946	0.596767	4094395d3fec0f971151f64c72a837cffb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			P	Cbar	0.6078	-0.3424	-0.6078	-0.608377	9e0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			S	F	0.2354	0.1612	0.2354	0.230782	1216db5846b3decfd39576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			S	Fbar	0.2518	-0.2176	-0.2518	-0.248625	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			S	C	0.3938	0.2812	0.3938	0.391922	229d394fa15363cb512e79779bffa1e4c7ca71ac190fbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			S	Cbar	0.4382	-0.3424	-0.4382	-0.4366	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			A	F	0.0656	0.1612	0.0656	0.063606	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			A	Fbar	0.193	-0.2176	-0.193	-0.201417	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			A	C	0.0898	0.2812	0.0898	0.09201	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			A	Cbar	0.2816	-0.3424	-0.2816	-0.297478	3fbdb535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			G	F	0.3238	0.1576	0.3238	0.317736	96175b901675220e5eda66264ad28b9c9fb70834493f40bc53b30abc3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			G	Fbar	0.2944	-0.2182	-0.2944	-0.294003	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			G	C	0.6056	0.276	0.6056	0.60793	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			G	Cbar	0.6324	-0.3444	-0.6324	-0.633344	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			P	F	0.3168	0.1576	0.3168	0.303779	e6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			P	Fbar	0.2838	-0.2182	-0.2838	-0.270723	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			P	C	0.5884	0.276	0.5884	0.589297	d094395d3fe0f971151f64c72a837cfb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			P	Cbar	0.614	-0.3444	-0.614	-0.61025	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			S	F	0.2346	0.1576	0.2346	0.225937	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3703	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			S	Fbar	0.2532	-0.2182	-0.2532	-0.249298	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			S	C	0.388	0.276	0.388	0.385541	229d394fa15363cb512e79779bffaec4c7ca71ac190fbbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			S	Cbar	0.4402	-0.3444	-0.4402	-0.438724	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			A	F	0.065	0.1576	0.065	0.06185	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			A	Fbar	0.2012	-0.2182	-0.2012	-0.202066	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			A	C	0.0896	0.276	0.0896	0.089422	81ecb394c6c630c3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			A	Cbar	0.2938	-0.3444	-0.2938	-0.299766	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False

Table 191: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individu al	ER_z^*	ER_z^*	ER_c^*
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			d1b6f41e1e a71d75fc19 62dec30a11 741774b3f6 499aae5192 f88fd3c3e1 18e6	5000						-	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			a953ca7e08 75b4837436 866f50ed2b 7a0e665385 820c725a69 f63635213e a632	5000						0.021759	0.038114	0.013129
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			826314e648 1a6baf29ad 7cb208613b 98e104aa20 edaf5742e1 0e95f0a9e3 aadc	5000						0.008846	-	0.006638
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			0ca46955d8 b33ae7fda8 a44a23d587 5495022738 eff16f5d5f 7b54e5872c 4beb	5000						0.007756	0.007159	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			385fd791e9 acb977b539 9e51726c5e bb10ab9594 2b5df8b9d1 a1b612acc7 a334	5000						0.002699	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			0dba3c2765 e068f5a5c7 522d7d9316 18d9b98b4d 5d0dcc971f 73567c1c3c ff4a	5000						0.006064	-	-

Table 192: ImageNet–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			-0.025316	-0.020654	-0.027134	-0.003305	-0.024804	-0.013926	-0.016828	0.005697	-0.005572	-0.003526
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			-0.035498	-0.017682	-0.037668	-0.002463	-0.031404	-0.000124	-0.028525	0.007388	-0.022676	0.009031
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			-0.032203	0.015979	-0.02626	0.007678	-0.016477	0.006325	-0.011654	0.004749	-0.008551	0.000955
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			0.011126	0.016435	0.007746	0.005887	0.013345	0.007155	-0.004472	0.005194	-0.004777	0.004326
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			-0.005282	0.014036	-0.013503	-0.002167	0.000577	0.004618	-0.003175	0.001878	-0.0016	0.001994
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			0.000944	0.013021	-0.013077	-0.000897	-0.00375	0.008663	-0.003902	0.002459	-0.001476	0.00315

Table 193: ImageNet–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^+_p	ER^+_c	ER^+_c
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Best Individual	Naive			0.002999	-0.018457	0.008166
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Naive			0.020324	0.014802	0.036792
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	Naive			0.002898	-0.001823	0.008854
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Naive			-0.000713	0.005066	0.005258
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	Naive			0.008417	-0.00221	0.015878
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	Naive			0.000866	0.000178	0.005966

Table 194: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	G	F	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				max	- 0.012324	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	G	Fbar	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				min	- 0.05282	0.2698
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	G	C	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				max	0.01036	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	G	Cbar	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				min	- 0.058535	0.4004
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	P	F	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				max	- 0.025882	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	P	Fbar	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				min	- 0.05226	0.2698
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	P	C	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				max	- 0.009587	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	P	Cbar	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				min	- 0.055105	0.4004
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	S	F	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				max	- 0.001324	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	S	Fbar	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				min	- 0.029246	0.2698
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	S	C	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				max	0.006715	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	S	Cbar	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				min	- 0.032193	0.4004
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	A	F	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				max	0.012631	0.1726

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	A	Fbar	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				min	0.030847	0.2698
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	A	C	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				max	0.019005	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	A	Cbar	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				min	0.041839	0.4004
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	G	F	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				max	- 0.008913	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	G	Fbar	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				min	- 0.053258	0.1982
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	G	C	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				max	- 0.00647	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	G	Cbar	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				min	- 0.05887	0.3216
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	P	F	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				max	- 0.014185	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	P	Fbar	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				min	- 0.058936	0.1982
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	P	C	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				max	- 0.016217	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	P	Cbar	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				min	- 0.051503	0.3216
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	S	F	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				max	- 0.002311	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	S	Fbar	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				min	- 0.022327	0.1982

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	S	C	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000	Geometry			max	- 0.003916	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	S	Cbar	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				min	- 0.021293	0.3216
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	A	F	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				max	0.000312	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	A	Fbar	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				min	0.008445	0.1982
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	A	C	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				max	0.001663	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	A	Cbar	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				min	0.02408	0.3216
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	G	F	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				max	- 0.006004	0.1874
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	G	Fbar	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				min	- 0.017736	0.1658
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	G	C	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				max	- 0.015407	0.3128
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	G	Cbar	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				min	- 0.012273	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	P	F	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				max	- 0.001464	0.1874
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	P	Fbar	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				min	- 0.018128	0.1658
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	P	C	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				max	- 0.013766	0.3128

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	P	Cbar	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				min	- 0.007919	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	S	F	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				max	0.005959	0.1874
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	S	Fbar	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				min	- 0.019856	0.1658
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	S	C	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				max	0.002302	0.3128
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	S	Cbar	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				min	- 0.012633	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	A	F	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				max	0.00041	0.1874
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	A	Fbar	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				min	0.00682	0.1658
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	A	C	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				max	- 0.000335	0.3128
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	A	Cbar	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				min	0.021721	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	G	F	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				max	- 0.012459	0.1886
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	G	Fbar	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				min	- 0.037123	0.1868
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	G	C	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				max	- 0.013216	0.3152
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	G	Cbar	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				min	- 0.040407	0.3094

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	P	F	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000	Geometry			max	- 0.007792	0.1886
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	P	Fbar	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				min	- 0.045426	0.1868
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	P	C	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				max	- 0.015014	0.3152
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	P	Cbar	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				min	- 0.039128	0.3094
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	S	F	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				max	0.003144	0.1886
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	S	Fbar	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				min	- 0.01951	0.1868
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	S	C	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				max	- 0.003843	0.3152
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	S	Cbar	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				min	- 0.015852	0.3094
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	A	F	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				max	0.001424	0.1886
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	A	Fbar	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				min	0.013321	0.1868
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	A	C	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				max	0.001271	0.3152
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	A	Cbar	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				min	0.025721	0.3094
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	G	F	0e4e5264b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				max	- 0.007913	0.1876

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	G	Fbar	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000	Geometry			min	- 0.041027	0.2018
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	G	C	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				max	- 0.01007	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	G	Cbar	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				min	- 0.043036	0.3258
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	P	F	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				max	- 0.006585	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	P	Fbar	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				min	- 0.047782	0.2018
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	P	C	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				max	- 0.008017	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	P	Cbar	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				min	- 0.040169	0.3258
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	S	F	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				max	8.9402e- 05	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	S	Fbar	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				min	- 0.019891	0.2018
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	S	C	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				max	- 0.002716	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	S	Cbar	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				min	- 0.017832	0.3258
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	A	F	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				max	0.001912	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	A	Fbar	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				min	0.017737	0.2018

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	A	C	0e4e526d4bd321aa497bc38c707a2a2405e3f5bb3d4531adcd05cf0c5ceaaf43	5000				max	0.003063	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	A	Cbar	0e4e526d4bd321aa497bc38c707a2a2405e3f5bb3d4531adcd05cf0c5ceaaf43	5000				min	0.032485	0.3258

Table 195: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	G	F	0.3286	0.1726	0.3286	0.340924	96175b901675220e5eda66264ad28b9c6b70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	G	Fbar	0.396	-0.2698	-0.396	-0.34318	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	G	C	0.6342	0.2872	0.6342	0.62384	094d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	G	Cbar	0.743	-0.4004	-0.743	-0.684465	1010706ce289282242d7b58bd77a5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	P	F	0.302	0.1726	0.302	0.327882	c6133875fedd04c430a2b4608136970ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	P	Fbar	0.3768	-0.2698	-0.3768	-0.32454	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	P	C	0.5958	0.2872	0.5958	0.605387	d094395d3fe0f971151f64c72a837cfb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	P	Cbar	0.7178	-0.4004	-0.7178	-0.662695	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	S	F	0.2448	0.1726	0.2448	0.246124	1216db5846b3decd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	S	Fbar	0.3364	-0.2698	-0.3364	-0.307154	44d7df52c7485f902acd6ba6794bea0678b8c1423df20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	S	C	0.406	0.2872	0.406	0.399285	229d394fa15363cb512e79779bffa4c7ca7f1ac190fbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	S	Cbar	0.5304	-0.4004	-0.5304	-0.498207	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	A	F	0.0818	0.1726	0.0818	0.069169	cb12b405020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	A	Fbar	0.227	-0.2698	-0.227	0.257847	-cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	A	C	0.114	0.2872	0.114	0.094995	81ecb394c6c630c3d4aac299ce97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	A	Cbar	0.322	-0.4004	-0.322	0.363839	-3fbd535ce14802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	G	F	0.3552	0.1876	0.3552	0.364113	96175b901675220ce5eda66264ad28b9c9fb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	G	Fbar	0.3282	-0.1982	-0.3282	0.274942	-6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	G	C	0.6526	0.312	0.6526	0.65907	09d03b1a10ff4e789872e569838956182da1d1bc112d46feaa644b057e06c02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	G	Cbar	0.6714	-0.3216	-0.6714	0.61253	-1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	P	F	0.3378	0.1876	0.3378	0.351985	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	P	Fbar	0.3088	-0.1982	-0.3088	0.249864	-a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	P	C	0.6248	0.312	0.6248	0.641017	d094395d3fe0f971151f64c72a837cfb22480162073e57e6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	P	Cbar	0.6404	-0.3216	-0.6404	0.588897	-9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e84fd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	S	F	0.264	0.1876	0.264	0.266311	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	P	C	0.6284	0.3128	0.6284	0.642166	d094395d3fe0f971151f64c72a837c8fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	P	Cbar	0.5646	-0.2872	-0.5646	-0.556681	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	S	F	0.272	0.1874	0.272	0.266041	1216db5846b3decd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	S	Fbar	0.2104	-0.1658	-0.2104	-0.190544	44d7df52c7485f902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	S	C	0.433	0.3128	0.433	0.430698	229d394fa15363cb512e79779bffa1e4c7ca71ac190fbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	S	Cbar	0.3906	-0.2872	-0.3906	-0.377967	240ec8fbacae59c13157870f09ddfec7745e98766d65606393f4270b8e399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	A	F	0.0768	0.1874	0.0768	0.07639	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	A	Fbar	0.1386	-0.1658	-0.1386	-0.14542	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	A	C	0.1074	0.3128	0.1074	0.107735	81ecb394c6c630e3dffa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	A	Cbar	0.2126	-0.2872	-0.2126	-0.234321	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	G	F	0.3532	0.1886	0.3532	0.365659	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	G	Fbar	0.3012	-0.1868	-0.3012	-0.264077	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	G	C	0.6504	0.3152	0.6504	0.663616	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	G	Cbar	0.6418	-0.3094	-0.6418	-0.601393	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339c94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	P	F	0.3458	0.1886	0.3458	0.353592	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	P	Fbar	0.2834	-0.1868	-0.2834	-0.237974	a31f58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	P	C	0.6306	0.3152	0.6306	0.645614	d094395d3fe0f971151f64c72a837c9fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	P	Cbar	0.6166	-0.3094	-0.6166	-0.577472	9c0a36660b1565fe147d5a617647a423144ff6b01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	S	F	0.2708	0.1886	0.2708	0.267656	1216db5846b3decfd9576ec70705f79de8eab1ad9e6693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	S	Fbar	0.2336	-0.1868	-0.2336	-0.21409	44d7df52c7485f902acd6ba6794bea0678b8c1423df20a30851a17b2c0b58e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	S	C	0.4298	0.3152	0.4298	0.433643	229d4394fa15363cb512e79779bffa1e4c7caf71ac190fbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	S	Cbar	0.4174	-0.3094	-0.4174	-0.401548	240ec8fbacac59c13157870f09ddfe7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	A	F	0.0784	0.1886	0.0784	0.076976	cb12bd05020da6c49662894f9df02bd77790df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	A	Fbar	0.1548	-0.1868	-0.1548	-0.168121	cfb75348014eada709bcfd3a6321d8b4ff114aa008330da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	A	C	0.1102	0.3152	0.1102	0.108929	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad476b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	A	Cbar	0.234	-0.3094	-0.234	-0.259721	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	G	F	0.3562	0.1876	0.3562	0.364113961755901675220e5eda66264ad28b9c9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	G	Fbar	0.3194	-0.2018	-0.3194	-0.27837364ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	G	C	0.649	0.312	0.649	0.6590709d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	G	Cbar	0.6594	-0.3258	-0.6594	-0.6163641010706ce289282242d7b8bd7fa5856708b47b99d424d761339e94398ed96b6c	full_naive_single_pool		False	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	P	F	0.3454	0.1876	0.3454	0.351985c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	P	Fbar	0.3014	-0.2018	-0.3014	-0.253618ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	P	C	0.633	0.312	0.633	0.641017d094395d3fe0f971151f64c72a837c9fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	P	Cbar	0.633	-0.3258	-0.633	-0.5928319c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	S	F	0.2664	0.1876	0.2664	0.2663111216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	S	Fbar	0.2508	-0.2018	-0.2508	-0.23090944d7df52c7485f902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	S	C	0.427	0.312	0.427	0.429716229d394fa15363cb512e79779bffa1e4c7caf71ac190fbb025ca5d316e536fe	full_naive_single_pool		True	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	S	Cbar	0.4368	-0.3258	-0.4368	-0.418968240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False	
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	A	F	0.0784	0.1876	0.0784	0.076488cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True	

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	A	Fbar	0.1666	-0.2018	-0.1666	-0.184337	cfb75348014eada709bcd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	A	C	0.1104	0.312	0.1104	0.107337	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	A	Cbar	0.246	-0.3258	-0.246	-0.278485	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False

Table 196: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER _p ^x	ER _p ^z	ER _p ^c
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	6905661250 f6bec4fdb1 6df27c1c8a de1b9348c9 7acb5c7281 23076eb670 7746	5000				GuidedBackprop;DeepLiftShap;DeepLift;Featureation;Occlusion		-	-	0.01036
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	417ae84889 b8d638b690 2967c9a5be ee95c1934 b5b190f772 1fb4de07e6 0331	5000				GuidedBackprop;DeepLiftShap;DeepLift;Featureation;Occlusion		-	-	0.00647
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	ebfd37b1ac f5e1c2d39d a17d7f95fb b5d7359216 0c50ff89f5 13f761ee79 2d61	5000				GuidedBackprop;DeepLiftShap;DeepLift;Featureation;Occlusion		-	-	0.015407
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	8a798b9bf2 4069310068 9f0f90a711 418ca19780 0928b6645b dfb42007af 9850	5000				GuidedBackprop;DeepLiftShap;DeepLift;Featureation;Occlusion		-	-	0.013216
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	0e4e526d4b d321aa497b c38c707a2a 2405e3f5bb 3d4531adcd 05cf0c5cea af43	5000				GuidedBackprop;DeepLiftShap;DeepLift;Featureation;Occlusion		-	-	0.01007

Table 197: ImageNet–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^p_{\mathcal{D}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{E}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{G}}$	$ER^+_{\mathcal{F}}$	$ER^+_{\mathcal{E}}$	$ER^+_{\mathcal{C}}$	$ER^+_{\mathcal{G}}$	$ER^+_{\mathcal{F}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	-0.058535	-0.025882	-0.05226	-0.009587	-0.055105	-0.001324	-0.029246	0.006715	-0.032193	0.012631
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	-0.05887	-0.014185	-0.058936	-0.016217	-0.051503	-0.002311	-0.022327	-0.003916	-0.021293	0.000312
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	-0.012273	-0.001464	-0.018128	-0.013766	-0.007919	0.005959	-0.019856	0.002302	-0.012633	0.00041
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	-0.040407	-0.007792	-0.045426	-0.015014	-0.039128	0.003144	-0.01951	-0.003843	-0.015852	0.001424
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	-0.043036	-0.006585	-0.047782	-0.008017	-0.040169	8.9402e-05	-0.019891	-0.002716	-0.017832	0.001912

Table 198: ImageNet–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_e	ER^*_c	ER^*_v
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	Dual Geometry Noise		5	0.030847	0.019005	0.041839
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	Dual Geometry Noise		5	0.008445	0.001663	0.02408
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	Dual Geometry Noise		5	0.00682	-0.000335	0.021721
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	Dual Geometry Noise		5	0.013321	0.001271	0.025721
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	Dual Geometry Noise		5	0.017737	0.003063	0.032485

Table 199: ImageNet-ResNet-18

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ResNet-18	G	C	09d031ba10ff4c789872e569838956182da1d1bc112d46feaa644b057e06cc02		11	nonnegative__slope__ordinary__least_squares	1.420558	1.420558	False	0.215856	0.003172	0.018775	0.954785	0.1174	0.292	0.3518	0.62
ImageNet-ResNet-18	G	Cbar	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c		11	nonnegative__slope__ordinary__least_squares	0.912882	0.912882	False	-0.318947	0.02265	0.050166	0.755578	-0.565	-0.2952	-0.8856	-0.5968
ImageNet-ResNet-18	S	F	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3703		11	nonnegative__slope__ordinary__least_squares	1.345791	1.345791	False	0.01384	0.000635	0.008402	0.981622	0.043	0.1716	0.0668	0.2552
ImageNet-ResNet-18	S	C	229d394fa15363cb512e79779bffa1e4c7caf71ac190fbbb025ca5d316e536fe		11	nonnegative__slope__ordinary__least_squares	1.227074	1.227074	False	0.046869	0.000565	0.007921	0.988828	0.1174	0.292	0.1818	0.4098
ImageNet-ResNet-18	S	Cbar	240ec8fbacae59c13157870f094dfc7745e98766d65606393f4270b8e399676b		11	nonnegative__slope__ordinary__least_squares	1.062187	1.062187	False	-0.072907	0.01031	0.033845	0.901909	-0.565	-0.2952	-0.7	-0.3902
ImageNet-ResNet-18	A	Cbar	3fbd533ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50dc9aead78660c87ca4915		11	nonnegative__slope__ordinary__least_squares	1.14415	1.14415	False	0.094279	0.006757	0.027399	0.942124	-0.565	-0.2952	-0.563	-0.238
ImageNet-ResNet-18	S	Fbar	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e		11	nonnegative__slope__ordinary__least_squares	1.121249	1.121249	False	-0.004641	0.008982	0.031591	0.903619	-0.423	-0.1752	-0.5008	-0.2122
ImageNet-ResNet-18	G	Fbar	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae		11	nonnegative__slope__ordinary__least_squares	0.953041	0.953041	False	-0.086049	0.018674	0.045551	0.765147	-0.423	-0.1752	-0.5286	-0.2574
ImageNet-ResNet-18	A	C	81acb394c6c630ec3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f		11	nonnegative__slope__ordinary__least_squares	0.497638	0.497638	False	-0.047926	0.001584	0.013266	0.838464	0.1174	0.292	0.0126	0.1134
ImageNet-ResNet-18	G	F	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2		11	nonnegative__slope__ordinary__least_squares	1.545894	1.545894	False	0.074103	0.002445	0.016484	0.948215	0.043	0.1716	0.121	0.348
ImageNet-ResNet-18	P	Cbar	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017		11	nonnegative__slope__ordinary__least_squares	0.936519	0.936519	False	-0.287713	0.020052	0.047202	0.786093	-0.565	-0.2952	-0.846	-0.5668
ImageNet-ResNet-18	P	Fbar	a31ff58f51ef458303b7929aa88c8e67b596444d6131588a1dd1ea42fd574198		11	nonnegative__slope__ordinary__least_squares	1.042961	1.042961	False	-0.043149	0.018877	0.045798	0.794231	-0.423	-0.1752	-0.511	-0.2326
ImageNet-ResNet-18	P	F	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f		11	nonnegative__slope__ordinary__least_squares	1.60689	1.60689	False	0.050533	0.005104	0.023815	0.904564	0.043	0.1716	0.0872	0.341

Cell	Condition	Metric	Curve Id	Excluded Method	Reference Count	Fit Model	Slope	Unconstrained Slope	Slope Was Constrained	Intercept	Residual Sum Squares	Residual Standard Deviation	R Squared	Clean Min	Clean Max	Perturbed Min	Perturbed Max
ImageNet-ResNet-18	A	F	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84		11	nonnegative__slope__ordinary__least_squares	0.487939	0.487939	False	-0.015049	0.000671	0.008632	0.86933	0.043	0.1716	0.007	0.0794
ImageNet-ResNet-18	A	Fbar	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f		11	nonnegative__slope__ordinary__least_squares	1.081035	1.081035	False	0.033816	0.005286	0.024234	0.936748	-0.423	-0.1752	-0.4256	-0.1536
ImageNet-ResNet-18	P	C	d094395d3fe0f971151f64c72a837cffb22480162073e57c6d2728183eda13b4		11	nonnegative__slope__ordinary__least_squares	1.436669	1.436669	False	0.192776	0.004948	0.023446	0.932654	0.1174	0.292	0.3216	0.6096

Table 200: ImageNet-ResNet-18

Cell	Condition	Metric	Reference Methods
ImageNet-ResNet-18	G	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	S	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	S	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	S	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	S	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	G	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	Cbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	P	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	F	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency
ImageNet-ResNet-18	A	Fbar	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency

Cell	Condition	Metric	Reference Methods
ImageNet-ResNet-18	P	C	Deconvolution;DeepLift;DeepLiftShap;FeatureAb lation;Gradient Shap;GuidedBack prop;InputXGrad ient;Integrated Gradients;LRP;Occlusion;Saliency

Table 201: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	G	F	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		max	- 0.019382	0.1804
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	G	Fbar	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		min	- 0.042927	0.238
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	G	C	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		max	- 0.005833	0.3024
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	G	Cbar	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		min	- 0.041539	0.3706
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	P	F	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		max	- 0.021416	0.1804
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	P	Fbar	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		min	- 0.050027	0.238
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	P	C	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		max	- 0.016225	0.3024
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	P	Cbar	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		min	- 0.045613	0.3706
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	S	F	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		max	0.003779	0.1804
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	S	Fbar	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		min	- 0.035302	0.238
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	S	C	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		max	0.005464	0.3024
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	S	Cbar	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		min	- 0.027446	0.3706
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	A	F	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		max	0.010425	0.1804

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	A	Fbar	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		min	0.01947	0.238
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	A	C	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		max	0.011641	0.3024
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	A	Cbar	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		min	0.037943	0.3706
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	G	F	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		max	- 0.003821	0.1856
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	G	Fbar	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		min	- 0.035813	0.1802
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	G	C	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		max	- 0.013102	0.3116
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	G	Cbar	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		min	- 0.033597	0.3024
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	P	F	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		max	- 0.001972	0.1856
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	P	Fbar	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		min	- 0.04191	0.1802
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	P	C	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		max	- 0.011842	0.3116
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	P	Cbar	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		min	- 0.031284	0.3024
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	S	F	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		max	0.001781	0.1856
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	S	Fbar	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		min	- 0.01371	0.1802

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	S	C	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		max	- 2.5317e-05	0.3116
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	S	Cbar	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		min	- 0.010687	0.3024
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	A	F	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		max	8.7898e-05	0.1856
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	A	Fbar	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		min	0.010987	0.1802
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	A	C	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		max	- 0.001538	0.3116
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	A	Cbar	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		min	0.020512	0.3024
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	G	F	e5b4d301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		max	0.000965	0.175
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	G	Fbar	e5b4d301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		min	- 0.007699	0.165
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	G	C	e5b4d301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		max	- 0.012098	0.2978
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	G	Cbar	e5b4d301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		min	- 0.013802	0.2772
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	P	F	e5b4d301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		max	0.004461	0.175
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	P	Fbar	e5b4d301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		min	- 0.010363	0.165
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	P	C	e5b4d301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		max	- 0.012016	0.2978

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	P	Cbar	e5bd301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		min	- 0.005484	0.2772
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	S	F	e5bd301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		max	0.006246	0.175
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	S	Fbar	e5bd301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		min	- 0.010553	0.165
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	S	C	e5bd301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		max	- 0.000892	0.2978
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	S	Cbar	e5bd301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		min	- 0.011455	0.2772
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	A	F	e5bd301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		max	- 0.00194	0.175
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	A	Fbar	e5bd301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		min	- 0.011645	0.165
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	A	C	e5bd301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		max	- 0.00707	0.2978
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	A	Cbar	e5bd301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		min	- 0.014121	0.2772
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	G	F	61a3529fd3 e5d80eafb 6e69db7128 48a1e45bb5 c3302a5bfb 27bf6133d2 0396	5000	Spearman	NOISE-S		max	0.00138	0.1834
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	G	Fbar	61a3529fd3 e5d80eafb 6e69db7128 48a1e45bb5 c3302a5bfb 27bf6133d2 0396	5000	Spearman	NOISE-S		min	- 0.019892	0.1606
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	G	C	61a3529fd3 e5d80eafb 6e69db7128 48a1e45bb5 c3302a5bfb 27bf6133d2 0396	5000	Spearman	NOISE-S		max	- 0.011799	0.3066
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	G	Cbar	61a3529fd3 e5d80eafb 6e69db7128 48a1e45bb5 c3302a5bfb 27bf6133d2 0396	5000	Spearman	NOISE-S		min	- 0.025193	0.2748

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	P	F	61a3529fd3e5d80aeafb6e69db712848a1e45bb5c3302a5bfb27bf6133d20396	5000	Spearman	NOISE-S		max	0.003164	0.1834
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	P	Fbar	61a3529fd3e5d80aeafb6e69db712848a1e45bb5c3302a5bfb27bf6133d20396	5000	Spearman	NOISE-S		min	-0.021952	0.1606
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	P	C	61a3529fd3e5d80aeafb6e69db712848a1e45bb5c3302a5bfb27bf6133d20396	5000	Spearman	NOISE-S		max	-0.007059	0.3066
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	P	Cbar	61a3529fd3e5d80aeafb6e69db712848a1e45bb5c3302a5bfb27bf6133d20396	5000	Spearman	NOISE-S		min	-0.013732	0.2748
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	S	F	61a3529fd3e5d80aeafb6e69db712848a1e45bb5c3302a5bfb27bf6133d20396	5000	Spearman	NOISE-S		max	0.005542	0.1834
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	S	Fbar	61a3529fd3e5d80aeafb6e69db712848a1e45bb5c3302a5bfb27bf6133d20396	5000	Spearman	NOISE-S		min	-0.014486	0.1606
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	S	C	61a3529fd3e5d80aeafb6e69db712848a1e45bb5c3302a5bfb27bf6133d20396	5000	Spearman	NOISE-S		max	0.00291	0.3066
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	S	Cbar	61a3529fd3e5d80aeafb6e69db712848a1e45bb5c3302a5bfb27bf6133d20396	5000	Spearman	NOISE-S		min	-0.012004	0.2748
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	A	F	61a3529fd3e5d80aeafb6e69db712848a1e45bb5c3302a5bfb27bf6133d20396	5000	Spearman	NOISE-S		max	-0.001439	0.1834
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	A	Fbar	61a3529fd3e5d80aeafb6e69db712848a1e45bb5c3302a5bfb27bf6133d20396	5000	Spearman	NOISE-S		min	0.005198	0.1606
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	A	C	61a3529fd3e5d80aeafb6e69db712848a1e45bb5c3302a5bfb27bf6133d20396	5000	Spearman	NOISE-S		max	-0.00285	0.3066
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	A	Cbar	61a3529fd3e5d80aeafb6e69db712848a1e45bb5c3302a5bfb27bf6133d20396	5000	Spearman	NOISE-S		min	0.009133	0.2748
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	G	F	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		max	0.008877	0.1704

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	G	Fbar	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		min	-0.003856	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	G	C	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		max	-0.01713	0.2974
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	G	Cbar	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		min	-0.006473	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	P	F	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		max	0.015453	0.1704
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	P	Fbar	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		min	-0.000636	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	P	C	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		max	-0.004841	0.2974
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	P	Cbar	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		min	0.002281	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	S	F	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		max	0.014837	0.1704
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	S	Fbar	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		min	-0.002431	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	S	C	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		max	0.001199	0.2974
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	S	Cbar	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		min	-0.000833	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	A	F	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		max	-0.002295	0.1704
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	A	Fbar	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		min	-0.005629	0.1726

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	A	C	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		max	-0.008671	0.2974
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	A	Cbar	9eb73cc68e45d3bae684e791a00dd643e5865e735ff64d023de7dfb186f1a583	5000	Spearman	NOISE-S		min	-0.002079	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	G	F	42cb9029aba792af38cabfcf48d8fbe8fa510c0939732f56a0e9dfc451c36a9	5000	Kendall	NOISE-K		max	-0.012324	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	G	Fbar	42cb9029aba792af38cabfcf48d8fbe8fa510c0939732f56a0e9dfc451c36a9	5000	Kendall	NOISE-K		min	-0.05282	0.2698
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	G	C	42cb9029aba792af38cabfcf48d8fbe8fa510c0939732f56a0e9dfc451c36a9	5000	Kendall	NOISE-K		max	0.01036	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	G	Cbar	42cb9029aba792af38cabfcf48d8fbe8fa510c0939732f56a0e9dfc451c36a9	5000	Kendall	NOISE-K		min	-0.058535	0.4004
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	P	F	42cb9029aba792af38cabfcf48d8fbe8fa510c0939732f56a0e9dfc451c36a9	5000	Kendall	NOISE-K		max	-0.025882	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	P	Fbar	42cb9029aba792af38cabfcf48d8fbe8fa510c0939732f56a0e9dfc451c36a9	5000	Kendall	NOISE-K		min	-0.05226	0.2698
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	P	C	42cb9029aba792af38cabfcf48d8fbe8fa510c0939732f56a0e9dfc451c36a9	5000	Kendall	NOISE-K		max	-0.009587	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	P	Cbar	42cb9029aba792af38cabfcf48d8fbe8fa510c0939732f56a0e9dfc451c36a9	5000	Kendall	NOISE-K		min	-0.055105	0.4004
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	S	F	42cb9029aba792af38cabfcf48d8fbe8fa510c0939732f56a0e9dfc451c36a9	5000	Kendall	NOISE-K		max	-0.001324	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	S	Fbar	42cb9029aba792af38cabfcf48d8fbe8fa510c0939732f56a0e9dfc451c36a9	5000	Kendall	NOISE-K		min	-0.029246	0.2698
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	S	C	42cb9029aba792af38cabfcf48d8fbe8fa510c0939732f56a0e9dfc451c36a9	5000	Kendall	NOISE-K		max	0.006715	0.2872

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	S	Cbar	42cb9029ab a792af38ca cbfcf48d8f be8fa510c0 939732f56a 0e9dfc451c 36a9	5000	Kendall	NOISE-K		min	- 0.032193	0.4004
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	A	F	42cb9029ab a792af38ca cbfcf48d8f be8fa510c0 939732f56a 0e9dfc451c 36a9	5000	Kendall	NOISE-K		max	0.012631	0.1726
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	A	Fbar	42cb9029ab a792af38ca cbfcf48d8f be8fa510c0 939732f56a 0e9dfc451c 36a9	5000	Kendall	NOISE-K		min	0.030847	0.2698
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	A	C	42cb9029ab a792af38ca cbfcf48d8f be8fa510c0 939732f56a 0e9dfc451c 36a9	5000	Kendall	NOISE-K		max	0.019005	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	A	Cbar	42cb9029ab a792af38ca cbfcf48d8f be8fa510c0 939732f56a 0e9dfc451c 36a9	5000	Kendall	NOISE-K		min	0.041839	0.4004
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	G	F	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		max	- 0.008913	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	G	Fbar	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		min	- 0.053258	0.1982
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	G	C	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		max	- 0.00647	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	G	Cbar	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		min	- 0.05887	0.3216
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	P	F	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		max	- 0.014185	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	P	Fbar	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		min	- 0.058936	0.1982
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	P	C	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		max	- 0.016217	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	P	Cbar	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		min	- 0.051503	0.3216

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	S	F	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		max	- 0.002311	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	S	Fbar	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		min	- 0.022327	0.1982
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	S	C	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		max	- 0.003916	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	S	Cbar	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		min	- 0.021293	0.3216
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	A	F	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		max	0.000312	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	A	Fbar	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		min	0.008445	0.1982
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	A	C	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		max	0.001663	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	A	Cbar	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		min	0.02408	0.3216
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	G	F	c98b89f4e7 b16bdb5e17 93a5e4a116 91f6172c34 67600e0526 6710d8bc9b c847	5000	Kendall	NOISE-K		max	- 0.006004	0.1874
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	G	Fbar	c98b89f4e7 b16bdb5e17 93a5e4a116 91f6172c34 67600e0526 6710d8bc9b c847	5000	Kendall	NOISE-K		min	- 0.017736	0.1658
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	G	C	c98b89f4e7 b16bdb5e17 93a5e4a116 91f6172c34 67600e0526 6710d8bc9b c847	5000	Kendall	NOISE-K		max	- 0.015407	0.3128
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	G	Cbar	c98b89f4e7 b16bdb5e17 93a5e4a116 91f6172c34 67600e0526 6710d8bc9b c847	5000	Kendall	NOISE-K		min	- 0.012273	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	P	F	c98b89f4e7 b16bdb5e17 93a5e4a116 91f6172c34 67600e0526 6710d8bc9b c847	5000	Kendall	NOISE-K		max	- 0.001464	0.1874

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	P	Fbar	c98b89f4e7b16bdb5e1793a5e4a11691f6172c3467600e05266710d8bc9bc847	5000	Kendall	NOISE-K		min	-0.018128	0.1658
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	P	C	c98b89f4e7b16bdb5e1793a5e4a11691f6172c3467600e05266710d8bc9bc847	5000	Kendall	NOISE-K		max	-0.013766	0.3128
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	P	Cbar	c98b89f4e7b16bdb5e1793a5e4a11691f6172c3467600e05266710d8bc9bc847	5000	Kendall	NOISE-K		min	-0.007919	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	S	F	c98b89f4e7b16bdb5e1793a5e4a11691f6172c3467600e05266710d8bc9bc847	5000	Kendall	NOISE-K		max	0.005959	0.1874
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	S	Fbar	c98b89f4e7b16bdb5e1793a5e4a11691f6172c3467600e05266710d8bc9bc847	5000	Kendall	NOISE-K		min	-0.019856	0.1658
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	S	C	c98b89f4e7b16bdb5e1793a5e4a11691f6172c3467600e05266710d8bc9bc847	5000	Kendall	NOISE-K		max	0.002302	0.3128
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	S	Cbar	c98b89f4e7b16bdb5e1793a5e4a11691f6172c3467600e05266710d8bc9bc847	5000	Kendall	NOISE-K		min	-0.012633	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	A	F	c98b89f4e7b16bdb5e1793a5e4a11691f6172c3467600e05266710d8bc9bc847	5000	Kendall	NOISE-K		max	0.00041	0.1874
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	A	Fbar	c98b89f4e7b16bdb5e1793a5e4a11691f6172c3467600e05266710d8bc9bc847	5000	Kendall	NOISE-K		min	0.00682	0.1658
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	A	C	c98b89f4e7b16bdb5e1793a5e4a11691f6172c3467600e05266710d8bc9bc847	5000	Kendall	NOISE-K		max	-0.000335	0.3128
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	A	Cbar	c98b89f4e7b16bdb5e1793a5e4a11691f6172c3467600e05266710d8bc9bc847	5000	Kendall	NOISE-K		min	0.021721	0.2872
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	G	F	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		max	-0.012459	0.1886
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	G	Fbar	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		min	-0.037123	0.1868

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	G	C	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		max	-0.013216	0.3152
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	G	Cbar	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		min	-0.040407	0.3094
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	P	F	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		max	-0.007792	0.1886
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	P	Fbar	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		min	-0.045426	0.1868
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	P	C	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		max	-0.015014	0.3152
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	P	Cbar	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		min	-0.039128	0.3094
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	S	F	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		max	0.003144	0.1886
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	S	Fbar	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		min	-0.01951	0.1868
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	S	C	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		max	-0.003843	0.3152
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	S	Cbar	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		min	-0.015852	0.3094
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	A	F	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		max	0.001424	0.1886
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	A	Fbar	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		min	0.013321	0.1868
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	A	C	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		max	0.001271	0.3152

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	$_{ER}$	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	A	Cbar	1f52710d1e113b4a9b2f66d35fdef88e0c8a663623fab033c4a12969034d8e8	5000	Kendall	NOISE-K		min	0.025721	0.3094
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	G	F	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		max	-0.007913	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	G	Fbar	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		min	-0.041027	0.2018
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	G	C	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		max	-0.01007	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	G	Cbar	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		min	-0.043036	0.3258
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	P	F	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		max	-0.006585	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	P	Fbar	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		min	-0.047782	0.2018
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	P	C	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		max	-0.008017	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	P	Cbar	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		min	-0.040169	0.3258
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	S	F	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		max	8.9402e-05	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	S	Fbar	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		min	-0.019891	0.2018
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	S	C	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		max	-0.002716	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	S	Cbar	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		min	-0.017832	0.3258

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Raw Metric Direction	ER	Clean Quality Raw
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	A	F	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		max	0.001912	0.1876
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	A	Fbar	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		min	0.017737	0.2018
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	A	C	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		max	0.003063	0.312
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	A	Cbar	e2a297747fd8d372356eaf9e4e7944546c850538818a300e1fa622903b2353fb	5000	Kendall	NOISE-K		min	0.032485	0.3258

Table 202: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	G	F	0.3336	0.1804	0.3336	0.352982	96175b901675220e5eda66264ad28b9c6b70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	G	Fbar	0.3558	-0.238	-0.3558	-0.312873	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	G	C	0.6396	0.3024	0.6396	0.645433	094d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	G	Cbar	0.6988	-0.3706	-0.6988	-0.657261	1010706ce289282242d7b8bd77a5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	P	F	0.319	0.1804	0.319	0.340416	c6133875fedd04c430a2b4608136970ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	P	Fbar	0.3414	-0.238	-0.3414	-0.291373	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	P	C	0.611	0.3024	0.611	0.627225	d094395d3fe0f971151f64c72a837cfb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	P	Cbar	0.6804	-0.3706	-0.6804	-0.634787	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	S	F	0.2604	0.1804	0.2604	0.256621	1216db5846b3decd9576ec70705f79de8eab1ade96693305cda7fd5322dd3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	S	Fbar	0.3068	-0.238	-0.3068	-0.271498	44d7df52c7485f902acd6ba6794bea0678b8c1423df20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	S	C	0.4234	0.3024	0.4234	0.417936	229d394fa15363cb512e79779bf1ae4c7ca71ac190fbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	S	Cbar	0.494	-0.3706	-0.494	-0.466554	240ec8fbacae59c13157870f09ddfec7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	A	F	0.0834	0.1804	0.0834	0.072975	cb12b405020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	A	Fbar	0.204	-0.238	-0.204	-0.22347	-cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	A	C	0.1142	0.3024	0.1142	0.102559	81ecb394c6c630c3d4aac299ce97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	A	Cbar	0.2918	-0.3706	-0.2918	-0.329743	-3fbd535ce14abe6b8eeca4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	G	F	0.3572	0.1856	0.3572	0.361021	96175b901675220e5eda66264ad28b9c9fb70834493440bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	G	Fbar	0.2936	-0.1802	-0.2936	-0.257787	-6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	G	C	0.6454	0.3116	0.6454	0.658502	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	G	Cbar	0.6286	-0.3024	-0.6286	-0.595003	-1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	P	F	0.3468	0.1856	0.3468	0.348772	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	P	Fbar	0.273	-0.1802	-0.273	-0.23109	-a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	P	C	0.6286	0.3116	0.6286	0.640442	d094395d3fe0f971151f64c72a837c9fb22480162073e57e6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	P	Cbar	0.6022	-0.3024	-0.6022	-0.570916	-9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e84fd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	S	F	0.2654	0.1856	0.2654	0.263619	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	S	Fbar	0.2204	-0.1802	-0.2204	-0.20669	44d7d552c7485f902acd6ba6794bea0678b8c1423df20a30851a17b2c0b78e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	S	C	0.4292	0.3116	0.4292	0.429225	229d394fa15363cb512e79779bffa1e4c7caf71ac190fbbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	S	Cbar	0.4048	-0.3024	-0.4048	0.394113	240ec8fbacae59c13157870f09ddfc7745e98766d65606393fd4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	A	F	0.0756	0.1856	0.0756	0.075512	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	A	Fbar	0.15	-0.1802	-0.15	-0.160987	cfb75348014eada709bcfd3a6321d8b4f114aa008330da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	A	C	0.1056	0.3116	0.1056	0.107138	81ecb394c6c630e3dfaa299e97f0960d1c47c6fbb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	A	Cbar	0.2312	-0.3024	-0.2312	-0.251712	3fbd535ce1abe6b8eeca4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	G	F	0.3456	0.175	0.3456	0.344635	96175b901675220e5eda66264ad28b9c9b70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	G	Fbar	0.251	-0.165	-0.251	-0.243301	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	G	C	0.6268	0.2978	0.6268	0.638898	09d031ba10ff4e789872e569838956182da1d1bcb112d46feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	G	Cbar	0.5858	-0.2772	-0.5858	-0.571998	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398cd96b6c	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	P	F	0.3362	0.175	0.3362	0.331739	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	P	Fbar	0.2256	-0.165	-0.2256	-0.215237	a31f58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	P	C	0.6086	0.2978	0.6086	0.620616	d094395d3fe0f971151f64c72a837c8fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	P	Cbar	0.5528	-0.2772	-0.5528	-0.547316	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fe23e8dfd65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	S	F	0.2556	0.175	0.2556	0.249354	1216db5846b3decd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	S	Fbar	0.2002	-0.165	-0.2002	-0.189647	44d7df52c7485f902acd6ba6794bea0678b8c1423df20a30851a17b2c0bf8e	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	S	C	0.4114	0.2978	0.4114	0.412292	229d394fa15363cb512e79779bffa1e4c7ca71ac190fbbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	S	Cbar	0.3788	-0.2772	-0.3788	-0.367345	240ec8fbacae59c13157870f09ddfec7745e98766d65606393f4270b8e399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	A	F	0.0684	0.175	0.0684	0.07034	cb12b405020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	A	Fbar	0.1562	-0.165	-0.1562	-0.144555	efb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	A	C	0.0932	0.2978	0.0932	0.10027	81ecb394c6c630e3dffa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	A	Cbar	0.237	-0.2772	-0.237	-0.222879	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	G	F	0.359	0.1834	0.359	0.35762	96175b901675220e5eda66264ad28b9cfb7083449340bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	G	Fbar	0.259	-0.1606	-0.259	-0.239108	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319447cc17da93ac	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	G	C	0.6396	0.3066	0.6396	0.651399	09d031ba10ff4c789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	G	Cbar	0.595	-0.2748	-0.595	-0.569807	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339c94398ed96b6c	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	P	F	0.3484	0.1834	0.3484	0.345236	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	P	Fbar	0.2326	-0.1606	-0.2326	-0.210648	a31f58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	P	C	0.6262	0.3066	0.6262	0.633259	d094395d3fe0f971151f64c72a837c9fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	P	Cbar	0.5588	-0.2748	-0.5588	-0.545068	9ca036660b1565fe147d5a617647a423144ff6b91aa84fc23e8dfd65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	S	F	0.2662	0.1834	0.2662	0.260658	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	S	Fbar	0.1992	-0.1606	-0.1992	-0.184714	44d7df52c7485ff902acd6ba6794bea0678b8c1423df20a30851a17b2c0b58e	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	S	C	0.426	0.3066	0.426	0.42309	229d4394fa15363cb512e79779bffa1e4c7caf71ac190fb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	S	Cbar	0.3768	-0.2748	-0.3768	-0.364796	240ec8fbacae59c13157870f09ddfe7745e98766d65606393f4270b8e399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	A	F	0.073	0.1834	0.073	0.074439	cb12bd05020da6c49662894f9df02bd77790df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	A	Fbar	0.1346	-0.1606	-0.1346	-0.139798	cfb75348014eada709bcfd3a6321d8b4f114aa008330da1644314c0b5da2d2f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	A	C	0.1018	0.3066	0.1018	0.10465	81ecb394c6c630e3dffa299e97f0960d1c47c6feb69ee9d3f902ad476b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	A	Cbar	0.211	-0.2748	-0.211	-0.220133	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	G	F	0.3464	0.1704	0.3464	0.337523	96175b901675220e5eda66264ad28b9c9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	G	Fbar	0.2544	-0.1726	-0.2544	-0.250544	64d4ff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	G	C	0.6212	0.2974	0.6212	0.63833	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	G	Cbar	0.5876	-0.2872	-0.5876	-0.581127	1010706ce289282242d7b8bd7fa5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	P	F	0.3398	0.1704	0.3398	0.324347	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	P	Fbar	0.2238	-0.1726	-0.2238	-0.223164	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	P	C	0.6152	0.2974	0.6152	0.620041	d094395d3fe0f971151f64c72a837c9fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	P	Cbar	0.5544	-0.2872	-0.5544	-0.556681	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	S	F	0.258	0.1704	0.258	0.243163	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	S	Fbar	0.2006	-0.1726	-0.2006	-0.198169	44d7df52c7485ff902acd6ba6794bea0678b8c1423df20a30851a17b2c0bf8e	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	S	C	0.413	0.2974	0.413	0.411801	229d394fa15363cb512e79779bffa1e4c7ca71ac190fbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	S	Cbar	0.3788	-0.2872	-0.3788	-0.377967	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	A	F	0.0658	0.1704	0.0658	0.068095	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	A	Fbar	0.1584	-0.1726	-0.1584	-0.152771	cfb75348014eada709bcd3a6321d8b4f114aa00833f0da1644314c0b5da242f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	A	C	0.0914	0.2974	0.0914	0.100071	81ecb394c6c630e3dffa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	A	Cbar	0.2364	-0.2872	-0.2364	-0.234321	3fb4535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	G	F	0.3286	0.1726	0.3286	0.340924	96175b901675220e5eda66264ad28b9c9b70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	G	Fbar	0.396	-0.2698	-0.396	-0.34318	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	G	C	0.6342	0.2872	0.6342	0.62384	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	G	Cbar	0.743	-0.4004	-0.743	-0.684465	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	P	F	0.302	0.1726	0.302	0.327882	c6133875fed404c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	P	Fbar	0.3768	-0.2698	-0.3768	-0.32454	a31f58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	P	C	0.5958	0.2872	0.5958	0.605387	d094395d3fe0f971151f64c72a837c9fb22480162073e57c6d2728183eda13b4	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	P	Cbar	0.7178	-0.4004	-0.7178	-0.662695	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	S	F	0.2448	0.1726	0.2448	0.246124	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	S	Fbar	0.3364	-0.2698	-0.3364	-0.307154	44d7df52c7485ff902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	S	C	0.406	0.2872	0.406	0.399285	229d394fa15363cb512e79779bffa1e4c7caf71ac190fbbb025ca5d316e536fe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	S	Cbar	0.5304	-0.4004	-0.5304	0.498207	240ec8fbacae59c13157870f09ddfc7745e98766d65606393fd4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	A	F	0.0818	0.1726	0.0818	0.069169	cb12b405020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	A	Fbar	0.227	-0.2698	-0.227	0.257847	cfb75348014eada709bcd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	A	C	0.114	0.2872	0.114	0.094995	81ecb394c6c630e3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	A	Cbar	0.322	-0.4004	-0.322	0.363839	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	G	F	0.3552	0.1876	0.3552	0.364113	96f175b901675220e5eda66264ad28b9c9b70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	G	Fbar	0.3282	-0.1982	-0.3282	0.274942	6d4ff6e0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	G	C	0.6526	0.312	0.6526	0.65907	09d031ba10ff4e789872ce569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	G	Cbar	0.6714	-0.3216	-0.6714	0.61253	1010706ce289282242d7b8bdffaf5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	P	F	0.3378	0.1876	0.3378	0.351985	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	P	Fbar	0.3088	-0.1982	-0.3088	0.249864	a31ff58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	P	C	0.6248	0.312	0.6248	0.641017	d094395d3fe0f971151f64c72a837cfb22480162073e57cd2728183eda13b4	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	P	Cbar	0.6404	-0.3216	-0.6404	-0.588897	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e5df6d65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	S	F	0.264	0.1876	0.264	0.266311	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	S	Fbar	0.2492	-0.1982	-0.2492	-0.226873	44d7df52c7485f902acd6ba6794bea0678b8c1423dff20a30851a17b2c0bf8e	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	S	C	0.4258	0.312	0.4258	0.429716	229d394fa15363cb512e797799ff1ae4c7caf71ac190fbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	S	Cbar	0.4358	-0.3216	-0.4358	-0.414507	240ec8fbacae59c13157870f09ddfec7745e98766d65606393fd4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	A	F	0.0768	0.1876	0.0768	0.076488	cb12bd05020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	A	Fbar	0.172	-0.1982	-0.172	-0.180445	cfb75348014eada709bcfd3a6321d8b4fl14aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	A	C	0.109	0.312	0.109	0.107337	81ecb394c6c630c3dfaa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	A	Cbar	0.2496	-0.3216	-0.2496	-0.27368	3fbd535ce1abe6b8eeeca4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	G	F	0.3578	0.1874	0.3578	0.363804	96175b901675220e5eda66264ad28b9c6b70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	G	Fbar	0.2618	-0.1658	-0.2618	-0.244064	6ddff6c0e5314315fb9071782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	G	C	0.6448	0.3128	0.6448	0.660207	09d031ba10ff4e789872e569838956182da1d1bc112d46feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	G	Cbar	0.5934	-0.2872	-0.5934	-0.581127	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	P	F	0.3502	0.1874	0.3502	0.351664	c6133875fe d04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	P	Fbar	0.2342	-0.1658	-0.2342	-0.216072	a31f58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	P	C	0.6284	0.3128	0.6284	0.642166	d094395d3fe0971151f64c72a837cfeb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	P	Cbar	0.5646	-0.2872	-0.5646	-0.556681	9c0a36660b1565fe147d5a617647a423144ff6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	S	F	0.272	0.1874	0.272	0.266041	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	S	Fbar	0.2104	-0.1658	-0.2104	-0.190544	44d7df52c7485ff902acd6ba6794bea0678b8c1423df20a30851a17b2c0bf8e	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	S	C	0.433	0.3128	0.433	0.430698	2294394fa15363cb512e79779bffa1e4c7caf71ac190fbbb025ca5d316e536fe	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	S	Cbar	0.3906	-0.2872	-0.3906	-0.377967	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	A	F	0.0768	0.1874	0.0768	0.07639	cb12bd05020da6c49662894f94f02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	A	Fbar	0.1386	-0.1658	-0.1386	-0.14542	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	A	C	0.1074	0.3128	0.1074	0.107735	81ecb394c6c630e3dffa299e97f0960d1c47c6feb9e9e9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	A	Cbar	0.2126	-0.2872	-0.2126	-0.234321	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	G	F	0.3532	0.1886	0.3532	0.365659	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	G	Fbar	0.3012	-0.1868	-0.3012	-0.264077	6ddff60e5 314315fb90 71782e9434 4045815e88 0ad53a3231 9d47cc17da 93ac	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	G	C	0.6504	0.3152	0.6504	0.663616	09d031ba10 ff4e789872 e569838956 182da1d1bc 112d46feaa 644b057e06 cc02	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	G	Cbar	0.6418	-0.3094	-0.6418	0.601393	1210706ce2 89282242d7 b8bdf7af58 56708b47b9 9d24d76133 9e94398ed9 6b6c	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	P	F	0.3458	0.1886	0.3458	0.353592	c6133875fe dd04c430a2 b460813697 6ab78a5217 17eb0f5ca6 7bc2a5d0f3 774f	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	P	Fbar	0.2834	-0.1868	-0.2834	-0.237974	a31ff58f51 ef458303b7 929aa88c8e 67b5964444 6131588a1d d1ea42fd57 4198	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	P	C	0.6306	0.3152	0.6306	0.645614	d094395d3f e0f971151f 64c72a837c ffB2248016 2073e57c6d 2728183eda 13b4	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	P	Cbar	0.6166	-0.3094	-0.6166	-0.577472	9c0a36660b 1565fe147d 5a617647a4 23144ff6fb 01aa84fc23 e8dfd65b42 d017	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	S	F	0.2708	0.1886	0.2708	0.267656	1216db5846 b3decfd957 6ec70705f7 9de8eab1ad e96693305c da7fd5322d 3763	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	S	Fbar	0.2336	-0.1868	-0.2336	-0.21409	44d7df52c7 485f902ac d6ba6794be a0678b8c14 23dff20a30 851a17b2c0 bf8e	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	S	C	0.4298	0.3152	0.4298	0.433643	229d394fa1 5363cb512e 79779bffa e4c7ca771a c190fbb02 5ca5d316e5 36fe	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	S	Cbar	0.4174	-0.3094	-0.4174	-0.401548	240ec8fbac ae59c13157 870f09ddfe 7745e98766 d65606393f 4270b8c399 676b	full_naive_ single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	A	F	0.0784	0.1886	0.0784	0.076976	cb12bd0502 0da6c49662 894f9df02b d77f90df92 333417073c d64279a291 6a84	full_naive_ single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	A	Fbar	0.1548	-0.1868	-0.1548	-0.168121	cfb7534801 4eada709bc fd3a6321d8 b4f114aa00 833f0da164 4314c0b5da 2d2f	full_naive_ single_pool		False

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Perturbed Quality Oriented	Expected Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	A	C	0.1102	0.3152	0.1102	0.108929	81ecb394c6c30e3d3faa299e97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	A	Cbar	0.234	-0.3094	-0.234	0.259721	3fbcd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	G	F	0.3562	0.1876	0.3562	0.364113	96175b901675220e5eda66264ad28b9cfb70834493f40bc53b30abe3dfdc61f2	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	G	Fbar	0.3194	-0.2018	-0.3194	0.278373	6ddff6c0e571782e94344045815e880ad53a32319d47cc17da93ae	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	G	C	0.649	0.312	0.649	0.65907	09d031ba10f4e789872e569838956182da1d1bc112446feaa644b057e06cc02	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	G	Cbar	0.6594	-0.3258	-0.6594	0.616364	1010706ce289282242d7b8bdf7af5856708b47b99d24d761339e94398ed96b6c	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	P	F	0.3454	0.1876	0.3454	0.351985	c6133875fedd04c430a2b4608136976ab78a521717eb0f5ca67bc2a5d0f3774f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	P	Fbar	0.3014	-0.2018	-0.3014	0.253618	a31f58f51ef458303b7929aa88c8e67b59644446131588a1dd1ea42fd574198	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	P	C	0.633	0.312	0.633	0.641017	d094395d3fe0f971151f64c72a837cfb22480162073e57c6d2728183eda13b4	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	P	Cbar	0.633	-0.3258	-0.633	0.592831	9c0a36660b1565fe147d5a617647a423144f6fb01aa84fc23e8dfd65b42d017	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	S	F	0.2664	0.1876	0.2664	0.266311	1216db5846b3decfd9576ec70705f79de8eab1ade96693305cda7fd5322d3763	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	S	Fbar	0.2508	-0.2018	-0.2508	0.230909	44d7df52c7485ff902acd6ba6794bea0678b8c1423dH20a30851a17b2c0bffe	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	S	C	0.427	0.312	0.427	0.429716	229d394fa15363cb512e79779bffa1e4c7caf71ac190fbb025ca5d316e536fe	full_naive_single_pool		True

Cell	Dataset	Model	Split	Method	Setting	Distance Model	q	Condition	Metric	Perturbed Quality Raw	Clean Quality Oriented	Perturbed Quality Oriented	Expected Perturbed Quality Oriented	Reference Curve Id	Reference Pool Policy	Excluded Reference Method	Clean Quality Extrapolated
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	S	Cbar	0.4368	-0.3258	-0.4368	-0.418968	240ec8fbacae59c13157870f09ddfc7745e98766d65606393f4270b8e399676b	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	A	F	0.0784	0.1876	0.0784	0.076488	cb12b405020da6c49662894f9df02bd77f90df92333417073cd64279a2916a84	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	A	Fbar	0.1666	-0.2018	-0.1666	-0.184337	cfb75348014eada709bcfd3a6321d8b4f114aa00833f0da1644314c0b5da2d2f	full_naive_single_pool		False
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	A	C	0.1104	0.312	0.1104	0.107337	81ecb394c6c630e3dfaa299ae97f0960d1c47c6efb69ee9d3f902ad76b813e66f	full_naive_single_pool		True
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	A	Cbar	0.246	-0.3258	-0.246	-0.278485	3fbd535ce1abe6b8eeea4802cfb9a8a9d40aa5f4c50de9aeed78660c87ca4915	full_naive_single_pool		False

Table 203: ImageNet-ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	Candidate Id	Sample Count	Geometry	Geometry Label	Source Id	Methods	Selected Individual	ER [#] _z	ER [#] _s	ER [#] _c
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	9e54e048fb a03d16ae61 ce62ea7edb 91cb0c0892 59591abb07 4ca64518ff 72df	5000	Spearman	NOISE-S		GuidedBack prop;DeepLift ation	Shap;DeepLift;FeatureAbl	-	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	2bd8e7f810 8cc53a3def 03e9f40fbc cba9d68513 a598a1008b c351af7451 3038	5000	Spearman	NOISE-S		GuidedBack prop;DeepLift ation	Shap;DeepLift;FeatureAbl	-	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	e5bd301583 d61261a265 7b38e74e12 fcb3d54659 7a089ee554 1a912b03c2 40bd	5000	Spearman	NOISE-S		GuidedBack prop;DeepLift ation	Shap;DeepLift;FeatureAbl	0.000965	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	61a3529fd3 e5d80eae6b 6e69db7128 48a1e45bb5 c3302a5bfb 27b6f133d2 0396	5000	Spearman	NOISE-S		GuidedBack prop;DeepLift ation	Shap;DeepLift;FeatureAbl	0.00138	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	9eb73cc68e 45d3bae684 e791a00dd6 43e5865e73 5ff64d023d e7dfb186f1 a583	5000	Spearman	NOISE-S		GuidedBack prop;DeepLift ation	Shap;DeepLift;FeatureAbl	0.008877	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	42cb9029ab a792af38ca cbfcf48d8f be8fa510c0 939732f56a 0e9dfc451c 36a9	5000	Kendall	NOISE-K		GuidedBack prop;DeepLift ation;Occlusion	Shap;DeepLift;FeatureAbl	-	-	0.01036
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	b666d0f486 60bb42851e 7a12d7ffb1 c7efd100db cd07ebf78d 95ddab8150 f132	5000	Kendall	NOISE-K		GuidedBack prop;DeepLift ation;Occlusion	Shap;DeepLift;FeatureAbl	-	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	c98b89f4e7 b16bdb5e17 93a5e4a116 91f6172c34 67600e0526 6710d8bc9b c847	5000	Kendall	NOISE-K		GuidedBack prop;DeepLift ation;Occlusion	Shap;DeepLift;FeatureAbl	-	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	1ff52710d1 e113b4a9b2 f66d35fdef 88e0c8a663 623fab033c 4a12969034 d8e8	5000	Kendall	NOISE-K		GuidedBack prop;DeepLift ation;Occlusion	Shap;DeepLift;FeatureAbl	-	-	-
ImageNet-ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	e2a297777f d8d372356e af9e4e7944 546c850538 818a300e1f a622903b23 53fb	5000	Kendall	NOISE-K		GuidedBack prop;DeepLift ation;Occlusion	Shap;DeepLift;FeatureAbl	-	-	-

Table 204: ImageNet–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{F}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{C}}$	$ER^p_{\mathcal{F}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	-0.041539	-0.021416	-0.050027	-0.016225	-0.045613	0.003779	-0.035302	0.005464	-0.027446	0.010425
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	-0.033597	-0.001972	-0.04191	-0.011842	-0.031284	0.001781	-0.01371	-2.5317e-05	-0.010687	8.7898e-05
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	-0.013802	0.004461	-0.010363	-0.012016	-0.005484	0.006246	-0.010553	-0.000892	-0.011455	-0.00194
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	-0.025193	0.003164	-0.021952	-0.007059	-0.013732	0.005542	-0.014486	0.00291	-0.012004	-0.001439
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	-0.006473	0.015453	-0.000636	-0.004841	0.002281	0.014837	-0.002431	0.001199	-0.000833	-0.002295
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	-0.058535	-0.025882	-0.05226	-0.009587	-0.055105	-0.001324	-0.029246	0.006715	-0.032193	0.012631
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	-0.05887	-0.014185	-0.058936	-0.016217	-0.051503	-0.002311	-0.022327	-0.003916	-0.021293	0.000312
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	-0.012273	-0.001464	-0.018128	-0.013766	-0.007919	0.005959	-0.019856	0.002302	-0.012633	0.00041
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	-0.040407	-0.007792	-0.045426	-0.015014	-0.039128	0.003144	-0.01951	-0.003843	-0.015852	0.001424
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	-0.043036	-0.006585	-0.047782	-0.008017	-0.040169	8.9402e-05	-0.019891	-0.002716	-0.017832	0.001912

Table 205: ImageNet–ResNet-18

Cell	Dataset	Model	Split	Method	Setting	Distance Model	Q	ER^*_μ	ER^*_c	ER^*_ν
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-S		4	0.01947	0.011641	0.037943
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-S		4	0.010987	-0.001538	0.020512
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-S		4	-0.011645	-0.00707	-0.014121
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-S		4	0.005198	-0.00285	0.009133
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-S		4	-0.005629	-0.008671	-0.002079
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Simple Averaging	NOISE-K		5	0.030847	0.019005	0.041839
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Borda	NOISE-K		5	0.008445	0.001663	0.02408
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Kemeny	NOISE-K		5	0.00682	-0.000335	0.021721
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	RRF	NOISE-K		5	0.013321	0.001271	0.025721
ImageNet–ResNet-18	ImageNet	ResNet-18	Test	Schulze	NOISE-K		5	0.017737	0.003063	0.032485

Table 206: ImageNet-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	86cb6feb1919208277e81b99e3b151d369aec91c7a189c8b8d78038b35b19c1c	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	-0.011924	-0.019382	-0.007458	-0.020704	0.005658	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	5fbb98e3e158506ca4cd233fde8b6ce5a26f1bb75dc901877ae399c427d9f0cb	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	-0.037537	-0.042927	-0.00539	-0.017183	0.006565	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	bca6e92ec9f7e787e0ae0243dc423d6ba8b98c319c8cb53ef44f4d136651fef9	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	0.011264	-0.005833	-0.017097	-0.030648	-0.003582	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	e283df1171806335e1cfcb4110fb04d26d86373d2c4b15e9a2c8ce91996f3405	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	-0.035498	-0.041539	-0.006041	-0.018074	0.006172	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	6b64743eab6866d124728bff44684ffe33d297884f2e305157bef1d2285f1e98	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	-0.017682	-0.021416	-0.003734	-0.017224	0.009845	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	182dcab2b7df6617707c83722bea86319150677c8878cdeb2d03197d8e557d36	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	-0.037668	-0.050027	-0.012358	-0.024523	-0.000231	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	b5448bec2eaadf66a20c3671be9a14fe145cc03602e2a0c97fd9bba01a2ba0ad	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	-0.002463	-0.016225	-0.013761	-0.027341	-0.000221	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	58ec827f142d7f9de4b564648a981e49c66da404eea17335df2c10d7e2c7a7d2	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	-0.031404	-0.045613	-0.01421	-0.026038	-0.002454	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	134b72be7e56a06ffc30c773fb42ab8d0af5583f8d7932399a7ce48e30dc914a	5000	Spearman	NOISE-S	Simple Averaging	Speckle	-0.000124	0.003779	0.003903	-0.008082	0.015987	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	89a21315a0569fa722a48f3f0797c166722b75cc26fcea7b1d21f819738c691	5000	Spearman	NOISE-S	Simple Averaging	Speckle	-0.028525	-0.035302	-0.006776	-0.02014	0.006271	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	c3a9700defd555b2a413ecacc5804b8a0d4eb832b251876cfd0c872ca863cbb3	5000	Spearman	NOISE-S	Simple Averaging	Speckle	0.007388	0.005464	-0.001924	-0.013757	0.010034	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	6e3bee0e521993f3be81aed451df4bd872314ec006f28cfd4a00626a68b2ab	5000	Spearman	NOISE-S	Simple Averaging	Speckle	-0.022676	-0.027446	-0.00477	-0.017925	0.008257	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	8699c96cfe b8a579857a cede91b983 06ccb9922 a9e98d2310 79f604c734 3091	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	0.009031	0.010425	0.001394	- 0.004555	0.007322	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	b577096a64 644f4ca06e 5cc40072ee f6cd6f926a 111a224b11 1b2dfd9d96 d6a2	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	0.020324	0.01947	- 0.000853	- 0.013053	0.01107	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	c0040b5aa5 5fc9c49dbc b97091df50 a09c4f39b2 3e8c194f82 34c99ec18c c412	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	0.014802	0.011641	- 0.003161	- 0.009715	0.003439	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	6b39baa8 a3e28b6b85 7a4f32d473 da05876538 ccd238bb74 371e2d1971 fede	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	0.036792	0.037943	0.001151	- 0.012422	0.014654	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	f168c1bc2a cfec5a5c83 c5e9d19d22 c97a3ac18c f8d1b77618 90abf08e8c 09e3	5000	Spearman	NOISE-S	Borda	Gaussian	0.008846	- 0.003821	- 0.012667	- 0.028252	0.003046	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	08c3892c3a b3e957bae 6024ed074b c267f04912 f59b26c984 476f865b77 7dc6	5000	Spearman	NOISE-S	Borda	Gaussian	- 0.023816	- 0.035813	- 0.011997	- 0.026426	0.002743	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	902f3a1c2a 92ac3d4822 5a80ef238b c409697406 3d766f9880 360b75704a 703d	5000	Spearman	NOISE-S	Borda	Gaussian	0.006638	- 0.013102	- -0.01974	- 0.035548	- 0.003614	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	43d86eaf0 3f9df3e50b a1eee1bd40 7f4fb6f46c d56ad6fb94 e2bd1437e0 ccfa	5000	Spearman	NOISE-S	Borda	Gaussian	-0.03203	- 0.033597	- 0.001567	- 0.016287	0.013522	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	d1d6157f55 2156ca9880 9f15b23520 28f2df6d33 1474169e94 82348fe643 dca6	5000	Spearman	NOISE-S	Borda	Salt Pepper	0.015979	- 0.001972	- -0.01795	- 0.033937	- 0.001461	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	c6ba35c30d db7619d172 7f3b314d3f 07467e437f c0d55d36fa 47ad7da0fc 2b92	5000	Spearman	NOISE-S	Borda	Salt Pepper	-0.02626	-0.04191	-0.01565	- 0.030822	0.00015	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	f4f2ae78ef c6d420ea76 f63a0d7d9c ca2563008a d25460f6ad 00b1d5883c 05c0	5000	Spearman	NOISE-S	Borda	Salt Pepper	0.007678	- 0.011842	- -0.01952	- 0.035603	- 0.003535	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	ae3ee58983 305bc69078 896f34a3eb 3e7eae9d13 67c05f374d f75de487c6 fb11	5000	Spearman	NOISE-S	Borda	Salt Pepper	- 0.016477	- 0.031284	- 0.014807	- 0.029795	0.000716	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	02bbc0111e 23439a10ea a684ca4a25 47dae6cd3f 4e57462d4e a81c70961c 3789	5000	Spearman	NOISE-S	Borda	Speckle	0.006325	0.001781	- 0.004544	- 0.019044	0.010279	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	882899c3b307f6e5ad408793689f0d4ef7b1ff0ddaab6dd44957095dc720b99f8	5000	Spearman	NOISE-S	Borda	Speckle	-0.011654	-0.01371	-0.002056	-0.01769	0.013691	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	9ff9cbc4a1d8799701f8c31a31b1edc31a31b1eda540713e543b0f44d5139986de6e4c5c02	5000	Spearman	NOISE-S	Borda	Speckle	0.004749	-2.5317e-05	-0.004775	-0.019046	0.009847	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	1b1651ea7914fdd23ac4e24c290dea44891b7d549aa1e226239692356c05fc16	5000	Spearman	NOISE-S	Borda	Speckle	-0.008551	-0.010687	-0.002136	-0.018064	0.014166	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	68af006c4a337764ae184ffc76a63f78ecb1b5725840f92d5b553acb2f0acb2c	5000	Spearman	NOISE-S	Borda	Adversarial	0.000955	8.7898e-05	-0.000867	-0.007448	0.005939	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	37d883616bb8272098676ade596d25dc608962556f861d25c19191903e9f4ff0	5000	Spearman	NOISE-S	Borda	Adversarial	0.002898	0.010987	0.008088	-0.006521	0.022797	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	55a45262654687472d3e0681bf597ae2cc0a5fa4e411f0bdc45b245833023124	5000	Spearman	NOISE-S	Borda	Adversarial	-0.001823	-0.001538	0.000285	-0.006983	0.00772	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	f2a5591f8c3e06aa5a1371f526a61d87375250eb9b5169ca95a9dccc681636449	5000	Spearman	NOISE-S	Borda	Adversarial	0.008854	0.020512	0.011657	-0.004228	0.027994	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	c110673c3f5ba24bab9082792dc73e9d23ce932b66d4932b48a6e0d9c2acd7b4	5000	Spearman	NOISE-S	RRF	Gaussian	0.002699	0.00138	-0.001319	-0.017115	0.014869	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	d37250a95d31e4b3f4e18e61ee5667fc03e4b0fd99ebd9345c11a79914110d62	5000	Spearman	NOISE-S	RRF	Gaussian	-0.001769	-0.019892	-0.018123	-0.032494	-0.003591	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	4386bf2c0b9d0bdeaca40b41acc0de0f35fb6b3c5179951ab719a91ce8c2ef15	5000	Spearman	NOISE-S	RRF	Gaussian	-0.005517	-0.011799	-0.006282	-0.022336	0.010062	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	669cf4f29fcd6450bf71a9ec42759cc953125b139b5d7ff4514aa2d137ec5bd7	5000	Spearman	NOISE-S	RRF	Gaussian	-0.005282	-0.025193	-0.019911	-0.0348	-0.005154	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	3ea657772c5766761132e56327dc2c1b427bdcc0309ebf0cd36518d019dd7a74	5000	Spearman	NOISE-S	RRF	Salt Pepper	0.014036	0.003164	-0.010873	-0.026724	0.005321	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	d7213212bf5c2a542dc3bf33f373b2c2c7b117a33f2156cef3d0f692fc5db1ff	5000	Spearman	NOISE-S	RRF	Salt Pepper	-0.013503	-0.021952	-0.008449	-0.023611	0.006949	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	8290a7fba28d91287084fe360ccde2eb545bf869e0b782d761ca4d05cfbe333a	5000	Spearman	NOISE-S	RRF	Salt Pepper	-0.002167	-0.007059	-0.004891	-0.020898	0.011176	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	1de6e67a73cdd7b3e754b8d51f3d867ce15f9d6f2b558cbdddec286234ea3f15c	5000	Spearman	NOISE-S	RRF	Salt Pepper	0.000577	-0.013732	-0.014309	-0.029435	0.001199	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	c732305a096087fb9b8c09004913adcfab0c82a2d917d370d3599a1c3393eb50	5000	Spearman	NOISE-S	RRF	Speckle	0.004618	0.005542	0.000923	-0.013306	0.01532	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	3b9c254bd457d4dda2bbacd9a26c65e22756cd23b4de24d1d71084ca41c0fc0	5000	Spearman	NOISE-S	RRF	Speckle	-0.003175	-0.014486	-0.011311	-0.026799	0.004052	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	0f9d781e14a1384df44ab4c0603c14615844ee311ab8d8ffb69984638d538bb5	5000	Spearman	NOISE-S	RRF	Speckle	0.001878	0.00291	0.001032	-0.013266	0.015408	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	1e6bd2b09a138ee63ff7718f40e84ca895a68a3a61dad793985758b9ce2e637	5000	Spearman	NOISE-S	RRF	Speckle	-0.0016	-0.012004	-0.010404	-0.026164	0.005208	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	c8dc4b16ace08147020f5673ced93cfeb409f2655b29c445223e6f6dbe8f913b	5000	Spearman	NOISE-S	RRF	Adversarial	0.001994	-0.001439	-0.003432	-0.009774	0.003089	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	81092673e91f881609e2dee5652ee21b5586cadb11ce840d11bb0b5335d988dd8	5000	Spearman	NOISE-S	RRF	Adversarial	0.008417	0.005198	-0.003219	-0.017249	0.01092	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	76ec08f06a5140859a9d23b80817de5da93132281e867e42a792565aad821937	5000	Spearman	NOISE-S	RRF	Adversarial	-0.00221	-0.00285	-0.00064	-0.007846	0.006523	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	5655aa708f2254fceee6e220bc6457cbd4c5152f4d71079fed26c6960be8d56	5000	Spearman	NOISE-S	RRF	Adversarial	0.015878	0.009133	-0.006745	-0.022443	0.009116	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	3f2520eba2f40fd60ff606374df21893dd7aa721c2c32def42ea7ccecff4068	5000	Spearman	NOISE-S	Kemeny	Gaussian	0.007756	0.000965	-0.00679	-0.021681	0.008424	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	f8128815dc46ec5b1bde6c4e4b54457ed190bf0281a8408a326c84d6877e473f	5000	Spearman	NOISE-S	Kemeny	Gaussian	0.007159	-0.007699	-0.014858	-0.029065	-0.000402	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	3bd1dc8d58d22073792694b8a8637e5d4d296c79f53e93e495533f32ddef6f71	5000	Spearman	NOISE-S	Kemeny	Gaussian	-0.000227	-0.012098	-0.011871	-0.027818	0.003999	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	52e60d6ecb63632b1ee2cf46bafdb2b93ea3a3d489f00c02dfd3f23decca7324	5000	Spearman	NOISE-S	Kemeny	Gaussian	0.011126	-	-	-	-	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	02aa7b154e0d268f6cb7008d4b88cce9a82960dbce84e62c8c52806bb83194f9	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	0.016435	0.004461	-	-	0.004103	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	75885e8eff7f5b3817711e0c1d5f9a0ad89e86501cbe4ff3fa3bb543d169e8d3	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	0.007746	-	-	-	-	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	77ab5159adb243139e1c0b05209f255932fcfd1fec96ca3e4e09b3e91b9deffb	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	0.005887	-	-	-	-	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	5b5868902c696bef18a0ae51524ed100a6d1b6a386a0a8826d0c6a9f55ae4880	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	0.013345	-	-	-	-	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	034a03ea76a137d2ce47212bec53e37428b2bd3742dd951aeebaa1a0e0d743e4	5000	Spearman	NOISE-S	Kemeny	Speckle	0.007155	0.006246	-	-	0.013346	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	5e7c08bf66c038f132bc9cd857b6b9e0e04d885710a2bf9ed0cf44c3d205f34b8c	5000	Spearman	NOISE-S	Kemeny	Speckle	-	-	-	-	0.009555	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	2ed4889affaf3ad592634f3d51e3da79bd64daaff2a53f4d566e0514d6dbfcd2a	5000	Spearman	NOISE-S	Kemeny	Speckle	0.005194	-	-	-	0.008306	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	f10e394c10d9f155a1d30b7be48b0853227a54054ef1d2acc5cd73a1de03347d	5000	Spearman	NOISE-S	Kemeny	Speckle	-	-	-	-	0.009435	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	af51d2e391572c6c460f791051cf65ceb9f4ed5c7e11e00fdf1133e6f7a30ab4	5000	Spearman	NOISE-S	Kemeny	Adversarial	0.004326	-0.00194	-	-	-	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	31913b15c0df38f9319195bc78620f72a55be302125d0a01df602a5782ff8dff	5000	Spearman	NOISE-S	Kemeny	Adversarial	-	-	-	-	0.003832	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	1c41bdf5ab807c3b034eb02cbe29cbbab649f6594c05c9fe63ca459d69c6b96d1	5000	Spearman	NOISE-S	Kemeny	Adversarial	0.005066	-0.00707	-	-	-	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	328fc55ac345dcb6e743233da0b326832cd7b3dd100cca06752f849cfc4b1f413	5000	Spearman	NOISE-S	Kemeny	Adversarial	0.005258	-	-	-	-	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	4d58cd10ed8e55115ba5424617e4705f6b1299de6129879a88159bef633bea0e	5000	Spearman	NOISE-S	Schulze	Gaussian	0.006064	0.008877	0.002813	-0.012761	0.018286	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	1f93ac4036c0032cb7243bd2c0320e020e05111640097c80811b9d5718d192c9	5000	Spearman	NOISE-S	Schulze	Gaussian	-0.000397	-0.003856	-0.003459	-0.017519	0.010676	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	4a07dc798ef585dce85278e5c70a1e372a5e1a6f885149cc0b98c9189e4c47cc	5000	Spearman	NOISE-S	Schulze	Gaussian	-0.00233	-0.01713	-0.0148	-0.030924	0.001041	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	04b3f0ab71b862e7b5ef87352059f716578df22c9490274b9c92a2b405dafd48	5000	Spearman	NOISE-S	Schulze	Gaussian	0.000944	-0.006473	-0.007417	-0.022108	0.007767	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	38473194d0d69ac6d2b21761ee6f147ff7bc669d77ebd2f7023f780b54eb59312	5000	Spearman	NOISE-S	Schulze	Salt Pepper	0.013021	0.015453	0.002432	-0.013904	0.018643	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	fc851698541ef200f852884bd71b46d91df025f84f2eb2a0587ee7dbb806ee8	5000	Spearman	NOISE-S	Schulze	Salt Pepper	-0.013077	-0.000636	0.012441	-0.002441	0.02756	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	6eeb0f45d329bb3a25df530d3c14f0a90b27950ecd424e4b3551b26a947c52eb	5000	Spearman	NOISE-S	Schulze	Salt Pepper	-0.000897	-0.004841	-0.003945	-0.020458	0.012461	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	4079e09160c8601bf51d8ffda495617f8abe0cd6181948787d879837b369242d	5000	Spearman	NOISE-S	Schulze	Salt Pepper	-0.00375	0.002281	0.006031	-0.008508	0.020968	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	c7dde7ea6385c6a1b86420afca5dcc7e14cf78eb1a4eeec0aff34f70e3a923c9e	5000	Spearman	NOISE-S	Schulze	Speckle	0.008663	0.014837	0.006174	-0.007534	0.020339	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	6f1f97418eb868e39f712795771a83e25a3fa239a098430f1a917528c05838f9	5000	Spearman	NOISE-S	Schulze	Speckle	-0.003902	-0.002431	0.001471	-0.014035	0.017391	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	1d9c40520b87fc3d74ec9a468daf151ee74d88f0e221cbfb4d3d93bc858cb8ad	5000	Spearman	NOISE-S	Schulze	Speckle	0.002459	0.001199	-0.001259	-0.015165	0.012903	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	847fd2a513af86965c768d7e2f12028f02b73e27737fc592b7b0d7a2a0f738aa	5000	Spearman	NOISE-S	Schulze	Speckle	-0.001476	-0.000833	0.000643	-0.014985	0.016874	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	b69dc10ed36ab1bc9b71bfae1994c29b4d95cd70c7e409ca6c4e1a13055020c4	5000	Spearman	NOISE-S	Schulze	Adversarial	0.00315	-0.002295	-0.005446	-0.011723	0.000936	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	c1cf9ec37a0b7065f9f5eaeded96573d66dac7a65dbc1a3939ef74465a0c7ab	5000	Spearman	NOISE-S	Schulze	Adversarial	0.000866	-0.005629	-0.006495	-0.020642	0.008186	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	9b2a11d7adc9911d681ab1bd0d29025e87a9ecd047ea0601912c810bfb20cfce9	5000	Spearman	NOISE-S	Schulze	Adversarial	0.000178	-0.008671	-0.008849	-0.015935	-0.00172	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	259f8c26191854861db929163bd49ab72ce70097037f0fcfc3b196e7ed272645	5000	Spearman	NOISE-S	Schulze	Adversarial	0.005966	-0.002079	-0.008045	-0.023605	0.008011	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	eda835b2990b7b6c9efa292b5d7009fc6e18bbb1c6e59c1a0fad170b6cd45f35	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	-0.011924	-0.012324	-0.0004	-0.014031	0.013137	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	1e9193a6fa9b07afdbe9ded5a4acacac3bb3a563eac83fb16683d8638acfa0f91	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	-0.037537	-0.05282	-0.015283	-0.028114	-0.00273	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	9fd23bd3ca0891e020f41c894c637b6ad79020d40274158b7ea2b19cf17faef1	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	0.011264	0.01036	-0.000905	-0.014945	0.013	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	1b673199bf3a2c602f21f28955d34907399da45431ca1edabf08f63f2a05d2c	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	-0.035498	0.058535	-0.023037	0.036061	0.010052	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	710ed5db6f0c503cbcbe0e7d424e8a9da849079260a840fb6328d4e4e8fc8df	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	-0.017682	0.025882	-0.0082	-0.02231	0.005964	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	c4f34680dd16b7904d536830ecc3898aca84cf928e246e18bd2786c3b2436d37	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	-0.037668	-0.05226	-0.014592	-0.028089	-0.001229	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	5cd880c9eb276483a756cff794afefb52d6183fa3e532e834ae527ed8172bcc2	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	-0.002463	-0.009587	-0.007124	-0.02144	0.006931	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	f1f7e5a016ce9d254843b9aee728bd1e27eb29feeaf7092e6a5f2a1f7ba41e273b	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	-0.031404	-0.055105	-0.023701	-0.036862	-0.010696	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	41829403ab7863124931d813e8d5b79be92de0636cc78fae108e69694882a1b3	5000	Kendall	NOISE-K	Simple Averaging	Speckle	-0.000124	-0.001324	-0.0012	-0.013778	0.011319	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	b58649ea72f92dcb8a2c08438eeacfce3ce75b7dadb8ec6625d98187a9799ef3	5000	Kendall	NOISE-K	Simple Averaging	Speckle	-0.028525	-0.029246	-0.000721	-0.015224	0.013563	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	eb856b729cfc66c150a76f88877165e90a2d903cb10f4efd997e2be5d7d16fb	5000	Kendall	NOISE-K	Simple Averaging	Speckle	0.007388	0.006715	-0.000672	-0.013348	0.012099	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	b7124e87f9df222329a74831d1f662f0e7a38803f93e5aa3ea0190cee5273fb9	5000	Kendall	NOISE-K	Simple Averaging	Speckle	-0.022676	-0.032193	-0.009517	-0.02416	0.005098	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	ef5fd98927df8fdcab4695cb055cbf51ecab6902e14f128815df894479f4ddc0	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	0.009031	0.012631	0.0036	-0.002552	0.009698	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	ef7a2bf3335b084c1e794e81ecc1726cd4d4b4ac25f4c71d9f45093a72ae2056	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	0.020324	0.030847	0.010523	-0.002711	0.023442	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	ccc6f4fc3d700f16d09b2d044343a98f4ccef0357d62ce6f22f226c334461ed	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	0.014802	0.019005	0.004203	-0.002496	0.010926	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	0458b4754df38923c9906d748b57e736ba6d27c55f9396fa79fc25de84d1af22	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	0.036792	0.041839	0.005047	-0.00925	0.019205	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	04ffa00a7dd89c31ceffafe998c201ef80f97c9373d21c7a628fe931c276583	5000	Kendall	NOISE-K	Borda	Gaussian	0.008846	-0.008913	-0.017758	0.034094	-0.001476	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	22cbbc2ea1dda1881da87fb23f1019329d95ce21c33676dc3103670cf4c79d30	5000	Kendall	NOISE-K	Borda	Gaussian	-0.023816	-0.053258	-0.029442	-0.044743	-0.014265	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	5439b18fc38cb21f0bec4383431d3590e8d5431b5e3806699a0a5b5fc860c689	5000	Kendall	NOISE-K	Borda	Gaussian	0.006638	-0.00647	-0.013108	-0.029848	0.003828	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	19ab1c639e7e8095c69978bb38cb2f2f7dfc04e3aabb8f11d92a2cb09b565ac	5000	Kendall	NOISE-K	Borda	Gaussian	-0.03203	-0.05887	-0.026839	-0.042252	-0.01132	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	dbf9a7eb96a2ee71a8f326f26bdcc60aa7a3f5200ba24eb1045a920c04be5b0d	5000	Kendall	NOISE-K	Borda	Salt Pepper	0.015979	-0.014185	-0.030164	-0.04709	-0.013166	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	4f95fbc3923c193d45448916bbda148b910bc1a23fae039aff0f9681dab0a48e	5000	Kendall	NOISE-K	Borda	Salt Pepper	-0.02626	-0.058936	-0.032676	-0.048641	-0.016624	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	7e83d5ea7c42837d4bd34abfd81c7718c70b52e5627a1c16a27c510b1eaf26c9	5000	Kendall	NOISE-K	Borda	Salt Pepper	0.007678	-0.016217	-0.023895	-0.040952	-0.007121	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	e58fe3bf9c cb8fcc208 1e6e64cf49 9ed158641b 842ee69205 97b83bc62e 7ab1	5000	Kendall	NOISE-K	Borda	Salt Pepper	- 0.016477	- 0.051503	- 0.035026	-0.0512	- 0.018702	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	f14d711f33 6668568463 d361edd49c 63a5d42034 52ac3b207c 494cf563e6 a56d	5000	Kendall	NOISE-K	Borda	Speckle	0.006325	- 0.002311	- 0.008635	- 0.023886	0.006918	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	aeb6b415a7 a049f9dd4b f8a57d76c4 e90ab08f3a 3c2a1ad57f 875fb385e6 47bb	5000	Kendall	NOISE-K	Borda	Speckle	- 0.011654	- 0.022327	- 0.010673	- 0.027102	0.005687	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	c20170d08a 50383487ff 2e756d1d1e a3d90f1178 74d3e6a707 4e341d115f 5beb	5000	Kendall	NOISE-K	Borda	Speckle	0.004749	- 0.003916	- 0.008665	- 0.023957	0.006744	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	ea9effe524 c85d7e0a67 78704496fa 8e35d40532 48be2aff1e 6cd6f08b26 340a	5000	Kendall	NOISE-K	Borda	Speckle	- 0.008551	- 0.021293	- 0.012742	- 0.029269	0.003659	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	5274719069 0f5aa6a1e9 148ad02fb8 215817ab79 2f1bcbfd01 9c405ac67a b338	5000	Kendall	NOISE-K	Borda	Adversarial	0.000955	0.000312	- 0.000643	- 0.007366	0.006129	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	4254532955 da95154f20 9a8fdb894e 1b357f822a e6837d14f8 b9fcdb946 8e13	5000	Kendall	NOISE-K	Borda	Adversarial	0.002898	0.008445	0.005547	-0.01011	0.021177	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	69605d296d b609259310 b5f2d89282 5181fc9045 47009bec10 fdebdl7b39 2d6b	5000	Kendall	NOISE-K	Borda	Adversarial	- 0.001823	0.001663	0.003486	- 0.003966	0.011	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	852951e498 5452f0f65e b043fc7c98 2326ab1e8d f5a4191647 f534f5eadf 98b8	5000	Kendall	NOISE-K	Borda	Adversarial	0.008854	0.02408	0.015225	- 0.001799	0.032081	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	238c49bb45 e5fd71c9a3 ac97b145f3 74377e4090 5734b55598 d671f4bd5f cfee	5000	Kendall	NOISE-K	RRF	Gaussian	0.002699	- 0.012459	- 0.015157	- 0.031729	0.001692	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	5b832b501d 6a4b7c39f3 e3721c91bb ff56c02c15 ba40d2ae93 1f918cf27a d509	5000	Kendall	NOISE-K	RRF	Gaussian	- 0.001769	- 0.037123	- 0.035354	- 0.050418	-0.02032	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	ace857ba2c 17fe9e4de5 1e5ba49517 d5d0dc38f2 1c56c1bc12 8716026850 af01	5000	Kendall	NOISE-K	RRF	Gaussian	- 0.005517	- 0.013216	- 0.007699	- 0.024799	0.009249	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	baa06263a1 190936de06 2b80eca8c7 1e2f7bd424 28eb8ac5fc d7770171b4 8fb0	5000	Kendall	NOISE-K	RRF	Gaussian	- 0.005282	- 0.040407	- 0.035125	- 0.050683	- 0.019444	0.95

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	069f4b83b a04b8bce69 4ed3f34623 f28f3d773c 96f74f3a59 e6cd07eed5 60c5	5000	Kendall	NOISE-K	RRF	Salt Pepper	0.014036	- 0.007792	- 0.021829	- 0.039037	- 0.004262	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	4725dc2ce6 bb417ec9f8 9291c98fed d1b248a6ea 10372631d2 a2a42589da f1a6	5000	Kendall	NOISE-K	RRF	Salt Pepper	- 0.013503	- 0.045426	- 0.031923	- 0.047752	-0.0159	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	619a656f6e eed242ed57 0382b4835c d8dd77f862 9e8b83f7a7 871224ad3c 8fb8	5000	Kendall	NOISE-K	RRF	Salt Pepper	- 0.002167	- 0.015014	- 0.012847	- 0.030056	0.004762	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	a3ff6fcd47 b08d20be9b 40c6493781 20b768cc9d 8abf5589d7 831adcc9f 26ed	5000	Kendall	NOISE-K	RRF	Salt Pepper	0.000577	- 0.039128	- 0.039705	- 0.055735	- 0.023528	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	a8f8848df 7780317b98 38ff1e48d0 725be59478 ffc586c9a8 2b1a2555ae 7d11	5000	Kendall	NOISE-K	RRF	Speckle	0.004618	0.003144	- 0.001475	- 0.016445	0.01366	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	58b0e5df00 2ac6af2008 31692f7494 a8c5958e42 5f8e682684 d584c77b8e 6646	5000	Kendall	NOISE-K	RRF	Speckle	- 0.003175	-0.01951	- 0.016334	- 0.032402	-0.00012	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	481bd3405b 69aeead600 9967b2214b e7a73d1738 1488d0f939 819fd1d001 3bd5	5000	Kendall	NOISE-K	RRF	Speckle	0.001878	- 0.003843	- 0.005721	- 0.020733	0.009475	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	0257125ef6 b7007966a6 d8dbcaa49d 9f4a270a12 d6aa016b251 18fa182750 ae56	5000	Kendall	NOISE-K	RRF	Speckle	-0.0016	- 0.015852	- 0.014252	- 0.030575	0.002153	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	59758d703b 2c8a746128 38dd4d5296 9c3a45f58e f34d0b347b 62aa4d2b00 d848	5000	Kendall	NOISE-K	RRF	Adversarial	0.001994	0.001424	-0.00057	- 0.007452	0.006294	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	25a83e010e f894217630 b4716b0a9b ee0bf3ccb8 cfd65b6e5 ae22c1736f 9510	5000	Kendall	NOISE-K	RRF	Adversarial	0.008417	0.013321	0.004904	- 0.009526	0.019526	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	b29eeaa1a12 d721e10b0a 442613f65e 195807f587 c27e9999ef c280044cbe 231a	5000	Kendall	NOISE-K	RRF	Adversarial	-0.00221	0.001271	0.00348	- 0.004129	0.011084	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	7cbe24b86b 1b769f90b0 20152d4f5ac 7c8a38858c b56d68aded 49b0b0272b 074c	5000	Kendall	NOISE-K	RRF	Adversarial	0.015878	0.025721	0.009843	- 0.006121	0.026495	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	6a33b065ec 58a676e59c edf08c458a bb5421171a ccd47cf2ab 776fa0f581 92d5	5000	Kendall	NOISE-K	Kemeny	Gaussian	0.007756	- 0.006004	- 0.013759	- 0.029902	0.00292	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	94217ef047c66918fa7fc2ec0cd57470c117371612e2afe2bc99eaffc592c171	5000	Kendall	NOISE-K	Kemeny	Gaussian	0.007159	-	-	-	-	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	a8e63b79f155000c3feb7a2070d8469e7add0e826dd2a803ecc3f8f683e5bb7de	5000	Kendall	NOISE-K	Kemeny	Gaussian	-	-	-	-	0.002211	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	aecfc1234d5615801b2c1eb6cb29cf70ed0a0ec9433657d985d828375757a4ff	5000	Kendall	NOISE-K	Kemeny	Gaussian	0.011126	-	-	-	-	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	0b221153bd5842f37cb9a8a1dd241d9aa036673d32544d7f4469b99df5d99103	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	0.016435	-	-	-0.03464	-	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	8d4f3887f2240e5b604b9dbf1f5e8d2d3000ae8c29a7379735e53c63aa5898cf	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	0.007746	-	-	-	-0.01036	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	76a72eca54c44bb20e6b131df461cf5262715e464e54be33369731d237903bb6	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	0.005887	-	-	-	-	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	b401d88e2dd5e3b4d5fd2db24af5439da6543f74f4e740d357e958cb5000ec71	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	0.013345	-	-	-	-	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	3183233d8145fd93abb6aab2ae9fe8440e8941d7cde00782665231bc4fcd21f9	5000	Kendall	NOISE-K	Kemeny	Speckle	0.007155	0.005959	-	-	0.013636	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	9c4609c5b8152002276ad120a826248d23d67e5f879f867779e9176002072774	5000	Kendall	NOISE-K	Kemeny	Speckle	-	-	-	-	0.001087	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	d97bdd45953e4d3e8ce97f29cc738afb536c5929b74cc1308e99e52c4982b6b48	5000	Kendall	NOISE-K	Kemeny	Speckle	0.005194	0.002302	-	-0.01773	0.012396	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	ab5d100b4d8078036e54de20b2629cda5f48838cc87d734381c761387b1b9dac	5000	Kendall	NOISE-K	Kemeny	Speckle	-	-	-	-	0.00882	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	82b7668ac32a06b531928514d6a62a807bbf5717e33b15ab4b5782183fd94525	5000	Kendall	NOISE-K	Kemeny	Adversarial	0.004326	0.00041	-	-	0.002965	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	e6bbfa6896b114920519cb7d514272d14ce8e473f118f56016c3de3b039b9a3b	5000	Kendall	NOISE-K	Kemeny	Adversarial	-	0.00682	0.007532	-	0.022518	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	a97b213fd186a41f702a5a324a9f3b7a2b55ec54643eb67154e064da1bbb2651	5000	Kendall	NOISE-K	Kemeny	Adversarial	0.005066	-0.000335	-0.005401	-0.01301	0.002145	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	200358c54eb8f7e64c6caff7e7526ed74c8f50bd4cba0680a5dc362bc7ea240	5000	Kendall	NOISE-K	Kemeny	Adversarial	0.005258	0.021721	0.016463	5.8352e-06	0.032938	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	d5c4dafdcda5aa256729ec37fad48461970912ce3e2e06ba427cf4081f26f812	5000	Kendall	NOISE-K	Schulze	Gaussian	0.006064	-0.007913	-0.013977	-0.031306	0.003366	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	575d3d1108a93b598059331be383a05d0c6cc3c7e7cf56c094204d55ac8a3a74	5000	Kendall	NOISE-K	Schulze	Gaussian	-0.000397	-0.041027	-0.04063	-0.056249	-0.025398	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	f927e37807d0b762380bceba8707521bef246d9c544eda62b01586c609d4f849	5000	Kendall	NOISE-K	Schulze	Gaussian	-0.00233	-0.01007	-0.00774	-0.025008	0.009871	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	bfe76fd20bc4bab88aa0f643bd039028175f9a8714976b59adf8651c0991984f	5000	Kendall	NOISE-K	Schulze	Gaussian	0.000944	-0.043036	-0.04398	-0.060005	-0.027963	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	1e14507fd2d6e79ea33b32207af3f351b1b1a32c713be7cd4f5eeedade2e	5000	Kendall	NOISE-K	Schulze	Salt Pepper	0.013021	-0.006585	-0.019607	-0.037442	-0.001699	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	eea5a37728ff6b64ff03b7a982b9b8f4bc82726fc172678a2538f6beeebec751d290	5000	Kendall	NOISE-K	Schulze	Salt Pepper	-0.013077	-0.047782	-0.034705	-0.051366	-0.018279	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	23a5d9096989f265c0d920c1685dde74db6cd11a3a3b8bf7390c4a710752c00f	5000	Kendall	NOISE-K	Schulze	Salt Pepper	-0.000897	-0.008017	-0.00712	-0.024933	0.01052	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	ed5aa137febfbf36992969de2b986ab63fdcb179069559a82d6cc6cd61de5331	5000	Kendall	NOISE-K	Schulze	Salt Pepper	-0.00375	-0.040169	-0.036419	-0.052574	-0.020255	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	e036ecc344a776985446dab84d66b67c5f8ba57b68d1fc5a38d7ae03df55bd0f	5000	Kendall	NOISE-K	Schulze	Speckle	0.008663	8.9402e-05	-0.008574	-0.02428	0.007063	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	a155d5dbe914a0af24f63e9e2712ba7b7743824e6c0576b7726cd2638f6c4365	5000	Kendall	NOISE-K	Schulze	Speckle	-0.003902	-0.019891	-0.015988	-0.033179	0.001226	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	214293157467db013969f81b34e5df758817e57939cf8ca57218a8455fe75605	5000	Kendall	NOISE-K	Schulze	Speckle	0.002459	-0.002716	-0.005175	-0.020852	0.010251	0.95

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Naive ER	Noise ER	Gain	CI Low	CI High	Confidence
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	78799ee143fc5ba573f4cc1aa9cec7a73db79a4e86f523585c8bf32aa71502e7	5000	Kendall	NOISE-K	Schulze	Speckle	-0.001476	-0.017832	-0.016357	-0.03367	0.000788	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	b87413a7d45a183bc8826b3fa9d01f0d1b16e24af9d5a01909580dd9ed1437a7	5000	Kendall	NOISE-K	Schulze	Adversarial	0.00315	0.001912	-0.001238	-0.008463	0.005949	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	5eb5dc1b613948c457bcf40602209afb86ad118f4e60796d214c4e9739e70c8c	5000	Kendall	NOISE-K	Schulze	Adversarial	0.000866	0.017737	0.016871	0.001577	0.032189	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	b61499e1ee4bcddddd55300188a656cc6f38fa1c2a3e1a6ff693860f19c6531fa	5000	Kendall	NOISE-K	Schulze	Adversarial	0.000178	0.003063	0.002885	-0.004982	0.010738	0.95
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	41f9f77b355b2ec72e0774650537db2f57e48fe64553d5b4cbd930c2ef8e6a4c	5000	Kendall	NOISE-K	Schulze	Adversarial	0.005966	0.032485	0.026519	0.009647	0.04341	0.95

Table 207: ImageNet-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	86cb6feb19192082f7e81b9be3b151d369aee91c7a189c8b8d78038b35b19c1c	0.8707	1	False	0.87005	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	5fbb98e3e158506ca4cd233fdc8b6ce5a26fdbb75dc901877ae399c427d9f0cb	0.80885	1	False	0.81395	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	bca6e92ec9f7e787e0ae0243dc423d6ba8b98c319c8cb53ef444d136651fef9	0.99235	1	False	0.9937	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	e283d1f171896335e1efcb4110fb04d26d86373d2c4b15e9a2c8ce91996f3405	0.83575	1	False	0.8325	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	6b64743eab6866d124728bf44684ffe33d297884f2e305157	0.71005	1	False	0.70305	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	bef1d2285f1e98f82dcab2b7df6617707c83722bea86319150677c8878cdeb2d03197d8e557d36	0.97665	1	False	0.97665	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	b5448bec2eaadf66a20c3671bc9a14fe145cc03602e2a0c97fd9bba01a2ba0ad	0.97625	1	False	0.97605	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	58cc827f142d7f9dc4b564648a981e49c66da404eeal7335df2c10d7e2c7a7d2	0.99025	1	False	0.99025	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	134b72be7e56a06ffc30c773fb42ab8d0af5583f8d7932399a7ce48e30dc914a	0.264	1	False	0.25875	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	89a21315a0569fa722a48f3f0797c166722b75cc26fca7fb1d21f819738c691	0.84895	1	False	0.84255	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	c3a9700defd555b2a413ecacc5804b8a0d4eb832b251876cfd0c872ca863cbb3	0.6283	1	False	0.6216	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	6e3bee0e521993f3be81aed451df4bd872314ec006f28cfd4a00626a68b2ab	0.7675	1	False	0.7608	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	8699c96cfeb8a579857acede91b98306ceb9922a9e98d231079f604c7343091	0.33025	1	False	0.32225	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	b577096a64644f4ca06e5cc40072ee6cd6f926a111a224b111b2df9d96d6a2	0.55745	1	False	0.55575	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	c0040b5aa55fc9c49dbc b97091df50a09c4f39b23e8c194f823dc99ec18c c412	0.82645	1	False	0.82705	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	6b39baaab8a3e28b6b857a4f32d473da05876538ccd238bb74371e2d1971fede	0.4329	1	False	0.43145	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	f168c1bc2a cfee5a5c83c5e9d19d22c97a3ac18cf8d1b77618	0.9461	1	False	0.941	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	90abf08e8c09e308c3892c3ab3eb957bae602ded074bc267f04912f59b26c984476f865b777dc6	0.9477	1	False	0.9457	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	902f3a1c2a92ac3d48225a80ef238bc4096974063d766f9880360b75704a703d	0.99275	1	False	0.99155	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	43d86aef03f9df3e50ba1ee1bd407f4fb6f46cd56ad6fb94e2bd1437e0ccfa	0.5797	1	False	0.58325	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	d146157f552156ca98809f15b2352028f2df6d331474169e9482348fe643dca6	0.9864	1	False	0.9843	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	c6ba35c30ddb7619d1727f3b314d3f07467e437fc0d55d36fa47ad7da0fc2b92	0.978	1	False	0.97405	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	ff42ae78efc6d420ea76f63a0d7d9cca25c3008ad25460f6ad00b1d5883c05c0	0.9914	1	False	0.99135	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	ae3ee58983305bc69078896f34a3eb3e7eae9d1367c05f374df75de487c6fb11	0.97395	1	False	0.9691	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	02bbc0111e23439a10eaa684ca4a2547daeabcd3f4e57462d4ea81c70961c3789	0.73685	1	False	0.72685	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	882899e3b307f6e5ad408793689f0de7b1ff0ddaaab6dd4d957095dc720b99f8	0.6027	1	False	0.59815	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	9ff9c4a1d8799701f8c31a31b1eda540713e543b0f44d5139986de6e4c5c02	0.74185	1	False	0.73985	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	1b1651ea7914fdd23ac4e24c290dea44891b7d549aa1e226239692356c05fc16	0.60435	1	False	0.5951	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	68af006c4a337764aa184ffc76a63f78ecb1b5725840f92d5b553acb2f0acb2c	0.6052	1	False	0.5982	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	37d883616bb272098676ade596d25dc608962556f861d25c19191903e9f4ff0	0.14165	1	False	0.13285	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	55a45262654687472d3e0681bf597ae2cc0a5fa4e411f0bdc45b245833023124	0.47185	1	False	0.4669	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	f2a5591f8c3e06aa5a1371f526a61d87375250eb9b5169ca95a9dcc681636449	0.07885	1	False	0.07515	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	c110673c3f5ba24bab9082792dc73e9d23ce932bf6d4932b48a6e0d9c2acd7b4	0.57625	1	False	0.5542	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	d37250a95d31e4b3f4e18e610e5667fc03e4b0fd9ebd9345c11a79914110d62	0.9929	1	False	0.99225	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	4386bf2c0b9d0bdeaca40b41acc0de035f5b6b3c5179951ab719a91ce8c2ef15	0.7833	1	False	0.7758	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	f69cf4f29fcd6450bf71a9ec42759cc953125b139b5d7f4514aa2d1137ec5bd7	0.99555	1	False	0.9955	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	3ea657772c5766761132e56327dc2c1b427bdec0309ebf0cd36518d019dd7a74	0.91105	1	False	0.90215	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	d7213212bf5c2a542dc3bff3f373b2c2c7b117a33f2156cef3d0f692fc5db1ff	0.86535	1	False	0.85485	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	8290a7fba28d91287084fe360ccde2eb545bf869e0b782d1761ca4d05cfbe333a	0.73165	1	False	0.723	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	1de6e67a73cdd7b3e754b8d51f3d867ce15f9d6f2b58cbeddec286234ea3f15cc732305a096087fb9b8c09004913adcfa0c82a2d917d370d3599a1c3393eb50	0.96815	1	False	0.96485	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	c732305a096087fb9b8c09004913adcfa0c82a2d917d370d3599a1c3393eb50	0.45085	1	False	0.4448	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	3b9c254bd45744da2bbacd9a26c65e22756cd23b4de24d1d71084ca41c0fce0	0.9264	1	False	0.9253	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	0f9d781e14a1384df44ab4c0603c14615844ee311ab8d8fb69984638d538bb5	0.45265	1	False	0.43995	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	1e6bd2b09a138ee63ffc7718f40e84ca895a68a3a61dad793985758b9cce2e637	0.9037	1	False	0.90295	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	c8dc4b16ace08147020f5673ced93c0bc409f2655b29c44522	0.85445	1	False	0.8474	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	3e6f6dbe8f913b81092673e91881609e24ee5652ee21b5686cadb11ce840d1bb0b5335d988dd8	0.6806	1	False	0.6687	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	76ec08f06a5140859a9d23b80817de5da93132281e867e42a792565aad821937	0.57185	1	False	0.5638	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	5655aa708f2254fcee6e220bc6457cbd4c5152f4d71079fe426c6960be8d56	0.8052	1	False	0.7984	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	3f2520eba2f40fdf60ff606374df21893dd7aa721c2c32def42ea7ccecff4068f8128815dc46ec5b1bde6c4e4b54457ed190bf0281a8408a326c84d6877e473f	0.81295	1	False	0.80775	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	3f2520eba2f40fdf60ff606374df21893dd7aa721c2c32def42ea7ccecff4068f8128815dc46ec5b1bde6c4e4b54457ed190bf0281a8408a326c84d6877e473f	0.98035	1	False	0.97785	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	3bd1dc8d58d22073792694b8a8637e5d4d296c79f53e93e495533f32ddef6f71	0.92885	1	False	0.92755	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	52e60d6ecb63632b1ee2cf46bafdb2b93ea3a3d489f00c02df4d3f23decca7324	0.99945	1	False	0.9995	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	02aa7b154e0d268f6cb7008d4b88cce9a82960dbce84e62c8c528065bb83194f9	0.9321	1	False	0.92715	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	75885e8eff7f5b3817711e0c1d5f9a0ad89e86501cbe4ff3fa3bb843d169e8d3	0.99025	1	False	0.99045	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	77ab5159ad243139e1c0b05209f255932fcfd1fec96ca3e4e09b3e91b9defbf	0.98325	1	False	0.98405	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	5b5868902c696bef18a0ae31524ed100a6d1b6a386a0a8826d0c6a9f55ae4880	0.9924	1	False	0.99225	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	034a03ea76a137d2cef7212bec53e37428b2bd37424d951aeebaa1a0e0d743e4	0.5552	1	False	0.54655	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	5e7c08bf66c038f132bdc9dd87b6b9ee04d885710a2bf9ed0cf44c3d205f34b8c	0.7815	1	False	0.7694	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	2ed4889affa3ad592634f3d51e3da79bd64daff2a53f4d566e0514d6dbfcd2a	0.8009	1	False	0.79315	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	f10e394c10d9f155a1d30b7be48b0853227a54054ef1d2acc5cd73a1de03347d	0.8008	1	False	0.78465	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	af51d2e391572ec6460f791051ef65ceb9f4ed5c7e11e00dfd1133e6f7a30ab4	0.9775	1	False	0.97605	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	31913b15c0df38f9319195bc78620f72a55be302125d0a01df602a5782ff8dff	0.92955	1	False	0.9276	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	1c41bdf5ab807c3b034eb02cbe29cba649f6594c05c9fe63ca459d69c6b96d1	0.9994	1	False	0.9997	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	328fc55ac345dcb6e743233da0b326832cd7b3dd00cca06752f849cfc4b1f413	0.9912	1	False	0.99085	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonposit ive Probabil ity	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	4d58cd10ed8e55115ba5424617e4705f6b1299de6129879a88159bef633bea0e	0.36915	1	False	0.358	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	1f93ac4036c0032cb7243bd2c0320e020e05111640097c80811b9d5718d192c9	0.6956	1	False	0.67025	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	4a07dc798ef585dce85278e5c70a1e372a5e1a6f885149cc0b98c9189e4c47cc	0.96375	1	False	0.96585	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	04b3f0ab71b862e7b5ef87352059f716578df22c9490274b9c92a2b405dafd48	0.84545	1	False	0.82975	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	3847319dd0d69ac6d2b21761e6f147f7bc669d77ebd2f7023f780b54eb59312	0.38745	1	False	0.37945	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	fc851698541ef200f852884bd71b46d91d4025f84f2eb2a0587ee7dbb806ee8	0.05635	1	False	0.0509	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	6eeb0f45d329bb3a25df530d3c14f0a90b27950ecd424e4b3551b26a947c52eb	0.68345	1	False	0.68245	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	4079e09160c8601bf51d8ffda495617f8abe0cd6181948787d879837b369242d	0.22465	1	False	0.2069	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	c74dc7ea6385c6a1b86420afca5dcc7e14cf78eb1a4eec0aff	0.1924	1	False	0.1908	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	34f70e3a923c9e6f1f97418eb868c39f712795771a83e25a3fa239a098430f1a917528c05838f9	0.43475	1	False	0.4211	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	1d9c40520b87fc3d74ec9a468daf151ee74d88f0e221cbfb4d3d93bc858cb8ad	0.56845	1	False	0.56945	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	847fd2a513af86965c768d7e2f12028f02b73e27737fc592b7b0d7a2a0f738aa	0.47835	1	False	0.45815	better
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	b69dc10ed36ab1bc9b71bfae1994c29b4d95cd70c7e409ca6c4e1a13055020c4	0.95625	1	False	0.9531	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	c1cf9ec37a0b706f5f9f5aeaed96573d66dac7a654bc1a3939ef74465a0c7ab	0.8192	1	False	0.80605	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	9b2a11d7adc9911d681ab1bd0d29025e87a9cd047ea0601912c810bfb20cfce9	0.9927	1	False	0.9928	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	259f8c26191854861db929163bd49ab72ce70097037f0fcfc3b196e7ed272645	0.84495	1	False	0.8327	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	eda835b2990b7b6c9efa292b5d7009fc6e18bbb1c6e59c1a0fad170b6cd45f35	0.5189	1	False	0.5267	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	1e9193a6fa9b07afdbe9ded5a4acaa c3bb3a563eac83fb1668	0.991	1	False	0.991	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	3d8638acfa0f919fd23bd3ca0891e020f41c894c637b6ad79020d40274158b7e	0.5451	1	False	0.5552	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	a2b19ef17faef11b673199bf3a2c602f21f28955d34907399dad5431caflledab	0.99995	1	False	0.9997	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	f08f63f2a05d2c710ed5db6f0c503cbcbec0e7d424e8a9da849079260a840fb6	0.8707	1	False	0.8714	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	328d4e4e8fc8dfc4f34680dd16b7904d536830ecc3898aca84cf928e246e18bd2786c3b2436d37	0.98315	1	False	0.98365	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	5cd880c9eb276483a756cf794afefb52d6183fa3e532e834ae527ed8172bcc2	0.83205	1	False	0.8394	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	f17e5a016ce9d254843b9aee728bd1e27eb29fee a7092e6a5f2a1f7ba41e	0.9999	1	False	0.99985	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	273b41829403ab7863124931d813e8d5b79be92de0636cc78fae108e69694882a1b3	0.57045	1	False	0.57755	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	b58649ea72f92dcb8a2c08438eecef e3ce75b7da dbd8ec6625d98187a9799ef3	0.53365	1	False	0.54065	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	eb856b729cfc66c150a76ff88877f65e90a2d903cb10f4efd997e2be5d7d16fb	0.53905	1	False	0.54695	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	b7124e87f9df222329a74831d1f662f0e7a38803f93e6aa3ea0190cee5273fb9	0.8983	1	False	0.89785	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	e5fd98927df8fdcab4695cb055cbf51ecab6902e14f128815df894479f4ddc0	0.1218	1	False	0.1268	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	e7a2bf3335b084c1e794e81eccl726cd4d4b4ac25f4c71d9f45093a72ae2056	0.0524	1	False	0.05905	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	5cc6f4fc3d700f16d09b2d044343a98f4ccee0357d62ce6f22f226c334461ed	0.11195	1	False	0.1136	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	0458b4754df38923c9906d748b57e736ba6d27c55f9396fa79fc25de84d1af22	0.23685	1	False	0.24505	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	04ffa00a7dd89c31ceffafe998c201ef80ff97c9373d21c7a6	0.98375	1	False	0.98405	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	28fe931c27658322cbbc2ea1dda1881da87fb23f1019329d95ce21c33676dc3103670cf4c79d30	0.99985	1	False	0.99995	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	5439b18fc38cb21f0bec4383431d3590e8d5431b5e3806699a0a5b5fc860c689	0.938	1	False	0.9354	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	19ab1c639e7e8095c69978bb38cb2f217dfc04e3aabbb8f11d92a2cb09b565ac	0.9996	1	False	0.9997	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	dbf9a7eb96a2ee71a8f326f26bdcc60aa7a3f5200ba24eb1045a920c04be5b0d	0.9997	1	False	0.9999	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	4f95fbc3923c193d45448916bbda148b910bc1a23fae039aff0f9681dab0a48e	1	1	False	1	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	7e83d5ea7c42837d4bd34abfd81c7718c70b52e5627a1c16a27c510b1eaf26c9	0.99735	1	False	0.9978	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	e58fe3bf9c cb8fcca208 1e6e64cf49 9ed158641b 842ee69205 97b83bc62e 7ab1	0.99995	1	False	1	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	f14d711f33 6668568463 d361edd49c 63a5d42034 52ac3b207c 494ef563e6 a56d	0.8689	1	False	0.8603	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	aeb6b415a7 a049f9dd4b f8a57d76c4 e90ab08f3a 3c2a1ad57f 875fb385e6 47bb	0.9011	1	False	0.89755	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	c20170408a 50383487ff 2e756d1d1e a3d90f1178 74d3e6a707 4e341d115f 5beb	0.8674	1	False	0.865	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	ea9effe524 c85d7e0a67 78704496fa 8e35d40532 48be2aff1e 6cd6f08b26 340a	0.9358	1	False	0.93425	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	5274719069 0f5aa6a1e9 148ad02fb8 215817ab79 2f1bcbfd01 9c405ac67a b338	0.5797	1	False	0.56845	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	4254532955 da95154f20 9a8fdb894e 1b357f822a e6837d14f8 b9fcedb946 8e13	0.2395	1	False	0.2375	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	69605d296d b609259310 b5f2d89282 5181fc9045 47009bee10 fdeb d17b39 2d6b	0.18905	1	False	0.1834	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	852951e498 5452f0f65e b043fc7c98 2326ab1e8d f5a4191647 f534f5eadf98b8	0.0382	1	False	0.04135	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	238c49bb45 e5fd71c9a3 ac97b145f3 74377e4090 5734b55598 d671f4bd5fcfee	0.9635	1	False	0.96025	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	5b832b501d 6a4b7e39f3 e3721c91bb f56c02c15 ba40d2ae93 1f918cf27ad509	1	1	False	1	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	ace857ba2c 17fe9e4de5 1e5bad9517 d5d0de38f2 1c56c1bc12 8716026850 af01	0.82075	1	False	0.8089	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	baa06263a1 190936de06 2b80eca8c7 1e2f7bbd24 28eb8ac5fc d7770171b4 8fb0	1	1	False	1	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	f069f4b83ba04b8bce694ed3f34623f28f3d733c96f74f3a59e6cd07eed560c5	0.99355	1	False	0.9936	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	4725dc2ce6bb417ec9f89291c98fedd1b248a6ea10372631d2a2a42589daf1a6	0.99995	1	False	1	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	619a6566fee242ed570382b4835cd8dd77f8629e8b83f7a7871224ad3c8fb8	0.9304	1	False	0.9219	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	a3f6efc47b08d20be9b40c649378120b768cc9d8abf5589d7831addcc9f26ed	1	1	False	1	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	a8f8848d8f7780317b9838f1e48d0725be59478ffc586c9a82b1a2555ae7d11	0.5846	1	False	0.56695	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	58b0e5df002ec6af200831692f7494a8e5958e425f8e682684d584c77b8e6646	0.9766	1	False	0.9759	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	481bd3405b69aeead6009967b2214be7a73d17381488d0f939819fd1d0013bd5	0.77075	1	False	0.76515	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	0257125ef6b7007966a6d8dbcaa49d9f4a270a12d6a016b25118fa182750ae56	0.9559	1	False	0.9541	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	59758d703b2c8a74612838dd4d52969c3a45f58ef34d0b347b62aa4d2b00d848	0.5735	1	False	0.5509	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	25a83e010cf894217630b4716b0a9bee0bf3ccb8cfcd65b6e5ae22c1736f9510	0.25955	1	False	0.2527	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	b29eeea1a12d721e10b0a442613f65e195807f587c27e9999efc280044cbe231a	0.1942	1	False	0.17555	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	7cbe24b86b1b769f90b026152dd5ac7c8a38858cb56d68aded49b0b0272b074c	0.1167	1	False	0.11635	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	6a33b065ec58a676e59cedf08c458abb5421171acc47cf2ab776fa0f58192d5	0.9505	1	False	0.94675	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	94217ef047c66918fa7fc2cc0cd57470c117371612a2af2bc99eaffc592c171a8e63b79f155000c3feb7a2070d8469e7adde826dd2e803ecc3f8f683e5bb7deaecfc1234d5615801b2c1eb6cb29cf70ed0a0ec9433657d985d828375757a4ff	0.99945	1	False	0.99965	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	a8e63b79f155000c3feb7a2070d8469e7adde826dd2e803ecc3f8f683e5bb7deaecfc1234d5615801b2c1eb6cb29cf70ed0a0ec9433657d985d828375757a4ff	0.96045	1	False	0.95845	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	0b221153bd5842f37cb9a8a1dd241d9aa0366733d32544d7f4469b99df5d99103	0.9987	1	False	0.99875	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	8d4f3887f2240e5b604b9dbf1f5e8d2d3000ae8c29a7379735e53ce63aa5898cf	0.9821	1	False	0.981	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	76a72eca54c44bb20c6b131df461cf5262715e464e54be33369731d237903bb6	0.999	1	False	0.9995	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	b401d88e2dd5e3b4d5fd2db24af5439da6543f74f4e740d357e958cb5000ec71	0.9877	1	False	0.9881	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	3183233d8145fd93abb6aab2ae9fe8440e8941d7cde00782665231bc4fed21f9	0.9958	1	False	0.9962	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	9c4609c5b8152002276ad120a826248d23d67e5f879f867779e9176002072774	0.56745	1	False	0.5591	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	d97bd5953e4d3e8ce97f29cc738afb536c5929b74cc1308e99e52c4982b6b48	0.9667	1	False	0.96715	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	ab5d100b4d8078036e54de20b2629cda5f48838cc87d734381c761387b1b9dac	0.64985	1	False	0.64805	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	82b7668ac32a06b531928514d6a62a807bbf5717e33b15ab4b5782183fd94525	0.82465	1	False	0.8189	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	e61bbfa6896b114920519cb7d514272d14ce8e473f118f56016c3de3b039b9a3b	0.87465	1	False	0.86915	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar		0.16355	1	False	0.16275	better

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	a97b213fd186a41f702a5a324a9f3b7a2b55ec54643be67154e064da1bbb2651	0.9162	1	False	0.91745	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	200358c54eb8f7e64c6caff7e7526ed74c8f50bd4cbaf0680a5dc362bc7eaz240	0.02525	1	False	0.0249	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	d5c4dafdcd a5aa256729ec37fad48461970912ce3e2e06ba427cf4081f26f812	0.94525	1	False	0.94225	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	575d3d1108a93b598059331bc383a05d0c6cc3c7e7cf56c094204d55ac8a3a74	1	1	False	1	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	f927e37807d0b762380bceba8707521be246d9e544eda62b01586c609d4f849	0.8102	1	False	0.80345	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	bfe76fd20bc4bab88aa0f643bd039028175f9a8714976b59ad f8651c0991984f	1	1	False	1	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	1e14507fd2d6e79ea33b32207af3f351b1b1a32c713be7cddf5eedade2e	0.9843	1	False	0.98395	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	eea5a37728ff6b64f03b7a982b9b8f4bc82726fc172678a2538f6beeebec751d290	1	1	False	1	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	23a5d9096989f265c0d920c1685dde74db6cd11a3a3b8bf7390c4a710752c00f	0.78745	1	False	0.7841	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	ed5aa137febfb36992969de2b986ab63fdcb1790695559a82d6cc6cd61de5331	0.99995	1	False	1	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	e036ecc344a776985446dab84d66b67c5f8ba57b68d1fc5a38d7ae03d155bd0f	0.86375	1	False	0.8572	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	a155d5dbe914a0af24f63e9e2712ba7b7743824e6e0576b7726cd2638f6c4365	0.96635	1	False	0.9656	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	2142931574674b013969f81b34e5df758817e57939cf8ca57218a8455fe75605	0.74175	1	False	0.7397	worse

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	One Sided Positive Gain P Value	Holm Adjusted P Value	Holm Reject Positive Gain Null	Bootstrap Nonpositive Probability	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	78799ee143fc5ba573f4cc1aa9cec7a73db79a4e86f523585c8bf32aa71502e7	0.9694	1	False	0.9698	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	b87413a7d45a183bc8826b3fa9d01f0dfb16e24af9d5a01909580dd9ed1437a7	0.6359	1	False	0.62275	worse
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	5eb5dc1b613948c457bcf40602209afb86ad118f4e60796d214c4e9739e70c8c	0.0152	1	False	0.0156	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	b61499e1ee4bcd4dd55300188a656cc6f38fa1c2a3e1a6ff693860f19c6531fa41f9f77b35	0.23885	1	False	0.238	better
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	74650537db2f57e48fe64553d5b4cbd930c2ef8e6a4c	0.00145	0.8816	False	0.0009	better

Table 208: ImageNet–ResNet-18

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
ImageNet	ResNet-18	CNN	Test	Best Individual	5000	0.1716	0.1752	0.292	0.2952	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856
ImageNet	ResNet-18	CNN	Test	Simple Averaging	5000	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946
ImageNet	ResNet-18	CNN	Test	Borda	5000	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822
ImageNet	ResNet-18	CNN	Test	Kemeny	5000	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522
ImageNet	ResNet-18	CNN	Test	RRF	5000	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654
ImageNet	ResNet-18	CNN	Test	Schulze	5000	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696

Table 209: ImageNet–ResNet-18

Dataset	Model	Architecture	Split	Method	$R^+_{\mathcal{L}}$	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{C}}$	$R^+_{\mathcal{P}}$	$R^+_{\mathcal{S}}$	$R^+_{\mathcal{E}}$	$R^+_{\mathcal{V}}$	$R^+_{\mathcal{D}}$	$F^{\mathcal{D}}$	$F^{\mathcal{S}}$	$C^{\mathcal{D}}$	$C^{\mathcal{S}}$	$F^{\mathcal{P}}$
ImageNet	ResNet-18	CNN	Test	Best Individual	0.0618	-0.037	0.1178	-0.095	-0.1058	0.0216	-0.2096	0.0572	0.3216	0.2782	0.62	0.6054	0.3094
ImageNet	ResNet-18	CNN	Test	Simple Averaging	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	0.0754	0.329	0.3628	0.6334	0.707	0.3102
ImageNet	ResNet-18	CNN	Test	Borda	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	0.0532	0.3272	0.3182	0.614	0.6672	0.3204
ImageNet	ResNet-18	CNN	Test	Kemeny	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	0.0492	0.3224	0.2918	0.6006	0.6266	0.317
ImageNet	ResNet-18	CNN	Test	RRF	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	0.0608	0.326	0.2952	0.6098	0.6368	0.3236
ImageNet	ResNet-18	CNN	Test	Schulze	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	0.0506	0.3238	0.2944	0.6056	0.6324	0.3168

Table 210: ImageNet–ResNet-18

Dataset	Model	Architecture	Split	Method	$F^p_{\text{perturbed}}$	$C^p_{\text{perturbed}}$	$\hat{C}^p_{\text{perturbed}}$	$F^s_{\text{perturbed}}$	$\hat{F}^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$\hat{C}^s_{\text{perturbed}}$	$F^a_{\text{perturbed}}$	$\hat{F}^a_{\text{perturbed}}$	$C^a_{\text{perturbed}}$	$\hat{C}^a_{\text{perturbed}}$	Selected Sources
ImageNet	ResNet-18	CNN	Test	Best Individual	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098	0.3902	0.0658	0.1536	0.0824	0.238	1a822ff1e60319eff182 97814f9bd5b691116f07 0246d6b7e0c1da4ced9c dd19
ImageNet	ResNet-18	CNN	Test	Simple Averaging	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	
ImageNet	ResNet-18	CNN	Test	Borda	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	
ImageNet	ResNet-18	CNN	Test	Kemeny	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	
ImageNet	ResNet-18	CNN	Test	RRF	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	
ImageNet	ResNet-18	CNN	Test	Schulze	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	

Table 211: ImageNet–ResNet-18

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
ImageNet	ResNet-18	Best Individual	Dataset Model	All	20	4						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	All	20	6	9	0	11			
ImageNet	ResNet-18	Borda	Dataset Model	All	20	3	9	0	11	11	1	8
ImageNet	ResNet-18	Kemeny	Dataset Model	All	20	5	11	0	9	13	0	7
ImageNet	ResNet-18	RRF	Dataset Model	All	20	2	13	0	7	11	0	9
ImageNet	ResNet-18	Schulze	Dataset Model	All	20	1	11	0	9	12	0	8
ImageNet	ResNet-18	Best Individual	Dataset Model	Quality	4	3						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Quality	4	1	1	0	3			
ImageNet	ResNet-18	Borda	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Kemeny	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	RRF	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Schulze	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Best Individual	Dataset Model	Robustness All	16	1						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Robustness All	16	5	8	0	8			
ImageNet	ResNet-18	Borda	Dataset Model	Robustness All	16	3	9	0	7	9	1	6
ImageNet	ResNet-18	Kemeny	Dataset Model	Robustness All	16	5	11	0	5	11	0	5
ImageNet	ResNet-18	RRF	Dataset Model	Robustness All	16	2	13	0	3	9	0	7
ImageNet	ResNet-18	Schulze	Dataset Model	Robustness All	16	1	11	0	5	10	0	6
ImageNet	ResNet-18	Best Individual	Dataset Model	Gaussian	4	0						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Gaussian	4	1	2	0	2			
ImageNet	ResNet-18	Borda	Dataset Model	Gaussian	4	1	3	0	1	2	1	1
ImageNet	ResNet-18	Kemeny	Dataset Model	Gaussian	4	2	4	0	0	3	0	1
ImageNet	ResNet-18	RRF	Dataset Model	Gaussian	4	0	4	0	0	3	0	1
ImageNet	ResNet-18	Schulze	Dataset Model	Gaussian	4	0	4	0	0	3	0	1
ImageNet	ResNet-18	Best Individual	Dataset Model	Salt Pepper	4	0						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Salt Pepper	4	0	0	0	4			
ImageNet	ResNet-18	Borda	Dataset Model	Salt Pepper	4	2	3	0	1	4	0	0
ImageNet	ResNet-18	Kemeny	Dataset Model	Salt Pepper	4	2	3	0	1	4	0	0
ImageNet	ResNet-18	RRF	Dataset Model	Salt Pepper	4	1	3	0	1	3	0	1
ImageNet	ResNet-18	Schulze	Dataset Model	Salt Pepper	4	0	3	0	1	3	0	1
ImageNet	ResNet-18	Best Individual	Dataset Model	Speckle	4	1						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Speckle	4	1	2	0	2			
ImageNet	ResNet-18	Borda	Dataset Model	Speckle	4	0	1	0	3	3	0	1
ImageNet	ResNet-18	Kemeny	Dataset Model	Speckle	4	0	2	0	2	3	0	1
ImageNet	ResNet-18	RRF	Dataset Model	Speckle	4	1	2	0	2	3	0	1
ImageNet	ResNet-18	Schulze	Dataset Model	Speckle	4	1	2	0	2	3	0	1
ImageNet	ResNet-18	Best Individual	Dataset Model	Adversarial	4	0						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Adversarial	4	3	4	0	0			
ImageNet	ResNet-18	Borda	Dataset Model	Adversarial	4	0	2	0	2	0	0	4
ImageNet	ResNet-18	Kemeny	Dataset Model	Adversarial	4	1	2	0	2	1	0	3
ImageNet	ResNet-18	RRF	Dataset Model	Adversarial	4	0	4	0	0	0	0	4
ImageNet	ResNet-18	Schulze	Dataset Model	Adversarial	4	0	2	0	2	1	0	3
ImageNet	ResNet-18	Best Individual	Overall	All	80	21						
ImageNet	ResNet-18	Simple Averaging	Overall	All	80	12	34	1	45			
ImageNet	ResNet-18	Borda	Overall	All	80	14	46	2	32	52	3	25
ImageNet	ResNet-18	Kemeny	Overall	All	80	18	48	0	32	56	0	24
ImageNet	ResNet-18	RRF	Overall	All	80	9	48	1	31	52	1	27
ImageNet	ResNet-18	Schulze	Overall	All	80	9	46	0	34	50	3	27
ImageNet	ResNet-18	Best Individual	Overall	Quality	16	11						
ImageNet	ResNet-18	Simple Averaging	Overall	Quality	16	1	5	0	11			
ImageNet	ResNet-18	Borda	Overall	Quality	16	1	4	0	12	5	1	10
ImageNet	ResNet-18	Kemeny	Overall	Quality	16	0	4	0	12	7	0	9
ImageNet	ResNet-18	RRF	Overall	Quality	16	0	4	0	12	6	0	10
ImageNet	ResNet-18	Schulze	Overall	Quality	16	3	4	0	12	7	1	8
ImageNet	ResNet-18	Best Individual	Overall	Robustness All	64	10						
ImageNet	ResNet-18	Simple Averaging	Overall	Robustness All	64	11	29	1	34			
ImageNet	ResNet-18	Borda	Overall	Robustness All	64	13	42	2	20	47	2	15
ImageNet	ResNet-18	Kemeny	Overall	Robustness All	64	18	44	0	20	49	0	15
ImageNet	ResNet-18	RRF	Overall	Robustness All	64	9	44	1	19	46	1	17
ImageNet	ResNet-18	Schulze	Overall	Robustness All	64	6	42	0	22	43	2	19
ImageNet	ResNet-18	Best Individual	Overall	Gaussian	16	2						
ImageNet	ResNet-18	Simple Averaging	Overall	Gaussian	16	1	7	0	9			
ImageNet	ResNet-18	Borda	Overall	Gaussian	16	4	12	0	4	13	1	2
ImageNet	ResNet-18	Kemeny	Overall	Gaussian	16	6	12	0	4	15	0	1
ImageNet	ResNet-18	RRF	Overall	Gaussian	16	1	13	0	3	15	0	1
ImageNet	ResNet-18	Schulze	Overall	Gaussian	16	2	12	0	4	14	1	1
ImageNet	ResNet-18	Best Individual	Overall	Salt Pepper	16	2						
ImageNet	ResNet-18	Simple Averaging	Overall	Salt Pepper	16	0	5	1	10			
ImageNet	ResNet-18	Borda	Overall	Salt Pepper	16	5	12	0	4	15	1	0
ImageNet	ResNet-18	Kemeny	Overall	Salt Pepper	16	7	12	0	4	16	0	0
ImageNet	ResNet-18	RRF	Overall	Salt Pepper	16	3	12	1	3	14	1	1
ImageNet	ResNet-18	Schulze	Overall	Salt Pepper	16	1	12	0	4	14	0	2
ImageNet	ResNet-18	Best Individual	Overall	Speckle	16	2						
ImageNet	ResNet-18	Simple Averaging	Overall	Speckle	16	3	8	0	8			
ImageNet	ResNet-18	Borda	Overall	Speckle	16	1	11	0	5	12	0	4
ImageNet	ResNet-18	Kemeny	Overall	Speckle	16	2	12	0	4	13	0	3
ImageNet	ResNet-18	RRF	Overall	Speckle	16	5	11	0	5	13	0	3
ImageNet	ResNet-18	Schulze	Overall	Speckle	16	3	12	0	4	10	1	5
ImageNet	ResNet-18	Best Individual	Overall	Adversarial	16	4						
ImageNet	ResNet-18	Simple Averaging	Overall	Adversarial	16	7	9	0	7			
ImageNet	ResNet-18	Borda	Overall	Adversarial	16	3	7	2	7	7	0	9
ImageNet	ResNet-18	Kemeny	Overall	Adversarial	16	3	8	0	8	5	0	11
ImageNet	ResNet-18	RRF	Overall	Adversarial	16	0	8	0	8	4	0	12

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	6	0	10	5	0	11

Table 212: ImageNet–ResNet-18

Method	K	F	F	C	C	F^*	F^*	C^*	C^*	F^*	F^*	C^*	C^*	F^*	F^*	C^*	C^*
Best Individual	10	0.1116	0.3446	0.214	0.4816	0.2268	0.3834	0.5082	0.7406	0.2014	0.3754	0.4798	0.7232	0.1508	0.3676	0.3002	0.566
Simple Averaging	10	0.1122	0.4314	0.2172	0.5768	0.2388	0.4656	0.5148	0.8248	0.218	0.4658	0.4868	0.8108	0.1686	0.4678	0.3084	0.6686
Borda	10	0.1016	0.4124	0.205	0.5538	0.2262	0.4408	0.4878	0.797	0.2142	0.4424	0.4692	0.7848	0.145	0.442	0.2796	0.6392
Kemeny	10	0.098	0.4174	0.1934	0.5602	0.223	0.4154	0.4722	0.7688	0.2174	0.4114	0.4634	0.7606	0.1362	0.4274	0.2718	0.6322
RRF	10	0.102	0.407	0.2054	0.5478	0.2354	0.424	0.486	0.7794	0.2236	0.4116	0.477	0.7576	0.1486	0.431	0.2846	0.631
Schulze	10	0.1012	0.4176	0.2016	0.5618	0.2278	0.4062	0.48	0.7624	0.2172	0.4118	0.4664	0.7586	0.1456	0.435	0.2812	0.637
Best Individual	20	0.1716	0.1752	0.292	0.2952	0.3216	0.2782	0.62	0.6054	0.3094	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098	0.3902
Simple Averaging	20	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058
Borda	20	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494
Kemeny	20	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486
RRF	20	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382
Schulze	20	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402
Best Individual	40	0.311	0.0644	0.4418	0.1518	0.4502	0.1174	0.7652	0.4354	0.4446	0.0824	0.7514	0.4018	0.3986	0.0836	0.572	0.2418
Simple Averaging	40	0.2906	0.1048	0.4178	0.2124	0.4376	0.214	0.7636	0.5398	0.4268	0.1958	0.7412	0.509	0.3786	0.1516	0.5552	0.316
Borda	40	0.279	0.0756	0.412	0.1758	0.429	0.151	0.737	0.452	0.4336	0.13	0.7336	0.4314	0.376	0.1092	0.5472	0.2688
Kemeny	40	0.282	0.083	0.4102	0.1814	0.4288	0.1508	0.7372	0.4558	0.422	0.1198	0.7196	0.42	0.361	0.117	0.531	0.2716
RRF	40	0.2848	0.0772	0.413	0.177	0.4338	0.15	0.7426	0.454	0.4308	0.1184	0.7336	0.4202	0.37	0.1062	0.542	0.2638
Schulze	40	0.2798	0.0814	0.4138	0.1786	0.4304	0.151	0.7342	0.4572	0.4258	0.122	0.726	0.419	0.3692	0.1132	0.5394	0.2708
Best Individual	80	0.507	0.0174	0.6444	0.0812	0.5422	0.033	0.8802	0.3012	0.5452	-0.0002	0.8728	0.2766	0.5706	0.02	0.7632	0.152
Simple Averaging	80	0.4784	0.0242	0.6186	0.0964	0.5326	0.077	0.8784	0.3534	0.532	0.0574	0.8654	0.3294	0.5416	0.0396	0.7374	0.176
Borda	80	0.4632	0.0148	0.6028	0.0812	0.5304	0.0338	0.8616	0.286	0.529	0.016	0.8524	0.2648	0.5408	0.0252	0.7306	0.153
Kemeny	80	0.4628	0.0202	0.6054	0.0912	0.5232	0.0318	0.8536	0.2846	0.5304	0.021	0.853	0.2696	0.5344	0.0216	0.7226	0.1456
RRF	80	0.4726	0.016	0.6094	0.086	0.5326	0.0378	0.8664	0.2868	0.5268	0.0168	0.8482	0.2662	0.5432	0.024	0.7296	0.15
Schulze	80	0.4656	0.0156	0.605	0.085	0.5264	0.0366	0.8602	0.2862	0.5288	0.0224	0.8516	0.2648	0.5386	0.0242	0.7268	0.1498

Table 213: ImageNet–ResNet-18

Method	K	F^a_{averaged}	F^a_{averaged}	C^a_{averaged}	C^a_{averaged}	R^b_{averaged}	R^b_{averaged}	R^b_{averaged}	R^b_{averaged}	R^b_{averaged}	R^b_{averaged}	R^b_{averaged}	R^b_{averaged}	R^b_{averaged}	R^b_{averaged}	R^b_{averaged}	R^b_{averaged}
Best Individual	10	0.0308	0.325	0.05	0.4526	0.1152	-0.0388	0.2942	-0.259	0.0898	-0.0308	0.2658	-0.2416	0.0392	-0.023	0.0862	-0.0844
Simple Averaging	10	0.0296	0.405	0.046	0.5364	0.1266	-0.0342	0.2976	-0.248	0.1058	-0.0344	0.2696	-0.234	0.0564	-0.0364	0.0912	-0.0918
Borda	10	0.0222	0.4062	0.0344	0.5316	0.1246	-0.0284	0.2828	-0.2432	0.1126	-0.03	0.2642	-0.231	0.0434	-0.0296	0.0746	-0.0854
Kemeny	10	0.0226	0.409	0.0322	0.536	0.125	0.002	0.2788	-0.2086	0.1194	0.006	0.27	-0.2004	0.0382	-0.01	0.0784	-0.072
RRF	10	0.0244	0.4056	0.0358	0.5288	0.1334	-0.017	0.2806	-0.2316	0.1216	-0.0046	0.2716	-0.2098	0.0466	-0.024	0.0792	-0.0832
Schulze	10	0.023	0.404	0.0326	0.5288	0.1266	0.0114	0.2784	-0.2006	0.116	0.0058	0.2648	-0.1968	0.0444	-0.0174	0.0796	-0.0752
Best Individual	20	0.0658	0.1536	0.0824	0.238	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856	0.0618	-0.037	0.1178	-0.095
Simple Averaging	20	0.0782	0.2172	0.1092	0.3108	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196
Borda	20	0.063	0.1996	0.0874	0.2932	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103
Kemeny	20	0.0652	0.2084	0.092	0.3	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994
RRF	20	0.0656	0.193	0.0898	0.2816	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958
Schulze	20	0.065	0.2012	0.0896	0.2938	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958
Best Individual	40	0.1968	0.044	0.2552	0.0746	0.1392	-0.053	0.3234	-0.2836	0.1336	-0.018	0.3096	-0.25	0.0876	-0.0192	0.1302	-0.09
Simple Averaging	40	0.1928	0.0642	0.2504	0.109	0.147	-0.1092	0.3458	-0.3274	0.1362	-0.091	0.3234	-0.2966	0.088	-0.0468	0.1374	-0.1036
Borda	40	0.168	0.0456	0.2196	0.0858	0.15	-0.0754	0.325	-0.2762	0.1546	-0.0544	0.3216	-0.2556	0.097	-0.0336	0.1352	-0.093
Kemeny	40	0.1662	0.0548	0.2158	0.0954	0.1468	-0.0678	0.327	-0.2744	0.14	-0.0368	0.3094	-0.2386	0.079	-0.034	0.1208	-0.0902
RRF	40	0.174	0.048	0.2254	0.0876	0.149	-0.0728	0.3296	-0.277	0.146	-0.0412	0.3206	-0.2432	0.0852	-0.029	0.129	-0.0868
Schulze	40	0.1678	0.0524	0.2188	0.0926	0.1506	-0.0696	0.3204	-0.2786	0.146	-0.0406	0.3122	-0.2404	0.0894	-0.0318	0.1256	-0.0922
Best Individual	80	0.4306	0.0038	0.5358	0.0108	0.0352	-0.0156	0.2358	-0.22	0.0382	0.0176	0.2284	-0.1954	0.0636	-0.0026	0.1188	-0.0708
Simple Averaging	80	0.4098	0.0046	0.5162	0.0134	0.0542	-0.0528	0.2598	-0.257	0.0536	-0.0332	0.2468	-0.233	0.0632	-0.0154	0.1188	-0.0796
Borda	80	0.3784	0.0016	0.4736	0.0092	0.0672	-0.019	0.2588	-0.2048	0.0658	-0.0012	0.2496	-0.1836	0.0776	-0.0104	0.1278	-0.0718
Kemeny	80	0.3752	0.0046	0.4688	0.012	0.0604	-0.0116	0.2482	-0.1934	0.0676	-0.0008	0.2476	-0.1784	0.0716	-0.0014	0.1172	-0.0544
RRF	80	0.3862	0.0022	0.4814	0.0082	0.06	-0.0218	0.257	-0.2008	0.0542	-0.0008	0.2388	-0.1802	0.0706	-0.008	0.1202	-0.064
Schulze	80	0.3798	0.0036	0.4736	0.0102	0.0608	-0.021	0.2552	-0.2012	0.0632	-0.0068	0.2466	-0.1798	0.073	-0.0086	0.1218	-0.0648

Table 214: ImageNet-ResNet-18

Method	K	R_{ϵ}^a	R^a	R_{ϵ}^c	R^c
Best Individual	10	-0.0808	0.0196	-0.164	0.029
Simple Averaging	10	-0.0826	0.0264	-0.1712	0.0404
Borda	10	-0.0794	0.0062	-0.1706	0.0222
Kemeny	10	-0.0754	0.0084	-0.1612	0.0242
RRF	10	-0.0776	0.0014	-0.1696	0.019
Schulze	10	-0.0782	0.0136	-0.169	0.033
Best Individual	20	-0.1058	0.0216	-0.2096	0.0572
Simple Averaging	20	-0.0944	0.0338	-0.1768	0.0754
Borda	20	-0.095	0.019	-0.1882	0.0532
Kemeny	20	-0.0904	0.015	-0.179	0.0492
RRF	20	-0.0956	0.0246	-0.1914	0.0608
Schulze	20	-0.0926	0.017	-0.1864	0.0506
Best Individual	40	-0.1142	0.0204	-0.1866	0.0772
Simple Averaging	40	-0.0978	0.0406	-0.1674	0.1034
Borda	40	-0.111	0.03	-0.1924	0.09
Kemeny	40	-0.1158	0.0282	-0.1944	0.086
RRF	40	-0.1108	0.0292	-0.1876	0.0894
Schulze	40	-0.112	0.029	-0.195	0.086
Best Individual	80	-0.0764	0.0136	-0.1086	0.0704
Simple Averaging	80	-0.0686	0.0196	-0.1024	0.083
Borda	80	-0.0848	0.0132	-0.1292	0.072
Kemeny	80	-0.0876	0.0156	-0.1366	0.0792
RRF	80	-0.0864	0.0138	-0.128	0.0778
Schulze	80	-0.0858	0.012	-0.1314	0.0748

Table 215: ImageNet–ResNet-18

Method	P	F	F	C	C	F^s per-subset	F^s per-subset	C^s per-subset	C^s per-subset	F^s per-subset	F^s per-subset	C^s per-subset	C^s per-subset	F^s per-subset	F^s per-subset	C^s per-subset	C^s per-subset
Best Individual	8	0.1	0.6522	0.1998	0.8118	0.173	0.5126	0.4468	0.8808	0.1616	0.5218	0.4308	0.8764	0.1266	0.602	0.269	0.8168
Simple Averaging	8	0.0988	0.7428	0.196	0.9038	0.1976	0.575	0.4634	0.9398	0.182	0.5874	0.4474	0.9454	0.1426	0.7014	0.2852	0.914
Borda	8	0.0858	0.739	0.182	0.8988	0.183	0.5712	0.4258	0.937	0.1678	0.5872	0.407	0.9404	0.1242	0.6944	0.2576	0.911
Kemeny	8	0.0768	0.7168	0.1728	0.877	0.1872	0.5404	0.4196	0.9092	0.1722	0.5514	0.404	0.9118	0.1216	0.6652	0.2478	0.8796
RRF	8	0.0812	0.717	0.1772	0.8784	0.1982	0.5446	0.4392	0.911	0.178	0.5568	0.4154	0.9174	0.124	0.6722	0.2558	0.8852
Schulze	8	0.0828	0.7176	0.1814	0.876	0.1896	0.5412	0.4244	0.9094	0.1762	0.563	0.4116	0.9206	0.1228	0.6704	0.2538	0.884
Best Individual	14	0.1496	0.2664	0.2706	0.4014	0.3186	0.3274	0.5846	0.6664	0.3104	0.296	0.5672	0.641	0.219	0.2854	0.3736	0.4742
Simple Averaging	14	0.1578	0.3846	0.2718	0.5284	0.3074	0.42	0.5984	0.7736	0.2846	0.4204	0.5724	0.7642	0.2228	0.4114	0.3818	0.6076
Borda	14	0.1424	0.3442	0.2576	0.4834	0.2936	0.383	0.5664	0.732	0.2874	0.374	0.5578	0.7196	0.21	0.3618	0.3666	0.5602
Kemeny	14	0.135	0.332	0.2482	0.4664	0.2856	0.347	0.5576	0.6972	0.2846	0.3392	0.5536	0.678	0.1956	0.3484	0.3498	0.5418
RRF	14	0.143	0.3218	0.2574	0.4564	0.297	0.3484	0.5644	0.6934	0.29	0.345	0.5616	0.6868	0.2056	0.3486	0.3602	0.5384
Schulze	14	0.137	0.3286	0.25	0.4638	0.2954	0.3518	0.5646	0.7024	0.2834	0.3448	0.552	0.6866	0.2016	0.3418	0.3562	0.5354
Best Individual	16	0.1716	0.1752	0.292	0.2952	0.3216	0.2782	0.62	0.6054	0.3094	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098	0.3902
Simple Averaging	16	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058
Borda	16	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494
Kemeny	16	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486
RRF	16	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382
Schulze	16	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402

Table 216: ImageNet–ResNet-18

Method	$F^a_{\text{perturbed}}$	$F^a_{\text{unperturbed}}$	$C^a_{\text{perturbed}}$	$C^a_{\text{unperturbed}}$	$R^b_{\text{perturbed}}$	$R^b_{\text{unperturbed}}$	$R^b_{\text{perturbed}}$	$R^b_{\text{unperturbed}}$	$R^b_{\text{perturbed}}$	$R^b_{\text{unperturbed}}$	$R^b_{\text{perturbed}}$	$R^b_{\text{unperturbed}}$	$R^b_{\text{perturbed}}$	$R^b_{\text{unperturbed}}$	$R^b_{\text{perturbed}}$	$R^b_{\text{unperturbed}}$	$R^b_{\text{perturbed}}$
Best Individual	0.021	0.6564	0.0346	0.815	0.073	0.1396	0.247	-0.069	0.0616	0.1304	0.231	-0.0646	0.0266	0.0502	0.0692	-0.005	-0.079
Simple Averaging	0.0208	0.7324	0.033	0.8894	0.0988	0.1678	0.2674	-0.036	0.0832	0.1554	0.2514	-0.0416	0.0438	0.0414	0.0892	-0.0102	-0.078
Borda	0.016	0.744	0.0262	0.9044	0.0972	0.1678	0.2438	-0.0382	0.082	0.1518	0.225	-0.0416	0.0384	0.0446	0.0756	-0.0122	-0.0698
Kemeny	0.0156	0.7206	0.0242	0.8794	0.1104	0.1764	0.2468	-0.0322	0.0954	0.1654	0.2312	-0.0348	0.0448	0.0516	0.075	-0.0026	-0.0612
RRF	0.0156	0.7204	0.0256	0.8778	0.117	0.1724	0.262	-0.0326	0.0968	0.1602	0.2382	-0.039	0.0428	0.0448	0.0786	-0.0068	-0.0656
Schulze	0.0162	0.7206	0.0246	0.8792	0.1068	0.1764	0.243	-0.0334	0.0934	0.1546	0.2302	-0.0446	0.04	0.0472	0.0724	-0.008	-0.0666
Best Individual	0.0488	0.2458	0.0658	0.3572	0.169	-0.061	0.314	-0.265	0.1608	-0.0296	0.2966	-0.2396	0.0694	-0.019	0.103	-0.0728	-0.1008
Simple Averaging	0.0632	0.353	0.092	0.469	0.1496	-0.0354	0.3266	-0.2452	0.1268	-0.0358	0.3006	-0.2358	0.065	-0.0268	0.11	-0.0792	-0.0946
Borda	0.0492	0.3328	0.069	0.4478	0.1512	-0.0388	0.3088	-0.2486	0.145	-0.0298	0.3002	-0.2362	0.0676	-0.0176	0.109	-0.0768	-0.0932
Kemeny	0.0476	0.3278	0.0664	0.4398	0.1506	-0.015	0.3094	-0.2308	0.1496	-0.0072	0.3054	-0.2116	0.0606	-0.0164	0.1016	-0.0754	-0.0874
RRF	0.053	0.3188	0.0726	0.4298	0.154	-0.0266	0.307	-0.237	0.147	-0.0232	0.3042	-0.2304	0.0626	-0.0268	0.1028	-0.082	-0.09
Schulze	0.0478	0.3242	0.0662	0.4396	0.1584	-0.0232	0.3146	-0.2386	0.1464	-0.0162	0.302	-0.2228	0.0646	-0.0132	0.1062	-0.0716	-0.0892
Best Individual	0.0658	0.1536	0.0824	0.238	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856	0.0618	-0.037	0.1178	-0.095	-0.1058
Simple Averaging	0.0782	0.2172	0.1092	0.3108	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.0944
Borda	0.063	0.1996	0.0874	0.2932	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.095
Kemeny	0.0652	0.2084	0.092	0.3	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0904
RRF	0.0656	0.193	0.0898	0.2816	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0956
Schulze	0.065	0.2012	0.0896	0.2938	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0926

Table 217: ImageNet-ResNet-18

Method	R^*_ℓ	R^*_c	R^*_s
Best Individual	-0.0042	-0.1652	-0.0032
Simple Averaging	0.0104	-0.163	0.0144
Borda	-0.005	-0.1558	-0.0056
Kemeny	-0.0038	-0.1486	-0.0024
RRF	-0.0034	-0.1516	0.0006
Schulze	-0.003	-0.1568	-0.0032
Best Individual	0.0206	-0.2048	0.0442
Simple Averaging	0.0316	-0.1798	0.0594
Borda	0.0114	-0.1886	0.0356
Kemeny	0.0042	-0.1818	0.0266
RRF	0.003	-0.1848	0.0266
Schulze	0.0044	-0.1838	0.0242
Best Individual	0.0216	-0.2096	0.0572
Simple Averaging	0.0338	-0.1768	0.0754
Borda	0.019	-0.1882	0.0532
Kemeny	0.015	-0.179	0.0492
RRF	0.0246	-0.1914	0.0608
Schulze	0.017	-0.1864	0.0506

Table 218: ImageNet–ResNet-18

Method	Fill	F	$\bar{F}$	C	$\bar{C}$	$F^{\#}$ permutest	$\bar{F}^{\#}$ permutest	$C^{\#}$ permutest	$\bar{C}^{\#}$ permutest	$F^{\#}$ permutest	$\bar{F}^{\#}$ permutest	$C^{\#}$ permutest	$\bar{C}^{\#}$ permutest	$F^{\#}$ permutest	$\bar{F}^{\#}$ permutest	$C^{\#}$ permutest	$\bar{C}^{\#}$ permutest
Best Individual	dataset_mean	0.1716	0.1752	0.292	0.2952	0.3216	0.2782	0.62	0.6054	0.3094	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098	0.3902
Simple Averaging	dataset_mean	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058
Borda	dataset_mean	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494
Kemeny	dataset_mean	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486
RRF	dataset_mean	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382
Schulze	dataset_mean	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402
Best Individual	class_mean	0.1784	0.2618	0.2952	0.393	0.3262	0.3402	0.622	0.6854	0.3102	0.3194	0.6076	0.6676	0.2388	0.2948	0.4146	0.4868
Simple Averaging	class_mean	0.174	0.344	0.29	0.4804	0.331	0.4116	0.6304	0.7616	0.3154	0.404	0.6048	0.7564	0.252	0.3974	0.412	0.5982
Borda	class_mean	0.1658	0.31	0.2826	0.4464	0.3314	0.3708	0.6154	0.7236	0.3176	0.3666	0.5968	0.7108	0.2414	0.346	0.3982	0.5424
Kemeny	class_mean	0.1656	0.3096	0.2782	0.4414	0.3248	0.3466	0.606	0.7006	0.3166	0.3448	0.5902	0.6884	0.2358	0.3404	0.3896	0.5336
RRF	class_mean	0.1714	0.3042	0.2886	0.4338	0.3288	0.3512	0.6124	0.7058	0.3218	0.3558	0.5952	0.697	0.2424	0.3346	0.399	0.5302
Schulze	class_mean	0.1662	0.3096	0.2804	0.439	0.3214	0.3508	0.6074	0.7032	0.3144	0.3462	0.5878	0.6882	0.2388	0.3462	0.396	0.541

Table 219: ImageNet–ResNet-18

Method	$F^a_{\text{perturbed}}$	F^a_{unturbed}	$C^a_{\text{perturbed}}$	C^a_{unturbed}	R^b_{F}	R^b_{E}	R^b_{G}	R^b_{H}	R^b_{I}	R^b_{J}	R^b_{K}	R^b_{L}	R^b_{M}	R^b_{N}	R^b_{O}	R^b_{P}	R^b_{Q}
Best Individual	0.0658	0.1536	0.0824	0.238	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856	0.0618	-0.037	0.1178	-0.095	-0.1058
Simple Averaging	0.0782	0.2172	0.1092	0.3108	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.0944
Borda	0.063	0.1996	0.0874	0.2932	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.095
Kemeny	0.0652	0.2084	0.092	0.3	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0904
RRF	0.0656	0.193	0.0898	0.2816	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0956
Schulze	0.065	0.2012	0.0896	0.2938	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0926
Best Individual	0.0662	0.23	0.0854	0.3428	0.1478	-0.0784	0.3268	-0.2924	0.1318	-0.0576	0.3124	-0.2746	0.0604	-0.033	0.1194	-0.0938	-0.1122
Simple Averaging	0.0826	0.3156	0.1132	0.4298	0.157	-0.0676	0.3404	-0.2812	0.1414	-0.06	0.3148	-0.276	0.078	-0.0534	0.122	-0.1178	-0.0914
Borda	0.0676	0.2954	0.093	0.4124	0.1656	-0.0608	0.3328	-0.2772	0.1518	-0.0566	0.3142	-0.2644	0.0756	-0.036	0.1156	-0.096	-0.0982
Kemeny	0.0688	0.3024	0.0944	0.4132	0.1592	-0.037	0.3278	-0.2592	0.151	-0.0352	0.312	-0.247	0.0702	-0.0308	0.1114	-0.0922	-0.0968
RRF	0.0708	0.2832	0.0974	0.3948	0.1574	-0.047	0.3238	-0.272	0.1504	-0.0516	0.3066	-0.2632	0.071	-0.0304	0.1104	-0.0964	-0.1006
Schulze	0.0676	0.2972	0.0926	0.4112	0.1552	-0.0412	0.327	-0.2642	0.1482	-0.0366	0.3074	-0.2492	0.0726	-0.0366	0.1156	-0.102	-0.0986

Table 220: ImageNet-ResNet-18

Method	R^*_ℓ	R^*_ℓ	R^*_ℓ
Best Individual	0.0216	-0.2096	0.0572
Simple Averaging	0.0338	-0.1768	0.0754
Borda	0.019	-0.1882	0.0532
Kemeny	0.015	-0.179	0.0492
RRF	0.0246	-0.1914	0.0608
Schulze	0.017	-0.1864	0.0506
Best Individual	0.0318	-0.2098	0.0502
Simple Averaging	0.0284	-0.1768	0.0506
Borda	0.0146	-0.1896	0.034
Kemeny	0.0072	-0.1838	0.0282
RRF	0.021	-0.1912	0.039
Schulze	0.0124	-0.1878	0.0278

Table 221: ImageNet–ResNet-18

Method	Noise	Severity	F_{clean}	$\hat{F}_{\text{clean}}$	C_{clean}	$\hat{C}_{\text{clean}}$	$F_{\text{perturbed}}$	$\hat{F}_{\text{perturbed}}$	$C_{\text{perturbed}}$	$\hat{C}_{\text{perturbed}}$	R_F	$\hat{R}_F$	R_C	$\hat{R}_C$
Best Individual	gaussian	0.1	0.1716	0.1752	0.292	0.2952	0.2996	0.2632	0.4984	0.483	0.128	-0.088	0.2064	-0.1878
Simple Averaging	gaussian	0.1	0.1726	0.251	0.286	0.3862	0.2986	0.3644	0.4952	0.5942	0.126	-0.1134	0.2092	-0.208
Borda	gaussian	0.1	0.158	0.2186	0.2756	0.3464	0.2848	0.3046	0.4698	0.5288	0.1268	-0.086	0.1942	-0.1824
Kemeny	gaussian	0.1	0.1556	0.2234	0.271	0.3492	0.2806	0.2908	0.4672	0.51	0.125	-0.0674	0.1962	-0.1608
RRF	gaussian	0.1	0.1612	0.2176	0.2812	0.3424	0.2892	0.2876	0.4726	0.507	0.128	-0.07	0.1914	-0.1646
Schulze	gaussian	0.1	0.1576	0.2182	0.276	0.3444	0.2886	0.2902	0.4746	0.5144	0.131	-0.072	0.1986	-0.17
Best Individual	gaussian	0.15	0.1716	0.1752	0.292	0.2952	0.3216	0.2782	0.62	0.6054	0.15	-0.103	0.328	-0.3102
Simple Averaging	gaussian	0.15	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.1564	-0.1118	0.3474	-0.3208
Borda	gaussian	0.15	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.1692	-0.0996	0.3384	-0.3208
Kemeny	gaussian	0.15	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.1668	-0.0684	0.3296	-0.2774
RRF	gaussian	0.15	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.1648	-0.0776	0.3286	-0.2944
Schulze	gaussian	0.15	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.1662	-0.0762	0.3296	-0.288
Best Individual	gaussian	0.2	0.1716	0.1752	0.292	0.2952	0.2976	0.256	0.7166	0.729	0.126	-0.0808	0.4246	-0.4338
Simple Averaging	gaussian	0.2	0.1726	0.251	0.286	0.3862	0.3048	0.3154	0.7262	0.7988	0.1322	-0.0644	0.4402	-0.4126
Borda	gaussian	0.2	0.158	0.2186	0.2756	0.3464	0.304	0.2812	0.7134	0.7558	0.146	-0.0626	0.4378	-0.4094
Kemeny	gaussian	0.2	0.1556	0.2234	0.271	0.3492	0.2966	0.2534	0.6992	0.7288	0.141	-0.03	0.4282	-0.3796
RRF	gaussian	0.2	0.1612	0.2176	0.2812	0.3424	0.3028	0.2626	0.7048	0.7344	0.1416	-0.045	0.4236	-0.392
Schulze	gaussian	0.2	0.1576	0.2182	0.276	0.3444	0.2966	0.2586	0.697	0.734	0.139	-0.0404	0.421	-0.3896
Best Individual	salt_pepper	0.03	0.1716	0.1752	0.292	0.2952	0.2884	0.2266	0.522	0.4822	0.1168	-0.0514	0.23	-0.187
Simple Averaging	salt_pepper	0.03	0.1726	0.251	0.286	0.3862	0.3018	0.3366	0.524	0.6008	0.1292	-0.0856	0.238	-0.2146
Borda	salt_pepper	0.03	0.158	0.2186	0.2756	0.3464	0.2958	0.2768	0.5092	0.532	0.1378	-0.0582	0.2336	-0.1856
Kemeny	salt_pepper	0.03	0.1556	0.2234	0.271	0.3492	0.2932	0.2544	0.5014	0.5078	0.1376	-0.031	0.2304	-0.1586
RRF	salt_pepper	0.03	0.1612	0.2176	0.2812	0.3424	0.2962	0.2644	0.5052	0.5126	0.135	-0.0468	0.224	-0.1702
Schulze	salt_pepper	0.03	0.1576	0.2182	0.276	0.3444	0.2926	0.2574	0.5012	0.5076	0.135	-0.0392	0.2252	-0.1632
Best Individual	salt_pepper	0.05	0.1716	0.1752	0.292	0.2952	0.3094	0.2438	0.6096	0.5808	0.1378	-0.0686	0.3176	-0.2856
Simple Averaging	salt_pepper	0.05	0.1726	0.251	0.286	0.3862	0.3102	0.3426	0.6012	0.6808	0.1376	-0.0916	0.3152	-0.2946
Borda	salt_pepper	0.05	0.158	0.2186	0.2756	0.3464	0.3204	0.2974	0.5964	0.6286	0.1624	-0.0788	0.3208	-0.2822
Kemeny	salt_pepper	0.05	0.1556	0.2234	0.271	0.3492	0.317	0.2684	0.588	0.6014	0.1614	-0.045	0.317	-0.2522
RRF	salt_pepper	0.05	0.1612	0.2176	0.2812	0.3424	0.3236	0.2836	0.5946	0.6078	0.1624	-0.066	0.3134	-0.2654
Schulze	salt_pepper	0.05	0.1576	0.2182	0.276	0.3444	0.3168	0.2838	0.5884	0.614	0.1592	-0.0656	0.3124	-0.2696
Best Individual	salt_pepper	0.08	0.1716	0.1752	0.292	0.2952	0.3198	0.2654	0.6884	0.6928	0.1482	-0.0902	0.3964	-0.3976
Simple Averaging	salt_pepper	0.08	0.1726	0.251	0.286	0.3862	0.3278	0.3364	0.7096	0.772	0.1552	-0.0854	0.4236	-0.3858
Borda	salt_pepper	0.08	0.158	0.2186	0.2756	0.3464	0.327	0.3054	0.6914	0.7356	0.169	-0.0868	0.4158	-0.3892
Kemeny	salt_pepper	0.08	0.1556	0.2234	0.271	0.3492	0.322	0.28	0.6768	0.7088	0.1664	-0.0566	0.4058	-0.3596
RRF	salt_pepper	0.08	0.1612	0.2176	0.2812	0.3424	0.3226	0.2818	0.6854	0.717	0.1614	-0.0642	0.4042	-0.3746
Schulze	salt_pepper	0.08	0.1576	0.2182	0.276	0.3444	0.3256	0.2822	0.6818	0.71	0.168	-0.064	0.4058	-0.3656
Best Individual	speckle	0.1	0.1716	0.1752	0.292	0.2952	0.2084	0.1978	0.3566	0.3452	0.0368	-0.0226	0.0646	-0.05
Simple Averaging	speckle	0.1	0.1726	0.251	0.286	0.3862	0.2214	0.2938	0.3582	0.454	0.0488	-0.0428	0.0722	-0.0678
Borda	speckle	0.1	0.158	0.2186	0.2756	0.3464	0.2072	0.2412	0.3366	0.4002	0.0492	-0.0226	0.061	-0.0538
Kemeny	speckle	0.1	0.1556	0.2234	0.271	0.3492	0.2022	0.246	0.3284	0.3994	0.0466	-0.0226	0.0574	-0.0502
RRF	speckle	0.1	0.1612	0.2176	0.2812	0.3424	0.2094	0.2378	0.3402	0.3894	0.0482	-0.0202	0.059	-0.047
Schulze	speckle	0.1	0.1576	0.2182	0.276	0.3444	0.2072	0.2402	0.3338	0.3928	0.0496	-0.022	0.0578	-0.0484
Best Individual	speckle	0.15	0.1716	0.1752	0.292	0.2952	0.2334	0.2122	0.4098	0.3902	0.0618	-0.037	0.1178	-0.095
Simple Averaging	speckle	0.15	0.1726	0.251	0.286	0.3862	0.246	0.3146	0.4052	0.5058	0.0734	-0.0636	0.1192	-0.1196
Borda	speckle	0.15	0.158	0.2186	0.2756	0.3464	0.2328	0.2614	0.3898	0.4494	0.0748	-0.0428	0.1142	-0.103
Kemeny	speckle	0.15	0.1556	0.2234	0.271	0.3492	0.2304	0.2596	0.3846	0.4486	0.0748	-0.0362	0.1136	-0.0994
RRF	speckle	0.15	0.1612	0.2176	0.2812	0.3424	0.2354	0.2518	0.3938	0.4382	0.0742	-0.0342	0.1126	-0.0958
Schulze	speckle	0.15	0.1576	0.2182	0.276	0.3444	0.2346	0.2532	0.388	0.4402	0.077	-0.035	0.112	-0.0958
Best Individual	speckle	0.2	0.1716	0.1752	0.292	0.2952	0.253	0.2244	0.4606	0.4412	0.0814	-0.0492	0.1686	-0.146
Simple Averaging	speckle	0.2	0.1726	0.251	0.286	0.3862	0.2656	0.3256	0.4606	0.5498	0.093	-0.0746	0.1746	-0.1636
Borda	speckle	0.2	0.158	0.2186	0.2756	0.3464	0.259	0.2788	0.4482	0.506	0.101	-0.0602	0.1726	-0.1596
Kemeny	speckle	0.2	0.1556	0.2234	0.271	0.3492	0.2572	0.2642	0.44	0.4784	0.1016	-0.0408	0.169	-0.1292
RRF	speckle	0.2	0.1612	0.2176	0.2812	0.3424	0.262	0.269	0.4462	0.4906	0.1008	-0.0514	0.165	-0.1482
Schulze	speckle	0.2	0.1576	0.2182	0.276	0.3444	0.2568	0.2712	0.4446	0.4912	0.0992	-0.053	0.1686	-0.1468
Best Individual	adversarial	0.003922	0.1716	0.1752	0.292	0.2952	0.0712	0.1556	0.0994	0.2522	-0.1004	0.0196	-0.1926	0.043
Simple Averaging	adversarial	0.003922	0.1726	0.251	0.286	0.3862	0.0812	0.2062	0.1184	0.3042	-0.0914	0.0448	-0.1676	0.082
Borda	adversarial	0.003922	0.158	0.2186	0.2756	0.3464	0.0692	0.1954	0.1004	0.2988	-0.0888	0.0232	-0.1752	0.0476
Kemeny	adversarial	0.003922	0.1556	0.2234	0.271	0.3492	0.0686	0.2034	0.1006	0.3044	-0.087	0.02	-0.1704	0.0448
RRF	adversarial	0.003922	0.1612	0.2176	0.2812	0.3424	0.0742	0.1948	0.1072	0.294	-0.087	0.0228	-0.174	0.0484
Schulze	adversarial	0.003922	0.1576	0.2182	0.276	0.3444	0.071	0.198	0.1026	0.2994	-0.0866	0.0202	-0.1734	0.045
Best Individual	adversarial	0.007843	0.1716	0.1752	0.292	0.2952	0.0658	0.1536	0.0824	0.238	-0.1058	0.0216	-0.2096	0.0572
Simple Averaging	adversarial	0.007843	0.1726	0.251	0.286	0.3862	0.0782	0.2172	0.1092	0.3108	-0.0944	0.0338	-0.1768	0.0754
Borda	adversarial	0.007843	0.158	0.2186	0.2756	0.3464	0.063	0.1996	0.0874	0.2932	-0.095	0.019	-0.1882	0.0532
Kemeny	adversarial	0.007843	0.1556	0.2234	0.271	0.3492	0.0652	0.2084	0.092	0.3	-0.0904	0.015	-0.179	0.0492
RRF	adversarial	0.007843	0.1612	0.2176	0.2812	0.3424	0.0656	0.193	0.0898	0.2816	-0.0956	0.0246	-0.1914	0.0608
Schulze	adversarial	0.007843	0.1576	0.2182	0.276	0.3444	0.065	0.2012	0.0896	0.2938	-0.0926	0.017	-0.1864	0.0506
Best Individual	adversarial	0.015686	0.1716	0.1752	0.292	0.2952	0.0664	0.1576	0.0834	0.2366	-0.1052	0.0176	-0.2086	0.0586
Simple Averaging	adversarial	0.015686	0.1726	0.251	0.286	0.3862	0.0776	0.2278	0.1072	0.3192	-0.095	0.0232	-0.1788	0.067
Borda	adversarial	0.015686	0.158	0.2186	0.2756	0.3464	0.0582	0.2184	0.082	0.3098	-0.0998	0.0002	-0.1936	0.0366
Kemeny	adversarial	0.015686	0.1556	0.2234	0.271	0.3492	0.0628	0.214	0.0868	0.3106	-0.0928	0.0094	-0.1842	0.0386
RRF	adversarial	0.015686	0.1612	0.2176	0.2812	0.3424	0.0622	0.2176	0.0866	0.307	-0.099	0	-0.1946	0.0354
Schulze	adversarial	0.015686	0.1576	0.2182	0.276	0.3444	0.0638	0.2054	0.0872	0.2998	-0.0938	0.0128	-0.1888	0.0446

Table 222: ImageNet–ResNet-18

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
ImageNet	ResNet-18	CNN	Test	Best Individual	5000	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848
ImageNet	ResNet-18	CNN	Test	Simple Averaging	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946
ImageNet	ResNet-18	CNN	Test	Borda	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822
ImageNet	ResNet-18	CNN	Test	Kemeny	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522
ImageNet	ResNet-18	CNN	Test	RRF	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654
ImageNet	ResNet-18	CNN	Test	Schulze	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696

Table 223: ImageNet–ResNet-18

Dataset	Model	Architecture	Split	Method	R^c_p	R^s_p	R^c_c	R^s_c	R^a_p	R^s_p	R^a_c	R^s_c	Selected Sources
ImageNet	ResNet-18	CNN	Test	Best Individual	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0.002	3102f14ae28876c574f8 36787c1c08631f7d7356 54dddc7d798c951cf86d 73f3
ImageNet	ResNet-18	CNN	Test	Simple Averaging	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754	
ImageNet	ResNet-18	CNN	Test	Borda	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532	
ImageNet	ResNet-18	CNN	Test	Kemeny	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492	
ImageNet	ResNet-18	CNN	Test	RRF	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608	
ImageNet	ResNet-18	CNN	Test	Schulze	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506	

Table 224: ImageNet–ResNet-18

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
ImageNet	ResNet-18	Best Individual	Dataset Model	All	20	19						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	All	20	1	1	0	19			
ImageNet	ResNet-18	Borda	Dataset Model	All	20	0	0	0	20	11	1	8
ImageNet	ResNet-18	Kemeny	Dataset Model	All	20	0	0	0	20	13	0	7
ImageNet	ResNet-18	RRF	Dataset Model	All	20	0	0	0	20	13	0	7
ImageNet	ResNet-18	Schulze	Dataset Model	All	20	0	0	0	20	14	0	6
ImageNet	ResNet-18	Best Individual	Dataset Model	Quality	4	3						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Quality	4	1	1	0	3			
ImageNet	ResNet-18	Borda	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Kemeny	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	RRF	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Schulze	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Best Individual	Dataset Model	Robustness All	16	16						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Robustness All	16	0	0	0	16			
ImageNet	ResNet-18	Borda	Dataset Model	Robustness All	16	0	0	0	16	9	1	6
ImageNet	ResNet-18	Kemeny	Dataset Model	Robustness All	16	0	0	0	16	11	0	5
ImageNet	ResNet-18	RRF	Dataset Model	Robustness All	16	0	0	0	16	11	0	5
ImageNet	ResNet-18	Schulze	Dataset Model	Robustness All	16	0	0	0	16	12	0	4
ImageNet	ResNet-18	Best Individual	Dataset Model	Gaussian	4	4						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Gaussian	4	0	0	0	4			
ImageNet	ResNet-18	Borda	Dataset Model	Gaussian	4	0	0	0	4	2	1	1
ImageNet	ResNet-18	Kemeny	Dataset Model	Gaussian	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	RRF	Dataset Model	Gaussian	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Schulze	Dataset Model	Gaussian	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Best Individual	Dataset Model	Salt Pepper	4	4						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Salt Pepper	4	0	0	0	4			
ImageNet	ResNet-18	Borda	Dataset Model	Salt Pepper	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Kemeny	Dataset Model	Salt Pepper	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	RRF	Dataset Model	Salt Pepper	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Schulze	Dataset Model	Salt Pepper	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Best Individual	Dataset Model	Speckle	4	4						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Speckle	4	0	0	0	4			
ImageNet	ResNet-18	Borda	Dataset Model	Speckle	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Kemeny	Dataset Model	Speckle	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	RRF	Dataset Model	Speckle	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Schulze	Dataset Model	Speckle	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Best Individual	Dataset Model	Adversarial	4	4						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Adversarial	4	0	0	0	4			
ImageNet	ResNet-18	Borda	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Kemeny	Dataset Model	Adversarial	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	RRF	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Schulze	Dataset Model	Adversarial	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Best Individual	Overall	All	80	68						
ImageNet	ResNet-18	Simple Averaging	Overall	All	80	5	10	0	70			
ImageNet	ResNet-18	Borda	Overall	All	80	4	10	0	70	41	3	36
ImageNet	ResNet-18	Kemeny	Overall	All	80	1	9	0	71	40	0	40
ImageNet	ResNet-18	RRF	Overall	All	80	0	7	0	73	38	1	41
ImageNet	ResNet-18	Schulze	Overall	All	80	3	9	0	71	37	4	39
ImageNet	ResNet-18	Best Individual	Overall	Quality	16	11						
ImageNet	ResNet-18	Simple Averaging	Overall	Quality	16	1	5	0	11			
ImageNet	ResNet-18	Borda	Overall	Quality	16	1	4	0	12	5	1	10
ImageNet	ResNet-18	Kemeny	Overall	Quality	16	0	4	0	12	7	0	9
ImageNet	ResNet-18	RRF	Overall	Quality	16	0	4	0	12	6	0	10
ImageNet	ResNet-18	Schulze	Overall	Quality	16	3	4	0	12	7	1	8
ImageNet	ResNet-18	Best Individual	Overall	Robustness All	64	57						
ImageNet	ResNet-18	Simple Averaging	Overall	Robustness All	64	4	5	0	59			
ImageNet	ResNet-18	Borda	Overall	Robustness All	64	3	6	0	58	36	2	26
ImageNet	ResNet-18	Kemeny	Overall	Robustness All	64	1	5	0	59	33	0	31
ImageNet	ResNet-18	RRF	Overall	Robustness All	64	0	3	0	61	32	1	31
ImageNet	ResNet-18	Schulze	Overall	Robustness All	64	0	5	0	59	30	3	31
ImageNet	ResNet-18	Best Individual	Overall	Gaussian	16	14						
ImageNet	ResNet-18	Simple Averaging	Overall	Gaussian	16	1	2	0	14			
ImageNet	ResNet-18	Borda	Overall	Gaussian	16	1	2	0	14	9	1	6
ImageNet	ResNet-18	Kemeny	Overall	Gaussian	16	0	2	0	14	9	0	7
ImageNet	ResNet-18	RRF	Overall	Gaussian	16	0	1	0	15	9	0	7
ImageNet	ResNet-18	Schulze	Overall	Gaussian	16	0	2	0	14	8	1	7
ImageNet	ResNet-18	Best Individual	Overall	Salt Pepper	16	13						
ImageNet	ResNet-18	Simple Averaging	Overall	Salt Pepper	16	2	2	0	14			
ImageNet	ResNet-18	Borda	Overall	Salt Pepper	16	1	3	0	13	8	1	7
ImageNet	ResNet-18	Kemeny	Overall	Salt Pepper	16	1	3	0	13	8	0	8
ImageNet	ResNet-18	RRF	Overall	Salt Pepper	16	0	2	0	14	8	1	7
ImageNet	ResNet-18	Schulze	Overall	Salt Pepper	16	0	3	0	13	8	1	7
ImageNet	ResNet-18	Best Individual	Overall	Speckle	16	14						
ImageNet	ResNet-18	Simple Averaging	Overall	Speckle	16	1	1	0	15			
ImageNet	ResNet-18	Borda	Overall	Speckle	16	1	1	0	15	10	0	6
ImageNet	ResNet-18	Kemeny	Overall	Speckle	16	0	0	0	16	9	0	7
ImageNet	ResNet-18	RRF	Overall	Speckle	16	0	0	0	16	9	0	7
ImageNet	ResNet-18	Schulze	Overall	Speckle	16	0	0	0	16	7	1	8
ImageNet	ResNet-18	Best Individual	Overall	Adversarial	16	16						
ImageNet	ResNet-18	Simple Averaging	Overall	Adversarial	16	0	0	0	16			
ImageNet	ResNet-18	Borda	Overall	Adversarial	16	0	0	0	16	9	0	7
ImageNet	ResNet-18	Kemeny	Overall	Adversarial	16	0	0	0	16	7	0	9
ImageNet	ResNet-18	RRF	Overall	Adversarial	16	0	0	0	16	6	0	10

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	0	0	16	7	0	9

Table 225: ImageNet–ResNet-18

Method	K	F	$\bar{F}$	C	$\bar{C}$	R^p	$R^p_{\bar{p}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$
Best Individual	10	0.1116	0.3446	0.214	0.4816	0.0456	0.0008	0.172	0.1204	0.023	0.013	0.145	0.12	0.0174	0.0022	0.0494	0.0386
Simple Averaging	10	0.1122	0.4314	0.2172	0.5768	0.1266	0.0342	0.2976	0.248	0.1058	0.0344	0.2696	0.234	0.0564	0.0364	0.0912	0.0918
Borda	10	0.1016	0.4124	0.205	0.5538	0.1246	0.0284	0.2828	0.2432	0.1126	0.03	0.2642	0.231	0.0434	0.0296	0.0746	0.0854
Kemeny	10	0.098	0.4174	0.1934	0.5602	0.125	0.002	0.2788	0.2086	0.1194	0.006	0.27	0.2004	0.0382	0.01	0.0784	0.072
RRF	10	0.102	0.407	0.2054	0.5478	0.1334	0.017	0.2806	0.2316	0.1216	0.0046	0.2716	0.2098	0.0466	0.024	0.0792	0.0832
Schulze	10	0.1012	0.4176	0.2016	0.5618	0.1266	0.0114	0.2784	0.2006	0.116	0.0058	0.2648	0.1968	0.0444	0.0174	0.0796	0.0752
Best Individual	20	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047
Simple Averaging	20	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196
Borda	20	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103
Kemeny	20	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994
RRF	20	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958
Schulze	20	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958
Best Individual	40	0.311	0.0644	0.4418	0.1518	0.1276	0.026	0.3098	0.2212	0.0958	0.0002	0.2612	0.1856	0.0446	0.0074	0.0926	0.0592
Simple Averaging	40	0.2906	0.1048	0.4178	0.2124	0.147	0.1092	0.3458	0.3274	0.1362	0.091	0.3234	0.2966	0.088	0.0468	0.1374	0.1036
Borda	40	0.279	0.0756	0.412	0.1758	0.15	0.0754	0.325	0.2762	0.1546	0.0544	0.3216	0.2556	0.097	0.0336	0.1352	0.093
Kemeny	40	0.282	0.083	0.4102	0.1814	0.1468	0.0678	0.327	0.2744	0.14	0.0368	0.3094	0.2386	0.079	0.034	0.1208	0.0902
RRF	40	0.2848	0.0772	0.413	0.177	0.149	0.0728	0.3296	0.277	0.146	0.0412	0.3206	0.2432	0.0852	0.029	0.129	0.0868
Schulze	40	0.2798	0.0814	0.4138	0.1786	0.1506	0.0696	0.3204	0.2786	0.146	0.0406	0.3122	0.2404	0.0894	0.0318	0.1256	0.0922
Best Individual	80	0.507	0.0174	0.6444	0.0812	0.0352	0.0076	0.2358	0.1812	0.0382	0.0008	0.2284	0.1602	0.0586	0.0012	0.1048	0.0522
Simple Averaging	80	0.4784	0.0242	0.6186	0.0964	0.0542	0.0528	0.2598	0.257	0.0536	0.0332	0.2468	0.233	0.0632	0.0154	0.1188	0.0796
Borda	80	0.4632	0.0148	0.6028	0.0812	0.0672	0.019	0.2588	0.2048	0.0658	0.0012	0.2496	0.1836	0.0776	0.0104	0.1278	0.0718
Kemeny	80	0.4628	0.0202	0.6054	0.0912	0.0604	0.0116	0.2482	0.1934	0.0676	0.0008	0.2476	0.1784	0.0716	0.0014	0.1172	0.0544
RRF	80	0.4726	0.016	0.6094	0.086	0.06	0.0218	0.257	0.2008	0.0542	0.0008	0.2388	0.1802	0.0706	0.008	0.1202	0.064
Schulze	80	0.4656	0.0156	0.605	0.085	0.0608	0.021	0.2552	0.2012	0.0632	0.0068	0.2466	0.1798	0.073	0.0086	0.1218	0.0648

Table 226: ImageNet-ResNet-18

Method	K	$R^a_{\mathcal{F}}$	R^a	$R^a_{\mathcal{C}}$	$R^a_{\mathcal{S}}$
Best Individual	10	0.0162	0.0036	0.0732	0.0008
Simple Averaging	10	0.0826	0.0264	0.1712	0.0404
Borda	10	0.0794	0.0062	0.1706	0.0222
Kemeny	10	0.0754	0.0084	0.1612	0.0242
RRF	10	0.0776	0.0014	0.1696	0.019
Schulze	10	0.0782	0.0136	0.169	0.033
Best Individual	20	0.036	0.0026	0.1048	0.002
Simple Averaging	20	0.0944	0.0338	0.1768	0.0754
Borda	20	0.095	0.019	0.1882	0.0532
Kemeny	20	0.0904	0.015	0.179	0.0492
RRF	20	0.0956	0.0246	0.1914	0.0608
Schulze	20	0.0926	0.017	0.1864	0.0506
Best Individual	40	0.0602	0.002	0.1326	0.0426
Simple Averaging	40	0.0978	0.0406	0.1674	0.1034
Borda	40	0.111	0.03	0.1924	0.09
Kemeny	40	0.1158	0.0282	0.1944	0.086
RRF	40	0.1108	0.0292	0.1876	0.0894
Schulze	40	0.112	0.029	0.195	0.086
Best Individual	80	0.0534	0.0136	0.0786	0.0704
Simple Averaging	80	0.0686	0.0196	0.1024	0.083
Borda	80	0.0848	0.0132	0.1292	0.072
Kemeny	80	0.0876	0.0156	0.1366	0.0792
RRF	80	0.0864	0.0138	0.128	0.0778
Schulze	80	0.0858	0.012	0.1314	0.0748

Table 227: ImageNet–ResNet-18

Method	P	F	F	C	C	R _L ^o	R _S ^o	R _C ^o	R _L ^o	R _L ^o	R _S ^o	R _C ^o	R _L ^o	R _S ^o	R _C ^o	R _L ^o	R _S ^o
Best Individual	8	0.1	0.6522	0.1998	0.8118	0.0278	0.1396	0.1358	0.0008	0.011	0.128	0.1194	0.0088	0.0124	0.026	0.0378	0.0006
Simple Averaging	8	0.0988	0.7428	0.196	0.9038	0.0988	0.1678	0.2674	0.036	0.0832	0.1554	0.2514	0.0416	0.0438	0.0414	0.0892	0.0102
Borda	8	0.0858	0.739	0.182	0.8988	0.0972	0.1678	0.2438	0.0382	0.082	0.1518	0.225	0.0416	0.0384	0.0446	0.0756	0.0122
Kemeny	8	0.0768	0.7168	0.1728	0.877	0.1104	0.1764	0.2468	0.0322	0.0954	0.1654	0.2312	0.0348	0.0448	0.0516	0.075	0.0026
RRF	8	0.0812	0.717	0.1772	0.8784	0.117	0.1724	0.262	0.0326	0.0968	0.1602	0.2382	0.039	0.0428	0.0448	0.0786	0.0068
Schulze	8	0.0828	0.7176	0.1814	0.876	0.1068	0.1764	0.243	0.0334	0.0934	0.1546	0.2302	0.0446	0.04	0.0472	0.0724	0.008
Best Individual	14	0.1496	0.2664	0.2706	0.4014	0.0642	0.0028	0.2026	0.1434	0.0382	0.0004	0.1822	0.1268	0.0212	0.0002	0.0514	0.0344
Simple Averaging	14	0.1578	0.3846	0.2718	0.5284	0.1496	0.0354	0.3266	0.2452	0.1268	0.0358	0.3006	0.2358	0.065	0.0268	0.11	0.0792
Borda	14	0.1424	0.3442	0.2576	0.4834	0.1512	0.0388	0.3088	0.2486	0.145	0.0298	0.3002	0.2362	0.0676	0.0176	0.109	0.0768
Kemeny	14	0.135	0.332	0.2482	0.4664	0.1506	0.015	0.3094	0.2308	0.1496	0.0072	0.3054	0.2116	0.0606	0.0164	0.1016	0.0754
RRF	14	0.143	0.3218	0.2574	0.4564	0.154	0.0266	0.307	0.237	0.147	0.0232	0.3042	0.2304	0.0626	0.0268	0.1028	0.082
Schulze	14	0.137	0.3286	0.25	0.4638	0.1584	0.0232	0.3146	0.2386	0.1464	0.0162	0.302	0.2228	0.0646	0.0132	0.1062	0.0716
Best Individual	16	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047
Simple Averaging	16	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196
Borda	16	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103
Kemeny	16	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994
RRF	16	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958
Schulze	16	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958

Table 228: ImageNet-ResNet-18

Method	R_p^*	R_s^*	R_c^*	R_m^*
Best Individual	0.011	0.0018	0.061	0.0002
Simple Averaging	0.078	0.0104	0.163	0.0144
Borda	0.0698	0.005	0.1558	0.0056
Kemeny	0.0612	0.0038	0.1486	0.0024
RRF	0.0656	0.0034	0.1516	0.0006
Schulze	0.0666	0.003	0.1568	0.0032
Best Individual	0.0286	0.0016	0.0992	0.002
Simple Averaging	0.0946	0.0316	0.1798	0.0594
Borda	0.0932	0.0114	0.1886	0.0356
Kemeny	0.0874	0.0042	0.1818	0.0266
RRF	0.09	0.003	0.1848	0.0266
Schulze	0.0892	0.0044	0.1838	0.0242
Best Individual	0.036	0.0026	0.1048	0.002
Simple Averaging	0.0944	0.0338	0.1768	0.0754
Borda	0.095	0.019	0.1882	0.0532
Kemeny	0.0904	0.015	0.179	0.0492
RRF	0.0956	0.0246	0.1914	0.0608
Schulze	0.0926	0.017	0.1864	0.0506

Table 229: ImageNet–ResNet-18

Method	Fill	F	$\bar{F}$	C	$\bar{C}$	R^0_P	$R^0_{\bar{P}}$	$R^0_{G_P}$	$R^0_{\bar{G}_P}$	$R^0_{F_P}$	$R^0_{\bar{F}_P}$	$R^0_{G_{\bar{P}}}$	$R^0_{\bar{G}_{\bar{P}}}$	$R^0_{F_{\bar{P}}}$	$R^0_{\bar{F}_{\bar{P}}}$	$R^0_{G_{PP}}$	$R^0_{\bar{G}_{PP}}$
Best Individual	dataset_mean	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047
Simple Averaging	dataset_mean	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196
Borda	dataset_mean	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103
Kemeny	dataset_mean	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994
RRF	dataset_mean	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958
Schulze	dataset_mean	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958
Best Individual	class_mean	0.1784	0.2618	0.2952	0.393	0.078	0.009	0.2378	0.1562	0.0494	0.0018	0.2108	0.1596	0.0274	0.0074	0.066	0.0454
Simple Averaging	class_mean	0.174	0.344	0.29	0.4804	0.157	0.0676	0.3404	0.2812	0.1414	0.06	0.3148	0.276	0.078	0.0534	0.122	0.1178
Borda	class_mean	0.1658	0.31	0.2826	0.4464	0.1656	0.0608	0.3328	0.2772	0.1518	0.0566	0.3142	0.2644	0.0756	0.036	0.1156	0.096
Kemeny	class_mean	0.1656	0.3096	0.2782	0.4414	0.1592	0.037	0.3278	0.2592	0.151	0.0352	0.312	0.247	0.0702	0.0308	0.1114	0.0922
RRF	class_mean	0.1714	0.3042	0.2886	0.4338	0.1574	0.047	0.3238	0.272	0.1504	0.0516	0.3066	0.2632	0.071	0.0304	0.1104	0.0964
Schulze	class_mean	0.1662	0.3096	0.2804	0.439	0.1552	0.0412	0.327	0.2642	0.1482	0.0366	0.3074	0.2492	0.0726	0.0366	0.1156	0.102

Table 230: ImageNet-ResNet-18

Method	R^a_F	R^a_P	R^a_G	$R^a_{G^*}$
Best Individual	0.036	0.0026	0.1048	0.002
Simple Averaging	0.0944	0.0338	0.1768	0.0754
Borda	0.095	0.019	0.1882	0.0532
Kemeny	0.0904	0.015	0.179	0.0492
RRF	0.0956	0.0246	0.1914	0.0608
Schulze	0.0926	0.017	0.1864	0.0506
Best Individual	0.0354	0.0006	0.1044	0.0004
Simple Averaging	0.0914	0.0284	0.1768	0.0506
Borda	0.0982	0.0146	0.1896	0.034
Kemeny	0.0968	0.0072	0.1838	0.0282
RRF	0.1006	0.021	0.1912	0.039
Schulze	0.0986	0.0124	0.1878	0.0278

Table 231: ImageNet-ResNet-18

Method	Noise	Severity	F	F	C	C
Best Individual	gaussian	0.1	0.0442	0.026	0.1186	0.1168
Simple Averaging	gaussian	0.1	0.126	0.1134	0.2092	0.208
Borda	gaussian	0.1	0.1268	0.086	0.1942	0.1824
Kemeny	gaussian	0.1	0.125	0.0674	0.1962	0.1608
RRF	gaussian	0.1	0.128	0.07	0.1914	0.1646
Schulze	gaussian	0.1	0.131	0.072	0.1986	0.17
Best Individual	gaussian	0.15	0.078	0.0108	0.2344	0.184
Simple Averaging	gaussian	0.15	0.1564	0.1118	0.3474	0.3208
Borda	gaussian	0.15	0.1692	0.0996	0.3384	0.3208
Kemeny	gaussian	0.15	0.1668	0.0684	0.3296	0.2774
RRF	gaussian	0.15	0.1648	0.0776	0.3286	0.2944
Schulze	gaussian	0.15	0.1662	0.0762	0.3296	0.288
Best Individual	gaussian	0.2	0.0764	0.0026	0.3448	0.2622
Simple Averaging	gaussian	0.2	0.1322	0.0644	0.4402	0.4126
Borda	gaussian	0.2	0.146	0.0626	0.4378	0.4094
Kemeny	gaussian	0.2	0.141	0.03	0.4282	0.3796
RRF	gaussian	0.2	0.1416	0.045	0.4236	0.392
Schulze	gaussian	0.2	0.139	0.0404	0.421	0.3896
Best Individual	salt_pepper	0.03	0.0394	0.0048	0.1324	0.1074
Simple Averaging	salt_pepper	0.03	0.1292	0.0856	0.238	0.2146
Borda	salt_pepper	0.03	0.1378	0.0582	0.2336	0.1856
Kemeny	salt_pepper	0.03	0.1376	0.031	0.2304	0.1586
RRF	salt_pepper	0.03	0.135	0.0468	0.224	0.1702
Schulze	salt_pepper	0.03	0.135	0.0392	0.2252	0.1632
Best Individual	salt_pepper	0.05	0.0442	0.0086	0.2042	0.1848
Simple Averaging	salt_pepper	0.05	0.1376	0.0916	0.3152	0.2946
Borda	salt_pepper	0.05	0.1624	0.0788	0.3208	0.2822
Kemeny	salt_pepper	0.05	0.1614	0.045	0.317	0.2522
RRF	salt_pepper	0.05	0.1624	0.066	0.3134	0.2654
Schulze	salt_pepper	0.05	0.1592	0.0656	0.3124	0.2696
Best Individual	salt_pepper	0.08	0.0774	0.0068	0.295	0.2616
Simple Averaging	salt_pepper	0.08	0.1552	0.0854	0.4236	0.3858
Borda	salt_pepper	0.08	0.169	0.0868	0.4158	0.3892
Kemeny	salt_pepper	0.08	0.1664	0.0566	0.4058	0.3596
RRF	salt_pepper	0.08	0.1614	0.0642	0.4042	0.3746
Schulze	salt_pepper	0.08	0.168	0.064	0.4058	0.3656
Best Individual	speckle	0.1	0.0208	0.0008	0.0358	0.024
Simple Averaging	speckle	0.1	0.0488	0.0428	0.0722	0.0678
Borda	speckle	0.1	0.0492	0.0226	0.061	0.0538
Kemeny	speckle	0.1	0.0466	0.0226	0.0574	0.0502
RRF	speckle	0.1	0.0482	0.0202	0.059	0.047
Schulze	speckle	0.1	0.0496	0.022	0.0578	0.0484
Best Individual	speckle	0.15	0.0238	0.0004	0.0644	0.047
Simple Averaging	speckle	0.15	0.0734	0.0636	0.1192	0.1196
Borda	speckle	0.15	0.0748	0.0428	0.1142	0.103
Kemeny	speckle	0.15	0.0748	0.0362	0.1136	0.0994
RRF	speckle	0.15	0.0742	0.0342	0.1126	0.0958
Schulze	speckle	0.15	0.077	0.035	0.112	0.0958
Best Individual	speckle	0.2	0.0282	0.004	0.102	0.082
Simple Averaging	speckle	0.2	0.093	0.0746	0.1746	0.1636
Borda	speckle	0.2	0.101	0.0602	0.1726	0.1596
Kemeny	speckle	0.2	0.1016	0.0408	0.169	0.1292
RRF	speckle	0.2	0.1008	0.0514	0.165	0.1482
Schulze	speckle	0.2	0.0992	0.053	0.1686	0.1468
Best Individual	adversarial	0.003922	0.0334	0.0014	0.0964	0.0002
Simple Averaging	adversarial	0.003922	0.0914	0.0448	0.1676	0.082
Borda	adversarial	0.003922	0.0888	0.0232	0.1752	0.0476
Kemeny	adversarial	0.003922	0.087	0.02	0.1704	0.0448
RRF	adversarial	0.003922	0.087	0.0228	0.174	0.0484
Schulze	adversarial	0.003922	0.0866	0.0202	0.1734	0.045
Best Individual	adversarial	0.007843	0.036	0.0026	0.1048	0.002
Simple Averaging	adversarial	0.007843	0.0944	0.0338	0.1768	0.0754
Borda	adversarial	0.007843	0.095	0.019	0.1882	0.0532
Kemeny	adversarial	0.007843	0.0904	0.015	0.179	0.0492
RRF	adversarial	0.007843	0.0956	0.0246	0.1914	0.0608
Schulze	adversarial	0.007843	0.0926	0.017	0.1864	0.0506
Best Individual	adversarial	0.015686	0.0316	0.0052	0.1006	0.002
Simple Averaging	adversarial	0.015686	0.095	0.0232	0.1788	0.067
Borda	adversarial	0.015686	0.0998	0.0002	0.1936	0.0366
Kemeny	adversarial	0.015686	0.0928	0.0094	0.1842	0.0386
RRF	adversarial	0.015686	0.099	0	0.1946	0.0354
Schulze	adversarial	0.015686	0.0938	0.0128	0.1888	0.0446

Table 232: ImageNet–ResNet-18

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
ImageNet	ResNet-18	CNN	Test	Best Individual	5000	0.1716	0.1752	0.292	0.2952	0.15	0.103	0.328	0.3102	0.1378	0.0686	0.3176	0.2856
ImageNet	ResNet-18	CNN	Test	Simple Averaging	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946
ImageNet	ResNet-18	CNN	Test	Borda	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822
ImageNet	ResNet-18	CNN	Test	Kemeny	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522
ImageNet	ResNet-18	CNN	Test	RRF	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654
ImageNet	ResNet-18	CNN	Test	Schulze	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696

Table 233: ImageNet–ResNet-18

Dataset	Model	Architecture	Split	Method	R_p^c	R_p^s	R_c^c	R_c^s	R_p^a	R_p^b	R_c^a	R_c^b	Selected Sources
ImageNet	ResNet-18	CNN	Test	Best Individual	0.0618	0.037	0.1178	0.095	0.1058	0.0216	0.2096	0.0572	4f812c8b47b6bb1c4319 ae3010cb42821229d20e e030d6808723d45080f4 4bd8
ImageNet	ResNet-18	CNN	Test	Simple Averaging	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754	
ImageNet	ResNet-18	CNN	Test	Borda	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532	
ImageNet	ResNet-18	CNN	Test	Kemeny	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492	
ImageNet	ResNet-18	CNN	Test	RRF	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608	
ImageNet	ResNet-18	CNN	Test	Schulze	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506	

Table 234: ImageNet-ResNet-18

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
ImageNet	ResNet-18	Best Individual	Dataset Model	All	20	7						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	All	20	3	5	0	15			
ImageNet	ResNet-18	Borda	Dataset Model	All	20	0	7	0	13	11	1	8
ImageNet	ResNet-18	Kemeny	Dataset Model	All	20	7	11	0	9	13	0	7
ImageNet	ResNet-18	RRF	Dataset Model	All	20	1	9	0	11	13	0	7
ImageNet	ResNet-18	Schulze	Dataset Model	All	20	2	11	0	9	14	0	6
ImageNet	ResNet-18	Best Individual	Dataset Model	Quality	4	3						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Quality	4	1	1	0	3			
ImageNet	ResNet-18	Borda	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Kemeny	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	RRF	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Schulze	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Best Individual	Dataset Model	Robustness All	16	4						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Robustness All	16	2	4	0	12			
ImageNet	ResNet-18	Borda	Dataset Model	Robustness All	16	0	7	0	9	9	1	6
ImageNet	ResNet-18	Kemeny	Dataset Model	Robustness All	16	7	11	0	5	11	0	5
ImageNet	ResNet-18	RRF	Dataset Model	Robustness All	16	1	9	0	7	11	0	5
ImageNet	ResNet-18	Schulze	Dataset Model	Robustness All	16	2	11	0	5	12	0	4
ImageNet	ResNet-18	Best Individual	Dataset Model	Gaussian	4	2						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Gaussian	4	0	0	0	4			
ImageNet	ResNet-18	Borda	Dataset Model	Gaussian	4	0	1	0	3	2	1	1
ImageNet	ResNet-18	Kemeny	Dataset Model	Gaussian	4	2	2	0	2	3	0	1
ImageNet	ResNet-18	RRF	Dataset Model	Gaussian	4	0	2	0	2	3	0	1
ImageNet	ResNet-18	Schulze	Dataset Model	Gaussian	4	0	2	0	2	3	0	1
ImageNet	ResNet-18	Best Individual	Dataset Model	Salt Pepper	4	0						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Salt Pepper	4	1	2	0	2			
ImageNet	ResNet-18	Borda	Dataset Model	Salt Pepper	4	0	1	0	3	2	0	2
ImageNet	ResNet-18	Kemeny	Dataset Model	Salt Pepper	4	2	3	0	1	2	0	2
ImageNet	ResNet-18	RRF	Dataset Model	Salt Pepper	4	0	3	0	1	3	0	1
ImageNet	ResNet-18	Schulze	Dataset Model	Salt Pepper	4	1	3	0	1	3	0	1
ImageNet	ResNet-18	Best Individual	Dataset Model	Speckle	4	2						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Speckle	4	0	0	0	4			
ImageNet	ResNet-18	Borda	Dataset Model	Speckle	4	0	1	0	3	3	0	1
ImageNet	ResNet-18	Kemeny	Dataset Model	Speckle	4	0	2	0	2	3	0	1
ImageNet	ResNet-18	RRF	Dataset Model	Speckle	4	1	2	0	2	3	0	1
ImageNet	ResNet-18	Schulze	Dataset Model	Speckle	4	1	2	0	2	3	0	1
ImageNet	ResNet-18	Best Individual	Dataset Model	Adversarial	4	0						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Adversarial	4	1	2	0	2			
ImageNet	ResNet-18	Borda	Dataset Model	Adversarial	4	0	4	0	0	2	0	2
ImageNet	ResNet-18	Kemeny	Dataset Model	Adversarial	4	3	4	0	0	3	0	1
ImageNet	ResNet-18	RRF	Dataset Model	Adversarial	4	0	2	0	2	2	0	2
ImageNet	ResNet-18	Schulze	Dataset Model	Adversarial	4	0	4	0	0	3	0	1
ImageNet	ResNet-18	Best Individual	Overall	All	80	32						
ImageNet	ResNet-18	Simple Averaging	Overall	All	80	16	28	1	51			
ImageNet	ResNet-18	Borda	Overall	All	80	11	33	2	45	41	3	36
ImageNet	ResNet-18	Kemeny	Overall	All	80	17	39	0	41	40	0	40
ImageNet	ResNet-18	RRF	Overall	All	80	1	29	1	50	38	1	41
ImageNet	ResNet-18	Schulze	Overall	All	80	6	35	0	45	37	4	39
ImageNet	ResNet-18	Best Individual	Overall	Quality	16	11						
ImageNet	ResNet-18	Simple Averaging	Overall	Quality	16	1	5	0	11			
ImageNet	ResNet-18	Borda	Overall	Quality	16	1	4	0	12	5	1	10
ImageNet	ResNet-18	Kemeny	Overall	Quality	16	0	4	0	12	7	0	9
ImageNet	ResNet-18	RRF	Overall	Quality	16	0	4	0	12	6	0	10
ImageNet	ResNet-18	Schulze	Overall	Quality	16	3	4	0	12	7	1	8
ImageNet	ResNet-18	Best Individual	Overall	Robustness All	64	21						
ImageNet	ResNet-18	Simple Averaging	Overall	Robustness All	64	15	23	1	40			
ImageNet	ResNet-18	Borda	Overall	Robustness All	64	10	29	2	33	36	2	26
ImageNet	ResNet-18	Kemeny	Overall	Robustness All	64	17	35	0	29	33	0	31
ImageNet	ResNet-18	RRF	Overall	Robustness All	64	1	25	1	38	32	1	31
ImageNet	ResNet-18	Schulze	Overall	Robustness All	64	3	31	0	33	30	3	31
ImageNet	ResNet-18	Best Individual	Overall	Gaussian	16	6						
ImageNet	ResNet-18	Simple Averaging	Overall	Gaussian	16	2	5	0	11			
ImageNet	ResNet-18	Borda	Overall	Gaussian	16	3	8	0	8	9	1	6
ImageNet	ResNet-18	Kemeny	Overall	Gaussian	16	5	8	0	8	9	0	7
ImageNet	ResNet-18	RRF	Overall	Gaussian	16	0	7	0	9	9	0	7
ImageNet	ResNet-18	Schulze	Overall	Gaussian	16	0	8	0	8	8	1	7
ImageNet	ResNet-18	Best Individual	Overall	Salt Pepper	16	3						
ImageNet	ResNet-18	Simple Averaging	Overall	Salt Pepper	16	5	8	1	7			
ImageNet	ResNet-18	Borda	Overall	Salt Pepper	16	3	9	0	7	8	1	7
ImageNet	ResNet-18	Kemeny	Overall	Salt Pepper	16	5	11	0	5	8	0	8
ImageNet	ResNet-18	RRF	Overall	Salt Pepper	16	0	9	1	6	8	1	7
ImageNet	ResNet-18	Schulze	Overall	Salt Pepper	16	2	11	0	5	8	1	7
ImageNet	ResNet-18	Best Individual	Overall	Speckle	16	7						
ImageNet	ResNet-18	Simple Averaging	Overall	Speckle	16	3	3	0	13			
ImageNet	ResNet-18	Borda	Overall	Speckle	16	2	5	0	11	10	0	6
ImageNet	ResNet-18	Kemeny	Overall	Speckle	16	2	6	0	10	9	0	7
ImageNet	ResNet-18	RRF	Overall	Speckle	16	1	3	0	13	9	0	7
ImageNet	ResNet-18	Schulze	Overall	Speckle	16	1	4	0	12	7	1	8
ImageNet	ResNet-18	Best Individual	Overall	Adversarial	16	5						
ImageNet	ResNet-18	Simple Averaging	Overall	Adversarial	16	5	7	0	9			
ImageNet	ResNet-18	Borda	Overall	Adversarial	16	2	7	2	7	9	0	7
ImageNet	ResNet-18	Kemeny	Overall	Adversarial	16	5	10	0	6	7	0	9
ImageNet	ResNet-18	RRF	Overall	Adversarial	16	0	6	0	10	6	0	10

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	8	0	8	7	0	9

Table 235: ImageNet–ResNet-18

Cell	Dataset	Model	Condition	Metric	Seed Count	Mean	Standard Deviation	Minimum	Maximum	Range	First Half Mean	Second Half Mean	Half Bank Absolute Difference
ImageNet–ResNet-18	ImageNet	ResNet-18	Clean	F	8	0.023025	0.003289	0.0186	0.0274	0.0088	0.0224	0.02365	0.00125
ImageNet–ResNet-18	ImageNet	ResNet-18	Clean	Fbar	8	0.6855	0.004253	0.6778	0.6922	0.0144	0.6844	0.6866	0.0022
ImageNet–ResNet-18	ImageNet	ResNet-18	Clean	C	8	0.0937	0.00224	0.0906	0.0972	0.0066	0.09435	0.09305	0.0013
ImageNet–ResNet-18	ImageNet	ResNet-18	Clean	Cbar	8	0.843475	0.00452	0.8344	0.8502	0.0158	0.84255	0.8444	0.00185
ImageNet–ResNet-18	ImageNet	ResNet-18	G	F	8	0.09815	0.004531	0.0902	0.1058	0.0156	0.0992	0.0971	0.0021
ImageNet–ResNet-18	ImageNet	ResNet-18	G	Fbar	8	0.585	0.003253	0.579	0.5902	0.0112	0.58695	0.58305	0.0039
ImageNet–ResNet-18	ImageNet	ResNet-18	G	C	8	0.356275	0.003669	0.3516	0.362	0.0104	0.35675	0.3558	0.00095
ImageNet–ResNet-18	ImageNet	ResNet-18	G	Cbar	8	0.946175	0.002903	0.94	0.9506	0.0106	0.94755	0.9448	0.00275
ImageNet–ResNet-18	ImageNet	ResNet-18	P	F	8	0.075275	0.003365	0.0716	0.0818	0.0102	0.07585	0.0747	0.00115
ImageNet–ResNet-18	ImageNet	ResNet-18	P	Fbar	8	0.594925	0.002037	0.591	0.5972	0.0062	0.5955	0.59435	0.00115
ImageNet–ResNet-18	ImageNet	ResNet-18	P	C	8	0.32605	0.00305	0.3222	0.331	0.0088	0.3253	0.3268	0.0015
ImageNet–ResNet-18	ImageNet	ResNet-18	P	Cbar	8	0.9436	0.002953	0.9388	0.9462	0.0074	0.944	0.9432	0.0008
ImageNet–ResNet-18	ImageNet	ResNet-18	S	F	8	0.050175	0.003285	0.0462	0.055	0.0088	0.051	0.04935	0.00165
ImageNet–ResNet-18	ImageNet	ResNet-18	S	Fbar	8	0.678525	0.004466	0.6732	0.6874	0.0142	0.6791	0.67795	0.00115
ImageNet–ResNet-18	ImageNet	ResNet-18	S	C	8	0.173575	0.003613	0.1694	0.1788	0.0094	0.17275	0.1744	0.00165
ImageNet–ResNet-18	ImageNet	ResNet-18	S	Cbar	8	0.889075	0.002888	0.8868	0.8958	0.009	0.88955	0.8886	0.00095
ImageNet–ResNet-18	ImageNet	ResNet-18	A	F	8	0.001325	0.000501	0.0006	0.002	0.0014	0.0012	0.00145	0.00025
ImageNet–ResNet-18	ImageNet	ResNet-18	A	Fbar	8	0.68745	0.003505	0.6828	0.694	0.0112	0.68805	0.68685	0.0012
ImageNet–ResNet-18	ImageNet	ResNet-18	A	C	8	0.00515	0.000573	0.0044	0.006	0.0016	0.005	0.0053	0.0003
ImageNet–ResNet-18	ImageNet	ResNet-18	A	Cbar	8	0.84365	0.003479	0.8392	0.8494	0.0102	0.8442	0.8431	0.0011

Table 236: ImageNet–ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet–ResNet-18	ImageNet	ResNet-18	4	G	F	d3b85905d8 d77eca983b 64559b861b 95d597dcdd 331ae66b96 4563c986c4 a0e0	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	max	0.023025	0.09815	0.149575	0.23085	- 0.543373
ImageNet–ResNet-18	ImageNet	ResNet-18	4	G	Fbar	e0336d9443 ba510c3f71 4f17932e21 f6776a1243 ed78f9d5a8 4017f25b93 0e63	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	min	0.6855	0.585	0.4345	0.2222	0.488608
ImageNet–ResNet-18	ImageNet	ResNet-18	4	G	C	2818f69e22 5457b916da 26db50850b f5c699042c 9fd8c8fb71 2f6f8d4037 d44d	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	max	0.0937	0.356275	0.1923	0.277125	- 0.441108
ImageNet–ResNet-18	ImageNet	ResNet-18	4	G	Cbar	fda276c6be aa6e92e8cd 019dbb9863 fbb893d3dc 53de5d47e7 061f8effae e084	5000	Spearman	NOISE-S	Simple Averaging	Gaussian	min	0.843475	0.946175	0.457275	0.239175	0.476956
ImageNet–ResNet-18	ImageNet	ResNet-18	4	P	F	60c8085cb7 b9e9f855f4 ac069032c5 55e4dc8bb3 e930af0710 c6f299e59c 494e	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	max	0.023025	0.075275	0.149575	0.234925	- 0.570617
ImageNet–ResNet-18	ImageNet	ResNet-18	4	P	Fbar	03d558ef22 032667954c 7a63b4abbd e10d09775d a5557a7602 d57c699567 cdce	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	min	0.6855	0.594925	0.4345	0.252325	0.419275
ImageNet–ResNet-18	ImageNet	ResNet-18	4	P	C	e911aace35 fedae4a65 a7e20cd825 9b9fc8044a 351eb27afe 8bb5dfa298 8a57	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	max	0.0937	0.32605	0.1923	0.27515	- 0.430837
ImageNet–ResNet-18	ImageNet	ResNet-18	4	P	Cbar	c000ee9eee 389da4f8c4 7d4204f11a 7b18efc2bf 7185e6c236 8949ee1f36 dd5b	5000	Spearman	NOISE-S	Simple Averaging	Salt Pepper	min	0.843475	0.9436	0.457275	0.2628	0.425291
ImageNet–ResNet-18	ImageNet	ResNet-18	4	S	F	abe5f0a082 5d3b7f1625 b8df7fc1c1 ef4c968218 422169adad 8fdb857172 4215	5000	Spearman	NOISE-S	Simple Averaging	Speckle	max	0.023025	0.050175	0.149575	0.195825	- 0.309209
ImageNet–ResNet-18	ImageNet	ResNet-18	4	S	Fbar	ed9986b6c5 898feecd5e 54c562412e 4135619241 4d2e18fef7 0fca4bce02 98dd	5000	Spearman	NOISE-S	Simple Averaging	Speckle	min	0.6855	0.678525	0.4345	0.363925	0.162428
ImageNet–ResNet-18	ImageNet	ResNet-18	4	S	C	411c1c243e c75b981a2b d261eab071 932ba38b03 acc506ae0c 8896ff3ad c989	5000	Spearman	NOISE-S	Simple Averaging	Speckle	max	0.0937	0.173575	0.1923	0.231625	- 0.204498
ImageNet–ResNet-18	ImageNet	ResNet-18	4	S	Cbar	b5ad68e29b 6bb4b65265 721dbec3d3 76166a2843 09e744ea73 530b2d730f 905b	5000	Spearman	NOISE-S	Simple Averaging	Speckle	min	0.843475	0.889075	0.457275	0.383275	0.161828

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	58184c2740 b45b9460d7 05db560e20 273dc34a57 8db6791ba4 2d7e819de9 6dac	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	max	0.023025	0.001325	0.149575	0.076875	0.486044
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	38c874e077 bc233e9b73 1eaa52a85 8e5228082f e75d2548b9 cf97d3b92b d4c5	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	min	0.6855	0.68745	0.4345	0.47025	- 0.082278
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	15087130de dfa210638b e1fad33694 aa062ae4ba 5cf73ca23c 479f9a8e7c 86e3	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	max	0.0937	0.00515	0.1923	0.10405	0.458918
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	b717c903c2 5ef574bfc2 f2a2d1d211 227b98cb8f ae0def670d c1341b50bf 188f	5000	Spearman	NOISE-S	Simple Averaging	Adversarial	min	0.843475	0.84365	0.457275	0.53285	- 0.165273
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	b6d446f123 0fcade977f 41a86b9bf0 d8e1b717f3 3ffb5cf302 4e8e8ab0e6 5e86	5000	Spearman	NOISE-S	Borda	Gaussian	max	0.023025	0.09815	0.134975	0.22905	- 0.696981
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	b18325ac31 b428f56721 3bf472b063 eb9b598692 024961878d 74c2b6f6e6 a20a	5000	Spearman	NOISE-S	Borda	Gaussian	min	0.6855	0.585	0.4669	0.2668	0.428571
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	7d251f911e 469ae6f30b 356093cc10 051ba04644 e8a3260467 43e07cfe82 d957	5000	Spearman	NOISE-S	Borda	Gaussian	max	0.0937	0.356275	0.1819	0.257725	-0.41685
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	d99e80e55c 0b1f755d54 7e2d590dfe 60c9439c39 fe7c374653 92e92774d6 aa88	5000	Spearman	NOISE-S	Borda	Gaussian	min	0.843475	0.946175	0.497075	0.278975	0.438767
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	506aa1a6e2 90fb38ba31 a705be0ff4 19ac2cfcdb 30275f01f2 2c88b8f648 06dc	5000	Spearman	NOISE-S	Borda	Salt Pepper	max	0.023025	0.075275	0.134975	0.245125	- 0.816077
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	ae125a0c6c 52f8a37263 9ea65134b0 a4c28f371e 243bd3affd 3301c7ed36 7faa	5000	Spearman	NOISE-S	Borda	Salt Pepper	min	0.6855	0.594925	0.4669	0.297525	0.362765
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	74e59fc8ac e8a274ae9 9b14bf006d 1bf4a9e53e f64306720c d56c9227a8 66ef	5000	Spearman	NOISE-S	Borda	Salt Pepper	max	0.0937	0.32605	0.1819	0.27035	- 0.486256
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	6425c13e10 ae3b5fe8ef 93534fe49f 60b44e6a3a fe6d6d52d5 c19ae792f7 8dac	5000	Spearman	NOISE-S	Borda	Salt Pepper	min	0.843475	0.9436	0.497075	0.315	0.366293
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	55c5d11b81 604b8aebfb ec81141431 f0756cf2e9 cc30b9f60e 3f920d9c1e 4eb4	5000	Spearman	NOISE-S	Borda	Speckle	max	0.023025	0.050175	0.134975	0.182625	- 0.353028

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	9328e2b7a3c7906688a11b8ec6e4c483ef32e9c0575f1625ffef3bcb295287fb	5000	Spearman	NOISE-S	Borda	Speckle	min	0.6855	0.678525	0.4669	0.417125	0.106607
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	6d0014e93aeb0b7136a16cdf3768c8b22ea3c320236558eeb96a5a5457a870b	5000	Spearman	NOISE-S	Borda	Speckle	max	0.0937	0.173575	0.1819	0.216225	-0.188703
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	0698a814635df732570bf5d5c74010859771dba9d8fa203ab436ed460e4d26edf	5000	Spearman	NOISE-S	Borda	Speckle	min	0.843475	0.889075	0.497075	0.439675	0.115476
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	5c6d1c677a1001c76522e60f205b5115b412478d0c47bc1992dfe0ddb45ca7e3	5000	Spearman	NOISE-S	Borda	Adversarial	max	0.023025	0.001325	0.134975	0.061675	0.543064
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	25c37716b470cc5fb5ec931bfb0a04e94cca1ac0cab7b5b959db3b205ee89d1	5000	Spearman	NOISE-S	Borda	Adversarial	min	0.6855	0.68745	0.4669	0.48785	-0.04487
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	b1b47771a58d5c3885a58e81baa6009f6e4d898559a7dca4ff4cec0c6c0ae3f6	5000	Spearman	NOISE-S	Borda	Adversarial	max	0.0937	0.00515	0.1819	0.08225	0.547828
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	72c92af38f80d0ae0caa3942ac9277c939c8c24cf6c89d279dda29554f04f0e8	5000	Spearman	NOISE-S	Borda	Adversarial	min	0.843475	0.84365	0.497075	0.55045	-0.107378
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	4f10365c67d4e7bf63b386349083732cafa23849564427489024f998fabf553d	5000	Spearman	NOISE-S	RRF	Gaussian	max	0.023025	0.09815	0.138175	0.22785	-0.648996
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	09d015d42459516d7b01f1696b6a0122e8599bc6457ef529140d9b0fd5ec982a	5000	Spearman	NOISE-S	RRF	Gaussian	min	0.6855	0.585	0.4679	0.2898	0.380637
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	258d405b08e0fb06cefd34fd9a93370c86f71f0a088851bf4405ea5fb0250cba	5000	Spearman	NOISE-S	RRF	Gaussian	max	0.0937	0.356275	0.1875	0.253525	-0.352133
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	a3d041ef7c90886157dd77968a1e1034451fa2680af0ed9ab670aa5ce5f77000	5000	Spearman	NOISE-S	RRF	Gaussian	min	0.843475	0.946175	0.501075	0.309375	0.382577
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	5aecead4ec2baa2ccf016a6698b01752731e8504d8c1e919c5569e444c657c4	5000	Spearman	NOISE-S	RRF	Salt Pepper	max	0.023025	0.075275	0.138175	0.248325	-0.797177
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	93aafba9293d4d4a5d10c667d6413b47d23e3bdd93ad89d0d58150a6e3859284	5000	Spearman	NOISE-S	RRF	Salt Pepper	min	0.6855	0.594925	0.4679	0.311325	0.334633

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	17b8f8b2ed b46f9973ee 13ef1e5024 d45c79570b f7624bc1f8 28ecb513bf 02fc	5000	Spearman	NOISE-S	RRF	Salt Pepper	max	0.0937	0.32605	0.1875	0.26855	- 0.432267
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	ac40b525b5 7c34520a25 452b68726a 1876f997fc f04bb0a3e5 90d7507d4e 44cc	5000	Spearman	NOISE-S	RRF	Salt Pepper	min	0.843475	0.9436	0.501075	0.3358	0.329841
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	48090662a4 215af8b2d0 41dccb7787 2121c3f28a bb01401195 6b3fdeddfc a036	5000	Spearman	NOISE-S	RRF	Speckle	max	0.023025	0.050175	0.138175	0.185225	-0.34051
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	e3a96ac034 4207a8563f 2d3343c5a5 bf2b995bf5 eb2e76e648 34d7784f35 4dd0	5000	Spearman	NOISE-S	RRF	Speckle	min	0.6855	0.678525	0.4679	0.426725	0.088
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	b5bf77bbdd 5ce07ee64e 35be1a23f0 67d146d4bd 25f915f331 701fb1d443 add5	5000	Spearman	NOISE-S	RRF	Speckle	max	0.0937	0.173575	0.1875	0.220225	- 0.174533
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	273ced020d ce5dee318b 87a6383a22 5c6f6be717 54c73df5a6 9298943d1b fb83	5000	Spearman	NOISE-S	RRF	Speckle	min	0.843475	0.889075	0.501075	0.450875	0.100185
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	389cec5f84 3e12c136f9 7db3eeccb0 1d1ea8cbcb 4b67f3be49 b14bd8e035 380d	5000	Spearman	NOISE-S	RRF	Adversarial	max	0.023025	0.001325	0.138175	0.064275	0.534829
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	0dd6f725ea 34b9938b87 2a586337ef fde61ce3b0 0c7ced17b1 420c31ac88 efee	5000	Spearman	NOISE-S	RRF	Adversarial	min	0.6855	0.68745	0.4679	0.49445	- 0.056743
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	91b3dfab32 eea754c234 23a3ae7d36 e4cd15e007 64c9345b08 48fce7495d 3a82	5000	Spearman	NOISE-S	RRF	Adversarial	max	0.0937	0.00515	0.1875	0.08465	0.548533
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	1a4c4ec61e 4ecbcdcd0 8a28230384 271394e0a9 e81be10a98 9e6617b5b7 58c0	5000	Spearman	NOISE-S	RRF	Adversarial	min	0.843475	0.84365	0.501075	0.56205	- 0.121688
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	5c8bac115d 4546f27a95 73c20660da df15fedf25 624c3ef55f 8de2273687 1f69	5000	Spearman	NOISE-S	Kemeny	Gaussian	max	0.023025	0.09815	0.132575	0.22425	- 0.691495
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	bb93958461 c1c7c30c14 27f724ba6e 5fc9d6bdb9 598f1fc57d 5f8f3e8292 2848	5000	Spearman	NOISE-S	Kemeny	Gaussian	min	0.6855	0.585	0.4621	0.2932	0.365505
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	08148b4d6d b0f805ef79 acb1af53d2 05d394e91c fcb984535e 527f04ccfb 1109	5000	Spearman	NOISE-S	Kemeny	Gaussian	max	0.0937	0.356275	0.1773	0.244325	- 0.378032

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	1bb43c4587 93b6e78102 ao083c1ef2 028960d744 bc336f9e17 38754f0ab8 a23f	5000	Spearman	NOISE-S	Kemeny	Gaussian	min	0.843475	0.946175	0.494275	0.319575	0.353447
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	dfa1aea9ac 3c077cddd4 cb3395d4f7 5469f20038 fa1159b3f9 3b70b7d4da 9307	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	max	0.023025	0.075275	0.132575	0.241725	- 0.823308
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	29040b86c6 615ca68bd5 c8f0a88e5d 745b0d398f c389b69dfc ba38bdf2d05 e158	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	min	0.6855	0.594925	0.4621	0.326525	0.293389
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	7467125ffe d962000a36 b97a8f0768 909e3c255c 36bc91bc57 deebc4c76a 59dd	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	max	0.0937	0.32605	0.1773	0.26195	- 0.477439
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	e127377a24 13fb985e6a 0176c2aa1a d9b417d291 706834c223 164dc8f56d 7e31	5000	Spearman	NOISE-S	Kemeny	Salt Pepper	min	0.843475	0.9436	0.494275	0.3422	0.307673
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	1d6e542b4a c6235c1130 6bc7cc5a4a 85f3a4aa71 6301847f29 dabdf3f9f0 9342	5000	Spearman	NOISE-S	Kemeny	Speckle	max	0.023025	0.050175	0.132575	0.180225	- 0.359419
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	d842c769a 384f27e693 21712fa177 340fad9792 bb6812b4c7 e64bb78da8 68c1	5000	Spearman	NOISE-S	Kemeny	Speckle	min	0.6855	0.678525	0.4621	0.418925	0.093432
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	5264d279af af02cf650f 4b1baedd9e e21164dca9 27f35f9315 eee955db54 be97	5000	Spearman	NOISE-S	Kemeny	Speckle	max	0.0937	0.173575	0.1773	0.211025	- 0.190214
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	c294462b61 d165fe3d7c 65e49e2d86 e3eb058321 b80db07ce6 1bbb3dc274 5678	5000	Spearman	NOISE-S	Kemeny	Speckle	min	0.843475	0.889075	0.494275	0.440475	0.108846
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	001e85bf5b 79b1bf70f4 4e1aedfda 5487ffbeb5 b6166084d0 f217b29f19 49d5	5000	Spearman	NOISE-S	Kemeny	Adversarial	max	0.023025	0.001325	0.132575	0.063875	0.518197
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	0d1d2af274 aa2c1b6f88 a9b71f8dde e8d3c7ffa0 04cfd9a234 67119188c7 68af	5000	Spearman	NOISE-S	Kemeny	Adversarial	min	0.6855	0.68745	0.4621	0.47905	-0.03668
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	3d69884680 74b4f65c74 865b0c4f69 6e8d4a6272 65a49592e2 43dd6eada3 59f5	5000	Spearman	NOISE-S	Kemeny	Adversarial	max	0.0937	0.00515	0.1773	0.08685	0.510152
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	55f1aee6f0 614141a489 0f3553c0fe deabca4171 28fdac861d 7f51378f8c ccf2	5000	Spearman	NOISE-S	Kemeny	Adversarial	min	0.843475	0.84365	0.494275	0.54365	- 0.099894

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	f9bf4913f1e9161d886bdd431f40fb1128a81507d06313e57da4eace1b84e9	5000	Spearman	NOISE-S	Schulze	Gaussian	max	0.023025	0.09815	0.134575	0.22565	-0.67676
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	282ccc7fcd5c23a1d15748547bf4629c99a429110e7bf6aaad1345e6d10c44cd	5000	Spearman	NOISE-S	Schulze	Gaussian	min	0.6855	0.585	0.4673	0.2906	0.37813
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	0aebc45029dd644e1d6165001d771720c50725fdb7c6dc5e4ac256b903fc92f4	5000	Spearman	NOISE-S	Schulze	Gaussian	max	0.0937	0.356275	0.1823	0.249325	-0.367663
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	b4fe542476ba3150763724333009c84ab48a3b34f52268a70651dc34ed563c5d	5000	Spearman	NOISE-S	Schulze	Gaussian	min	0.843475	0.946175	0.499075	0.313775	0.371287
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	672ac244a7632848043372e2dbaabc a38af500dfdd4c7e5fd42dbbabc50be4e4	5000	Spearman	NOISE-S	Schulze	Salt Pepper	max	0.023025	0.075275	0.134575	0.241525	-0.794724
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	f65af12073b0a499aa2f5d89a78e157460a7f8989180581e6efe96c42a4cebe5	5000	Spearman	NOISE-S	Schulze	Salt Pepper	min	0.6855	0.594925	0.4673	0.311125	0.334207
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	586966e367c490479c0c140ea18eb4a16062b2303842dee02cf70eb85bd5d1c	5000	Spearman	NOISE-S	Schulze	Salt Pepper	max	0.0937	0.32605	0.1823	0.26235	-0.439111
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	5028285416b7a586acb1418174c4f0cd9417227a4f0b7c23df24839507b62c91	5000	Spearman	NOISE-S	Schulze	Salt Pepper	min	0.843475	0.9436	0.499075	0.3296	0.339578
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	3e31242e98b876f7bcd3f0acea00d5932c4b79bd120beed0f44a3d010d8f9747	5000	Spearman	NOISE-S	Schulze	Speckle	max	0.023025	0.050175	0.134575	0.184425	-0.370425
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	6464406b81191019c7cce6071e9417d2ca44c7cf3477e9db58f14b29d4b7f316	5000	Spearman	NOISE-S	Schulze	Speckle	min	0.6855	0.678525	0.4673	0.425325	0.089825
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	14d3678d62e4a722cdec5500d9624aa81bae490e1d74fa3aa6df0a4e3c8152ef	5000	Spearman	NOISE-S	Schulze	Speckle	max	0.0937	0.173575	0.1823	0.214425	-0.176221
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	ee95fafa0f61177f8bfff0d240b5c65cf3f58127ed5a16bc92b8771a65196942	5000	Spearman	NOISE-S	Schulze	Speckle	min	0.843475	0.889075	0.499075	0.448875	0.100586
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	6cde685b0f2bad44058444ac53b527d0e2f8c24d1792b5fd8641668becbc5010	5000	Spearman	NOISE-S	Schulze	Adversarial	max	0.023025	0.001325	0.134575	0.063675	0.526844

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	533dcfa824 234adb0e26 cb288446e 7d5860515d 6f1f22d300 53afe6f9ee 1502	5000	Spearman	NOISE-S	Schulze	Adversarial	min	0.6855	0.68745	0.4673	0.48625	- 0.040552
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	c799cb1a06 6e0fee84b1 5f1a59d3b6 bdf5d8a359 787b441539 1bde967bb2 a3ac	5000	Spearman	NOISE-S	Schulze	Adversarial	max	0.0937	0.00515	0.1823	0.08445	0.536753
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	f5dff9cc9b 5c382488cc 0ab3efc109 d654656f57 943ab4ba54 c7f5b04405 2046	5000	Spearman	NOISE-S	Schulze	Adversarial	min	0.843475	0.84365	0.499075	0.54985	- 0.101738
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	8abed4a748 2a7ad14052 a86f30095a 0cc411c90b 3a0e430edb 295886177a 1154	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	max	0.023025	0.09815	0.149575	0.23085	- 0.543373
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	edd4a5b88f 5b6ac43f4a 446b45b701 268e47086c 31b32ce624 b03f4aeba2 9ae4	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	min	0.6855	0.585	0.4345	0.2222	0.488608
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	9f9e981c8d cb8cfe3fb7 eb24ad31c6 23f042d5f1 f76744520d b08a97bb00 0cee	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	max	0.0937	0.356275	0.1923	0.277125	- 0.441108
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	ab0896cc28 55ec6326b6 5c2015a2e3 e9134d8160 24fe24b5a7 a61699dc97 38d4	5000	Kendall	NOISE-K	Simple Averaging	Gaussian	min	0.843475	0.946175	0.457275	0.239175	0.476956
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	516a234561 9a8339ec71 ace25b3d28 9aa23b64d0 74e00660a cbe873f3bd 6d96	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	max	0.023025	0.075275	0.149575	0.234925	- 0.570617
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	0facb85fd8 06190651c4 051f285d66 30c369eb0b 085d68a60b 812c99032c 3c1b	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	min	0.6855	0.594925	0.4345	0.252325	0.419275
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	500bf203ca 100e95b0e9 3d81cf5409 0a98096fdf 53b502cae1 b40f28a7c7 d86a	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	max	0.0937	0.32605	0.1923	0.27515	- 0.430837
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	ea0fdbba87 f965acbc0e 1cddfb043d 4334730e4c 110a396a7a b264fle2e8 5140	5000	Kendall	NOISE-K	Simple Averaging	Salt Pepper	min	0.843475	0.9436	0.457275	0.2628	0.425291
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	6032288bfa 7aaa4f8fb6 5304c87105 f56fbff23d 42070ed7c7 7c418891db 624e	5000	Kendall	NOISE-K	Simple Averaging	Speckle	max	0.023025	0.050175	0.149575	0.195825	- 0.309209
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	b3e020a5a7 45f2ada812 b0f9bdb041 938cc25cb0 72d22981d0 553dd8016d 0025	5000	Kendall	NOISE-K	Simple Averaging	Speckle	min	0.6855	0.678525	0.4345	0.363925	0.162428

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	de0d6044da0024bdf06fb44db84fad b19220d181b6c154b737f82f4faa248848	5000	Kendall	NOISE-K	Simple Averaging	Speckle	max	0.0937	0.173575	0.1923	0.231625	-0.204498
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	eb42e8fea8b0f9e571e3b3d2a4e057d13daa427ce35b6ec1ac600954b34f4281	5000	Kendall	NOISE-K	Simple Averaging	Speckle	min	0.843475	0.889075	0.457275	0.383275	0.161828
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	dac1241c45ba5368ae341b66af250242462122fbf591cb77a4d1b5d0b9928f5e2	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	max	0.023025	0.001325	0.149575	0.076875	0.486044
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	a159264483c7dcab76b4607125e1b8c540351e3ddccc24c42dfd2d2f7f13d167	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	min	0.6855	0.68745	0.4345	0.47025	-0.082278
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	1249af1ba37e94f51844114deee6cca15a8584a61a5cfd8043e9d534de691f1	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	max	0.0937	0.00515	0.1923	0.10405	0.458918
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	e9b1a77eb733e7da8aacb12554ca9a211810286bb2bddd04a4ee7f63ce6f0e16	5000	Kendall	NOISE-K	Simple Averaging	Adversarial	min	0.843475	0.84365	0.457275	0.53285	-0.165273
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	a18066b91d0f59f713805db7c4ad451ed003481e354d23c709fd122b18095039	5000	Kendall	NOISE-K	Borda	Gaussian	max	0.023025	0.09815	0.134975	0.22905	-0.696981
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	8855e5a50db0f969a78bac568e00186866f1f8ddb57bc6175a87cd15ac97e99	5000	Kendall	NOISE-K	Borda	Gaussian	min	0.6855	0.585	0.4669	0.2668	0.428571
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	801db867981047283d5a626ff44c8606f7c9a29e0b702c44de92fca08e25837	5000	Kendall	NOISE-K	Borda	Gaussian	max	0.0937	0.356275	0.1819	0.257725	-0.41685
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	32a95e8c82b4569d0bd1f1a0429e586a25a8f685a139e018c6077633d4ca9e80	5000	Kendall	NOISE-K	Borda	Gaussian	min	0.843475	0.946175	0.497075	0.278975	0.438767
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	6ce97454aa08936b512fe0df1a47632ea3d945353b15de8ede22e93ac1f586	5000	Kendall	NOISE-K	Borda	Salt Pepper	max	0.023025	0.075275	0.134975	0.245125	-0.816077
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	197332dc4459d7e635ff15fc00ae540c8d4f50dd464d51a76ea0264af62bad13	5000	Kendall	NOISE-K	Borda	Salt Pepper	min	0.6855	0.594925	0.4669	0.297525	0.362765
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	265ca9c9ff50ae9104834281ae169a185d9b9ef467be7dfb241efada358fed5	5000	Kendall	NOISE-K	Borda	Salt Pepper	max	0.0937	0.32605	0.1819	0.27035	-0.486256

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	525e754a325674984ea0c9779ca446c9603c2c29e83cad7ad99f0760cf0c9835	5000	Kendall	NOISE-K	Borda	Salt Pepper	min	0.843475	0.9436	0.497075	0.315	0.366293
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	11cdbd63035dd109af6e7591508b1c721aa591d83c49cd748e9229da92e93aaf	5000	Kendall	NOISE-K	Borda	Speckle	max	0.023025	0.050175	0.134975	0.182625	-0.353028
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	607f69fdc0c957b1a758c2b44f05033b60d9d384e68f4dc8f583ae0dba0e9236	5000	Kendall	NOISE-K	Borda	Speckle	min	0.6855	0.678525	0.4669	0.417125	0.106607
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	a8f13257bcdca85f435ff42375478d82f68bf8657265403546089ba3de33f68	5000	Kendall	NOISE-K	Borda	Speckle	max	0.0937	0.173575	0.1819	0.216225	-0.188703
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	e2859b39e3ec9d067bd48ce464b88bd702b65b297dacd2b53016ed116c3ecd1a	5000	Kendall	NOISE-K	Borda	Speckle	min	0.843475	0.889075	0.497075	0.439675	0.115476
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	bac091c74766cf8030c68acda30dabfa950c9fee007a5e73291059fc0c3d7add	5000	Kendall	NOISE-K	Borda	Adversarial	max	0.023025	0.001325	0.134975	0.061675	0.543064
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	d14e248ea00fa75f4daabb23c3ad2599c3d66e4eb19215db57668b5e98647d95	5000	Kendall	NOISE-K	Borda	Adversarial	min	0.6855	0.68745	0.4669	0.48785	-0.04487
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	8a67da2a2183ae9b66e9788688dfe557209b0c02ee0648c3e8976a5ff80ff824	5000	Kendall	NOISE-K	Borda	Adversarial	max	0.0937	0.00515	0.1819	0.08225	0.547828
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	1922e1f56908e00e5981fd1454111a14fe156941ce5137e33196f70977faa219	5000	Kendall	NOISE-K	Borda	Adversarial	min	0.843475	0.84365	0.497075	0.55045	-0.107378
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	0e13cd0537ed7e88f3ab264c5517ee2cdee358b33b5ae40b3a92ae0b952b0cd	5000	Kendall	NOISE-K	RRF	Gaussian	max	0.023025	0.09815	0.138175	0.22785	-0.648996
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	831036eb801a6efefc000c0dbccaa582899c0b18570b4960734309bfcca51374	5000	Kendall	NOISE-K	RRF	Gaussian	min	0.6855	0.585	0.4679	0.2898	0.380637
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	d5321517631afa4101e66e6ee07a3e59c39b33f424a510a915c63f58af9273ab	5000	Kendall	NOISE-K	RRF	Gaussian	max	0.0937	0.356275	0.1875	0.253525	-0.352133
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	dea815e6dbef82bd7190f978b70a62a9ef7504e024a3b0ee68432537224de751	5000	Kendall	NOISE-K	RRF	Gaussian	min	0.843475	0.946175	0.501075	0.309375	0.382577

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	847aa85ed4 4c02cceab2 4681c2b93e 0e1d6d12dd 0196dea250 8b12e8df82 a6bb	5000	Kendall	NOISE-K	RRF	Salt Pepper	max	0.023025	0.075275	0.138175	0.248325	- 0.797177
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	ba2e182eb2 b886b49d8d 393dfc52cc 71fce820e2 4a1b6b9c76 7b8bf42a52 e638	5000	Kendall	NOISE-K	RRF	Salt Pepper	min	0.6855	0.594925	0.4679	0.311325	0.334633
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	b69b8b9956 c7014f4e99 c8b752737c 225682561a 47d71a0f34 2f6c326712 e343	5000	Kendall	NOISE-K	RRF	Salt Pepper	max	0.0937	0.32605	0.1875	0.26855	- 0.432267
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	f9a43095dc dfadd3e7c9 653b25b41d c231daab45 a3e002b643 659ab83bff c372	5000	Kendall	NOISE-K	RRF	Salt Pepper	min	0.843475	0.9436	0.501075	0.3358	0.329841
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	9347927cbb 9f082ae200 be5a216e27 3c1656aee 3393ab86d0 82c27ab541 3ad9	5000	Kendall	NOISE-K	RRF	Speckle	max	0.023025	0.050175	0.138175	0.185225	-0.34051
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	a2413a0b03 a207b24f4d a269f44f39 1d73740934 08addcdd2a 674b5cb716 93c6	5000	Kendall	NOISE-K	RRF	Speckle	min	0.6855	0.678525	0.4679	0.426725	0.088
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	912faa3836 bf0116ef03 99a88db104 b49c4db082 755f81a554 8e7307c87c 172c	5000	Kendall	NOISE-K	RRF	Speckle	max	0.0937	0.173575	0.1875	0.220225	- 0.174533
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	db808ed962 cbabd2168f d90dd93350 cee328ea58 a1fed1ddb dfbc83b7bb 8777	5000	Kendall	NOISE-K	RRF	Speckle	min	0.843475	0.889075	0.501075	0.450875	0.100185
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	edc7b6ac7a 5e9f597cc3 0e87fb187d 2bff5967c0 ec54085737 9a41673a9e 5242	5000	Kendall	NOISE-K	RRF	Adversarial	max	0.023025	0.001325	0.138175	0.064275	0.534829
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	70c4235c75 803c731c93 b62e54b06d edd1fdbff7 c99042c217 c08101f7cd 1589	5000	Kendall	NOISE-K	RRF	Adversarial	min	0.6855	0.68745	0.4679	0.49445	- 0.056743
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	dc1a22a6a1 845e1bee48 d1de0d00e3 aadc04a858 8767aa08fe 935ab13393 eb15	5000	Kendall	NOISE-K	RRF	Adversarial	max	0.0937	0.00515	0.1875	0.08465	0.548533
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	7b0b711c98 0d1e60dac4 63540068e8 8b900066f3 625f8139d6 be11a2b359 d5d5	5000	Kendall	NOISE-K	RRF	Adversarial	min	0.843475	0.84365	0.501075	0.56205	- 0.121688
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	bb87e33602 e166cdb642 d5447fb49f c9a18b3dd6 3d82be2e83 23d62c6560 ff5b	5000	Kendall	NOISE-K	Kemeny	Gaussian	max	0.023025	0.09815	0.132575	0.22425	- 0.691495

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	a20d85e2f7ee1793013ba0f80c70d5ad5e4efcd0a9253c6920d510d4cea544e	5000	Kendall	NOISE-K	Kemeny	Gaussian	min	0.6855	0.585	0.4621	0.2932	0.365505
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	b3eac8615409db04f90dccc9e86639bb19ab0b1838782259c1251ec1cd28b5da	5000	Kendall	NOISE-K	Kemeny	Gaussian	max	0.0937	0.356275	0.1773	0.244325	-0.378032
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	1e6f841ce6717cf28d1eb07043dc41ceb8e3ca2e955773ba3f52449338c767e9	5000	Kendall	NOISE-K	Kemeny	Gaussian	min	0.843475	0.946175	0.494275	0.319575	0.353447
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	9a3c4db0da95487608e30c566ba1cc4a135ca9d0bf87d6cf902c5339d5e29a0a	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	max	0.023025	0.075275	0.132575	0.241725	-0.823308
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	4a1f25de099816d17b992436fd29907eb161021549ae43b32ae66d63e28a160f	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	min	0.6855	0.594925	0.4621	0.326525	0.293389
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	0fdac57d30e064c82aa6287fa524ff89f21408bb0432577269b84688bde67084	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	max	0.0937	0.32605	0.1773	0.26195	-0.477439
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	52b027aea0d93d259e34eb9f7a1488771c49977dfaee85f903978e375be87a	5000	Kendall	NOISE-K	Kemeny	Salt Pepper	min	0.843475	0.9436	0.494275	0.3422	0.307673
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	0bb12dbe644ba2e64f05125984e012c3c6b94586a1445f6b21396d0a93de427c	5000	Kendall	NOISE-K	Kemeny	Speckle	max	0.023025	0.050175	0.132575	0.180225	-0.359419
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	815f168ffb5da62bc6bb4c1e763a6f47657a4e72ccfbd6a81c3ba995c4ff46d4	5000	Kendall	NOISE-K	Kemeny	Speckle	min	0.6855	0.678525	0.4621	0.418925	0.093432
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	0dfb8edcdc320ee48acb6702e5c5338dac5dfe46d33b3e01ad1da79af92091e6	5000	Kendall	NOISE-K	Kemeny	Speckle	max	0.0937	0.173575	0.1773	0.211025	-0.190214
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	a8b36eb7492cd9a34405cd3e98b51ffad56d4dd6efee7821a24e4c91328fee4d	5000	Kendall	NOISE-K	Kemeny	Speckle	min	0.843475	0.889075	0.494275	0.440475	0.108846
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	4b22d936f3bcabf70725a4d38b4d2d3431c041a78412362e1e9bac06f9b10bbd	5000	Kendall	NOISE-K	Kemeny	Adversarial	max	0.023025	0.001325	0.132575	0.063875	0.518197
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	62533bc3bd8270602c7f067444202565d9cdd8a53a0b97adb0a14b0cbeb6b957	5000	Kendall	NOISE-K	Kemeny	Adversarial	min	0.6855	0.68745	0.4621	0.47905	-0.03668

Cell	Dataset	Model	q	Condition	Metric	Comparison on Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	a524852a49 d69712ef2a a47c153a9a 7b6978a5d8 e17a2b091d 308962e77b 28b8	5000	Kendall	NOISE-K	Kemeny	Adversarial	max	0.0937	0.00515	0.1773	0.08685	0.510152
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	439e19aa58 583ba1b762 2eb4967dea 23033e7402 493859aa23 00b1b96d29 d2ff	5000	Kendall	NOISE-K	Kemeny	Adversarial	min	0.843475	0.84365	0.494275	0.54365	- 0.099894
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	1b9756fde2 20804d28ab 17beaf50e8 e5c5f9dc95 3c78059e4a bc418048e2 a339	5000	Kendall	NOISE-K	Schulze	Gaussian	max	0.023025	0.09815	0.134575	0.22565	-0.67676
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	749ad4194e 531af6cc19 4e2239759d 33e9abbcf9 612d4cfd3 c3005bd4dd 1d4f	5000	Kendall	NOISE-K	Schulze	Gaussian	min	0.6855	0.585	0.4673	0.2906	0.37813
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	05a1a1c054 5c4b94de68 8270356e91 6474319fd0 135d665227 dad34c7cb3 eeef	5000	Kendall	NOISE-K	Schulze	Gaussian	max	0.0937	0.356275	0.1823	0.249325	- 0.367663
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	8ecc11f5f7 3a108d13bd c1d06d366f 4e6432a654 44b14511e1 f73955feb8 0eaf	5000	Kendall	NOISE-K	Schulze	Gaussian	min	0.843475	0.946175	0.499075	0.313775	0.371287
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	309723c0f8 c205526e06 bc525f9da2 67f7ca4fe0 89834272f8 448266e6d6 4836	5000	Kendall	NOISE-K	Schulze	Salt Pepper	max	0.023025	0.075275	0.134575	0.241525	- 0.794724
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	21c199897d 31f77cf090 9807ff43f4 af2bfae524 db5b9790c 4f05243bf 81ad	5000	Kendall	NOISE-K	Schulze	Salt Pepper	min	0.6855	0.594925	0.4673	0.311125	0.334207
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	1b71512513 4ef90c7d46 e8e26a8e72 a872744362 5fdddb0b7c8 19f682d88f 21e9	5000	Kendall	NOISE-K	Schulze	Salt Pepper	max	0.0937	0.32605	0.1823	0.26235	- 0.439111
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	8e6dd7771e 0b09318d88 a27cc1ea5a 6a3c441486 fc13b2cbcd 184df2d8e1 800e	5000	Kendall	NOISE-K	Schulze	Salt Pepper	min	0.843475	0.9436	0.499075	0.3296	0.339578
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	1ebd69c525 30be6c8870 76eafd052b c13384f2ea a0089d87b5 eae0f434b8 40b7	5000	Kendall	NOISE-K	Schulze	Speckle	max	0.023025	0.050175	0.134575	0.184425	- 0.370425
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	cec22fd05 3512538a75 ee87f917a7 f0da4d40ba f29a5f4c42 8ba3f594ea ce36	5000	Kendall	NOISE-K	Schulze	Speckle	min	0.6855	0.678525	0.4673	0.425325	0.089825
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	b4eb4d0b3f 0fa495defe d7fbd79613 a4ab5849fc 673a7e1ffc 254ca01aec 8e35	5000	Kendall	NOISE-K	Schulze	Speckle	max	0.0937	0.173575	0.1823	0.214425	- 0.176221

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Sample Count	Geometry	Geometry Label	Rule	Condition Label	Metric Direction	Random Clean Quality	Random Perturbed Quality	Naive Clean Excess	Naive Perturbed Excess	Naive Rrel
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	f8c6da88ae94039de1b1cf99b2195d0cad893762612b7dfded404ca4c8d07449	5000	Kendall	NOISE-K	Schulze	Speckle	min	0.843475	0.889075	0.499075	0.448875	0.100586
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	b61a3b2e8fdee35fa67b214734f0c04a1f6c5d16d2d424ef1ebb6b1021904355	5000	Kendall	NOISE-K	Schulze	Adversarial	max	0.023025	0.001325	0.134575	0.063675	0.526844
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	a54feaa11ddb314e77f4075a774517631d3894e1dea006c1e9733564e765a68f	5000	Kendall	NOISE-K	Schulze	Adversarial	min	0.6855	0.68745	0.4673	0.48625	-0.040552
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	a789b37e5142d37c23758acaf38261658e1ba0d2687ae0bb1d36ec099fe2c3d6	5000	Kendall	NOISE-K	Schulze	Adversarial	max	0.0937	0.00515	0.1823	0.08445	0.536753
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	fadc4fabbd1b02e715d0cdf1563bd9354f798951e3fb1ab9715b75017bd5990c	5000	Kendall	NOISE-K	Schulze	Adversarial	min	0.843475	0.84365	0.499075	0.54985	-0.101738

Table 237: ImageNet-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	d3b85905d8df7eca983b64559b861b95d597dcd4331ae66b964563c986c4a0e0	0.157375	0.23545	-0.496108	-0.047265	0.0046	-0.133349	0.037621	1	-0.003	0.0122	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	e0336d9443ba510c3f714f17932e21f6776a1243ed78f9d5a84017f25b930e63	0.4475	0.2292	0.487821	0.000786	0.007	-0.021158	0.022778	1	-0.0016	0.0156	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	2818f69e225457b916da26db50850bf5c699042c9fd8c8fb712f6f8d44037d44d	0.2087	0.283325	-0.357571	-0.083537	0.0062	-0.15134	-0.017005	1	-0.0026	0.0152	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	fda276c6beaa6e92e8cd019dabb9863fbb893d3dc53de5d47e7061f8effaee084	0.472875	0.247375	0.47687	8.5671e-05	0.0082	-0.021913	0.021794	1	-0.0008	0.0172	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	60c8085cb7b9e9f855f4ac069032c555e4dc8bb3e930af0710c6f299e59c494e	0.157375	0.243725	-0.548689	-0.021927	0.0088	-0.108929	0.063745	1	0.001	0.0168	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	03d558ef22032667954c7a63b4abbd e10d09775da5557a7602d57c699567cdce	0.4475	0.253525	0.433464	-0.014189	0.0012	-0.036446	0.008235	1	-0.0074	0.0098	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	e911aace35fedae4a65a7e20cd8259b9fc80d4a351eb27afe8bb5dfa2988a57	0.2087	0.28495	-0.365357	-0.06548	0.0098	-0.132618	-0.00032	1	0.001	0.0186	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	c000ee9eeec389da4f8c47d4204f11a7b18efc2bf7185e6c2368949ee1f36dd5b	0.472875	0.2632	0.443405	-0.018114	0.0004	-0.039334	0.003096	1	-0.0082	0.009	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	abe5f0a0825d3b7f1625b8d77fc1cefd4c968218422169adad8fdb8571724215	0.157375	0.210225	-0.335822	0.026613	0.0144	-0.05224	0.103337	1	0.0068	0.0224	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	ed9986b6c5898feecd5c54c562412e41356192414d2e18fef70fca4bce0298dd	0.4475	0.371725	0.16933	-0.006902	0.0078	-0.032858	0.019232	1	-0.0012	0.0168	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	41161c243ec75b981a2bd261eab071932ba38b03ace506ae0c8896ff3adc989	0.2087	0.249825	-0.197053	-0.007445	0.0182	-0.066947	0.050562	1	0.01	0.0266	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	b5ad68e29b6bb4b65265721dbcc3d376166a284309e744ea73530b2d730f905b	0.472875	0.395075	0.164526	-0.002697	0.0118	-0.027806	0.022505	1	0.00259	0.0212	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	58184c2740 b45b9460d7 05db560e20 273dc34a57 8db6791ba4 2d7e819de9 6dac	0.157375	0.082075	0.478475	0.007569	0.0052	-0.032217	0.047213	1	0.0002	0.0102	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	38c874e077 bc233e9b73 1eaac52a85 8e5228082f e75d2548b9 cf97d3b92b d4c5	0.4475	0.48345	-0.080335	-0.001943	0.0132	-0.030052	0.025549	1	0.0048	0.0214	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	15087130de dfa210638b e1fad33694 aa062ae4ba 5cf73ca23c	0.2087	0.10905	0.47748	-0.018561	0.005	-0.052498	0.014266	1	-0.0006	0.0106	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	479f9a8e7c86e3 b717c903c2 5e1574bfc2 f2a2d1d211 227b98cb8f ae0def670d c1341b50bf188f	0.472875	0.55185	-0.16701	0.001738	0.019	-0.028009	0.031012	1	0.0098	0.0278	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	b6d446f123 0fcade977f 41a86b9bf0 d8e1b717f3 3ff5ecf302 4e8e8ab0e6 5e86	0.162575	0.25905	-0.593418	-0.103563	0.03	-0.220598	0.010042	1	0.0204	0.0396	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	b18325ac31 b428f56721 3bf472b063 eb9b598692 024961878d 74c2b6f6e6 a20a	0.5053	0.2914	0.423313	0.005259	0.0246	-0.020087	0.030007	1	0.014	0.035	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	7d251f911e 469ae6f30b 356093cc10 051ba04644 e8a3260467 43e07cfe82d957	0.2179	0.289125	-0.32687	-0.08998	0.0314	-0.173742	-0.010045	1	0.0206	0.0424	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	d99e80e55c 0b1f755d54 7e2d590dfe 60c9439c39 fe7c374653 92e92774d6 aa88	0.541075	0.317575	0.413067	0.0257	0.0386	0.001021	0.050012	1	0.0276	0.0494	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	506aa1a6e2 90fb38ba31 a705be0f94 19ac2efcdb 30275f01f2 2c88b8f648 06dc	0.162575	0.271525	-0.670152	-0.145925	0.0264	-0.268612	-0.029709	1	0.0168	0.0362	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	ae125a0c6c 52f8a37263 9ea65134b0 a4c28f371e 243bd3aafd 3301c7ed36 7faa	0.5053	0.321925	0.362903	-0.000138	0.0244	-0.026583	0.026761	1	0.0134	0.0354	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	74e59fc8ac e8a274aef9 9b14bf006d 1bf4a9e53e f64306720c d56c9227a8 66ef	0.2179	0.30255	-0.388481	-0.097775	0.0322	-0.18403	-0.015606	1	0.0212	0.0434	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	6425c13e10 ac3b5fe8ef 93534fe49f 60b44e6a3a fe6d6d52d5 c19ae792f78dac	0.541075	0.3414	0.369034	-0.002741	0.0264	-0.028365	0.023077	1	0.0154	0.0376	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	55c5d11b81 604b8aebfb ec81141431 f0756cf2e9 ce30b9f60e 3f920d9c1e 4eb4	0.162575	0.215225	-0.323851	-0.029178	0.0326	-0.130081	0.067243	1	0.023	0.0422	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	9328e2b7a3c7906688a11b8ec6e4c483ef32e9c0575f1625ffcf3bcb295287fb	0.5053	0.458125	0.09336	0.013247	0.041	-0.016302	0.042456	1	0.0302	0.0522	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	6d0014e93aeb0b7136a16cfd3768c8b22ea3c320236558eeb96a5a5457a870b	0.2179	0.255625	-0.17313	-0.015573	0.0394	-0.089217	0.054189	1	0.02919	0.0494	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	0698a814635df732570bf5d5c74010859771dba9d8fa203ab436ed60e4d26edf	0.541075	0.484275	0.104976	0.010499	0.0446	-0.01831	0.039153	1	0.0334	0.056	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	5c6d1c677a1001c76522e60f205b5115b412478d0c47bc1992dfe0ddb5ca7e3	0.162575	0.074275	0.543134	-7.0408e-05	0.0126	-0.044831	0.044351	1	0.007	0.0182	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	25c37716b470cc5fb5ec931befb0a04e94cca1ac0cab7b5b959db3b205ee89d1	0.5053	0.53745	-0.063626	0.018755	0.0496	-0.010822	0.048374	1	0.0394	0.0598	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	b1b47771a58d5e3885e58e81baa6009f6e4d898559a7dca4ff4ceec0c6c0ae3f6	0.2179	0.10045	0.539009	0.00882	0.0182	-0.027328	0.045138	1	0.0122	0.0246	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	72c92af38f80d0ae0caa3942ac92f7c939c8c24cf6c89d279dda29554f04f0e8	0.541075	0.61245	-0.131913	0.024535	0.062	-0.006179	0.055295	1	0.0508	0.073	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	4f10365ce67d44e7b63b386349083732cafa23849564d27489024ff98fabf553d	0.160375	0.26085	-0.6265	-0.022495	0.033	-0.140527	0.088921	1	0.0234	0.0426	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	09d015d42459516d7b01f1696b6a0122e8599bcb6457e1529140d9b0fd5ec982a	0.5249	0.326	0.378929	0.001708	0.0362	-0.023702	0.026965	1	0.0256	0.047	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	258d405b08e0fb06cefd34fd9a93370c86f71f0a088851bf4405ea5fb0250cba	0.2129	0.283325	-0.330789	-0.021344	0.0298	-0.101177	0.056437	1	0.0188	0.0408	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	a3d041ef7c90886157ddf7968a1e1034451fa2680af0ed9ab670aa5ce5f77000	0.568675	0.351175	0.382468	0.000109	0.0418	-0.0243	0.024245	1	0.0306	0.0526	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	5aeecad4ec2baa2ccff016a6698b01752731e8504d8c1e919c5569e444c657c4	0.160375	0.273125	-0.70304	-0.094138	0.0248	-0.216904	0.020892	1	0.0154	0.034	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	93aa1fba9293d4d4a5d10c66746413b47d23e3bdd93ad89d0d58150a6c3859284	0.5249	0.362325	0.309726	0.024908	0.051	-0.001229	0.051597	1	0.04	0.0622	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	17b8f8b2ed b46f9973ee 13ef1e502d dd5c79570b f7024bc1f8 28ecb513bf02fc	0.2129	0.30015	-0.409817	-0.02245	0.0316	-0.104171	0.058135	1	0.021	0.0422	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	ac40b525b5 7c34520a25 452b68726a 1876f9977c f04bb0a3e5 90d7507d4e 44cc	0.568675	0.3848	0.323339	0.006502	0.049	-0.018944	0.031639	1	0.0376	0.0602	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	48090662a4 215af8b2d0 41dccbf787 2121c3f28a bb01401195 6b3fdeddfc a036	0.160375	0.216025	-0.346999	0.006489	0.0308	-0.090423	0.100692	1	0.0216	0.04	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	e3a96ac034 4207a8563f 2d3343c5a5 bf2b995bf5 eb2e76e648 34d7784f35 4dd0	0.5249	0.479325	0.086826	0.001174	0.0526	-0.026701	0.029717	1	0.0418	0.0636	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	b5bf77bbdd 5ce07ee64e 35be1a23f0 67d146d4bd 25f915f331 701fb1d443 add5	0.2129	0.252425	-0.185651	0.011117	0.0322	-0.06056	0.081304	1	0.0224	0.0422	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	273ced020d ce5dee318b 87a6383a22 5c6f6bc717 54c73df5a6 9298943d1b fb83	0.568675	0.512275	0.099178	0.001007	0.0614	-0.026287	0.027918	1	0.0502	0.0726	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	389cec5f84 3e12c136f9 7db3ecbb0 1d1ea8cbc8 4b67f3be49 b14bd8e035 380d	0.160375	0.071675	0.553079	-0.01825	0.0074	-0.061009	0.023277	1	0.002	0.0128	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	0dd6f725ea 34b9938b87 2a586337ef fde61ce3b0 0c7ccd17b1 420c31ac88efee	0.5249	0.55285	-0.053248	-0.003495	0.0584	-0.032016	0.024649	1	0.0486	0.06821	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	91b3dfab32 eea754c234 23a3ae7d36 e4cd15c007 64c9345b08 48fce7495d3e82	0.2129	0.09665	0.546031	0.002502	0.012	-0.032445	0.036772	1	0.006	0.018	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	1a4c4ec61e 4ecbcdcd0 8a28230384 271394e0a9 e81be10a98 9e6617b5b7 58c0	0.568675	0.63265	-0.112498	-0.00919	0.0706	-0.038437	0.019648	1	0.0598	0.0812	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	5c8bac115d 4546f27c95 73c20660da df15fef425 624c3ef55f 84c2273687 1f69	0.151975	0.24745	-0.628228	-0.063267	0.0232	-0.181215	0.051303	1	0.014	0.0322	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	bb93958461 c1c7c30c14 27f724be6e 5fc9d6bdb9 598f1fc57d 5f8f3e82922848	0.5205	0.334	0.358309	0.007196	0.0408	-0.018099	0.032391	1	0.0304	0.051	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	08148b4d6d b0f805ef79 acb1af53d2 05d394e91c fcb984535e 527f04ccfb1109	0.2041	0.270525	-0.325453	-0.052578	0.0262	-0.136877	0.030669	1	0.0156	0.037	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	1bb43c458793b6e78102ae083c1cf2028960d744bc336f9e1738754f0ab8a23f	0.566275	0.360375	0.363604	-0.010157	0.0408	-0.035177	0.0151	1	0.02979	0.0518	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	dfa1aea9ac3c077cddd4cb3395d4f75469f20038fa1159b5f93b70b7d4da9307	0.151975	0.260925	-0.716894	-0.106413	0.0192	-0.234641	0.015808	1	0.0096	0.0286	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	29040b86c6615ca68bd5c8f0a88e5d745b0d398fc389b69dfc6ba38bf2d05e158	0.5205	0.369325	0.290442	0.002947	0.0428	-0.024363	0.029727	1	0.0318	0.0536	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	7467125ffe496200a36b97a8f0768909e3c255c36bc91bc57deebc4c76a59dd	0.2041	0.28255	-0.38437	-0.093069	0.0206	-0.182839	-0.006585	1	0.00959	0.0318	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	e127377a2413fb985e6a0176c2aa1ad9b417d291706834c223164dc8f56d7e31	0.566275	0.3908	0.309876	-0.002203	0.0486	-0.028745	0.023805	1	0.037	0.0598	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	1d6e542b4ac6235c11306bc7cc5a4a85f3a4aa716301847f29da4b43f9f09342	0.151975	0.205425	-0.351703	-0.007717	0.0252	-0.11007	0.093387	1	0.0158	0.0346	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	df842c769a384f27e69321712fa177340fad9792bb6812b4c7e64b7b8da868c1	0.5205	0.478325	0.081028	0.012404	0.0594	-0.016329	0.04135	1	0.0484	0.0704	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	52644279afaf02cf650f4b1baedd9ee21164dca927f35f9315eee955db54be97	0.2041	0.237825	-0.165238	-0.024977	0.0268	-0.100983	0.049381	1	0.0168	0.0366	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	c294462b61d165fe3d7c65e49e2d86e3eb058321b80db07ce61bb3dc2745678	0.566275	0.510275	0.098892	0.009954	0.0698	-0.017908	0.038115	1	0.0584	0.0814	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	001e85bf5b79b1bf70f44e1aedffda5487fbeb5b6166084d0f217b29f1949d5	0.151975	0.067075	0.558645	-0.040447	0.0032	-0.08357	0.00164	1	-0.0018	0.0082	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	0d1d2af274aa2c1b6f88a9b71f8dde8d3c7Ha004cfd9a23467119188c768af	0.5205	0.53125	-0.020653	-0.016027	0.0522	-0.045137	0.013388	1	0.0424	0.062	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	3d6988468074b4f65c74865b0c4f696e8d4a627265a49592c243dd6eada359f5	0.2041	0.08805	0.568594	-0.058442	0.0012	-0.094891	-0.023024	1	-0.0046	0.007	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	55f1aee6f0614141a4890f3553c0fedabca417128fdac861d7f51378f8cccf2	0.566275	0.60665	-0.071299	-0.028595	0.063	-0.05816	0.000927	1	0.0524	0.0738	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	f9bf4913f1e9161d886bddd431f40fb11f28a81507406313e57da4eace1b84e9	0.147375	0.24825	-0.684478	0.007718	0.0226	-0.11366	0.128737	1	0.0132	0.032	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	282ccc7fed5c23a1d15748547bf4629c99a429110e7bfb6aad1345e6d10c44cd	0.5129	0.3306	0.35543	0.0227	0.04	-0.002982	0.048251	1	0.0294	0.0506	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	0aebe45029dd644e1d6165001d771720c50725fdb7c6dc5e4ac256b903fc92f4	0.2037	0.264925	-0.300565	-0.067099	0.0156	-0.15046	0.015413	1	0.0048	0.0266	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	b4fe542476ba3150763724333009e84ab48a3b34f52268a70651dc34ed563c5d	0.556275	0.358575	0.3554	0.015887	0.0448	-0.009472	0.041229	1	0.0336	0.056	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	672ac244a7632848043372e2dbaabc a38af500dfdd4c7e5fd42dbbabc50be4e4	0.147375	0.264525	-0.794911	0.000187	0.023	-0.129283	0.12901	1	0.0132	0.0326	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	f65af12073b0ad99aa2f5d89a78e157460a7f8989180581e6e6e96c42a4cebe5	0.5129	0.371125	0.276418	0.057789	0.06	0.030883	0.08444	1	0.049	0.0712	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	586966e367c490479c0c140ea18eb4a16062b2303842dee02cf70ebb85bd5d1c	0.2037	0.28915	-0.419489	-0.019622	0.0268	-0.107013	0.066997	1	0.01579	0.038	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	5028285416b7a586acb1418174c4f0cd9417227a4f0b7c23df24839507b62c91	0.556275	0.3892	0.300346	0.039232	0.0596	0.01373	0.064485	1	0.0482	0.071	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	3e31242e98b8767f7bcd3f0acea00d5932c4b79bd120beed0f44a3d010d8f97d7	0.147375	0.207825	-0.410178	0.039753	0.0234	-0.063179	0.143764	1	0.0142	0.0328	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	6464406b81191019c7cce6071e9417d2ca44c7cf3477e9db58f14b29d4b7f316	0.5129	0.477925	0.068191	0.021634	0.0526	-0.007963	0.051056	1	0.0416	0.0638	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	14d3678d62e4a722c4ec5500d9624aa81bae490e1474fa3aa6d4f0a4c3c8152ef	0.2037	0.239425	-0.17538	-0.00084	0.025	-0.07275	0.072357	1	0.0154	0.0348	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	ee95fafa0f61f77f8bff0fd240b5c65cf3f58127ed5a16bc92b8771a65196942	0.556275	0.510275	0.082693	0.017893	0.0614	-0.010538	0.046497	1	0.05	0.073	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	6cde885b0f2bad44058444ac53b52740e2f8c24d1792bbfd8641668becbc5010	0.147375	0.064475	0.562511	-0.035667	0.0008	-0.080131	0.008926	1	-0.0042	0.006	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	533dcfa824 234adb0e26 cbf2884d6e 7df5860515d 6f1f22d300 53afe6f9ee1502	0.5129	0.52905	-0.031488	-0.009064	0.0428	-0.038389	0.01935	1	0.0324	0.0528	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	c799cb1a06 6e0fee84b1 5f1a59d3b6 bdf5d8a359 787b441539 1bde967bb2	0.2037	0.08625	0.576583	-0.039831	0.0018	-0.075946	-0.003565	1	-0.004	0.0078	1
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	a3ac f54ff9ec9b 5c382488cc 0ab3efc109 d654656f57 943ab4ba54 c7f5b04405 2046	0.556275	0.60725	-0.091636	-0.010102	0.0574	-0.040129	0.019273	1	0.0464	0.0684	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	8abed4a748 2a7ad14052 a86f30095a 0cc411c90b 3a0e430edb 295886177a 1154	0.149575	0.23045	-0.540699	-0.002674	-0.0004	-0.0953	0.089378	1	-0.0088	0.008	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	edd4a5b88f 5b6ac43f4a 446b45b701 268e47086c 31b32ce624 b03f4acba2 9ae4	0.4157	0.189	0.545345	-0.056738	-0.0332	-0.080544	-0.033486	1	-0.0422	-0.0244	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	9f9e981c8d cb8cfe3fb7 eb24ad31c6 23f042d5f1 f76744520d b08a97bb00 0cce	0.1935	0.277925	-0.436305	-0.004803	0.0008	-0.078807	0.069788	1	-0.0084	0.0102	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	ab0896cc28 55ec6326b6 5c2015a2e3 e9134d8160 24fe24b5a7 a61699dc97 38d4	0.443075	0.203175	0.541443	-0.064487	-0.036	-0.088778	-0.041059	1	-0.0456	-0.0266	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	516a234561 9a8339ec71 ace25b3d28 9aa23b64d0 74ef00660a cbe873f3bd 6d96	0.149575	0.226725	-0.515795	-0.054822	-0.0082	-0.148552	0.038052	1	-0.0166	0.0002	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	0facb85fd8 06190651e4 051f285d66 30c369eb0b 085d68a60b 812c99032c 3c1b	0.4157	0.218125	0.475283	-0.056008	-0.0342	-0.080803	-0.031475	1	-0.0434	-0.025	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	500bf203ca 100e95b0e9 3d81cf5409 0a98096fdf 53b502cae1 b40f28a7c7 d86a	0.1935	0.26975	-0.394057	-0.03678	-0.0054	-0.110656	0.035967	1	-0.0148	0.0038	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	ea0fdbab7 f965acbc0e 1cddfb043d 4334790e4c 110a396a7a b264f1e2e8 5140	0.443075	0.2258	0.49038	-0.065089	-0.037	-0.089324	-0.040826	1	-0.0464	-0.0276	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	6032288bfa 7aaa4f8fb6 5304c87105 f56bf23d 42070ed7c7 7c418891db 624e	0.149575	0.194625	-0.301187	-0.008023	-0.0012	-0.091034	0.074781	1	-0.0096	0.0072	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	b3e020a5a7 45f2ada812 b0f9bdb041 938ec25cb0 72d22981d0 553d8016d 0025	0.4157	0.342125	0.176991	-0.014563	-0.0218	-0.044106	0.015394	1	-0.0318	-0.0118	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	de0d6044da 0024bfd06f b4ddb84fad b19220d181 b6c154b737 f82f4faa248848	0.1935	0.232425	-0.201163	-0.003335	0.0008	-0.06945	0.061212	1	-0.0082	0.0096	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	eb42e8fea8 b0f9e571e3 b3d2a4e057 d13daa427c e35b6ec1ac 600954b34f 4281	0.443075	0.358675	0.190487	-0.028659	-0.0246	-0.057788	0.00027	1	-0.035	-0.0142	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	dac1241e45 ba5368ae34 1b66af2502 42462122fb f591cb77a4 db5d0b9928 f5e2	0.149575	0.080475	0.461976	0.024068	0.0036	-0.018692	0.067297	1	-0.0016	0.0088	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	a159264483 c7dcabb76b4 607125e1b8 c540351e3d dccc24c42d fd2d2f7f13d167	0.4157	0.46045	-0.10765	0.025371	-0.0098	-0.005419	0.056552	1	-0.0186	-0.001	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	1249af1ba3 7e94f51844 114edee6cc a15a58584a6 1a5cfd804 3e9d534de6 91f1	0.1935	0.10885	0.437468	0.021451	0.0048	-0.014963	0.057807	1	-0.001	0.0106	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	e9b1a77eb7 33e7da8aac b12554ca9a 211810286b b2bddf04a4 ee7f63ce6f0e16	0.443075	0.52165	-0.17734	0.012068	-0.0112	-0.020075	0.044493	1	-0.0206	-0.0016	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	a18066b91d 0f59f71380 5db7c4ad45 1ed003481e 354d23c709 fd122b1809 5039	0.164575	0.25705	-0.561902	-0.135079	0.028	-0.255036	-0.01967	1	0.0184	0.0376	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	8855e5a50d b0f969a78b ac568e0018 6866f1f8dd bc57bc6175 a87cd15ac9 7e99	0.4873	0.2568	0.473015	-0.044443	-0.01	-0.07078	-0.018387	1	-0.0208	0.001	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	801db86798 1047283d5a 626ff44c8 606ff7c9a29 e0b702c44d e92fca08e25837	0.2183	0.296325	-0.357421	-0.059429	0.0386	-0.146845	0.025389	1	0.0276	0.0494	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	32a95e8c82 b4569d0bd1 f1a0429e58 6a25a8f685 a139e018c6 077633d4ca 9e80	0.521875	0.274775	0.473485	-0.034718	-0.0042	-0.06006	-0.008942	1	-0.0156	0.007	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	6ce97454aa 089365b512 fe0df1a476 32ea3d9453 53b15de8ed de22e93ac1f586	0.164575	0.262525	-0.595169	-0.220908	0.0174	-0.348611	-0.097946	1	0.0076	0.0272	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	197332dc44 59d7e635ff 15fc00ae54 0c8d4f50dd 464d51a76e a0264af62b ad13	0.4873	0.286125	0.412836	-0.050071	-0.0114	-0.077383	-0.022625	1	-0.0224	-0.0004	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	265ca9c9ff 50ae910483 4281ae169a f85d0b9ef4 67be7fdfb2 41efada358fcd5	0.2183	0.29875	-0.36853	-0.117727	0.0284	-0.206191	-0.030296	1	0.0172	0.0398	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	525e754a325674984ea0c9779ea446e9603c2c29e83cad7ad99f0760cf0c9835	0.521875	0.3032	0.419018	-0.052725	-0.0118	-0.079894	-0.025709	1	-0.0234	-0.0002	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	11cd6bd63035dd109af6e7591508b1c721aa591d83c49cd748e9229da92e93aaf	0.164575	0.213825	-0.299256	-0.053773	0.0312	-0.160047	0.047738	1	0.0214	0.0408	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	607f69fde0e957b1a758c2b44f05033b60d9d384e68f4dc8f583ae0dba0e9236	0.4873	0.429325	0.118972	-0.012364	0.0122	-0.043297	0.018628	1	0.0008	0.0232	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	a8f13257bcd5ca85f435ff42375478d82f68bf8657265403546089ba3dc33f68	0.2183	0.252225	-0.155405	-0.033297	0.036	-0.110861	0.041031	1	0.0254	0.0464	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	e2859b39e3ec9d067bd48ce464b88bd702b65b297dacd2b53016ed116c3ecd1a	0.521875	0.453275	0.131449	-0.015974	0.0136	-0.045815	0.013906	1	0.002	0.0252	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	bac091c74766cf8030c68acda30dabfa950c9feece07a5e73291059fc0c3d7add	0.164575	0.075475	0.541395	0.001669	0.0138	-0.043243	0.046338	1	0.0082	0.0196	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	d14e248ea00fa75f4daabb23c3ad2599c3d66e4eb19215db57668b5e986474d95	0.4873	0.51545	-0.057767	0.012897	0.0276	-0.019326	0.044134	1	0.017	0.038	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	8a67da2a2183ae9b66e9788688dfe557209b0c02ee0648c3e8976a5ff80ff824	0.2183	0.10385	0.524279	0.02355	0.0216	-0.013662	0.061274	1	0.0152	0.0282	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	1922e1f56908e00e5981fd1454114a14fe156941ce5137e33196f70977faa219	0.521875	0.59405	-0.138299	0.030921	0.0436	-0.002401	0.063601	1	0.0322	0.055	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	0e13cd0537ed7e88f3ab264c5517ee2cdee358b33b5ae40b3a92ae0b952bc0cd	0.165575	0.25505	-0.54039	-0.108606	0.0272	-0.225863	0.003072	1	0.0178	0.0368	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	831036eb801a6efefc000c0dbccaa582899c0b18570b4960734309bfcca51374	0.4987	0.2838	0.43092	-0.050284	-0.006	-0.076847	-0.024405	1	-0.017	0.0048	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	d5321517631afa4101e66c6ce97a3e59c39b33f424a510a915c63f58af9273ab	0.2215	0.294125	-0.327878	-0.024255	0.0406	-0.106491	0.05635	1	0.0294	0.0518	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	dea815e6dbef82bd7190f978b70a62a9ef7504e024a3b0ee68432537224de751	0.534075	0.304375	0.430089	-0.047512	-0.005	-0.073604	-0.021967	1	-0.0166	0.00641	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	847aa85ed4 4c02cceb2 4681c2b93e 0c1d6d12dd 0196dea250 8b12e8df82 a6bb	0.165575	0.270525	-0.633852	-0.163326	0.0222	-0.289378	-0.042421	1	0.012	0.0324	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	ba2e182eb2 b886b49d8d 393dfc52cc 71fce820e2 4a1b6b9c76 7b8bf42a52 e638	0.4987	0.311525	0.375326	-0.040692	0.0002	-0.067812	-0.013394	1	-0.0108	0.011	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	b69b8b9956 c7014f4e99 c8b752737c 225682561a 47d71a0f34 2f6e326712e343	0.2215	0.30455	-0.374944	-0.057323	0.036	-0.144318	0.028416	1	0.0246	0.0476	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	f9a43095dc dfad43e7e9 653b25b41d c231daab45 a3e002b643 659ab83bffc372	0.534075	0.327	0.387726	-0.057886	-0.0088	-0.084861	-0.031283	1	-0.0206	0.0028	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	9347927cbb 9f082ae200 be5a216e27 3c1656eae 3393ab86d0 82c27ab541 3ad9	0.165575	0.220625	-0.332478	-0.008032	0.0354	-0.109384	0.090425	1	0.0256	0.0452	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	a2413a0b03 a207b24f4d a269f44f39 1d73740934 08addcdd2a 674b5cb716 93c6	0.4987	0.444925	0.10783	-0.019831	0.0182	-0.049405	0.010087	1	0.0068	0.0296	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	912faa3836 bf0116ef03 99a88db104 b49c4db082 755f81a554 8e7307c87c 172c	0.2215	0.256225	-0.156772	-0.017761	0.036	-0.092648	0.055197	1	0.0256	0.0464	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	db808ed962 cbabd2168f d90dd93350 cee328ca58 a1fed1ddbd dfbc83b7bb 8777	0.534075	0.471675	0.116838	-0.016653	0.0208	-0.045604	0.012327	1	0.0092	0.0324	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	edc7b6ac7a 5e9f597cc3 0e87b187d 2bf5967c0 ec54085737 9a41673a9e 5242	0.165575	0.077075	0.534501	0.000328	0.0128	-0.044275	0.045016	1	0.0072	0.0184	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	70c4235c75 803c731c93 b62e54b06d edd1fbbf7 c99042c217 c08101f7cd 1589	0.4987	0.53265	-0.068077	0.011334	0.0382	-0.019089	0.041327	1	0.0278	0.0484	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	dc1a22a6a1 845e1bee48 d1de0d00e3 aad04a858 8767aa08fe 935ab13393 eb15	0.2215	0.10505	0.525734	0.0228	0.0204	-0.013463	0.058759	1	0.014	0.0268	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	7b0b711c98 0d1e60dac4 635d0068e8 8b900066f3 625f8139d6 be11a2b359 d5d5	0.534075	0.60965	-0.141506	0.019818	0.0476	-0.011714	0.051219	1	0.0362	0.0588	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	bb87e33602 e166cdb642 d5447fb49f c9a18b3dd6 3d82be2c83 23d62c6560f5b	0.164375	0.25965	-0.57962	-0.111876	0.0354	-0.234449	0.005703	1	0.0258	0.0448	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	a20d85e2f7ee1793013ba0ff80c70d5ad5e4cfcd0a9253c6920d510d4cea544e	0.5197	0.3232	0.378103	-0.012597	0.03	-0.038571	0.01316	1	0.0194	0.0406	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	b3eac8615409db04f90dccc9e86639bb19ab0b1838782259c1251ec1cd28b5da	0.2191	0.288525	-0.316864	-0.061167	0.0442	-0.149097	0.024752	1	0.0332	0.0552	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	1e6f841ce6717cf28d1eb07043dc41ceb8e3ca2e955773ba3f52449338c767e9	0.556275	0.352775	0.365826	-0.012379	0.0332	-0.037676	0.012953	1	0.022	0.0444	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	9a3c44b0da95487608e30c566ba1cc4a135ca9d0bf87d6cf902c5339d5e29a0a	0.164375	0.274925	-0.672548	-0.15076	0.0332	-0.280155	-0.028345	1	0.0234	0.043	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	4a1f25de099816d17b992d36fd29907eb161021549ae43b32ae66d63e28a160f	0.5197	0.360725	0.305898	-0.012509	0.0342	-0.040626	0.014895	1	0.0228	0.0454	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	0fdac57d30e064c82aa6287fa524f89f21408bb0432577269b84688bde67084	0.2191	0.30235	-0.379963	-0.097476	0.0404	-0.188029	-0.00921	1	0.0292	0.0514	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	52b027aea0d93d259e34eb9f7a1488771c49977dfaee85f903978e375be87a	0.556275	0.379	0.318682	-0.011009	0.0368	-0.038325	0.015216	1	0.0252	0.0482	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	0bb12dbe644ba2e64f05125984e012c3c6b94586a14d5f6b21396d0a93de427c	0.164375	0.221825	-0.349506	-0.009913	0.0416	-0.112815	0.090289	1	0.0318	0.0514	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	815ff168ffb5da62bc6bb4cle763a6f47657a4e72ccfbd6a81c3ba995c4ff46d4	0.5197	0.468125	0.09924	-0.005808	0.0492	-0.035543	0.024139	1	0.0378	0.0608	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	0dfb8edede320ee48acb6702e5c5338dac5dfe46d33b3e01ad1da79af92091e6	0.2191	0.259425	-0.184048	-0.006166	0.0484	-0.082684	0.069377	1	0.038	0.0588	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	a8b36eb7d92cd9a34d05cd3e98b51ffad56d4dd6efef7821a24e4c91328fee4d	0.556275	0.498475	0.103905	0.004941	0.058	-0.023743	0.034297	1	0.0462	0.07	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	4b22d936f3bcabf70725a4d38b4d2d3431c041a78412362e1e9bac06f9b10bbd	0.164375	0.075475	0.540837	-0.022639	0.0116	-0.068219	0.022815	1	0.00599	0.0174	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	62533bc3bd8270602c7f067444202565d9cdd8a53a0b97dbf0a14b0cbeb6b957	0.5197	0.54885	-0.05609	0.01941	0.0698	-0.010724	0.049035	1	0.059	0.0804	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Minus Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	a524852a49 d69712ef2a a47c153a9a 7b6978a5d8 e17a2b091d 308962e77b 28b8	0.2191	0.10225	0.533318	-0.023166	0.0154	-0.061454	0.014831	1	0.009	0.0218	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	439e19aa58 583ba1b762 2eb4967dca 23033e7402 493859aa23 00b1b96d29 d2ff	0.556275	0.63105	-0.134421	0.034527	0.0874	0.004018	0.064859	1	0.0758	0.099	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	1b9756fde2 20804d28ab 17beaf50e8 e5c5f9dc95 3c78059e4a bc418048e2 a339	0.164575	0.25805	-0.567978	-0.108782	0.0324	-0.235828	0.011399	1	0.0224	0.0424	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	749ad4194e 531af6cc19 4e2239759d 33e9abbcf9 612d4cfd3 c3005bd4dd 1d4f	0.4837	0.2656	0.450899	-0.07277	-0.025	-0.099903	-0.045652	1	-0.0362	-0.014	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	05a1a1c054 5c4b94de68 8270556c91 6474319fd0 135d665227 dad34c7cb3eeef	0.2183	0.292725	-0.34093	-0.026733	0.0434	-0.114087	0.059007	1	0.0318	0.055	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	8ecc11f5f7 3a108d13bd c1d06d366f 4e6432a654 44b14511e1 f73955feb80eaf	0.517675	0.286775	0.446033	-0.074746	-0.027	-0.101733	-0.047272	1	-0.0388	-0.015	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	309723c0f8 c205526e06 bc525f9da2 67f7ca4fe0 89834272f8 448266e6d6 4836	0.164575	0.270125	-0.641349	-0.153375	0.0286	-0.285735	-0.023579	1	0.018	0.0392	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	21c199897d 31f77cf090 9807ff43f4 af2bfae524 db5bf9790c 4f05243bf81ad	0.4837	0.293525	0.393167	-0.05896	-0.0176	-0.087475	-0.030589	1	-0.0288	-0.0062	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	1b71512513 4ef90c7d46 e8c26a8e72 a872744362 5fdd40b7c8 19f682d88f21e9	0.2183	0.30695	-0.406093	-0.033019	0.0446	-0.125532	0.058262	1	0.033	0.0564	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	8e6dd7f71e 0b09318d88 a27cc1ea5a 6a3c441486 fc13b2cbcd 184df2d8e1 800e	0.517675	0.3106	0.40001	-0.060431	-0.019	-0.088516	-0.033123	1	-0.031	-0.0072	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	1ebd69c525 30be6c8870 76eafd052b c13384f2ea a0089d87b5 eae0f434b8 40b7	0.164575	0.216225	-0.313839	-0.056587	0.0318	-0.165402	0.049194	1	0.0216	0.042	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	ccc2fd4f05 3512538a75 ec87f917a7 f0da4d40ba f29a5f4c42 8ba3f594eace36	0.4837	0.427725	0.115723	-0.025898	0.0024	-0.058343	0.005841	1	-0.0094	0.0144	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	b4eb4d0b3f 0fa495defe d7fb479613 a4ab5849fc 673e7c1ffc 254ca01aec 8e35	0.2183	0.253425	-0.160902	-0.015318	0.039	-0.093492	0.062408	1	0.0282	0.04981	1

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Noise Clean Excess	Noise Perturbed Excess	Noise Rrel	Rrel Gain Naive Minus Noise	Perturbed Excess Gain Noise Naive	Rrel Gain CI Low	Rrel Gain CI High	Rrel Gain Valid Bootstrap Fraction	Perturbed Excess Gain CI Low	Perturbed Excess Gain CI High	Perturbed Excess Gain Valid Bootstrap Fraction
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	f8c6da88ae 94039de1b1 cf99b2195d 0cad893762 612b7dfded 404ca4c8d0 7449	0.517675	0.452275	0.126334	-0.025748	0.0034	-0.056752	0.004949	1	-0.0088	0.0158	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	b61a3b2e8f dee35fa67b 214734f0c0 4a1f6c5d16 d2d424ef1e bb6b102190 4355	0.164575	0.077075	0.531672	-0.004829	0.0134	-0.05371	0.042942	1	0.0074	0.0194	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	a54feaa11d db314e77f4 075a774517 631d3894e1 dea006c1e9 733564c765 a68f	0.4837	0.52085	-0.076804	0.036252	0.0346	0.00447	0.067408	1	0.0238	0.0452	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	a789b37e51 42d37c2375 8aca38261 658e1ba0d2 687ae0bb1d 36ec099fe2c3d6	0.2183	0.10525	0.517865	0.018887	0.0208	-0.020461	0.057156	1	0.014	0.0276	1
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	fadc4fabbd 1b02e715d0 cdf1563bd9 354f798951 e3fb1ab971 5b75017bd5 990c	0.517675	0.59765	-0.154489	0.052751	0.0478	0.020318	0.084725	1	0.0364	0.0592	1

Table 238: ImageNet-ResNet-18

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	d3b85905d8dfeca983b64559b861b95d597dcedd331ae66b964563c986c4a0e0	0.136707	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	e0336d9443ba510c3f714f17932e21f6776a1243ed78f9d5a84017f25b930e63	0.526326	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	2818f69e225457b916da26db50850bf5c699042c9fd8c8fb712f6f8d4037d44d	0.00695	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	fd276c6beaa6e92e8cd019dbb9863fbb893d3dc53de5d47e7061f8effae084	0.497975	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	60c8085cb7b9e9f855f4ac069032e555e4dc8bb3e930a0710c6f299e59c494e	0.309565	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	03d558ef22032667954c7a63b4abbd e10d09775da5557a7602d57c699567cdce	0.107255	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	e911aacc35fedae4a65a7e20cd8259b9fc80d4a351eb27afe8bb5dfa2988a57	0.024501	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	c000ee9ee389da4f8c47d4204f11a7b18efc2bf7185e6c2368949ee1f36dd5b	0.046702	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	abe5f0a0825d3b7f1625b8d7f1c1ef4c968218422169adad8fdb8571724215	0.746437	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	ed9986b6c5898feecd5c54c562412e4135619241442e186f70fca4bce0298dd	0.305015	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	41161c243ec75b981a2bd261eab071932ba38b03acc506aa0c8896ff3adc989	0.39972	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	b5ad68e29b6bb4b65265721dbcc3d376166a284309e744ea73530b2d730f905b	0.414321	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	58184c2740b45b9460d705db560e20273dc34a578db6791ba42d7e819de96dac	0.641732	False	advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	38c874e077bc233e9b731eaac52a858e5228082fec75d2548b9c97d3b92bd4c5	0.444922	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	15087130dedfa210638be1fad33694aa062ae4ba5cf73ca23c479f9a8e7c86e3b717c903c25ef574bfce2f2a2d1d211227b98cb8fae0def670dc1341b50bf188f	0.134257	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	b717c903c25ef574bfce2f2a2d1d211227b98cb8fae0def670dc1341b50bf188f	0.544827	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	b6d446f1230fcade977f41a86b9bf0d8e1b717f33ffb5cf3024e8e8ab0e65e86	0.037202	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	b18325ac31b428f567213bf472b063eb9b598692024961878d74c2b6f6e6a20a	0.655333	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	7d251f911e469ae6f30b356093cc10051ba04644e8a326046743e07cfe82d957d39e80e55c0b11755d547e2d590dfe60c9439c39fe7c37465392e92774d6aa88	0.014101	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	43e07cfe82d957d39e80e55c0b11755d547e2d590dfe60c9439c39fe7c37465392e92774d6aa88	0.979549	True	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	506aa1a6e290fb38ba31a705be0ff419ac2cfcdb30275f01f22c88b8f64806dc	0.0065	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	ae125a0c6c52f8a372639ea65134b0a4c28f371e243bd3a4fd3301c7ed367faa	0.495025	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	74e59fc8ace8a274acf99b14bf006d1bf4a9e53ef64306720cd56e9227a866ef	0.00985	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	6425c13e10ac3b5fe8ef93534fe49f60b44e6a3afe6d6d52d5c19ae792f78dac	0.420521	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	55c5d11b81604b8aebfbec81141431f0756cf2ce9ce30b9f60e3f920d9c1e4eb4	0.284564	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	9328e2b7a3c7906688a11b8ec6e4c483ef32e9c0575f1625ffef3cbcb295287fb	0.810491	False	advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	6d0014e93aeb0b7136a16cfd3768c8b22ea3c320236558eeb96a5a5457a870b	0.340667	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	0698a814635df732570bf5d5c74010859771dba9d8fa203ab436ed60e4d26edf	0.762388	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	5ced1c677a1001c76522e60f205b5115b412478d0c47bc1992dfe0ddb5ca7e3	0.498725	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	25c37716b470cc5fb5ec931bcb0a04e94ccalac0cab7b5b959db3b205ee89d1	0.889344	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	b1b47771a58d5e3885e58e81baa6009f6e4d898559a7dca4ff	0.687984	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	4cec0c6c0ae3f672c92af38f80d0ae0caa3942ac92f7c939c8c24cf6c89d279d	0.941347	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	4a29554f04f0e84f10365c67d4e7bf63b386349083732cafa23849564d27489024ff98fabf553d	0.350568	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	09d015d42459516d7bb01f1696b6a0122e8599bc6457ef529140d9b0fd5ec982a	0.549427	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	258d405b08e0fb06cefd34fd9a93370c86f71f0a088851bf4405ea5fb0250cba	0.295915	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	a3d041ef7c90886157ddf7968a1e1034451fa2680aff0ed9ab670aa5cec5f77000	0.504925	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	5aeecad4ec2baa2ccff016a6698b01752731e8504d8c1e919c5569e444c657c4	0.054903	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	93aafba92934d44a5d10c667d6413b47d23e3bdd93ad89d0d58150a6e3859284	0.968548	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	17b8f8b2edb46f9973ee13ef1e502d4d5c79570bf7624bc1f828ecb513bf02fc	0.296965	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	ac40b525b57c34520a25452b68726a1876f99f7c f04bb0a3e590d7507d4e44cc	0.694535	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	48090662a4215af8b2d041dcebf7872121c3f28abb014011956b3fdeddfca036	0.551578	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	e3a96ac0344207a8563f2d3343c5a5bf2b995bf5eb2e76e64834d7784f354dd0	0.533327	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	b5b777bbdd5cc07ae64e35be1a23f067d146d4bd25f915f331701fb1d443add5	0.623731	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	273ced020dce5dee318b87a6383a225c6f6bc71754c73df5a69298943d1bf83	0.529176	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	389cec5f843e12c136f97db3eccb01d1ea8cbe84b67f53be49b14b48e035380d	0.20131	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	0dddf6725ea34b9938b872a586337efdde61ce3b00c7ccd17b1420c31ac88efee	0.40167	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	91b3dfab32eea754c23423a3ae7d36e4cd15c00764c9345b0848fce7495d3e82	0.554728	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	1a4c4ec61e4ecbcdcd08a28230384271394e0a9e81be10a989e6617b5b758c0	0.267713	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	5c8bac115d4546f27c9573c20660dadf15fefd25624c3ef55f8de22736871f69	0.139857	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	bb93958461c1c7c30c1427f724be6e5fc9d6bdb9598f1fc57d5f8f3e82922848	0.710236	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	0814814d6db0f805ef79acb1af53d205d394e91cfc9b984535e527f04ccfb1109	0.105255	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	1bb43c458793b6e78102ae083c1cf2028960d744bc336f9e1738754f0ab8a23f	0.212361	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	dfa1aea9ac3c077cddd4cb3395d4f75469f20038fa1159b5f93b70b7d4da9307	0.045602	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	29040b86c6615ca68bd5c8f0a88e5d745b0d398fc389b69dfc6ba38bf2d05e158	0.584729	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	7467125ffe496200a36b97a8f0768909e3c255c36bc91bc57deebc4c76a59dd	0.017751	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	e127377a2413b985e6a0176c2aa1ad9b417d291706834c223164dc8f56d7e31	0.435122	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	1d6e542b4ac6235c11306bc7cc5a4a8553a4aa716301847f29dabdf3f9f09342	0.440372	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	df842c769a384f27e69321712fa177340fad9792bb6812b4c7e64bb78da868c1	0.79929	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	5264d279afaf02cf650f4b1baedd9ee21164dca927f35f9315eee955db54be97	0.256363	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	c294462b61d165fe3d7c65e49e2d86e3eb058321b80db07ce61bbb3dc2745678	0.763538	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	001e85bf5b79b1bf70f44e1aedffda5487ffbeb5b6166084d0f217b29f1949d5	0.029951	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	0d1d2af274aa2c1b6f88a9b71f8ddee8d3c7ffa004cfd9a23467119188c768af	0.138557	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	3d6988468074b4f65c74865b0c4f696e8d4a627265a49592e243d46eada359f5	0.0007	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	55f1aee6f0614141a4890f3553c0fe4eabca417128fdac861d7f51378f8cccf2	0.028601	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	F	69bf4913f1e9161d886bdd431f40fb11f28a81507d06313e57da4eace1b84e9	0.547777	False	advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Fbar	282ccc7fcd5c23a1d15748547bf4629c99a429110e7bfb6aad1345e6d10c44cd	0.959598	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	C	0aebc45029dd644e1d6165001d771720c50725fdb7c6dc5e4ac256b903fc92f4	0.054903	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	G	Cbar	b4fe542476ba3150763724333009c84ab48a3b34f52268a70651dc34ed563c5d	0.891945	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	F	672ac244a7632848043372c2dbaaabc a38af500dfdd4c7e5fd42dbbabc50be4e4	0.504325	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Fbar	f65af12073b0ad99aa2f5d89a78e157460a7f8989180581e6e	1	True	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	C	fe96c42a4cebe5586966e367c490479c0c140ea18eb4a16062b2303842dee02cf70ebb85bd5d1c	0.331917	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	P	Cbar	5028285416b7a586acb1418174c4f0cd9417227a4f0b7c23df24839507b62c91	0.9992	True	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	F	3e31242e98b876f7bcd3f0acea00d5932c4b79bd120beed0f44a3d010d8f97d7	0.779389	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Fbar	6464406b81191019c7cce6071e9417d2ca4dc7cf3477e9db58f14b29d4b7f316	0.922496	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	C	14d3678d62e4a722c4ec5500d9624a a81bae490e1d74fa3aa6df0a4e3c8152ef	0.489024	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	S	Cbar	ee95fafa0f61f77f8bff0fd240b5c65cf3f58127ed5a16bc92b8771a65196942	0.889894	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	F	6cdc685b0f2bad44058444ac53b527d0e2f8c24d1792bbfd8641668becbc5010	0.060353	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Fbar	533dcfa824234adb0e26cbf2884d6e7d5860515d6f1f22d30053afe6f9ee1502	0.270314	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	C	c799cb1a066e0fee84b15f1a59d3b6bdf5d8a359787b4415391bde967bb2a3ac	0.014551	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	4	A	Cbar	f5df99ce9b5c382488cc0ab3efc109d654656f57943ab4ba54c7f5b044052046	0.251413	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	8abed4a7482a7ad14052a86f30095a0cc411c90b3a0e430edb295886177a1154	0.316566	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	edd4a5b88f5b6ac43f4a446b45b701268e47086c31b32ce624b03f4aeba29ae4	0	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	9f9e981c8dc8b8cfe3fb7eb24a431c623042d5f1f76744520db08a97bb000cee	0.363468	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	ab0896cc2855ec6326b65c2015a2e3e9134d816024fe24b5a7a61699dc9738d4	0	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	516a2345619a8339ec71ace25b3d289aa23b64d074ef00660acbe873f3bd6d96	0.015501	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	0facb85fd806190651c4051f285d6630c369eb0b085d68a60b812c99032c3c1b	0	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	500b6203ca100e95b0e93d81cf54090a98096fdf53b502cae1b40f28a7c7d86a	0.067653	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	eaf0dba8b7f965acbc0e1ceddfb043d4334730e4c110a396a7ab264f1e2e85140	0	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	6032288bfa7aaa4f8fb65304c87105f56bf23d42070ed7c77c418891db624e	0.264713	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	b3e020a5a745f2ada812b0f9bdb041938ec25cb072d22981d0553dd8016d0025	0	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	de0d6044da0024bfd06fb4ddb84fadb19220d181b6c154b737f82f4faa248848	0.373569	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	eb42e8fea8b0f9e571e3b3d2a4e057d13daa427ce35b6ec1ac600954b34f4281	0	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	dac1241c45ba5368ac341b66af250242462122fbf591cb77a4db5d0b9928f5e2	0.835392	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	a159264483c7dcab76b4607125e1b8c540351e3ddccc24c42dfd2d2f7f13d167	0.014301	False	relative_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	1249af1ba37e94f51844114ede66ca15a8584a61a5cfd8043e9d534de691f1	0.859693	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	e9b1a77eb733e7da8aacb12554ca9a211810286bb2bddd04a4ee7f63ce6f0e16	0.010101	False	relative_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	a18066b91d0f59f713805db7c4ad451ed003481e354d23c709fd122b18095039	0.010601	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	8855e5a50db0f969a78bac568e00186866f1f8ddbc57bcb6175a87cd15ac97e99	0.0002	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	801db867981047283d5a626ff44c8606f7c9a29e0b702c44de92fca08e25837	0.087604	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	32a95e8c82b4569d0bd1f1a0429e586a25a8f685a139e018c6077633d4ca9e80	0.0036	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	6ce97454aa089365b512fe0df1a47632ea3d945353b15de8ecd4e22e93ac1f586	0.0001	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	197332dc4459d7e635ff15fc00ae540c8d4f50dd464d51a76ea0264af62bad13	0.0003	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	265ca9c9ff50ae9104834281ac169af85d9b9ef467be7fdfb241efada358fcd5	0.00375	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	525e754a325674984ea0c9779ea446c9603c2c29e83cad7ad99f0760cf0c9835	0	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	11cddb63035dd109af6e7591508b1c721aa591d83c49cd748e9229da92e93aaf	0.149157	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	607f69fdc0c957b1a758c2b44f05033b60d9d384e68f4dc8f583ae0dba0e9236	0.210011	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	a8f13257bcdbea85f435ff42375478d82f68bf8657265403546089ba3de33f68	0.19311	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	e2859b39e3ec9d067bd48ce464b88bd702b65b297dacd2b53016ed116c3ecd1a	0.140907	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	bac091c74766cf8030c68acda30dabfa950c9fee07a5e73291059fc0c3d7add	0.528226	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	d14e248ea00fa75f4daabb23c3ad2599c3d66e4eb19215db57668b5e98647d95	0.785539	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	8a67da2a2183ae9b66e9788688dfe557209b0c02ee0648c3e8976a5ff80ff824	0.890945	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	1922e1f56908e00e5981fd1454114a14fe156941ce5137e33196ff70977faa219	0.966248	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	0e13cd0537ed7e88f3ab264c5517ee2cdee358b33b5ae40b3a92ae0b952bc0cd	0.027951	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	831036eb801a6efefc000c0dbccaa582899c0b18570b4960734309bfcca51374	0.00015	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	d5321517631afa4101e66c6ce97a3e59c39b33f424a510a915c63f58af9273ab	0.280564	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	dea815e6dbef82bd7190f978b70a62a9ef7504e024a3b0ee68432537224de751	0.00025	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	847aa85ed44c02ccea24681c2b93e0c1d6d12dd0196dea2508b12e8df82a6bb	0.004	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	ba2e182eb2b886b49d8d393dfc52cc71fce820e24a1b6b9c767b8bf42a52e638	0.0018	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	b69b8b9956 c7014f4e99 c8b752737c 225682561a 47d71a034 2f6c326712e343	0.096055	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	f9a43095dc dfadd3e7c9 653b25b41d c231daab45 a3e002b643 659ab83bffc372	0	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	9347927cbb f082ae200 be5a216e27 3c1656eace 3393ab86d0 82c27ab541 3ad9	0.437872	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	a2413a0b03 a207b24f4d a269f44f39 1d73740934 08addcd2a 674b5cb716 93c6	0.097105	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	912faa3836 bf0116ef03 99a88db104 b49c4db082 755f81a554 8e7307c87c 172c	0.317966	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	db808ed962 cbabd2168f d90dd93350 cee328ca58 alfed1ddbd dfbc83b7bb 8777	0.129056	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	edc7b6ac7a 5e9f597cc3 0e87fb187d 2bff5967c0 ec54085737 9a41673a9e 5242	0.511576	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	70c4235c75 803c731c93 b62c54b06d edd1fdbff7 c99042c217 c08101f7cd 1589	0.769338	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	dc1a22a6a1 845e1bee48 d1de0d00e3 aadc04a858 8767aa08fe 935ab13393 eb15	0.889244	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	7b0b711c98 0d1e60dac4 635d0068e8 8b900066f3 625f8139d6 be11a2b359 d5d5	0.892945	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	bb87e33602 e166cdb642 d5447fb49f c9a18b3dd6 3d82be2c83 23d62c6560ff5b	0.031502	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	a20d85e2f7 ee1793013b a0ff80c70d 5ad5e4cfcd 0a9253c692 0d510d4cea 544e	0.165408	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	b3eac86154 0d4b04f90d ccc9e86639 bb19ab0b18 38782259c1 251ec1cd28 b5da	0.080404	False	quality_only

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	1e6f841ce6 717cf28d1e b07043dc41 ceb8e3ca2e 955773ba3f 52449338c7 67e9	0.172859	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	9a3c4db0da 95487608e3 0c566ba1cc 4a135ca9d0 bf87d6cf90 2c5339d5e2 9a0a	0.00775	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	4a1f25de09 9816d17b99 2d36fd2990 7eb1610215 49ae43b32a e66d63e28a 160f	0.184159	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	0fdac57d30 e064c82aa6 287fa524ff 89f21408bb 0432577269 b84688bde6 7084	0.014551	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	52b027aea0 d93d259e34 eb9f7a1488 771c49977d faace85f90 3978e375be e87a	0.20781	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	0bb12dbe64 4ba2e64f05 125984e012 c3c6b94586 a14d5f6b21 396d0a93de 427c	0.426971	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	815f168ffb 5da62bc6bb 4c1e763a6f 476574e72 ccfbd6a81c 3ba995c4ff46d4	0.350718	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	0dfb8edcdc 320ee48acb 6702e5c533 8dac5dfe46 d33b3e01ad 1da79af920 91e6	0.435222	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	a8b36eb7d9 2cd9a34d05 cd3e98b51f fad56d4dd6 efee7821a2 4e4c91328fee4d	0.631882	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	4b22d936f3 bcabf70725 a4d38b4d2d 3431c041a7 8412362e1e 9bac06f9b1 0bbd	0.167158	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	62533bc3bd 827060c7f 0674442025 65d9cdd8a5 3a0b97dbf0 a14b0cbeb6 b957	0.897795	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	a524852a49 d69712ef2a a47c153a9a 7b6978a5d8 e17a2b091d 308962e77b 28b8	0.116506	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	439e19aa58 583ba1b762 2eb4967dca 23033e7402 493859aa23 00b1b96d29 d2ff	0.987049	True	advantage

Cell	Dataset	Model	Q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	F	1b9756fde2 20804d28ab 17beaf50e8 e5c5f9dc95 3c78059e4a bc418048e2 a339	0.038852	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Fbar	7d9ad4194e 531af6cc19 4e2239759d 33e9abbcf 612d4cfd3 c3005bd4dd 1d4f	0	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	C	05a1a1c054 5c4b94de68 8270356c91 6474319fd0 135d665227 dad34c7cb3eeef	0.271914	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	G	Cbar	8ecc11f5f7 3a108d13bd c1d06d366f 4e6432a654 44b14511e1 f73955feb80eaf	0	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	F	309723c0f8 c205526e06 bc525f9da2 67f7ca4fe0 89834272f8 448266e6d6 4836	0.00935	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Fbar	21c199897d 31f77cf090 9807ff43f4 af2bfae524 db5bf9790c 4f05243bff81ad	0	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	C	1b71512513 4ef90c7d46 e8e26a8e72 a872744362 5fdd0b7c8 19f682d88f21e9	0.241012	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	P	Cbar	8e6dd7f71e 0b09318d88 a27cc1ea5a 6a3c441486 fc13b2cbcd 184df2d8e1 800e	0	False	no_advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	F	1ebd69c525 30be6c8870 76eafd052b c13384f2ea a0089d87b5 eae0f434b8 40b7	0.143857	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Fbar	cec22fd0f5 3512538a75 ec87f917a7 f0da4d40ba f29a5f4c42 8ba3f594eace36	0.057103	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	C	b4eb4d0b3f 0fa495defe d7fbd79613 a4ab5849fc 673e7c1ffc 254ca01aec 8e35	0.343217	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	S	Cbar	f8c6da88ae 94039de1b1 c99b2195d 0cad893762 612b7dfded 404ca4c8d0 7449	0.049452	False	quality_only
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	F	b61a3b2e8f dee35fa67b 214734f0c0 4a1f6c5d116 d2d424c4f1e bb6b102190 4355	0.426471	False	quality_only

Cell	Dataset	Model	q	Condition	Metric	Comparison Id	Joint Advantage Bootstrap Fraction	Both Marginal CI Lower Positive	Point Outcome
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Fbar	a54feaa11d db314e77f4 075a774517 631d3894e1 dea006c1e9 733564e765 a68f	0.987699	True	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	C	a789b37e51 42d37c2375 8acaf38261 658e1ba0d2 687ae0bb1d 36ec099fe2c3d6	0.829641	False	advantage
ImageNet-ResNet-18	ImageNet	ResNet-18	5	A	Cbar	fadc4fabbd 1b02e715d0 cdf1563bd9 354f798951 e3fb1ab971 5b75017bd5 990c	0.9993	True	advantage

Table 239: ImageNet-ResNet-18

Dataset	Model	Condition	K	Condition Kind	Sample Count	F	$\hat{F}$	C	$\hat{C}$
ImageNet	ResNet-18	Adversarial Sara 2 255	20	Adversarial	5000	0.001325	0.68745	0.00515	0.84365
ImageNet	ResNet-18	Clean	20	Clean	5000	0.023025	0.6855	0.0937	0.843475
ImageNet	ResNet-18	Gaussian 0.15	20	Factory	5000	0.09815	0.585	0.356275	0.946175
ImageNet	ResNet-18	Salt Pepper 0.05	20	Factory	5000	0.075275	0.594925	0.32605	0.9436
ImageNet	ResNet-18	Speckle 0.15	20	Factory	5000	0.050175	0.678525	0.173575	0.889075

Table 240: ImageNet–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.5234	0.7068	0.5824	0.8924	0.15	0.1374	0.4036	0.215	0.0572	0.0462
Simple Averaging	0.5334	0.6972	0.5982	0.846	0.1638	0.1676	0.4234	0.274	0.0738	0.0646
Borda (NAIVE)	0.5336	0.7044	0.5954	0.8866	0.1636	0.161	0.4154	0.2692	0.063	0.0548
Borda (THEORY)	0.5192	0.7076	0.5706	0.8858	0.165	0.15	0.4072	0.279	0.0608	0.0458
RRF (NAIVE)	0.5356	0.7082	0.6014	0.9018	0.1632	0.1512	0.4124	0.2732	0.0568	0.0476
RRF (THEORY)	0.5152	0.7074	0.5676	0.8858	0.157	0.1492	0.402	0.2716	0.0694	0.0578
Schulze (NAIVE)	0.5452	0.7068	0.613	0.8924	0.1606	0.1476	0.428	0.2798	0.065	0.0552
Schulze (THEORY)	0.524	0.7092	0.5816	0.8878	0.1674	0.1596	0.4042	0.2716	0.0668	0.06
Kemeny Young (NAIVE)	0.5304	0.7046	0.5892	0.8882	0.165	0.1566	0.4148	0.2682	0.0594	0.054
Kemeny Young (THEORY)	0.52	0.7048	0.5744	0.8856	0.1574	0.1516	0.411	0.2826	0.0636	0.0528

Table 241: ImageNet–DenseNet-121

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.52	0.5744	0.7048	0.8856
Borda (n=3)	Ensemble	0.5192	0.5706	0.7076	0.8858
Borda (n=4)	Ensemble	0.5266	0.5808	0.7084	0.8836
Borda (n=5)	Ensemble	0.5248	0.582	0.7066	0.8872
Borda (n=6)	Ensemble	0.5258	0.5844	0.707	0.8902
Borda (n=7)	Ensemble	0.5304	0.5892	0.7046	0.8882
Borda (n=8)	Ensemble	0.5336	0.5954	0.7044	0.8866
Kemeny Young (n=2)	Ensemble	0.52	0.5744	0.7048	0.8856
Kemeny Young (n=3)	Ensemble	0.5192	0.5706	0.7076	0.8858
Kemeny Young (n=4)	Ensemble	0.5266	0.5808	0.7084	0.8836
Kemeny Young (n=5)	Ensemble	0.5248	0.582	0.7066	0.8872
Kemeny Young (n=6)	Ensemble	0.5258	0.5844	0.707	0.8902
Kemeny Young (n=7)	Ensemble	0.5304	0.5892	0.7046	0.8882
Kemeny Young (n=8)	Ensemble	0.5336	0.5954	0.7044	0.8866
RRF (n=2)	Ensemble	0.5162	0.5736	0.7068	0.8902
RRF (n=3)	Ensemble	0.5152	0.5676	0.7074	0.8858
RRF (n=4)	Ensemble	0.5166	0.5746	0.7084	0.884
RRF (n=5)	Ensemble	0.5292	0.5912	0.7122	0.905
RRF (n=6)	Ensemble	0.5364	0.6008	0.7122	0.9044
RRF (n=7)	Ensemble	0.534	0.5942	0.7096	0.9032
RRF (n=8)	Ensemble	0.5356	0.6014	0.7082	0.9018
Schulze (n=2)	Ensemble	0.525	0.5792	0.7058	0.8882
Schulze (n=3)	Ensemble	0.524	0.5816	0.7092	0.8878
Schulze (n=4)	Ensemble	0.5358	0.6018	0.7072	0.8856
Schulze (n=5)	Ensemble	0.5448	0.6128	0.7078	0.8886
Schulze (n=6)	Ensemble	0.5484	0.6234	0.7064	0.8884
Schulze (n=7)	Ensemble	0.551	0.6228	0.7078	0.8926
Schulze (n=8)	Ensemble	0.5452	0.613	0.7068	0.8924
Norm Ensemble (n=2)	Ensemble	0.5468	0.6124	0.7078	0.8882
Norm Ensemble (n=3)	Ensemble	0.536	0.5994	0.7072	0.8828
Norm Ensemble (n=4)	Ensemble	0.524	0.5862	0.7076	0.8838
Norm Ensemble (n=5)	Ensemble	0.5256	0.5854	0.7052	0.8718
Norm Ensemble (n=6)	Ensemble	0.5284	0.5934	0.703	0.8734
Norm Ensemble (n=7)	Ensemble	0.5318	0.593	0.699	0.844
Norm Ensemble (n=8)	Ensemble	0.5334	0.5982	0.6972	0.846
Deconvolution	Single	0.5794	0.6586	0.7022	0.874
DeepLIFT SHAP	Single	0.5794	0.6586	0.7022	0.874
DeepLIFT SHAP	Single	0.5888	0.6794	0.7008	0.879
Baselines Combined Zng	Single	0.5888	0.6794	0.7008	0.879
DeepLIFT SHAP	Single	0.5888	0.6794	0.7008	0.879
Baselines Combined Zng	Single	0.5888	0.6794	0.7008	0.879
DeepLIFT SHAP	Single	0.5888	0.6794	0.7008	0.879
Baselines Combined Zng	Single	0.5888	0.6794	0.7008	0.879
DeepLIFT Baselines	Single	0.594	0.6874	0.6984	0.8778
Global Mean	Single	0.594	0.6874	0.6984	0.8778
Global Mean	Single	0.5234	0.5824	0.6906	0.8256
FeatureAblation Patch	Single	0.5234	0.5824	0.6906	0.8256
Size 14	Single	0.5234	0.5824	0.6906	0.8256
GradientShap Baselines	Single	0.5516	0.622	0.706	0.8924
Combined Zng N	Single	0.5516	0.622	0.706	0.8924
Samples 20	Single	0.5516	0.622	0.706	0.8924
GradientShap Baselines	Single	0.5524	0.6278	0.7068	0.891
Combined Zng N	Single	0.5524	0.6278	0.7068	0.891
Samples 40	Single	0.5524	0.6278	0.7068	0.891
GradientShap Baselines	Single	0.5524	0.6278	0.7068	0.891
Combined Zng N	Single	0.5524	0.6278	0.7068	0.891
Samples 40	Single	0.5524	0.6278	0.7068	0.891
GuidedBackprop	Single	0.5794	0.6586	0.7022	0.874
GuidedBackprop	Single	0.5794	0.6586	0.7022	0.874
InputXGradient	Single	0.5922	0.6876	0.7024	0.874
InputXGradient	Single	0.5922	0.6876	0.7024	0.874
IntegratedGradients	Single	0.5534	0.6336	0.706	0.8818
Baselines Zero N Steps	Single	0.5534	0.6336	0.706	0.8818
200	Single	0.5534	0.6336	0.706	0.8818
IntegratedGradients	Single	0.5534	0.6336	0.706	0.8818
Baselines Zero N Steps	Single	0.552	0.6314	0.7052	0.883
200	Single	0.552	0.6314	0.7052	0.883
IntegratedGradients	Single	0.552	0.6314	0.7052	0.883
Baselines Zero N Steps	Single	0.552	0.6314	0.7052	0.883
50	Single	0.552	0.6314	0.7052	0.883
IntegratedGradients	Single	0.552	0.6314	0.7052	0.883
Baselines Zero N Steps	Single	0.552	0.6314	0.7052	0.883
50	Single	0.552	0.6314	0.7052	0.883
Occlusion Baselines	Single	0.537	0.5926	0.7004	0.8692
Global Mean Patch Size	Single	0.537	0.5926	0.7004	0.8692
14	Single	0.537	0.5926	0.7004	0.8692

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.537	0.5926	0.7004	0.8692
Global Mean Patch Size 14					
Saliency	Single	0.5794	0.6586	0.7022	0.874
Saliency	Single	0.5794	0.6586	0.7022	0.874

Table 242: ImageNet–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.1574	0.1516	0.411	0.2826	0.0636	0.0528	0.0948	0.045	0.4522	0.1196	0.0316	0.0156
Borda (n=3)	Ensemble	0.165	0.15	0.4072	0.279	0.0608	0.0458	0.1004	0.0388	0.4552	0.1196	0.0372	0.0206
Borda (n=4)	Ensemble	0.1726	0.163	0.4134	0.2814	0.0608	0.0524	0.1004	0.038	0.4538	0.1172	0.0368	0.0158
Borda (n=5)	Ensemble	0.1652	0.1546	0.411	0.273	0.0624	0.0558	0.0958	0.0408	0.4558	0.1216	0.038	0.0224
Borda (n=6)	Ensemble	0.1638	0.1556	0.4088	0.2658	0.0552	0.05	0.0984	0.0432	0.456	0.1252	0.0394	0.0278
Borda (n=7)	Ensemble	0.165	0.1566	0.4148	0.2682	0.0594	0.054	0.0986	0.0472	0.452	0.1264	0.034	0.0244
Borda (n=8)	Ensemble	0.1636	0.161	0.4154	0.2692	0.063	0.0548	0.0946	0.0514	0.4546	0.128	0.0348	0.0282
Kemeny Young (n=2)	Ensemble	0.1574	0.1516	0.411	0.2826	0.0636	0.0528	0.0948	0.045	0.4522	0.1196	0.0316	0.0156
Kemeny Young (n=3)	Ensemble	0.165	0.15	0.4072	0.279	0.0608	0.0458	0.1004	0.0388	0.4552	0.1196	0.0372	0.0206
Kemeny Young (n=4)	Ensemble	0.1726	0.163	0.4134	0.2814	0.0608	0.0524	0.1004	0.038	0.4538	0.1172	0.0368	0.0158
Kemeny Young (n=5)	Ensemble	0.1652	0.1546	0.411	0.273	0.0624	0.0558	0.0958	0.0408	0.4558	0.1216	0.038	0.0224
Kemeny Young (n=6)	Ensemble	0.1638	0.1556	0.4088	0.2658	0.0552	0.05	0.0984	0.0432	0.456	0.1252	0.0394	0.0278
Kemeny Young (n=7)	Ensemble	0.165	0.1566	0.4148	0.2682	0.0594	0.054	0.0986	0.0472	0.452	0.1264	0.034	0.0244
Kemeny Young (n=8)	Ensemble	0.1636	0.161	0.4154	0.2692	0.063	0.0548	0.0946	0.0514	0.4546	0.128	0.0348	0.0282
RRF (n=2)	Ensemble	0.156	0.1522	0.4078	0.2804	0.0596	0.0484	0.0964	0.048	0.4562	0.1274	0.0332	0.0216
RRF (n=3)	Ensemble	0.157	0.1492	0.402	0.2716	0.0694	0.0578	0.1008	0.0396	0.4556	0.118	0.0352	0.0244
RRF (n=4)	Ensemble	0.1544	0.1526	0.4016	0.266	0.0594	0.051	0.1	0.0394	0.455	0.1154	0.0372	0.0218
RRF (n=5)	Ensemble	0.162	0.153	0.4102	0.2778	0.061	0.0482	0.1034	0.0572	0.4612	0.1366	0.0438	0.0448
RRF (n=6)	Ensemble	0.167	0.1614	0.4218	0.2854	0.06	0.0494	0.1048	0.0674	0.4604	0.1414	0.0432	0.045
RRF (n=7)	Ensemble	0.1616	0.1478	0.415	0.2698	0.0576	0.042	0.104	0.067	0.4562	0.1434	0.0398	0.045
RRF (n=8)	Ensemble	0.1632	0.1512	0.4124	0.2732	0.0568	0.0476	0.101	0.0686	0.4576	0.1474	0.036	0.025
Schulze (n=2)	Ensemble	0.1602	0.1516	0.4154	0.2856	0.0664	0.0506	0.0938	0.047	0.455	0.1264	0.0336	0.0184
Schulze (n=3)	Ensemble	0.1674	0.1596	0.4042	0.2716	0.0668	0.06	0.0972	0.0478	0.4604	0.1258	0.036	0.0204
Schulze (n=4)	Ensemble	0.1604	0.1562	0.415	0.2882	0.0566	0.047	0.0986	0.0368	0.4532	0.12	0.0368	0.0316
Schulze (n=5)	Ensemble	0.166	0.1612	0.4246	0.2894	0.0622	0.054	0.0978	0.0416	0.4536	0.1228	0.0406	0.0372
Schulze (n=6)	Ensemble	0.1696	0.1698	0.4308	0.3084	0.063	0.0626	0.0968	0.045	0.4554	0.1254	0.038	0.0364
Schulze (n=7)	Ensemble	0.1666	0.1622	0.4318	0.2968	0.0694	0.0636	0.101	0.05	0.458	0.1384	0.0382	0.0356
Schulze (n=8)	Ensemble	0.1606	0.1476	0.428	0.2798	0.065	0.0552	0.103	0.0642	0.4566	0.1388	0.0378	0.0316
Norm Ensemble (n=2)	Ensemble	0.1634	0.1512	0.4322	0.3008	0.062	0.0506	0.0972	0.0524	0.4576	0.1272	0.0364	0.0206
Norm Ensemble (n=3)	Ensemble	0.1564	0.1468	0.428	0.3042	0.0596	0.0446	0.0988	0.0408	0.4566	0.1176	0.0362	0.022
Norm Ensemble (n=4)	Ensemble	0.154	0.1448	0.4146	0.2836	0.0564	0.0412	0.1004	0.0396	0.4572	0.1262	0.0418	0.028
Norm Ensemble (n=5)	Ensemble	0.1564	0.1468	0.4112	0.2718	0.0604	0.0478	0.097	0.033	0.4562	0.1104	0.0358	0.0198
Norm Ensemble (n=6)	Ensemble	0.1612	0.165	0.4166	0.2768	0.0692	0.0646	0.0956	0.0348	0.4508	0.1148	0.0352	0.0214
Norm Ensemble (n=7)	Ensemble	0.1648	0.1624	0.42	0.2718	0.0706	0.0592	0.0954	0.0108	0.4482	0.0916	0.028	0.0192
Norm Ensemble (n=8)	Ensemble	0.1638	0.1676	0.4234	0.274	0.0738	0.0646	0.0886	0.0122	0.4482	0.0936	0.0386	0.0194
Deconvolution	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
Deconvolution	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
DeepLIFT SHAP	Single	0.18	0.1758	0.4504	0.3096	0.0842	0.083	0.0998	0.0586	0.4534	0.153	0.0318	0.028
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.18	0.1758	0.4504	0.3096	0.0842	0.083	0.0998	0.0586	0.4534	0.153	0.0318	0.028
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.18	0.1758	0.4504	0.3096	0.0842	0.083	0.0998	0.0586	0.4534	0.153	0.0318	0.028
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.18	0.1758	0.4504	0.3096	0.0842	0.083	0.0998	0.0586	0.4534	0.153	0.0318	0.028
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.1854	0.18	0.4552	0.3224	0.0866	0.0884	0.0972	0.0586	0.4512	0.1474	0.0346	0.0306
Global Mean													
DeepLIFT Baselines	Single	0.1854	0.18	0.4552	0.3224	0.0866	0.0884	0.0972	0.0586	0.4512	0.1474	0.0346	0.0306
Global Mean													
FeatureAblation Patch	Single	0.1592	0.1588	0.4036	0.2532	0.0664	0.0514	0.1188	0.1046	0.4584	0.2472	0.0392	0.0356
Size 14													
FeatureAblation Patch	Single	0.1592	0.1588	0.4036	0.2532	0.0664	0.0514	0.1188	0.1046	0.4584	0.2472	0.0392	0.0356
Size 14													
GradientShap Baselines	Single	0.1608	0.1508	0.4248	0.2696	0.0572	0.0462	0.0946	0.05	0.456	0.1418	0.0334	0.0248
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1608	0.1508	0.4248	0.2696	0.0572	0.0462	0.0946	0.05	0.456	0.1418	0.0334	0.0248
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1628	0.1578	0.4296	0.2808	0.058	0.0538	0.0998	0.0558	0.4546	0.1416	0.0348	0.0232
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.1628	0.1578	0.4296	0.2808	0.058	0.0538	0.0998	0.0558	0.4546	0.1416	0.0348	0.0232
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
GuidedBackprop	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
InputXGradient	Single	0.1802	0.1776	0.454	0.3238	0.0846	0.088	0.0998	0.0502	0.4538	0.1432	0.0364	0.0264
InputXGradient	Single	0.1802	0.1776	0.454	0.3238	0.0846	0.088	0.0998	0.0502	0.4538	0.1432	0.0364	0.0264
IntegratedGradients	Single	0.163	0.1636	0.435	0.3232	0.0612	0.0622	0.1004	0.0404	0.4556	0.1206	0.0376	0.0204
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.163	0.1636	0.435	0.3232	0.0612	0.0622	0.1004	0.0404	0.4556	0.1206	0.0376	0.0204
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.161	0.161	0.4314	0.3192	0.0626	0.0632	0.099	0.039	0.4546	0.118	0.038	0.0212
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.161	0.161	0.4314	0.3192	0.0626	0.0632	0.099	0.039	0.4546	0.118	0.038	0.0212
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 14	Single	0.15	0.1374	0.4078	0.215	0.068	0.0532	0.103	0.0826	0.4546	0.2164	0.0366	0.0344
Occlusion Baselines Global Mean Patch Size 14	Single	0.15	0.1374	0.4078	0.215	0.068	0.0532	0.103	0.0826	0.4546	0.2164	0.0366	0.0344
Saliency	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
Saliency	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226

Table 243: ImageNet–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.6	0.7162	0.679	0.9238	0.1294	0.1066	0.43	0.192	0.0496	0.0342
Simple Averaging	0.6034	0.7092	0.6918	0.8846	0.1498	0.1408	0.4478	0.2478	0.0632	0.0584
Borda (NAIVE)	0.6092	0.715	0.6944	0.931	0.1338	0.1122	0.445	0.2464	0.0464	0.0314
Borda (THEORY)	0.5932	0.7132	0.6684	0.9198	0.1444	0.115	0.4278	0.2308	0.0514	0.0374
RRF (NAIVE)	0.621	0.7172	0.7118	0.9322	0.146	0.1238	0.458	0.2574	0.0588	0.0456
RRF (THEORY)	0.5886	0.7128	0.6654	0.923	0.1372	0.1152	0.4292	0.243	0.053	0.0398
Schulze (NAIVE)	0.6294	0.7154	0.7258	0.9268	0.1542	0.1316	0.458	0.2658	0.057	0.0458
Schulze (THEORY)	0.5924	0.7146	0.6708	0.9268	0.148	0.126	0.4268	0.2326	0.052	0.038
Kemeny Young (NAIVE)	0.6068	0.7156	0.6904	0.9308	0.1358	0.1208	0.4454	0.2482	0.047	0.0316
Kemeny Young (THEORY)	0.5932	0.7144	0.671	0.9196	0.1432	0.1154	0.4336	0.2476	0.054	0.0384

Table 244: ImageNet–DenseNet-121

					AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom						
Best Explanation	0.3764	0.689	0.411	0.8408	0.1552	0.1492	0.3096	0.2114	0.053	0.0512
Simple Averaging	0.409	0.6778	0.4528	0.795	0.174	0.1766	0.343	0.2474	0.068	0.0686
Borda (NAIVE)	0.4198	0.6916	0.4574	0.8488	0.165	0.1602	0.3526	0.2494	0.074	0.0684
Borda (THEORY)	0.392	0.6894	0.4274	0.8456	0.1698	0.171	0.3314	0.2434	0.0648	0.0604
RRF (NAIVE)	0.4186	0.6944	0.4584	0.8548	0.1702	0.168	0.3538	0.2578	0.0664	0.0604
RRF (THEORY)	0.3892	0.6902	0.4282	0.846	0.156	0.1566	0.3272	0.246	0.067	0.062
Schulze (NAIVE)	0.4276	0.6846	0.4722	0.8334	0.1734	0.1724	0.3634	0.2662	0.0682	0.065
Schulze (THEORY)	0.3916	0.6894	0.4254	0.8392	0.1648	0.1608	0.3214	0.2322	0.0648	0.0554
Kemeny Young (NAIVE)	0.41	0.6922	0.4494	0.8498	0.155	0.1544	0.3446	0.247	0.0658	0.0622
Kemeny Young (THEORY)	0.3922	0.6896	0.4262	0.8438	0.161	0.157	0.3312	0.2346	0.0624	0.0574

Table 245: ImageNet–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.6424	0.7204	0.7462	0.947	0.11	0.0764	0.441	0.1452	0.0362	0.0172
Simple Averaging	0.6536	0.7152	0.7704	0.9144	0.1362	0.1158	0.463	0.2046	0.0496	0.0476
Borda (NAIVE)	0.6564	0.7226	0.7674	0.9472	0.126	0.0976	0.456	0.1924	0.0444	0.0312
Borda (THEORY)	0.6444	0.7202	0.7372	0.9486	0.1274	0.0922	0.4414	0.1386	0.039	0.0208
RRF (NAIVE)	0.661	0.7212	0.78	0.9542	0.1268	0.0976	0.4594	0.1978	0.048	0.0364
RRF (THEORY)	0.6442	0.7178	0.7408	0.9474	0.123	0.0878	0.4446	0.1856	0.0416	0.0212
Schulze (NAIVE)	0.672	0.7198	0.8034	0.9498	0.129	0.1034	0.469	0.2162	0.049	0.0502
Schulze (THEORY)	0.6442	0.7206	0.7372	0.9446	0.1272	0.0928	0.4396	0.1834	0.0364	0.0196
Kemeny Young (NAIVE)	0.6612	0.722	0.7664	0.9472	0.1276	0.0996	0.4612	0.1998	0.0512	0.0314
Kemeny Young (THEORY)	0.6454	0.7194	0.7452	0.948	0.1214	0.0916	0.4446	0.1854	0.041	0.0248

Table 246: ImageNet–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.2694	0.667	0.293	0.8	0.1276	0.1258	0.2298	0.1604	0.0442	0.0434
Simple Averaging	0.3194	0.6478	0.3532	0.7512	0.1598	0.1648	0.276	0.2032	0.0658	0.0682
Borda (NAIVE)	0.327	0.6698	0.3538	0.8072	0.154	0.147	0.2824	0.2094	0.063	0.058
Borda (THEORY)	0.278	0.6656	0.2998	0.8024	0.1388	0.1386	0.2408	0.1806	0.054	0.0514
RRF (NAIVE)	0.3292	0.6764	0.3564	0.8176	0.1556	0.1546	0.2876	0.2088	0.0716	0.066
RRF (THEORY)	0.2914	0.6658	0.321	0.7988	0.1408	0.1406	0.2512	0.1888	0.0532	0.0556
Schulze (NAIVE)	0.3356	0.6594	0.367	0.787	0.159	0.1644	0.2944	0.2218	0.0646	0.0634
Schulze (THEORY)	0.2852	0.664	0.3084	0.7946	0.143	0.143	0.2442	0.1772	0.0502	0.0516
Kemeny Young (NAIVE)	0.3256	0.6722	0.353	0.8104	0.1538	0.149	0.282	0.2098	0.0674	0.0654
Kemeny Young (THEORY)	0.3	0.6648	0.3262	0.7976	0.1516	0.154	0.2602	0.2014	0.0554	0.054

Table 247: ImageNet–DenseNet-121

					AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom						
Best Explanation	0.6104	0.7134	0.709	0.9164	0.147	0.1374	0.4486	0.243	0.0476	0.0454
Simple Averaging	0.5878	0.7074	0.6712	0.8828	0.157	0.1538	0.4408	0.2594	0.068	0.0634
Borda (NAIVE)	0.5918	0.7152	0.679	0.9244	0.1512	0.1324	0.4396	0.2632	0.053	0.043
Borda (THEORY)	0.5802	0.7162	0.6444	0.9164	0.149	0.1248	0.4326	0.244	0.057	0.0426
RRF (NAIVE)	0.5988	0.7176	0.684	0.9236	0.1594	0.1402	0.4476	0.26	0.062	0.0576
RRF (THEORY)	0.577	0.7138	0.6472	0.9188	0.1528	0.1374	0.431	0.2552	0.0548	0.045
Schulze (NAIVE)	0.6072	0.7108	0.7004	0.9168	0.155	0.1464	0.4546	0.274	0.0604	0.0538
Schulze (THEORY)	0.5808	0.712	0.6468	0.916	0.1478	0.1254	0.4324	0.2442	0.0584	0.044
Kemeny Young (NAIVE)	0.5936	0.717	0.6714	0.9262	0.1598	0.1358	0.4428	0.2634	0.0586	0.0416
Kemeny Young (THEORY)	0.5802	0.7166	0.6536	0.9262	0.151	0.1356	0.4336	0.253	0.0528	0.0392

Table 248: ImageNet–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.5266	0.7052	0.5916	0.8866	0.171	0.1626	0.4196	0.2766	0.0598	0.0532
Simple Averaging	0.5032	0.6952	0.5624	0.8394	0.174	0.1786	0.4036	0.2704	0.0728	0.073
Borda (NAIVE)	0.5082	0.7044	0.5598	0.8848	0.1856	0.1784	0.4058	0.268	0.068	0.0596
Borda (THEORY)	0.4908	0.7028	0.5398	0.886	0.175	0.1694	0.3918	0.2558	0.0584	0.048
RRF (NAIVE)	0.5176	0.705	0.5766	0.8932	0.1796	0.1764	0.4168	0.2854	0.0692	0.0658
RRF (THEORY)	0.4912	0.7038	0.5382	0.8836	0.1686	0.1658	0.396	0.2696	0.0708	0.0632
Schulze (NAIVE)	0.532	0.704	0.593	0.8796	0.1834	0.1798	0.4312	0.2986	0.0812	0.0776
Schulze (THEORY)	0.4942	0.7022	0.5436	0.8872	0.173	0.1684	0.3872	0.2672	0.065	0.0592
Kemeny Young (NAIVE)	0.5064	0.7044	0.5586	0.888	0.179	0.1706	0.4036	0.2686	0.0698	0.064
Kemeny Young (THEORY)	0.4924	0.703	0.5472	0.885	0.1768	0.1774	0.3952	0.2758	0.0604	0.0546

Table 249: ImageNet–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.3918	0.6792	0.4332	0.824	0.176	0.1772	0.3414	0.2512	0.0686	0.07
Simple Averaging	0.3688	0.6604	0.4048	0.7866	0.168	0.1738	0.3156	0.2262	0.073	0.0744
Borda (NAIVE)	0.374	0.6798	0.411	0.8318	0.1602	0.1614	0.3202	0.2308	0.06	0.0596
Borda (THEORY)	0.3334	0.6788	0.3626	0.8108	0.1498	0.1528	0.282	0.1808	0.0584	0.0532
RRF (NAIVE)	0.3724	0.6846	0.4108	0.838	0.1626	0.1682	0.3194	0.2344	0.069	0.0672
RRF (THEORY)	0.3466	0.6776	0.378	0.8178	0.1596	0.1598	0.2976	0.2182	0.0596	0.0564
Schulze (NAIVE)	0.3852	0.6806	0.4286	0.8192	0.1732	0.1788	0.3344	0.2532	0.0704	0.0724
Schulze (THEORY)	0.3424	0.6794	0.3704	0.8178	0.1536	0.152	0.2896	0.2068	0.0584	0.0532
Kemeny Young (NAIVE)	0.3678	0.6874	0.402	0.8376	0.156	0.1598	0.3162	0.2272	0.0602	0.056
Kemeny Young (THEORY)	0.352	0.6886	0.3844	0.8408	0.15	0.1462	0.303	0.2186	0.0494	0.045

Table 250: ImageNet–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.662	0.719	0.786	0.9412	0.1282	0.096	0.4584	0.1766	0.046	0.035
Simple Averaging	0.6422	0.714	0.7478	0.9134	0.1394	0.12	0.463	0.2246	0.0542	0.0478
Borda (NAIVE)	0.6492	0.7182	0.7546	0.945	0.134	0.0966	0.4594	0.2152	0.0472	0.0338
Borda (THEORY)	0.6382	0.7184	0.7248	0.9402	0.1356	0.0984	0.448	0.2038	0.0508	0.0348
RRF (NAIVE)	0.6556	0.7172	0.7626	0.9462	0.1384	0.1024	0.4634	0.2244	0.051	0.033
RRF (THEORY)	0.6372	0.7164	0.725	0.9394	0.1382	0.0992	0.4484	0.205	0.0522	0.0358
Schulze (NAIVE)	0.6594	0.7148	0.7832	0.942	0.1376	0.1138	0.4604	0.2332	0.0492	0.0446
Schulze (THEORY)	0.6358	0.7154	0.7316	0.938	0.133	0.105	0.4408	0.1982	0.0456	0.026
Kemeny Young (NAIVE)	0.6498	0.718	0.7536	0.9462	0.1404	0.1032	0.4624	0.2224	0.047	0.033
Kemeny Young (THEORY)	0.6404	0.7214	0.7332	0.9446	0.1356	0.1052	0.4496	0.2086	0.0524	0.035

Table 251: ImageNet–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.2866	0.6456	0.3162	0.7648	0.1452	0.146	0.257	0.1848	0.0562	0.055
Simple Averaging	0.275	0.6232	0.303	0.7292	0.1438	0.1452	0.2424	0.1726	0.0636	0.0636
Borda (NAIVE)	0.2736	0.6498	0.2968	0.777	0.1372	0.1392	0.241	0.169	0.0544	0.0486
Borda (THEORY)	0.2258	0.646	0.242	0.7678	0.1156	0.1152	0.1972	0.1222	0.0406	0.0368
RRF (NAIVE)	0.279	0.6536	0.3022	0.7816	0.1476	0.1474	0.2502	0.171	0.0664	0.064
RRF (THEORY)	0.2454	0.6456	0.2656	0.763	0.1218	0.1218	0.218	0.15	0.0518	0.048
Schulze (NAIVE)	0.2846	0.6382	0.3138	0.7614	0.1472	0.1552	0.2524	0.1826	0.0644	0.064
Schulze (THEORY)	0.2358	0.642	0.252	0.7624	0.117	0.1158	0.2068	0.134	0.0462	0.043
Kemeny Young (NAIVE)	0.268	0.6532	0.293	0.7804	0.1332	0.137	0.238	0.1672	0.0534	0.0536
Kemeny Young (THEORY)	0.2548	0.6684	0.2736	0.8004	0.1316	0.1322	0.2266	0.1558	0.047	0.0408

Table 252: ImageNet–DenseNet-121

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Borda (n=2)	Ensemble	0.5802	0.6444	0.7162	0.9164
Borda (n=3)	Ensemble	0.5802	0.6536	0.7166	0.9262
Borda (n=4)	Ensemble	0.5864	0.6596	0.7168	0.9282
Borda (n=5)	Ensemble	0.5894	0.6634	0.7168	0.9294
Borda (n=6)	Ensemble	0.5946	0.6718	0.7178	0.9258
Borda (n=7)	Ensemble	0.5936	0.6714	0.717	0.9262
Borda (n=8)	Ensemble	0.5918	0.679	0.7152	0.9244
Kemeny Young (n=2)	Ensemble	0.5802	0.6444	0.7162	0.9164
Kemeny Young (n=3)	Ensemble	0.5802	0.6536	0.7166	0.9262
Kemeny Young (n=4)	Ensemble	0.5864	0.6596	0.7168	0.9282
Kemeny Young (n=5)	Ensemble	0.5894	0.6634	0.7168	0.9294
Kemeny Young (n=6)	Ensemble	0.5946	0.6718	0.7178	0.9258
Kemeny Young (n=7)	Ensemble	0.5936	0.6714	0.717	0.9262
Kemeny Young (n=8)	Ensemble	0.5918	0.679	0.7152	0.9244
RRF (n=2)	Ensemble	0.5786	0.642	0.7132	0.919
RRF (n=3)	Ensemble	0.577	0.6472	0.7138	0.9188
RRF (n=4)	Ensemble	0.582	0.6584	0.7126	0.9158
RRF (n=5)	Ensemble	0.5902	0.6702	0.7194	0.928
RRF (n=6)	Ensemble	0.5978	0.6786	0.7164	0.9274
RRF (n=7)	Ensemble	0.5976	0.678	0.7164	0.9256
RRF (n=8)	Ensemble	0.5988	0.684	0.7176	0.9236
Schulze (n=2)	Ensemble	0.5808	0.6468	0.712	0.916
Schulze (n=3)	Ensemble	0.5844	0.6582	0.712	0.9168
Schulze (n=4)	Ensemble	0.6006	0.6824	0.7088	0.9142
Schulze (n=5)	Ensemble	0.6046	0.696	0.7104	0.9146
Schulze (n=6)	Ensemble	0.609	0.7058	0.7132	0.9164
Schulze (n=7)	Ensemble	0.6108	0.7052	0.711	0.9176
Schulze (n=8)	Ensemble	0.6072	0.7004	0.7108	0.9168
Norm Ensemble (n=2)	Ensemble	0.5962	0.6768	0.7122	0.9148
Norm Ensemble (n=3)	Ensemble	0.5914	0.6722	0.7102	0.9168
Norm Ensemble (n=4)	Ensemble	0.5902	0.6672	0.7102	0.9162
Norm Ensemble (n=5)	Ensemble	0.5866	0.6622	0.7124	0.8974
Norm Ensemble (n=6)	Ensemble	0.5904	0.673	0.7084	0.8976
Norm Ensemble (n=7)	Ensemble	0.5934	0.6754	0.704	0.8784
Norm Ensemble (n=8)	Ensemble	0.5878	0.6712	0.7074	0.8828
Deconvolution	Single	0.631	0.7342	0.7104	0.9046
DeepLIFT SHAP	Single	0.631	0.7342	0.7104	0.9046
DeepLIFT SHAP	Single	0.6432	0.7552	0.7102	0.907
Baselines Combined Zng	Single	0.6432	0.7552	0.7102	0.907
DeepLIFT SHAP	Single	0.6432	0.7552	0.7102	0.907
Baselines Combined Zng	Single	0.6432	0.7552	0.7102	0.907
DeepLIFT SHAP	Single	0.6432	0.7552	0.7102	0.907
Baselines Combined Zng	Single	0.6444	0.756	0.7106	0.9056
DeepLIFT Baselines	Single	0.6444	0.756	0.7106	0.9056
Global Mean	Single	0.5842	0.6582	0.713	0.8778
FeatureAblation Patch Size 16	Single	0.5842	0.6582	0.713	0.8778
GradientShap Baselines Combined Zng N Samples 20	Single	0.6126	0.709	0.7134	0.9164
GradientShap Baselines Combined Zng N Samples 20	Single	0.6126	0.709	0.7134	0.9164
GradientShap Baselines Combined Zng N Samples 40	Single	0.6144	0.7094	0.7126	0.9162
GradientShap Baselines Combined Zng N Samples 40	Single	0.6144	0.7094	0.7126	0.9162
GuidedBackprop	Single	0.631	0.7342	0.7104	0.9046
GuidedBackprop	Single	0.631	0.7342	0.7104	0.9046
InputXGradient	Single	0.6422	0.7546	0.7086	0.9052
InputXGradient	Single	0.6422	0.7546	0.7086	0.9052
IntegratedGradients	Single	0.6104	0.7092	0.7114	0.9118
Baselines Zero N Steps 200	Single	0.6104	0.7092	0.7114	0.9118
IntegratedGradients	Single	0.611	0.7114	0.7106	0.911
Baselines Zero N Steps 50	Single	0.611	0.7114	0.7106	0.911
IntegratedGradients	Single	0.611	0.7114	0.7106	0.911
Baselines Zero N Steps 50	Single	0.611	0.7114	0.7106	0.911
Occlusion Baselines Global Mean Patch Size 16	Single	0.5912	0.6644	0.713	0.8956

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.5912	0.6644	0.713	0.8956
Global Mean Patch Size 16					
Saliency	Single	0.631	0.7342	0.7104	0.9046
Saliency	Single	0.631	0.7342	0.7104	0.9046

Table 253: ImageNet–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.149	0.1248	0.4326	0.244	0.057	0.0426	0.0992	0.0396	0.4588	0.116	0.0372	0.0178
Borda (n=3)	Ensemble	0.151	0.1356	0.4336	0.253	0.0528	0.0392	0.1002	0.0472	0.4582	0.1148	0.0388	0.0242
Borda (n=4)	Ensemble	0.1512	0.133	0.4366	0.2606	0.061	0.0444	0.0998	0.052	0.458	0.12	0.0392	0.0282
Borda (n=5)	Ensemble	0.1534	0.134	0.4438	0.2636	0.0594	0.0458	0.0988	0.055	0.4592	0.1214	0.038	0.032
Borda (n=6)	Ensemble	0.164	0.1452	0.4474	0.2694	0.0626	0.0496	0.1022	0.0544	0.4594	0.1134	0.0404	0.0292
Borda (n=7)	Ensemble	0.1598	0.1358	0.4428	0.2634	0.0586	0.0416	0.101	0.0528	0.4564	0.1174	0.0416	0.0322
Borda (n=8)	Ensemble	0.1512	0.1324	0.4396	0.2632	0.053	0.043	0.0926	0.0474	0.4564	0.1218	0.0392	0.0284
Kemeny Young (n=2)	Ensemble	0.149	0.1248	0.4326	0.244	0.057	0.0426	0.0992	0.0396	0.4588	0.116	0.0372	0.0178
Kemeny Young (n=3)	Ensemble	0.151	0.1356	0.4336	0.253	0.0528	0.0392	0.1002	0.0472	0.4582	0.1148	0.0388	0.0242
Kemeny Young (n=4)	Ensemble	0.1512	0.133	0.4366	0.2606	0.061	0.0444	0.0998	0.052	0.458	0.12	0.0392	0.0282
Kemeny Young (n=5)	Ensemble	0.1534	0.134	0.4438	0.2636	0.0594	0.0458	0.0988	0.055	0.4592	0.1214	0.038	0.032
Kemeny Young (n=6)	Ensemble	0.164	0.1452	0.4474	0.2694	0.0626	0.0496	0.1022	0.0544	0.4594	0.1134	0.0404	0.0292
Kemeny Young (n=7)	Ensemble	0.1598	0.1358	0.4428	0.2634	0.0586	0.0416	0.101	0.0528	0.4564	0.1174	0.0416	0.0322
Kemeny Young (n=8)	Ensemble	0.1512	0.1324	0.4396	0.2632	0.053	0.043	0.0926	0.0474	0.4564	0.1218	0.0392	0.0284
RRF (n=2)	Ensemble	0.148	0.1228	0.4332	0.2438	0.0564	0.0384	0.0946	0.051	0.4554	0.1022	0.036	0.0254
RRF (n=3)	Ensemble	0.1528	0.1374	0.431	0.2552	0.0548	0.045	0.0958	0.0446	0.459	0.0996	0.037	0.023
RRF (n=4)	Ensemble	0.1436	0.13	0.435	0.2628	0.05	0.0352	0.096	0.0398	0.4568	0.0932	0.0368	0.0198
RRF (n=5)	Ensemble	0.156	0.1378	0.442	0.2626	0.0536	0.0426	0.1028	0.0578	0.463	0.106	0.0434	0.0342
RRF (n=6)	Ensemble	0.1618	0.1424	0.4476	0.2762	0.0592	0.049	0.0994	0.0586	0.4562	0.1116	0.0394	0.0294
RRF (n=7)	Ensemble	0.161	0.1382	0.4438	0.2626	0.0594	0.0468	0.1018	0.0562	0.4574	0.1094	0.0392	0.0298
RRF (n=8)	Ensemble	0.1594	0.1402	0.4476	0.26	0.062	0.0576	0.1016	0.0596	0.457	0.1126	0.0402	0.0276
Schulze (n=2)	Ensemble	0.1478	0.1254	0.4324	0.2442	0.0584	0.044	0.0946	0.0516	0.4538	0.0986	0.0352	0.0232
Schulze (n=3)	Ensemble	0.1556	0.1372	0.425	0.2468	0.0594	0.0454	0.094	0.0436	0.4546	0.099	0.033	0.02
Schulze (n=4)	Ensemble	0.152	0.13	0.4412	0.2708	0.0546	0.0432	0.0886	0.036	0.45	0.0944	0.0306	0.0278
Schulze (n=5)	Ensemble	0.1556	0.1426	0.4464	0.2768	0.0598	0.0552	0.0934	0.0388	0.4512	0.0992	0.0328	0.029
Schulze (n=6)	Ensemble	0.1574	0.151	0.4554	0.2962	0.0566	0.0566	0.096	0.0444	0.4556	0.0956	0.034	0.0294
Schulze (n=7)	Ensemble	0.1646	0.1538	0.4546	0.2808	0.0618	0.0572	0.0958	0.0558	0.4544	0.101	0.0324	0.0272
Schulze (n=8)	Ensemble	0.155	0.1464	0.4546	0.274	0.0604	0.0538	0.0942	0.0466	0.4522	0.1114	0.0312	0.0206
Norm Ensemble (n=2)	Ensemble	0.1468	0.1292	0.4496	0.2528	0.058	0.0464	0.0934	0.0458	0.4552	0.0986	0.0338	0.0228
Norm Ensemble (n=3)	Ensemble	0.142	0.1304	0.4466	0.2778	0.0556	0.0458	0.0942	0.0436	0.4544	0.0982	0.0322	0.021
Norm Ensemble (n=4)	Ensemble	0.1468	0.1322	0.4438	0.2744	0.066	0.0564	0.0922	0.0378	0.4526	0.0944	0.0276	0.0288
Norm Ensemble (n=5)	Ensemble	0.1478	0.1368	0.4394	0.2618	0.0654	0.053	0.0946	0.0234	0.455	0.085	0.0318	0.015
Norm Ensemble (n=6)	Ensemble	0.1574	0.1462	0.4414	0.261	0.0616	0.0542	0.0922	0.0294	0.4502	0.0802	0.0304	0.0108
Norm Ensemble (n=7)	Ensemble	0.1566	0.1488	0.447	0.2602	0.0702	0.0632	0.0926	0.018	0.4494	0.0684	0.0264	0.013
Norm Ensemble (n=8)	Ensemble	0.157	0.1538	0.4408	0.2594	0.068	0.0634	0.093	0.0154	0.4496	0.0828	0.0276	0.0112
Deconvolution	Single	0.1608	0.1498	0.452	0.243	0.062	0.05	0.1004	0.0524	0.4538	0.1292	0.0328	0.019
Deconvolution	Single	0.1608	0.1498	0.452	0.243	0.062	0.05	0.1004	0.0524	0.4538	0.1292	0.0328	0.019
DeepLIFT SHAP	Single	0.1724	0.1574	0.4694	0.2866	0.0746	0.074	0.0966	0.048	0.4516	0.1144	0.0332	0.0144
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1724	0.1574	0.4694	0.2866	0.0746	0.074	0.0966	0.048	0.4516	0.1144	0.0332	0.0144
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1724	0.1574	0.4694	0.2866	0.0746	0.074	0.0966	0.048	0.4516	0.1144	0.0332	0.0144
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1724	0.1574	0.4694	0.2866	0.0746	0.074	0.0966	0.048	0.4516	0.1144	0.0332	0.0144
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.1746	0.1612	0.4692	0.2894	0.0786	0.0744	0.0978	0.0486	0.4522	0.1168	0.0362	0.0196
Global Mean													
DeepLIFT Baselines	Single	0.1746	0.1612	0.4692	0.2894	0.0786	0.0744	0.0978	0.0486	0.4522	0.1168	0.0362	0.0196
Global Mean													
FeatureAblation Patch	Single	0.1564	0.1422	0.4288	0.2204	0.0592	0.0454	0.116	0.0798	0.4668	0.177	0.0406	0.0362
Size 16													
FeatureAblation Patch	Single	0.1564	0.1422	0.4288	0.2204	0.0592	0.0454	0.116	0.0798	0.4668	0.177	0.0406	0.0362
Size 16													
GradientShap Baselines	Single	0.1508	0.1388	0.4486	0.2538	0.063	0.0496	0.0932	0.0466	0.4586	0.1116	0.0356	0.0214
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1508	0.1388	0.4486	0.2538	0.063	0.0496	0.0932	0.0466	0.4586	0.1116	0.0356	0.0214
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1568	0.1374	0.4536	0.2596	0.055	0.0506	0.094	0.0488	0.4566	0.1064	0.0328	0.0236
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.1568	0.1374	0.4536	0.2596	0.055	0.0506	0.094	0.0488	0.4566	0.1064	0.0328	0.0236
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.1608	0.1498	0.452	0.243	0.062	0.05	0.1004	0.0524	0.4538	0.1292	0.0328	0.019
GuidedBackprop	Single	0.1608	0.1498	0.452	0.243	0.062	0.05	0.1004	0.0524	0.4538	0.1292	0.0328	0.019
InputXGradient	Single	0.1646	0.1492	0.466	0.2756	0.075	0.0642	0.0962	0.0474	0.4518	0.1124	0.0334	0.02
InputXGradient	Single	0.1646	0.1492	0.466	0.2756	0.075	0.0642	0.0962	0.0474	0.4518	0.1124	0.0334	0.02
IntegratedGradients	Single	0.147	0.1392	0.453	0.3004	0.048	0.0454	0.0924	0.0342	0.4536	0.0956	0.0344	0.0178
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.147	0.1392	0.453	0.3004	0.048	0.0454	0.0924	0.0342	0.4536	0.0956	0.0344	0.0178
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1482	0.139	0.4528	0.3004	0.0476	0.0482	0.0912	0.033	0.4532	0.0918	0.0322	0.019
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.1482	0.139	0.4528	0.3004	0.0476	0.0482	0.0912	0.033	0.4532	0.0918	0.0322	0.019
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.142	0.1194	0.4276	0.1988	0.0564	0.0432	0.1018	0.0732	0.4602	0.171	0.0406	0.0322
Occlusion Baselines Global Mean Patch Size 16	Single	0.142	0.1194	0.4276	0.1988	0.0564	0.0432	0.1018	0.0732	0.4602	0.171	0.0406	0.0322
Saliency	Single	0.1608	0.1498	0.452	0.243	0.062	0.05	0.1004	0.0524	0.4538	0.1292	0.0328	0.019
Saliency	Single	0.1608	0.1498	0.452	0.243	0.062	0.05	0.1004	0.0524	0.4538	0.1292	0.0328	0.019

Table 254: ImageNet–DenseNet-121

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.4908	0.5398	0.7028	0.886
Borda (n=3)	Ensemble	0.493	0.5398	0.7038	0.8848
Borda (n=4)	Ensemble	0.4924	0.5472	0.703	0.885
Borda (n=5)	Ensemble	0.4976	0.5518	0.7072	0.8922
Borda (n=6)	Ensemble	0.5	0.5482	0.7044	0.8884
Borda (n=7)	Ensemble	0.5064	0.5586	0.7044	0.888
Borda (n=8)	Ensemble	0.5082	0.5598	0.7044	0.8848
Kemeny Young (n=2)	Ensemble	0.4908	0.5398	0.7028	0.886
Kemeny Young (n=3)	Ensemble	0.493	0.5398	0.7038	0.8848
Kemeny Young (n=4)	Ensemble	0.4924	0.5472	0.703	0.885
Kemeny Young (n=5)	Ensemble	0.4976	0.5518	0.7072	0.8922
Kemeny Young (n=6)	Ensemble	0.5	0.5482	0.7044	0.8884
Kemeny Young (n=7)	Ensemble	0.5064	0.5586	0.7044	0.888
Kemeny Young (n=8)	Ensemble	0.5082	0.5598	0.7044	0.8848
RRF (n=2)	Ensemble	0.4934	0.544	0.7036	0.8868
RRF (n=3)	Ensemble	0.4912	0.5382	0.7038	0.8836
RRF (n=4)	Ensemble	0.4974	0.5436	0.7028	0.8836
RRF (n=5)	Ensemble	0.5076	0.5592	0.709	0.8946
RRF (n=6)	Ensemble	0.511	0.563	0.7064	0.89
RRF (n=7)	Ensemble	0.5148	0.5698	0.705	0.8908
RRF (n=8)	Ensemble	0.5176	0.5766	0.705	0.8932
Schulze (n=2)	Ensemble	0.495	0.5448	0.7016	0.885
Schulze (n=3)	Ensemble	0.4942	0.5436	0.7022	0.8872
Schulze (n=4)	Ensemble	0.518	0.5722	0.7026	0.8806
Schulze (n=5)	Ensemble	0.5254	0.5854	0.704	0.8876
Schulze (n=6)	Ensemble	0.5278	0.5904	0.7062	0.8886
Schulze (n=7)	Ensemble	0.529	0.5906	0.7046	0.8864
Schulze (n=8)	Ensemble	0.532	0.593	0.704	0.8796
Norm Ensemble (n=2)	Ensemble	0.5152	0.5794	0.704	0.8838
Norm Ensemble (n=3)	Ensemble	0.5074	0.5712	0.7028	0.8838
Norm Ensemble (n=4)	Ensemble	0.4986	0.5572	0.7022	0.88
Norm Ensemble (n=5)	Ensemble	0.4996	0.5564	0.704	0.8636
Norm Ensemble (n=6)	Ensemble	0.5048	0.5644	0.7026	0.866
Norm Ensemble (n=7)	Ensemble	0.5088	0.5642	0.696	0.8428
Norm Ensemble (n=8)	Ensemble	0.5032	0.5624	0.6952	0.8394
Deconvolution	Single	0.5494	0.6278	0.6978	0.8644
DeepLIFT SHAP	Single	0.566	0.648	0.6982	0.8582
Baselines Combined Zng	Single	0.566	0.648	0.6982	0.8582
DeepLIFT SHAP	Single	0.566	0.648	0.6982	0.8582
Baselines Combined Zng	Single	0.566	0.648	0.6982	0.8582
DeepLIFT SHAP	Single	0.566	0.648	0.6982	0.8582
Baselines Combined Zng	Single	0.569	0.6442	0.6974	0.8646
DeepLIFT Baselines	Single	0.569	0.6442	0.6974	0.8646
Global Mean	Single	0.4832	0.5374	0.6844	0.8162
FeatureAblation Patch Size 16	Single	0.4832	0.5374	0.6844	0.8162
GradientShap Baselines Combined Zng N Samples 20	Single	0.536	0.593	0.7036	0.8866
GradientShap Baselines Combined Zng N Samples 20	Single	0.536	0.593	0.7036	0.8866
GradientShap Baselines Combined Zng N Samples 40	Single	0.5266	0.5916	0.7052	0.8842
GradientShap Baselines Combined Zng N Samples 40	Single	0.5266	0.5916	0.7052	0.8842
GuidedBackprop	Single	0.5494	0.6278	0.6978	0.8644
GuidedBackprop	Single	0.5494	0.6278	0.6978	0.8644
InputXGradient	Single	0.5702	0.6506	0.6922	0.8626
InputXGradient	Single	0.5702	0.6506	0.6922	0.8626
IntegratedGradients	Single	0.5328	0.5996	0.7026	0.8774
Baselines Zero N Steps 200	Single	0.5328	0.5996	0.7026	0.8774
IntegratedGradients	Single	0.5326	0.5984	0.7012	0.8752
Baselines Zero N Steps 50	Single	0.5326	0.5984	0.7012	0.8752
IntegratedGradients	Single	0.5326	0.5984	0.7012	0.8752
Baselines Zero N Steps 50	Single	0.5326	0.5984	0.7012	0.8752
Occlusion Baselines	Single	0.5108	0.5646	0.6988	0.856
Global Mean Patch Size 16	Single	0.5108	0.5646	0.6988	0.856

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.5108	0.5646	0.6988	0.856
Global Mean Patch Size 16					
Saliency	Single	0.5494	0.6278	0.6978	0.8644
Saliency	Single	0.5494	0.6278	0.6978	0.8644

Table 255: ImageNet–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.175	0.1694	0.3918	0.2558	0.0584	0.048	0.0984	0.0698	0.4524	0.144	0.0336	0.0274
Borda (n=3)	Ensemble	0.1738	0.1654	0.3922	0.2624	0.0636	0.0558	0.103	0.0574	0.4524	0.1458	0.0398	0.0356
Borda (n=4)	Ensemble	0.1768	0.1774	0.3952	0.2758	0.0604	0.0546	0.1022	0.0624	0.4512	0.141	0.0322	0.036
Borda (n=5)	Ensemble	0.1808	0.1808	0.3972	0.2716	0.0674	0.0568	0.1034	0.0682	0.458	0.1498	0.039	0.0454
Borda (n=6)	Ensemble	0.1776	0.1688	0.3996	0.2616	0.07	0.0574	0.1042	0.0706	0.4498	0.1438	0.0372	0.043
Borda (n=7)	Ensemble	0.179	0.1706	0.4036	0.2686	0.0698	0.064	0.1034	0.0704	0.4552	0.158	0.0328	0.0402
Borda (n=8)	Ensemble	0.1856	0.1784	0.4058	0.268	0.068	0.0596	0.102	0.071	0.4538	0.1508	0.0352	0.0404
Kemeny Young (n=2)	Ensemble	0.175	0.1694	0.3918	0.2558	0.0584	0.048	0.0984	0.0698	0.4524	0.144	0.0336	0.0274
Kemeny Young (n=3)	Ensemble	0.1738	0.1654	0.3922	0.2624	0.0636	0.0558	0.103	0.0574	0.4524	0.1458	0.0398	0.0356
Kemeny Young (n=4)	Ensemble	0.1768	0.1774	0.3952	0.2758	0.0604	0.0546	0.1022	0.0624	0.4512	0.141	0.0322	0.036
Kemeny Young (n=5)	Ensemble	0.1808	0.1808	0.3972	0.2716	0.0674	0.0568	0.1034	0.0682	0.458	0.1498	0.039	0.0454
Kemeny Young (n=6)	Ensemble	0.1776	0.1688	0.3996	0.2616	0.07	0.0574	0.1042	0.0706	0.4498	0.1438	0.0372	0.043
Kemeny Young (n=7)	Ensemble	0.179	0.1706	0.4036	0.2686	0.0698	0.064	0.1034	0.0704	0.4552	0.158	0.0328	0.0402
Kemeny Young (n=8)	Ensemble	0.1856	0.1784	0.4058	0.268	0.068	0.0596	0.102	0.071	0.4538	0.1508	0.0352	0.0404
RRF (n=2)	Ensemble	0.1578	0.1534	0.4006	0.2774	0.0612	0.0502	0.0994	0.068	0.4566	0.1452	0.0344	0.0294
RRF (n=3)	Ensemble	0.1686	0.1658	0.396	0.2696	0.0708	0.0632	0.103	0.0582	0.4542	0.1368	0.0346	0.0356
RRF (n=4)	Ensemble	0.1766	0.1632	0.3958	0.2704	0.072	0.06	0.101	0.0602	0.453	0.1382	0.0358	0.0364
RRF (n=5)	Ensemble	0.1808	0.1726	0.4032	0.2794	0.072	0.0652	0.1032	0.0734	0.4596	0.1522	0.042	0.0504
RRF (n=6)	Ensemble	0.1748	0.1698	0.409	0.2792	0.0706	0.059	0.1056	0.072	0.4536	0.1496	0.0384	0.0422
RRF (n=7)	Ensemble	0.1798	0.1752	0.4092	0.2766	0.0704	0.0676	0.1056	0.0762	0.4548	0.1612	0.0372	0.0402
RRF (n=8)	Ensemble	0.1796	0.1764	0.4168	0.2854	0.0692	0.0658	0.1026	0.079	0.455	0.1612	0.0362	0.0408
Schulze (n=2)	Ensemble	0.1676	0.161	0.3978	0.278	0.0622	0.0536	0.0966	0.0682	0.4546	0.1442	0.0344	0.0312
Schulze (n=3)	Ensemble	0.173	0.1684	0.3872	0.2672	0.065	0.0592	0.0986	0.0616	0.4546	0.1454	0.035	0.0356
Schulze (n=4)	Ensemble	0.1814	0.1704	0.4152	0.2974	0.0682	0.0634	0.1006	0.0546	0.453	0.1338	0.035	0.0372
Schulze (n=5)	Ensemble	0.1858	0.184	0.4202	0.3016	0.0726	0.068	0.1032	0.0614	0.4532	0.1388	0.0416	0.053
Schulze (n=6)	Ensemble	0.1848	0.1858	0.4252	0.3036	0.0726	0.0714	0.108	0.0732	0.4556	0.15	0.0386	0.0396
Schulze (n=7)	Ensemble	0.1838	0.1788	0.4262	0.2954	0.0728	0.0666	0.1086	0.0794	0.4536	0.153	0.0378	0.0388
Schulze (n=8)	Ensemble	0.1834	0.1798	0.4312	0.2986	0.0812	0.0776	0.1054	0.0666	0.4578	0.1634	0.038	0.0294
Norm Ensemble (n=2)	Ensemble	0.1592	0.1554	0.4192	0.2952	0.0568	0.0538	0.102	0.0696	0.4568	0.1418	0.0398	0.0322
Norm Ensemble (n=3)	Ensemble	0.156	0.1572	0.411	0.304	0.0558	0.0546	0.101	0.0626	0.454	0.1394	0.036	0.035
Norm Ensemble (n=4)	Ensemble	0.1626	0.158	0.404	0.2894	0.0584	0.0516	0.1006	0.0546	0.454	0.1346	0.0368	0.033
Norm Ensemble (n=5)	Ensemble	0.1712	0.1702	0.4006	0.2846	0.063	0.0568	0.1006	0.0392	0.4546	0.1236	0.0358	0.0194
Norm Ensemble (n=6)	Ensemble	0.1794	0.1816	0.4064	0.2782	0.073	0.0704	0.1012	0.0502	0.4526	0.133	0.037	0.02
Norm Ensemble (n=7)	Ensemble	0.177	0.1804	0.4104	0.2738	0.0734	0.0636	0.0966	0.0254	0.447	0.1128	0.0318	0.004
Norm Ensemble (n=8)	Ensemble	0.174	0.1786	0.4036	0.2704	0.0728	0.073	0.0922	0.0254	0.4454	0.1156	0.0282	0.0118
Deconvolution	Single	0.1854	0.1846	0.43	0.2766	0.0784	0.078	0.1016	0.0678	0.4522	0.1798	0.0354	0.0298
Deconvolution	Single	0.1854	0.1846	0.43	0.2766	0.0784	0.078	0.1016	0.0678	0.4522	0.1798	0.0354	0.0298
DeepLIFT SHAP	Single	0.1888	0.1858	0.4466	0.3206	0.0804	0.0854	0.103	0.0562	0.453	0.147	0.0366	0.0202
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1888	0.1858	0.4466	0.3206	0.0804	0.0854	0.103	0.0562	0.453	0.147	0.0366	0.0202
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1888	0.1858	0.4466	0.3206	0.0804	0.0854	0.103	0.0562	0.453	0.147	0.0366	0.0202
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1888	0.1858	0.4466	0.3206	0.0804	0.0854	0.103	0.0562	0.453	0.147	0.0366	0.0202
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.193	0.183	0.4532	0.3128	0.0776	0.0718	0.1016	0.0626	0.4518	0.1562	0.033	0.0336
Global Mean													
DeepLIFT Baselines	Single	0.193	0.183	0.4532	0.3128	0.0776	0.0718	0.1016	0.0626	0.4518	0.1562	0.033	0.0336
Global Mean													
FeatureAblation Patch	Single	0.1648	0.1632	0.3808	0.2364	0.0582	0.0556	0.1228	0.1088	0.4612	0.2494	0.0428	0.0446
Size 16													
FeatureAblation Patch	Single	0.1648	0.1632	0.3808	0.2364	0.0582	0.0556	0.1228	0.1088	0.4612	0.2494	0.0428	0.0446
Size 16													
GradientShap Baselines	Single	0.1872	0.172	0.4326	0.2928	0.0702	0.0532	0.1	0.0694	0.4552	0.1594	0.0354	0.0316
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1872	0.172	0.4326	0.2928	0.0702	0.0532	0.1	0.0694	0.4552	0.1594	0.0354	0.0316
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1718	0.1626	0.4196	0.287	0.0598	0.0554	0.1006	0.0616	0.4588	0.1524	0.038	0.0288
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.1718	0.1626	0.4196	0.287	0.0598	0.0554	0.1006	0.0616	0.4588	0.1524	0.038	0.0288
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.1854	0.1846	0.43	0.2766	0.0784	0.078	0.1016	0.0678	0.4522	0.1798	0.0354	0.0298
GuidedBackprop	Single	0.1854	0.1846	0.43	0.2766	0.0784	0.078	0.1016	0.0678	0.4522	0.1798	0.0354	0.0298
InputXGradient	Single	0.1864	0.1804	0.4522	0.3254	0.0794	0.082	0.0986	0.066	0.4454	0.1508	0.0326	0.032
InputXGradient	Single	0.1864	0.1804	0.4522	0.3254	0.0794	0.082	0.0986	0.066	0.4454	0.1508	0.0326	0.032
IntegratedGradients	Single	0.1716	0.1754	0.4268	0.323	0.0662	0.0622	0.1046	0.0558	0.4536	0.1354	0.0418	0.0366
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1716	0.1754	0.4268	0.323	0.0662	0.0622	0.1046	0.0558	0.4536	0.1354	0.0418	0.0366
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.171	0.176	0.427	0.3224	0.0634	0.0592	0.101	0.0546	0.4546	0.1338	0.039	0.0328
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.171	0.176	0.427	0.3224	0.0634	0.0592	0.101	0.0546	0.4546	0.1338	0.039	0.0328
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.1524	0.1452	0.3988	0.2222	0.0642	0.0504	0.1066	0.0898	0.4588	0.2288	0.0432	0.038
Occlusion Baselines Global Mean Patch Size 16	Single	0.1524	0.1452	0.3988	0.2222	0.0642	0.0504	0.1066	0.0898	0.4588	0.2288	0.0432	0.038
Saliency	Single	0.1854	0.1846	0.43	0.2766	0.0784	0.078	0.1016	0.0678	0.4522	0.1798	0.0354	0.0298
Saliency	Single	0.1854	0.1846	0.43	0.2766	0.0784	0.078	0.1016	0.0678	0.4522	0.1798	0.0354	0.0298

Table 256: ImageNet–DenseNet-121

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.3334	0.3626	0.6788	0.8108
Borda (n=3)	Ensemble	0.3548	0.3884	0.6792	0.8126
Borda (n=4)	Ensemble	0.364	0.401	0.68	0.8154
Borda (n=5)	Ensemble	0.352	0.3844	0.6886	0.8408
Borda (n=6)	Ensemble	0.3632	0.3952	0.6872	0.8362
Borda (n=7)	Ensemble	0.3678	0.402	0.6874	0.8376
Borda (n=8)	Ensemble	0.374	0.411	0.6798	0.8318
Kemeny Young (n=2)	Ensemble	0.3334	0.3626	0.6788	0.8108
Kemeny Young (n=3)	Ensemble	0.3548	0.3884	0.6792	0.8126
Kemeny Young (n=4)	Ensemble	0.364	0.401	0.68	0.8154
Kemeny Young (n=5)	Ensemble	0.352	0.3844	0.6886	0.8408
Kemeny Young (n=6)	Ensemble	0.3632	0.3952	0.6872	0.8362
Kemeny Young (n=7)	Ensemble	0.3678	0.402	0.6874	0.8376
Kemeny Young (n=8)	Ensemble	0.374	0.411	0.6798	0.8318
RRF (n=2)	Ensemble	0.3486	0.3844	0.6788	0.819
RRF (n=3)	Ensemble	0.3466	0.378	0.6776	0.8178
RRF (n=4)	Ensemble	0.3534	0.385	0.6806	0.8162
RRF (n=5)	Ensemble	0.3624	0.3956	0.6916	0.8474
RRF (n=6)	Ensemble	0.3698	0.405	0.6866	0.8408
RRF (n=7)	Ensemble	0.3698	0.4098	0.6878	0.8426
RRF (n=8)	Ensemble	0.3724	0.4108	0.6846	0.838
Schulze (n=2)	Ensemble	0.3624	0.3942	0.6764	0.8148
Schulze (n=3)	Ensemble	0.3424	0.3704	0.6794	0.8178
Schulze (n=4)	Ensemble	0.3734	0.4086	0.6792	0.812
Schulze (n=5)	Ensemble	0.38	0.42	0.6814	0.8156
Schulze (n=6)	Ensemble	0.3914	0.4286	0.6832	0.8202
Schulze (n=7)	Ensemble	0.385	0.424	0.6816	0.8228
Schulze (n=8)	Ensemble	0.3852	0.4286	0.6806	0.8192
Norm Ensemble (n=2)	Ensemble	0.396	0.4324	0.6766	0.8178
Norm Ensemble (n=3)	Ensemble	0.3822	0.4178	0.6782	0.8184
Norm Ensemble (n=4)	Ensemble	0.3646	0.4	0.678	0.8168
Norm Ensemble (n=5)	Ensemble	0.368	0.4002	0.673	0.809
Norm Ensemble (n=6)	Ensemble	0.365	0.402	0.6712	0.8082
Norm Ensemble (n=7)	Ensemble	0.3646	0.4	0.6596	0.7802
Norm Ensemble (n=8)	Ensemble	0.3688	0.4048	0.6604	0.7866
Deconvolution	Single	0.4186	0.4678	0.6636	0.7906
Deconvolution	Single	0.4186	0.4678	0.6636	0.7906
DeepLIFT SHAP	Single	0.4398	0.4898	0.66	0.7906
Baselines Combined Zng	Single	0.4398	0.4898	0.66	0.7906
DeepLIFT SHAP	Single	0.4398	0.4898	0.66	0.7906
Baselines Combined Zng	Single	0.4398	0.4898	0.66	0.7906
DeepLIFT SHAP	Single	0.4398	0.4898	0.66	0.7906
Baselines Combined Zng	Single	0.4522	0.5066	0.662	0.7858
DeepLIFT Baselines	Single	0.4522	0.5066	0.662	0.7858
Global Mean	Single	0.3382	0.3692	0.624	0.7104
FeatureAblation Patch	Single	0.3382	0.3692	0.624	0.7104
Size 16	Single	0.3382	0.3692	0.624	0.7104
GradientShap Baselines	Single	0.3932	0.4372	0.6768	0.8186
Combined Zng N	Single	0.3932	0.4372	0.6768	0.8186
Samples 20	Single	0.3918	0.4332	0.6782	0.824
GradientShap Baselines	Single	0.3918	0.4332	0.6782	0.824
Combined Zng N	Single	0.3918	0.4332	0.6782	0.824
Samples 40	Single	0.3918	0.4332	0.6782	0.824
GradientShap Baselines	Single	0.3918	0.4332	0.6782	0.824
Combined Zng N	Single	0.3918	0.4332	0.6782	0.824
Samples 40	Single	0.3918	0.4332	0.6782	0.824
GuidedBackprop	Single	0.4186	0.4678	0.6636	0.7906
GuidedBackprop	Single	0.4186	0.4678	0.6636	0.7906
InputXGradient	Single	0.451	0.504	0.6574	0.789
InputXGradient	Single	0.451	0.504	0.6574	0.789
IntegratedGradients	Single	0.399	0.4424	0.6782	0.8098
Baselines Zero N Steps	Single	0.399	0.4424	0.6782	0.8098
200	Single	0.399	0.4424	0.6782	0.8098
IntegratedGradients	Single	0.399	0.4424	0.6782	0.8098
Baselines Zero N Steps	Single	0.399	0.4424	0.6782	0.8098
200	Single	0.399	0.4424	0.6782	0.8098
IntegratedGradients	Single	0.3954	0.4406	0.6792	0.8116
Baselines Zero N Steps	Single	0.3954	0.4406	0.6792	0.8116
50	Single	0.3954	0.4406	0.6792	0.8116
IntegratedGradients	Single	0.3954	0.4406	0.6792	0.8116
Baselines Zero N Steps	Single	0.3954	0.4406	0.6792	0.8116
50	Single	0.3954	0.4406	0.6792	0.8116
Occlusion Baselines	Single	0.3954	0.432	0.6702	0.8046
Global Mean Patch Size	Single	0.3954	0.432	0.6702	0.8046
16	Single	0.3954	0.432	0.6702	0.8046

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.3954	0.432	0.6702	0.8046
Global Mean Patch Size 16					
Saliency	Single	0.4186	0.4678	0.6636	0.7906
Saliency	Single	0.4186	0.4678	0.6636	0.7906

Table 257: ImageNet–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.1498	0.1528	0.282	0.1808	0.0584	0.0532	0.115	0.0904	0.4438	0.1792	0.0434	0.0416
Borda (n=3)	Ensemble	0.1712	0.175	0.3044	0.2178	0.0684	0.0696	0.1154	0.0922	0.4484	0.1836	0.0432	0.0362
Borda (n=4)	Ensemble	0.1584	0.1662	0.3126	0.2312	0.064	0.06	0.1126	0.0884	0.4428	0.178	0.0448	0.0394
Borda (n=5)	Ensemble	0.15	0.1462	0.303	0.2186	0.0494	0.045	0.1218	0.1048	0.4548	0.1984	0.054	0.0568
Borda (n=6)	Ensemble	0.1568	0.1564	0.3116	0.2238	0.0604	0.0524	0.1172	0.096	0.4534	0.204	0.0486	0.0538
Borda (n=7)	Ensemble	0.156	0.1598	0.3162	0.2272	0.0602	0.056	0.1166	0.099	0.4578	0.2072	0.0514	0.055
Borda (n=8)	Ensemble	0.1602	0.1614	0.3202	0.2308	0.06	0.0596	0.1072	0.0904	0.4502	0.2088	0.038	0.0396
Kemeny Young (n=2)	Ensemble	0.1498	0.1528	0.282	0.1808	0.0584	0.0532	0.115	0.0904	0.4438	0.1792	0.0434	0.0416
Kemeny Young (n=3)	Ensemble	0.1712	0.175	0.3044	0.2178	0.0684	0.0696	0.1154	0.0922	0.4484	0.1836	0.0432	0.0362
Kemeny Young (n=4)	Ensemble	0.1584	0.1662	0.3126	0.2312	0.064	0.06	0.1126	0.0884	0.4428	0.178	0.0448	0.0394
Kemeny Young (n=5)	Ensemble	0.15	0.1462	0.303	0.2186	0.0494	0.045	0.1218	0.1048	0.4548	0.1984	0.054	0.0568
Kemeny Young (n=6)	Ensemble	0.1568	0.1564	0.3116	0.2238	0.0604	0.0524	0.1172	0.096	0.4534	0.204	0.0486	0.0538
Kemeny Young (n=7)	Ensemble	0.156	0.1598	0.3162	0.2272	0.0602	0.056	0.1166	0.099	0.4578	0.2072	0.0514	0.055
Kemeny Young (n=8)	Ensemble	0.1602	0.1614	0.3202	0.2308	0.06	0.0596	0.1072	0.0904	0.4502	0.2088	0.038	0.0396
RRF (n=2)	Ensemble	0.1446	0.146	0.3018	0.2316	0.0472	0.0486	0.1114	0.0794	0.4498	0.1936	0.0468	0.0432
RRF (n=3)	Ensemble	0.1596	0.1598	0.2976	0.2182	0.0596	0.0564	0.109	0.07	0.4434	0.1868	0.0406	0.0386
RRF (n=4)	Ensemble	0.1596	0.1584	0.3022	0.217	0.0642	0.058	0.1148	0.0724	0.4454	0.1828	0.0456	0.0416
RRF (n=5)	Ensemble	0.1618	0.162	0.3144	0.2242	0.0704	0.0644	0.122	0.0992	0.4572	0.2162	0.0576	0.0692
RRF (n=6)	Ensemble	0.1684	0.1708	0.3208	0.2382	0.0666	0.0604	0.118	0.0992	0.4534	0.2066	0.0538	0.064
RRF (n=7)	Ensemble	0.1688	0.1734	0.317	0.2398	0.065	0.0654	0.1166	0.1038	0.4554	0.2152	0.0534	0.0642
RRF (n=8)	Ensemble	0.1626	0.1682	0.3194	0.2344	0.069	0.0672	0.1126	0.0994	0.4552	0.2144	0.0516	0.0608
Schulze (n=2)	Ensemble	0.1554	0.1544	0.3166	0.244	0.0512	0.0462	0.1116	0.0726	0.4472	0.1902	0.0474	0.0406
Schulze (n=3)	Ensemble	0.1536	0.152	0.2896	0.2068	0.0584	0.0532	0.1104	0.0722	0.4492	0.1926	0.0492	0.0442
Schulze (n=4)	Ensemble	0.1664	0.1662	0.3226	0.247	0.0688	0.0646	0.111	0.069	0.4436	0.1796	0.0472	0.0374
Schulze (n=5)	Ensemble	0.1722	0.1754	0.3296	0.2494	0.071	0.0676	0.1118	0.0676	0.4488	0.183	0.0518	0.0516
Schulze (n=6)	Ensemble	0.184	0.1852	0.3414	0.2598	0.0784	0.0776	0.1144	0.0816	0.4502	0.1858	0.0492	0.047
Schulze (n=7)	Ensemble	0.1746	0.1788	0.3332	0.248	0.0708	0.0664	0.116	0.0964	0.4458	0.1962	0.0498	0.0506
Schulze (n=8)	Ensemble	0.1732	0.1788	0.3344	0.2532	0.0704	0.0724	0.1108	0.0854	0.4488	0.2164	0.0518	0.044
Norm Ensemble (n=2)	Ensemble	0.1636	0.1654	0.3474	0.2708	0.0648	0.0644	0.1146	0.084	0.448	0.1928	0.0424	0.0452
Norm Ensemble (n=3)	Ensemble	0.1644	0.1666	0.3296	0.2552	0.0634	0.0612	0.112	0.0818	0.4442	0.1852	0.0438	0.0388
Norm Ensemble (n=4)	Ensemble	0.1608	0.1614	0.3132	0.2382	0.0594	0.061	0.11	0.0756	0.4416	0.1868	0.0452	0.042
Norm Ensemble (n=5)	Ensemble	0.172	0.172	0.3198	0.2358	0.0702	0.0648	0.1002	0.0578	0.437	0.182	0.037	0.0344
Norm Ensemble (n=6)	Ensemble	0.1668	0.172	0.3136	0.231	0.0718	0.0742	0.1012	0.0616	0.4388	0.1784	0.0362	0.0264
Norm Ensemble (n=7)	Ensemble	0.1676	0.1772	0.316	0.2278	0.0736	0.0726	0.0854	0.033	0.4278	0.1554	0.0256	0.0016
Norm Ensemble (n=8)	Ensemble	0.168	0.1738	0.3156	0.2262	0.073	0.0744	0.0918	0.0452	0.426	0.1668	0.0214	0.0018
Deconvolution	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
Deconvolution	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
DeepLIFT SHAP	Single	0.2014	0.2076	0.375	0.293	0.091	0.0906	0.1002	0.0806	0.4394	0.2104	0.0416	0.0364
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.2014	0.2076	0.375	0.293	0.091	0.0906	0.1002	0.0806	0.4394	0.2104	0.0416	0.0364
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.2014	0.2076	0.375	0.293	0.091	0.0906	0.1002	0.0806	0.4394	0.2104	0.0416	0.0364
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.2014	0.2076	0.375	0.293	0.091	0.0906	0.1002	0.0806	0.4394	0.2104	0.0416	0.0364
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.2126	0.2192	0.3822	0.3064	0.0932	0.096	0.1038	0.0766	0.4398	0.2084	0.0472	0.0434
Global Mean													
DeepLIFT Baselines	Single	0.2126	0.2192	0.3822	0.3064	0.0932	0.096	0.1038	0.0766	0.4398	0.2084	0.0472	0.0434
Global Mean													
FeatureAblation Patch	Single	0.1452	0.1498	0.2852	0.1988	0.056	0.0584	0.147	0.144	0.4478	0.3234	0.0638	0.0558
Size 16													
FeatureAblation Patch	Single	0.1452	0.1498	0.2852	0.1988	0.056	0.0584	0.147	0.144	0.4478	0.3234	0.0638	0.0558
Size 16													
GradientShap Baselines	Single	0.178	0.1808	0.3416	0.2556	0.0732	0.0718	0.1142	0.0842	0.445	0.2034	0.044	0.0422
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.178	0.1808	0.3416	0.2556	0.0732	0.0718	0.1142	0.0842	0.445	0.2034	0.044	0.0422
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.176	0.1772	0.3414	0.2512	0.0742	0.07	0.1156	0.087	0.4492	0.2124	0.0452	0.0466
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.176	0.1772	0.3414	0.2512	0.0742	0.07	0.1156	0.087	0.4492	0.2124	0.0452	0.0466
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
GuidedBackprop	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
InputXGradient	Single	0.206	0.2102	0.3842	0.3054	0.0892	0.0942	0.1054	0.0796	0.4364	0.2154	0.043	0.0494
InputXGradient	Single	0.206	0.2102	0.3842	0.3054	0.0892	0.0942	0.1054	0.0796	0.4364	0.2154	0.043	0.0494
IntegratedGradients	Single	0.1812	0.1858	0.3472	0.2802	0.072	0.0732	0.1178	0.0766	0.4486	0.1856	0.0438	0.039
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1812	0.1858	0.3472	0.2802	0.072	0.0732	0.1178	0.0766	0.4486	0.1856	0.0438	0.039
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1796	0.186	0.3426	0.2784	0.0686	0.071	0.1208	0.0792	0.4504	0.188	0.0452	0.0422
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.1796	0.186	0.3426	0.2784	0.0686	0.071	0.1208	0.0792	0.4504	0.188	0.0452	0.0422
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.1616	0.1584	0.3262	0.2036	0.0676	0.0596	0.1154	0.1124	0.46	0.3084	0.046	0.0468
Occlusion Baselines Global Mean Patch Size 16	Single	0.1616	0.1584	0.3262	0.2036	0.0676	0.0596	0.1154	0.1124	0.46	0.3084	0.046	0.0468
Saliency	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
Saliency	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266

Table 258: ImageNet–DenseNet-121

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.6382	0.7248	0.7184	0.9402
Borda (n=3)	Ensemble	0.6404	0.7332	0.7214	0.9446
Borda (n=4)	Ensemble	0.642	0.7354	0.7194	0.9432
Borda (n=5)	Ensemble	0.6444	0.7428	0.7208	0.9438
Borda (n=6)	Ensemble	0.6454	0.7476	0.7188	0.944
Borda (n=7)	Ensemble	0.6498	0.7536	0.718	0.9462
Borda (n=8)	Ensemble	0.6492	0.7546	0.7182	0.945
Kemeny Young (n=2)	Ensemble	0.6382	0.7248	0.7184	0.9402
Kemeny Young (n=3)	Ensemble	0.6404	0.7332	0.7214	0.9446
Kemeny Young (n=4)	Ensemble	0.642	0.7354	0.7194	0.9432
Kemeny Young (n=5)	Ensemble	0.6444	0.7428	0.7208	0.9438
Kemeny Young (n=6)	Ensemble	0.6454	0.7476	0.7188	0.944
Kemeny Young (n=7)	Ensemble	0.6498	0.7536	0.718	0.9462
Kemeny Young (n=8)	Ensemble	0.6492	0.7546	0.7182	0.945
RRF (n=2)	Ensemble	0.6372	0.725	0.7164	0.9394
RRF (n=3)	Ensemble	0.6388	0.7298	0.7158	0.9394
RRF (n=4)	Ensemble	0.6416	0.7368	0.716	0.9386
RRF (n=5)	Ensemble	0.6482	0.7514	0.7198	0.9436
RRF (n=6)	Ensemble	0.6474	0.7576	0.7192	0.9482
RRF (n=7)	Ensemble	0.6492	0.76	0.7172	0.9488
RRF (n=8)	Ensemble	0.6556	0.7626	0.7172	0.9462
Schulze (n=2)	Ensemble	0.637	0.724	0.7156	0.9402
Schulze (n=3)	Ensemble	0.6358	0.7316	0.7154	0.938
Schulze (n=4)	Ensemble	0.6482	0.766	0.7168	0.9402
Schulze (n=5)	Ensemble	0.657	0.778	0.7148	0.9408
Schulze (n=6)	Ensemble	0.6562	0.7822	0.7166	0.9406
Schulze (n=7)	Ensemble	0.6574	0.7836	0.7166	0.942
Schulze (n=8)	Ensemble	0.6594	0.7832	0.7148	0.942
Norm Ensemble (n=2)	Ensemble	0.6328	0.7388	0.717	0.9368
Norm Ensemble (n=3)	Ensemble	0.6366	0.7406	0.7166	0.9378
Norm Ensemble (n=4)	Ensemble	0.6342	0.7364	0.7162	0.9386
Norm Ensemble (n=5)	Ensemble	0.6378	0.7418	0.7166	0.9282
Norm Ensemble (n=6)	Ensemble	0.6466	0.7538	0.717	0.9268
Norm Ensemble (n=7)	Ensemble	0.6468	0.7536	0.7176	0.9158
Norm Ensemble (n=8)	Ensemble	0.6422	0.7478	0.714	0.9134
Deconvolution	Single	0.674	0.808	0.7154	0.9316
Deconvolution	Single	0.674	0.808	0.7154	0.9316
DeepLIFT SHAP	Single	0.6752	0.8184	0.7152	0.9336
Baselines Combined Zng	Single	0.6752	0.8184	0.7152	0.9336
DeepLIFT SHAP	Single	0.6752	0.8184	0.7152	0.9336
Baselines Combined Zng	Single	0.6752	0.8184	0.7152	0.9336
DeepLIFT SHAP	Single	0.6752	0.8184	0.7152	0.9336
Baselines Combined Zng	Single	0.6802	0.8208	0.7178	0.9304
DeepLIFT Baselines	Single	0.6802	0.8208	0.7178	0.9304
Global Mean	Single	0.6366	0.7308	0.7152	0.9134
FeatureAblation Patch Size 16	Single	0.6366	0.7308	0.7152	0.9134
GradientShap Baselines Combined Zng N Samples 20	Single	0.6622	0.7914	0.7168	0.9412
GradientShap Baselines Combined Zng N Samples 20	Single	0.6622	0.7914	0.7168	0.9412
GradientShap Baselines Combined Zng N Samples 40	Single	0.662	0.786	0.7158	0.938
GradientShap Baselines Combined Zng N Samples 40	Single	0.662	0.786	0.7158	0.938
GuidedBackprop	Single	0.674	0.808	0.7154	0.9316
GuidedBackprop	Single	0.674	0.808	0.7154	0.9316
InputXGradient	Single	0.676	0.817	0.7136	0.929
InputXGradient	Single	0.676	0.817	0.7136	0.929
IntegratedGradients	Single	0.664	0.792	0.719	0.94
Baselines Zero N Steps 200	Single	0.664	0.792	0.719	0.94
IntegratedGradients	Single	0.6624	0.7922	0.7184	0.9394
Baselines Zero N Steps 50	Single	0.6624	0.7922	0.7184	0.9394
IntegratedGradients	Single	0.6624	0.7922	0.7184	0.9394
Baselines Zero N Steps 50	Single	0.6624	0.7922	0.7184	0.9394
Occlusion Baselines	Single	0.6404	0.7312	0.718	0.9238
Global Mean Patch Size 16	Single	0.6404	0.7312	0.718	0.9238

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.6404	0.7312	0.718	0.9238
Global Mean Patch Size 16					
Saliency	Single	0.674	0.808	0.7154	0.9316
Saliency	Single	0.674	0.808	0.7154	0.9316

Table 259: ImageNet–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.1356	0.0984	0.448	0.2038	0.0508	0.0348	0.0922	0.0306	0.4558	0.0666	0.032	0.0214
Borda (n=3)	Ensemble	0.1356	0.1052	0.4496	0.2086	0.0524	0.035	0.0984	0.038	0.4598	0.068	0.035	0.0258
Borda (n=4)	Ensemble	0.1372	0.1066	0.4518	0.2072	0.0444	0.029	0.096	0.032	0.4604	0.0704	0.0322	0.02
Borda (n=5)	Ensemble	0.135	0.1028	0.4564	0.2178	0.0442	0.0274	0.0962	0.0358	0.4608	0.0778	0.0352	0.0164
Borda (n=6)	Ensemble	0.1402	0.1056	0.4568	0.2154	0.0428	0.0284	0.0932	0.0374	0.4598	0.0826	0.0344	0.0156
Borda (n=7)	Ensemble	0.1404	0.1032	0.4624	0.2224	0.047	0.033	0.0918	0.0418	0.4572	0.0854	0.0344	0.0172
Borda (n=8)	Ensemble	0.134	0.0966	0.4594	0.2152	0.0472	0.0338	0.0912	0.0412	0.4564	0.0742	0.0336	0.0146
Kemeny Young (n=2)	Ensemble	0.1356	0.0984	0.448	0.2038	0.0508	0.0348	0.0922	0.0306	0.4558	0.0666	0.032	0.0214
Kemeny Young (n=3)	Ensemble	0.1356	0.1052	0.4496	0.2086	0.0524	0.035	0.0984	0.038	0.4598	0.068	0.035	0.0258
Kemeny Young (n=4)	Ensemble	0.1372	0.1066	0.4518	0.2072	0.0444	0.029	0.096	0.032	0.4604	0.0704	0.0322	0.02
Kemeny Young (n=5)	Ensemble	0.135	0.1028	0.4564	0.2178	0.0442	0.0274	0.0962	0.0358	0.4608	0.0778	0.0352	0.0164
Kemeny Young (n=6)	Ensemble	0.1402	0.1056	0.4568	0.2154	0.0428	0.0284	0.0932	0.0374	0.4598	0.0826	0.0344	0.0156
Kemeny Young (n=7)	Ensemble	0.1404	0.1032	0.4624	0.2224	0.047	0.033	0.0918	0.0418	0.4572	0.0854	0.0344	0.0172
Kemeny Young (n=8)	Ensemble	0.134	0.0966	0.4594	0.2152	0.0472	0.0338	0.0912	0.0412	0.4564	0.0742	0.0336	0.0146
RRF (n=2)	Ensemble	0.1382	0.0992	0.4484	0.205	0.0522	0.0358	0.0892	0.03	0.454	0.0642	0.0334	0.0124
RRF (n=3)	Ensemble	0.1328	0.1052	0.4472	0.211	0.053	0.032	0.0898	0.0272	0.4556	0.0654	0.0316	0.0112
RRF (n=4)	Ensemble	0.1362	0.1032	0.4488	0.2094	0.0492	0.0292	0.0924	0.0278	0.454	0.0674	0.0318	0.0082
RRF (n=5)	Ensemble	0.1434	0.112	0.4552	0.2164	0.051	0.036	0.0944	0.0356	0.4568	0.0668	0.0348	0.0152
RRF (n=6)	Ensemble	0.1412	0.1128	0.4584	0.2344	0.0462	0.0356	0.0924	0.0454	0.4586	0.0734	0.0346	0.021
RRF (n=7)	Ensemble	0.1374	0.104	0.4578	0.2274	0.0462	0.036	0.091	0.045	0.4574	0.0778	0.033	0.0196
RRF (n=8)	Ensemble	0.1384	0.1024	0.4634	0.2244	0.051	0.033	0.0908	0.0446	0.4578	0.0782	0.0326	0.018
Schulze (n=2)	Ensemble	0.1334	0.0956	0.4452	0.2056	0.0506	0.035	0.0884	0.0324	0.4538	0.065	0.0312	0.0148
Schulze (n=3)	Ensemble	0.133	0.105	0.4408	0.1982	0.0456	0.026	0.0882	0.0298	0.4542	0.0632	0.0304	0.0098
Schulze (n=4)	Ensemble	0.1316	0.1044	0.457	0.235	0.0454	0.038	0.0916	0.0318	0.4556	0.0682	0.0318	0.0174
Schulze (n=5)	Ensemble	0.1376	0.116	0.4618	0.2348	0.0482	0.0424	0.0878	0.0314	0.4532	0.0714	0.0284	0.022
Schulze (n=6)	Ensemble	0.143	0.1204	0.4616	0.2448	0.0418	0.0414	0.0882	0.0302	0.4568	0.07	0.0314	0.0178
Schulze (n=7)	Ensemble	0.137	0.1152	0.4636	0.2376	0.047	0.043	0.0886	0.0386	0.4568	0.0756	0.0316	0.0174
Schulze (n=8)	Ensemble	0.1376	0.1138	0.4604	0.2332	0.0492	0.0446	0.0904	0.0378	0.4518	0.0798	0.0288	0.0126
Norm Ensemble (n=2)	Ensemble	0.1192	0.0968	0.4412	0.1904	0.038	0.027	0.0902	0.0298	0.4552	0.0604	0.0316	0.0106
Norm Ensemble (n=3)	Ensemble	0.1222	0.0966	0.4502	0.2258	0.0416	0.029	0.0892	0.0286	0.4552	0.0618	0.0332	0.0134
Norm Ensemble (n=4)	Ensemble	0.1262	0.1012	0.447	0.2158	0.0436	0.027	0.0936	0.0318	0.457	0.0682	0.0318	0.0218
Norm Ensemble (n=5)	Ensemble	0.1296	0.1046	0.4516	0.2098	0.0492	0.0388	0.0894	0.0196	0.4576	0.0566	0.0304	0.0088
Norm Ensemble (n=6)	Ensemble	0.1464	0.1212	0.461	0.2246	0.0558	0.0462	0.0926	0.0238	0.4576	0.0576	0.0294	0.0062
Norm Ensemble (n=7)	Ensemble	0.1438	0.122	0.4632	0.2248	0.0574	0.0466	0.0936	0.0144	0.458	0.0532	0.0326	0.0084
Norm Ensemble (n=8)	Ensemble	0.1394	0.12	0.463	0.2246	0.0542	0.0478	0.0894	0.0108	0.4492	0.06	0.0292	0.011
Deconvolution	Single	0.1282	0.1066	0.4602	0.1766	0.05	0.0372	0.0916	0.0412	0.4538	0.0878	0.029	0.0128
Deconvolution	Single	0.1282	0.1066	0.4602	0.1766	0.05	0.0372	0.0916	0.0412	0.4538	0.0878	0.029	0.0128
DeepLIFT SHAP	Single	0.131	0.1118	0.46	0.2162	0.0526	0.05	0.0914	0.0322	0.4554	0.0806	0.0308	0.0144
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.131	0.1118	0.46	0.2162	0.0526	0.05	0.0914	0.0322	0.4554	0.0806	0.0308	0.0144
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.131	0.1118	0.46	0.2162	0.0526	0.05	0.0914	0.0322	0.4554	0.0806	0.0308	0.0144
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.131	0.1118	0.46	0.2162	0.0526	0.05	0.0914	0.0322	0.4554	0.0806	0.0308	0.0144
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.1334	0.1136	0.4648	0.2152	0.058	0.0518	0.098	0.0296	0.4568	0.0676	0.0326	0.0074
Global Mean													
DeepLIFT Baselines	Single	0.1334	0.1136	0.4648	0.2152	0.058	0.0518	0.098	0.0296	0.4568	0.0676	0.0326	0.0074
Global Mean													
FeatureAblation Patch	Single	0.1362	0.1082	0.4478	0.1756	0.0456	0.026	0.0974	0.057	0.4544	0.1158	0.0298	0.0144
Size 16													
FeatureAblation Patch	Single	0.1362	0.1082	0.4478	0.1756	0.0456	0.026	0.0974	0.057	0.4544	0.1158	0.0298	0.0144
Size 16													
GradientShap Baselines	Single	0.1292	0.1004	0.4584	0.2126	0.0474	0.0394	0.0912	0.0332	0.4526	0.0798	0.0342	0.0174
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1292	0.1004	0.4584	0.2126	0.0474	0.0394	0.0912	0.0332	0.4526	0.0798	0.0342	0.0174
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1306	0.096	0.4614	0.2142	0.046	0.035	0.0902	0.0352	0.454	0.0746	0.0324	0.0144
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.1306	0.096	0.4614	0.2142	0.046	0.035	0.0902	0.0352	0.454	0.0746	0.0324	0.0144
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.1282	0.1066	0.4602	0.1766	0.05	0.0372	0.0916	0.0412	0.4538	0.0878	0.029	0.0128
GuidedBackprop	Single	0.1282	0.1066	0.4602	0.1766	0.05	0.0372	0.0916	0.0412	0.4538	0.0878	0.029	0.0128
InputXGradient	Single	0.1302	0.1078	0.4592	0.2092	0.051	0.0444	0.0908	0.0264	0.4522	0.073	0.032	0.0088
InputXGradient	Single	0.1302	0.1078	0.4592	0.2092	0.051	0.0444	0.0908	0.0264	0.4522	0.073	0.032	0.0088
IntegratedGradients	Single	0.1344	0.1146	0.4698	0.2584	0.0486	0.043	0.0922	0.0284	0.457	0.065	0.0346	0.0146
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1344	0.1146	0.4698	0.2584	0.0486	0.043	0.0922	0.0284	0.457	0.065	0.0346	0.0146
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.131	0.1152	0.4672	0.2576	0.0476	0.0422	0.0916	0.0288	0.4572	0.0652	0.0336	0.0142
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.131	0.1152	0.4672	0.2576	0.0476	0.0422	0.0916	0.0288	0.4572	0.0652	0.0336	0.0142
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.1248	0.0832	0.4386	0.1536	0.0448	0.0206	0.0972	0.055	0.4566	0.1246	0.0336	0.0232
Occlusion Baselines Global Mean Patch Size 16	Single	0.1248	0.0832	0.4386	0.1536	0.0448	0.0206	0.0972	0.055	0.4566	0.1246	0.0336	0.0232
Saliency	Single	0.1282	0.1066	0.4602	0.1766	0.05	0.0372	0.0916	0.0412	0.4538	0.0878	0.029	0.0128
Saliency	Single	0.1282	0.1066	0.4602	0.1766	0.05	0.0372	0.0916	0.0412	0.4538	0.0878	0.029	0.0128

Table 260: ImageNet–DenseNet-121

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.2258	0.242	0.646	0.7678
Borda (n=3)	Ensemble	0.2548	0.2736	0.6684	0.8004
Borda (n=4)	Ensemble	0.2714	0.2942	0.6614	0.79
Borda (n=5)	Ensemble	0.2592	0.2812	0.658	0.7876
Borda (n=6)	Ensemble	0.2696	0.2932	0.657	0.786
Borda (n=7)	Ensemble	0.268	0.293	0.6532	0.7804
Borda (n=8)	Ensemble	0.2736	0.2968	0.6498	0.777
Kemeny Young (n=2)	Ensemble	0.2258	0.242	0.646	0.7678
Kemeny Young (n=3)	Ensemble	0.2548	0.2736	0.6684	0.8004
Kemeny Young (n=4)	Ensemble	0.2714	0.2942	0.6614	0.79
Kemeny Young (n=5)	Ensemble	0.2592	0.2812	0.658	0.7876
Kemeny Young (n=6)	Ensemble	0.2696	0.2932	0.657	0.786
Kemeny Young (n=7)	Ensemble	0.268	0.293	0.6532	0.7804
Kemeny Young (n=8)	Ensemble	0.2736	0.2968	0.6498	0.777
RRF (n=2)	Ensemble	0.2482	0.2716	0.647	0.77
RRF (n=3)	Ensemble	0.2454	0.2656	0.6456	0.763
RRF (n=4)	Ensemble	0.2554	0.2788	0.644	0.763
RRF (n=5)	Ensemble	0.2588	0.284	0.6614	0.7942
RRF (n=6)	Ensemble	0.2676	0.2904	0.6596	0.789
RRF (n=7)	Ensemble	0.2694	0.2934	0.6552	0.7844
RRF (n=8)	Ensemble	0.279	0.3022	0.6536	0.7816
Schulze (n=2)	Ensemble	0.256	0.2758	0.647	0.7644
Schulze (n=3)	Ensemble	0.2358	0.252	0.642	0.7624
Schulze (n=4)	Ensemble	0.266	0.2918	0.641	0.7588
Schulze (n=5)	Ensemble	0.275	0.3022	0.6436	0.7606
Schulze (n=6)	Ensemble	0.2872	0.3158	0.645	0.7688
Schulze (n=7)	Ensemble	0.2836	0.3112	0.646	0.7688
Schulze (n=8)	Ensemble	0.2846	0.3138	0.6382	0.7614
Norm Ensemble (n=2)	Ensemble	0.274	0.2976	0.642	0.7622
Norm Ensemble (n=3)	Ensemble	0.2654	0.2884	0.6418	0.762
Norm Ensemble (n=4)	Ensemble	0.2606	0.2826	0.6398	0.7586
Norm Ensemble (n=5)	Ensemble	0.2654	0.2922	0.6426	0.7548
Norm Ensemble (n=6)	Ensemble	0.2742	0.297	0.6464	0.765
Norm Ensemble (n=7)	Ensemble	0.2602	0.286	0.6284	0.731
Norm Ensemble (n=8)	Ensemble	0.275	0.303	0.6232	0.7292
Deconvolution	Single	0.3216	0.3602	0.6172	0.7214
Deconvolution	Single	0.3216	0.3602	0.6172	0.7214
DeepLIFT SHAP	Single	0.3474	0.3846	0.615	0.7138
Baselines Combined Zng	Single	0.3474	0.3846	0.615	0.7138
DeepLIFT SHAP	Single	0.3474	0.3846	0.615	0.7138
Baselines Combined Zng	Single	0.3474	0.3846	0.615	0.7138
DeepLIFT SHAP	Single	0.3474	0.3846	0.615	0.7138
Baselines Combined Zng	Single	0.3542	0.391	0.61	0.7116
DeepLIFT Baselines	Single	0.3542	0.391	0.61	0.7116
Global Mean	Single	0.2232	0.242	0.5478	0.6064
FeatureAblation Patch Size 16	Single	0.2232	0.242	0.5478	0.6064
GradientShap Baselines Combined Zng N Samples 20	Single	0.2866	0.3162	0.6456	0.7628
GradientShap Baselines Combined Zng N Samples 20	Single	0.2866	0.3162	0.6456	0.7628
GradientShap Baselines Combined Zng N Samples 40	Single	0.288	0.3172	0.645	0.7648
GradientShap Baselines Combined Zng N Samples 40	Single	0.288	0.3172	0.645	0.7648
GuidedBackprop	Single	0.3216	0.3602	0.6172	0.7214
GuidedBackprop	Single	0.3216	0.3602	0.6172	0.7214
InputXGradient	Single	0.3534	0.3916	0.6064	0.7042
InputXGradient	Single	0.3534	0.3916	0.6064	0.7042
IntegratedGradients	Single	0.2956	0.3262	0.639	0.7566
Baselines Zero N Steps 200	Single	0.2956	0.3262	0.639	0.7566
IntegratedGradients	Single	0.295	0.3242	0.6402	0.7592
Baselines Zero N Steps 50	Single	0.295	0.3242	0.6402	0.7592
IntegratedGradients	Single	0.295	0.3242	0.6402	0.7592
Baselines Zero N Steps 50	Single	0.295	0.3242	0.6402	0.7592
Occlusion Baselines Global Mean Patch Size 16	Single	0.2956	0.3248	0.6408	0.7488

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.2956	0.3248	0.6408	0.7488
Global Mean Patch Size 16					
Saliency	Single	0.3216	0.3602	0.6172	0.7214
Saliency	Single	0.3216	0.3602	0.6172	0.7214

Table 261: ImageNet–DenseNet-121

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.1156	0.1152	0.1972	0.1222	0.0406	0.0368	0.1252	0.1204	0.4324	0.2306	0.0504	0.055
Borda (n=3)	Ensemble	0.1316	0.1322	0.2266	0.1558	0.047	0.0408	0.1476	0.153	0.456	0.2512	0.076	0.088
Borda (n=4)	Ensemble	0.139	0.1402	0.2424	0.1714	0.0498	0.0412	0.1354	0.1278	0.446	0.2368	0.0632	0.0754
Borda (n=5)	Ensemble	0.1268	0.1232	0.2302	0.1596	0.0398	0.0356	0.1304	0.1278	0.4428	0.2394	0.0612	0.0708
Borda (n=6)	Ensemble	0.1318	0.1306	0.2408	0.1684	0.0542	0.0522	0.1242	0.1152	0.4408	0.236	0.058	0.0666
Borda (n=7)	Ensemble	0.1332	0.137	0.238	0.1672	0.0534	0.0536	0.1216	0.1048	0.4384	0.242	0.0542	0.0604
Borda (n=8)	Ensemble	0.1372	0.1392	0.241	0.169	0.0544	0.0486	0.1124	0.0898	0.4372	0.2386	0.0404	0.043
Kemeny Young (n=2)	Ensemble	0.1156	0.1152	0.1972	0.1222	0.0406	0.0368	0.1252	0.1204	0.4324	0.2306	0.0504	0.055
Kemeny Young (n=3)	Ensemble	0.1316	0.1322	0.2266	0.1558	0.047	0.0408	0.1476	0.153	0.456	0.2512	0.076	0.088
Kemeny Young (n=4)	Ensemble	0.139	0.1402	0.2424	0.1714	0.0498	0.0412	0.1354	0.1278	0.446	0.2368	0.0632	0.0754
Kemeny Young (n=5)	Ensemble	0.1268	0.1232	0.2302	0.1596	0.0398	0.0356	0.1304	0.1278	0.4428	0.2394	0.0612	0.0708
Kemeny Young (n=6)	Ensemble	0.1318	0.1306	0.2408	0.1684	0.0542	0.0522	0.1242	0.1152	0.4408	0.236	0.058	0.0666
Kemeny Young (n=7)	Ensemble	0.1332	0.137	0.238	0.1672	0.0534	0.0536	0.1216	0.1048	0.4384	0.242	0.0542	0.0604
Kemeny Young (n=8)	Ensemble	0.1372	0.1392	0.241	0.169	0.0544	0.0486	0.1124	0.0898	0.4372	0.2386	0.0404	0.043
RRF (n=2)	Ensemble	0.1198	0.1208	0.2246	0.1644	0.0448	0.0448	0.1302	0.108	0.4336	0.2326	0.0518	0.0572
RRF (n=3)	Ensemble	0.1218	0.1218	0.218	0.15	0.0518	0.048	0.1196	0.092	0.4278	0.2116	0.0476	0.049
RRF (n=4)	Ensemble	0.1324	0.1326	0.228	0.1582	0.0544	0.05	0.1202	0.0892	0.4294	0.2116	0.0506	0.0498
RRF (n=5)	Ensemble	0.1318	0.1352	0.2314	0.1642	0.0508	0.0484	0.1366	0.1242	0.4468	0.2468	0.0698	0.0862
RRF (n=6)	Ensemble	0.1386	0.1398	0.2372	0.166	0.0558	0.0482	0.1306	0.1184	0.446	0.241	0.0656	0.0762
RRF (n=7)	Ensemble	0.1364	0.1384	0.2396	0.1676	0.057	0.0546	0.1274	0.1126	0.4414	0.2474	0.0622	0.07
RRF (n=8)	Ensemble	0.1476	0.1474	0.2502	0.171	0.0664	0.064	0.1276	0.1134	0.4418	0.2546	0.0624	0.0682
Schulze (n=2)	Ensemble	0.128	0.1246	0.2296	0.1742	0.0422	0.043	0.1268	0.1022	0.4338	0.2286	0.055	0.0588
Schulze (n=3)	Ensemble	0.117	0.1158	0.2068	0.134	0.0462	0.043	0.1138	0.0906	0.4294	0.2256	0.0472	0.0458
Schulze (n=4)	Ensemble	0.1358	0.1384	0.2374	0.1754	0.0514	0.051	0.1184	0.0902	0.424	0.211	0.0444	0.0446
Schulze (n=5)	Ensemble	0.1386	0.142	0.246	0.1822	0.053	0.0508	0.1206	0.0928	0.4244	0.213	0.057	0.0652
Schulze (n=6)	Ensemble	0.1504	0.1558	0.2594	0.1934	0.0622	0.062	0.1148	0.0974	0.4262	0.2234	0.052	0.0638
Schulze (n=7)	Ensemble	0.1496	0.1542	0.2528	0.185	0.0578	0.0582	0.1202	0.1104	0.4316	0.228	0.0516	0.0614
Schulze (n=8)	Ensemble	0.1472	0.1552	0.2524	0.1826	0.0644	0.064	0.112	0.1032	0.4308	0.2512	0.0422	0.0486
Norm Ensemble (n=2)	Ensemble	0.127	0.1268	0.2464	0.1912	0.0486	0.0514	0.1212	0.1048	0.4316	0.2252	0.0498	0.0546
Norm Ensemble (n=3)	Ensemble	0.1246	0.125	0.2366	0.1754	0.0506	0.0526	0.1188	0.0896	0.4292	0.2206	0.0436	0.0496
Norm Ensemble (n=4)	Ensemble	0.1288	0.1294	0.2322	0.1684	0.0542	0.0544	0.1132	0.0802	0.428	0.2144	0.048	0.0516
Norm Ensemble (n=5)	Ensemble	0.1372	0.1436	0.2374	0.1742	0.0646	0.0654	0.1114	0.073	0.4296	0.2162	0.0484	0.0462
Norm Ensemble (n=6)	Ensemble	0.1444	0.1452	0.2452	0.1746	0.0738	0.0704	0.1154	0.084	0.4336	0.2262	0.0482	0.0452
Norm Ensemble (n=7)	Ensemble	0.136	0.1388	0.2276	0.1556	0.0606	0.0622	0.0964	0.0578	0.4172	0.2008	0.031	0.0106
Norm Ensemble (n=8)	Ensemble	0.1438	0.1452	0.2424	0.1726	0.0636	0.0636	0.0876	0.0564	0.4094	0.1914	0.0276	0.01
Deconvolution	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
Deconvolution	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
DeepLIFT SHAP	Single	0.1864	0.197	0.3098	0.2446	0.094	0.0992	0.116	0.0924	0.4114	0.2216	0.0524	0.042
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1864	0.197	0.3098	0.2446	0.094	0.0992	0.116	0.0924	0.4114	0.2216	0.0524	0.042
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1864	0.197	0.3098	0.2446	0.094	0.0992	0.116	0.0924	0.4114	0.2216	0.0524	0.042
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1864	0.197	0.3098	0.2446	0.094	0.0992	0.116	0.0924	0.4114	0.2216	0.0524	0.042
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.1886	0.1964	0.3154	0.2496	0.0902	0.096	0.1152	0.0966	0.4144	0.2356	0.048	0.0458
Global Mean													
DeepLIFT Baselines	Single	0.1886	0.1964	0.3154	0.2496	0.0902	0.096	0.1152	0.0966	0.4144	0.2356	0.048	0.0458
Global Mean													
FeatureAblation Patch	Single	0.1076	0.1096	0.1924	0.1254	0.0398	0.0412	0.166	0.1648	0.4084	0.3266	0.0638	0.0568
Size 16													
FeatureAblation Patch	Single	0.1076	0.1096	0.1924	0.1254	0.0398	0.0412	0.166	0.1648	0.4084	0.3266	0.0638	0.0568
Size 16													
GradientShap Baselines	Single	0.1452	0.1486	0.257	0.1848	0.0566	0.0574	0.1266	0.1	0.4358	0.2296	0.0492	0.048
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1452	0.1486	0.257	0.1848	0.0566	0.0574	0.1266	0.1	0.4358	0.2296	0.0492	0.048
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1454	0.146	0.259	0.1924	0.0578	0.0562	0.125	0.1072	0.4358	0.2428	0.0538	0.057
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.1454	0.146	0.259	0.1924	0.0578	0.0562	0.125	0.1072	0.4358	0.2428	0.0538	0.057
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
GuidedBackprop	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
InputXGradient	Single	0.1868	0.1972	0.3168	0.2548	0.0908	0.0922	0.1116	0.0896	0.4052	0.2184	0.0402	0.036
InputXGradient	Single	0.1868	0.1972	0.3168	0.2548	0.0908	0.0922	0.1116	0.0896	0.4052	0.2184	0.0402	0.036
IntegratedGradients	Single	0.1588	0.1656	0.2664	0.2074	0.0564	0.057	0.121	0.096	0.4258	0.2178	0.0498	0.0496
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1588	0.1656	0.2664	0.2074	0.0564	0.057	0.121	0.096	0.4258	0.2178	0.0498	0.0496
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1592	0.165	0.2678	0.2086	0.0562	0.055	0.1218	0.0988	0.427	0.2188	0.0518	0.051
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.1592	0.165	0.2678	0.2086	0.0562	0.055	0.1218	0.0988	0.427	0.2188	0.0518	0.051
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.1418	0.147	0.245	0.1446	0.0468	0.0456	0.1328	0.1256	0.4542	0.3278	0.0548	0.0508
Occlusion Baselines Global Mean Patch Size 16	Single	0.1418	0.147	0.245	0.1446	0.0468	0.0456	0.1328	0.1256	0.4542	0.3278	0.0548	0.0508
Saliency	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
Saliency	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026

Table 262: ImageNet–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.6104	0.7134	0.709	0.9164	0.147	0.1374	0.4486	0.243	0.0476	0.0454
Borda	0.5802	0.7166	0.6536	0.9262	0.151	0.1356	0.4336	0.253	0.0528	0.0392
Kemeny Young	0.5894	0.7168	0.6634	0.9294	0.1534	0.134	0.4438	0.2636	0.0594	0.0458
RRF	0.577	0.7138	0.6472	0.9188	0.1528	0.1374	0.431	0.2552	0.0548	0.045
Schulze	0.5844	0.712	0.6582	0.9168	0.1556	0.1372	0.425	0.2468	0.0594	0.0454
Simple Averaging	0.5914	0.7102	0.6722	0.9168	0.142	0.1304	0.4466	0.2778	0.0556	0.0458
Borda (Independence)	0.5864	0.7168	0.6596	0.9282	0.1512	0.133	0.4366	0.2606	0.061	0.0444
Kemeny Young (Independence)	0.5946	0.7178	0.6718	0.9258	0.164	0.1452	0.4474	0.2694	0.0626	0.0496
RRF (Independence)	0.582	0.7126	0.6584	0.9158	0.1436	0.13	0.435	0.2628	0.05	0.0352
Schulze (Independence)	0.6006	0.7088	0.6824	0.9142	0.152	0.13	0.4412	0.2708	0.0546	0.0432
SimpleAvg (Independence)	0.5902	0.7102	0.6672	0.9162	0.1468	0.1322	0.4438	0.2744	0.066	0.0564

Table 263: ImageNet–DenseNet-121

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.5266	0.7052	0.5916	0.8866	0.171	0.1626	0.4196	0.2766	0.0598	0.0532
Borda	0.493	0.7038	0.5398	0.8848	0.1738	0.1654	0.3922	0.2624	0.0636	0.0558
Kemeny Young	0.4976	0.7072	0.5518	0.8922	0.1808	0.1808	0.3972	0.2716	0.0674	0.0568
RRF	0.4912	0.7038	0.5382	0.8836	0.1686	0.1658	0.396	0.2696	0.0708	0.0632
Schulze	0.4942	0.7022	0.5436	0.8872	0.173	0.1684	0.3872	0.2672	0.065	0.0592
Simple Averaging	0.5074	0.7028	0.5712	0.8838	0.156	0.1572	0.411	0.304	0.0558	0.0546
Borda (Independence)	0.4924	0.703	0.5472	0.885	0.1768	0.1774	0.3952	0.2758	0.0604	0.0546
Kemeny Young (Independence)	0.5	0.7044	0.5482	0.8884	0.1776	0.1688	0.3996	0.2616	0.07	0.0574
RRF (Independence)	0.4974	0.7028	0.5436	0.8836	0.1766	0.1632	0.3958	0.2704	0.072	0.06
Schulze (Independence)	0.518	0.7026	0.5722	0.8806	0.1814	0.1704	0.4152	0.2974	0.0682	0.0634
SimpleAvg (Independence)	0.4986	0.7022	0.5572	0.88	0.1626	0.158	0.404	0.2894	0.0584	0.0516

Table 264: ImageNet–DenseNet-121

					AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom						
Best Explanation	0.3918	0.6792	0.4332	0.824	0.176	0.1772	0.3414	0.2512	0.0686	0.07
Borda	0.3548	0.6792	0.3884	0.8126	0.1712	0.175	0.3044	0.2178	0.0684	0.0696
Kemeny Young	0.352	0.6886	0.3844	0.8408	0.15	0.1462	0.303	0.2186	0.0494	0.045
RRF	0.3466	0.6776	0.378	0.8178	0.1596	0.1598	0.2976	0.2182	0.0596	0.0564
Schulze	0.3424	0.6794	0.3704	0.8178	0.1536	0.152	0.2896	0.2068	0.0584	0.0532
Simple Averaging	0.3822	0.6782	0.4178	0.8184	0.1644	0.1666	0.3296	0.2552	0.0634	0.0612
Borda (Independence)	0.364	0.68	0.401	0.8154	0.1584	0.1662	0.3126	0.2312	0.064	0.06
Kemeny Young (Independence)	0.3632	0.6872	0.3952	0.8362	0.1568	0.1564	0.3116	0.2238	0.0604	0.0524
RRF (Independence)	0.3534	0.6806	0.385	0.8162	0.1596	0.1584	0.3022	0.217	0.0642	0.058
Schulze (Independence)	0.3734	0.6792	0.4086	0.812	0.1664	0.1662	0.3226	0.247	0.0688	0.0646
SimpleAvg (Independence)	0.3646	0.678	0.4	0.8168	0.1608	0.1614	0.3132	0.2382	0.0594	0.061

Table 265: ImageNet–DenseNet-121

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.662	0.719	0.786	0.9412	0.1282	0.096	0.4584	0.1766	0.046	0.035
Borda	0.6404	0.7214	0.7332	0.9446	0.1356	0.1052	0.4496	0.2086	0.0524	0.035
Kemeny Young	0.6444	0.7208	0.7428	0.9438	0.135	0.1028	0.4564	0.2178	0.0442	0.0274
RRF	0.6388	0.7158	0.7298	0.9394	0.1328	0.1052	0.4472	0.211	0.053	0.032
Schulze	0.6358	0.7154	0.7316	0.938	0.133	0.105	0.4408	0.1982	0.0456	0.026
Simple Averaging	0.6366	0.7166	0.7406	0.9378	0.1222	0.0966	0.4502	0.2258	0.0416	0.029
Borda (Independence)	0.642	0.7194	0.7354	0.9432	0.1372	0.1066	0.4518	0.2072	0.0444	0.029
Kemeny Young (Independence)	0.6454	0.7188	0.7476	0.944	0.1402	0.1056	0.4568	0.2154	0.0428	0.0284
RRF (Independence)	0.6416	0.716	0.7368	0.9386	0.1362	0.1032	0.4488	0.2094	0.0492	0.0292
Schulze (Independence)	0.6482	0.7168	0.766	0.9402	0.1316	0.1044	0.457	0.235	0.0454	0.038
SimpleAvg (Independence)	0.6342	0.7162	0.7364	0.9386	0.1262	0.1012	0.447	0.2158	0.0436	0.027

Table 266: ImageNet–DenseNet-121

					AccRob Replace Top Gaussian Std	ConsRob Replace Top Gaussian Std	AccRob Replace Top Salt Pepper Amount	ConsRob Replace Top Salt Pepper Amount	AccRob Replace Top Speckle Std	ConsRob Replace Top Speckle Std
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	0.15	0.15	0.05	0.05	0.15	0.15
Best Explanation	0.2866	0.6456	0.3162	0.7648	0.1452	0.146	0.257	0.1848	0.0562	0.055
Borda	0.2548	0.6684	0.2736	0.8004	0.1316	0.1322	0.2266	0.1558	0.047	0.0408
Kemeny Young	0.2592	0.658	0.2812	0.7876	0.1268	0.1232	0.2302	0.1596	0.0398	0.0356
RRF	0.2454	0.6456	0.2656	0.763	0.1218	0.1218	0.218	0.15	0.0518	0.048
Schulze	0.2358	0.642	0.252	0.7624	0.117	0.1158	0.2068	0.134	0.0462	0.043
Simple Averaging	0.2654	0.6418	0.2884	0.762	0.1246	0.125	0.2366	0.1754	0.0506	0.0526
Borda (Independence)	0.2714	0.6614	0.2942	0.79	0.139	0.1402	0.2424	0.1714	0.0498	0.0412
Kemeny Young (Independence)	0.2696	0.657	0.2932	0.786	0.1318	0.1306	0.2408	0.1684	0.0542	0.0522
RRF (Independence)	0.2554	0.644	0.2788	0.763	0.1324	0.1326	0.228	0.1582	0.0544	0.05
Schulze (Independence)	0.266	0.641	0.2918	0.7588	0.1358	0.1384	0.2374	0.1754	0.0514	0.051
SimpleAvg (Independence)	0.2606	0.6398	0.2826	0.7586	0.1288	0.1294	0.2322	0.1684	0.0542	0.0544

B ResNet-18

Table 267: ImageNet-ResNet-18

Method	K	F	$\bar{F}$	C	$\bar{C}$	R^p	$R^p_{\bar{p}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$	$R^p_{\bar{c}}$
Best Individual	10	0.1116	0.3446	0.214	0.4816	0.0456	0.0008	0.172	0.1204	0.023	0.013	0.145	0.12	0.0174	0.0022	0.0494	0.0386
Simple Averaging	10	0.1122	0.4314	0.2172	0.5768	0.1266	0.0342	0.2976	0.248	0.1058	0.0344	0.2696	0.234	0.0564	0.0364	0.0912	0.0918
Borda	10	0.1016	0.4124	0.205	0.5538	0.1246	0.0284	0.2828	0.2432	0.1126	0.03	0.2642	0.231	0.0434	0.0296	0.0746	0.0854
Kemeny	10	0.098	0.4174	0.1934	0.5602	0.125	0.002	0.2788	0.2086	0.1194	0.006	0.27	0.2004	0.0382	0.01	0.0784	0.072
RRF	10	0.102	0.407	0.2054	0.5478	0.1334	0.017	0.2806	0.2316	0.1216	0.0046	0.2716	0.2098	0.0466	0.024	0.0792	0.0832
Schulze	10	0.1012	0.4176	0.2016	0.5618	0.1266	0.0114	0.2784	0.2006	0.116	0.0058	0.2648	0.1968	0.0444	0.0174	0.0796	0.0752
Best Individual	20	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047
Simple Averaging	20	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196
Borda	20	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103
Kemeny	20	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994
RRF	20	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958
Schulze	20	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958
Best Individual	40	0.311	0.0644	0.4418	0.1518	0.1276	0.026	0.3098	0.2212	0.0958	0.0002	0.2612	0.1856	0.0446	0.0074	0.0926	0.0592
Simple Averaging	40	0.2906	0.1048	0.4178	0.2124	0.147	0.1092	0.3458	0.3274	0.1362	0.091	0.3234	0.2966	0.088	0.0468	0.1374	0.1036
Borda	40	0.279	0.0756	0.412	0.1758	0.15	0.0754	0.325	0.2762	0.1546	0.0544	0.3216	0.2556	0.097	0.0336	0.1352	0.093
Kemeny	40	0.282	0.083	0.4102	0.1814	0.1468	0.0678	0.327	0.2744	0.14	0.0368	0.3094	0.2386	0.079	0.034	0.1208	0.0902
RRF	40	0.2848	0.0772	0.413	0.177	0.149	0.0728	0.3296	0.277	0.146	0.0412	0.3206	0.2432	0.0852	0.029	0.129	0.0868
Schulze	40	0.2798	0.0814	0.4138	0.1786	0.1506	0.0696	0.3204	0.2786	0.146	0.0406	0.3122	0.2404	0.0894	0.0318	0.1256	0.0922
Best Individual	80	0.507	0.0174	0.6444	0.0812	0.0352	0.0076	0.2358	0.1812	0.0382	0.0008	0.2284	0.1602	0.0586	0.0012	0.1048	0.0522
Simple Averaging	80	0.4784	0.0242	0.6186	0.0964	0.0542	0.0528	0.2598	0.257	0.0536	0.0332	0.2468	0.233	0.0632	0.0154	0.1188	0.0796
Borda	80	0.4632	0.0148	0.6028	0.0812	0.0672	0.019	0.2588	0.2048	0.0658	0.0012	0.2496	0.1836	0.0776	0.0104	0.1278	0.0718
Kemeny	80	0.4628	0.0202	0.6054	0.0912	0.0604	0.0116	0.2482	0.1934	0.0676	0.0008	0.2476	0.1784	0.0716	0.0014	0.1172	0.0544
RRF	80	0.4726	0.016	0.6094	0.086	0.06	0.0218	0.257	0.2008	0.0542	0.0008	0.2388	0.1802	0.0706	0.008	0.1202	0.064
Schulze	80	0.4656	0.0156	0.605	0.085	0.0608	0.021	0.2552	0.2012	0.0632	0.0068	0.2466	0.1798	0.073	0.0086	0.1218	0.0648

Table 268: ImageNet-ResNet-18

Method	K	$R^a_{\mathcal{F}}$	R^a	$R^a_{\mathcal{C}}$	$R^a_{\mathcal{S}}$
Best Individual	10	0.0162	0.0036	0.0732	0.0008
Simple Averaging	10	0.0826	0.0264	0.1712	0.0404
Borda	10	0.0794	0.0062	0.1706	0.0222
Kemeny	10	0.0754	0.0084	0.1612	0.0242
RRF	10	0.0776	0.0014	0.1696	0.019
Schulze	10	0.0782	0.0136	0.169	0.033
Best Individual	20	0.036	0.0026	0.1048	0.002
Simple Averaging	20	0.0944	0.0338	0.1768	0.0754
Borda	20	0.095	0.019	0.1882	0.0532
Kemeny	20	0.0904	0.015	0.179	0.0492
RRF	20	0.0956	0.0246	0.1914	0.0608
Schulze	20	0.0926	0.017	0.1864	0.0506
Best Individual	40	0.0602	0.002	0.1326	0.0426
Simple Averaging	40	0.0978	0.0406	0.1674	0.1034
Borda	40	0.111	0.03	0.1924	0.09
Kemeny	40	0.1158	0.0282	0.1944	0.086
RRF	40	0.1108	0.0292	0.1876	0.0894
Schulze	40	0.112	0.029	0.195	0.086
Best Individual	80	0.0534	0.0136	0.0786	0.0704
Simple Averaging	80	0.0686	0.0196	0.1024	0.083
Borda	80	0.0848	0.0132	0.1292	0.072
Kemeny	80	0.0876	0.0156	0.1366	0.0792
RRF	80	0.0864	0.0138	0.128	0.0778
Schulze	80	0.0858	0.012	0.1314	0.0748

Table 269: ImageNet–ResNet-18

Method	K	F	$\bar{F}$	C	$\bar{C}$	R^p_L	$R^p_{\bar{L}}$	$R^p_{C_L}$	$R^p_{\bar{C}_L}$	R^p_L	$R^p_{\bar{L}}$	$R^p_{C_L}$	$R^p_{\bar{C}_L}$	R^p_L	$R^p_{\bar{L}}$	$R^p_{C_L}$	$R^p_{\bar{C}_L}$
Best Individual	10	0.1116	0.3446	0.214	0.4816	0.1152	0.0388	0.2942	0.259	0.0898	0.0308	0.2658	0.2416	0.0392	0.023	0.0862	0.0844
Simple Averaging	10	0.1122	0.4314	0.2172	0.5768	0.1266	0.0342	0.2976	0.248	0.1058	0.0344	0.2696	0.234	0.0564	0.0364	0.0912	0.0918
Borda	10	0.1016	0.4124	0.205	0.5538	0.1246	0.0284	0.2828	0.2432	0.1126	0.03	0.2642	0.231	0.0434	0.0296	0.0746	0.0854
Kemeny	10	0.098	0.4174	0.1934	0.5602	0.125	0.002	0.2788	0.2086	0.1194	0.006	0.27	0.2004	0.0382	0.01	0.0784	0.072
RRF	10	0.102	0.407	0.2054	0.5478	0.1334	0.017	0.2806	0.2316	0.1216	0.0046	0.2716	0.2098	0.0466	0.024	0.0792	0.0832
Schulze	10	0.1012	0.4176	0.2016	0.5618	0.1266	0.0114	0.2784	0.2006	0.116	0.0058	0.2648	0.1968	0.0444	0.0174	0.0796	0.0752
Best Individual	20	0.1716	0.1752	0.292	0.2952	0.15	0.103	0.328	0.3102	0.1378	0.0686	0.3176	0.2856	0.0618	0.037	0.1178	0.095
Simple Averaging	20	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196
Borda	20	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103
Kemeny	20	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994
RRF	20	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958
Schulze	20	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958
Best Individual	40	0.311	0.0644	0.4418	0.1518	0.1392	0.053	0.3234	0.2836	0.1336	0.018	0.3096	0.25	0.0876	0.0192	0.1302	0.09
Simple Averaging	40	0.2906	0.1048	0.4178	0.2124	0.147	0.1092	0.3458	0.3274	0.1362	0.091	0.3234	0.2966	0.088	0.0468	0.1374	0.1036
Borda	40	0.279	0.0756	0.412	0.1758	0.15	0.0754	0.325	0.2762	0.1546	0.0544	0.3216	0.2556	0.097	0.0336	0.1352	0.093
Kemeny	40	0.282	0.083	0.4102	0.1814	0.1468	0.0678	0.327	0.2744	0.14	0.0368	0.3094	0.2386	0.079	0.034	0.1208	0.0902
RRF	40	0.2848	0.0772	0.413	0.177	0.149	0.0728	0.3296	0.277	0.146	0.0412	0.3206	0.2432	0.0852	0.029	0.129	0.0868
Schulze	40	0.2798	0.0814	0.4138	0.1786	0.1506	0.0696	0.3204	0.2786	0.146	0.0406	0.3122	0.2404	0.0894	0.0318	0.1256	0.0922
Best Individual	80	0.507	0.0174	0.6444	0.0812	0.0352	0.0156	0.2358	0.22	0.0382	0.0176	0.2284	0.1954	0.0636	0.0026	0.1188	0.0708
Simple Averaging	80	0.4784	0.0242	0.6186	0.0964	0.0542	0.0528	0.2598	0.257	0.0536	0.0332	0.2468	0.233	0.0632	0.0154	0.1188	0.0796
Borda	80	0.4632	0.0148	0.6028	0.0812	0.0672	0.019	0.2588	0.2048	0.0658	0.0012	0.2496	0.1836	0.0776	0.0104	0.1278	0.0718
Kemeny	80	0.4628	0.0202	0.6054	0.0912	0.0604	0.0116	0.2482	0.1934	0.0676	0.0008	0.2476	0.1784	0.0716	0.0014	0.1172	0.0544
RRF	80	0.4726	0.016	0.6094	0.086	0.06	0.0218	0.257	0.2008	0.0542	0.0008	0.2388	0.1802	0.0706	0.008	0.1202	0.064
Schulze	80	0.4656	0.0156	0.605	0.085	0.0608	0.021	0.2552	0.2012	0.0632	0.0068	0.2466	0.1798	0.073	0.0086	0.1218	0.0648

Table 270: ImageNet-ResNet-18

Method	K	$R_{\mathcal{F}}^*$	R^*	$R_{\mathcal{L}}^*$	$R_{\mathcal{S}}^*$
Best Individual	10	0.0808	0.0196	0.164	0.029
Simple Averaging	10	0.0826	0.0264	0.1712	0.0404
Borda	10	0.0794	0.0062	0.1706	0.0222
Kemeny	10	0.0754	0.0084	0.1612	0.0242
RRF	10	0.0776	0.0014	0.1696	0.019
Schulze	10	0.0782	0.0136	0.169	0.033
Best Individual	20	0.1058	0.0216	0.2096	0.0572
Simple Averaging	20	0.0944	0.0338	0.1768	0.0754
Borda	20	0.095	0.019	0.1882	0.0532
Kemeny	20	0.0904	0.015	0.179	0.0492
RRF	20	0.0956	0.0246	0.1914	0.0608
Schulze	20	0.0926	0.017	0.1864	0.0506
Best Individual	40	0.1142	0.0204	0.1866	0.0772
Simple Averaging	40	0.0978	0.0406	0.1674	0.1034
Borda	40	0.111	0.03	0.1924	0.09
Kemeny	40	0.1158	0.0282	0.1944	0.086
RRF	40	0.1108	0.0292	0.1876	0.0894
Schulze	40	0.112	0.029	0.195	0.086
Best Individual	80	0.0764	0.0136	0.1086	0.0704
Simple Averaging	80	0.0686	0.0196	0.1024	0.083
Borda	80	0.0848	0.0132	0.1292	0.072
Kemeny	80	0.0876	0.0156	0.1366	0.0792
RRF	80	0.0864	0.0138	0.128	0.0778
Schulze	80	0.0858	0.012	0.1314	0.0748

Table 271: ImageNet–ResNet-18

Method	P	F	F	C	C	R _L ^o	R _L ^o	R _C ^o	R _L ^o	R _L ^o	R _C ^o	R _L ^o	R _L ^o	R _C ^o	R _L ^o	R _C ^o	R _L ^o
Best Individual	8	0.1	0.6522	0.1998	0.8118	0.073	0.1396	0.247	0.069	0.0616	0.1304	0.231	0.0646	0.0266	0.0502	0.0692	0.005
Simple Averaging	8	0.0988	0.7428	0.196	0.9038	0.0988	0.1678	0.2674	0.036	0.0832	0.1554	0.2514	0.0416	0.0438	0.0414	0.0892	0.0102
Borda	8	0.0858	0.739	0.182	0.8988	0.0972	0.1678	0.2438	0.0382	0.082	0.1518	0.225	0.0416	0.0384	0.0446	0.0756	0.0122
Kemeny	8	0.0768	0.7168	0.1728	0.877	0.1104	0.1764	0.2468	0.0322	0.0954	0.1654	0.2312	0.0348	0.0448	0.0516	0.075	0.0026
RRF	8	0.0812	0.717	0.1772	0.8784	0.117	0.1724	0.262	0.0326	0.0968	0.1602	0.2382	0.039	0.0428	0.0448	0.0786	0.0068
Schulze	8	0.0828	0.7176	0.1814	0.876	0.1068	0.1764	0.243	0.0334	0.0934	0.1546	0.2302	0.0446	0.04	0.0472	0.0724	0.008
Best Individual	14	0.1496	0.2664	0.2706	0.4014	0.169	0.061	0.314	0.265	0.1608	0.0296	0.2966	0.2396	0.0694	0.019	0.103	0.0728
Simple Averaging	14	0.1578	0.3846	0.2718	0.5284	0.1496	0.0354	0.3266	0.2452	0.1268	0.0358	0.3006	0.2358	0.065	0.0268	0.11	0.0792
Borda	14	0.1424	0.3442	0.2576	0.4834	0.1512	0.0388	0.3088	0.2486	0.145	0.0298	0.3002	0.2362	0.0676	0.0176	0.109	0.0768
Kemeny	14	0.135	0.332	0.2482	0.4664	0.1506	0.015	0.3094	0.2308	0.1496	0.0072	0.3054	0.2116	0.0606	0.0164	0.1016	0.0754
RRF	14	0.143	0.3218	0.2574	0.4564	0.154	0.0266	0.307	0.237	0.147	0.0232	0.3042	0.2304	0.0626	0.0268	0.1028	0.082
Schulze	14	0.137	0.3286	0.25	0.4638	0.1584	0.0232	0.3146	0.2386	0.1464	0.0162	0.302	0.2228	0.0646	0.0132	0.1062	0.0716
Best Individual	16	0.1716	0.1752	0.292	0.2952	0.15	0.103	0.328	0.3102	0.1378	0.0686	0.3176	0.2856	0.0618	0.037	0.1178	0.095
Simple Averaging	16	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196
Borda	16	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103
Kemeny	16	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994
RRF	16	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958
Schulze	16	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958

Table 272: ImageNet–ResNet-18

Method	R_p^*	R_s^*	$R_{\mathcal{C}}^*$	R^*
Best Individual	0.079	0.0042	0.1652	0.0032
Simple Averaging	0.078	0.0104	0.163	0.0144
Borda	0.0698	0.005	0.1558	0.0056
Kemeny	0.0612	0.0038	0.1486	0.0024
RRF	0.0656	0.0034	0.1516	0.0006
Schulze	0.0666	0.003	0.1568	0.0032
Best Individual	0.1008	0.0206	0.2048	0.0442
Simple Averaging	0.0946	0.0316	0.1798	0.0594
Borda	0.0932	0.0114	0.1886	0.0356
Kemeny	0.0874	0.0042	0.1818	0.0266
RRF	0.09	0.003	0.1848	0.0266
Schulze	0.0892	0.0044	0.1838	0.0242
Best Individual	0.1058	0.0216	0.2096	0.0572
Simple Averaging	0.0944	0.0338	0.1768	0.0754
Borda	0.095	0.019	0.1882	0.0532
Kemeny	0.0904	0.015	0.179	0.0492
RRF	0.0956	0.0246	0.1914	0.0608
Schulze	0.0926	0.017	0.1864	0.0506

Table 273: ImageNet–ResNet-18

Method	P	F	$\bar{F}$	C	$\bar{C}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{F}}$	$R^p_{\mathcal{G}}$	$R^p_{\mathcal{H}}$	$R^p_{\mathcal{I}}$	$R^p_{\mathcal{J}}$	$R^p_{\mathcal{K}}$	$R^p_{\mathcal{L}}$	$R^p_{\mathcal{M}}$	$R^p_{\mathcal{N}}$	$R^p_{\mathcal{O}}$	$R^p_{\mathcal{P}}$
Best Individual	8	0.1	0.6522	0.1998	0.8118	0.0278	0.1396	0.1358	0.0008	0.011	0.128	0.1194	0.0088	0.0124	0.026	0.0378	0.0006
Simple Averaging	8	0.0988	0.7428	0.196	0.9038	0.0988	0.1678	0.2674	0.036	0.0832	0.1554	0.2514	0.0416	0.0438	0.0414	0.0892	0.0102
Borda	8	0.0858	0.739	0.182	0.8988	0.0972	0.1678	0.2438	0.0382	0.082	0.1518	0.225	0.0416	0.0384	0.0446	0.0756	0.0122
Kemeny	8	0.0768	0.7168	0.1728	0.877	0.1104	0.1764	0.2468	0.0322	0.0954	0.1654	0.2312	0.0348	0.0448	0.0516	0.075	0.0026
RRF	8	0.0812	0.717	0.1772	0.8784	0.117	0.1724	0.262	0.0326	0.0968	0.1602	0.2382	0.039	0.0428	0.0448	0.0786	0.0068
Schulze	8	0.0828	0.7176	0.1814	0.876	0.1068	0.1764	0.243	0.0334	0.0934	0.1546	0.2302	0.0446	0.04	0.0472	0.0724	0.008
Best Individual	14	0.1496	0.2664	0.2706	0.4014	0.0642	0.0028	0.2026	0.1434	0.0382	0.0004	0.1822	0.1268	0.0212	0.0002	0.0514	0.0344
Simple Averaging	14	0.1578	0.3846	0.2718	0.5284	0.1496	0.0354	0.3266	0.2452	0.1268	0.0358	0.3006	0.2358	0.065	0.0268	0.11	0.0792
Borda	14	0.1424	0.3442	0.2576	0.4834	0.1512	0.0388	0.3088	0.2486	0.145	0.0298	0.3002	0.2362	0.0676	0.0176	0.109	0.0768
Kemeny	14	0.135	0.332	0.2482	0.4664	0.1506	0.015	0.3094	0.2308	0.1496	0.0072	0.3054	0.2116	0.0606	0.0164	0.1016	0.0754
RRF	14	0.143	0.3218	0.2574	0.4564	0.154	0.0266	0.307	0.237	0.147	0.0232	0.3042	0.2304	0.0626	0.0268	0.1028	0.082
Schulze	14	0.137	0.3286	0.25	0.4638	0.1584	0.0232	0.3146	0.2386	0.1464	0.0162	0.302	0.2228	0.0646	0.0132	0.1062	0.0716
Best Individual	16	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047
Simple Averaging	16	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196
Borda	16	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103
Kemeny	16	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994
RRF	16	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958
Schulze	16	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958

Table 274: ImageNet-ResNet-18

Method	R_p^*	R_s^*	R_c^*	R_m^*
Best Individual	0.011	0.0018	0.061	0.0002
Simple Averaging	0.078	0.0104	0.163	0.0144
Borda	0.0698	0.005	0.1558	0.0056
Kemeny	0.0612	0.0038	0.1486	0.0024
RRF	0.0656	0.0034	0.1516	0.0006
Schulze	0.0666	0.003	0.1568	0.0032
Best Individual	0.0286	0.0016	0.0992	0.002
Simple Averaging	0.0946	0.0316	0.1798	0.0594
Borda	0.0932	0.0114	0.1886	0.0356
Kemeny	0.0874	0.0042	0.1818	0.0266
RRF	0.09	0.003	0.1848	0.0266
Schulze	0.0892	0.0044	0.1838	0.0242
Best Individual	0.036	0.0026	0.1048	0.002
Simple Averaging	0.0944	0.0338	0.1768	0.0754
Borda	0.095	0.019	0.1882	0.0532
Kemeny	0.0904	0.015	0.179	0.0492
RRF	0.0956	0.0246	0.1914	0.0608
Schulze	0.0926	0.017	0.1864	0.0506

Table 275: ImageNet–ResNet-18

Method	Fill	F	$\bar{F}$	C	$\bar{C}$	R^u_P	$R^u_{\bar{P}}$	$R^u_{G_P}$	$R^u_{\bar{G}_P}$	$R^u_{P_P}$	$R^u_{\bar{P}_P}$	$R^u_{G_P}$	$R^u_{\bar{G}_P}$	$R^u_{P_P}$	$R^u_{\bar{P}_P}$	$R^u_{G_P}$	$R^u_{\bar{G}_P}$
Best Individual	dataset_mean	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047
Simple Averaging	dataset_mean	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196
Borda	dataset_mean	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103
Kemeny	dataset_mean	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994
RRF	dataset_mean	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958
Schulze	dataset_mean	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958
Best Individual	class_mean	0.1784	0.2618	0.2952	0.393	0.078	0.009	0.2378	0.1562	0.0494	0.0018	0.2108	0.1596	0.0274	0.0074	0.066	0.0454
Simple Averaging	class_mean	0.174	0.344	0.29	0.4804	0.157	0.0676	0.3404	0.2812	0.1414	0.06	0.3148	0.276	0.078	0.0534	0.122	0.1178
Borda	class_mean	0.1658	0.31	0.2826	0.4464	0.1656	0.0608	0.3328	0.2772	0.1518	0.0566	0.3142	0.2644	0.0756	0.036	0.1156	0.096
Kemeny	class_mean	0.1656	0.3096	0.2782	0.4414	0.1592	0.037	0.3278	0.2592	0.151	0.0352	0.312	0.247	0.0702	0.0308	0.1114	0.0922
RRF	class_mean	0.1714	0.3042	0.2886	0.4338	0.1574	0.047	0.3238	0.272	0.1504	0.0516	0.3066	0.2632	0.071	0.0304	0.1104	0.0964
Schulze	class_mean	0.1662	0.3096	0.2804	0.439	0.1552	0.0412	0.327	0.2642	0.1482	0.0366	0.3074	0.2492	0.0726	0.0366	0.1156	0.102

Table 276: ImageNet-ResNet-18

Method	R^a_F	R^a_P	R^a_G	$R^a_{G^*}$
Best Individual	0.036	0.0026	0.1048	0.002
Simple Averaging	0.0944	0.0338	0.1768	0.0754
Borda	0.095	0.019	0.1882	0.0532
Kemeny	0.0904	0.015	0.179	0.0492
RRF	0.0956	0.0246	0.1914	0.0608
Schulze	0.0926	0.017	0.1864	0.0506
Best Individual	0.0354	0.0006	0.1044	0.0004
Simple Averaging	0.0914	0.0284	0.1768	0.0506
Borda	0.0982	0.0146	0.1896	0.034
Kemeny	0.0968	0.0072	0.1838	0.0282
RRF	0.1006	0.021	0.1912	0.039
Schulze	0.0986	0.0124	0.1878	0.0278

Table 277: ImageNet–ResNet-18

Method	Fill	F	$\bar{F}$	C	$\bar{C}$	R^a	R^b	R^c	R^d	R^e	R^f	R^g	R^h	R^i	R^j	R^k	R^l
Best Individual	dataset_mean	0.1716	0.1752	0.292	0.2952	0.15	0.103	0.328	0.3102	0.1378	0.0686	0.3176	0.2856	0.0618	0.037	0.1178	0.095
Simple Averaging	dataset_mean	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196
Borda	dataset_mean	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103
Kemeny	dataset_mean	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994
RRF	dataset_mean	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958
Schulze	dataset_mean	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958
Best Individual	class_mean	0.1784	0.2618	0.2952	0.393	0.1478	0.0784	0.3268	0.2924	0.1318	0.0576	0.3124	0.2746	0.0604	0.033	0.1194	0.0938
Simple Averaging	class_mean	0.174	0.344	0.29	0.4804	0.157	0.0676	0.3404	0.2812	0.1414	0.06	0.3148	0.276	0.078	0.0534	0.122	0.1178
Borda	class_mean	0.1658	0.31	0.2826	0.4464	0.1656	0.0608	0.3328	0.2772	0.1518	0.0566	0.3142	0.2644	0.0756	0.036	0.1156	0.096
Kemeny	class_mean	0.1656	0.3096	0.2782	0.4414	0.1592	0.037	0.3278	0.2592	0.151	0.0352	0.312	0.247	0.0702	0.0308	0.1114	0.0922
RRF	class_mean	0.1714	0.3042	0.2886	0.4338	0.1574	0.047	0.3238	0.272	0.1504	0.0516	0.3066	0.2632	0.071	0.0304	0.1104	0.0964
Schulze	class_mean	0.1662	0.3096	0.2804	0.439	0.1552	0.0412	0.327	0.2642	0.1482	0.0366	0.3074	0.2492	0.0726	0.0366	0.1156	0.102

Table 278: ImageNet-ResNet-18

Method	R^*_P	R^*_F	$R^*_{G^*}$	$R^*_{\frac{1}{2}G^*}$
Best Individual	0.1058	0.0216	0.2096	0.0572
Simple Averaging	0.0944	0.0338	0.1768	0.0754
Borda	0.095	0.019	0.1882	0.0532
Kemeny	0.0904	0.015	0.179	0.0492
RRF	0.0956	0.0246	0.1914	0.0608
Schulze	0.0926	0.017	0.1864	0.0506
Best Individual	0.1122	0.0318	0.2098	0.0502
Simple Averaging	0.0914	0.0284	0.1768	0.0506
Borda	0.0982	0.0146	0.1896	0.034
Kemeny	0.0968	0.0072	0.1838	0.0282
RRF	0.1006	0.021	0.1912	0.039
Schulze	0.0986	0.0124	0.1878	0.0278

Table 279: ImageNet-ResNet-18

Method	Noise	Severity	F	F	C	C
Best Individual	gaussian	0.1	0.0442	0.026	0.1186	0.1168
Simple Averaging	gaussian	0.1	0.126	0.1134	0.2092	0.208
Borda	gaussian	0.1	0.1268	0.086	0.1942	0.1824
Kemeny	gaussian	0.1	0.125	0.0674	0.1962	0.1608
RRF	gaussian	0.1	0.128	0.07	0.1914	0.1646
Schulze	gaussian	0.1	0.131	0.072	0.1986	0.17
Best Individual	gaussian	0.15	0.078	0.0108	0.2344	0.184
Simple Averaging	gaussian	0.15	0.1564	0.1118	0.3474	0.3208
Borda	gaussian	0.15	0.1692	0.0996	0.3384	0.3208
Kemeny	gaussian	0.15	0.1668	0.0684	0.3296	0.2774
RRF	gaussian	0.15	0.1648	0.0776	0.3286	0.2944
Schulze	gaussian	0.15	0.1662	0.0762	0.3296	0.288
Best Individual	gaussian	0.2	0.0764	0.0026	0.3448	0.2622
Simple Averaging	gaussian	0.2	0.1322	0.0644	0.4402	0.4126
Borda	gaussian	0.2	0.146	0.0626	0.4378	0.4094
Kemeny	gaussian	0.2	0.141	0.03	0.4282	0.3796
RRF	gaussian	0.2	0.1416	0.045	0.4236	0.392
Schulze	gaussian	0.2	0.139	0.0404	0.421	0.3896
Best Individual	salt_pepper	0.03	0.0394	0.0048	0.1324	0.1074
Simple Averaging	salt_pepper	0.03	0.1292	0.0856	0.238	0.2146
Borda	salt_pepper	0.03	0.1378	0.0582	0.2336	0.1856
Kemeny	salt_pepper	0.03	0.1376	0.031	0.2304	0.1586
RRF	salt_pepper	0.03	0.135	0.0468	0.224	0.1702
Schulze	salt_pepper	0.03	0.135	0.0392	0.2252	0.1632
Best Individual	salt_pepper	0.05	0.0442	0.0086	0.2042	0.1848
Simple Averaging	salt_pepper	0.05	0.1376	0.0916	0.3152	0.2946
Borda	salt_pepper	0.05	0.1624	0.0788	0.3208	0.2822
Kemeny	salt_pepper	0.05	0.1614	0.045	0.317	0.2522
RRF	salt_pepper	0.05	0.1624	0.066	0.3134	0.2654
Schulze	salt_pepper	0.05	0.1592	0.0656	0.3124	0.2696
Best Individual	salt_pepper	0.08	0.0774	0.0068	0.295	0.2616
Simple Averaging	salt_pepper	0.08	0.1552	0.0854	0.4236	0.3858
Borda	salt_pepper	0.08	0.169	0.0868	0.4158	0.3892
Kemeny	salt_pepper	0.08	0.1664	0.0566	0.4058	0.3596
RRF	salt_pepper	0.08	0.1614	0.0642	0.4042	0.3746
Schulze	salt_pepper	0.08	0.168	0.064	0.4058	0.3656
Best Individual	speckle	0.1	0.0208	0.0008	0.0358	0.024
Simple Averaging	speckle	0.1	0.0488	0.0428	0.0722	0.0678
Borda	speckle	0.1	0.0492	0.0226	0.061	0.0538
Kemeny	speckle	0.1	0.0466	0.0226	0.0574	0.0502
RRF	speckle	0.1	0.0482	0.0202	0.059	0.047
Schulze	speckle	0.1	0.0496	0.022	0.0578	0.0484
Best Individual	speckle	0.15	0.0238	0.0004	0.0644	0.047
Simple Averaging	speckle	0.15	0.0734	0.0636	0.1192	0.1196
Borda	speckle	0.15	0.0748	0.0428	0.1142	0.103
Kemeny	speckle	0.15	0.0748	0.0362	0.1136	0.0994
RRF	speckle	0.15	0.0742	0.0342	0.1126	0.0958
Schulze	speckle	0.15	0.077	0.035	0.112	0.0958
Best Individual	speckle	0.2	0.0282	0.004	0.102	0.082
Simple Averaging	speckle	0.2	0.093	0.0746	0.1746	0.1636
Borda	speckle	0.2	0.101	0.0602	0.1726	0.1596
Kemeny	speckle	0.2	0.1016	0.0408	0.169	0.1292
RRF	speckle	0.2	0.1008	0.0514	0.165	0.1482
Schulze	speckle	0.2	0.0992	0.053	0.1686	0.1468
Best Individual	adversarial	0.003922	0.0334	0.0014	0.0964	0.0002
Simple Averaging	adversarial	0.003922	0.0914	0.0448	0.1676	0.082
Borda	adversarial	0.003922	0.0888	0.0232	0.1752	0.0476
Kemeny	adversarial	0.003922	0.087	0.02	0.1704	0.0448
RRF	adversarial	0.003922	0.087	0.0228	0.174	0.0484
Schulze	adversarial	0.003922	0.0866	0.0202	0.1734	0.045
Best Individual	adversarial	0.007843	0.036	0.0026	0.1048	0.002
Simple Averaging	adversarial	0.007843	0.0944	0.0338	0.1768	0.0754
Borda	adversarial	0.007843	0.095	0.019	0.1882	0.0532
Kemeny	adversarial	0.007843	0.0904	0.015	0.179	0.0492
RRF	adversarial	0.007843	0.0956	0.0246	0.1914	0.0608
Schulze	adversarial	0.007843	0.0926	0.017	0.1864	0.0506
Best Individual	adversarial	0.015686	0.0316	0.0052	0.1006	0.002
Simple Averaging	adversarial	0.015686	0.095	0.0232	0.1788	0.067
Borda	adversarial	0.015686	0.0998	0.0002	0.1936	0.0366
Kemeny	adversarial	0.015686	0.0928	0.0094	0.1842	0.0386
RRF	adversarial	0.015686	0.099	0	0.1946	0.0354
Schulze	adversarial	0.015686	0.0938	0.0128	0.1888	0.0446

Table 280: ImageNet-ResNet-18

Method	Noise	Severity	F	$\bar{F}$	C	$\bar{C}$
Best Individual	gaussian	0.1	0.128	0.088	0.2064	0.1878
Simple Averaging	gaussian	0.1	0.126	0.1134	0.2092	0.208
Borda	gaussian	0.1	0.1268	0.086	0.1942	0.1824
Kemeny	gaussian	0.1	0.125	0.0674	0.1962	0.1608
RRF	gaussian	0.1	0.128	0.07	0.1914	0.1646
Schulze	gaussian	0.1	0.131	0.072	0.1986	0.17
Best Individual	gaussian	0.15	0.15	0.103	0.328	0.3102
Simple Averaging	gaussian	0.15	0.1564	0.1118	0.3474	0.3208
Borda	gaussian	0.15	0.1692	0.0996	0.3384	0.3208
Kemeny	gaussian	0.15	0.1668	0.0684	0.3296	0.2774
RRF	gaussian	0.15	0.1648	0.0776	0.3286	0.2944
Schulze	gaussian	0.15	0.1662	0.0762	0.3296	0.288
Best Individual	gaussian	0.2	0.126	0.0808	0.4246	0.4338
Simple Averaging	gaussian	0.2	0.1322	0.0644	0.4402	0.4126
Borda	gaussian	0.2	0.146	0.0626	0.4378	0.4094
Kemeny	gaussian	0.2	0.141	0.03	0.4282	0.3796
RRF	gaussian	0.2	0.1416	0.045	0.4236	0.392
Schulze	gaussian	0.2	0.139	0.0404	0.421	0.3896
Best Individual	salt_pepper	0.03	0.1168	0.0514	0.23	0.187
Simple Averaging	salt_pepper	0.03	0.1292	0.0856	0.238	0.2146
Borda	salt_pepper	0.03	0.1378	0.0582	0.2336	0.1856
Kemeny	salt_pepper	0.03	0.1376	0.031	0.2304	0.1586
RRF	salt_pepper	0.03	0.135	0.0468	0.224	0.1702
Schulze	salt_pepper	0.03	0.135	0.0392	0.2252	0.1632
Best Individual	salt_pepper	0.05	0.1378	0.0686	0.3176	0.2856
Simple Averaging	salt_pepper	0.05	0.1376	0.0916	0.3152	0.2946
Borda	salt_pepper	0.05	0.1624	0.0788	0.3208	0.2822
Kemeny	salt_pepper	0.05	0.1614	0.045	0.317	0.2522
RRF	salt_pepper	0.05	0.1624	0.066	0.3134	0.2654
Schulze	salt_pepper	0.05	0.1592	0.0656	0.3124	0.2696
Best Individual	salt_pepper	0.08	0.1482	0.0902	0.3964	0.3976
Simple Averaging	salt_pepper	0.08	0.1552	0.0854	0.4236	0.3858
Borda	salt_pepper	0.08	0.169	0.0868	0.4158	0.3892
Kemeny	salt_pepper	0.08	0.1664	0.0566	0.4058	0.3596
RRF	salt_pepper	0.08	0.1614	0.0642	0.4042	0.3746
Schulze	salt_pepper	0.08	0.168	0.064	0.4058	0.3656
Best Individual	speckle	0.1	0.0368	0.0226	0.0646	0.05
Simple Averaging	speckle	0.1	0.0488	0.0428	0.0722	0.0678
Borda	speckle	0.1	0.0492	0.0226	0.061	0.0538
Kemeny	speckle	0.1	0.0466	0.0226	0.0574	0.0502
RRF	speckle	0.1	0.0482	0.0202	0.059	0.047
Schulze	speckle	0.1	0.0496	0.022	0.0578	0.0484
Best Individual	speckle	0.15	0.0618	0.037	0.1178	0.095
Simple Averaging	speckle	0.15	0.0734	0.0636	0.1192	0.1196
Borda	speckle	0.15	0.0748	0.0428	0.1142	0.103
Kemeny	speckle	0.15	0.0748	0.0362	0.1136	0.0994
RRF	speckle	0.15	0.0742	0.0342	0.1126	0.0958
Schulze	speckle	0.15	0.077	0.035	0.112	0.0958
Best Individual	speckle	0.2	0.0814	0.0492	0.1686	0.146
Simple Averaging	speckle	0.2	0.093	0.0746	0.1746	0.1636
Borda	speckle	0.2	0.101	0.0602	0.1726	0.1596
Kemeny	speckle	0.2	0.1016	0.0408	0.169	0.1292
RRF	speckle	0.2	0.1008	0.0514	0.165	0.1482
Schulze	speckle	0.2	0.0992	0.053	0.1686	0.1468
Best Individual	adversarial	0.003922	0.1004	0.0196	0.1926	0.043
Simple Averaging	adversarial	0.003922	0.0914	0.0448	0.1676	0.082
Borda	adversarial	0.003922	0.0888	0.0232	0.1752	0.0476
Kemeny	adversarial	0.003922	0.087	0.02	0.1704	0.0448
RRF	adversarial	0.003922	0.087	0.0228	0.174	0.0484
Schulze	adversarial	0.003922	0.0866	0.0202	0.1734	0.045
Best Individual	adversarial	0.007843	0.1058	0.0216	0.2096	0.0572
Simple Averaging	adversarial	0.007843	0.0944	0.0338	0.1768	0.0754
Borda	adversarial	0.007843	0.095	0.019	0.1882	0.0532
Kemeny	adversarial	0.007843	0.0904	0.015	0.179	0.0492
RRF	adversarial	0.007843	0.0956	0.0246	0.1914	0.0608
Schulze	adversarial	0.007843	0.0926	0.017	0.1864	0.0506
Best Individual	adversarial	0.015686	0.1052	0.0176	0.2086	0.0586
Simple Averaging	adversarial	0.015686	0.095	0.0232	0.1788	0.067
Borda	adversarial	0.015686	0.0998	0.0002	0.1936	0.0366
Kemeny	adversarial	0.015686	0.0928	0.0094	0.1842	0.0386
RRF	adversarial	0.015686	0.099	0	0.1946	0.0354
Schulze	adversarial	0.015686	0.0938	0.0128	0.1888	0.0446

Table 281: ImageNet–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	Selection Rule	Methods	F	$\bar{F}$	C	$\bar{C}$	R^e	R^h	R^p	R^r	R^s	R^t
ImageNet–ResNet-18	ImageNet	ResNet-18	Best Individual	Best Individual			3102f14ae2 8876c574f8 36787c1c08 631f7d7356 54dddc7d79 8c951cf86d 73f3	0.1716	0.1752	0.292	0.2952	0.078	0.2344	0.0442	0.2042	0.0238	0.0644
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	Naive	11			0.1726	0.251	0.286	0.3862	0.1564	0.3474	0.1376	0.3152	0.0734	0.1192
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	NOISE	5	Kemeny	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- lation", "Occlusion"]	0.1726	0.2698	0.2872	0.4004	0.156	0.347	0.1294	0.3086	0.0722	0.1188
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	Naive	11			0.158	0.2186	0.2756	0.3464	0.1692	0.3384	0.1624	0.3208	0.0748	0.1142
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	NOISE	5	Kemeny	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- lation", "Occlusion"]	0.1876	0.1982	0.312	0.3216	0.1676	0.3406	0.1502	0.3128	0.0764	0.1138
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	Naive	11			0.1556	0.2234	0.271	0.3492	0.1668	0.3296	0.1614	0.317	0.0748	0.1136
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	NOISE	5	Kemeny	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- lation", "Occlusion"]	0.1874	0.1658	0.3128	0.2872	0.1704	0.332	0.1628	0.3156	0.0846	0.1202
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	Naive	11			0.1612	0.2176	0.2812	0.3424	0.1648	0.3286	0.1624	0.3134	0.0742	0.1126
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	NOISE	5	Kemeny	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- lation", "Occlusion"]	0.1886	0.1868	0.3152	0.3094	0.1646	0.3352	0.1572	0.3154	0.0822	0.1146
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	Naive	11			0.1576	0.2182	0.276	0.3444	0.1662	0.3296	0.1592	0.3124	0.077	0.112
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	NOISE	5	Kemeny	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- lation", "Occlusion"]	0.1876	0.2018	0.312	0.3258	0.1686	0.337	0.1578	0.321	0.0788	0.115

Table 282: ImageNet–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	$R^a_{\mathcal{F}}$	$R^a_{\mathcal{C}}$	$R^a_{\mathcal{F}}$	$R^a_{\mathcal{C}}$	$R^a_{\mathcal{F}}$	$R^a_{\mathcal{C}}$	$R^a_{\mathcal{F}}$	$R^a_{\mathcal{C}}$	$R^a_{\mathcal{F}}$	$R^a_{\mathcal{C}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	Best Individual	Best Individual		0.036	0.1048	0.0108	0.184	0.0086	0.1848	0.0004	0.047	0.0026	0.002
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	Naive	11	0.0944	0.1768	0.1118	0.3208	0.0916	0.2946	0.0636	0.1196	0.0338	0.0754
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	NOISE	5	0.0908	0.1732	0.1262	0.3426	0.107	0.3174	0.0666	0.13	0.0428	0.0784
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	Naive	11	0.095	0.1882	0.0996	0.3208	0.0788	0.2822	0.0428	0.103	0.019	0.0532
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	NOISE	5	0.1108	0.203	0.13	0.3498	0.1106	0.3188	0.051	0.1142	0.0262	0.072
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	Naive	11	0.0904	0.179	0.0684	0.2774	0.045	0.2522	0.0362	0.0994	0.015	0.0492
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	NOISE	5	0.1106	0.2054	0.096	0.3062	0.0684	0.2774	0.0446	0.1034	0.0272	0.0746
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	Naive	11	0.0956	0.1914	0.0776	0.2944	0.066	0.2654	0.0342	0.0958	0.0246	0.0608
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	NOISE	5	0.1102	0.205	0.1144	0.3324	0.0966	0.3072	0.0468	0.108	0.032	0.0754
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	Naive	11	0.0926	0.1864	0.0762	0.288	0.0656	0.2696	0.035	0.0958	0.017	0.0506
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	NOISE	5	0.1092	0.2016	0.1176	0.3336	0.0996	0.3072	0.049	0.111	0.0352	0.0798

Table 283: ImageNet–ResNet-18

Cell	Dataset	Model	Method	Setting	<i>Q</i>	Selection Rule	Methods	<i>F</i>	<i>F̂</i>	<i>C</i>	<i>Ĉ</i>	<i>R₊^o</i>	<i>R₊^h</i>	<i>R₊^e</i>	<i>R₊^o</i>	<i>R₊^e</i>	<i>R₊^o</i>
ImageNet–ResNet-18	ImageNet	ResNet-18	Best Individual	Best Individual			3102f14ae2 8876c574f8 36787c1c08 631f7d7356 54dddc7d79 8c951cf86d 73f3	0.1716	0.1752	0.292	0.2952	0.078	0.2344	0.0442	0.2042	0.0238	0.0644
ImageNet–ResNet-18 ImageNet–ResNet-18	ImageNet ImageNet	ResNet-18 ResNet-18	Simple Averaging Simple Averaging	Naive NOISE	11 5	Borda	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- lation", "Occlusion"]	0.1726 0.1726	0.251 0.2698	0.286 0.2872	0.3862 0.4004	0.1564 0.156	0.3474 0.347	0.1376 0.1294	0.3152 0.3086	0.0734 0.0722	0.1192 0.1188
ImageNet–ResNet-18 ImageNet–ResNet-18	ImageNet ImageNet	ResNet-18 ResNet-18	Borda Borda	Naive NOISE	11 5	Borda	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- lation", "Occlusion"]	0.158 0.1876	0.2186 0.1982	0.2756 0.312	0.3464 0.3216	0.1692 0.1676	0.3384 0.3406	0.1624 0.1502	0.3208 0.3128	0.0748 0.0764	0.1142 0.1138
ImageNet–ResNet-18 ImageNet–ResNet-18	ImageNet ImageNet	ResNet-18 ResNet-18	Kemeny Kemeny	Naive NOISE	11 5	Borda	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- lation", "Occlusion"]	0.1556 0.1874	0.2234 0.1658	0.271 0.3128	0.3492 0.2872	0.1668 0.1704	0.3296 0.332	0.1614 0.1628	0.317 0.3156	0.0748 0.0846	0.1136 0.1202
ImageNet–ResNet-18 ImageNet–ResNet-18	ImageNet ImageNet	ResNet-18 ResNet-18	RRF RRF	Naive NOISE	11 5	Borda	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- lation", "Occlusion"]	0.1612 0.1886	0.2176 0.1868	0.2812 0.3152	0.3424 0.3094	0.1648 0.1646	0.3286 0.3352	0.1624 0.1572	0.3134 0.3154	0.0742 0.0822	0.1126 0.1146
ImageNet–ResNet-18 ImageNet–ResNet-18	ImageNet ImageNet	ResNet-18 ResNet-18	Schulze Schulze	Naive NOISE	11 5	Borda	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- lation", "Occlusion"]	0.1576 0.1876	0.2182 0.2018	0.276 0.312	0.3444 0.3258	0.1662 0.1686	0.3296 0.337	0.1592 0.1578	0.3124 0.321	0.077 0.0788	0.112 0.115

Table 284: ImageNet–ResNet-18

Cell	Dataset	Model	Method	Setting	Q	$R^a_{\mathcal{F}}$	$R^a_{\mathcal{C}}$	$R^a_{\mathcal{F}}$	$R^a_{\mathcal{C}}$	$R^a_{\mathcal{F}}$	$R^a_{\mathcal{C}}$	$R^a_{\mathcal{F}}$	$R^a_{\mathcal{C}}$	$R^a_{\mathcal{F}}$	$R^a_{\mathcal{C}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	Best Individual	Best Individual											
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	Naive	11	0.0944	0.1768	0.1118	0.3208	0.0916	0.2946	0.0636	0.1196	0.0338	0.0754
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	NOISE	5	0.0908	0.1732	0.1262	0.3426	0.107	0.3174	0.0666	0.13	0.0428	0.0784
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	Naive	11	0.095	0.1882	0.0996	0.3208	0.0788	0.2822	0.0428	0.103	0.019	0.0532
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	NOISE	5	0.1108	0.203	0.13	0.3498	0.1106	0.3188	0.051	0.1142	0.0262	0.072
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	Naive	11	0.0904	0.179	0.0684	0.2774	0.045	0.2522	0.0362	0.0994	0.015	0.0492
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	NOISE	5	0.1106	0.2054	0.096	0.3062	0.0684	0.2774	0.0446	0.1034	0.0272	0.0746
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	Naive	11	0.0956	0.1914	0.0776	0.2944	0.066	0.2654	0.0342	0.0958	0.0246	0.0608
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	NOISE	5	0.1102	0.205	0.1144	0.3324	0.0966	0.3072	0.0468	0.108	0.032	0.0754
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	Naive	11	0.0926	0.1864	0.0762	0.288	0.0656	0.2696	0.035	0.0958	0.017	0.0506
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	NOISE	5	0.1092	0.2016	0.1176	0.3336	0.0996	0.3072	0.049	0.111	0.0352	0.0798

Table 285: ImageNet–ResNet-18

Cell	Dataset	Model	Rule	F	$F(q)$	F	$F(q)$	C	$C(q)$	C	$C(q)$	R_F^p	$R_F^p(q)$	R_F^p	$R_F^p(q)$	R_{SC}^p	$R_{SC}^p(q)$
ImageNet–ResNet-18	ImageNet	ResNet-18	Simple Averaging	0.1814	2	0.15	2	0.3056	2	0.2646	2	0.1514	9	0.088	3	0.3246	2
ImageNet–ResNet-18	ImageNet	ResNet-18	Borda	0.1876	5	0.1452	2	0.312	5	0.2586	2	0.1676	5	0.0828	9	0.3176	3
ImageNet–ResNet-18	ImageNet	ResNet-18	Kemeny	0.1874	5	0.1452	2	0.3128	5	0.2586	2	0.1632	10	0.0522	9	0.317	6
ImageNet–ResNet-18	ImageNet	ResNet-18	RRF	0.1886	5	0.1424	2	0.3152	5	0.256	2	0.1644	2	0.07	9	0.3156	3
ImageNet–ResNet-18	ImageNet	ResNet-18	Schulze	0.1876	5	0.1452	2	0.312	5	0.2586	2	0.1604	10	0.0652	9	0.3238	4

Table 286: ImageNet–ResNet-18

Cell	Dataset	Model	$R_{\hat{\beta}}^p$	$R_{\hat{\beta}}^p(q)$	R_F^p	$R_F^p(q)$	$R_{\hat{\beta}}^p$	$R_{\hat{\beta}}^p(q)$	R_F^p	$R_F^p(q)$	$R_{\hat{\beta}}^p$	$R_{\hat{\beta}}^p(q)$	R_F^p	$R_F^p(q)$	$R_{\hat{\beta}}^p$	$R_{\hat{\beta}}^p(q)$	R_F^p
ImageNet–ResNet-18	ImageNet	ResNet-18	0.3048	3	0.1294	5	0.0568	3	0.2974	2	0.2764	3	0.0718	2	0.0282	3	0.1022
ImageNet–ResNet-18	ImageNet	ResNet-18	0.2942	9	0.1502	5	0.047	3	0.306	2	0.2636	9	0.0748	11	0.0274	3	0.1106
ImageNet–ResNet-18	ImageNet	ResNet-18	0.2642	9	0.1542	6	0.0356	3	0.306	2	0.2452	9	0.0726	10	0.0222	3	0.1106
ImageNet–ResNet-18	ImageNet	ResNet-18	0.2768	9	0.1564	10	0.052	9	0.3058	2	0.2524	9	0.074	9	0.0276	3	0.107
ImageNet–ResNet-18	ImageNet	ResNet-18	0.2776	10	0.1546	6	0.0382	3	0.306	2	0.2512	10	0.0768	10	0.0238	3	0.1106

Table 287: ImageNet–ResNet-18

Cell	Dataset	Model	$R'_{\mathcal{C}}(q)$	$R'_{\mathcal{C}}$	$R'_{\mathcal{C}}(q)$	$R''_{\mathcal{C}}$	$R''_{\mathcal{C}}(q)$	$R''_{\mathcal{C}}$	$R''_{\mathcal{C}}(q)$	$R''_{\mathcal{C}}$	$R''_{\mathcal{C}}(q)$	$R''_{\mathcal{C}}$	$R''_{\mathcal{C}}(q)$
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.0928	3	0.0908	5	0.0182	3	0.173	8	0.0534	3
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.0898	9	0.094	8	0.019	11	0.1882	11	0.0496	10
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.0882	6	0.0904	11	0.0088	4	0.179	11	0.039	3
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.0882	8	0.0956	11	0.0202	3	0.1868	10	0.0502	10
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.0906	2	0.0926	11	0.0066	3	0.1846	9	0.0358	3

Table 288: ImageNet-ResNet-18

Cell	Dataset	Model	Q	Rule	Methods	F	$\bar{F}$	C	$\bar{C}$	R^p_F	$R^p_{\bar{F}}$	R^p_C	$R^p_{\bar{C}}$	$R^p_{F_{\bar{C}}}$	$R^p_{\bar{F}_C}$	$R^p_{C_{\bar{F}}}$	$R^p_{\bar{C}_F}$
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Simple Averaging	["GuidedBackprop", "DeepLiftShap"]	0.1814	0.15	0.3056	0.2646	0.1628	0.1008	0.3246	0.3152	0.1508	0.0646	0.2974	0.2864
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Borda	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- l- ation", "Occlusion"]	0.1876	0.1982	0.312	0.3216	0.1676	0.13	0.3406	0.3498	0.1502	0.1106	0.3128	0.3188
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Kemeny	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- l- ation", "Occlusion"]	0.1874	0.1658	0.3128	0.2872	0.1704	0.096	0.332	0.3062	0.1628	0.0684	0.3156	0.2774
ImageNet-ResNet-18	ImageNet	ResNet-18	5	RRF	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- l- ation", "Occlusion"]	0.1886	0.1868	0.3152	0.3094	0.1646	0.1144	0.3352	0.3324	0.1572	0.0966	0.3154	0.3072
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Schulze	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb- l- ation", "Occlusion"]	0.1876	0.2018	0.312	0.3258	0.1686	0.1176	0.337	0.3336	0.1578	0.0996	0.321	0.3072

Table 289: ImageNet–ResNet-18

Cell	Dataset	Model	Q	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{G}}$	$R^+_{\mathcal{G}}$	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{F}}$	$R^+_{\mathcal{G}}$	$R^+_{\mathcal{G}}$
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.0718	0.0368	0.1022	0.1012	0.1148	0.0244	0.2124	0.0592
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.0764	0.051	0.1138	0.1142	0.1108	0.0262	0.203	0.072
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.0846	0.0446	0.1202	0.1034	0.1106	0.0272	0.2054	0.0746
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.0822	0.0468	0.1146	0.108	0.1102	0.032	0.205	0.0754
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.0788	0.049	0.115	0.111	0.1092	0.0352	0.2016	0.0798

Table 290: ImageNet-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0922	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0856	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.1056	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.109	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.1012	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0966	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0946	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0892	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0884	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGGrad ient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0874	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGGrad ient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0922	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0824	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0932	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.1074	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0984	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.094	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0914	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0854	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0874	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGGrad ient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.092	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGGrad ient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.0926	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.0858	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.1018	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.1102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.1052	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.0982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.0952	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.0926	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.0904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.0898	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0922	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0832	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0914	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1002	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0888	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0896	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.0932	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.0852	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.1122	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.112	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.1078	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.1074	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.1092	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2496	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2648	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2864	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.3018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2932	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.2	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.2654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.237	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.2126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.2342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.2716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.2754	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.3088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.2994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.3	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.1954	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2192	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.211	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2626	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2918	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2816	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2734	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.3138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.3036	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2938	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.2054	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.2218	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.2918	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.322	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.317	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.314	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3108	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3136	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3106	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3108	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0658	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0612	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0756	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0768	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.074	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0708	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0694	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0646	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0644	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.063	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0658	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0586	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0684	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0768	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0706	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.068	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.066	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0602	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0628	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0652	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0652	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0622	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.073	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0784	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0766	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0724	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0688	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0674	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0668	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0656	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.0658	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.06	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.0658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.0784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.073	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.073	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.0668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.061	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.0644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.065	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0666	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0608	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0802	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0812	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0782	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.122	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.1364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.15	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.172	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.1768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.1926	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.1998	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.2154	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.2072	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.1996	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.122	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.1786	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.1562	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.1386	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.1508	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.183	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.1884	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.2156	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.2066	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.2084	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.119	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.141	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.1346	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.1548	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.1582	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.1794	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.1836	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.2026	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.1968	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.193	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Conditioned Quality	0.122	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Conditioned Quality	0.172	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Conditioned Quality	0.1584	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Conditioned Quality	0.1666	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Conditioned Quality	0.1668	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Conditioned Quality	0.17	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Conditioned Quality	0.1866	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Conditioned Quality	0.2202	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Conditioned Quality	0.2116	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Conditioned Quality	0.2012	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	Simple Averaging	Conditioned Quality	0.1256	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	Simple Averaging	Conditioned Quality	0.1456	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	Simple Averaging	Conditioned Quality	0.204	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	Simple Averaging	Conditioned Quality	0.227	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	Simple Averaging	Conditioned Quality	0.2218	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	Simple Averaging	Conditioned Quality	0.2222	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	Simple Averaging	Conditioned Quality	0.218	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Simple Averaging	Conditioned Quality	0.22	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.217	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.2172	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Borda	Conditioned Quality	0.6324	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Borda	Conditioned Quality	0.621	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Borda	Conditioned Quality	0.6454	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Borda	Conditioned Quality	0.6526	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Borda	Conditioned Quality	0.646	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Borda	Conditioned Quality	0.6342	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Borda	Conditioned Quality	0.6266	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Borda	Conditioned Quality	0.6196	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Borda	Conditioned Quality	0.6164	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Borda	Conditioned Quality	0.614	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6324	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6196	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6268	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6448	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.623	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6242	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6104	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6022	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.5952	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6006	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	RRF	Conditioned Quality	0.6344	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	RRF	Conditioned Quality	0.6178	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	RRF	Conditioned Quality	0.6396	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	RRF	Conditioned Quality	0.6504	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	RRF	Conditioned Quality	0.6422	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	RRF	Conditioned Quality	0.6282	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	RRF	Conditioned Quality	0.6226	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	RRF	Conditioned Quality	0.6122	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	RRF	Conditioned Quality	0.6094	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	RRF	Conditioned Quality	0.6098	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6324	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6206	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6212	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Schulze	Conditioned Quality	0.649	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6398	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6212	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6094	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6022	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6004	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6056	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6302	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.628	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6346	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.635	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.629	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.631	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6334	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.579	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.5822	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6286	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6714	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6672	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.579	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.5826	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.5858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.5934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.6008	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.615	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.623	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.6276	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.6362	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.6266	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.5794	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.5848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.595	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.6418	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.6312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.6296	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.6268	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.6356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.6368	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.579	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.581	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.5876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6382	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6298	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6324	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5798	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.58	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.6988	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.743	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.732	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.721	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.715	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.7084	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.7058	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.707	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Borda	Conditioned Quality	0.3498	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Borda	Conditioned Quality	0.3458	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Borda	Conditioned Quality	0.3572	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Borda	Conditioned Quality	0.3552	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Borda	Conditioned Quality	0.3554	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Borda	Conditioned Quality	0.3478	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Borda	Conditioned Quality	0.3376	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Borda	Conditioned Quality	0.3334	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Borda	Conditioned Quality	0.3302	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Borda	Conditioned Quality	0.3272	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3498	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.345	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3456	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3578	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.344	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3446	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3322	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3262	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3218	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3224	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	RRF	Conditioned Quality	0.3456	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	RRF	Conditioned Quality	0.345	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	RRF	Conditioned Quality	0.359	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	RRF	Conditioned Quality	0.3532	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	RRF	Conditioned Quality	0.3512	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	RRF	Conditioned Quality	0.3424	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	RRF	Conditioned Quality	0.3376	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	RRF	Conditioned Quality	0.3346	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	RRF	Conditioned Quality	0.3302	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	RRF	Conditioned Quality	0.326	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3498	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3452	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3464	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3562	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3478	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Schulze	Conditioned Quality	0.342	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Schulze	Conditioned Quality	0.333	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3248	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3222	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3238	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3442	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3488	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3336	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3286	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3296	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3302	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3298	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3262	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3272	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.329	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.2466	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.2502	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.2936	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3214	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3254	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3182	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.251	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.279	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.3004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2918	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.2472	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.2474	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.259	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3012	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.293	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.2906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.2886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.2958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3012	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.2952	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2466	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2824	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2836	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.2508	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.2518	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3558	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.387	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3744	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3622	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3628	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6118	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6286	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6248	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.5936	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.5964	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.608	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.6086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.6284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.6132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.605	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.6036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.593	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.5872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.588	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.6132	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.6124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.6262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.6306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.6196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.605	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.6004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.59	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.5946	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.6088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.6152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.633	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.6156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.6092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.6006	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5896	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5914	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5884	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.603	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.6078	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.611	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.5958	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.6014	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.6054	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.6068	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.6022	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.604	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.6012	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.541	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.5416	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6022	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6404	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6392	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6394	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6302	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.63	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6292	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6286	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.541	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5632	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5528	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5646	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5716	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5846	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5922	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.6086	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.6076	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGGrad ient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.6014	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGGrad ient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5448	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5482	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5588	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.6166	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5984	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.599	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5988	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.6076	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.6022	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGGrad ient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.6078	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGGrad ient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.541	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.5556	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.5544	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.633	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.5938	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.61	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.6034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.551	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.5516	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.6804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.7178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.6972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.6816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.6816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.6808	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3378	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3468	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3378	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3192	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3204	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3362	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3348	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.332	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.317	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3418	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3484	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3416	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3296	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3236	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3398	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3454	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.329	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3168	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.3322	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.319	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.3124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.315	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.3102	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2066	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2056	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.273	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3088	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3024	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.303	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3014	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3012	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2988	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2974	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2066	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.226	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2256	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2342	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2416	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2558	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2628	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.279	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2762	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2684	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2126	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2144	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2326	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2696	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.277	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2836	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2066	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.3014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.28	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2838	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2146	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3414	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3432	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3426	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Borda	Conditioned Quality	0.4186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Borda	Conditioned Quality	0.4164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Borda	Conditioned Quality	0.4292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Borda	Conditioned Quality	0.4258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Borda	Conditioned Quality	0.415	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Borda	Conditioned Quality	0.415	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Borda	Conditioned Quality	0.4104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Borda	Conditioned Quality	0.4016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Borda	Conditioned Quality	0.3972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Borda	Conditioned Quality	0.3898	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Kemeny	Conditioned Quality	0.433	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Kemeny	Conditioned Quality	0.3882	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Kemeny	Conditioned Quality	0.3876	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Kemeny	Conditioned Quality	0.3846	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	RRF	Conditioned Quality	0.4144	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	RRF	Conditioned Quality	0.413	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	RRF	Conditioned Quality	0.426	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	RRF	Conditioned Quality	0.4298	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	RRF	Conditioned Quality	0.4182	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	RRF	Conditioned Quality	0.4174	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	RRF	Conditioned Quality	0.4096	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	RRF	Conditioned Quality	0.3996	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	RRF	Conditioned Quality	0.399	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	RRF	Conditioned Quality	0.3938	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Schulze	Conditioned Quality	0.4186	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Schulze	Conditioned Quality	0.4058	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Schulze	Conditioned Quality	0.413	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Schulze	Conditioned Quality	0.427	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Schulze	Conditioned Quality	0.4214	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Schulze	Conditioned Quality	0.4116	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Schulze	Conditioned Quality	0.4048	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Schulze	Conditioned Quality	0.389	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Schulze	Conditioned Quality	0.3906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Schulze	Conditioned Quality	0.388	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4078	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4112	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.406	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.409	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4052	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.3492	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.3674	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4428	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4562	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4494	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3492	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3936	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3788	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3906	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3938	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.4228	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.4284	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.455	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.445	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.4486	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.3594	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.3678	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.3768	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4174	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4134	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4234	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4188	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4434	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4354	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4382	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.3492	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.3834	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.3788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.4368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.4126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.412	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.4304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.449	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.4402	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.3658	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.494	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5232	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5148	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5122	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.506	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.504	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5058	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Borda	Conditioned Quality	0.2634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Borda	Conditioned Quality	0.2602	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Borda	Conditioned Quality	0.2654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Borda	Conditioned Quality	0.264	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Borda	Conditioned Quality	0.2546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Borda	Conditioned Quality	0.2538	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Borda	Conditioned Quality	0.25	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Borda	Conditioned Quality	0.2388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Borda	Conditioned Quality	0.2372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Borda	Conditioned Quality	0.2328	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2556	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Kemeny	Conditioned Quality	0.272	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Kemeny	Conditioned Quality	0.233	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2304	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	RRF	Conditioned Quality	0.2594	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	RRF	Conditioned Quality	0.2566	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	RRF	Conditioned Quality	0.2662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	RRF	Conditioned Quality	0.2708	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	RRF	Conditioned Quality	0.2594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	RRF	Conditioned Quality	0.2586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	RRF	Conditioned Quality	0.2512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	RRF	Conditioned Quality	0.2384	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	RRF	Conditioned Quality	0.239	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	RRF	Conditioned Quality	0.2354	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Schulze	Conditioned Quality	0.2634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Schulze	Conditioned Quality	0.2536	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Schulze	Conditioned Quality	0.258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Schulze	Conditioned Quality	0.2664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Schulze	Conditioned Quality	0.262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Schulze	Conditioned Quality	0.2546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Schulze	Conditioned Quality	0.248	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Schulze	Conditioned Quality	0.235	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Schulze	Conditioned Quality	0.2386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Schulze	Conditioned Quality	0.2346	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2532	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.253	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2494	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2498	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2466	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2472	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.246	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.173	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2492	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2518	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.173	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2002	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2596	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.179	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1888	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1992	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2336	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2354	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2412	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.236	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2578	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2524	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2518	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.173	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2024	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2006	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2508	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2346	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2322	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2422	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2698	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2648	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2532	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1868	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.192	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.318	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3146	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	C	Borda	Quality	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	C	Borda	Quality	0.3034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Borda	Quality	0.3116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Borda	Quality	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	C	Borda	Quality	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	C	Borda	Quality	0.289	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	C	Borda	Quality	0.2844	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	C	Borda	Quality	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	C	Borda	Quality	0.2768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	C	Borda	Quality	0.2756	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	C	Kemeny	Quality	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	C	Kemeny	Quality	0.2916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Kemeny	Quality	0.2978	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kemeny	Quality	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	C	Kemeny	Quality	0.306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	C	Kemeny	Quality	0.2884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	C	Kemeny	Quality	0.282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	C	Kemeny	Quality	0.2744	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	C	Kemeny	Quality	0.2722	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	C	Kemeny	Quality	0.271	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	C	RRF	Quality	0.3074	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	C	RRF	Quality	0.3022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	RRF	Quality	0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	RRF	Quality	0.3152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	C	RRF	Quality	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	C	RRF	Quality	0.2912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	C	RRF	Quality	0.2878	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	C	RRF	Quality	0.2798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	C	RRF	Quality	0.2772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	C	RRF	Quality	0.2812	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	C	Schulze	Quality	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	C	Schulze	Quality	0.2924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Schulze	Quality	0.2974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Schulze	Quality	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	C	Schulze	Quality	0.3008	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	C	Schulze	Quality	0.2966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	C	Schulze	Quality	0.2844	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	C	Schulze	Quality	0.2694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	C	Schulze	Quality	0.2758	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	C	Schulze	Quality	0.276	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	C	Simple Averaging	Quality	0.3056	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	C	Simple Averaging	Quality	0.2996	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Simple Averaging	Quality	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Simple Averaging	Quality	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	C	Simple Averaging	Quality	0.2876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	C	Simple Averaging	Quality	0.2898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	C	Simple Averaging	Quality	0.285	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	C	Simple Averaging	Quality	0.2882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	C	Simple Averaging	Quality	0.2858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	C	Simple Averaging	Quality	0.286	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Cbar	Borda	Quality	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Cbar	Borda	Quality	0.2688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Borda	Quality	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Borda	Quality	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Cbar	Borda	Quality	0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Cbar	Borda	Quality	0.3482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Cbar	Borda	Quality	0.3448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Cbar	Borda	Quality	0.3664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Cbar	Borda	Quality	0.3514	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Cbar	Borda	Quality	0.3464	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Cbar	Kemeny	Quality	0.2586	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Cbar	Kemeny	Quality	0.3044	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Kemeny	Quality	0.2772	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kemeny	Quality	0.2872	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Cbar	Kemeny	Quality	0.3056	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Cbar	Kemeny	Quality	0.3304	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Cbar	Kemeny	Quality	0.3298	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Cbar	Kemeny	Quality	0.3634	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Cbar	Kemeny	Quality	0.3546	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Cbar	Kemeny	Quality	0.3492	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Cbar	RRF	Quality	0.256	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Cbar	RRF	Quality	0.2716	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	RRF	Quality	0.2748	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	RRF	Quality	0.3094	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Cbar	RRF	Quality	0.318	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Cbar	RRF	Quality	0.323	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Cbar	RRF	Quality	0.3306	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Cbar	RRF	Quality	0.3552	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Cbar	RRF	Quality	0.3388	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Saliency","InputXGrad ient","Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Cbar	RRF	Quality	0.3424	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Cbar	Schulze	Quality	0.2586	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Cbar	Schulze	Quality	0.291	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Schulze	Quality	0.2872	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Schulze	Quality	0.3258	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Cbar	Schulze	Quality	0.3152	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Cbar	Schulze	Quality	0.3174	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Cbar	Schulze	Quality	0.3316	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Cbar	Schulze	Quality	0.3564	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Cbar	Schulze	Quality	0.3522	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Cbar	Schulze	Quality	0.3444	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Cbar	Simple Averaging	Quality	0.2646	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Cbar	Simple Averaging	Quality	0.2752	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Simple Averaging	Quality	0.3706	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Simple Averaging	Quality	0.4004	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Cbar	Simple Averaging	Quality	0.3954	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Cbar	Simple Averaging	Quality	0.3896	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Cbar	Simple Averaging	Quality	0.3894	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Cbar	Simple Averaging	Quality	0.3882	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Cbar	Simple Averaging	Quality	0.3858	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Cbar	Simple Averaging	Quality	0.3862	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	F	Borda	Quality	0.1818	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	F	Borda	Quality	0.1762	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Borda	Quality	0.1856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Borda	Quality	0.1876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	F	Borda	Quality	0.1782	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	F	Borda	Quality	0.1698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	F	Borda	Quality	0.1634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	F	Borda	Quality	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	F	Borda	Quality	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	F	Borda	Quality	0.158	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	F	Kemeny	Quality	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	F	Kemeny	Quality	0.17	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Kemeny	Quality	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kemeny	Quality	0.1874	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	F	Kemeny	Quality	0.1806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	F	Kemeny	Quality	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	F	Kemeny	Quality	0.1642	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	F	Kemeny	Quality	0.1574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	F	Kemeny	Quality	0.1586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	F	Kemeny	Quality	0.1556	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	F	RRF	Quality	0.1812	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	F	RRF	Quality	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	RRF	Quality	0.1834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	RRF	Quality	0.1886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	F	RRF	Quality	0.1798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	F	RRF	Quality	0.1728	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	F	RRF	Quality	0.1682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	F	RRF	Quality	0.1644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	F	RRF	Quality	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	F	RRF	Quality	0.1612	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	F	Schulze	Quality	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	F	Schulze	Quality	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Schulze	Quality	0.1704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Schulze	Quality	0.1876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	F	Schulze	Quality	0.181	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	F	Schulze	Quality	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	F	Schulze	Quality	0.1672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	F	Schulze	Quality	0.1578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	F	Schulze	Quality	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	F	Schulze	Quality	0.1576	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	F	Simple Averaging	Quality	0.1814	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	F	Simple Averaging	Quality	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Simple Averaging	Quality	0.1804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Simple Averaging	Quality	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	F	Simple Averaging	Quality	0.1738	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	F	Simple Averaging	Quality	0.1742	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	F	Simple Averaging	Quality	0.1724	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	F	Simple Averaging	Quality	0.1748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	F	Simple Averaging	Quality	0.1736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	F	Simple Averaging	Quality	0.1726	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Fbar	Borda	Quality	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Fbar	Borda	Quality	0.1586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Borda	Quality	0.1802	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Borda	Quality	0.1982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Fbar	Borda	Quality	0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Fbar	Borda	Quality	0.2242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Fbar	Borda	Quality	0.2196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Fbar	Borda	Quality	0.2388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Fbar	Borda	Quality	0.2284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Fbar	Borda	Quality	0.2186	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Fbar	Kemeny	Quality	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Fbar	Kemeny	Quality	0.1904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Kemeny	Quality	0.165	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kemeny	Quality	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Fbar	Kemeny	Quality	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Fbar	Kemeny	Quality	0.2088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Fbar	Kemeny	Quality	0.2098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Fbar	Kemeny	Quality	0.2394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Fbar	Kemeny	Quality	0.2292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Fbar	Kemeny	Quality	0.2234	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Fbar	RRF	Quality	0.1424	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Fbar	RRF	Quality	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	RRF	Quality	0.1606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	RRF	Quality	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Fbar	RRF	Quality	0.1964	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Fbar	RRF	Quality	0.2046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Fbar	RRF	Quality	0.2076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Fbar	RRF	Quality	0.2258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Fbar	RRF	Quality	0.217	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Fbar	RRF	Quality	0.2176	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Fbar	Schulze	Quality	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Fbar	Schulze	Quality	0.1786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Schulze	Quality	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Schulze	Quality	0.2018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Fbar	Schulze	Quality	0.1956	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Fbar	Schulze	Quality	0.1954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Fbar	Schulze	Quality	0.2068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Fbar	Schulze	Quality	0.2342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Fbar	Schulze	Quality	0.2262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Fbar	Schulze	Quality	0.2182	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Fbar	Simple Averaging	Quality	0.15	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Fbar	Simple Averaging	Quality	0.1638	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Simple Averaging	Quality	0.238	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Simple Averaging	Quality	0.2698	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Fbar	Simple Averaging	Quality	0.2632	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Fbar	Simple Averaging	Quality	0.2592	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Fbar	Simple Averaging	Quality	0.2574	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Fbar	Simple Averaging	Quality	0.2538	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Fbar	Simple Averaging	Quality	0.2494	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Fbar	Simple Averaging	Quality	0.251	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	C	Borda	Robustness	-0.2158	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	C	Borda	Robustness	-0.2178	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	C	Borda	Robustness	-0.206	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	C	Borda	Robustness	-0.203	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	C	Borda	Robustness	-0.1974	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	C	Borda	Robustness	-0.1924	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	C	Borda	Robustness	-0.1898	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	C	Borda	Robustness	-0.1886	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	C	Borda	Robustness	-0.1884	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	C	Borda	Robustness	-0.1882	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.2158	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.2092	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.2046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.2054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.2076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.1944	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.1906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.189	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.1848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.179	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 C		RRF	Robustness	-0.2148	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 C		RRF	Robustness	-0.2164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 C		RRF	Robustness	-0.2048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 C		RRF	Robustness	-0.205	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 C		RRF	Robustness	-0.1934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 C		RRF	Robustness	-0.193	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 C		RRF	Robustness	-0.1926	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 C		RRF	Robustness	-0.1872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 C		RRF	Robustness	-0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 C		RRF	Robustness	-0.1914	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 C		Schulze	Robustness	-0.2158	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 C		Schulze	Robustness	-0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 C		Schulze	Robustness	-0.206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 C		Schulze	Robustness	-0.2016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 C		Schulze	Robustness	-0.2006	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 C		Schulze	Robustness	-0.1984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 C		Schulze	Robustness	-0.1924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 C		Schulze	Robustness	-0.1846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 C		Schulze	Robustness	-0.187	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 C		Schulze	Robustness	-0.1864	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.2124	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.2144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.1882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.1732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.1776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.173	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.1804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.1784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.1768	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0534	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0712	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0584	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0596	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0496	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0532	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.039	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.0746	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.0714	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.0588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.0544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.0546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.0552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Cbar		Kemeny	Robustness	0.0492	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.0606	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.0524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.0638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.0754	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.0784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.0604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.0644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Cbar		RRF	Robustness	0.0634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0502	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0608	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0586	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0358	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0508	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0798	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.067	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.063	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0582	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0426	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0486	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0506	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0592	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0534	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0788	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0784	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0784	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0756	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0786	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0746	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0752	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0754	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	F	Borda	Robustness	-0.116	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	F	Borda	Robustness	-0.115	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	F	Borda	Robustness	-0.11	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	F	Borda	Robustness	-0.1108	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	F	Borda	Robustness	-0.1042	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	F	Borda	Robustness	-0.099	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	F	Borda	Robustness	-0.094	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	F	Borda	Robustness	-0.0972	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	F	Borda	Robustness	-0.0972	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	F	Borda	Robustness	-0.095	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.116	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.1114	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.1066	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.1106	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.11	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.1036	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0982	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0972	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0958	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0904	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	F	RRF	Robustness	-0.116	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	F	RRF	Robustness	-0.114	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.1104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.1102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.1032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.1004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.0994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F	F	RRF	Robustness	-0.0956	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.116	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.1058	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.1046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.1092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.1004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.0968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.0974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F	F	Schulze	Robustness	-0.0926	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.1148	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.1154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.0908	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 F	F	Simple Averaging	Robustness	-0.0934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 F		Simple Averaging	Robustness	-0.094	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 F		Simple Averaging	Robustness	-0.0912	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 F		Simple Averaging	Robustness	-0.0964	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 F		Simple Averaging	Robustness	-0.096	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F		Simple Averaging	Robustness	-0.0944	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0232	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0222	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0302	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0262	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0324	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0316	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0198	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0234	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0212	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.019	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.0232	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.0118	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.0088	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.0272	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.036	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.0258	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.0214	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.0238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.0226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.015	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0234	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.026	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0252	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0246	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0288	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0254	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0146	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.017	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0244	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0182	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.034	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0428	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0414	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.037	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0394	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0338	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0324	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0338	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Borda	Robustness	0.3244	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Borda	Robustness	0.3176	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Borda	Robustness	0.3338	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Borda	Robustness	0.3406	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Borda	Robustness	0.3474	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Borda	Robustness	0.3452	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Borda	Robustness	0.3422	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Borda	Robustness	0.3418	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Borda	Robustness	0.3396	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Borda	Robustness	0.3384	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Kemeny	Robustness	0.3244	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Kemeny	Robustness	0.328	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Kemeny	Robustness	0.329	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Kemeny	Robustness	0.332	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Kemeny	Robustness	0.317	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Kemeny	Robustness	0.3358	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Kemeny	Robustness	0.3284	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Kemeny	Robustness	0.3278	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Kemeny	Robustness	0.323	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Kemeny	Robustness	0.3296	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	RRF	Robustness	0.327	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	RRF	Robustness	0.3156	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	RRF	Robustness	0.333	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	RRF	Robustness	0.3352	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	RRF	Robustness	0.3436	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	RRF	Robustness	0.337	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	RRF	Robustness	0.3348	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	RRF	Robustness	0.3324	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	RRF	Robustness	0.3322	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	RRF	Robustness	0.3286	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Schulze	Robustness	0.3244	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Schulze	Robustness	0.3282	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Schulze	Robustness	0.3238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Schulze	Robustness	0.337	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Schulze	Robustness	0.339	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Schulze	Robustness	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Schulze	Robustness	0.325	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Schulze	Robustness	0.3328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Schulze	Robustness	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Schulze	Robustness	0.3296	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.3246	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.3372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.347	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.3478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.3448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.35	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.3408	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.3452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.3474	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Borda	Robustness	-0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Borda	Robustness	-0.3134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Borda	Robustness	-0.3262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Borda	Robustness	-0.3498	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Borda	Robustness	-0.3358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Borda	Robustness	-0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Borda	Robustness	-0.319	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Borda	Robustness	-0.2942	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Borda	Robustness	-0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Borda	Robustness	-0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2782	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.3086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.3062	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2952	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2642	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2774	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	RRF	Robustness	-0.3234	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	RRF	Robustness	-0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	RRF	Robustness	-0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	RRF	Robustness	-0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	RRF	Robustness	-0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	RRF	Robustness	-0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	RRF	Robustness	-0.2962	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	RRF	Robustness	-0.2768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	RRF	Robustness	-0.2968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	RRF	Robustness	-0.2944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Schulze	Robustness	-0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Schulze	Robustness	-0.29	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Schulze	Robustness	-0.3004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Schulze	Robustness	-0.3336	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Schulze	Robustness	-0.3034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Schulze	Robustness	-0.288	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3152	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3366	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3256	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.32	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Borda	Robustness	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Borda	Robustness	0.1696	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Borda	Robustness	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Borda	Robustness	0.1676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Borda	Robustness	0.1772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Borda	Robustness	0.178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Borda	Robustness	0.1742	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Borda	Robustness	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Borda	Robustness	0.1686	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Borda	Robustness	0.1692	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Kemeny	Robustness	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Kemeny	Robustness	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Kemeny	Robustness	0.1706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Kemeny	Robustness	0.1704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Kemeny	Robustness	0.1634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Kemeny	Robustness	0.173	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Kemeny	Robustness	0.168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Kemeny	Robustness	0.1688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Kemeny	Robustness	0.1632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Kemeny	Robustness	0.1668	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	RRF	Robustness	0.1644	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	RRF	Robustness	0.1688	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	RRF	Robustness	0.1756	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	RRF	Robustness	0.1646	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	RRF	Robustness	0.1714	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	RRF	Robustness	0.1696	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	RRF	Robustness	0.1694	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	RRF	Robustness	0.1702	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	RRF	Robustness	0.1664	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	RRF	Robustness	0.1648	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Schulze	Robustness	0.168	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Schulze	Robustness	0.1794	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Schulze	Robustness	0.176	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Schulze	Robustness	0.1686	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Schulze	Robustness	0.1668	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Schulze	Robustness	0.167	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Schulze	Robustness	0.1658	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Schulze	Robustness	0.167	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Schulze	Robustness	0.1604	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Schulze	Robustness	0.1662	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.1628	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.1726	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.1532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.1558	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.1574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.1514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.1536	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.1564	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Borda	Robustness	-0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Borda	Robustness	-0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Borda	Robustness	-0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Borda	Robustness	-0.13	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Borda	Robustness	-0.1166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Borda	Robustness	-0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Borda	Robustness	-0.1018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Borda	Robustness	-0.0828	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Borda	Robustness	-0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Borda	Robustness	-0.0996	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0702	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0758	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0522	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0712	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0684	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	RRF	Robustness	-0.1048	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	RRF	Robustness	-0.0862	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	RRF	Robustness	-0.0984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	RRF	Robustness	-0.1144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	RRF	Robustness	-0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	RRF	Robustness	-0.086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	RRF	Robustness	-0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	RRF	Robustness	-0.07	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	RRF	Robustness	-0.0842	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	RRF	Robustness	-0.0776	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Schulze	Robustness	-0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Schulze	Robustness	-0.068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Schulze	Robustness	-0.1176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0762	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1008	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1118	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Borda	Robustness	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Borda	Robustness	0.3084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Borda	Robustness	0.317	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Borda	Robustness	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Borda	Robustness	0.3188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Borda	Robustness	0.3256	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Borda	Robustness	0.3172	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Borda	Robustness	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Borda	Robustness	0.3168	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Borda	Robustness	0.3208	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.306	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.3164	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.3108	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.3156	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.3072	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.3166	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.3216	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.3186	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.315	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.317	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	RRF	Robustness	0.3058	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	RRF	Robustness	0.3102	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	RRF	Robustness	0.3196	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	RRF	Robustness	0.3154	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	RRF	Robustness	0.321	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	RRF	Robustness	0.3138	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	RRF	Robustness	0.3126	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	RRF	Robustness	0.3142	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	RRF	Robustness	0.3128	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	RRF	Robustness	0.3134	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Schulze	Robustness	0.306	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Schulze	Robustness	0.3164	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Schulze	Robustness	0.3178	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Schulze	Robustness	0.321	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Schulze	Robustness	0.3148	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Schulze	Robustness	0.3126	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Schulze	Robustness	0.3162	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Schulze	Robustness	0.3202	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Schulze	Robustness	0.3156	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Schulze	Robustness	0.3124	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.2974	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3082	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3086	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3086	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3138	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3156	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3218	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.314	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3182	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3152	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2824	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2728	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2998	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.3188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2854	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2636	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2822	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2824	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2774	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.266	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2542	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.253	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2522	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2888	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2766	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.276	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2654	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2824	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2766	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2536	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2696	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2864	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.3098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.3174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.3106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.3076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2946	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Borda	Robustness	0.1608	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Borda	Robustness	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Borda	Robustness	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Borda	Robustness	0.1502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Borda	Robustness	0.1598	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Borda	Robustness	0.1656	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Borda	Robustness	0.1664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Borda	Robustness	0.1662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Borda	Robustness	0.1576	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Borda	Robustness	0.1624	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.1608	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.1672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.1628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.1542	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.1604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.1656	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.1652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.1568	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.1614	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	RRF	Robustness	0.1606	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	RRF	Robustness	0.1658	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	RRF	Robustness	0.165	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	RRF	Robustness	0.1572	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	RRF	Robustness	0.1618	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	RRF	Robustness	0.1568	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	RRF	Robustness	0.1624	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	RRF	Robustness	0.1598	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	RRF	Robustness	0.1564	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	RRF	Robustness	0.1624	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Schulze	Robustness	0.1608	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Schulze	Robustness	0.1698	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Schulze	Robustness	0.1694	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Schulze	Robustness	0.1578	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Schulze	Robustness	0.1546	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Schulze	Robustness	0.1638	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Schulze	Robustness	0.1618	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Schulze	Robustness	0.1616	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Schulze	Robustness	0.1564	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Schulze	Robustness	0.1592	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1508	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1618	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1386	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1294	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1328	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1382	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1426	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1372	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1396	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1376	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0614	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.047	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0928	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1106	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0932	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0788	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0818	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0624	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0704	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0788	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0614	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0356	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.053	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.045	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0702	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0686	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0622	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.052	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.06	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.066	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0996	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0708	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0566	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0486	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0656	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0646	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0568	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.107	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.105	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0946	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0888	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0938	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0916	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Borda	Robustness	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Borda	Robustness	0.113	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Borda	Robustness	0.1176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Borda	Robustness	0.1138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Borda	Robustness	0.1164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Borda	Robustness	0.126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Borda	Robustness	0.126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Borda	Robustness	0.1238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Borda	Robustness	0.1204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Borda	Robustness	0.1142	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Kemeny	Robustness	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Kemeny	Robustness	0.1116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Kemeny	Robustness	0.1136	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Kemeny	Robustness	0.1202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Kemeny	Robustness	0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Kemeny	Robustness	0.121	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Kemeny	Robustness	0.1234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Kemeny	Robustness	0.1138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Kemeny	Robustness	0.1154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Kemeny	Robustness	0.1136	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	RRF	Robustness	0.107	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	RRF	Robustness	0.1108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	RRF	Robustness	0.1194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	RRF	Robustness	0.1146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	RRF	Robustness	0.1196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	RRF	Robustness	0.1262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	RRF	Robustness	0.1218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	RRF	Robustness	0.1198	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	RRF	Robustness	0.1218	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	RRF	Robustness	0.1126	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Schulze	Robustness	0.1106	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Schulze	Robustness	0.1134	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Schulze	Robustness	0.1156	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Schulze	Robustness	0.115	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Schulze	Robustness	0.1206	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Schulze	Robustness	0.115	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Schulze	Robustness	0.1204	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Schulze	Robustness	0.1196	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Schulze	Robustness	0.1148	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Schulze	Robustness	0.112	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Simple Averaging	Robustness	0.1022	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Simple Averaging	Robustness	0.1116	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Simple Averaging	Robustness	0.121	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Simple Averaging	Robustness	0.1188	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Simple Averaging	Robustness	0.12	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Simple Averaging	Robustness	0.1168	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Simple Averaging	Robustness	0.124	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Simple Averaging	Robustness	0.1174	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Simple Averaging	Robustness	0.1198	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Simple Averaging	Robustness	0.1192	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Borda	Robustness	-0.0906	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Borda	Robustness	-0.0986	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Borda	Robustness	-0.1024	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Borda	Robustness	-0.1142	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Borda	Robustness	-0.107	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Borda	Robustness	-0.1042	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Borda	Robustness	-0.098	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Borda	Robustness	-0.0898	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Borda	Robustness	-0.101	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Borda	Robustness	-0.103	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0906	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0892	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Kemeny	Robustness	-0.1016	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Kemeny	Robustness	-0.1034	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0882	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0924	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0986	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0916	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0904	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0994	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	RRF	Robustness	-0.1034	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	RRF	Robustness	-0.0962	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	RRF	Robustness	-0.102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	RRF	Robustness	-0.108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	RRF	Robustness	-0.0954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	RRF	Robustness	-0.1004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	RRF	Robustness	-0.0882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	RRF	Robustness	-0.0882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	RRF	Robustness	-0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	RRF	Robustness	-0.0958	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Schulze	Robustness	-0.0906	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Schulze	Robustness	-0.0924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Schulze	Robustness	-0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Schulze	Robustness	-0.111	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Schulze	Robustness	-0.0974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Schulze	Robustness	-0.0946	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Schulze	Robustness	-0.0988	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Schulze	Robustness	-0.1016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Schulze	Robustness	-0.0968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Schulze	Robustness	-0.0958	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1012	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0928	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.13	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1278	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1252	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1228	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1196	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Borda	Robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Borda	Robustness	0.084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Borda	Robustness	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Borda	Robustness	0.0764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Borda	Robustness	0.0764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Borda	Robustness	0.084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Borda	Robustness	0.0866	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Borda	Robustness	0.077	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Borda	Robustness	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Borda	Robustness	0.0748	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Kemeny	Robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Kemeny	Robustness	0.0812	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Kemeny	Robustness	0.0806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Kemeny	Robustness	0.0846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Kemeny	Robustness	0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Kemeny	Robustness	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Kemeny	Robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Kemeny	Robustness	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Kemeny	Robustness	0.0726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Kemeny	Robustness	0.0748	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	RRF	Robustness	0.0782	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	RRF	Robustness	0.0804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	RRF	Robustness	0.0828	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	RRF	Robustness	0.0822	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	RRF	Robustness	0.0796	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	RRF	Robustness	0.0858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	RRF	Robustness	0.083	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	RRF	Robustness	0.074	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	RRF	Robustness	0.0752	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	RRF	Robustness	0.0742	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Schulze	Robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Schulze	Robustness	0.0878	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Schulze	Robustness	0.0876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Schulze	Robustness	0.0788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Schulze	Robustness	0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Schulze	Robustness	0.0796	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Schulze	Robustness	0.0808	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Schulze	Robustness	0.0772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Schulze	Robustness	0.0768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Schulze	Robustness	0.077	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Simple Averaging	Robustness	0.0718	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Simple Averaging	Robustness	0.0768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Simple Averaging	Robustness	0.08	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Simple Averaging	Robustness	0.0722	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Simple Averaging	Robustness	0.0736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Simple Averaging	Robustness	0.0774	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Simple Averaging	Robustness	0.0718	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Simple Averaging	Robustness	0.0736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Simple Averaging	Robustness	0.0734	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Borda	Robustness	-0.0278	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Borda	Robustness	-0.0274	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Borda	Robustness	-0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Borda	Robustness	-0.051	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Borda	Robustness	-0.0426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Borda	Robustness	-0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Borda	Robustness	-0.0396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Borda	Robustness	-0.028	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Borda	Robustness	-0.0368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Borda	Robustness	-0.0428	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0278	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0222	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0352	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0446	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0298	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0288	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0328	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0288	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0294	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0362	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	RRF	Robustness	-0.0366	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	RRF	Robustness	-0.0276	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	RRF	Robustness	-0.0386	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	RRF	Robustness	-0.0468	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	RRF	Robustness	-0.039	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	RRF	Robustness	-0.0366	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	RRF	Robustness	-0.0284	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	RRF	Robustness	-0.032	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	RRF	Robustness	-0.0354	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	RRF	Robustness	-0.0342	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Schulze	Robustness	-0.0278	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Schulze	Robustness	-0.0238	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Schulze	Robustness	-0.028	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Schulze	Robustness	-0.049	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Schulze	Robustness	-0.039	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Schulze	Robustness	-0.0368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Schulze	Robustness	-0.0354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Schulze	Robustness	-0.0356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Schulze	Robustness	-0.0386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Schulze	Robustness	-0.035	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0368	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0666	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.063	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0636	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]

Table 291: ImageNet-ResNet-18

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Kemeny	2341.4	10000	kendall__mallows__exact__distance	0.367314	0.002	0.071103	11	False	True	["GuidedBackprop", "DeepLift"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Kemeny	1829.8	15000	kendall__mallows__exact__distance	0.657412	0.002	0.092809	11	False	True	["GuidedBackprop", "DeepLift"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Kemeny	3010.4	20000	kendall__mallows__exact__distance	0.523529	0.002	0.053303	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Kemeny	3433	25000	kendall__mallows__exact__distance	0.345765	0.002	0.045407	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Kemeny	3377.5	30000	kendall__mallows__exact__distance	0.43653	0.002	0.046342	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Kemeny	3218.6	35000	kendall__mallows__exact__distance	0.498314	0.002	0.049178	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "IntegratedGradients"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Kemeny	3257.5	40000	kendall__mallows__exact__distance	0.484005	0.002	0.048461	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "IntegratedGradients", "Saliency"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Kemeny	3164.8	45000	kendall__mallows__exact__distance	0.507886	0.002	0.050196	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "IntegratedGradients", "Saliency", "Deconvolution"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Kemeny	3430.5	50000	kendall__mallows__exact__distance	0.485199	0.002	0.045449	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "IntegratedGradients", "Saliency", "Deconvolution"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Kemeny	3733	55000	kendall__mallows__exact__distance	0.470366	0.002	0.040792	11	True	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "IntegratedGradients", "Saliency", "Deconvolution", "LRP"]	select--Shapet100 Resnet18 Kendall D7D3Ee64D3	d7d3ee64d36247f46091d920f889776260912cba9147ac0655532535fcf9b15a
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Borda	1.0999e+05	10000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.530299	0.002	0.000567	11	False	True	["GuidedBackprop", "DeepLift"]	select--Shapet100 Resnet18 Spearman 8D99B22Ccf	8d99b22ccfcbbe768f7c1e3e4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Borda	1.0523e+05	15000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.661997	0.002	0.000619	11	False	True	["GuidedBackprop", "DeepLift"]	select--Shapet100 Resnet18 Spearman 8D99B22Ccf	8d99b22ccfcbbe768f7c1e3e4faa9b92a75bbd6f22032139937713e58472616e

Cell	Dataset	Model	Distance Model	q	Aggregation	Mean Distance	N Distances	Fit Model	Fit Statistic	Fit P Value	Fit Theta	Selected Q	Selected By Noise	Forced Fallback	Methods	Selection Task Id	Selection Task Digest
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Borda	2.0796e+05	20000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.533641	0.002	0.000479	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Borda	2.3254e+05	25000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.475614	0.002	0.000324	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Borda	2.3084e+05	30000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.505821	0.002	0.00033	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Borda	2.2177e+05	35000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.569208	0.002	0.000372	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "Integrated Gradients"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Borda	2.2576e+05	40000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.574619	0.002	0.00035	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "Integrated Gradients", "Saliency"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Borda	2.1949e+05	45000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.612495	0.002	0.000391	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "Integrated Gradients", "Saliency", "Deconvolution"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Borda	2.5082e+05	50000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.548654	0.002	0.000237	11	False	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "Integrated Gradients", "Saliency", "Deconvolution"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Borda	2.9165e+05	55000	spearman__mallows__multi__proposal__importance__binned__symmetric__approximation	0.518147	0.002	0.0002	11	True	True	["GuidedBackprop", "DeepLift", "Occlusion", "Shap", "Integrated Gradients", "Saliency", "Deconvolution", "LRP"]	select--ShapNet18Spearman8D99B22Ccf	8d99b22ccf1e3a4faa9b92a75bbd6f22032139937713e58472616e

Table 292: ImageNet-ResNet-18

Cell	Dataset	Model	Distance Model	Q	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9313659805583625,"theta":0.07110297416172548},"refit":true,"statistic":0.36731423860643314}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9113679650165656,"theta":0.09280854997290532},"refit":true,"statistic":0.6574116057318559}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9480924490778351,"theta":0.05330326135759485},"refit":true,"statistic":0.523528703970783}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9556080685815598,"theta":0.04540742009442508},"refit":true,"statistic":0.34576468985521125}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9547156230169029,"theta":0.04634175979141623},"refit":true,"statistic":0.436530392986687}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9520115263126965,"theta":0.04917813679274675},"refit":true,"statistic":0.4983138493909424}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9526947385293467,"theta":0.04846074297873692},"refit":true,"statistic":0.4840045116519351}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9510434376363106,"theta":0.05019554173189128},"refit":true,"statistic":0.5078858931173807}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9555683046674079,"theta":0.04544903207196327},"refit":true,"statistic":0.48519850278359905}
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	{ "B":499,"model_name":"kendall_mallows_exact_distance","p_value":0.002,"parameters":{"boundary":false,"q":0.9600283587462892,"theta":0.04079245459584505},"refit":true,"statistic":0.47036583430258405}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0005672574205980102,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5302987023290755}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0006187030635993298,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.661996931655774}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0004793360027024571,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5336408661525791}}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00032355900022518886,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.47561392773924416}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric',"bin__count":795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669',"converged":true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795',"pilot__seed":20260714,"r__hat":0.999239035886331,"repeated__p__value__absolute__difference":0.0,"runtime__seed":20260714,"support__completion':'exact__reverse__symmetry',"theoretical__maximum__distance':2509780,'theta":0.0003296815780387451,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5058211492112044}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00037161212964381327,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5692083884711345}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0003499978521621438,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.57461867804773}}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00039056033155161903,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.6124953641736898}

Cell	Dataset	Model	Distance Model	<i>q</i>	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.00023691392619625912,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5486543799104231}

Cell	Dataset	Model	Distance Model	q	Gof Json
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	{'B':499,'model__name':'spearman__mallows__multi__proposal__importance__binned__symmetric__approximation__','p__value':0.002,'parameters':{'approximation':'multi__proposal__importance__binned__symmetric','bin__count':795,'boundary':false,'calibration__config__digest':'b63b4b88f948784fc9b4d964a113e3f6b397e36d7e03b707e1f1f484ce67669','converged':true,'ess':3393.3187352208124,'exact':false,'full__support':true,'maximum__calibrated__distance':2509780,'maximum__symmetry__residual':0.9541754783417995,'maximum__unsampled__distance_gap__fraction':0.002012925435695559,'original__maximum__distance':1603644,'pilot__digest':'a8105aa5a3c782ae2f28aacf00235f5a35feacae f70f231824fd838eab4c8795','pilot__seed':20260714,'r__hat':0.9999239035886331,'repeated__p__value__absolute__difference':0.0,'runtime__seed':20260714,'support__completion':'exact__reverse__symmetry','theoretical__maximum__distance':2509780,'theta':0.0002004249795012898,'upper__tail__probability__bound':0.002493330037518726,'validation__bin__ess':1.005307755246587,'validation__distances__digest':'b571516ba9193a920925c33b5e94dd031daa21e3eb02a97bb b1755591aa21fd'},'refit':true,'statistic':0.5181465957489088}

Table 293: ImageNet-ResNet-18

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	Borda	Quality	max	5	0.312	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	Borda	Quality	min	2	0.2586	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	Borda	Quality	max	5	0.1876	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	Borda	Quality	min	2	0.1452	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	Borda	Robustness	max	11	-0.1882	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	Borda	Robustness	max	5	0.072	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	Borda	Robustness	max	8	-0.094	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	Borda	Robustness	max	6	0.0324	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	Borda	Robustness	max	6	0.3474	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	Borda	Robustness	max	9	-0.2942	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	Borda	Robustness	max	7	0.178	[7]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	Borda	Robustness	max	9	-0.0828	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	Borda	Robustness	max	7	0.3256	[7]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	Borda	Robustness	max	9	-0.2636	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	Borda	Robustness	max	8	0.1664	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	Borda	Robustness	max	3	-0.047	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	Borda	Robustness	max	7	0.126	[7,8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	Borda	Robustness	max	9	-0.0898	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	Borda	Robustness	max	8	0.0866	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	Borda	Robustness	max	3	-0.0274	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	Kemeny	Quality	max	5	0.3128	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	Kemeny	Quality	min	2	0.2586	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	Kemeny	Quality	max	5	0.1874	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	Kemeny	Quality	min	2	0.1452	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	Kemeny	Robustness	max	11	-0.179	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	max	5	0.0746	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	Kemeny	Robustness	max	11	-0.0904	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	max	6	0.036	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	Kemeny	Robustness	max	7	0.3358	[7]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	Kemeny	Robustness	max	9	-0.2642	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	Kemeny	Robustness	max	3	0.175	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	Kemeny	Robustness	max	9	-0.0522	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	Kemeny	Robustness	max	8	0.3216	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	Kemeny	Robustness	max	9	-0.2452	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	Kemeny	Robustness	max	3	0.1672	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	Kemeny	Robustness	max	3	-0.0356	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	Kemeny	Robustness	max	8	0.1234	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	Kemeny	Robustness	max	6	-0.0882	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	Kemeny	Robustness	max	5	0.0846	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	Kemeny	Robustness	max	3	-0.0222	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	RRF	Quality	max	5	0.3152	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	RRF	Quality	min	2	0.256	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	RRF	Quality	max	5	0.1886	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	RRF	Quality	min	2	0.1424	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	RRF	Robustness	max	10	-0.1868	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	RRF	Robustness	max	6	0.0784	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	RRF	Robustness	max	11	-0.0956	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	RRF	Robustness	max	6	0.0382	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	RRF	Robustness	max	6	0.3436	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	RRF	Robustness	max	9	-0.2768	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	RRF	Robustness	max	4	0.1756	[4]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	RRF	Robustness	max	9	-0.07	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	RRF	Robustness	max	6	0.321	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	RRF	Robustness	max	9	-0.2524	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	RRF	Robustness	max	3	0.1658	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	RRF	Robustness	max	9	-0.052	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	RRF	Robustness	max	7	0.1262	[7]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	RRF	Robustness	max	8	-0.0882	[8,9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	RRF	Robustness	max	7	0.0858	[7]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	RRF	Robustness	max	3	-0.0276	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	Schulze	Quality	max	5	0.312	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	Schulze	Quality	min	2	0.2586	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	Schulze	Quality	max	5	0.1876	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	Schulze	Quality	min	2	0.1452	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	Schulze	Robustness	max	9	-0.1846	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	Schulze	Robustness	max	5	0.0798	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	Schulze	Robustness	max	11	-0.0926	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	Schulze	Robustness	max	5	0.0352	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	Schulze	Robustness	max	6	0.339	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	Schulze	Robustness	max	10	-0.2776	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	Schulze	Robustness	max	3	0.1794	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	Schulze	Robustness	max	9	-0.0652	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	Schulze	Robustness	max	5	0.321	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	Schulze	Robustness	max	10	-0.2512	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	Schulze	Robustness	max	3	0.1698	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	Schulze	Robustness	max	3	-0.0382	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	Schulze	Robustness	max	6	0.1206	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	Schulze	Robustness	max	2	-0.0906	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	Schulze	Robustness	max	3	0.0878	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	Schulze	Robustness	max	3	-0.0238	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	Simple Averaging	Quality	max	2	0.3056	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	Simple Averaging	Quality	min	2	0.2646	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	Simple Averaging	Quality	max	2	0.1814	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	Simple Averaging	Quality	min	2	0.15	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	Simple Averaging	Robustness	max	8	-0.173	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	max	4	0.0788	[4]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	Simple Averaging	Robustness	max	5	-0.0908	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	max	5	0.0428	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	Simple Averaging	Robustness	max	8	0.35	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	Simple Averaging	Robustness	max	3	-0.3048	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	Simple Averaging	Robustness	max	3	0.1726	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	Simple Averaging	Robustness	max	3	-0.088	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	Simple Averaging	Robustness	max	8	0.3218	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	max	3	-0.2764	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	Simple Averaging	Robustness	max	3	0.1618	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	max	3	-0.0568	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	Simple Averaging	Robustness	max	8	0.124	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	Simple Averaging	Robustness	max	3	-0.0928	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	Simple Averaging	Robustness	max	4	0.08	[4]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	Simple Averaging	Robustness	max	3	-0.0282	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

Table 294: ImageNet-ResNet-18

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap"]	0.1814	0.15	0.3056	0.2646	0.3442	0.2508	0.6302	0.5798	0.3322	0.2146	0.603
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Borda	False	["GuidedBack prop", "DeepLiftShap"]	0.1818	0.1452	0.308	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614
ImageNet-ResNet-18	ImageNet	ResNet-18	2	RRF	False	["GuidedBack prop", "DeepLiftShap"]	0.1812	0.1424	0.3074	0.256	0.3456	0.2472	0.6344	0.5794	0.3418	0.2126	0.6132
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Kemeny	False	["GuidedBack prop", "DeepLiftShap"]	0.1818	0.1452	0.308	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Schulze	False	["GuidedBack prop", "DeepLiftShap"]	0.1818	0.1452	0.308	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]	0.1762	0.1638	0.2996	0.2752	0.3488	0.2518	0.628	0.58	0.338	0.2206	0.6078
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]	0.1762	0.1586	0.3034	0.2688	0.3458	0.2502	0.621	0.5822	0.3378	0.2056	0.6118
ImageNet-ResNet-18	ImageNet	ResNet-18	3	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]	0.1762	0.1612	0.3022	0.2716	0.345	0.2474	0.6178	0.5848	0.342	0.2144	0.6124
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]	0.17	0.1904	0.2916	0.3044	0.345	0.2452	0.6196	0.5826	0.3372	0.226	0.608
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]	0.1658	0.1786	0.2924	0.291	0.3452	0.2466	0.6206	0.581	0.3356	0.2168	0.6088
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]	0.1804	0.238	0.3024	0.3706	0.3336	0.3558	0.6396	0.6988	0.319	0.3414	0.611
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]	0.1856	0.1802	0.3116	0.3024	0.3572	0.2936	0.6454	0.6286	0.3468	0.273	0.6286
ImageNet-ResNet-18	ImageNet	ResNet-18	4	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]	0.1834	0.1606	0.3066	0.2748	0.359	0.259	0.6396	0.595	0.3484	0.2326	0.6262
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]	0.175	0.165	0.2978	0.2772	0.3456	0.251	0.6268	0.5858	0.3362	0.2256	0.6086
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation"]	0.1704	0.1726	0.2974	0.2872	0.3464	0.2544	0.6212	0.5876	0.3398	0.2238	0.6152
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]	0.1726	0.2698	0.2872	0.4004	0.3286	0.396	0.6342	0.743	0.302	0.3768	0.5958
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]	0.1876	0.1982	0.312	0.3216	0.3552	0.3282	0.6526	0.6714	0.3378	0.3088	0.6248
ImageNet-ResNet-18	ImageNet	ResNet-18	5	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]	0.1886	0.1868	0.3152	0.3094	0.3532	0.3012	0.6504	0.6418	0.3458	0.2834	0.6306
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]	0.1874	0.1658	0.3128	0.2872	0.3578	0.2618	0.6448	0.5934	0.3502	0.2342	0.6284
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion"]	0.1876	0.2018	0.312	0.3258	0.3562	0.3194	0.649	0.6594	0.3454	0.3014	0.633
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]	0.1738	0.2632	0.2876	0.3954	0.3296	0.387	0.6354	0.732	0.3066	0.3682	0.6014
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]	0.1782	0.2092	0.2986	0.3324	0.3554	0.3258	0.646	0.6682	0.338	0.3024	0.6174
ImageNet-ResNet-18	ImageNet	ResNet-18	6	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]	0.1798	0.1964	0.2986	0.318	0.3512	0.293	0.6422	0.6312	0.3416	0.2696	0.6196
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]	0.1806	0.1868	0.306	0.3056	0.344	0.2644	0.623	0.6008	0.3348	0.2416	0.6132
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap"]	0.181	0.1956	0.3008	0.3152	0.3478	0.2824	0.6398	0.6186	0.3356	0.2632	0.6156
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]	0.1742	0.2592	0.2898	0.3896	0.3302	0.3744	0.6346	0.721	0.3124	0.3592	0.6054
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]	0.1698	0.2242	0.289	0.3482	0.3478	0.3284	0.6342	0.6684	0.3354	0.303	0.6146
ImageNet-ResNet-18	ImageNet	ResNet-18	7	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]	0.1728	0.2046	0.2912	0.323	0.3424	0.2906	0.6282	0.6296	0.3296	0.2732	0.605

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{toxin}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]	0.1716	0.2088	0.2884	0.3304	0.3446	0.279	0.6242	0.615	0.332	0.2558	0.605
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients"]	0.175	0.1954	0.2966	0.3174	0.342	0.2732	0.6212	0.6108	0.3388	0.2662	0.6092
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.1724	0.2574	0.285	0.3894	0.3298	0.3698	0.635	0.715	0.315	0.352	0.6068
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.1634	0.2196	0.2844	0.3448	0.3376	0.3214	0.6266	0.6638	0.3298	0.3014	0.6016
ImageNet-ResNet-18	ImageNet	ResNet-18	8	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.1682	0.2076	0.2878	0.3306	0.3376	0.2886	0.6226	0.6268	0.3306	0.2698	0.6004
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.1642	0.2098	0.282	0.3298	0.3322	0.2856	0.6104	0.623	0.3298	0.2628	0.6036
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency"]	0.1672	0.2068	0.2844	0.3316	0.333	0.2836	0.6094	0.6188	0.329	0.2634	0.6006
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]	0.1748	0.2538	0.2882	0.3882	0.3262	0.3634	0.629	0.7084	0.312	0.3426	0.6022
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]	0.1618	0.2388	0.2778	0.3664	0.3334	0.3216	0.6196	0.6606	0.328	0.3012	0.6024
ImageNet-ResNet-18	ImageNet	ResNet-18	9	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]	0.1644	0.2258	0.2798	0.3552	0.3346	0.2958	0.6122	0.632	0.3242	0.2778	0.594
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]	0.1574	0.2394	0.2744	0.3634	0.3262	0.2916	0.6022	0.6276	0.3226	0.279	0.593
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Schulze	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient"]	0.1578	0.2342	0.2694	0.3564	0.3248	0.2994	0.6022	0.6382	0.3194	0.28	0.5896
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Simple Averaging	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]	0.1736	0.2494	0.2858	0.3858	0.3272	0.3622	0.631	0.7058	0.3132	0.3432	0.604
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Borda	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]	0.1616	0.2284	0.2768	0.3514	0.3302	0.3254	0.6164	0.6654	0.3192	0.2988	0.5936
ImageNet-ResNet-18	ImageNet	ResNet-18	10	RRF	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]	0.1638	0.217	0.2772	0.3388	0.3302	0.3012	0.6094	0.6356	0.3202	0.277	0.59
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Kemeny	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAbl ation", "Occlusion", "Gradient Shap", "Integrated Gradients", "Saliency", "InputXGrad ient", "Deconvolution"]	0.1586	0.2292	0.2722	0.3546	0.3218	0.3004	0.5952	0.6362	0.3154	0.2762	0.5872

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{toxin}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	$\bar{F}$ Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	$\bar{C}$ Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	$\bar{F}$ Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Schulze	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAb- lation', 'Occlusion', 'GradientShap', 'Integrated Gradients', 'Saliency', 'InputXGrad- ient', 'Deconvolution']	0.1618	0.2262	0.2758	0.3522	0.3222	0.2966	0.6004	0.6298	0.3182	0.2748	0.5914
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Simple Averaging	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAb- lation', 'Occlusion', 'GradientShap', 'Integrated Gradients', 'Saliency', 'InputXGrad- ient', 'Deconvolution', 'LRP']	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Borda	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAb- lation', 'Occlusion', 'GradientShap', 'Integrated Gradients', 'Saliency', 'InputXGrad- ient', 'Deconvolution', 'LRP']	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964
ImageNet-ResNet-18	ImageNet	ResNet-18	11	RRF	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAb- lation', 'Occlusion', 'GradientShap', 'Integrated Gradients', 'Saliency', 'InputXGrad- ient', 'Deconvolution', 'LRP']	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Kemeny	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAb- lation', 'Occlusion', 'GradientShap', 'Integrated Gradients', 'Saliency', 'InputXGrad- ient', 'Deconvolution', 'LRP']	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Schulze	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAb- lation', 'Occlusion', 'GradientShap', 'Integrated Gradients', 'Saliency', 'InputXGrad- ient', 'Deconvolution', 'LRP']	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884

Table 295: ImageNet–ResNet-18

Cell	Dataset	Model	Q	C Perturbed Salt-pep per-0.05	F Perturbed Speckle- 0.15	F Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	F Perturbed Adversar ial-sara -2-255	F Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	R_F Gaussian-0.15	R_F Gaussian-0.15	R_C Gaussian-0.15	R_C Gaussian-0.15	R_F Salt-pepper-0.05
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.551	0.2532	0.1868	0.4078	0.3658	0.0666	0.1256	0.0932	0.2054	0.1628	-0.1008	0.3246	-0.3152	0.1508
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.541	0.2634	0.173	0.4186	0.3492	0.0658	0.122	0.0922	0.2	0.168	-0.1014	0.3244	-0.3204	0.1608
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.5448	0.2594	0.179	0.4144	0.3594	0.0652	0.119	0.0926	0.1954	0.1644	-0.1048	0.327	-0.3234	0.1606
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.541	0.2634	0.173	0.4186	0.3492	0.0658	0.122	0.0922	0.2	0.168	-0.1014	0.3244	-0.3204	0.1608
ImageNet–ResNet-18	ImageNet	ResNet-18	2	0.541	0.2634	0.173	0.4186	0.3492	0.0658	0.122	0.0922	0.2	0.168	-0.1014	0.3244	-0.3204	0.1608
ImageNet–ResNet-18	ImageNet	ResNet-18	3	0.5516	0.253	0.192	0.4112	0.368	0.0608	0.1456	0.0852	0.2218	0.1726	-0.088	0.3284	-0.3048	0.1618
ImageNet–ResNet-18	ImageNet	ResNet-18	3	0.5416	0.2602	0.186	0.4164	0.3674	0.0612	0.1364	0.0856	0.2154	0.1696	-0.0916	0.3176	-0.3134	0.1616
ImageNet–ResNet-18	ImageNet	ResNet-18	3	0.5482	0.2566	0.1888	0.413	0.3678	0.0622	0.141	0.0858	0.2192	0.1688	-0.0862	0.3156	-0.3132	0.1658
ImageNet–ResNet-18	ImageNet	ResNet-18	3	0.5632	0.2512	0.2126	0.4032	0.3936	0.0586	0.1786	0.0824	0.2654	0.175	-0.0548	0.328	-0.2782	0.1672
ImageNet–ResNet-18	ImageNet	ResNet-18	3	0.5556	0.2536	0.2024	0.4058	0.3834	0.06	0.172	0.0832	0.2552	0.1794	-0.068	0.3282	-0.29	0.1698
ImageNet–ResNet-18	ImageNet	ResNet-18	4	0.6804	0.2604	0.3068	0.4234	0.494	0.0834	0.204	0.1142	0.2918	0.1532	-0.1178	0.3372	-0.3282	0.1386
ImageNet–ResNet-18	ImageNet	ResNet-18	4	0.6022	0.2654	0.2204	0.4292	0.4048	0.0756	0.15	0.1056	0.2312	0.1716	-0.1134	0.3338	-0.3262	0.1612
ImageNet–ResNet-18	ImageNet	ResNet-18	4	0.5588	0.2662	0.1992	0.426	0.3768	0.073	0.1346	0.1018	0.211	0.1756	-0.0984	0.333	-0.3202	0.165
ImageNet–ResNet-18	ImageNet	ResNet-18	4	0.5528	0.2556	0.2002	0.4114	0.3788	0.0684	0.1562	0.0932	0.237	0.1706	-0.086	0.329	-0.3086	0.1612
ImageNet–ResNet-18	ImageNet	ResNet-18	4	0.5544	0.258	0.2006	0.413	0.3788	0.0658	0.1584	0.0914	0.2364	0.176	-0.0818	0.3238	-0.3004	0.1694
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.7178	0.2448	0.3364	0.406	0.5304	0.0818	0.227	0.114	0.322	0.156	-0.1262	0.347	-0.3426	0.1294
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.6404	0.264	0.2492	0.4258	0.4358	0.0768	0.172	0.109	0.2496	0.1676	-0.13	0.3406	-0.3498	0.1502
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.6166	0.2708	0.2336	0.4298	0.4174	0.0784	0.1548	0.1102	0.234	0.1646	-0.1144	0.3352	-0.3324	0.1572
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.5646	0.272	0.2104	0.433	0.3906	0.0768	0.1386	0.1074	0.2126	0.1704	-0.096	0.332	-0.3062	0.1628
ImageNet–ResNet-18	ImageNet	ResNet-18	5	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.1104	0.246	0.1686	-0.1176	0.337	-0.3336	0.1578
ImageNet–ResNet-18	ImageNet	ResNet-18	6	0.706	0.2494	0.3292	0.4076	0.5232	0.0804	0.2218	0.1126	0.317	0.1558	-0.1238	0.3478	-0.3366	0.1328
ImageNet–ResNet-18	ImageNet	ResNet-18	6	0.6392	0.2546	0.2518	0.415	0.4394	0.074	0.1768	0.1012	0.2648	0.1772	-0.1166	0.3474	-0.3358	0.1598
ImageNet–ResNet-18	ImageNet	ResNet-18	6	0.5984	0.2594	0.2354	0.4182	0.4134	0.0766	0.1582	0.1052	0.2396	0.1714	-0.0966	0.3436	-0.3152	0.1618
ImageNet–ResNet-18	ImageNet	ResNet-18	6	0.5716	0.2616	0.2166	0.4194	0.3938	0.0706	0.1508	0.0984	0.2342	0.1634	-0.0776	0.317	-0.2952	0.1542
ImageNet–ResNet-18	ImageNet	ResNet-18	6	0.5938	0.262	0.2346	0.4214	0.4126	0.073	0.1668	0.1002	0.2482	0.1668	-0.0868	0.339	-0.3034	0.1546
ImageNet–ResNet-18	ImageNet	ResNet-18	7	0.6972	0.2478	0.318	0.4066	0.5148	0.0802	0.2222	0.1122	0.314	0.156	-0.1152	0.3448	-0.3314	0.1382
ImageNet–ResNet-18	ImageNet	ResNet-18	7	0.6394	0.2538	0.2644	0.415	0.4524	0.0708	0.1926	0.0966	0.2788	0.178	-0.1042	0.3452	-0.3202	0.1566
ImageNet–ResNet-18	ImageNet	ResNet-18	7	0.599	0.2586	0.2412	0.4174	0.4234	0.0724	0.1794	0.0982	0.2626	0.1696	-0.086	0.337	-0.3066	0.1568
ImageNet–ResNet-18	ImageNet	ResNet-18	7	0.5846	0.2514	0.2376	0.4094	0.4228	0.068	0.183	0.094	0.2716	0.173	-0.0702	0.3358	-0.2846	0.1604
ImageNet–ResNet-18	ImageNet	ResNet-18	7	0.594	0.2546	0.2322	0.4116	0.412	0.073	0.17	0.0982	0.2544	0.167	-0.0778	0.3246	-0.2934	0.1638
ImageNet–ResNet-18	ImageNet	ResNet-18	8	0.688	0.2498	0.3212	0.409	0.5122	0.0812	0.218	0.112	0.3108	0.1574	-0.1124	0.35	-0.3256	0.1426
ImageNet–ResNet-18	ImageNet	ResNet-18	8	0.6302	0.25	0.2592	0.4104	0.4428	0.0694	0.1998	0.0946	0.2864	0.1742	-0.1018	0.3422	-0.319	0.1664
ImageNet–ResNet-18	ImageNet	ResNet-18	8	0.5988	0.2512	0.236	0.4096	0.4188	0.0688	0.1836	0.0952	0.2662	0.1694	-0.081	0.3348	-0.2962	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	8	0.5922	0.2458	0.2426	0.4054	0.4284	0.066	0.1884	0.0914	0.2754	0.168	-0.0758	0.3284	-0.2932	0.1656
ImageNet–ResNet-18	ImageNet	ResNet-18	8	0.592	0.248	0.2422	0.4048	0.4304	0.0668	0.1866	0.092	0.2734	0.1658	-0.0768	0.325	-0.2872	0.1618
ImageNet–ResNet-18	ImageNet	ResNet-18	9	0.6816	0.2466	0.3168	0.4056	0.506	0.0784	0.22	0.1078	0.3136	0.1514	-0.1096	0.3408	-0.3202	0.1372
ImageNet–ResNet-18	ImageNet	ResNet-18	9	0.63	0.2388	0.2668	0.4016	0.4562	0.0646	0.2154	0.0892	0.3068	0.1716	-0.0828	0.3418	-0.2942	0.1662
ImageNet–ResNet-18	ImageNet	ResNet-18	9	0.6076	0.2384	0.2578	0.3996	0.4434	0.0674	0.2026	0.0926	0.2918	0.1702	-0.07	0.3324	-0.2768	0.1598
ImageNet–ResNet-18	ImageNet	ResNet-18	9	0.6086	0.233	0.2682	0.3882	0.455	0.0602	0.2156	0.0854	0.3088	0.1688	-0.0522	0.3278	-0.2642	0.1652
ImageNet–ResNet-18	ImageNet	ResNet-18	9	0.61	0.235	0.2698	0.389	0.458	0.061	0.2202	0.0848	0.3138	0.167	-0.0652	0.3328	-0.2818	0.1616
ImageNet–ResNet-18	ImageNet	ResNet-18	10	0.6816	0.2472	0.314	0.4056	0.504	0.0776	0.217	0.1074	0.3106	0.1536	-0.1128	0.3452	-0.32	0.1396
ImageNet–ResNet-18	ImageNet	ResNet-18	10	0.6292	0.2372	0.2652	0.3972	0.4524	0.0644	0.2072	0.0884	0.3018	0.1686	-0.097	0.3396	-0.314	0.1576
ImageNet–ResNet-18	ImageNet	ResNet-18	10	0.6022	0.239	0.2524	0.399	0.4354	0.0668	0.1968	0.0904	0.2886	0.1664	-0.0842	0.3322	-0.2968	0.1564
ImageNet–ResNet-18	ImageNet	ResNet-18	10	0.6076	0.2312	0.2586	0.3876	0.445	0.0628	0.2066	0.0874	0.2994	0.1632	-0.0712	0.323	-0.2816	0.1568
ImageNet–ResNet-18	ImageNet	ResNet-18	10	0.6034	0.2386	0.2648	0.3906	0.449	0.0644	0.2116	0.0888	0.3036	0.1604	-0.0704	0.3246	-0.2776	0.1564
ImageNet–ResNet-18	ImageNet	ResNet-18	11	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	0.1564	-0.1118	0.3474	-0.3208	0.1376
ImageNet–ResNet-18	ImageNet	ResNet-18	11	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	0.1692	-0.0996	0.3384	-0.3208	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	11	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	0.1648	-0.0776	0.3286	-0.2944	0.1624
ImageNet–ResNet-18	ImageNet	ResNet-18	11	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	0.1668	-0.0684	0.3296	-0.2774	0.1614
ImageNet–ResNet-18	ImageNet	ResNet-18	11	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	0.1662	-0.0762	0.3296	-0.288	0.1592

Table 296: ImageNet-ResNet-18

Cell	Dataset	Model	Q	R_F Salt-pepper-0.05	R_C Salt-pepper-0.05	R_G Salt-pepper-0.05	R_F Salt-pepper-0.05	R_F Salt-pepper-0.05	R_C Salt-pepper-0.05	R_G Salt-pepper-0.05	R_F Salt-pepper-0.05	R_F Salt-pepper-0.05	R_C Salt-pepper-0.05	R_G Salt-pepper-0.05	R_F Salt-pepper-0.05	R_F Salt-pepper-0.05	R_C Salt-pepper-0.05	R_G Salt-pepper-0.05
ImageNet-ResNet-18	ImageNet	ResNet-18	2	-0.0646	0.2974	-0.2864	0.0718	-0.0368	0.1022	-0.1012	-0.1148	0.0244	-0.2124	0.0592				
ImageNet-ResNet-18	ImageNet	ResNet-18	2	-0.0614	0.306	-0.2824	0.0816	-0.0278	0.1106	-0.0906	-0.116	0.0232	-0.2158	0.0586				
ImageNet-ResNet-18	ImageNet	ResNet-18	2	-0.0702	0.3058	-0.2888	0.0782	-0.0366	0.107	-0.1034	-0.116	0.0234	-0.2148	0.0606				
ImageNet-ResNet-18	ImageNet	ResNet-18	2	-0.0614	0.306	-0.2824	0.0816	-0.0278	0.1106	-0.0906	-0.116	0.0232	-0.2158	0.0586				
ImageNet-ResNet-18	ImageNet	ResNet-18	2	-0.0614	0.306	-0.2824	0.0816	-0.0278	0.1106	-0.0906	-0.116	0.0232	-0.2158	0.0586				
ImageNet-ResNet-18	ImageNet	ResNet-18	3	-0.0568	0.3082	-0.2764	0.0768	-0.0282	0.1116	-0.0928	-0.1154	0.0182	-0.2144	0.0534				
ImageNet-ResNet-18	ImageNet	ResNet-18	3	-0.047	0.3084	-0.2728	0.084	-0.0274	0.113	-0.0986	-0.115	0.0222	-0.2178	0.0534				
ImageNet-ResNet-18	ImageNet	ResNet-18	3	-0.0532	0.3102	-0.2766	0.0804	-0.0276	0.1108	-0.0962	-0.114	0.0202	-0.2164	0.0524				
ImageNet-ResNet-18	ImageNet	ResNet-18	3	-0.0356	0.3164	-0.2588	0.0812	-0.0222	0.1116	-0.0892	-0.1114	0.0118	-0.2092	0.039				
ImageNet-ResNet-18	ImageNet	ResNet-18	3	-0.0382	0.3164	-0.2646	0.0878	-0.0238	0.1134	-0.0924	-0.1058	0.0066	-0.2092	0.0358				
ImageNet-ResNet-18	ImageNet	ResNet-18	4	-0.1034	0.3086	-0.3098	0.08	-0.0688	0.121	-0.1234	-0.097	0.034	-0.1882	0.0788				
ImageNet-ResNet-18	ImageNet	ResNet-18	4	-0.0928	0.317	-0.2998	0.0798	-0.0402	0.1176	-0.1024	-0.11	0.0302	-0.206	0.0712				
ImageNet-ResNet-18	ImageNet	ResNet-18	4	-0.072	0.3196	-0.284	0.0828	-0.0386	0.1194	-0.102	-0.1104	0.026	-0.2048	0.0638				
ImageNet-ResNet-18	ImageNet	ResNet-18	4	-0.0606	0.3108	-0.2756	0.0806	-0.0352	0.1136	-0.1016	-0.1066	0.0088	-0.2046	0.0402				
ImageNet-ResNet-18	ImageNet	ResNet-18	4	-0.0512	0.3178	-0.2672	0.0876	-0.028	0.1156	-0.0916	-0.1046	0.0142	-0.206	0.0508				
ImageNet-ResNet-18	ImageNet	ResNet-18	5	-0.107	0.3086	-0.3174	0.0722	-0.0666	0.1188	-0.13	-0.0908	0.0428	-0.1732	0.0784				
ImageNet-ResNet-18	ImageNet	ResNet-18	5	-0.1106	0.3128	-0.3188	0.0764	-0.051	0.1138	-0.1142	-0.1108	0.0262	-0.203	0.072				
ImageNet-ResNet-18	ImageNet	ResNet-18	5	-0.0966	0.3154	-0.3072	0.0822	-0.0468	0.1146	-0.108	-0.1102	0.032	-0.205	0.0754				
ImageNet-ResNet-18	ImageNet	ResNet-18	5	-0.0684	0.3156	-0.2774	0.0846	-0.0446	0.1202	-0.1034	-0.1106	0.0272	-0.2054	0.0746				
ImageNet-ResNet-18	ImageNet	ResNet-18	5	-0.0996	0.321	-0.3072	0.0788	-0.049	0.115	-0.111	-0.1092	0.0352	-0.2016	0.0798				
ImageNet-ResNet-18	ImageNet	ResNet-18	6	-0.105	0.3138	-0.3106	0.0756	-0.066	0.12	-0.1278	-0.0934	0.0414	-0.175	0.0784				
ImageNet-ResNet-18	ImageNet	ResNet-18	6	-0.0932	0.3188	-0.3068	0.0764	-0.0426	0.1164	-0.107	-0.1042	0.0324	-0.1974	0.0676				
ImageNet-ResNet-18	ImageNet	ResNet-18	6	-0.0732	0.321	-0.2804	0.0796	-0.039	0.1196	-0.0954	-0.1032	0.0382	-0.1934	0.0784				
ImageNet-ResNet-18	ImageNet	ResNet-18	6	-0.0548	0.3072	-0.266	0.081	-0.0298	0.1134	-0.0882	-0.11	0.036	-0.2076	0.0714				
ImageNet-ResNet-18	ImageNet	ResNet-18	6	-0.0676	0.3148	-0.2786	0.081	-0.039	0.1206	-0.0974	-0.108	0.0288	-0.2006	0.067				
ImageNet-ResNet-18	ImageNet	ResNet-18	7	-0.1	0.3156	-0.3076	0.0736	-0.0588	0.1168	-0.1252	-0.094	0.037	-0.1776	0.0756				
ImageNet-ResNet-18	ImageNet	ResNet-18	7	-0.0788	0.3256	-0.2912	0.084	-0.0402	0.126	-0.1042	-0.099	0.0316	-0.1924	0.0694				
ImageNet-ResNet-18	ImageNet	ResNet-18	7	-0.0686	0.3138	-0.276	0.0858	-0.0366	0.1262	-0.1004	-0.1004	0.0252	-0.193	0.0604				
ImageNet-ResNet-18	ImageNet	ResNet-18	7	-0.047	0.3166	-0.2542	0.0798	-0.0288	0.121	-0.0924	-0.1036	0.0258	-0.1944	0.0588				
ImageNet-ResNet-18	ImageNet	ResNet-18	7	-0.0708	0.3126	-0.2766	0.0796	-0.0368	0.115	-0.0946	-0.102	0.0254	-0.1984	0.063				
ImageNet-ResNet-18	ImageNet	ResNet-18	8	-0.0946	0.3218	-0.2986	0.0774	-0.0638	0.124	-0.1228	-0.0912	0.0394	-0.173	0.0786				
ImageNet-ResNet-18	ImageNet	ResNet-18	8	-0.0818	0.3172	-0.2854	0.0866	-0.0396	0.126	-0.098	-0.094	0.0198	-0.1898	0.0584				
ImageNet-ResNet-18	ImageNet	ResNet-18	8	-0.0622	0.3126	-0.2682	0.083	-0.0284	0.1218	-0.0882	-0.0994	0.024	-0.1926	0.0644				
ImageNet-ResNet-18	ImageNet	ResNet-18	8	-0.053	0.3216	-0.2624	0.0816	-0.0328	0.1234	-0.0986	-0.0982	0.0214	-0.1906	0.0544				
ImageNet-ResNet-18	ImageNet	ResNet-18	8	-0.0566	0.3162	-0.2604	0.0808	-0.0354	0.1204	-0.0988	-0.1004	0.0202	-0.1924	0.0582				
ImageNet-ResNet-18	ImageNet	ResNet-18	9	-0.0888	0.314	-0.2934	0.0718	-0.063	0.1174	-0.1178	-0.0964	0.0338	-0.1804	0.0746				
ImageNet-ResNet-18	ImageNet	ResNet-18	9	-0.0624	0.3246	-0.2636	0.077	-0.028	0.1238	-0.0898	-0.0972	0.0234	-0.1886	0.0596				
ImageNet-ResNet-18	ImageNet	ResNet-18	9	-0.052	0.3142	-0.2524	0.074	-0.032	0.1198	-0.0882	-0.097	0.0232	-0.1872	0.0634				
ImageNet-ResNet-18	ImageNet	ResNet-18	9	-0.0396	0.3186	-0.2452	0.0756	-0.0288	0.1138	-0.0916	-0.0972	0.0238	-0.189	0.0546				
ImageNet-ResNet-18	ImageNet	ResNet-18	9	-0.0458	0.3202	-0.2536	0.0772	-0.0356	0.1196	-0.1016	-0.0968	0.014	-0.1846	0.0426				
ImageNet-ResNet-18	ImageNet	ResNet-18	10	-0.0938	0.3182	-0.2958	0.0736	-0.0646	0.1198	-0.1182	-0.096	0.0324	-0.1784	0.0752				
ImageNet-ResNet-18	ImageNet	ResNet-18	10	-0.0704	0.3168	-0.2778	0.0756	-0.0368	0.1204	-0.101	-0.0972	0.0212	-0.1884	0.0496				
ImageNet-ResNet-18	ImageNet	ResNet-18	10	-0.06	0.3128	-0.2634	0.0752	-0.0354	0.1218	-0.0966	-0.097	0.0202	-0.1868	0.0502				
ImageNet-ResNet-18	ImageNet	ResNet-18	10	-0.047	0.315	-0.253	0.0726	-0.0294	0.1154	-0.0904	-0.0958	0.0226	-0.1848	0.0552				
ImageNet-ResNet-18	ImageNet	ResNet-18	10	-0.0486	0.3156	-0.2512	0.0768	-0.0386	0.1148	-0.0968	-0.0974	0.0146	-0.187	0.0486				
ImageNet-ResNet-18	ImageNet	ResNet-18	11	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	0.0754				
ImageNet-ResNet-18	ImageNet	ResNet-18	11	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	0.0532				
ImageNet-ResNet-18	ImageNet	ResNet-18	11	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	0.0608				
ImageNet-ResNet-18	ImageNet	ResNet-18	11	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	0.0492				
ImageNet-ResNet-18	ImageNet	ResNet-18	11	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	0.0506				

sara-2-255

Table 297: ImageNet-ResNet-18

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	Borda	Quality	0.308	max	0.308	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	Borda	Quality	0.3034	max	0.3034	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	Borda	Quality	0.3116	max	0.3116	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	Borda	Quality	0.312	max	0.312	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	Borda	Quality	0.2986	max	0.2986	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	Borda	Quality	0.289	max	0.289	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	Borda	Quality	0.2844	max	0.2844	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	Borda	Quality	0.2778	max	0.2778	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	Borda	Quality	0.2768	max	0.2768	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	Borda	Quality	0.2756	max	0.2756	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	Kemeny	Quality	0.308	max	0.308	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	Kemeny	Quality	0.2916	max	0.2916	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	Kemeny	Quality	0.2978	max	0.2978	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	Kemeny	Quality	0.3128	max	0.3128	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	Kemeny	Quality	0.306	max	0.306	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	Kemeny	Quality	0.2884	max	0.2884	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	Kemeny	Quality	0.282	max	0.282	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	Kemeny	Quality	0.2744	max	0.2744	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	Kemeny	Quality	0.2722	max	0.2722	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	Kemeny	Quality	0.271	max	0.271	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	RRF	Quality	0.3074	max	0.3074	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	RRF	Quality	0.3022	max	0.3022	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	RRF	Quality	0.3066	max	0.3066	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	RRF	Quality	0.3152	max	0.3152	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	RRF	Quality	0.2986	max	0.2986	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	RRF	Quality	0.2912	max	0.2912	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	RRF	Quality	0.2878	max	0.2878	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	RRF	Quality	0.2798	max	0.2798	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	RRF	Quality	0.2772	max	0.2772	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	RRF	Quality	0.2812	max	0.2812	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	Schulze	Quality	0.308	max	0.308	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	Schulze	Quality	0.2924	max	0.2924	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	Schulze	Quality	0.2974	max	0.2974	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	Schulze	Quality	0.312	max	0.312	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	Schulze	Quality	0.3008	max	0.3008	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	Schulze	Quality	0.2966	max	0.2966	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	Schulze	Quality	0.2844	max	0.2844	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	Schulze	Quality	0.2694	max	0.2694	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	Schulze	Quality	0.2758	max	0.2758	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	Schulze	Quality	0.276	max	0.276	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	Simple Averaging	Quality	0.3056	max	0.3056	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	Simple Averaging	Quality	0.2996	max	0.2996	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	Simple Averaging	Quality	0.3024	max	0.3024	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	Simple Averaging	Quality	0.2872	max	0.2872	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	Simple Averaging	Quality	0.2876	max	0.2876	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	Simple Averaging	Quality	0.2898	max	0.2898	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	Simple Averaging	Quality	0.285	max	0.285	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	Simple Averaging	Quality	0.2882	max	0.2882	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	Simple Averaging	Quality	0.2858	max	0.2858	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	Simple Averaging	Quality	0.286	max	0.286	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	Borda	Quality	0.2586	min	-0.2586	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	Borda	Quality	0.2688	min	-0.2688	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	Borda	Quality	0.3024	min	-0.3024	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	Borda	Quality	0.3216	min	-0.3216	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	Borda	Quality	0.3324	min	-0.3324	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	Borda	Quality	0.3482	min	-0.3482	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	Borda	Quality	0.3448	min	-0.3448	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	Borda	Quality	0.3664	min	-0.3664	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	Borda	Quality	0.3514	min	-0.3514	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	Borda	Quality	0.3464	min	-0.3464	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	Kemeny	Quality	0.2586	min	-0.2586	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	Kemeny	Quality	0.3044	min	-0.3044	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	Kemeny	Quality	0.2772	min	-0.2772	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	Kemeny	Quality	0.2872	min	-0.2872	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	Kemeny	Quality	0.3056	min	-0.3056	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	Kemeny	Quality	0.3304	min	-0.3304	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	Kemeny	Quality	0.3298	min	-0.3298	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	Kemeny	Quality	0.3634	min	-0.3634	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	Kemeny	Quality	0.3546	min	-0.3546	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	Kemeny	Quality	0.3492	min	-0.3492	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	RRF	Quality	0.256	min	-0.256	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	RRF	Quality	0.2716	min	-0.2716	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	RRF	Quality	0.2748	min	-0.2748	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	RRF	Quality	0.3094	min	-0.3094	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	RRF	Quality	0.318	min	-0.318	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	RRF	Quality	0.323	min	-0.323	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	RRF	Quality	0.3306	min	-0.3306	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	RRF	Quality	0.3552	min	-0.3552	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	RRF	Quality	0.3388	min	-0.3388	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	RRF	Quality	0.3424	min	-0.3424	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	Schulze	Quality	0.2586	min	-0.2586	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	Schulze	Quality	0.291	min	-0.291	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	Schulze	Quality	0.2872	min	-0.2872	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	Schulze	Quality	0.3258	min	-0.3258	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	Schulze	Quality	0.3152	min	-0.3152	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	Schulze	Quality	0.3174	min	-0.3174	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	Schulze	Quality	0.3316	min	-0.3316	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	Schulze	Quality	0.3564	min	-0.3564	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	Schulze	Quality	0.3522	min	-0.3522	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	Schulze	Quality	0.3444	min	-0.3444	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	Simple Averaging	Quality	0.2646	min	-0.2646	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	Simple Averaging	Quality	0.2752	min	-0.2752	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	Simple Averaging	Quality	0.3706	min	-0.3706	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	Simple Averaging	Quality	0.4004	min	-0.4004	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	Simple Averaging	Quality	0.3954	min	-0.3954	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	Simple Averaging	Quality	0.3896	min	-0.3896	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	Simple Averaging	Quality	0.3894	min	-0.3894	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	Simple Averaging	Quality	0.3882	min	-0.3882	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	Simple Averaging	Quality	0.3858	min	-0.3858	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	Simple Averaging	Quality	0.3862	min	-0.3862	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	Borda	Quality	0.1818	max	0.1818	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	Borda	Quality	0.1762	max	0.1762	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	Borda	Quality	0.1856	max	0.1856	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	Borda	Quality	0.1876	max	0.1876	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	Borda	Quality	0.1782	max	0.1782	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	Borda	Quality	0.1698	max	0.1698	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	Borda	Quality	0.1634	max	0.1634	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	Borda	Quality	0.1618	max	0.1618	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	Borda	Quality	0.1616	max	0.1616	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	Borda	Quality	0.158	max	0.158	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	Kemeny	Quality	0.1818	max	0.1818	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	Kemeny	Quality	0.17	max	0.17	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	Kemeny	Quality	0.175	max	0.175	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	Kemeny	Quality	0.1874	max	0.1874	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	Kemeny	Quality	0.1806	max	0.1806	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	Kemeny	Quality	0.1716	max	0.1716	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	Kemeny	Quality	0.1642	max	0.1642	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	Kemeny	Quality	0.1574	max	0.1574	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	Kemeny	Quality	0.1586	max	0.1586	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	Kemeny	Quality	0.1556	max	0.1556	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	RRF	Quality	0.1812	max	0.1812	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	RRF	Quality	0.1762	max	0.1762	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	RRF	Quality	0.1834	max	0.1834	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	RRF	Quality	0.1886	max	0.1886	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	RRF	Quality	0.1798	max	0.1798	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	RRF	Quality	0.1728	max	0.1728	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	RRF	Quality	0.1682	max	0.1682	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	RRF	Quality	0.1644	max	0.1644	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	RRF	Quality	0.1638	max	0.1638	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	RRF	Quality	0.1612	max	0.1612	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	Schulze	Quality	0.1818	max	0.1818	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	Schulze	Quality	0.1658	max	0.1658	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	Schulze	Quality	0.1704	max	0.1704	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	Schulze	Quality	0.1876	max	0.1876	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	Schulze	Quality	0.181	max	0.181	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	Schulze	Quality	0.175	max	0.175	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	Schulze	Quality	0.1672	max	0.1672	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	Schulze	Quality	0.1578	max	0.1578	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	Schulze	Quality	0.1618	max	0.1618	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	Schulze	Quality	0.1576	max	0.1576	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	Simple Averaging	Quality	0.1814	max	0.1814	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	Simple Averaging	Quality	0.1762	max	0.1762	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	Simple Averaging	Quality	0.1804	max	0.1804	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	Simple Averaging	Quality	0.1726	max	0.1726	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	Simple Averaging	Quality	0.1738	max	0.1738	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	Simple Averaging	Quality	0.1742	max	0.1742	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	Simple Averaging	Quality	0.1724	max	0.1724	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	Simple Averaging	Quality	0.1748	max	0.1748	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	Simple Averaging	Quality	0.1736	max	0.1736	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	Simple Averaging	Quality	0.1726	max	0.1726	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	Borda	Quality	0.1452	min	-0.1452	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Fbar	Borda	Quality	0.1586	min	-0.1586	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Fbar	Borda	Quality	0.1802	min	-0.1802	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Fbar	Borda	Quality	0.1982	min	-0.1982	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	Borda	Quality	0.2092	min	-0.2092	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	Borda	Quality	0.2242	min	-0.2242	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	Borda	Quality	0.2196	min	-0.2196	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	Borda	Quality	0.2388	min	-0.2388	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	Borda	Quality	0.2284	min	-0.2284	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	Borda	Quality	0.2186	min	-0.2186	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	Kemeny	Quality	0.1452	min	-0.1452	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Fbar	Kemeny	Quality	0.1904	min	-0.1904	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Fbar	Kemeny	Quality	0.165	min	-0.165	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Fbar	Kemeny	Quality	0.1658	min	-0.1658	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	Kemeny	Quality	0.1868	min	-0.1868	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	Kemeny	Quality	0.2088	min	-0.2088	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	Kemeny	Quality	0.2098	min	-0.2098	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	Kemeny	Quality	0.2394	min	-0.2394	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	Kemeny	Quality	0.2292	min	-0.2292	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	Kemeny	Quality	0.2234	min	-0.2234	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	RRF	Quality	0.1424	min	-0.1424	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Fbar	RRF	Quality	0.1612	min	-0.1612	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Fbar	RRF	Quality	0.1606	min	-0.1606	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Fbar	RRF	Quality	0.1868	min	-0.1868	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	RRF	Quality	0.1964	min	-0.1964	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	RRF	Quality	0.2046	min	-0.2046	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	RRF	Quality	0.2076	min	-0.2076	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	RRF	Quality	0.2258	min	-0.2258	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	RRF	Quality	0.217	min	-0.217	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	RRF	Quality	0.2176	min	-0.2176	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	Schulze	Quality	0.1452	min	-0.1452	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Fbar	Schulze	Quality	0.1786	min	-0.1786	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Fbar	Schulze	Quality	0.1726	min	-0.1726	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Fbar	Schulze	Quality	0.2018	min	-0.2018	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	Schulze	Quality	0.1956	min	-0.1956	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	Schulze	Quality	0.1954	min	-0.1954	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	Schulze	Quality	0.2068	min	-0.2068	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	Schulze	Quality	0.2342	min	-0.2342	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	Schulze	Quality	0.2262	min	-0.2262	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	Schulze	Quality	0.2182	min	-0.2182	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	Simple Averaging	Quality	0.15	min	-0.15	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Fbar	Simple Averaging	Quality	0.1638	min	-0.1638	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Fbar	Simple Averaging	Quality	0.238	min	-0.238	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Fbar	Simple Averaging	Quality	0.2698	min	-0.2698	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	Simple Averaging	Quality	0.2632	min	-0.2632	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	Simple Averaging	Quality	0.2592	min	-0.2592	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	Simple Averaging	Quality	0.2574	min	-0.2574	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	Simple Averaging	Quality	0.2538	min	-0.2538	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	Simple Averaging	Quality	0.2494	min	-0.2494	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	Simple Averaging	Quality	0.251	min	-0.251	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 255	C	Borda	Robustness	-0.2158	max	-0.2158	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 255	C	Borda	Robustness	-0.2178	max	-0.2178	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 255	C	Borda	Robustness	-0.206	max	-0.206	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 255	C	Borda	Robustness	-0.203	max	-0.203	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 255	C	Borda	Robustness	-0.1974	max	-0.1974	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 255	C	Borda	Robustness	-0.1924	max	-0.1924	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Borda	Robustness	-0.1898	max	-0.1898	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Borda	Robustness	-0.1886	max	-0.1886	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Borda	Robustness	-0.1884	max	-0.1884	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Borda	Robustness	-0.1882	max	-0.1882	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.2158	max	-0.2158	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.2092	max	-0.2092	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.2046	max	-0.2046	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.2054	max	-0.2054	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.2076	max	-0.2076	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.1944	max	-0.1944	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.1906	max	-0.1906	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.189	max	-0.189	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.1848	max	-0.1848	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.179	max	-0.179	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	RRF	Robustness	-0.2148	max	-0.2148	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	RRF	Robustness	-0.2164	max	-0.2164	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	RRF	Robustness	-0.2048	max	-0.2048	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	RRF	Robustness	-0.205	max	-0.205	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	RRF	Robustness	-0.1934	max	-0.1934	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	RRF	Robustness	-0.193	max	-0.193	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	RRF	Robustness	-0.1926	max	-0.1926	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	RRF	Robustness	-0.1872	max	-0.1872	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	RRF	Robustness	-0.1868	max	-0.1868	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	RRF	Robustness	-0.1914	max	-0.1914	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	Schulze	Robustness	-0.2158	max	-0.2158	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	Schulze	Robustness	-0.2092	max	-0.2092	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	Schulze	Robustness	-0.206	max	-0.206	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	Schulze	Robustness	-0.2016	max	-0.2016	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	Schulze	Robustness	-0.2006	max	-0.2006	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	Schulze	Robustness	-0.1984	max	-0.1984	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Schulze	Robustness	-0.1924	max	-0.1924	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Schulze	Robustness	-0.1846	max	-0.1846	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Schulze	Robustness	-0.187	max	-0.187	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Schulze	Robustness	-0.1864	max	-0.1864	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.2124	max	-0.2124	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.2144	max	-0.2144	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.1882	max	-0.1882	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.1732	max	-0.1732	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.175	max	-0.175	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.1776	max	-0.1776	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.173	max	-0.173	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.1804	max	-0.1804	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.1784	max	-0.1784	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.1768	max	-0.1768	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0586	max	0.0586	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0534	max	0.0534	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0712	max	0.0712	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.072	max	0.072	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0676	max	0.0676	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0694	max	0.0694	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0584	max	0.0584	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0596	max	0.0596	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0496	max	0.0496	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0532	max	0.0532	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0586	max	0.0586	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.039	max	0.039	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0402	max	0.0402	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0746	max	0.0746	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0714	max	0.0714	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0588	max	0.0588	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0544	max	0.0544	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0546	max	0.0546	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0552	max	0.0552	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0492	max	0.0492	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0606	max	0.0606	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0524	max	0.0524	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0638	max	0.0638	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0754	max	0.0754	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0784	max	0.0784	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0604	max	0.0604	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0644	max	0.0644	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0634	max	0.0634	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0502	max	0.0502	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0608	max	0.0608	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0586	max	0.0586	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0358	max	0.0358	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0508	max	0.0508	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0798	max	0.0798	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.067	max	0.067	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.063	max	0.063	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0582	max	0.0582	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0426	max	0.0426	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0486	max	0.0486	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0506	max	0.0506	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0592	max	0.0592	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0534	max	0.0534	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0788	max	0.0788	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0784	max	0.0784	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0784	max	0.0784	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0756	max	0.0756	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0786	max	0.0786	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0746	max	0.0746	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0752	max	0.0752	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0754	max	0.0754	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Borda	Robustness	-0.116	max	-0.116	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Borda	Robustness	-0.115	max	-0.115	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Borda	Robustness	-0.11	max	-0.11	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Borda	Robustness	-0.1108	max	-0.1108	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Borda	Robustness	-0.1042	max	-0.1042	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Borda	Robustness	-0.099	max	-0.099	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Borda	Robustness	-0.094	max	-0.094	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Borda	Robustness	-0.0972	max	-0.0972	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Borda	Robustness	-0.0972	max	-0.0972	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Borda	Robustness	-0.095	max	-0.095	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.116	max	-0.116	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.1114	max	-0.1114	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.1066	max	-0.1066	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.1106	max	-0.1106	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.11	max	-0.11	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.1036	max	-0.1036	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0982	max	-0.0982	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0972	max	-0.0972	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0958	max	-0.0958	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0904	max	-0.0904	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	RRF	Robustness	-0.116	max	-0.116	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	RRF	Robustness	-0.114	max	-0.114	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	RRF	Robustness	-0.1104	max	-0.1104	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	RRF	Robustness	-0.1102	max	-0.1102	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	RRF	Robustness	-0.1032	max	-0.1032	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	RRF	Robustness	-0.1004	max	-0.1004	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	RRF	Robustness	-0.0994	max	-0.0994	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	RRF	Robustness	-0.097	max	-0.097	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	RRF	Robustness	-0.097	max	-0.097	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	RRF	Robustness	-0.0956	max	-0.0956	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Schulze	Robustness	-0.116	max	-0.116	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Schulze	Robustness	-0.1058	max	-0.1058	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Schulze	Robustness	-0.1046	max	-0.1046	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Schulze	Robustness	-0.1092	max	-0.1092	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Schulze	Robustness	-0.108	max	-0.108	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Schulze	Robustness	-0.102	max	-0.102	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Schulze	Robustness	-0.1004	max	-0.1004	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Schulze	Robustness	-0.0968	max	-0.0968	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Schulze	Robustness	-0.0974	max	-0.0974	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Schulze	Robustness	-0.0926	max	-0.0926	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.1148	max	-0.1148	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.1154	max	-0.1154	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.097	max	-0.097	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.0908	max	-0.0908	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.0934	max	-0.0934	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.094	max	-0.094	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.0912	max	-0.0912	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.0964	max	-0.0964	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.096	max	-0.096	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.0944	max	-0.0944	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0232	max	0.0232	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0222	max	0.0222	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0302	max	0.0302	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0262	max	0.0262	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0324	max	0.0324	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0316	max	0.0316	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0198	max	0.0198	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0234	max	0.0234	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0212	max	0.0212	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.019	max	0.019	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0232	max	0.0232	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0118	max	0.0118	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0088	max	0.0088	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0272	max	0.0272	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.036	max	0.036	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0258	max	0.0258	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0214	max	0.0214	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0238	max	0.0238	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0226	max	0.0226	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.015	max	0.015	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0234	max	0.0234	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0202	max	0.0202	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.026	max	0.026	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.032	max	0.032	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0382	max	0.0382	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0252	max	0.0252	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.024	max	0.024	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0232	max	0.0232	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0202	max	0.0202	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0246	max	0.0246	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0232	max	0.0232	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0066	max	0.0066	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0142	max	0.0142	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0352	max	0.0352	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0288	max	0.0288	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0254	max	0.0254	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0202	max	0.0202	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.014	max	0.014	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0146	max	0.0146	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.017	max	0.017	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0244	max	0.0244	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0182	max	0.0182	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.034	max	0.034	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0428	max	0.0428	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0414	max	0.0414	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.037	max	0.037	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0394	max	0.0394	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0338	max	0.0338	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0324	max	0.0324	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0338	max	0.0338	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	Borda	Robustness	0.3244	max	0.3244	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	Borda	Robustness	0.3176	max	0.3176	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	Borda	Robustness	0.3338	max	0.3338	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	Borda	Robustness	0.3406	max	0.3406	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	Borda	Robustness	0.3474	max	0.3474	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	Borda	Robustness	0.3452	max	0.3452	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	Borda	Robustness	0.3422	max	0.3422	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	Borda	Robustness	0.3418	max	0.3418	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	Borda	Robustness	0.3396	max	0.3396	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	Borda	Robustness	0.3384	max	0.3384	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	Kemeny	Robustness	0.3244	max	0.3244	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	Kemeny	Robustness	0.328	max	0.328	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	Kemeny	Robustness	0.329	max	0.329	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	Kemeny	Robustness	0.332	max	0.332	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	Kemeny	Robustness	0.317	max	0.317	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	Kemeny	Robustness	0.3358	max	0.3358	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	Kemeny	Robustness	0.3284	max	0.3284	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	Kemeny	Robustness	0.3278	max	0.3278	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	Kemeny	Robustness	0.323	max	0.323	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	Kemeny	Robustness	0.3296	max	0.3296	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	RRF	Robustness	0.327	max	0.327	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	RRF	Robustness	0.3156	max	0.3156	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	RRF	Robustness	0.333	max	0.333	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	RRF	Robustness	0.3352	max	0.3352	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	RRF	Robustness	0.3436	max	0.3436	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	RRF	Robustness	0.337	max	0.337	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	RRF	Robustness	0.3348	max	0.3348	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	RRF	Robustness	0.3324	max	0.3324	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	RRF	Robustness	0.3322	max	0.3322	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	RRF	Robustness	0.3286	max	0.3286	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	Schulze	Robustness	0.3244	max	0.3244	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	Schulze	Robustness	0.3282	max	0.3282	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	Schulze	Robustness	0.3238	max	0.3238	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	Schulze	Robustness	0.337	max	0.337	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	Schulze	Robustness	0.339	max	0.339	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	Schulze	Robustness	0.3246	max	0.3246	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	Schulze	Robustness	0.325	max	0.325	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	Schulze	Robustness	0.3328	max	0.3328	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	Schulze	Robustness	0.3246	max	0.3246	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	Schulze	Robustness	0.3296	max	0.3296	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.3246	max	0.3246	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.3284	max	0.3284	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.3372	max	0.3372	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.347	max	0.347	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.3478	max	0.3478	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.3448	max	0.3448	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.35	max	0.35	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.3408	max	0.3408	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.3452	max	0.3452	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.3474	max	0.3474	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Borda	Robustness	-0.3204	max	-0.3204	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Borda	Robustness	-0.3134	max	-0.3134	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Borda	Robustness	-0.3262	max	-0.3262	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Borda	Robustness	-0.3498	max	-0.3498	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Borda	Robustness	-0.3358	max	-0.3358	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Borda	Robustness	-0.3202	max	-0.3202	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Borda	Robustness	-0.319	max	-0.319	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Borda	Robustness	-0.2942	max	-0.2942	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Borda	Robustness	-0.314	max	-0.314	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Borda	Robustness	-0.3208	max	-0.3208	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.3204	max	-0.3204	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2782	max	-0.2782	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.3086	max	-0.3086	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.3062	max	-0.3062	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2952	max	-0.2952	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2846	max	-0.2846	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2932	max	-0.2932	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2642	max	-0.2642	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2816	max	-0.2816	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2774	max	-0.2774	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	RRF	Robustness	-0.3234	max	-0.3234	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	RRF	Robustness	-0.3132	max	-0.3132	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	RRF	Robustness	-0.3202	max	-0.3202	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	RRF	Robustness	-0.3324	max	-0.3324	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	RRF	Robustness	-0.3132	max	-0.3132	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	RRF	Robustness	-0.3066	max	-0.3066	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	RRF	Robustness	-0.2962	max	-0.2962	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	RRF	Robustness	-0.2768	max	-0.2768	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	RRF	Robustness	-0.2968	max	-0.2968	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	RRF	Robustness	-0.2944	max	-0.2944	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Schulze	Robustness	-0.3204	max	-0.3204	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Schulze	Robustness	-0.29	max	-0.29	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Schulze	Robustness	-0.3004	max	-0.3004	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Schulze	Robustness	-0.3336	max	-0.3336	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Schulze	Robustness	-0.3034	max	-0.3034	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2934	max	-0.2934	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2872	max	-0.2872	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2818	max	-0.2818	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2776	max	-0.2776	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Schulze	Robustness	-0.288	max	-0.288	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3152	max	-0.3152	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3048	max	-0.3048	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3282	max	-0.3282	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3426	max	-0.3426	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3366	max	-0.3366	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3314	max	-0.3314	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3256	max	-0.3256	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3202	max	-0.3202	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.32	max	-0.32	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3208	max	-0.3208	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	Borda	Robustness	0.168	max	0.168	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	Borda	Robustness	0.1696	max	0.1696	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	Borda	Robustness	0.1716	max	0.1716	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	Borda	Robustness	0.1676	max	0.1676	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	Borda	Robustness	0.1772	max	0.1772	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	Borda	Robustness	0.178	max	0.178	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	Borda	Robustness	0.1742	max	0.1742	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	Borda	Robustness	0.1716	max	0.1716	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	Borda	Robustness	0.1686	max	0.1686	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	Borda	Robustness	0.1692	max	0.1692	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	Kemeny	Robustness	0.168	max	0.168	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	Kemeny	Robustness	0.175	max	0.175	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	Kemeny	Robustness	0.1706	max	0.1706	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	Kemeny	Robustness	0.1704	max	0.1704	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	Kemeny	Robustness	0.1634	max	0.1634	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	Kemeny	Robustness	0.173	max	0.173	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	Kemeny	Robustness	0.168	max	0.168	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	Kemeny	Robustness	0.1688	max	0.1688	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	Kemeny	Robustness	0.1632	max	0.1632	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	Kemeny	Robustness	0.1668	max	0.1668	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	RRF	Robustness	0.1644	max	0.1644	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	RRF	Robustness	0.1688	max	0.1688	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	RRF	Robustness	0.1756	max	0.1756	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	RRF	Robustness	0.1646	max	0.1646	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	RRF	Robustness	0.1714	max	0.1714	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	RRF	Robustness	0.1696	max	0.1696	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	RRF	Robustness	0.1694	max	0.1694	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	RRF	Robustness	0.1702	max	0.1702	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	RRF	Robustness	0.1664	max	0.1664	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	RRF	Robustness	0.1648	max	0.1648	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	Schulze	Robustness	0.168	max	0.168	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	Schulze	Robustness	0.1794	max	0.1794	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	Schulze	Robustness	0.176	max	0.176	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	Schulze	Robustness	0.1686	max	0.1686	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	Schulze	Robustness	0.1668	max	0.1668	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	Schulze	Robustness	0.167	max	0.167	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	Schulze	Robustness	0.1658	max	0.1658	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	Schulze	Robustness	0.167	max	0.167	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	Schulze	Robustness	0.1604	max	0.1604	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	Schulze	Robustness	0.1662	max	0.1662	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.1628	max	0.1628	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.1726	max	0.1726	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.1532	max	0.1532	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.156	max	0.156	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.1558	max	0.1558	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.156	max	0.156	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.1574	max	0.1574	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.1514	max	0.1514	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.1536	max	0.1536	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.1564	max	0.1564	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Borda	Robustness	-0.1014	max	-0.1014	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Borda	Robustness	-0.0916	max	-0.0916	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Borda	Robustness	-0.1134	max	-0.1134	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Borda	Robustness	-0.13	max	-0.13	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Borda	Robustness	-0.1166	max	-0.1166	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Borda	Robustness	-0.1042	max	-0.1042	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Borda	Robustness	-0.1018	max	-0.1018	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Borda	Robustness	-0.0828	max	-0.0828	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Borda	Robustness	-0.097	max	-0.097	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Borda	Robustness	-0.0996	max	-0.0996	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.1014	max	-0.1014	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0548	max	-0.0548	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.086	max	-0.086	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.096	max	-0.096	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0776	max	-0.0776	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0702	max	-0.0702	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0758	max	-0.0758	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0522	max	-0.0522	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0712	max	-0.0712	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0684	max	-0.0684	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	RRF	Robustness	-0.1048	max	-0.1048	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	RRF	Robustness	-0.0862	max	-0.0862	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	RRF	Robustness	-0.0984	max	-0.0984	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	RRF	Robustness	-0.1144	max	-0.1144	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	RRF	Robustness	-0.0966	max	-0.0966	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	RRF	Robustness	-0.086	max	-0.086	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	RRF	Robustness	-0.081	max	-0.081	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	RRF	Robustness	-0.07	max	-0.07	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	RRF	Robustness	-0.0842	max	-0.0842	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	RRF	Robustness	-0.0776	max	-0.0776	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Schulze	Robustness	-0.1014	max	-0.1014	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Schulze	Robustness	-0.068	max	-0.068	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0818	max	-0.0818	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Schulze	Robustness	-0.1176	max	-0.1176	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0868	max	-0.0868	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0778	max	-0.0778	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0768	max	-0.0768	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0652	max	-0.0652	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0704	max	-0.0704	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0762	max	-0.0762	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1008	max	-0.1008	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.088	max	-0.088	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1178	max	-0.1178	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1262	max	-0.1262	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1238	max	-0.1238	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1152	max	-0.1152	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1124	max	-0.1124	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1096	max	-0.1096	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1128	max	-0.1128	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1118	max	-0.1118	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Borda	Robustness	0.306	max	0.306	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Borda	Robustness	0.3084	max	0.3084	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Borda	Robustness	0.317	max	0.317	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Borda	Robustness	0.3128	max	0.3128	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Borda	Robustness	0.3188	max	0.3188	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Borda	Robustness	0.3256	max	0.3256	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Borda	Robustness	0.3172	max	0.3172	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Borda	Robustness	0.3246	max	0.3246	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Borda	Robustness	0.3168	max	0.3168	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Borda	Robustness	0.3208	max	0.3208	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.306	max	0.306	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.3164	max	0.3164	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.3108	max	0.3108	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.3156	max	0.3156	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.3072	max	0.3072	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.3166	max	0.3166	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.3216	max	0.3216	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.3186	max	0.3186	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.315	max	0.315	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.317	max	0.317	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	RRF	Robustness	0.3058	max	0.3058	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	RRF	Robustness	0.3102	max	0.3102	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	RRF	Robustness	0.3196	max	0.3196	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	RRF	Robustness	0.3154	max	0.3154	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	RRF	Robustness	0.321	max	0.321	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	RRF	Robustness	0.3138	max	0.3138	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	RRF	Robustness	0.3126	max	0.3126	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	RRF	Robustness	0.3142	max	0.3142	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	RRF	Robustness	0.3128	max	0.3128	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	RRF	Robustness	0.3134	max	0.3134	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Schulze	Robustness	0.306	max	0.306	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Schulze	Robustness	0.3164	max	0.3164	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Schulze	Robustness	0.3178	max	0.3178	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Schulze	Robustness	0.321	max	0.321	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Schulze	Robustness	0.3148	max	0.3148	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Schulze	Robustness	0.3126	max	0.3126	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Schulze	Robustness	0.3162	max	0.3162	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Schulze	Robustness	0.3202	max	0.3202	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Schulze	Robustness	0.3156	max	0.3156	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Schulze	Robustness	0.3124	max	0.3124	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.2974	max	0.2974	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3082	max	0.3082	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3086	max	0.3086	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3086	max	0.3086	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3138	max	0.3138	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3156	max	0.3156	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3218	max	0.3218	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.314	max	0.314	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3182	max	0.3182	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3152	max	0.3152	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2824	max	-0.2824	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2728	max	-0.2728	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2998	max	-0.2998	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.3188	max	-0.3188	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.3068	max	-0.3068	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2912	max	-0.2912	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2854	max	-0.2854	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2636	max	-0.2636	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2778	max	-0.2778	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2822	max	-0.2822	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2824	max	-0.2824	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2588	max	-0.2588	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2756	max	-0.2756	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2774	max	-0.2774	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.266	max	-0.266	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2542	max	-0.2542	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2624	max	-0.2624	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2452	max	-0.2452	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.253	max	-0.253	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2522	max	-0.2522	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2888	max	-0.2888	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2766	max	-0.2766	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.284	max	-0.284	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.3072	max	-0.3072	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2804	max	-0.2804	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.276	max	-0.276	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2682	max	-0.2682	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2524	max	-0.2524	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2634	max	-0.2634	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2654	max	-0.2654	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2824	max	-0.2824	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2646	max	-0.2646	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2672	max	-0.2672	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.3072	max	-0.3072	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2786	max	-0.2786	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2766	max	-0.2766	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2604	max	-0.2604	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2536	max	-0.2536	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2512	max	-0.2512	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2696	max	-0.2696	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2864	max	-0.2864	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2764	max	-0.2764	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.3098	max	-0.3098	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.3174	max	-0.3174	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.3106	max	-0.3106	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.3076	max	-0.3076	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2986	max	-0.2986	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2934	max	-0.2934	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2958	max	-0.2958	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2946	max	-0.2946	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Borda	Robustness	0.1608	max	0.1608	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Borda	Robustness	0.1616	max	0.1616	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Borda	Robustness	0.1612	max	0.1612	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Borda	Robustness	0.1502	max	0.1502	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Borda	Robustness	0.1598	max	0.1598	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Borda	Robustness	0.1656	max	0.1656	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Borda	Robustness	0.1664	max	0.1664	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Borda	Robustness	0.1662	max	0.1662	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Borda	Robustness	0.1576	max	0.1576	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Borda	Robustness	0.1624	max	0.1624	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.1608	max	0.1608	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.1672	max	0.1672	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.1612	max	0.1612	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.1628	max	0.1628	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.1542	max	0.1542	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.1604	max	0.1604	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.1656	max	0.1656	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.1652	max	0.1652	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.1568	max	0.1568	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.1614	max	0.1614	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	RRF	Robustness	0.1606	max	0.1606	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	RRF	Robustness	0.1658	max	0.1658	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	RRF	Robustness	0.165	max	0.165	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	RRF	Robustness	0.1572	max	0.1572	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	RRF	Robustness	0.1618	max	0.1618	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	RRF	Robustness	0.1568	max	0.1568	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	RRF	Robustness	0.1624	max	0.1624	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	RRF	Robustness	0.1598	max	0.1598	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	RRF	Robustness	0.1564	max	0.1564	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	RRF	Robustness	0.1624	max	0.1624	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Schulze	Robustness	0.1608	max	0.1608	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Schulze	Robustness	0.1698	max	0.1698	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Schulze	Robustness	0.1694	max	0.1694	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Schulze	Robustness	0.1578	max	0.1578	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Schulze	Robustness	0.1546	max	0.1546	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Schulze	Robustness	0.1638	max	0.1638	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Schulze	Robustness	0.1618	max	0.1618	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Schulze	Robustness	0.1616	max	0.1616	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Schulze	Robustness	0.1564	max	0.1564	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Schulze	Robustness	0.1592	max	0.1592	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1508	max	0.1508	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1618	max	0.1618	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1386	max	0.1386	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1294	max	0.1294	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1328	max	0.1328	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1382	max	0.1382	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1426	max	0.1426	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1372	max	0.1372	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1396	max	0.1396	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1376	max	0.1376	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0614	max	-0.0614	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.047	max	-0.047	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0928	max	-0.0928	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1106	max	-0.1106	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0932	max	-0.0932	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0788	max	-0.0788	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0818	max	-0.0818	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0624	max	-0.0624	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0704	max	-0.0704	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0788	max	-0.0788	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0614	max	-0.0614	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0356	max	-0.0356	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0606	max	-0.0606	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0684	max	-0.0684	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0548	max	-0.0548	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.047	max	-0.047	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.053	max	-0.053	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0396	max	-0.0396	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.047	max	-0.047	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.045	max	-0.045	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0702	max	-0.0702	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0532	max	-0.0532	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.072	max	-0.072	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0966	max	-0.0966	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0732	max	-0.0732	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0686	max	-0.0686	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0622	max	-0.0622	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.052	max	-0.052	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.06	max	-0.06	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.066	max	-0.066	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0614	max	-0.0614	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0382	max	-0.0382	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0512	max	-0.0512	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0996	max	-0.0996	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0676	max	-0.0676	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0708	max	-0.0708	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0566	max	-0.0566	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0458	max	-0.0458	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0486	max	-0.0486	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0656	max	-0.0656	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0646	max	-0.0646	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0568	max	-0.0568	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1034	max	-0.1034	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.107	max	-0.107	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.105	max	-0.105	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1	max	-0.1	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0946	max	-0.0946	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0888	max	-0.0888	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0938	max	-0.0938	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0916	max	-0.0916	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	Borda	Robustness	0.1106	max	0.1106	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	Borda	Robustness	0.113	max	0.113	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	Borda	Robustness	0.1176	max	0.1176	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	Borda	Robustness	0.1138	max	0.1138	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	Borda	Robustness	0.1164	max	0.1164	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	Borda	Robustness	0.126	max	0.126	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	Borda	Robustness	0.126	max	0.126	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	Borda	Robustness	0.1238	max	0.1238	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	Borda	Robustness	0.1204	max	0.1204	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	Borda	Robustness	0.1142	max	0.1142	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	Kemeny	Robustness	0.1106	max	0.1106	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	Kemeny	Robustness	0.1116	max	0.1116	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	Kemeny	Robustness	0.1136	max	0.1136	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	Kemeny	Robustness	0.1202	max	0.1202	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	Kemeny	Robustness	0.1134	max	0.1134	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	Kemeny	Robustness	0.121	max	0.121	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	Kemeny	Robustness	0.1234	max	0.1234	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	Kemeny	Robustness	0.1138	max	0.1138	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	Kemeny	Robustness	0.1154	max	0.1154	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	Kemeny	Robustness	0.1136	max	0.1136	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	RRF	Robustness	0.107	max	0.107	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	RRF	Robustness	0.1108	max	0.1108	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	RRF	Robustness	0.1194	max	0.1194	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	RRF	Robustness	0.1146	max	0.1146	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	RRF	Robustness	0.1196	max	0.1196	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	RRF	Robustness	0.1262	max	0.1262	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	RRF	Robustness	0.1218	max	0.1218	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	RRF	Robustness	0.1198	max	0.1198	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	RRF	Robustness	0.1218	max	0.1218	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	RRF	Robustness	0.1126	max	0.1126	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	Schulze	Robustness	0.1106	max	0.1106	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	Schulze	Robustness	0.1134	max	0.1134	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	Schulze	Robustness	0.1156	max	0.1156	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	Schulze	Robustness	0.115	max	0.115	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	Schulze	Robustness	0.1206	max	0.1206	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	Schulze	Robustness	0.115	max	0.115	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	Schulze	Robustness	0.1204	max	0.1204	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	Schulze	Robustness	0.1196	max	0.1196	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	Schulze	Robustness	0.1148	max	0.1148	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	Schulze	Robustness	0.112	max	0.112	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	Simple Averaging	Robustness	0.1022	max	0.1022	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	Simple Averaging	Robustness	0.1116	max	0.1116	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	Simple Averaging	Robustness	0.121	max	0.121	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	Simple Averaging	Robustness	0.1188	max	0.1188	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	Simple Averaging	Robustness	0.12	max	0.12	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	Simple Averaging	Robustness	0.1168	max	0.1168	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	Simple Averaging	Robustness	0.124	max	0.124	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	Simple Averaging	Robustness	0.1174	max	0.1174	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	Simple Averaging	Robustness	0.1198	max	0.1198	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	Simple Averaging	Robustness	0.1192	max	0.1192	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Borda	Robustness	-0.0906	max	-0.0906	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Borda	Robustness	-0.0986	max	-0.0986	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Borda	Robustness	-0.1024	max	-0.1024	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Borda	Robustness	-0.1142	max	-0.1142	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Borda	Robustness	-0.107	max	-0.107	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Borda	Robustness	-0.1042	max	-0.1042	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Borda	Robustness	-0.098	max	-0.098	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Borda	Robustness	-0.0898	max	-0.0898	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Borda	Robustness	-0.101	max	-0.101	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Borda	Robustness	-0.103	max	-0.103	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0906	max	-0.0906	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0892	max	-0.0892	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Kemeny	Robustness	-0.1016	max	-0.1016	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Kemeny	Robustness	-0.1034	max	-0.1034	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0882	max	-0.0882	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0924	max	-0.0924	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0986	max	-0.0986	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0916	max	-0.0916	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0904	max	-0.0904	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0994	max	-0.0994	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	RRF	Robustness	-0.1034	max	-0.1034	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	RRF	Robustness	-0.0962	max	-0.0962	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	RRF	Robustness	-0.102	max	-0.102	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	RRF	Robustness	-0.108	max	-0.108	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	RRF	Robustness	-0.0954	max	-0.0954	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	RRF	Robustness	-0.1004	max	-0.1004	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	RRF	Robustness	-0.0882	max	-0.0882	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	RRF	Robustness	-0.0882	max	-0.0882	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	RRF	Robustness	-0.0966	max	-0.0966	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	RRF	Robustness	-0.0958	max	-0.0958	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Schulze	Robustness	-0.0906	max	-0.0906	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Schulze	Robustness	-0.0924	max	-0.0924	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Schulze	Robustness	-0.0916	max	-0.0916	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Schulze	Robustness	-0.111	max	-0.111	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Schulze	Robustness	-0.0974	max	-0.0974	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Schulze	Robustness	-0.0946	max	-0.0946	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Schulze	Robustness	-0.0988	max	-0.0988	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Schulze	Robustness	-0.1016	max	-0.1016	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Schulze	Robustness	-0.0968	max	-0.0968	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Schulze	Robustness	-0.0958	max	-0.0958	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1012	max	-0.1012	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0928	max	-0.0928	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1234	max	-0.1234	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.13	max	-0.13	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1278	max	-0.1278	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1252	max	-0.1252	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1228	max	-0.1228	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1178	max	-0.1178	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1182	max	-0.1182	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1196	max	-0.1196	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	Borda	Robustness	0.0816	max	0.0816	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	Borda	Robustness	0.084	max	0.084	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	Borda	Robustness	0.0798	max	0.0798	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	Borda	Robustness	0.0764	max	0.0764	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	Borda	Robustness	0.0764	max	0.0764	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	Borda	Robustness	0.084	max	0.084	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	Borda	Robustness	0.0866	max	0.0866	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	Borda	Robustness	0.077	max	0.077	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	Borda	Robustness	0.0756	max	0.0756	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	Borda	Robustness	0.0748	max	0.0748	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	Kemeny	Robustness	0.0816	max	0.0816	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	Kemeny	Robustness	0.0812	max	0.0812	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	Kemeny	Robustness	0.0806	max	0.0806	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	Kemeny	Robustness	0.0846	max	0.0846	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	Kemeny	Robustness	0.081	max	0.081	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	Kemeny	Robustness	0.0798	max	0.0798	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	Kemeny	Robustness	0.0816	max	0.0816	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	Kemeny	Robustness	0.0756	max	0.0756	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	Kemeny	Robustness	0.0726	max	0.0726	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	Kemeny	Robustness	0.0748	max	0.0748	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	RRF	Robustness	0.0782	max	0.0782	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	RRF	Robustness	0.0804	max	0.0804	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	RRF	Robustness	0.0828	max	0.0828	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	RRF	Robustness	0.0822	max	0.0822	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	RRF	Robustness	0.0796	max	0.0796	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	RRF	Robustness	0.0858	max	0.0858	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	RRF	Robustness	0.083	max	0.083	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	RRF	Robustness	0.074	max	0.074	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	RRF	Robustness	0.0752	max	0.0752	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	RRF	Robustness	0.0742	max	0.0742	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	Schulze	Robustness	0.0816	max	0.0816	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	Schulze	Robustness	0.0878	max	0.0878	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	Schulze	Robustness	0.0876	max	0.0876	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	Schulze	Robustness	0.0788	max	0.0788	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	Schulze	Robustness	0.081	max	0.081	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	Schulze	Robustness	0.0796	max	0.0796	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	Schulze	Robustness	0.0808	max	0.0808	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	Schulze	Robustness	0.0772	max	0.0772	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	Schulze	Robustness	0.0768	max	0.0768	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	Schulze	Robustness	0.077	max	0.077	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	Simple Averaging	Robustness	0.0718	max	0.0718	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	Simple Averaging	Robustness	0.0768	max	0.0768	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	Simple Averaging	Robustness	0.08	max	0.08	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	Simple Averaging	Robustness	0.0722	max	0.0722	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0756	max	0.0756	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	Simple Averaging	Robustness	0.0736	max	0.0736	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	Simple Averaging	Robustness	0.0774	max	0.0774	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	Simple Averaging	Robustness	0.0718	max	0.0718	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	Simple Averaging	Robustness	0.0736	max	0.0736	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	Simple Averaging	Robustness	0.0734	max	0.0734	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Borda	Robustness	-0.0278	max	-0.0278	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Borda	Robustness	-0.0274	max	-0.0274	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Borda	Robustness	-0.0402	max	-0.0402	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Borda	Robustness	-0.051	max	-0.051	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Borda	Robustness	-0.0426	max	-0.0426	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Borda	Robustness	-0.0402	max	-0.0402	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Borda	Robustness	-0.0396	max	-0.0396	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Borda	Robustness	-0.028	max	-0.028	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Borda	Robustness	-0.0368	max	-0.0368	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Borda	Robustness	-0.0428	max	-0.0428	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0278	max	-0.0278	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0222	max	-0.0222	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0352	max	-0.0352	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0446	max	-0.0446	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0298	max	-0.0298	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0288	max	-0.0288	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0328	max	-0.0328	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0288	max	-0.0288	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0294	max	-0.0294	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0362	max	-0.0362	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	RRF	Robustness	-0.0366	max	-0.0366	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	RRF	Robustness	-0.0276	max	-0.0276	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	RRF	Robustness	-0.0386	max	-0.0386	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	RRF	Robustness	-0.0468	max	-0.0468	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	RRF	Robustness	-0.039	max	-0.039	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	RRF	Robustness	-0.0366	max	-0.0366	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	RRF	Robustness	-0.0284	max	-0.0284	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	RRF	Robustness	-0.032	max	-0.032	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	RRF	Robustness	-0.0354	max	-0.0354	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	RRF	Robustness	-0.0342	max	-0.0342	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Schulze	Robustness	-0.0278	max	-0.0278	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Schulze	Robustness	-0.0238	max	-0.0238	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Schulze	Robustness	-0.028	max	-0.028	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Schulze	Robustness	-0.049	max	-0.049	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Schulze	Robustness	-0.039	max	-0.039	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Schulze	Robustness	-0.0368	max	-0.0368	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Schulze	Robustness	-0.0354	max	-0.0354	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Schulze	Robustness	-0.0356	max	-0.0356	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Schulze	Robustness	-0.0386	max	-0.0386	kendall_ mallows_ exact_ distance	0.485199	- 0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Schulze	Robustness	-0.035	max	-0.035	kendall_ mallows_ exact_ distance	0.470366	- 0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0368	max	-0.0368	kendall_ mallows_ exact_ distance	0.367314	- 0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0282	max	-0.0282	kendall_ mallows_ exact_ distance	0.657412	- 0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0688	max	-0.0688	kendall_ mallows_ exact_ distance	0.523529	- 0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0666	max	-0.0666	kendall_ mallows_ exact_ distance	0.345765	- 0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.066	max	-0.066	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0588	max	-0.0588	kendall_ mallows_ exact_ distance	0.498314	- 0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0638	max	-0.0638	kendall_ mallows_ exact_ distance	0.484005	- 0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.063	max	-0.063	kendall_ mallows_ exact_ distance	0.507886	- 0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0646	max	-0.0646	kendall_ mallows_ exact_ distance	0.485199	- 0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0636	max	-0.0636	kendall_ mallows_ exact_ distance	0.470366	- 0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	Borda	Quality	0.308	max	0.308	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	Borda	Quality	0.3034	max	0.3034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	Borda	Quality	0.3116	max	0.3116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	Borda	Quality	0.312	max	0.312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	Borda	Quality	0.2986	max	0.2986	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	Borda	Quality	0.289	max	0.289	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	Borda	Quality	0.2844	max	0.2844	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	Borda	Quality	0.2778	max	0.2778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	Borda	Quality	0.2768	max	0.2768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	Borda	Quality	0.2756	max	0.2756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	Kemeny	Quality	0.308	max	0.308	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	Kemeny	Quality	0.2916	max	0.2916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	Kemeny	Quality	0.2978	max	0.2978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	Kemeny	Quality	0.3128	max	0.3128	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	Kemeny	Quality	0.306	max	0.306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	Kemeny	Quality	0.2884	max	0.2884	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	Kemeny	Quality	0.282	max	0.282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	Kemeny	Quality	0.2744	max	0.2744	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	Kemeny	Quality	0.2722	max	0.2722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	Kemeny	Quality	0.271	max	0.271	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	RRF	Quality	0.3074	max	0.3074	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	RRF	Quality	0.3022	max	0.3022	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	RRF	Quality	0.3066	max	0.3066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	RRF	Quality	0.3152	max	0.3152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	RRF	Quality	0.2986	max	0.2986	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	RRF	Quality	0.2912	max	0.2912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	RRF	Quality	0.2878	max	0.2878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	RRF	Quality	0.2798	max	0.2798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	RRF	Quality	0.2772	max	0.2772	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	RRF	Quality	0.2812	max	0.2812	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	Schulze	Quality	0.308	max	0.308	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	Schulze	Quality	0.2924	max	0.2924	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	Schulze	Quality	0.2974	max	0.2974	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	Schulze	Quality	0.312	max	0.312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	Schulze	Quality	0.3008	max	0.3008	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	Schulze	Quality	0.2966	max	0.2966	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	Schulze	Quality	0.2844	max	0.2844	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	Schulze	Quality	0.2694	max	0.2694	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	Schulze	Quality	0.2758	max	0.2758	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	Schulze	Quality	0.276	max	0.276	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	Simple Averaging	Quality	0.3056	max	0.3056	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	Simple Averaging	Quality	0.2996	max	0.2996	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	Simple Averaging	Quality	0.3024	max	0.3024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	Simple Averaging	Quality	0.2872	max	0.2872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	Simple Averaging	Quality	0.2876	max	0.2876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	Simple Averaging	Quality	0.2898	max	0.2898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	Simple Averaging	Quality	0.285	max	0.285	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	Simple Averaging	Quality	0.2882	max	0.2882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	Simple Averaging	Quality	0.2858	max	0.2858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	Simple Averaging	Quality	0.286	max	0.286	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	Borda	Quality	0.2586	min	-0.2586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	Borda	Quality	0.2688	min	-0.2688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	Borda	Quality	0.3024	min	-0.3024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	Borda	Quality	0.3216	min	-0.3216	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	Borda	Quality	0.3324	min	-0.3324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	Borda	Quality	0.3482	min	-0.3482	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	Borda	Quality	0.3448	min	-0.3448	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	Borda	Quality	0.3664	min	-0.3664	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	Borda	Quality	0.3514	min	-0.3514	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	Borda	Quality	0.3464	min	-0.3464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	Kemeny	Quality	0.2586	min	-0.2586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	Kemeny	Quality	0.3044	min	-0.3044	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	Kemeny	Quality	0.2772	min	-0.2772	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	Kemeny	Quality	0.2872	min	-0.2872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	Kemeny	Quality	0.3056	min	-0.3056	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	Kemeny	Quality	0.3304	min	-0.3304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	Kemeny	Quality	0.3298	min	-0.3298	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	Kemeny	Quality	0.3634	min	-0.3634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	Kemeny	Quality	0.3546	min	-0.3546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	Kemeny	Quality	0.3492	min	-0.3492	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	RRF	Quality	0.256	min	-0.256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	RRF	Quality	0.2716	min	-0.2716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	RRF	Quality	0.2748	min	-0.2748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	RRF	Quality	0.3094	min	-0.3094	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	RRF	Quality	0.318	min	-0.318	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	RRF	Quality	0.323	min	-0.323	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	RRF	Quality	0.3306	min	-0.3306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	RRF	Quality	0.3552	min	-0.3552	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	RRF	Quality	0.3388	min	-0.3388	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	RRF	Quality	0.3424	min	-0.3424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	Schulze	Quality	0.2586	min	-0.2586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	Schulze	Quality	0.291	min	-0.291	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	Schulze	Quality	0.2872	min	-0.2872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	Schulze	Quality	0.3258	min	-0.3258	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	Schulze	Quality	0.3152	min	-0.3152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	Schulze	Quality	0.3174	min	-0.3174	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	Schulze	Quality	0.3316	min	-0.3316	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	Schulze	Quality	0.3564	min	-0.3564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	Schulze	Quality	0.3522	min	-0.3522	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	Schulze	Quality	0.3444	min	-0.3444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	Simple Averaging	Quality	0.2646	min	-0.2646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	Simple Averaging	Quality	0.2752	min	-0.2752	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	Simple Averaging	Quality	0.3706	min	-0.3706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	Simple Averaging	Quality	0.4004	min	-0.4004	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	Simple Averaging	Quality	0.3954	min	-0.3954	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	Simple Averaging	Quality	0.3896	min	-0.3896	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	Simple Averaging	Quality	0.3894	min	-0.3894	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	Simple Averaging	Quality	0.3882	min	-0.3882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	Simple Averaging	Quality	0.3858	min	-0.3858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	Simple Averaging	Quality	0.3862	min	-0.3862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	Borda	Quality	0.1818	max	0.1818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	Borda	Quality	0.1762	max	0.1762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	Borda	Quality	0.1856	max	0.1856	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	Borda	Quality	0.1876	max	0.1876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	Borda	Quality	0.1782	max	0.1782	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	Borda	Quality	0.1698	max	0.1698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	Borda	Quality	0.1634	max	0.1634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	Borda	Quality	0.1618	max	0.1618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	Borda	Quality	0.1616	max	0.1616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	Borda	Quality	0.158	max	0.158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	Kemeny	Quality	0.1818	max	0.1818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	Kemeny	Quality	0.17	max	0.17	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	Kemeny	Quality	0.175	max	0.175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	Kemeny	Quality	0.1874	max	0.1874	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	Kemeny	Quality	0.1806	max	0.1806	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	Kemeny	Quality	0.1716	max	0.1716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	Kemeny	Quality	0.1642	max	0.1642	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	Kemeny	Quality	0.1574	max	0.1574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	Kemeny	Quality	0.1586	max	0.1586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	Kemeny	Quality	0.1556	max	0.1556	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	RRF	Quality	0.1812	max	0.1812	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	RRF	Quality	0.1762	max	0.1762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	RRF	Quality	0.1834	max	0.1834	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	RRF	Quality	0.1886	max	0.1886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	RRF	Quality	0.1798	max	0.1798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	RRF	Quality	0.1728	max	0.1728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	RRF	Quality	0.1682	max	0.1682	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	RRF	Quality	0.1644	max	0.1644	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	RRF	Quality	0.1638	max	0.1638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	RRF	Quality	0.1612	max	0.1612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	Schulze	Quality	0.1818	max	0.1818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	Schulze	Quality	0.1658	max	0.1658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	Schulze	Quality	0.1704	max	0.1704	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	Schulze	Quality	0.1876	max	0.1876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	Schulze	Quality	0.181	max	0.181	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	Schulze	Quality	0.175	max	0.175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	Schulze	Quality	0.1672	max	0.1672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	Schulze	Quality	0.1578	max	0.1578	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	Schulze	Quality	0.1618	max	0.1618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	Schulze	Quality	0.1576	max	0.1576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	Simple Averaging	Quality	0.1814	max	0.1814	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	Simple Averaging	Quality	0.1762	max	0.1762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	Simple Averaging	Quality	0.1804	max	0.1804	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	Simple Averaging	Quality	0.1726	max	0.1726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	Simple Averaging	Quality	0.1738	max	0.1738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	Simple Averaging	Quality	0.1742	max	0.1742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	Simple Averaging	Quality	0.1724	max	0.1724	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	Simple Averaging	Quality	0.1748	max	0.1748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	Simple Averaging	Quality	0.1736	max	0.1736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	Simple Averaging	Quality	0.1726	max	0.1726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	Borda	Quality	0.1452	min	-0.1452	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	Borda	Quality	0.1586	min	-0.1586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	Borda	Quality	0.1802	min	-0.1802	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	Borda	Quality	0.1982	min	-0.1982	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	Borda	Quality	0.2092	min	-0.2092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	Borda	Quality	0.2242	min	-0.2242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	Borda	Quality	0.2196	min	-0.2196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	Borda	Quality	0.2388	min	-0.2388	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	Borda	Quality	0.2284	min	-0.2284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	Borda	Quality	0.2186	min	-0.2186	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	Kemeny	Quality	0.1452	min	-0.1452	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	Kemeny	Quality	0.1904	min	-0.1904	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	Kemeny	Quality	0.165	min	-0.165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	Kemeny	Quality	0.1658	min	-0.1658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	Kemeny	Quality	0.1868	min	-0.1868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	Kemeny	Quality	0.2088	min	-0.2088	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	Kemeny	Quality	0.2098	min	-0.2098	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	Kemeny	Quality	0.2394	min	-0.2394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	Kemeny	Quality	0.2292	min	-0.2292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	Kemeny	Quality	0.2234	min	-0.2234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	RRF	Quality	0.1424	min	-0.1424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	RRF	Quality	0.1612	min	-0.1612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	RRF	Quality	0.1606	min	-0.1606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	RRF	Quality	0.1868	min	-0.1868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	RRF	Quality	0.1964	min	-0.1964	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	RRF	Quality	0.2046	min	-0.2046	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	RRF	Quality	0.2076	min	-0.2076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	RRF	Quality	0.2258	min	-0.2258	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	RRF	Quality	0.217	min	-0.217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	RRF	Quality	0.2176	min	-0.2176	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	Schulze	Quality	0.1452	min	-0.1452	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	Schulze	Quality	0.1786	min	-0.1786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	Schulze	Quality	0.1726	min	-0.1726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	Schulze	Quality	0.2018	min	-0.2018	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	Schulze	Quality	0.1956	min	-0.1956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	Schulze	Quality	0.1954	min	-0.1954	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	Schulze	Quality	0.2068	min	-0.2068	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	Schulze	Quality	0.2342	min	-0.2342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	Schulze	Quality	0.2262	min	-0.2262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	Schulze	Quality	0.2182	min	-0.2182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	Simple Averaging	Quality	0.15	min	-0.15	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	Simple Averaging	Quality	0.1638	min	-0.1638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	Simple Averaging	Quality	0.238	min	-0.238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	Simple Averaging	Quality	0.2698	min	-0.2698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	Simple Averaging	Quality	0.2632	min	-0.2632	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	Simple Averaging	Quality	0.2592	min	-0.2592	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	Simple Averaging	Quality	0.2574	min	-0.2574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	Simple Averaging	Quality	0.2538	min	-0.2538	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	Simple Averaging	Quality	0.2494	min	-0.2494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	Simple Averaging	Quality	0.251	min	-0.251	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 255	C	Borda	Robustness	-0.2158	max	-0.2158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 255	C	Borda	Robustness	-0.2178	max	-0.2178	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 255	C	Borda	Robustness	-0.206	max	-0.206	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Borda	Robustness	-0.203	max	-0.203	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Borda	Robustness	-0.1974	max	-0.1974	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Borda	Robustness	-0.1924	max	-0.1924	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Borda	Robustness	-0.1898	max	-0.1898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Borda	Robustness	-0.1886	max	-0.1886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Borda	Robustness	-0.1884	max	-0.1884	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Borda	Robustness	-0.1882	max	-0.1882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.2158	max	-0.2158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.2092	max	-0.2092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.2046	max	-0.2046	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.2054	max	-0.2054	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.2076	max	-0.2076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.1944	max	-0.1944	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.1906	max	-0.1906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.189	max	-0.189	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.1848	max	-0.1848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.179	max	-0.179	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	RRF	Robustness	-0.2148	max	-0.2148	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	RRF	Robustness	-0.2164	max	-0.2164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	RRF	Robustness	-0.2048	max	-0.2048	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	RRF	Robustness	-0.205	max	-0.205	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	RRF	Robustness	-0.1934	max	-0.1934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	RRF	Robustness	-0.193	max	-0.193	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	RRF	Robustness	-0.1926	max	-0.1926	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	RRF	Robustness	-0.1872	max	-0.1872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	RRF	Robustness	-0.1868	max	-0.1868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	RRF	Robustness	-0.1914	max	-0.1914	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	Schulze	Robustness	-0.2158	max	-0.2158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	Schulze	Robustness	-0.2092	max	-0.2092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	Schulze	Robustness	-0.206	max	-0.206	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Schulze	Robustness	-0.2016	max	-0.2016	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Schulze	Robustness	-0.2006	max	-0.2006	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Schulze	Robustness	-0.1984	max	-0.1984	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Schulze	Robustness	-0.1924	max	-0.1924	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Schulze	Robustness	-0.1846	max	-0.1846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Schulze	Robustness	-0.187	max	-0.187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Schulze	Robustness	-0.1864	max	-0.1864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.2124	max	-0.2124	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.2144	max	-0.2144	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.1882	max	-0.1882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.1732	max	-0.1732	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.175	max	-0.175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.1776	max	-0.1776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.173	max	-0.173	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.1804	max	-0.1804	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.1784	max	-0.1784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.1768	max	-0.1768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0586	max	0.0586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0534	max	0.0534	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0712	max	0.0712	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.072	max	0.072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0676	max	0.0676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0694	max	0.0694	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0584	max	0.0584	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0596	max	0.0596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0496	max	0.0496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0532	max	0.0532	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0586	max	0.0586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.039	max	0.039	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0402	max	0.0402	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0746	max	0.0746	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0714	max	0.0714	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0588	max	0.0588	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0544	max	0.0544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0546	max	0.0546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0552	max	0.0552	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0492	max	0.0492	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0606	max	0.0606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0524	max	0.0524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0638	max	0.0638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0754	max	0.0754	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0784	max	0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0604	max	0.0604	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0644	max	0.0644	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0634	max	0.0634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0502	max	0.0502	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0608	max	0.0608	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0586	max	0.0586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0358	max	0.0358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0508	max	0.0508	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0798	max	0.0798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.067	max	0.067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.063	max	0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0582	max	0.0582	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0426	max	0.0426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0486	max	0.0486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0506	max	0.0506	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0592	max	0.0592	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.0534	max	0.0534	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.0788	max	0.0788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.0784	max	0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.0784	max	0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.0756	max	0.0756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.0786	max	0.0786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.0746	max	0.0746	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.0752	max	0.0752	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.0754	max	0.0754	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 255	F	Borda	Robustness	-0.116	max	-0.116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 255	F	Borda	Robustness	-0.115	max	-0.115	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	Borda	Robustness	-0.11	max	-0.11	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	Borda	Robustness	-0.1108	max	-0.1108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	Borda	Robustness	-0.1042	max	-0.1042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	Borda	Robustness	-0.099	max	-0.099	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	Borda	Robustness	-0.094	max	-0.094	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	Borda	Robustness	-0.0972	max	-0.0972	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	Borda	Robustness	-0.0972	max	-0.0972	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	Borda	Robustness	-0.095	max	-0.095	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.116	max	-0.116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.1114	max	-0.1114	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.1066	max	-0.1066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.1106	max	-0.1106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.11	max	-0.11	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.1036	max	-0.1036	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0982	max	-0.0982	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0972	max	-0.0972	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0958	max	-0.0958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0904	max	-0.0904	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	RRF	Robustness	-0.116	max	-0.116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	RRF	Robustness	-0.114	max	-0.114	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	RRF	Robustness	-0.1104	max	-0.1104	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	RRF	Robustness	-0.1102	max	-0.1102	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	RRF	Robustness	-0.1032	max	-0.1032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	RRF	Robustness	-0.1004	max	-0.1004	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	RRF	Robustness	-0.0994	max	-0.0994	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	RRF	Robustness	-0.097	max	-0.097	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	RRF	Robustness	-0.097	max	-0.097	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	RRF	Robustness	-0.0956	max	-0.0956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	Schulze	Robustness	-0.116	max	-0.116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	Schulze	Robustness	-0.1058	max	-0.1058	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	Schulze	Robustness	-0.1046	max	-0.1046	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	Schulze	Robustness	-0.1092	max	-0.1092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	Schulze	Robustness	-0.108	max	-0.108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	Schulze	Robustness	-0.102	max	-0.102	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	Schulze	Robustness	-0.1004	max	-0.1004	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	Schulze	Robustness	-0.0968	max	-0.0968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	Schulze	Robustness	-0.0974	max	-0.0974	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	Schulze	Robustness	-0.0926	max	-0.0926	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.1148	max	-0.1148	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.1154	max	-0.1154	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.097	max	-0.097	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.0908	max	-0.0908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.0934	max	-0.0934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.094	max	-0.094	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 255	F	Simple Averaging	Robustness	-0.0912	max	-0.0912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 255	F	Simple Averaging	Robustness	-0.0964	max	-0.0964	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 255	F	Simple Averaging	Robustness	-0.096	max	-0.096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 255	F	Simple Averaging	Robustness	-0.0944	max	-0.0944	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 255	Fbar	Borda	Robustness	0.0232	max	0.0232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 255	Fbar	Borda	Robustness	0.0222	max	0.0222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 255	Fbar	Borda	Robustness	0.0302	max	0.0302	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 255	Fbar	Borda	Robustness	0.0262	max	0.0262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 255	Fbar	Borda	Robustness	0.0324	max	0.0324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 255	Fbar	Borda	Robustness	0.0316	max	0.0316	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 255	Fbar	Borda	Robustness	0.0198	max	0.0198	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0234	max	0.0234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0212	max	0.0212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.019	max	0.019	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0232	max	0.0232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0118	max	0.0118	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0088	max	0.0088	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0272	max	0.0272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.036	max	0.036	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0258	max	0.0258	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0214	max	0.0214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0238	max	0.0238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0226	max	0.0226	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.015	max	0.015	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0234	max	0.0234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0202	max	0.0202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.026	max	0.026	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.032	max	0.032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0382	max	0.0382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0252	max	0.0252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.024	max	0.024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0232	max	0.0232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0202	max	0.0202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0246	max	0.0246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0232	max	0.0232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0066	max	0.0066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0142	max	0.0142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0352	max	0.0352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0288	max	0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0254	max	0.0254	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0202	max	0.0202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.014	max	0.014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0146	max	0.0146	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.017	max	0.017	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0244	max	0.0244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 - 0.530299	-	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0182	max	0.0182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 - 0.661997	-	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.034	max	0.034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 - 0.533641	-	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0428	max	0.0428	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 - 0.475614	-	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0414	max	0.0414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 - 0.505821	-	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.037	max	0.037	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 - 0.569208	-	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0394	max	0.0394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 - 0.574619	-	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0338	max	0.0338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 - 0.612495	-	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0324	max	0.0324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654	-	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0338	max	0.0338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 - 0.518147	-	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	Borda	Robustness	0.3244	max	0.3244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 - 0.530299	-	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	Borda	Robustness	0.3176	max	0.3176	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	Borda	Robustness	0.3338	max	0.3338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	Borda	Robustness	0.3406	max	0.3406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	Borda	Robustness	0.3474	max	0.3474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	Borda	Robustness	0.3452	max	0.3452	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	Borda	Robustness	0.3422	max	0.3422	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	Borda	Robustness	0.3418	max	0.3418	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	Borda	Robustness	0.3396	max	0.3396	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	Borda	Robustness	0.3384	max	0.3384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	Kemeny	Robustness	0.3244	max	0.3244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	Kemeny	Robustness	0.328	max	0.328	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	Kemeny	Robustness	0.329	max	0.329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	Kemeny	Robustness	0.332	max	0.332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	Kemeny	Robustness	0.317	max	0.317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	Kemeny	Robustness	0.3358	max	0.3358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	Kemeny	Robustness	0.3284	max	0.3284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	Kemeny	Robustness	0.3278	max	0.3278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	Kemeny	Robustness	0.323	max	0.323	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	Kemeny	Robustness	0.3296	max	0.3296	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	RRF	Robustness	0.327	max	0.327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	RRF	Robustness	0.3156	max	0.3156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	RRF	Robustness	0.333	max	0.333	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	RRF	Robustness	0.3352	max	0.3352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	RRF	Robustness	0.3436	max	0.3436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	RRF	Robustness	0.337	max	0.337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	RRF	Robustness	0.3348	max	0.3348	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	RRF	Robustness	0.3324	max	0.3324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	RRF	Robustness	0.3322	max	0.3322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	RRF	Robustness	0.3286	max	0.3286	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	Schulze	Robustness	0.3244	max	0.3244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	Schulze	Robustness	0.3282	max	0.3282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	Schulze	Robustness	0.3238	max	0.3238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	Schulze	Robustness	0.337	max	0.337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	Schulze	Robustness	0.339	max	0.339	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	Schulze	Robustness	0.3246	max	0.3246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	Schulze	Robustness	0.325	max	0.325	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	Schulze	Robustness	0.3328	max	0.3328	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	Schulze	Robustness	0.3246	max	0.3246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	Schulze	Robustness	0.3296	max	0.3296	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.3246	max	0.3246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.3284	max	0.3284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.3372	max	0.3372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.347	max	0.347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.3478	max	0.3478	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.3448	max	0.3448	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.35	max	0.35	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.3408	max	0.3408	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.3452	max	0.3452	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.3474	max	0.3474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Borda	Robustness	-0.3204	max	-0.3204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Borda	Robustness	-0.3134	max	-0.3134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Borda	Robustness	-0.3262	max	-0.3262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Borda	Robustness	-0.3498	max	-0.3498	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Borda	Robustness	-0.3358	max	-0.3358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Borda	Robustness	-0.3202	max	-0.3202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Borda	Robustness	-0.319	max	-0.319	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Borda	Robustness	-0.2942	max	-0.2942	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Borda	Robustness	-0.314	max	-0.314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Borda	Robustness	-0.3208	max	-0.3208	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.3204	max	-0.3204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2782	max	-0.2782	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.3086	max	-0.3086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.3062	max	-0.3062	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2952	max	-0.2952	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2846	max	-0.2846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2932	max	-0.2932	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2642	max	-0.2642	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2816	max	-0.2816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2774	max	-0.2774	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	RRF	Robustness	-0.3234	max	-0.3234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	RRF	Robustness	-0.3132	max	-0.3132	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	RRF	Robustness	-0.3202	max	-0.3202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	RRF	Robustness	-0.3324	max	-0.3324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	RRF	Robustness	-0.3132	max	-0.3132	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	RRF	Robustness	-0.3066	max	-0.3066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	RRF	Robustness	-0.2962	max	-0.2962	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	RRF	Robustness	-0.2768	max	-0.2768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	RRF	Robustness	-0.2968	max	-0.2968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	RRF	Robustness	-0.2944	max	-0.2944	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Schulze	Robustness	-0.3204	max	-0.3204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Schulze	Robustness	-0.29	max	-0.29	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Schulze	Robustness	-0.3004	max	-0.3004	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Schulze	Robustness	-0.3336	max	-0.3336	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Schulze	Robustness	-0.3034	max	-0.3034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2934	max	-0.2934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2872	max	-0.2872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2818	max	-0.2818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2776	max	-0.2776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Schulze	Robustness	-0.288	max	-0.288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3152	max	-0.3152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3048	max	-0.3048	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3282	max	-0.3282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3426	max	-0.3426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3366	max	-0.3366	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3314	max	-0.3314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3256	max	-0.3256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3202	max	-0.3202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.32	max	-0.32	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.3208	max	-0.3208	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	Borda	Robustness	0.168	max	0.168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	Borda	Robustness	0.1696	max	0.1696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	Borda	Robustness	0.1716	max	0.1716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	Borda	Robustness	0.1676	max	0.1676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	Borda	Robustness	0.1772	max	0.1772	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	Borda	Robustness	0.178	max	0.178	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	Borda	Robustness	0.1742	max	0.1742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	Borda	Robustness	0.1716	max	0.1716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	Borda	Robustness	0.1686	max	0.1686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	Borda	Robustness	0.1692	max	0.1692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	Kemeny	Robustness	0.168	max	0.168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	Kemeny	Robustness	0.175	max	0.175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	Kemeny	Robustness	0.1706	max	0.1706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	Kemeny	Robustness	0.1704	max	0.1704	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	Kemeny	Robustness	0.1634	max	0.1634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	Kemeny	Robustness	0.173	max	0.173	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	Kemeny	Robustness	0.168	max	0.168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	Kemeny	Robustness	0.1688	max	0.1688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	Kemeny	Robustness	0.1632	max	0.1632	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	Kemeny	Robustness	0.1668	max	0.1668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	RRF	Robustness	0.1644	max	0.1644	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	RRF	Robustness	0.1688	max	0.1688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	RRF	Robustness	0.1756	max	0.1756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	RRF	Robustness	0.1646	max	0.1646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	RRF	Robustness	0.1714	max	0.1714	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	RRF	Robustness	0.1696	max	0.1696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	RRF	Robustness	0.1694	max	0.1694	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	RRF	Robustness	0.1702	max	0.1702	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	RRF	Robustness	0.1664	max	0.1664	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	RRF	Robustness	0.1648	max	0.1648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	Schulze	Robustness	0.168	max	0.168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	Schulze	Robustness	0.1794	max	0.1794	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	Schulze	Robustness	0.176	max	0.176	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	Schulze	Robustness	0.1686	max	0.1686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	Schulze	Robustness	0.1668	max	0.1668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	Schulze	Robustness	0.167	max	0.167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	Schulze	Robustness	0.1658	max	0.1658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	Schulze	Robustness	0.167	max	0.167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	Schulze	Robustness	0.1604	max	0.1604	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	Schulze	Robustness	0.1662	max	0.1662	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.1628	max	0.1628	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.1726	max	0.1726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.1532	max	0.1532	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.156	max	0.156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.1558	max	0.1558	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.156	max	0.156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.1574	max	0.1574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.1514	max	0.1514	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.1536	max	0.1536	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.1564	max	0.1564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Borda	Robustness	-0.1014	max	-0.1014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Borda	Robustness	-0.0916	max	-0.0916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Borda	Robustness	-0.1134	max	-0.1134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Borda	Robustness	-0.13	max	-0.13	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Borda	Robustness	-0.1166	max	-0.1166	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Borda	Robustness	-0.1042	max	-0.1042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Borda	Robustness	-0.1018	max	-0.1018	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Borda	Robustness	-0.0828	max	-0.0828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Borda	Robustness	-0.097	max	-0.097	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Borda	Robustness	-0.0996	max	-0.0996	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.1014	max	-0.1014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0548	max	-0.0548	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.086	max	-0.086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.096	max	-0.096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0776	max	-0.0776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0702	max	-0.0702	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0758	max	-0.0758	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0522	max	-0.0522	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0712	max	-0.0712	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Kemeny	Robustness	-0.0684	max	-0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	RRF	Robustness	-0.1048	max	-0.1048	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	RRF	Robustness	-0.0862	max	-0.0862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	RRF	Robustness	-0.0984	max	-0.0984	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	RRF	Robustness	-0.1144	max	-0.1144	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	RRF	Robustness	-0.0966	max	-0.0966	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	RRF	Robustness	-0.086	max	-0.086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	RRF	Robustness	-0.081	max	-0.081	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	RRF	Robustness	-0.07	max	-0.07	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	RRF	Robustness	-0.0842	max	-0.0842	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	RRF	Robustness	-0.0776	max	-0.0776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Schulze	Robustness	-0.1014	max	-0.1014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Schulze	Robustness	-0.068	max	-0.068	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0818	max	-0.0818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Schulze	Robustness	-0.1176	max	-0.1176	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0868	max	-0.0868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0778	max	-0.0778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0768	max	-0.0768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0652	max	-0.0652	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0704	max	-0.0704	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654	-	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Schulze	Robustness	-0.0762	max	-0.0762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 - 0.518147	-	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1008	max	-0.1008	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 - 0.530299	-	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.088	max	-0.088	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 - 0.661997	-	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1178	max	-0.1178	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 - 0.533641	-	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1262	max	-0.1262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 - 0.475614	-	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1238	max	-0.1238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 - 0.505821	-	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1152	max	-0.1152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 - 0.569208	-	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1124	max	-0.1124	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 - 0.574619	-	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1096	max	-0.1096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 - 0.612495	-	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1128	max	-0.1128	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654	-	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	-0.1118	max	-0.1118	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Borda	Robustness	0.306	max	0.306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Borda	Robustness	0.3084	max	0.3084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Borda	Robustness	0.317	max	0.317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Borda	Robustness	0.3128	max	0.3128	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Borda	Robustness	0.3188	max	0.3188	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Borda	Robustness	0.3256	max	0.3256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Borda	Robustness	0.3172	max	0.3172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Borda	Robustness	0.3246	max	0.3246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Borda	Robustness	0.3168	max	0.3168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Borda	Robustness	0.3208	max	0.3208	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.306	max	0.306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.3164	max	0.3164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.3108	max	0.3108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.3156	max	0.3156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.3072	max	0.3072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.3166	max	0.3166	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.3216	max	0.3216	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.3186	max	0.3186	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.315	max	0.315	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.317	max	0.317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	RRF	Robustness	0.3058	max	0.3058	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	RRF	Robustness	0.3102	max	0.3102	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	RRF	Robustness	0.3196	max	0.3196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	RRF	Robustness	0.3154	max	0.3154	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	RRF	Robustness	0.321	max	0.321	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	RRF	Robustness	0.3138	max	0.3138	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	RRF	Robustness	0.3126	max	0.3126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	RRF	Robustness	0.3142	max	0.3142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	RRF	Robustness	0.3128	max	0.3128	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	RRF	Robustness	0.3134	max	0.3134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Schulze	Robustness	0.306	max	0.306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Schulze	Robustness	0.3164	max	0.3164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Schulze	Robustness	0.3178	max	0.3178	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Schulze	Robustness	0.321	max	0.321	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Schulze	Robustness	0.3148	max	0.3148	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Schulze	Robustness	0.3126	max	0.3126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Schulze	Robustness	0.3162	max	0.3162	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Schulze	Robustness	0.3202	max	0.3202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Schulze	Robustness	0.3156	max	0.3156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Schulze	Robustness	0.3124	max	0.3124	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.2974	max	0.2974	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3082	max	0.3082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3086	max	0.3086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3086	max	0.3086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3138	max	0.3138	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3156	max	0.3156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3218	max	0.3218	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.314	max	0.314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3182	max	0.3182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3152	max	0.3152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2824	max	-0.2824	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2728	max	-0.2728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2998	max	-0.2998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.3188	max	-0.3188	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.3068	max	-0.3068	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2912	max	-0.2912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2854	max	-0.2854	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2636	max	-0.2636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2778	max	-0.2778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.2822	max	-0.2822	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2824	max	-0.2824	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2588	max	-0.2588	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2756	max	-0.2756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2774	max	-0.2774	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.266	max	-0.266	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2542	max	-0.2542	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2624	max	-0.2624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2452	max	-0.2452	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.253	max	-0.253	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.2522	max	-0.2522	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2888	max	-0.2888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2766	max	-0.2766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.284	max	-0.284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.3072	max	-0.3072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2804	max	-0.2804	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.276	max	-0.276	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2682	max	-0.2682	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2524	max	-0.2524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2634	max	-0.2634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.2654	max	-0.2654	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2824	max	-0.2824	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2646	max	-0.2646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2672	max	-0.2672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.3072	max	-0.3072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2786	max	-0.2786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2766	max	-0.2766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2604	max	-0.2604	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2536	max	-0.2536	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2512	max	-0.2512	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.2696	max	-0.2696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2864	max	-0.2864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2764	max	-0.2764	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.3098	max	-0.3098	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.3174	max	-0.3174	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.3106	max	-0.3106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.3076	max	-0.3076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2986	max	-0.2986	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2934	max	-0.2934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2958	max	-0.2958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654	-	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.2946	max	-0.2946	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 - 0.518147	-	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Borda	Robustness	0.1608	max	0.1608	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 - 0.530299	-	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Borda	Robustness	0.1616	max	0.1616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 - 0.661997	-	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Borda	Robustness	0.1612	max	0.1612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 - 0.533641	-	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Borda	Robustness	0.1502	max	0.1502	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 - 0.475614	-	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Borda	Robustness	0.1598	max	0.1598	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 - 0.505821	-	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Borda	Robustness	0.1656	max	0.1656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 - 0.569208	-	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Borda	Robustness	0.1664	max	0.1664	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 - 0.574619	-	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Borda	Robustness	0.1662	max	0.1662	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 - 0.612495	-	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Borda	Robustness	0.1576	max	0.1576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654	-	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Borda	Robustness	0.1624	max	0.1624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.1608	max	0.1608	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.1672	max	0.1672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.1612	max	0.1612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.1628	max	0.1628	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.1542	max	0.1542	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.1604	max	0.1604	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.1656	max	0.1656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.1652	max	0.1652	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.1568	max	0.1568	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.1614	max	0.1614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	RRF	Robustness	0.1606	max	0.1606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	RRF	Robustness	0.1658	max	0.1658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	RRF	Robustness	0.165	max	0.165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	RRF	Robustness	0.1572	max	0.1572	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	RRF	Robustness	0.1618	max	0.1618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	RRF	Robustness	0.1568	max	0.1568	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	RRF	Robustness	0.1624	max	0.1624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	RRF	Robustness	0.1598	max	0.1598	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	RRF	Robustness	0.1564	max	0.1564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	RRF	Robustness	0.1624	max	0.1624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Schulze	Robustness	0.1608	max	0.1608	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Schulze	Robustness	0.1698	max	0.1698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Schulze	Robustness	0.1694	max	0.1694	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Schulze	Robustness	0.1578	max	0.1578	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Schulze	Robustness	0.1546	max	0.1546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Schulze	Robustness	0.1638	max	0.1638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Schulze	Robustness	0.1618	max	0.1618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Schulze	Robustness	0.1616	max	0.1616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Schulze	Robustness	0.1564	max	0.1564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Schulze	Robustness	0.1592	max	0.1592	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1508	max	0.1508	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1618	max	0.1618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1386	max	0.1386	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1294	max	0.1294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1328	max	0.1328	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1382	max	0.1382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1426	max	0.1426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1372	max	0.1372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1396	max	0.1396	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1376	max	0.1376	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0614	max	-0.0614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.047	max	-0.047	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0928	max	-0.0928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.1106	max	-0.1106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0932	max	-0.0932	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0788	max	-0.0788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0818	max	-0.0818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0624	max	-0.0624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0704	max	-0.0704	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Borda	Robustness	-0.0788	max	-0.0788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0614	max	-0.0614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0356	max	-0.0356	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0606	max	-0.0606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0684	max	-0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0548	max	-0.0548	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.047	max	-0.047	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.053	max	-0.053	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.0396	max	-0.0396	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.047	max	-0.047	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	-0.045	max	-0.045	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0702	max	-0.0702	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0532	max	-0.0532	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.072	max	-0.072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0966	max	-0.0966	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0732	max	-0.0732	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0686	max	-0.0686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.0622	max	-0.0622	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.052	max	-0.052	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.06	max	-0.06	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	RRF	Robustness	-0.066	max	-0.066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0614	max	-0.0614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0382	max	-0.0382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0512	max	-0.0512	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0996	max	-0.0996	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0676	max	-0.0676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0708	max	-0.0708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0566	max	-0.0566	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0458	max	-0.0458	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0486	max	-0.0486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	-0.0656	max	-0.0656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0646	max	-0.0646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0568	max	-0.0568	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1034	max	-0.1034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.107	max	-0.107	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.105	max	-0.105	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.1	max	-0.1	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0946	max	-0.0946	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0888	max	-0.0888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0938	max	-0.0938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	-0.0916	max	-0.0916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	Borda	Robustness	0.1106	max	0.1106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	Borda	Robustness	0.113	max	0.113	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	Borda	Robustness	0.1176	max	0.1176	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	Borda	Robustness	0.1138	max	0.1138	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	Borda	Robustness	0.1164	max	0.1164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	Borda	Robustness	0.126	max	0.126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	Borda	Robustness	0.126	max	0.126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	Borda	Robustness	0.1238	max	0.1238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	Borda	Robustness	0.1204	max	0.1204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	Borda	Robustness	0.1142	max	0.1142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	Kemeny	Robustness	0.1106	max	0.1106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	Kemeny	Robustness	0.1116	max	0.1116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	Kemeny	Robustness	0.1136	max	0.1136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	Kemeny	Robustness	0.1202	max	0.1202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	Kemeny	Robustness	0.1134	max	0.1134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	Kemeny	Robustness	0.121	max	0.121	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	Kemeny	Robustness	0.1234	max	0.1234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	Kemeny	Robustness	0.1138	max	0.1138	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	Kemeny	Robustness	0.1154	max	0.1154	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	Kemeny	Robustness	0.1136	max	0.1136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	RRF	Robustness	0.107	max	0.107	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	RRF	Robustness	0.1108	max	0.1108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	RRF	Robustness	0.1194	max	0.1194	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	RRF	Robustness	0.1146	max	0.1146	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	RRF	Robustness	0.1196	max	0.1196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	RRF	Robustness	0.1262	max	0.1262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	RRF	Robustness	0.1218	max	0.1218	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	RRF	Robustness	0.1198	max	0.1198	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	RRF	Robustness	0.1218	max	0.1218	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	RRF	Robustness	0.1126	max	0.1126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	Schulze	Robustness	0.1106	max	0.1106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	Schulze	Robustness	0.1134	max	0.1134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	Schulze	Robustness	0.1156	max	0.1156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	Schulze	Robustness	0.115	max	0.115	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	Schulze	Robustness	0.1206	max	0.1206	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	Schulze	Robustness	0.115	max	0.115	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	Schulze	Robustness	0.1204	max	0.1204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	Schulze	Robustness	0.1196	max	0.1196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	Schulze	Robustness	0.1148	max	0.1148	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	Schulze	Robustness	0.112	max	0.112	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	Simple Averaging	Robustness	0.1022	max	0.1022	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	Simple Averaging	Robustness	0.1116	max	0.1116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	Simple Averaging	Robustness	0.121	max	0.121	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	Simple Averaging	Robustness	0.1188	max	0.1188	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	Simple Averaging	Robustness	0.12	max	0.12	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	Simple Averaging	Robustness	0.1168	max	0.1168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	Simple Averaging	Robustness	0.124	max	0.124	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	Simple Averaging	Robustness	0.1174	max	0.1174	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	Simple Averaging	Robustness	0.1198	max	0.1198	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	Simple Averaging	Robustness	0.1192	max	0.1192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Borda	Robustness	-0.0906	max	-0.0906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Borda	Robustness	-0.0986	max	-0.0986	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Borda	Robustness	-0.1024	max	-0.1024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Borda	Robustness	-0.1142	max	-0.1142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Borda	Robustness	-0.107	max	-0.107	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Borda	Robustness	-0.1042	max	-0.1042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Borda	Robustness	-0.098	max	-0.098	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Borda	Robustness	-0.0898	max	-0.0898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Borda	Robustness	-0.101	max	-0.101	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Borda	Robustness	-0.103	max	-0.103	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0906	max	-0.0906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0892	max	-0.0892	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Kemeny	Robustness	-0.1016	max	-0.1016	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Kemeny	Robustness	-0.1034	max	-0.1034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0882	max	-0.0882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0924	max	-0.0924	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0986	max	-0.0986	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0916	max	-0.0916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0904	max	-0.0904	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0994	max	-0.0994	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	RRF	Robustness	-0.1034	max	-0.1034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	RRF	Robustness	-0.0962	max	-0.0962	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	RRF	Robustness	-0.102	max	-0.102	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	RRF	Robustness	-0.108	max	-0.108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	RRF	Robustness	-0.0954	max	-0.0954	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	RRF	Robustness	-0.1004	max	-0.1004	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	RRF	Robustness	-0.0882	max	-0.0882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	RRF	Robustness	-0.0882	max	-0.0882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	RRF	Robustness	-0.0966	max	-0.0966	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	RRF	Robustness	-0.0958	max	-0.0958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Schulze	Robustness	-0.0906	max	-0.0906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Schulze	Robustness	-0.0924	max	-0.0924	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Schulze	Robustness	-0.0916	max	-0.0916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Schulze	Robustness	-0.111	max	-0.111	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Schulze	Robustness	-0.0974	max	-0.0974	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Schulze	Robustness	-0.0946	max	-0.0946	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Schulze	Robustness	-0.0988	max	-0.0988	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Schulze	Robustness	-0.1016	max	-0.1016	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Schulze	Robustness	-0.0968	max	-0.0968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Schulze	Robustness	-0.0958	max	-0.0958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1012	max	-0.1012	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0928	max	-0.0928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1234	max	-0.1234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.13	max	-0.13	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1278	max	-0.1278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1252	max	-0.1252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1228	max	-0.1228	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1178	max	-0.1178	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1182	max	-0.1182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.1196	max	-0.1196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	Borda	Robustness	0.0816	max	0.0816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	Borda	Robustness	0.084	max	0.084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	Borda	Robustness	0.0798	max	0.0798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	Borda	Robustness	0.0764	max	0.0764	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	Borda	Robustness	0.0764	max	0.0764	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	Borda	Robustness	0.084	max	0.084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	Borda	Robustness	0.0866	max	0.0866	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	Borda	Robustness	0.077	max	0.077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	Borda	Robustness	0.0756	max	0.0756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	Borda	Robustness	0.0748	max	0.0748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	Kemeny	Robustness	0.0816	max	0.0816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	Kemeny	Robustness	0.0812	max	0.0812	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	Kemeny	Robustness	0.0806	max	0.0806	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	Kemeny	Robustness	0.0846	max	0.0846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	Kemeny	Robustness	0.081	max	0.081	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	Kemeny	Robustness	0.0798	max	0.0798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	Kemeny	Robustness	0.0816	max	0.0816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	Kemeny	Robustness	0.0756	max	0.0756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	Kemeny	Robustness	0.0726	max	0.0726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	Kemeny	Robustness	0.0748	max	0.0748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	RRF	Robustness	0.0782	max	0.0782	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	RRF	Robustness	0.0804	max	0.0804	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	RRF	Robustness	0.0828	max	0.0828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	RRF	Robustness	0.0822	max	0.0822	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	RRF	Robustness	0.0796	max	0.0796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	RRF	Robustness	0.0858	max	0.0858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	RRF	Robustness	0.083	max	0.083	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	RRF	Robustness	0.074	max	0.074	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	RRF	Robustness	0.0752	max	0.0752	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	RRF	Robustness	0.0742	max	0.0742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	Schulze	Robustness	0.0816	max	0.0816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	Schulze	Robustness	0.0878	max	0.0878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	Schulze	Robustness	0.0876	max	0.0876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	Schulze	Robustness	0.0788	max	0.0788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	Schulze	Robustness	0.081	max	0.081	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	Schulze	Robustness	0.0796	max	0.0796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	Schulze	Robustness	0.0808	max	0.0808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	Schulze	Robustness	0.0772	max	0.0772	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	Schulze	Robustness	0.0768	max	0.0768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	Schulze	Robustness	0.077	max	0.077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	Simple Averaging	Robustness	0.0718	max	0.0718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	Simple Averaging	Robustness	0.0768	max	0.0768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	Simple Averaging	Robustness	0.08	max	0.08	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	Simple Averaging	Robustness	0.0722	max	0.0722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0756	max	0.0756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	Simple Averaging	Robustness	0.0736	max	0.0736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	Simple Averaging	Robustness	0.0774	max	0.0774	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	Simple Averaging	Robustness	0.0718	max	0.0718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	Simple Averaging	Robustness	0.0736	max	0.0736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	Simple Averaging	Robustness	0.0734	max	0.0734	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Borda	Robustness	-0.0278	max	-0.0278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Borda	Robustness	-0.0274	max	-0.0274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Borda	Robustness	-0.0402	max	-0.0402	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Borda	Robustness	-0.051	max	-0.051	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Borda	Robustness	-0.0426	max	-0.0426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Borda	Robustness	-0.0402	max	-0.0402	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Borda	Robustness	-0.0396	max	-0.0396	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Borda	Robustness	-0.028	max	-0.028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Borda	Robustness	-0.0368	max	-0.0368	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Borda	Robustness	-0.0428	max	-0.0428	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0278	max	-0.0278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0222	max	-0.0222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0352	max	-0.0352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0446	max	-0.0446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0298	max	-0.0298	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0288	max	-0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0328	max	-0.0328	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0288	max	-0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0294	max	-0.0294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Kemeny	Robustness	-0.0362	max	-0.0362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	RRF	Robustness	-0.0366	max	-0.0366	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	RRF	Robustness	-0.0276	max	-0.0276	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	RRF	Robustness	-0.0386	max	-0.0386	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	RRF	Robustness	-0.0468	max	-0.0468	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	RRF	Robustness	-0.039	max	-0.039	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	RRF	Robustness	-0.0366	max	-0.0366	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	RRF	Robustness	-0.0284	max	-0.0284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	RRF	Robustness	-0.032	max	-0.032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	RRF	Robustness	-0.0354	max	-0.0354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	RRF	Robustness	-0.0342	max	-0.0342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Schulze	Robustness	-0.0278	max	-0.0278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Schulze	Robustness	-0.0238	max	-0.0238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Schulze	Robustness	-0.028	max	-0.028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Schulze	Robustness	-0.049	max	-0.049	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Schulze	Robustness	-0.039	max	-0.039	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Schulze	Robustness	-0.0368	max	-0.0368	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Schulze	Robustness	-0.0354	max	-0.0354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Schulze	Robustness	-0.0356	max	-0.0356	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Schulze	Robustness	-0.0386	max	-0.0386	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Schulze	Robustness	-0.035	max	-0.035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0368	max	-0.0368	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0282	max	-0.0282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0688	max	-0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0666	max	-0.0666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.066	max	-0.066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0588	max	-0.0588	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0638	max	-0.0638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.063	max	-0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0646	max	-0.0646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	-0.0636	max	-0.0636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Table 298: ImageNet-ResNet-18

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	False	True	5	True	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	True	True	5	False	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	False	True	5	True	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	True	True	5	False	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	True	True	5	False	True	lation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	False	True	5	False	False	lation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	False	True	5	False	False	lation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	False	True	5	False	False	lation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	False	True	5	False	False	lation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	False	True	5	False	False	lation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	False	True	5	False	False	lation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	False	True	5	False	False	lation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	False	True	5	False	False	lation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
												lation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 C		True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 C		True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 C		False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 C		True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 C		False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 C		True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 C		False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 C		True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 Cbar		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 Cbar		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 Cbar		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 Cbar		False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 Cbar		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 Cbar		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 Cbar		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 Cbar		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 Cbar		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	6	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	6	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	4	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	4	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 F	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 F	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 F	F	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 F	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 F	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 F	F	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 F	F	True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 F	F	True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 F	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 F	F	True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 F	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 F	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 Fbar	Fbar	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	False	True	7	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	True	True	7	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	False	True	9	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	False	True	9	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	True	True	9	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	False	True	10	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	True	True	10	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	False	True	3	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	False	True	7	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	True	True	7	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	False	True	4	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	True	True	4	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	False	True	7	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	True	True	7	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	False	True	7	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	True	True	7	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	False	True	7	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	True	True	7	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	True	True	6	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	False	True	8	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	True	True	8	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	False	True	7	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	True	True	7	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	False	True	4	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	True	True	4	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255 C	C	True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255 C		True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255 C		False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255 C		True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	6	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	4	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	4	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255 F	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255 Fbar	Fbar	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 Fbar	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	False	True	6	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	False	True	7	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	True	True	7	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	False	True	7	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	True	True	7	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	True	True	3	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	False	True	4	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	False	True	4	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	False	True	4	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	False	True	4	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	False	True	4	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	False	True	4	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	False	True	4	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	False	True	4	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	False	True	4	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	True	True	4	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	False	True	3	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	False	True	7	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	True	True	7	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	False	True	9	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	False	True	9	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	True	True	9	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	False	True	7	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	False	True	7	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	True	True	7	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	True	True	8	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	False	True	7	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	True	True	7	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	False	True	6	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	True	True	6	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	True	True	8	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	False	True	7	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	False	True	7	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	True	True	4	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]

Table 299: ImageNet-ResNet-18

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0922	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.1056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.109	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.1012	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0946	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0892	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 C		Borda	Conditioned Quality	0.0874	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0922	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0824	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.1074	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0914	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0854	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.0874	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 C		Kemeny	Conditioned Quality	0.092	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.0926	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.0858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 C		RRF	Conditioned Quality	0.1018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.1102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.1052	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.0982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.0952	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.0926	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.0904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.0898	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0922	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0832	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0914	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.1002	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0888	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.0896	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.0932	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.0852	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.1126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.1122	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.112	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.1078	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.1074	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 C		Simple Averaging	Conditioned Quality	0.1092	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2154	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2312	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2496	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2648	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2788	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2864	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.3068	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.3018	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Cbar		Borda	Conditioned Quality	0.2932	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.2	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.2654	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.237	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.2126	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.2342	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.2716	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Cbar		Kemeny	Conditioned Quality	0.2754	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.3088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.2994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.3	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.1954	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2192	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.211	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2626	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2918	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.2816	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2734	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.3138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.3036	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.2938	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.2054	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.2218	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.2918	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.322	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.317	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.314	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3108	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3136	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3106	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.3108	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0658	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0612	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0756	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0768	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.074	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0708	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0694	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0646	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	F	Borda	Conditioned Quality	0.0644	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F	F	Borda	Conditioned Quality	0.063	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0658	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0586	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0684	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0768	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0706	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.068	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.066	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0602	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0628	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F	F	Kemeny	Conditioned Quality	0.0652	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0652	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0622	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.073	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0784	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0766	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0724	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0688	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0674	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0668	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F	F	RRF	Conditioned Quality	0.0656	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.0658	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.06	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.0658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.0784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.073	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.073	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.0668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.061	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.0644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F	F	Schulze	Conditioned Quality	0.065	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0666	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0608	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0802	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0812	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F	F	Simple Averaging	Conditioned Quality	0.0782	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.122	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.1364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.15	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.172	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.1768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.1926	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.1998	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","Integrated Gradients","Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.2154	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","Integrated Gradients","Saliency","InputXGradient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.2072	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","Integrated Gradients","Saliency","InputXGradient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	Borda	Conditioned Quality	0.1996	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","Integrated Gradients","Saliency","InputXGradient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.122	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.1786	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.1562	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.1386	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.1508	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.183	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.1884	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","Integrated Gradients","Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.2156	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","Integrated Gradients","Saliency","InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.2066	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","Integrated Gradients","Saliency","InputXGradient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Conditioned Quality	0.2084	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","Integrated Gradients","Saliency","InputXGradient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.119	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.141	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.1346	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.1548	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.1582	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.1794	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	RRF	Conditioned Quality	0.1836	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion","GradientShap","Integrated Gradients","Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.2026	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.1968	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar		RRF	Conditioned Quality	0.193	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.122	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.172	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.1584	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.1666	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.1668	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.17	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.1866	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.2202	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.2116	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar		Schulze	Conditioned Quality	0.2012	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.1256	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.1456	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.204	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.227	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.2218	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.2222	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.218	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar		Simple Averaging	Conditioned Quality	0.22	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.217	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.2172	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Borda	Conditioned Quality	0.6324	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Borda	Conditioned Quality	0.621	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Borda	Conditioned Quality	0.6454	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Borda	Conditioned Quality	0.6526	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Borda	Conditioned Quality	0.646	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Borda	Conditioned Quality	0.6342	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Borda	Conditioned Quality	0.6266	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Borda	Conditioned Quality	0.6196	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Borda	Conditioned Quality	0.6164	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Borda	Conditioned Quality	0.614	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6324	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6196	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6268	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6448	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.623	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6242	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6104	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6022	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.5952	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6006	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	RRF	Conditioned Quality	0.6344	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	RRF	Conditioned Quality	0.6178	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	RRF	Conditioned Quality	0.6396	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	RRF	Conditioned Quality	0.6504	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	RRF	Conditioned Quality	0.6422	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	RRF	Conditioned Quality	0.6282	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	RRF	Conditioned Quality	0.6226	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	RRF	Conditioned Quality	0.6122	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	RRF	Conditioned Quality	0.6094	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	RRF	Conditioned Quality	0.6098	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6324	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6206	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6212	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Schulze	Conditioned Quality	0.649	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6398	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6212	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6094	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6022	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6004	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6056	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6302	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.628	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6346	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.635	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.629	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.631	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6334	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.579	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.5822	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6286	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6714	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.6672	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.579	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.5826	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.5858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.5934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.6008	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.615	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.623	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.6276	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.6362	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.6266	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.5794	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.5848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.595	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.6418	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.6312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.6296	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.6268	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.6356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.6368	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.579	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.581	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.5876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.6324	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5798	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.58	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.6988	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.743	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.721	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.715	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.7084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.7058	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.707	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Borda	Conditioned Quality	0.3498	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Borda	Conditioned Quality	0.3458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Borda	Conditioned Quality	0.3572	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Borda	Conditioned Quality	0.3552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Borda	Conditioned Quality	0.3554	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Borda	Conditioned Quality	0.3478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Borda	Conditioned Quality	0.3376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Borda	Conditioned Quality	0.3334	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Borda	Conditioned Quality	0.3302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Borda	Conditioned Quality	0.3272	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3498	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.345	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3456	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.344	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3446	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3322	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Kemeny	Conditioned Quality	0.3224	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	RRF	Conditioned Quality	0.3456	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	RRF	Conditioned Quality	0.345	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	RRF	Conditioned Quality	0.359	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	RRF	Conditioned Quality	0.3532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	RRF	Conditioned Quality	0.3512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	RRF	Conditioned Quality	0.3424	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	RRF	Conditioned Quality	0.3376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	RRF	Conditioned Quality	0.3346	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	RRF	Conditioned Quality	0.3302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	RRF	Conditioned Quality	0.326	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3498	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3452	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3464	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3562	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3478	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Schulze	Conditioned Quality	0.342	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Schulze	Conditioned Quality	0.333	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3248	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3222	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Schulze	Conditioned Quality	0.3238	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3442	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3488	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3336	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3286	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3296	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3302	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3298	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3262	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.3272	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	0.329	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.2466	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.2502	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.2936	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3214	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3254	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Borda	Conditioned Quality	0.3182	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.251	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.279	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.3004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	0.2918	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.2472	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.2474	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.259	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3012	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.293	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.2906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.2886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.2958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.3012	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	RRF	Conditioned Quality	0.2952	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2466	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.3194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2824	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2836	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	0.2944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.2508	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.2518	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3558	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.387	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3744	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3622	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3628	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6118	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6286	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6248	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.6024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.5936	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.5964	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.608	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.6086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.6284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.6132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.605	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.6036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.593	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.5872	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.588	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.6132	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.6124	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.6262	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.6306	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.6196	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.605	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.6004	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.594	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.59	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.5946	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.614	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.6088	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.6152	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.633	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.6156	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.6092	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.6006	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5896	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5914	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5884	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.603	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.6078	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.611	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.5958	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.6014	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.6054	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.6068	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.6022	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.604	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.6012	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.541	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.5416	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6022	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6404	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6392	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6394	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6302	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.63	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6292	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.6286	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.541	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5632	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5528	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5922	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.6086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.6076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.6014	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5448	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.6166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.599	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5988	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.6076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.6078	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.541	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.5556	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.5544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.633	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.5938	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.61	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.6034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.551	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.5516	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.6804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.7178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.6972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.6816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.6816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.6808	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3378	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3468	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3378	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3192	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.3204	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3362	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3348	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.332	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.3154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.317	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3418	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3484	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3416	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3296	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.3236	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3398	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3454	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.329	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.3168	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.3322	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.319	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.3124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.315	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.3102	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2066	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2056	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.273	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3088	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3024	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.303	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3014	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.3012	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2988	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	0.2974	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2066	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.226	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2256	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2342	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2416	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2558	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2628	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.279	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2762	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	0.2684	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2126	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2144	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2326	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2696	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.277	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	0.2836	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2066	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.3014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.28	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	0.2838	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2146	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.2206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3414	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3432	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	0.3426	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Borda	Conditioned Quality	0.4186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Borda	Conditioned Quality	0.4164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Borda	Conditioned Quality	0.4292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Borda	Conditioned Quality	0.4258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Borda	Conditioned Quality	0.415	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Borda	Conditioned Quality	0.415	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Borda	Conditioned Quality	0.4104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Borda	Conditioned Quality	0.4016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Borda	Conditioned Quality	0.3972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Borda	Conditioned Quality	0.3898	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Kemeny	Conditioned Quality	0.433	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Kemeny	Conditioned Quality	0.3882	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Sallency","InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Kemeny	Conditioned Quality	0.3876	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Sallency","InputXGrad ient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Kemeny	Conditioned Quality	0.3846	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Sallency","InputXGrad ient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	RRF	Conditioned Quality	0.4144	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	RRF	Conditioned Quality	0.413	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	RRF	Conditioned Quality	0.426	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	RRF	Conditioned Quality	0.4298	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	RRF	Conditioned Quality	0.4182	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	RRF	Conditioned Quality	0.4174	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	RRF	Conditioned Quality	0.4096	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Sallency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	RRF	Conditioned Quality	0.3996	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Sallency","InputXGrad ient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	RRF	Conditioned Quality	0.399	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Sallency","InputXGrad ient","Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	RRF	Conditioned Quality	0.3938	True	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Sallency","InputXGrad ient","Deconvolution","LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Schulze	Conditioned Quality	0.4186	False	["GuidedBack prop","DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Schulze	Conditioned Quality	0.4058	False	["GuidedBack prop","DeepLiftShap","DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Schulze	Conditioned Quality	0.413	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Schulze	Conditioned Quality	0.427	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Schulze	Conditioned Quality	0.4214	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Schulze	Conditioned Quality	0.4116	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Schulze	Conditioned Quality	0.4048	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Sallency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Schulze	Conditioned Quality	0.389	False	["GuidedBack prop","DeepLiftShap","DeepLift","FeatureAbl ation","Occlusion","Gradient Shap","Integrated Gradients","Sallency","InputXGrad ient"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Schulze	Conditioned Quality	0.3906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Schulze	Conditioned Quality	0.388	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4078	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4112	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.406	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.409	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4052	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.3492	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.3674	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4428	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4562	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.4494	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3492	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3936	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3788	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3906	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.3938	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.4228	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.4284	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.455	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.445	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.4486	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.3594	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.3678	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.3768	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4174	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4134	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4234	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4188	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4434	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4354	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.4382	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.3492	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.3834	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.3788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.4368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.4126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.412	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.4304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.449	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.4402	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.3658	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.494	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5232	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5148	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5122	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.506	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.504	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5058	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Borda	Conditioned Quality	0.2634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Borda	Conditioned Quality	0.2602	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Borda	Conditioned Quality	0.2654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Borda	Conditioned Quality	0.264	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Borda	Conditioned Quality	0.2546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Borda	Conditioned Quality	0.2538	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Borda	Conditioned Quality	0.25	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Borda	Conditioned Quality	0.2388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Borda	Conditioned Quality	0.2372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Borda	Conditioned Quality	0.2328	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2556	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Kemeny	Conditioned Quality	0.272	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Kemeny	Conditioned Quality	0.233	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Kemeny	Conditioned Quality	0.2304	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	RRF	Conditioned Quality	0.2594	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	RRF	Conditioned Quality	0.2566	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	RRF	Conditioned Quality	0.2662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	RRF	Conditioned Quality	0.2708	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	RRF	Conditioned Quality	0.2594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	RRF	Conditioned Quality	0.2586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	RRF	Conditioned Quality	0.2512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	RRF	Conditioned Quality	0.2384	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	RRF	Conditioned Quality	0.239	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	RRF	Conditioned Quality	0.2354	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Schulze	Conditioned Quality	0.2634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Schulze	Conditioned Quality	0.2536	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Schulze	Conditioned Quality	0.258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Schulze	Conditioned Quality	0.2664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Schulze	Conditioned Quality	0.262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Schulze	Conditioned Quality	0.2546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Schulze	Conditioned Quality	0.248	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Schulze	Conditioned Quality	0.235	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Schulze	Conditioned Quality	0.2386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Schulze	Conditioned Quality	0.2346	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2532	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.253	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2494	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2498	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2466	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.2472	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.246	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.173	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2492	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2518	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.2614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.173	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2002	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.2596	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.179	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1888	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.1992	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2336	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2354	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2412	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.236	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2578	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2524	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.2518	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.173	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2024	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2006	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2508	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2346	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2322	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2422	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2698	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2648	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.2532	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.1868	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.192	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.318	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.3146	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	C	Borda	Quality	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	C	Borda	Quality	0.3034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Borda	Quality	0.3116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Borda	Quality	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	C	Borda	Quality	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	C	Borda	Quality	0.289	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	C	Borda	Quality	0.2844	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	C	Borda	Quality	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	C	Borda	Quality	0.2768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	C	Borda	Quality	0.2756	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	C	Kemeny	Quality	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	C	Kemeny	Quality	0.2916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Kemeny	Quality	0.2978	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Kemeny	Quality	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	C	Kemeny	Quality	0.306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	C	Kemeny	Quality	0.2884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	C	Kemeny	Quality	0.282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	C	Kemeny	Quality	0.2744	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	C	Kemeny	Quality	0.2722	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	C	Kemeny	Quality	0.271	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	C	RRF	Quality	0.3074	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	C	RRF	Quality	0.3022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	RRF	Quality	0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	RRF	Quality	0.3152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	C	RRF	Quality	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	C	RRF	Quality	0.2912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	C	RRF	Quality	0.2878	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	C	RRF	Quality	0.2798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	C	RRF	Quality	0.2772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	C	RRF	Quality	0.2812	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	C	Schulze	Quality	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	C	Schulze	Quality	0.2924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Schulze	Quality	0.2974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Schulze	Quality	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	C	Schulze	Quality	0.3008	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	C	Schulze	Quality	0.2966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	C	Schulze	Quality	0.2844	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	C	Schulze	Quality	0.2694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	C	Schulze	Quality	0.2758	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	C	Schulze	Quality	0.276	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	C	Simple Averaging	Quality	0.3056	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	C	Simple Averaging	Quality	0.2996	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	C	Simple Averaging	Quality	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	C	Simple Averaging	Quality	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	C	Simple Averaging	Quality	0.2876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	C	Simple Averaging	Quality	0.2898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	C	Simple Averaging	Quality	0.285	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	C	Simple Averaging	Quality	0.2882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	C	Simple Averaging	Quality	0.2858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	C	Simple Averaging	Quality	0.286	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Cbar	Borda	Quality	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Cbar	Borda	Quality	0.2688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Borda	Quality	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Borda	Quality	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Cbar	Borda	Quality	0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Cbar	Borda	Quality	0.3482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Cbar	Borda	Quality	0.3448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Cbar	Borda	Quality	0.3664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Cbar	Borda	Quality	0.3514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Cbar	Borda	Quality	0.3464	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Cbar	Kemeny	Quality	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Cbar	Kemeny	Quality	0.3044	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Kemeny	Quality	0.2772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Kemeny	Quality	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Cbar	Kemeny	Quality	0.3056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Cbar	Kemeny	Quality	0.3304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Cbar	Kemeny	Quality	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Cbar	Kemeny	Quality	0.3634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Cbar	Kemeny	Quality	0.3546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Cbar	Kemeny	Quality	0.3492	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Cbar	RRF	Quality	0.256	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Cbar	RRF	Quality	0.2716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	RRF	Quality	0.2748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	RRF	Quality	0.3094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Cbar	RRF	Quality	0.318	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Cbar	RRF	Quality	0.323	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Cbar	RRF	Quality	0.3306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Cbar	RRF	Quality	0.3552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Cbar	RRF	Quality	0.3388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Cbar	RRF	Quality	0.3424	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Cbar	Schulze	Quality	0.2586	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Cbar	Schulze	Quality	0.291	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Schulze	Quality	0.2872	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Schulze	Quality	0.3258	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Cbar	Schulze	Quality	0.3152	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Cbar	Schulze	Quality	0.3174	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Cbar	Schulze	Quality	0.3316	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Cbar	Schulze	Quality	0.3564	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Cbar	Schulze	Quality	0.3522	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Cbar	Schulze	Quality	0.3444	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Cbar	Simple Averaging	Quality	0.2646	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Cbar	Simple Averaging	Quality	0.2752	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Cbar	Simple Averaging	Quality	0.3706	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Cbar	Simple Averaging	Quality	0.4004	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Cbar	Simple Averaging	Quality	0.3954	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Cbar	Simple Averaging	Quality	0.3896	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Cbar	Simple Averaging	Quality	0.3894	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Cbar	Simple Averaging	Quality	0.3882	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Cbar	Simple Averaging	Quality	0.3858	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Cbar	Simple Averaging	Quality	0.3862	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	F	Borda	Quality	0.1818	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	F	Borda	Quality	0.1762	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Borda	Quality	0.1856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Borda	Quality	0.1876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	F	Borda	Quality	0.1782	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	F	Borda	Quality	0.1698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	F	Borda	Quality	0.1634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	F	Borda	Quality	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	F	Borda	Quality	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	F	Borda	Quality	0.158	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	F	Kemeny	Quality	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	F	Kemeny	Quality	0.17	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Kemeny	Quality	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Kemeny	Quality	0.1874	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	F	Kemeny	Quality	0.1806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	F	Kemeny	Quality	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	F	Kemeny	Quality	0.1642	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	F	Kemeny	Quality	0.1574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	F	Kemeny	Quality	0.1586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	F	Kemeny	Quality	0.1556	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	F	RRF	Quality	0.1812	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	F	RRF	Quality	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	RRF	Quality	0.1834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	RRF	Quality	0.1886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	F	RRF	Quality	0.1798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	F	RRF	Quality	0.1728	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	F	RRF	Quality	0.1682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	F	RRF	Quality	0.1644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	F	RRF	Quality	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	F	RRF	Quality	0.1612	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	F	Schulze	Quality	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	F	Schulze	Quality	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Schulze	Quality	0.1704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Schulze	Quality	0.1876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	F	Schulze	Quality	0.181	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	F	Schulze	Quality	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	F	Schulze	Quality	0.1672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	F	Schulze	Quality	0.1578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	F	Schulze	Quality	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	F	Schulze	Quality	0.1576	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	F	Simple Averaging	Quality	0.1814	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	F	Simple Averaging	Quality	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	F	Simple Averaging	Quality	0.1804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	F	Simple Averaging	Quality	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	F	Simple Averaging	Quality	0.1738	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	F	Simple Averaging	Quality	0.1742	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	F	Simple Averaging	Quality	0.1724	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	F	Simple Averaging	Quality	0.1748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	F	Simple Averaging	Quality	0.1736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	F	Simple Averaging	Quality	0.1726	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Fbar	Borda	Quality	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Fbar	Borda	Quality	0.1586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Borda	Quality	0.1802	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Borda	Quality	0.1982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Fbar	Borda	Quality	0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Fbar	Borda	Quality	0.2242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Fbar	Borda	Quality	0.2196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Fbar	Borda	Quality	0.2388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Fbar	Borda	Quality	0.2284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Fbar	Borda	Quality	0.2186	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Fbar	Kemeny	Quality	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Fbar	Kemeny	Quality	0.1904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Kemeny	Quality	0.165	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Kemeny	Quality	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Fbar	Kemeny	Quality	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Fbar	Kemeny	Quality	0.2088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Fbar	Kemeny	Quality	0.2098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Fbar	Kemeny	Quality	0.2394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Fbar	Kemeny	Quality	0.2292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Fbar	Kemeny	Quality	0.2234	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Fbar	RRF	Quality	0.1424	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Fbar	RRF	Quality	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	RRF	Quality	0.1606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	RRF	Quality	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Fbar	RRF	Quality	0.1964	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Fbar	RRF	Quality	0.2046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Fbar	RRF	Quality	0.2076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Fbar	RRF	Quality	0.2258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Fbar	RRF	Quality	0.217	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Fbar	RRF	Quality	0.2176	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Fbar	Schulze	Quality	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Fbar	Schulze	Quality	0.1786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Schulze	Quality	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Schulze	Quality	0.2018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Fbar	Schulze	Quality	0.1956	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Fbar	Schulze	Quality	0.1954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Fbar	Schulze	Quality	0.2068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Fbar	Schulze	Quality	0.2342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Fbar	Schulze	Quality	0.2262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Fbar	Schulze	Quality	0.2182	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Clean	Fbar	Simple Averaging	Quality	0.15	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Clean	Fbar	Simple Averaging	Quality	0.1638	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Clean	Fbar	Simple Averaging	Quality	0.238	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Clean	Fbar	Simple Averaging	Quality	0.2698	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Clean	Fbar	Simple Averaging	Quality	0.2632	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Clean	Fbar	Simple Averaging	Quality	0.2592	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Clean	Fbar	Simple Averaging	Quality	0.2574	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Clean	Fbar	Simple Averaging	Quality	0.2538	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Clean	Fbar	Simple Averaging	Quality	0.2494	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Clean	Fbar	Simple Averaging	Quality	0.251	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	C	Borda	Robustness	0.2158	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	C	Borda	Robustness	0.2178	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	C	Borda	Robustness	0.206	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	C	Borda	Robustness	0.203	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	C	Borda	Robustness	0.1974	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	C	Borda	Robustness	0.1924	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	C	Borda	Robustness	0.1898	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	C	Borda	Robustness	0.1886	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	C	Borda	Robustness	0.1884	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	C	Borda	Robustness	0.1882	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2158	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2092	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2046	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2054	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2076	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.1944	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.1906	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.189	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.1848	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.179	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	C	RRF	Robustness	0.2148	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	C	RRF	Robustness	0.2164	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	C	RRF	Robustness	0.2048	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	C	RRF	Robustness	0.205	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	C	RRF	Robustness	0.1934	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	C	RRF	Robustness	0.193	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	C	RRF	Robustness	0.1926	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	C	RRF	Robustness	0.1872	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	C	RRF	Robustness	0.1868	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	C	RRF	Robustness	0.1914	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.2158	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.2092	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.206	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.2016	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.2006	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 C		Schulze	Robustness	0.1984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 C		Schulze	Robustness	0.1924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 C		Schulze	Robustness	0.1846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 C		Schulze	Robustness	0.187	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 C		Schulze	Robustness	0.1864	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.2124	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.2144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.1882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.1732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.1776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.173	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.1804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.1784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.1768	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0534	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0712	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Cbar		Borda	Robustness	0.0584	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0596	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0496	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0532	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.039	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0746	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0714	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0492	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0606	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0754	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0502	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0608	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0586	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0358	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0508	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0798	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.067	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.063	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0582	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0426	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0486	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0506	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0592	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0534	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0788	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0784	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0784	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0756	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0786	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0746	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0752	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0754	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	F	Borda	Robustness	0.116	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	F	Borda	Robustness	0.115	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	F	Borda	Robustness	0.11	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	F	Borda	Robustness	0.1108	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	F	Borda	Robustness	0.1042	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	F	Borda	Robustness	0.099	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	F	Borda	Robustness	0.094	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	F	Borda	Robustness	0.0972	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	F	Borda	Robustness	0.0972	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	F	Borda	Robustness	0.095	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	F	Kemeny	Robustness	0.116	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	F	Kemeny	Robustness	0.1114	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	F	Kemeny	Robustness	0.1066	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.1106	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.11	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.1036	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0982	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0972	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0958	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0904	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	F	RRF	Robustness	0.116	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	F	RRF	Robustness	0.114	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	F	RRF	Robustness	0.1104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	F	RRF	Robustness	0.1102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	F	RRF	Robustness	0.1032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	F	RRF	Robustness	0.1004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	F	RRF	Robustness	0.0994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	F	RRF	Robustness	0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	F	RRF	Robustness	0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	F	RRF	Robustness	0.0956	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.116	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.1058	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.1046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.1092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.1004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.0968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.0974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.0926	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.1148	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.1154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0908	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.0912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.0964	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 F		Simple Averaging	Robustness	0.0944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0316	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0198	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.0212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar		Borda	Robustness	0.019	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.0118	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.0088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.0272	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.0258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar		Kemeny	Robustness	0.0214	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.0238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.0226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	Kemeny	Robustness	0.015	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0234	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.026	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0252	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255 Fbar	Fbar	RRF	Robustness	0.0246	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0288	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0254	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255 Fbar	Fbar	Schulze	Robustness	0.014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0146	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.017	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0244	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0182	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.034	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0428	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0414	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.037	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0394	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0338	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0324	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0338	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Borda	Robustness	0.3244	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Borda	Robustness	0.3176	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Borda	Robustness	0.3338	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Borda	Robustness	0.3406	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Borda	Robustness	0.3474	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Borda	Robustness	0.3452	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Borda	Robustness	0.3422	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Borda	Robustness	0.3418	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Borda	Robustness	0.3396	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Borda	Robustness	0.3384	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Kemeny	Robustness	0.3244	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Kemeny	Robustness	0.328	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Kemeny	Robustness	0.329	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Kemeny	Robustness	0.332	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Kemeny	Robustness	0.317	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Kemeny	Robustness	0.3358	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Kemeny	Robustness	0.3284	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Kemeny	Robustness	0.3278	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Kemeny	Robustness	0.323	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Kemeny	Robustness	0.3296	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	RRF	Robustness	0.327	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	RRF	Robustness	0.3156	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	RRF	Robustness	0.333	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	RRF	Robustness	0.3352	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	RRF	Robustness	0.3436	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	RRF	Robustness	0.337	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	RRF	Robustness	0.3348	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	RRF	Robustness	0.3324	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	RRF	Robustness	0.3322	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	RRF	Robustness	0.3286	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Schulze	Robustness	0.3244	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Schulze	Robustness	0.3282	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Schulze	Robustness	0.3238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Schulze	Robustness	0.337	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Schulze	Robustness	0.339	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Schulze	Robustness	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Schulze	Robustness	0.325	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Schulze	Robustness	0.3328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Schulze	Robustness	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Schulze	Robustness	0.3296	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.3246	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.3372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.347	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.3478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.3448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.35	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.3408	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.3452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.3474	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Borda	Robustness	0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Borda	Robustness	0.3134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Borda	Robustness	0.3262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Borda	Robustness	0.3498	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Borda	Robustness	0.3358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Borda	Robustness	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Borda	Robustness	0.319	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Borda	Robustness	0.2942	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Borda	Robustness	0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Borda	Robustness	0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2782	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.3086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.3062	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2952	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2642	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2774	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	RRF	Robustness	0.3234	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	RRF	Robustness	0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	RRF	Robustness	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	RRF	Robustness	0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	RRF	Robustness	0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	RRF	Robustness	0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	RRF	Robustness	0.2962	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	RRF	Robustness	0.2768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	RRF	Robustness	0.2968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	RRF	Robustness	0.2944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.29	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.3004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.3336	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.3034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.2934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.2818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.2776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.288	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3152	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3366	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3256	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.32	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Borda	Robustness	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Borda	Robustness	0.1696	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Borda	Robustness	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Borda	Robustness	0.1676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Borda	Robustness	0.1772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Borda	Robustness	0.178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Borda	Robustness	0.1742	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Borda	Robustness	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Borda	Robustness	0.1686	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Borda	Robustness	0.1692	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Kemeny	Robustness	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Kemeny	Robustness	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Kemeny	Robustness	0.1706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Kemeny	Robustness	0.1704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Kemeny	Robustness	0.1634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Kemeny	Robustness	0.173	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Kemeny	Robustness	0.168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Kemeny	Robustness	0.1688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Kemeny	Robustness	0.1632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Kemeny	Robustness	0.1668	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	RRF	Robustness	0.1644	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	RRF	Robustness	0.1688	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	RRF	Robustness	0.1756	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	RRF	Robustness	0.1646	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	RRF	Robustness	0.1714	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	RRF	Robustness	0.1696	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	RRF	Robustness	0.1694	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	RRF	Robustness	0.1702	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	RRF	Robustness	0.1664	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	RRF	Robustness	0.1648	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Schulze	Robustness	0.168	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Schulze	Robustness	0.1794	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Schulze	Robustness	0.176	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Schulze	Robustness	0.1686	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Schulze	Robustness	0.1668	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Schulze	Robustness	0.167	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Schulze	Robustness	0.1658	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Schulze	Robustness	0.167	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Schulze	Robustness	0.1604	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Schulze	Robustness	0.1662	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.1628	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.1726	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.1532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.1558	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.1574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.1514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.1536	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.1564	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Borda	Robustness	0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Borda	Robustness	0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Borda	Robustness	0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Borda	Robustness	0.13	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Borda	Robustness	0.1166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Borda	Robustness	0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Borda	Robustness	0.1018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Borda	Robustness	0.0828	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Borda	Robustness	0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Borda	Robustness	0.0996	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0702	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0758	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0522	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0712	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0684	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	RRF	Robustness	0.1048	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	RRF	Robustness	0.0862	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	RRF	Robustness	0.0984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	RRF	Robustness	0.1144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	RRF	Robustness	0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	RRF	Robustness	0.086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	RRF	Robustness	0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	RRF	Robustness	0.07	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	RRF	Robustness	0.0842	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	RRF	Robustness	0.0776	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.0818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.1176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.0868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.0778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.0768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.0652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.0704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.0762	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1008	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1118	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Borda	Robustness	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Borda	Robustness	0.3084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Borda	Robustness	0.317	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Borda	Robustness	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Borda	Robustness	0.3188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Borda	Robustness	0.3256	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Borda	Robustness	0.3172	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Borda	Robustness	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Borda	Robustness	0.3168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Borda	Robustness	0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.3164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.3108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.3166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.3186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.315	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.317	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	RRF	Robustness	0.3058	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	RRF	Robustness	0.3102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	RRF	Robustness	0.3196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	RRF	Robustness	0.3154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	RRF	Robustness	0.321	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	RRF	Robustness	0.3138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	RRF	Robustness	0.3126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	RRF	Robustness	0.3142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	RRF	Robustness	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	RRF	Robustness	0.3134	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Schulze	Robustness	0.306	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Schulze	Robustness	0.3164	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Schulze	Robustness	0.3178	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Schulze	Robustness	0.321	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Schulze	Robustness	0.3148	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Schulze	Robustness	0.3126	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Schulze	Robustness	0.3162	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Schulze	Robustness	0.3202	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Schulze	Robustness	0.3156	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Schulze	Robustness	0.3124	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.2974	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3082	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3086	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3086	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3138	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3156	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3218	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.314	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3182	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3152	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2824	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2728	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2998	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.3188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2854	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2636	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2822	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2824	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2774	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.266	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2542	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.253	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2522	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2888	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2766	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.276	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2654	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2824	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2766	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2536	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2696	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2864	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.3098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.3174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.3106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.3076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2946	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Borda	Robustness	0.1608	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Borda	Robustness	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Borda	Robustness	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Borda	Robustness	0.1502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Borda	Robustness	0.1598	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Borda	Robustness	0.1656	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Borda	Robustness	0.1664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Borda	Robustness	0.1662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Borda	Robustness	0.1576	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Borda	Robustness	0.1624	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.1608	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.1672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.1628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.1542	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.1604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.1656	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.1652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.1568	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.1614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	RRF	Robustness	0.1606	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	RRF	Robustness	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	RRF	Robustness	0.165	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	RRF	Robustness	0.1572	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	RRF	Robustness	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	RRF	Robustness	0.1568	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	RRF	Robustness	0.1624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	RRF	Robustness	0.1598	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	RRF	Robustness	0.1564	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	RRF	Robustness	0.1624	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Schulze	Robustness	0.1608	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Schulze	Robustness	0.1698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Schulze	Robustness	0.1694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Schulze	Robustness	0.1578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Schulze	Robustness	0.1546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Schulze	Robustness	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Schulze	Robustness	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Schulze	Robustness	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Schulze	Robustness	0.1564	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Schulze	Robustness	0.1592	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1508	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1618	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1386	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1294	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1328	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1382	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1426	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1372	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1396	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1376	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0614	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.047	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0928	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1106	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0932	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0788	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0818	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0624	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0704	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0788	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0614	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0356	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.053	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.045	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0702	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0686	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0622	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.052	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.06	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.066	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0996	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0708	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0566	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0486	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0656	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0646	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0568	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.107	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.105	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0946	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0888	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0938	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0916	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Borda	Robustness	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Borda	Robustness	0.113	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Borda	Robustness	0.1176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Borda	Robustness	0.1138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Borda	Robustness	0.1164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Borda	Robustness	0.126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Borda	Robustness	0.126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Borda	Robustness	0.1238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Borda	Robustness	0.1204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Borda	Robustness	0.1142	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Kemeny	Robustness	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Kemeny	Robustness	0.1116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Kemeny	Robustness	0.1136	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Kemeny	Robustness	0.1202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Kemeny	Robustness	0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Kemeny	Robustness	0.121	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Kemeny	Robustness	0.1234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Kemeny	Robustness	0.1138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Kemeny	Robustness	0.1154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Kemeny	Robustness	0.1136	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	RRF	Robustness	0.107	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	RRF	Robustness	0.1108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	RRF	Robustness	0.1194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	RRF	Robustness	0.1146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	RRF	Robustness	0.1196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	RRF	Robustness	0.1262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	RRF	Robustness	0.1218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	RRF	Robustness	0.1198	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	RRF	Robustness	0.1218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	RRF	Robustness	0.1126	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Schulze	Robustness	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Schulze	Robustness	0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Schulze	Robustness	0.1156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Schulze	Robustness	0.115	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Schulze	Robustness	0.1206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Schulze	Robustness	0.115	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Schulze	Robustness	0.1204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Schulze	Robustness	0.1196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Schulze	Robustness	0.1148	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Schulze	Robustness	0.112	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	C	Simple Averaging	Robustness	0.1022	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	C	Simple Averaging	Robustness	0.1116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	C	Simple Averaging	Robustness	0.121	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	C	Simple Averaging	Robustness	0.1188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	C	Simple Averaging	Robustness	0.12	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	C	Simple Averaging	Robustness	0.1168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	C	Simple Averaging	Robustness	0.124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	C	Simple Averaging	Robustness	0.1174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	C	Simple Averaging	Robustness	0.1198	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	C	Simple Averaging	Robustness	0.1192	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Borda	Robustness	0.0906	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Borda	Robustness	0.0986	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Borda	Robustness	0.1024	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Borda	Robustness	0.1142	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Borda	Robustness	0.107	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Borda	Robustness	0.1042	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Borda	Robustness	0.098	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Borda	Robustness	0.0898	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Borda	Robustness	0.101	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Borda	Robustness	0.103	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.0906	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.0892	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.1016	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.1034	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.0882	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.0924	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.0986	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.0916	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.0904	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.0994	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	RRF	Robustness	0.1034	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	RRF	Robustness	0.0962	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	RRF	Robustness	0.102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	RRF	Robustness	0.108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	RRF	Robustness	0.0954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	RRF	Robustness	0.1004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	RRF	Robustness	0.0882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	RRF	Robustness	0.0882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	RRF	Robustness	0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	RRF	Robustness	0.0958	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Schulze	Robustness	0.0906	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Schulze	Robustness	0.0924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Schulze	Robustness	0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Schulze	Robustness	0.111	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Schulze	Robustness	0.0974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Schulze	Robustness	0.0946	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Schulze	Robustness	0.0988	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Schulze	Robustness	0.1016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Schulze	Robustness	0.0968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Schulze	Robustness	0.0958	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1012	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0928	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.13	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1278	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1252	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1228	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1196	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Borda	Robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Borda	Robustness	0.084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Borda	Robustness	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Borda	Robustness	0.0764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Borda	Robustness	0.0764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Borda	Robustness	0.084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Borda	Robustness	0.0866	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Borda	Robustness	0.077	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Borda	Robustness	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Borda	Robustness	0.0748	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Kemeny	Robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Kemeny	Robustness	0.0812	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Kemeny	Robustness	0.0806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Kemeny	Robustness	0.0846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Kemeny	Robustness	0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Kemeny	Robustness	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Kemeny	Robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Kemeny	Robustness	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Kemeny	Robustness	0.0726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Kemeny	Robustness	0.0748	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	RRF	Robustness	0.0782	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	RRF	Robustness	0.0804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	RRF	Robustness	0.0828	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	RRF	Robustness	0.0822	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	RRF	Robustness	0.0796	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	RRF	Robustness	0.0858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	RRF	Robustness	0.083	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	RRF	Robustness	0.074	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	RRF	Robustness	0.0752	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	RRF	Robustness	0.0742	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Schulze	Robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Schulze	Robustness	0.0878	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Schulze	Robustness	0.0876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Schulze	Robustness	0.0788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Schulze	Robustness	0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Schulze	Robustness	0.0796	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Schulze	Robustness	0.0808	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Schulze	Robustness	0.0772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Schulze	Robustness	0.0768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Schulze	Robustness	0.077	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	F	Simple Averaging	Robustness	0.0718	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	F	Simple Averaging	Robustness	0.0768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	F	Simple Averaging	Robustness	0.08	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	F	Simple Averaging	Robustness	0.0722	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	F	Simple Averaging	Robustness	0.0736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	F	Simple Averaging	Robustness	0.0774	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	F	Simple Averaging	Robustness	0.0718	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	F	Simple Averaging	Robustness	0.0736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	F	Simple Averaging	Robustness	0.0734	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Borda	Robustness	0.0278	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Borda	Robustness	0.0274	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Borda	Robustness	0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Borda	Robustness	0.051	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Borda	Robustness	0.0426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Borda	Robustness	0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Borda	Robustness	0.0396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Borda	Robustness	0.028	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Borda	Robustness	0.0368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Borda	Robustness	0.0428	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.0278	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.0222	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.0352	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.0446	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.0298	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.0288	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.0328	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.0288	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.0294	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.0362	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	RRF	Robustness	0.0366	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	RRF	Robustness	0.0276	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	RRF	Robustness	0.0386	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	RRF	Robustness	0.0468	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	RRF	Robustness	0.039	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	RRF	Robustness	0.0366	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	RRF	Robustness	0.0284	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	RRF	Robustness	0.032	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	RRF	Robustness	0.0354	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	RRF	Robustness	0.0342	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Schulze	Robustness	0.0278	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Schulze	Robustness	0.0238	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Schulze	Robustness	0.028	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Schulze	Robustness	0.049	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Schulze	Robustness	0.039	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Schulze	Robustness	0.0368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Schulze	Robustness	0.0354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Schulze	Robustness	0.0356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Schulze	Robustness	0.0386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Schulze	Robustness	0.035	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0368	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0666	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.063	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0636	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]

Table 300: ImageNet-ResNet-18

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	Borda	Quality	max	5	0.312	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	Borda	Quality	min	2	0.2586	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	Borda	Quality	max	5	0.1876	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	Borda	Quality	min	2	0.1452	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	Borda	Robustness	min	11	0.1882	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	Borda	Robustness	min	10	0.0496	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	Borda	Robustness	min	8	0.094	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	Borda	Robustness	min	11	0.019	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	Borda	Robustness	min	3	0.3176	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	Borda	Robustness	min	9	0.2942	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	Borda	Robustness	min	5	0.1676	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	Borda	Robustness	min	9	0.0828	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	Borda	Robustness	min	2	0.306	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	Borda	Robustness	min	9	0.2636	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	Borda	Robustness	min	5	0.1502	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	Borda	Robustness	min	3	0.047	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	Borda	Robustness	min	2	0.1106	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	Borda	Robustness	min	9	0.0898	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	Borda	Robustness	min	11	0.0748	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	Borda	Robustness	min	3	0.0274	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	Kemeny	Quality	max	5	0.3128	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	Kemeny	Quality	min	2	0.2586	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	Kemeny	Quality	max	5	0.1874	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	Kemeny	Quality	min	2	0.1452	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	Kemeny	Robustness	min	11	0.179	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	min	3	0.039	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	Kemeny	Robustness	min	11	0.0904	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	min	4	0.0088	[4]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	Kemeny	Robustness	min	6	0.317	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	Kemeny	Robustness	min	9	0.2642	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	Kemeny	Robustness	min	10	0.1632	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	Kemeny	Robustness	min	9	0.0522	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	Kemeny	Robustness	min	2	0.306	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	Kemeny	Robustness	min	9	0.2452	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	Kemeny	Robustness	min	6	0.1542	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	Kemeny	Robustness	min	3	0.0356	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	Kemeny	Robustness	min	2	0.1106	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	Kemeny	Robustness	min	6	0.0882	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	Kemeny	Robustness	min	10	0.0726	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	Kemeny	Robustness	min	3	0.0222	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	RRF	Quality	max	5	0.3152	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	RRF	Quality	min	2	0.256	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	RRF	Quality	max	5	0.1886	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	RRF	Quality	min	2	0.1424	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	RRF	Robustness	min	10	0.1868	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	RRF	Robustness	min	10	0.0502	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	RRF	Robustness	min	11	0.0956	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	RRF	Robustness	min	3	0.0202	[3,10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	RRF	Robustness	min	3	0.3156	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	RRF	Robustness	min	9	0.2768	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	RRF	Robustness	min	2	0.1644	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	RRF	Robustness	min	9	0.07	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	RRF	Robustness	min	2	0.3058	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	RRF	Robustness	min	9	0.2524	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	RRF	Robustness	min	10	0.1564	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	RRF	Robustness	min	9	0.052	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	RRF	Robustness	min	2	0.107	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	RRF	Robustness	min	8	0.0882	[8,9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	RRF	Robustness	min	9	0.074	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	RRF	Robustness	min	3	0.0276	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	Schulze	Quality	max	5	0.312	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	Schulze	Quality	min	2	0.2586	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	Schulze	Quality	max	5	0.1876	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	Schulze	Quality	min	2	0.1452	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	Schulze	Robustness	min	9	0.1846	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	Schulze	Robustness	min	3	0.0358	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	Schulze	Robustness	min	11	0.0926	[11]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	Schulze	Robustness	min	3	0.0066	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	Schulze	Robustness	min	4	0.3238	[4]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	Schulze	Robustness	min	10	0.2776	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	Schulze	Robustness	min	10	0.1604	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	Schulze	Robustness	min	9	0.0652	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	Schulze	Robustness	min	2	0.306	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	Schulze	Robustness	min	10	0.2512	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	Schulze	Robustness	min	6	0.1546	[6]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	Schulze	Robustness	min	3	0.0382	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	Schulze	Robustness	min	2	0.1106	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	Schulze	Robustness	min	2	0.0906	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	Schulze	Robustness	min	10	0.0768	[10]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	Schulze	Robustness	min	3	0.0238	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	C	Simple Averaging	Quality	max	2	0.3056	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Cbar	Simple Averaging	Quality	min	2	0.2646	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	F	Simple Averaging	Quality	max	2	0.1814	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Clean	Fbar	Simple Averaging	Quality	min	2	0.15	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	C	Simple Averaging	Robustness	min	8	0.173	[8]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	min	3	0.0534	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	F	Simple Averaging	Robustness	min	5	0.0908	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblication", "Occlusion"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	min	3	0.0182	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	C	Simple Averaging	Robustness	min	2	0.3246	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Cbar	Simple Averaging	Robustness	min	3	0.3048	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	F	Simple Averaging	Robustness	min	9	0.1514	[9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAbelation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Gaussian 0.15	Fbar	Simple Averaging	Robustness	min	3	0.088	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	C	Simple Averaging	Robustness	min	2	0.2974	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	min	3	0.2764	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	F	Simple Averaging	Robustness	min	5	0.1294	[5]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAbelation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	min	3	0.0568	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	C	Simple Averaging	Robustness	min	2	0.1022	[2]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Cbar	Simple Averaging	Robustness	min	3	0.0928	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	F	Simple Averaging	Robustness	min	2	0.0718	[2,9]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Speckle 0.15	Fbar	Simple Averaging	Robustness	min	3	0.0282	[3]	smallest_q_within_absolute_1e-12	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

Table 301: ImageNet-ResNet-18

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	Borda	Quality	0.308	max	0.308	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	Borda	Quality	0.3034	max	0.3034	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	Borda	Quality	0.3116	max	0.3116	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	Borda	Quality	0.312	max	0.312	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	Borda	Quality	0.2986	max	0.2986	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	Borda	Quality	0.289	max	0.289	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	Borda	Quality	0.2844	max	0.2844	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	Borda	Quality	0.2778	max	0.2778	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	Borda	Quality	0.2768	max	0.2768	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	Borda	Quality	0.2756	max	0.2756	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	Kemeny	Quality	0.308	max	0.308	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	Kemeny	Quality	0.2916	max	0.2916	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	Kemeny	Quality	0.2978	max	0.2978	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	Kemeny	Quality	0.3128	max	0.3128	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	Kemeny	Quality	0.306	max	0.306	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	Kemeny	Quality	0.2884	max	0.2884	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	Kemeny	Quality	0.282	max	0.282	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	Kemeny	Quality	0.2744	max	0.2744	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	Kemeny	Quality	0.2722	max	0.2722	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	Kemeny	Quality	0.271	max	0.271	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	RRF	Quality	0.3074	max	0.3074	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	RRF	Quality	0.3022	max	0.3022	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	RRF	Quality	0.3066	max	0.3066	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	RRF	Quality	0.3152	max	0.3152	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	RRF	Quality	0.2986	max	0.2986	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	RRF	Quality	0.2912	max	0.2912	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	RRF	Quality	0.2878	max	0.2878	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	RRF	Quality	0.2798	max	0.2798	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	RRF	Quality	0.2772	max	0.2772	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	RRF	Quality	0.2812	max	0.2812	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	Schulze	Quality	0.308	max	0.308	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	Schulze	Quality	0.2924	max	0.2924	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	Schulze	Quality	0.2974	max	0.2974	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	Schulze	Quality	0.312	max	0.312	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	Schulze	Quality	0.3008	max	0.3008	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	Schulze	Quality	0.2966	max	0.2966	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	Schulze	Quality	0.2844	max	0.2844	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	Schulze	Quality	0.2694	max	0.2694	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	Schulze	Quality	0.2758	max	0.2758	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	Schulze	Quality	0.276	max	0.276	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	Simple Averaging	Quality	0.3056	max	0.3056	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	Simple Averaging	Quality	0.2996	max	0.2996	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	Simple Averaging	Quality	0.3024	max	0.3024	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	Simple Averaging	Quality	0.2872	max	0.2872	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	Simple Averaging	Quality	0.2876	max	0.2876	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	Simple Averaging	Quality	0.2898	max	0.2898	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	Simple Averaging	Quality	0.285	max	0.285	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	Simple Averaging	Quality	0.2882	max	0.2882	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	Simple Averaging	Quality	0.2858	max	0.2858	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	Simple Averaging	Quality	0.286	max	0.286	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	Borda	Quality	0.2586	min	-0.2586	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	Borda	Quality	0.2688	min	-0.2688	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	Borda	Quality	0.3024	min	-0.3024	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	Borda	Quality	0.3216	min	-0.3216	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	Borda	Quality	0.3324	min	-0.3324	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	Borda	Quality	0.3482	min	-0.3482	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	Borda	Quality	0.3448	min	-0.3448	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	Borda	Quality	0.3664	min	-0.3664	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	Borda	Quality	0.3514	min	-0.3514	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	Borda	Quality	0.3464	min	-0.3464	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	Kemeny	Quality	0.2586	min	-0.2586	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	Kemeny	Quality	0.3044	min	-0.3044	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	Kemeny	Quality	0.2772	min	-0.2772	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	Kemeny	Quality	0.2872	min	-0.2872	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	Kemeny	Quality	0.3056	min	-0.3056	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	Kemeny	Quality	0.3304	min	-0.3304	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	Kemeny	Quality	0.3298	min	-0.3298	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	Kemeny	Quality	0.3634	min	-0.3634	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	Kemeny	Quality	0.3546	min	-0.3546	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	Kemeny	Quality	0.3492	min	-0.3492	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	RRF	Quality	0.256	min	-0.256	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	RRF	Quality	0.2716	min	-0.2716	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	RRF	Quality	0.2748	min	-0.2748	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	RRF	Quality	0.3094	min	-0.3094	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	RRF	Quality	0.318	min	-0.318	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	RRF	Quality	0.323	min	-0.323	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	RRF	Quality	0.3306	min	-0.3306	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	RRF	Quality	0.3552	min	-0.3552	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	RRF	Quality	0.3388	min	-0.3388	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	RRF	Quality	0.3424	min	-0.3424	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	Schulze	Quality	0.2586	min	-0.2586	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	Schulze	Quality	0.291	min	-0.291	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	Schulze	Quality	0.2872	min	-0.2872	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	Schulze	Quality	0.3258	min	-0.3258	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	Schulze	Quality	0.3152	min	-0.3152	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	Schulze	Quality	0.3174	min	-0.3174	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	Schulze	Quality	0.3316	min	-0.3316	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	Schulze	Quality	0.3564	min	-0.3564	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	Schulze	Quality	0.3522	min	-0.3522	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	Schulze	Quality	0.3444	min	-0.3444	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	Simple Averaging	Quality	0.2646	min	-0.2646	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	Simple Averaging	Quality	0.2752	min	-0.2752	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	Simple Averaging	Quality	0.3706	min	-0.3706	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	Simple Averaging	Quality	0.4004	min	-0.4004	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	Simple Averaging	Quality	0.3954	min	-0.3954	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	Simple Averaging	Quality	0.3896	min	-0.3896	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	Simple Averaging	Quality	0.3894	min	-0.3894	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	Simple Averaging	Quality	0.3882	min	-0.3882	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	Simple Averaging	Quality	0.3858	min	-0.3858	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	Simple Averaging	Quality	0.3862	min	-0.3862	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	Borda	Quality	0.1818	max	0.1818	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	Borda	Quality	0.1762	max	0.1762	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	Borda	Quality	0.1856	max	0.1856	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	Borda	Quality	0.1876	max	0.1876	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	Borda	Quality	0.1782	max	0.1782	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	Borda	Quality	0.1698	max	0.1698	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	Borda	Quality	0.1634	max	0.1634	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	Borda	Quality	0.1618	max	0.1618	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	Borda	Quality	0.1616	max	0.1616	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	Borda	Quality	0.158	max	0.158	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	Kemeny	Quality	0.1818	max	0.1818	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	Kemeny	Quality	0.17	max	0.17	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	Kemeny	Quality	0.175	max	0.175	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	Kemeny	Quality	0.1874	max	0.1874	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	Kemeny	Quality	0.1806	max	0.1806	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	Kemeny	Quality	0.1716	max	0.1716	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	Kemeny	Quality	0.1642	max	0.1642	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	Kemeny	Quality	0.1574	max	0.1574	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	Kemeny	Quality	0.1586	max	0.1586	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	Kemeny	Quality	0.1556	max	0.1556	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	RRF	Quality	0.1812	max	0.1812	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	RRF	Quality	0.1762	max	0.1762	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	RRF	Quality	0.1834	max	0.1834	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	RRF	Quality	0.1886	max	0.1886	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	RRF	Quality	0.1798	max	0.1798	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	RRF	Quality	0.1728	max	0.1728	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	RRF	Quality	0.1682	max	0.1682	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	RRF	Quality	0.1644	max	0.1644	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	RRF	Quality	0.1638	max	0.1638	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	RRF	Quality	0.1612	max	0.1612	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	Schulze	Quality	0.1818	max	0.1818	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	Schulze	Quality	0.1658	max	0.1658	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	Schulze	Quality	0.1704	max	0.1704	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	Schulze	Quality	0.1876	max	0.1876	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	Schulze	Quality	0.181	max	0.181	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	Schulze	Quality	0.175	max	0.175	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	Schulze	Quality	0.1672	max	0.1672	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	Schulze	Quality	0.1578	max	0.1578	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	Schulze	Quality	0.1618	max	0.1618	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	Schulze	Quality	0.1576	max	0.1576	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	Simple Averaging	Quality	0.1814	max	0.1814	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	Simple Averaging	Quality	0.1762	max	0.1762	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	Simple Averaging	Quality	0.1804	max	0.1804	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	Simple Averaging	Quality	0.1726	max	0.1726	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	Simple Averaging	Quality	0.1738	max	0.1738	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	Simple Averaging	Quality	0.1742	max	0.1742	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	Simple Averaging	Quality	0.1724	max	0.1724	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	Simple Averaging	Quality	0.1748	max	0.1748	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	Simple Averaging	Quality	0.1736	max	0.1736	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	Simple Averaging	Quality	0.1726	max	0.1726	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	Borda	Quality	0.1452	min	-0.1452	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Fbar	Borda	Quality	0.1586	min	-0.1586	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Fbar	Borda	Quality	0.1802	min	-0.1802	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Fbar	Borda	Quality	0.1982	min	-0.1982	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	Borda	Quality	0.2092	min	-0.2092	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	Borda	Quality	0.2242	min	-0.2242	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	Borda	Quality	0.2196	min	-0.2196	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	Borda	Quality	0.2388	min	-0.2388	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	Borda	Quality	0.2284	min	-0.2284	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	Borda	Quality	0.2186	min	-0.2186	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	Kemeny	Quality	0.1452	min	-0.1452	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Fbar	Kemeny	Quality	0.1904	min	-0.1904	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Fbar	Kemeny	Quality	0.165	min	-0.165	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Fbar	Kemeny	Quality	0.1658	min	-0.1658	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	Kemeny	Quality	0.1868	min	-0.1868	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	Kemeny	Quality	0.2088	min	-0.2088	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	Kemeny	Quality	0.2098	min	-0.2098	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	Kemeny	Quality	0.2394	min	-0.2394	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	Kemeny	Quality	0.2292	min	-0.2292	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	Kemeny	Quality	0.2234	min	-0.2234	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	RRF	Quality	0.1424	min	-0.1424	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Fbar	RRF	Quality	0.1612	min	-0.1612	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Fbar	RRF	Quality	0.1606	min	-0.1606	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Fbar	RRF	Quality	0.1868	min	-0.1868	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	RRF	Quality	0.1964	min	-0.1964	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	RRF	Quality	0.2046	min	-0.2046	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	RRF	Quality	0.2076	min	-0.2076	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	RRF	Quality	0.2258	min	-0.2258	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	RRF	Quality	0.217	min	-0.217	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	RRF	Quality	0.2176	min	-0.2176	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	Schulze	Quality	0.1452	min	-0.1452	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Fbar	Schulze	Quality	0.1786	min	-0.1786	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Fbar	Schulze	Quality	0.1726	min	-0.1726	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Fbar	Schulze	Quality	0.2018	min	-0.2018	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	Schulze	Quality	0.1956	min	-0.1956	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	Schulze	Quality	0.1954	min	-0.1954	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	Schulze	Quality	0.2068	min	-0.2068	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	Schulze	Quality	0.2342	min	-0.2342	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	Schulze	Quality	0.2262	min	-0.2262	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	Schulze	Quality	0.2182	min	-0.2182	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	Simple Averaging	Quality	0.15	min	-0.15	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Fbar	Simple Averaging	Quality	0.1638	min	-0.1638	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Fbar	Simple Averaging	Quality	0.238	min	-0.238	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Fbar	Simple Averaging	Quality	0.2698	min	-0.2698	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Fbar	Simple Averaging	Quality	0.2632	min	-0.2632	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Fbar	Simple Averaging	Quality	0.2592	min	-0.2592	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	Simple Averaging	Quality	0.2574	min	-0.2574	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	Simple Averaging	Quality	0.2538	min	-0.2538	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	Simple Averaging	Quality	0.2494	min	-0.2494	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	Simple Averaging	Quality	0.251	min	-0.251	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 255	C	Borda	Robustness	0.2158	min	-0.2158	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 255	C	Borda	Robustness	0.2178	min	-0.2178	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 255	C	Borda	Robustness	0.206	min	-0.206	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 255	C	Borda	Robustness	0.203	min	-0.203	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 255	C	Borda	Robustness	0.1974	min	-0.1974	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 255	C	Borda	Robustness	0.1924	min	-0.1924	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Borda	Robustness	0.1898	min	-0.1898	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Borda	Robustness	0.1886	min	-0.1886	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Borda	Robustness	0.1884	min	-0.1884	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Borda	Robustness	0.1882	min	-0.1882	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2158	min	-0.2158	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2092	min	-0.2092	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2046	min	-0.2046	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2054	min	-0.2054	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2076	min	-0.2076	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.1944	min	-0.1944	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.1906	min	-0.1906	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.189	min	-0.189	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.1848	min	-0.1848	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.179	min	-0.179	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	RRF	Robustness	0.2148	min	-0.2148	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	RRF	Robustness	0.2164	min	-0.2164	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	RRF	Robustness	0.2048	min	-0.2048	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	RRF	Robustness	0.205	min	-0.205	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	RRF	Robustness	0.1934	min	-0.1934	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	RRF	Robustness	0.193	min	-0.193	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	RRF	Robustness	0.1926	min	-0.1926	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	RRF	Robustness	0.1872	min	-0.1872	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	RRF	Robustness	0.1868	min	-0.1868	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	RRF	Robustness	0.1914	min	-0.1914	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.2158	min	-0.2158	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.2092	min	-0.2092	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.206	min	-0.206	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.2016	min	-0.2016	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.2006	min	-0.2006	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	Schulze	Robustness	0.1984	min	-0.1984	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Schulze	Robustness	0.1924	min	-0.1924	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Schulze	Robustness	0.1846	min	-0.1846	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Schulze	Robustness	0.187	min	-0.187	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Schulze	Robustness	0.1864	min	-0.1864	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.2124	min	-0.2124	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.2144	min	-0.2144	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.1882	min	-0.1882	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.1732	min	-0.1732	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.175	min	-0.175	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.1776	min	-0.1776	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.173	min	-0.173	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.1804	min	-0.1804	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.1784	min	-0.1784	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.1768	min	-0.1768	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0586	min	-0.0586	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0534	min	-0.0534	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0712	min	-0.0712	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.072	min	-0.072	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0676	min	-0.0676	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0694	min	-0.0694	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0584	min	-0.0584	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0596	min	-0.0596	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0496	min	-0.0496	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0532	min	-0.0532	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0586	min	-0.0586	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.039	min	-0.039	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0402	min	-0.0402	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0746	min	-0.0746	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0714	min	-0.0714	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0588	min	-0.0588	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0544	min	-0.0544	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0546	min	-0.0546	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0552	min	-0.0552	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0492	min	-0.0492	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0606	min	-0.0606	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0524	min	-0.0524	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0638	min	-0.0638	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0754	min	-0.0754	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0784	min	-0.0784	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0604	min	-0.0604	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0644	min	-0.0644	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0634	min	-0.0634	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0502	min	-0.0502	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0608	min	-0.0608	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0586	min	-0.0586	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0358	min	-0.0358	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0508	min	-0.0508	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0798	min	-0.0798	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.067	min	-0.067	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.063	min	-0.063	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0582	min	-0.0582	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0426	min	-0.0426	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0486	min	-0.0486	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0506	min	-0.0506	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0592	min	-0.0592	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0534	min	-0.0534	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0788	min	-0.0788	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0784	min	-0.0784	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0784	min	-0.0784	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0756	min	-0.0756	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0786	min	-0.0786	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0746	min	-0.0746	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0752	min	-0.0752	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0754	min	-0.0754	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Borda	Robustness	0.116	min	-0.116	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Borda	Robustness	0.115	min	-0.115	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Borda	Robustness	0.11	min	-0.11	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Borda	Robustness	0.1108	min	-0.1108	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Borda	Robustness	0.1042	min	-0.1042	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Borda	Robustness	0.099	min	-0.099	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Borda	Robustness	0.094	min	-0.094	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Borda	Robustness	0.0972	min	-0.0972	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Borda	Robustness	0.0972	min	-0.0972	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Borda	Robustness	0.095	min	-0.095	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Kemeny	Robustness	0.116	min	-0.116	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Kemeny	Robustness	0.1114	min	-0.1114	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Kemeny	Robustness	0.1066	min	-0.1066	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Kemeny	Robustness	0.1106	min	-0.1106	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Kemeny	Robustness	0.11	min	-0.11	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Kemeny	Robustness	0.1036	min	-0.1036	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0982	min	-0.0982	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0972	min	-0.0972	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0958	min	-0.0958	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0904	min	-0.0904	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	RRF	Robustness	0.116	min	-0.116	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	RRF	Robustness	0.114	min	-0.114	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	RRF	Robustness	0.1104	min	-0.1104	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	RRF	Robustness	0.1102	min	-0.1102	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	RRF	Robustness	0.1032	min	-0.1032	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	RRF	Robustness	0.1004	min	-0.1004	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	RRF	Robustness	0.0994	min	-0.0994	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	RRF	Robustness	0.097	min	-0.097	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	RRF	Robustness	0.097	min	-0.097	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	RRF	Robustness	0.0956	min	-0.0956	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.116	min	-0.116	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.1058	min	-0.1058	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.1046	min	-0.1046	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.1092	min	-0.1092	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.108	min	-0.108	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.102	min	-0.102	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Schulze	Robustness	0.1004	min	-0.1004	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Schulze	Robustness	0.0968	min	-0.0968	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Schulze	Robustness	0.0974	min	-0.0974	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Schulze	Robustness	0.0926	min	-0.0926	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.1148	min	-0.1148	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.1154	min	-0.1154	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.097	min	-0.097	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0908	min	-0.0908	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0934	min	-0.0934	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.094	min	-0.094	kendall__mallows__exact__distance	0.498314	-0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0912	min	-0.0912	kendall__mallows__exact__distance	0.484005	-0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0964	min	-0.0964	kendall__mallows__exact__distance	0.507886	-0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.096	min	-0.096	kendall__mallows__exact__distance	0.485199	-0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0944	min	-0.0944	kendall__mallows__exact__distance	0.470366	-0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0232	min	-0.0232	kendall__mallows__exact__distance	0.367314	-0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0222	min	-0.0222	kendall__mallows__exact__distance	0.657412	-0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0302	min	-0.0302	kendall__mallows__exact__distance	0.523529	-0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0262	min	-0.0262	kendall__mallows__exact__distance	0.345765	-0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0324	min	-0.0324	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0316	min	-0.0316	kendall__mallows__exact__distance	0.498314	-0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0198	min	-0.0198	kendall__mallows__exact__distance	0.484005	-0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0234	min	-0.0234	kendall__mallows__exact__distance	0.507886	-0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0212	min	-0.0212	kendall__mallows__exact__distance	0.485199	-0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.019	min	-0.019	kendall__mallows__exact__distance	0.470366	-0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0232	min	-0.0232	kendall__mallows__exact__distance	0.367314	-0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0118	min	-0.0118	kendall__mallows__exact__distance	0.657412	-0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0088	min	-0.0088	kendall__mallows__exact__distance	0.523529	-0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0272	min	-0.0272	kendall__mallows__exact__distance	0.345765	-0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.036	min	-0.036	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0258	min	-0.0258	kendall__mallows__exact__distance	0.498314	-0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0214	min	-0.0214	kendall__mallows__exact__distance	0.484005	-0.484005	0.002	3257.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0238	min	-0.0238	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0226	min	-0.0226	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.015	min	-0.015	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0234	min	-0.0234	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0202	min	-0.0202	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.026	min	-0.026	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.032	min	-0.032	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0382	min	-0.0382	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0252	min	-0.0252	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.024	min	-0.024	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0232	min	-0.0232	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0202	min	-0.0202	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0246	min	-0.0246	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0232	min	-0.0232	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0066	min	-0.0066	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0142	min	-0.0142	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0352	min	-0.0352	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0288	min	-0.0288	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0254	min	-0.0254	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0202	min	-0.0202	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.014	min	-0.014	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0146	min	-0.0146	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.017	min	-0.017	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0244	min	-0.0244	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0182	min	-0.0182	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.034	min	-0.034	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0428	min	-0.0428	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0414	min	-0.0414	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.037	min	-0.037	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0394	min	-0.0394	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0338	min	-0.0338	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0324	min	-0.0324	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0338	min	-0.0338	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	Borda	Robustness	0.3244	min	-0.3244	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	Borda	Robustness	0.3176	min	-0.3176	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	Borda	Robustness	0.3338	min	-0.3338	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	Borda	Robustness	0.3406	min	-0.3406	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	Borda	Robustness	0.3474	min	-0.3474	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	Borda	Robustness	0.3452	min	-0.3452	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	Borda	Robustness	0.3422	min	-0.3422	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	Borda	Robustness	0.3418	min	-0.3418	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	Borda	Robustness	0.3396	min	-0.3396	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	Borda	Robustness	0.3384	min	-0.3384	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	Kemeny	Robustness	0.3244	min	-0.3244	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	Kemeny	Robustness	0.328	min	-0.328	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	Kemeny	Robustness	0.329	min	-0.329	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	Kemeny	Robustness	0.332	min	-0.332	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	Kemeny	Robustness	0.317	min	-0.317	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	Kemeny	Robustness	0.3358	min	-0.3358	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	Kemeny	Robustness	0.3284	min	-0.3284	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	Kemeny	Robustness	0.3278	min	-0.3278	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	Kemeny	Robustness	0.323	min	-0.323	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	Kemeny	Robustness	0.3296	min	-0.3296	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	RRF	Robustness	0.327	min	-0.327	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	RRF	Robustness	0.3156	min	-0.3156	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	RRF	Robustness	0.333	min	-0.333	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	RRF	Robustness	0.3352	min	-0.3352	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	RRF	Robustness	0.3436	min	-0.3436	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	RRF	Robustness	0.337	min	-0.337	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	RRF	Robustness	0.3348	min	-0.3348	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	RRF	Robustness	0.3324	min	-0.3324	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	RRF	Robustness	0.3322	min	-0.3322	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	RRF	Robustness	0.3286	min	-0.3286	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	Schulze	Robustness	0.3244	min	-0.3244	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	Schulze	Robustness	0.3282	min	-0.3282	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	Schulze	Robustness	0.3238	min	-0.3238	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	Schulze	Robustness	0.337	min	-0.337	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	Schulze	Robustness	0.339	min	-0.339	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	Schulze	Robustness	0.3246	min	-0.3246	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	Schulze	Robustness	0.325	min	-0.325	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	Schulze	Robustness	0.3328	min	-0.3328	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	Schulze	Robustness	0.3246	min	-0.3246	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	Schulze	Robustness	0.3296	min	-0.3296	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.3246	min	-0.3246	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.3284	min	-0.3284	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.3372	min	-0.3372	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.347	min	-0.347	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.3478	min	-0.3478	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.3448	min	-0.3448	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.35	min	-0.35	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.3408	min	-0.3408	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.3452	min	-0.3452	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.3474	min	-0.3474	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Borda	Robustness	0.3204	min	-0.3204	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Borda	Robustness	0.3134	min	-0.3134	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Borda	Robustness	0.3262	min	-0.3262	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Borda	Robustness	0.3498	min	-0.3498	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Borda	Robustness	0.3358	min	-0.3358	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Borda	Robustness	0.3202	min	-0.3202	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Borda	Robustness	0.319	min	-0.319	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Borda	Robustness	0.2942	min	-0.2942	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Borda	Robustness	0.314	min	-0.314	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Borda	Robustness	0.3208	min	-0.3208	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.3204	min	-0.3204	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2782	min	-0.2782	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.3086	min	-0.3086	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.3062	min	-0.3062	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2952	min	-0.2952	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2846	min	-0.2846	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2932	min	-0.2932	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2642	min	-0.2642	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2816	min	-0.2816	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2774	min	-0.2774	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	RRF	Robustness	0.3234	min	-0.3234	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	RRF	Robustness	0.3132	min	-0.3132	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	RRF	Robustness	0.3202	min	-0.3202	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	RRF	Robustness	0.3324	min	-0.3324	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	RRF	Robustness	0.3132	min	-0.3132	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	RRF	Robustness	0.3066	min	-0.3066	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	RRF	Robustness	0.2962	min	-0.2962	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	RRF	Robustness	0.2768	min	-0.2768	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	RRF	Robustness	0.2968	min	-0.2968	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	RRF	Robustness	0.2944	min	-0.2944	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.3204	min	-0.3204	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.29	min	-0.29	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.3004	min	-0.3004	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.3336	min	-0.3336	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.3034	min	-0.3034	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.2934	min	-0.2934	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.2872	min	-0.2872	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.2818	min	-0.2818	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.2776	min	-0.2776	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.288	min	-0.288	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3152	min	-0.3152	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3048	min	-0.3048	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3282	min	-0.3282	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3426	min	-0.3426	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3366	min	-0.3366	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3314	min	-0.3314	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3256	min	-0.3256	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3202	min	-0.3202	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.32	min	-0.32	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3208	min	-0.3208	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	Borda	Robustness	0.168	min	-0.168	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	Borda	Robustness	0.1696	min	-0.1696	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	Borda	Robustness	0.1716	min	-0.1716	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	Borda	Robustness	0.1676	min	-0.1676	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	Borda	Robustness	0.1772	min	-0.1772	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	Borda	Robustness	0.178	min	-0.178	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	Borda	Robustness	0.1742	min	-0.1742	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	Borda	Robustness	0.1716	min	-0.1716	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	Borda	Robustness	0.1686	min	-0.1686	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	Borda	Robustness	0.1692	min	-0.1692	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	Kemeny	Robustness	0.168	min	-0.168	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	Kemeny	Robustness	0.175	min	-0.175	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	Kemeny	Robustness	0.1706	min	-0.1706	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	Kemeny	Robustness	0.1704	min	-0.1704	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	Kemeny	Robustness	0.1634	min	-0.1634	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	Kemeny	Robustness	0.173	min	-0.173	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	Kemeny	Robustness	0.168	min	-0.168	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	Kemeny	Robustness	0.1688	min	-0.1688	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	Kemeny	Robustness	0.1632	min	-0.1632	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	Kemeny	Robustness	0.1668	min	-0.1668	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	RRF	Robustness	0.1644	min	-0.1644	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	RRF	Robustness	0.1688	min	-0.1688	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	RRF	Robustness	0.1756	min	-0.1756	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	RRF	Robustness	0.1646	min	-0.1646	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	RRF	Robustness	0.1714	min	-0.1714	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	RRF	Robustness	0.1696	min	-0.1696	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	RRF	Robustness	0.1694	min	-0.1694	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	RRF	Robustness	0.1702	min	-0.1702	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	RRF	Robustness	0.1664	min	-0.1664	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	RRF	Robustness	0.1648	min	-0.1648	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	Schulze	Robustness	0.168	min	-0.168	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	Schulze	Robustness	0.1794	min	-0.1794	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	Schulze	Robustness	0.176	min	-0.176	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	Schulze	Robustness	0.1686	min	-0.1686	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	Schulze	Robustness	0.1668	min	-0.1668	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	Schulze	Robustness	0.167	min	-0.167	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	Schulze	Robustness	0.1658	min	-0.1658	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	Schulze	Robustness	0.167	min	-0.167	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	Schulze	Robustness	0.1604	min	-0.1604	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	Schulze	Robustness	0.1662	min	-0.1662	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.1628	min	-0.1628	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.1726	min	-0.1726	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.1532	min	-0.1532	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.156	min	-0.156	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.1558	min	-0.1558	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.156	min	-0.156	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.1574	min	-0.1574	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.1514	min	-0.1514	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.1536	min	-0.1536	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.1564	min	-0.1564	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Borda	Robustness	0.1014	min	-0.1014	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Borda	Robustness	0.0916	min	-0.0916	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Borda	Robustness	0.1134	min	-0.1134	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Borda	Robustness	0.13	min	-0.13	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Borda	Robustness	0.1166	min	-0.1166	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Borda	Robustness	0.1042	min	-0.1042	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Borda	Robustness	0.1018	min	-0.1018	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Borda	Robustness	0.0828	min	-0.0828	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Borda	Robustness	0.097	min	-0.097	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Borda	Robustness	0.0996	min	-0.0996	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.1014	min	-0.1014	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0548	min	-0.0548	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.086	min	-0.086	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.096	min	-0.096	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0776	min	-0.0776	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0702	min	-0.0702	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0758	min	-0.0758	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0522	min	-0.0522	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0712	min	-0.0712	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0684	min	-0.0684	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	RRF	Robustness	0.1048	min	-0.1048	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	RRF	Robustness	0.0862	min	-0.0862	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	RRF	Robustness	0.0984	min	-0.0984	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	RRF	Robustness	0.1144	min	-0.1144	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	RRF	Robustness	0.0966	min	-0.0966	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	RRF	Robustness	0.086	min	-0.086	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	RRF	Robustness	0.081	min	-0.081	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	RRF	Robustness	0.07	min	-0.07	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	RRF	Robustness	0.0842	min	-0.0842	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	RRF	Robustness	0.0776	min	-0.0776	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.1014	min	-0.1014	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.068	min	-0.068	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.0818	min	-0.0818	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.1176	min	-0.1176	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.0868	min	-0.0868	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.0778	min	-0.0778	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.0768	min	-0.0768	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.0652	min	-0.0652	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.0704	min	-0.0704	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.0762	min	-0.0762	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1008	min	-0.1008	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.088	min	-0.088	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1178	min	-0.1178	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1262	min	-0.1262	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1238	min	-0.1238	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1152	min	-0.1152	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1124	min	-0.1124	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1096	min	-0.1096	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1128	min	-0.1128	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1118	min	-0.1118	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Borda	Robustness	0.306	min	-0.306	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Borda	Robustness	0.3084	min	-0.3084	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Borda	Robustness	0.317	min	-0.317	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Borda	Robustness	0.3128	min	-0.3128	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Borda	Robustness	0.3188	min	-0.3188	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Borda	Robustness	0.3256	min	-0.3256	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Borda	Robustness	0.3172	min	-0.3172	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Borda	Robustness	0.3246	min	-0.3246	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Borda	Robustness	0.3168	min	-0.3168	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Borda	Robustness	0.3208	min	-0.3208	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.306	min	-0.306	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.3164	min	-0.3164	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.3108	min	-0.3108	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.3156	min	-0.3156	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.3072	min	-0.3072	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.3166	min	-0.3166	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.3216	min	-0.3216	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.3186	min	-0.3186	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.315	min	-0.315	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.317	min	-0.317	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	RRF	Robustness	0.3058	min	-0.3058	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	RRF	Robustness	0.3102	min	-0.3102	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	RRF	Robustness	0.3196	min	-0.3196	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	RRF	Robustness	0.3154	min	-0.3154	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	RRF	Robustness	0.321	min	-0.321	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	RRF	Robustness	0.3138	min	-0.3138	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	RRF	Robustness	0.3126	min	-0.3126	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	RRF	Robustness	0.3142	min	-0.3142	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	RRF	Robustness	0.3128	min	-0.3128	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	RRF	Robustness	0.3134	min	-0.3134	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Schulze	Robustness	0.306	min	-0.306	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Schulze	Robustness	0.3164	min	-0.3164	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Schulze	Robustness	0.3178	min	-0.3178	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Schulze	Robustness	0.321	min	-0.321	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Schulze	Robustness	0.3148	min	-0.3148	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Schulze	Robustness	0.3126	min	-0.3126	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Schulze	Robustness	0.3162	min	-0.3162	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Schulze	Robustness	0.3202	min	-0.3202	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Schulze	Robustness	0.3156	min	-0.3156	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Schulze	Robustness	0.3124	min	-0.3124	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.2974	min	-0.2974	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3082	min	-0.3082	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3086	min	-0.3086	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3086	min	-0.3086	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3138	min	-0.3138	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3156	min	-0.3156	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3218	min	-0.3218	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.314	min	-0.314	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3182	min	-0.3182	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3152	min	-0.3152	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2824	min	-0.2824	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2728	min	-0.2728	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2998	min	-0.2998	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.3188	min	-0.3188	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.3068	min	-0.3068	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2912	min	-0.2912	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2854	min	-0.2854	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2636	min	-0.2636	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2778	min	-0.2778	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2822	min	-0.2822	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2824	min	-0.2824	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2588	min	-0.2588	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2756	min	-0.2756	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2774	min	-0.2774	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.266	min	-0.266	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2542	min	-0.2542	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2624	min	-0.2624	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2452	min	-0.2452	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.253	min	-0.253	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2522	min	-0.2522	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2888	min	-0.2888	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2766	min	-0.2766	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.284	min	-0.284	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.3072	min	-0.3072	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2804	min	-0.2804	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.276	min	-0.276	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2682	min	-0.2682	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2524	min	-0.2524	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2634	min	-0.2634	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2654	min	-0.2654	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2824	min	-0.2824	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2646	min	-0.2646	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2672	min	-0.2672	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.3072	min	-0.3072	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2786	min	-0.2786	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2766	min	-0.2766	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2604	min	-0.2604	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2536	min	-0.2536	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2512	min	-0.2512	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2696	min	-0.2696	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2864	min	-0.2864	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2764	min	-0.2764	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.3098	min	-0.3098	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.3174	min	-0.3174	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.3106	min	-0.3106	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.3076	min	-0.3076	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2986	min	-0.2986	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2934	min	-0.2934	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2958	min	-0.2958	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2946	min	-0.2946	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Borda	Robustness	0.1608	min	-0.1608	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Borda	Robustness	0.1616	min	-0.1616	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Borda	Robustness	0.1612	min	-0.1612	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Borda	Robustness	0.1502	min	-0.1502	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Borda	Robustness	0.1598	min	-0.1598	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Borda	Robustness	0.1656	min	-0.1656	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Borda	Robustness	0.1664	min	-0.1664	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Borda	Robustness	0.1662	min	-0.1662	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Borda	Robustness	0.1576	min	-0.1576	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Borda	Robustness	0.1624	min	-0.1624	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.1608	min	-0.1608	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.1672	min	-0.1672	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.1612	min	-0.1612	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.1628	min	-0.1628	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.1542	min	-0.1542	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.1604	min	-0.1604	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.1656	min	-0.1656	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.1652	min	-0.1652	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.1568	min	-0.1568	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.1614	min	-0.1614	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	RRF	Robustness	0.1606	min	-0.1606	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	RRF	Robustness	0.1658	min	-0.1658	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	RRF	Robustness	0.165	min	-0.165	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	RRF	Robustness	0.1572	min	-0.1572	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	RRF	Robustness	0.1618	min	-0.1618	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	RRF	Robustness	0.1568	min	-0.1568	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	RRF	Robustness	0.1624	min	-0.1624	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	RRF	Robustness	0.1598	min	-0.1598	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	RRF	Robustness	0.1564	min	-0.1564	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	RRF	Robustness	0.1624	min	-0.1624	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Schulze	Robustness	0.1608	min	-0.1608	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Schulze	Robustness	0.1698	min	-0.1698	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Schulze	Robustness	0.1694	min	-0.1694	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Schulze	Robustness	0.1578	min	-0.1578	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Schulze	Robustness	0.1546	min	-0.1546	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Schulze	Robustness	0.1638	min	-0.1638	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Schulze	Robustness	0.1618	min	-0.1618	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Schulze	Robustness	0.1616	min	-0.1616	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Schulze	Robustness	0.1564	min	-0.1564	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Schulze	Robustness	0.1592	min	-0.1592	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1508	min	-0.1508	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1618	min	-0.1618	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1386	min	-0.1386	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1294	min	-0.1294	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1328	min	-0.1328	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1382	min	-0.1382	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1426	min	-0.1426	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1372	min	-0.1372	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1396	min	-0.1396	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1376	min	-0.1376	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0614	min	-0.0614	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.047	min	-0.047	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0928	min	-0.0928	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1106	min	-0.1106	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0932	min	-0.0932	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0788	min	-0.0788	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0818	min	-0.0818	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0624	min	-0.0624	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0704	min	-0.0704	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0788	min	-0.0788	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0614	min	-0.0614	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0356	min	-0.0356	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0606	min	-0.0606	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0684	min	-0.0684	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0548	min	-0.0548	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.047	min	-0.047	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.053	min	-0.053	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0396	min	-0.0396	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.047	min	-0.047	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.045	min	-0.045	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0702	min	-0.0702	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0532	min	-0.0532	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.072	min	-0.072	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0966	min	-0.0966	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0732	min	-0.0732	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0686	min	-0.0686	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0622	min	-0.0622	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.052	min	-0.052	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.06	min	-0.06	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.066	min	-0.066	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0614	min	-0.0614	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0382	min	-0.0382	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0512	min	-0.0512	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0996	min	-0.0996	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0676	min	-0.0676	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0708	min	-0.0708	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0566	min	-0.0566	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0458	min	-0.0458	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0486	min	-0.0486	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0656	min	-0.0656	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0646	min	-0.0646	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0568	min	-0.0568	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1034	min	-0.1034	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.107	min	-0.107	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.105	min	-0.105	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1	min	-0.1	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0946	min	-0.0946	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0888	min	-0.0888	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0938	min	-0.0938	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0916	min	-0.0916	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	Borda	Robustness	0.1106	min	-0.1106	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	Borda	Robustness	0.113	min	-0.113	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	Borda	Robustness	0.1176	min	-0.1176	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	Borda	Robustness	0.1138	min	-0.1138	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	Borda	Robustness	0.1164	min	-0.1164	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	Borda	Robustness	0.126	min	-0.126	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	Borda	Robustness	0.126	min	-0.126	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	Borda	Robustness	0.1238	min	-0.1238	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	Borda	Robustness	0.1204	min	-0.1204	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	Borda	Robustness	0.1142	min	-0.1142	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	Kemeny	Robustness	0.1106	min	-0.1106	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	Kemeny	Robustness	0.1116	min	-0.1116	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	Kemeny	Robustness	0.1136	min	-0.1136	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	Kemeny	Robustness	0.1202	min	-0.1202	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	Kemeny	Robustness	0.1134	min	-0.1134	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	Kemeny	Robustness	0.121	min	-0.121	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	Kemeny	Robustness	0.1234	min	-0.1234	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	Kemeny	Robustness	0.1138	min	-0.1138	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	Kemeny	Robustness	0.1154	min	-0.1154	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	Kemeny	Robustness	0.1136	min	-0.1136	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	RRF	Robustness	0.107	min	-0.107	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	RRF	Robustness	0.1108	min	-0.1108	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	RRF	Robustness	0.1194	min	-0.1194	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	RRF	Robustness	0.1146	min	-0.1146	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	RRF	Robustness	0.1196	min	-0.1196	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	RRF	Robustness	0.1262	min	-0.1262	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	RRF	Robustness	0.1218	min	-0.1218	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	RRF	Robustness	0.1198	min	-0.1198	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	RRF	Robustness	0.1218	min	-0.1218	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	RRF	Robustness	0.1126	min	-0.1126	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	Schulze	Robustness	0.1106	min	-0.1106	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	Schulze	Robustness	0.1134	min	-0.1134	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	Schulze	Robustness	0.1156	min	-0.1156	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	Schulze	Robustness	0.115	min	-0.115	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	Schulze	Robustness	0.1206	min	-0.1206	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	Schulze	Robustness	0.115	min	-0.115	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	Schulze	Robustness	0.1204	min	-0.1204	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	Schulze	Robustness	0.1196	min	-0.1196	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	Schulze	Robustness	0.1148	min	-0.1148	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	Schulze	Robustness	0.112	min	-0.112	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	Simple Averaging	Robustness	0.1022	min	-0.1022	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	Simple Averaging	Robustness	0.1116	min	-0.1116	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	Simple Averaging	Robustness	0.121	min	-0.121	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	Simple Averaging	Robustness	0.1188	min	-0.1188	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	Simple Averaging	Robustness	0.12	min	-0.12	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	Simple Averaging	Robustness	0.1168	min	-0.1168	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	Simple Averaging	Robustness	0.124	min	-0.124	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	Simple Averaging	Robustness	0.1174	min	-0.1174	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	Simple Averaging	Robustness	0.1198	min	-0.1198	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	Simple Averaging	Robustness	0.1192	min	-0.1192	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Borda	Robustness	0.0906	min	-0.0906	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Borda	Robustness	0.0986	min	-0.0986	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Borda	Robustness	0.1024	min	-0.1024	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Borda	Robustness	0.1142	min	-0.1142	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Borda	Robustness	0.107	min	-0.107	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Borda	Robustness	0.1042	min	-0.1042	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Borda	Robustness	0.098	min	-0.098	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Borda	Robustness	0.0898	min	-0.0898	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Borda	Robustness	0.101	min	-0.101	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Borda	Robustness	0.103	min	-0.103	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.0906	min	-0.0906	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.0892	min	-0.0892	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.1016	min	-0.1016	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.1034	min	-0.1034	kendall__mallows__exact__distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.0882	min	-0.0882	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.0924	min	-0.0924	kendall__mallows__exact__distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.0986	min	-0.0986	kendall__mallows__exact__distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.0916	min	-0.0916	kendall__mallows__exact__distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.0904	min	-0.0904	kendall__mallows__exact__distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.0994	min	-0.0994	kendall__mallows__exact__distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	RRF	Robustness	0.1034	min	-0.1034	kendall__mallows__exact__distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	RRF	Robustness	0.0962	min	-0.0962	kendall__mallows__exact__distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	RRF	Robustness	0.102	min	-0.102	kendall__mallows__exact__distance	0.523529	-	0.002	3010.4	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	RRF	Robustness	0.108	min	-0.108	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	RRF	Robustness	0.0954	min	-0.0954	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	RRF	Robustness	0.1004	min	-0.1004	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	RRF	Robustness	0.0882	min	-0.0882	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	RRF	Robustness	0.0882	min	-0.0882	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	RRF	Robustness	0.0966	min	-0.0966	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	RRF	Robustness	0.0958	min	-0.0958	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Schulze	Robustness	0.0906	min	-0.0906	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Schulze	Robustness	0.0924	min	-0.0924	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Schulze	Robustness	0.0916	min	-0.0916	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Schulze	Robustness	0.111	min	-0.111	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Schulze	Robustness	0.0974	min	-0.0974	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Schulze	Robustness	0.0946	min	-0.0946	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Schulze	Robustness	0.0988	min	-0.0988	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Schulze	Robustness	0.1016	min	-0.1016	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Schulze	Robustness	0.0968	min	-0.0968	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Schulze	Robustness	0.0958	min	-0.0958	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1012	min	-0.1012	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0928	min	-0.0928	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1234	min	-0.1234	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.13	min	-0.13	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1278	min	-0.1278	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1252	min	-0.1252	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1228	min	-0.1228	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1178	min	-0.1178	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1182	min	-0.1182	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1196	min	-0.1196	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	Borda	Robustness	0.0816	min	-0.0816	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	Borda	Robustness	0.084	min	-0.084	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	Borda	Robustness	0.0798	min	-0.0798	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	Borda	Robustness	0.0764	min	-0.0764	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	Borda	Robustness	0.0764	min	-0.0764	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	Borda	Robustness	0.084	min	-0.084	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	Borda	Robustness	0.0866	min	-0.0866	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	Borda	Robustness	0.077	min	-0.077	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	Borda	Robustness	0.0756	min	-0.0756	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	Borda	Robustness	0.0748	min	-0.0748	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	Kemeny	Robustness	0.0816	min	-0.0816	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	Kemeny	Robustness	0.0812	min	-0.0812	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	Kemeny	Robustness	0.0806	min	-0.0806	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	Kemeny	Robustness	0.0846	min	-0.0846	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	Kemeny	Robustness	0.081	min	-0.081	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	Kemeny	Robustness	0.0798	min	-0.0798	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	Kemeny	Robustness	0.0816	min	-0.0816	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	Kemeny	Robustness	0.0756	min	-0.0756	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	Kemeny	Robustness	0.0726	min	-0.0726	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	Kemeny	Robustness	0.0748	min	-0.0748	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	RRF	Robustness	0.0782	min	-0.0782	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	RRF	Robustness	0.0804	min	-0.0804	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	RRF	Robustness	0.0828	min	-0.0828	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	RRF	Robustness	0.0822	min	-0.0822	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	RRF	Robustness	0.0796	min	-0.0796	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	RRF	Robustness	0.0858	min	-0.0858	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	RRF	Robustness	0.083	min	-0.083	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	RRF	Robustness	0.074	min	-0.074	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	RRF	Robustness	0.0752	min	-0.0752	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	RRF	Robustness	0.0742	min	-0.0742	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	Schulze	Robustness	0.0816	min	-0.0816	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	Schulze	Robustness	0.0878	min	-0.0878	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	Schulze	Robustness	0.0876	min	-0.0876	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	Schulze	Robustness	0.0788	min	-0.0788	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	Schulze	Robustness	0.081	min	-0.081	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	Schulze	Robustness	0.0796	min	-0.0796	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	Schulze	Robustness	0.0808	min	-0.0808	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	Schulze	Robustness	0.0772	min	-0.0772	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	Schulze	Robustness	0.0768	min	-0.0768	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	Schulze	Robustness	0.077	min	-0.077	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	Simple Averaging	Robustness	0.0718	min	-0.0718	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	Simple Averaging	Robustness	0.0768	min	-0.0768	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	Simple Averaging	Robustness	0.08	min	-0.08	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	Simple Averaging	Robustness	0.0722	min	-0.0722	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0756	min	-0.0756	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	Simple Averaging	Robustness	0.0736	min	-0.0736	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	Simple Averaging	Robustness	0.0774	min	-0.0774	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	Simple Averaging	Robustness	0.0718	min	-0.0718	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	Simple Averaging	Robustness	0.0736	min	-0.0736	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	Simple Averaging	Robustness	0.0734	min	-0.0734	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Borda	Robustness	0.0278	min	-0.0278	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Borda	Robustness	0.0274	min	-0.0274	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Borda	Robustness	0.0402	min	-0.0402	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Borda	Robustness	0.051	min	-0.051	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Borda	Robustness	0.0426	min	-0.0426	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Borda	Robustness	0.0402	min	-0.0402	kendall__mallows__exact__distance	0.498314	-	0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Borda	Robustness	0.0396	min	-0.0396	kendall__mallows__exact__distance	0.484005	-	0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Borda	Robustness	0.028	min	-0.028	kendall__mallows__exact__distance	0.507886	-	0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Borda	Robustness	0.0368	min	-0.0368	kendall__mallows__exact__distance	0.485199	-	0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Borda	Robustness	0.0428	min	-0.0428	kendall__mallows__exact__distance	0.470366	-	0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.0278	min	-0.0278	kendall__mallows__exact__distance	0.367314	-	0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.0222	min	-0.0222	kendall__mallows__exact__distance	0.657412	-	0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.0352	min	-0.0352	kendall__mallows__exact__distance	0.523529	-	0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.0446	min	-0.0446	kendall__mallows__exact__distance	0.345765	-	0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.0298	min	-0.0298	kendall__mallows__exact__distance	0.43653	-0.43653	0.002	3377.5	11	

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.0288	min	-0.0288	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.0328	min	-0.0328	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.0288	min	-0.0288	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.0294	min	-0.0294	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.0362	min	-0.0362	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	RRF	Robustness	0.0366	min	-0.0366	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	RRF	Robustness	0.0276	min	-0.0276	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	RRF	Robustness	0.0386	min	-0.0386	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	RRF	Robustness	0.0468	min	-0.0468	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	RRF	Robustness	0.039	min	-0.039	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	RRF	Robustness	0.0366	min	-0.0366	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	RRF	Robustness	0.0284	min	-0.0284	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	RRF	Robustness	0.032	min	-0.032	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	RRF	Robustness	0.0354	min	-0.0354	kendall_ mallows_ exact_ distance	0.485199	-	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	RRF	Robustness	0.0342	min	-0.0342	kendall_ mallows_ exact_ distance	0.470366	-	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Schulze	Robustness	0.0278	min	-0.0278	kendall_ mallows_ exact_ distance	0.367314	-	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Schulze	Robustness	0.0238	min	-0.0238	kendall_ mallows_ exact_ distance	0.657412	-	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Schulze	Robustness	0.028	min	-0.028	kendall_ mallows_ exact_ distance	0.523529	-	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Schulze	Robustness	0.049	min	-0.049	kendall_ mallows_ exact_ distance	0.345765	-	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Schulze	Robustness	0.039	min	-0.039	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Schulze	Robustness	0.0368	min	-0.0368	kendall_ mallows_ exact_ distance	0.498314	-	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Schulze	Robustness	0.0354	min	-0.0354	kendall_ mallows_ exact_ distance	0.484005	-	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Schulze	Robustness	0.0356	min	-0.0356	kendall_ mallows_ exact_ distance	0.507886	-	0.002	3164.8	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Schulze	Robustness	0.0386	min	-0.0386	kendall_ mallows_ exact_ distance	0.485199	- 0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Schulze	Robustness	0.035	min	-0.035	kendall_ mallows_ exact_ distance	0.470366	- 0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0368	min	-0.0368	kendall_ mallows_ exact_ distance	0.367314	- 0.367314	0.002	2341.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0282	min	-0.0282	kendall_ mallows_ exact_ distance	0.657412	- 0.657412	0.002	1829.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0688	min	-0.0688	kendall_ mallows_ exact_ distance	0.523529	- 0.523529	0.002	3010.4	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0666	min	-0.0666	kendall_ mallows_ exact_ distance	0.345765	- 0.345765	0.002	3433	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.066	min	-0.066	kendall_ mallows_ exact_ distance	0.43653	-0.43653	0.002	3377.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0588	min	-0.0588	kendall_ mallows_ exact_ distance	0.498314	- 0.498314	0.002	3218.6	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0638	min	-0.0638	kendall_ mallows_ exact_ distance	0.484005	- 0.484005	0.002	3257.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.063	min	-0.063	kendall_ mallows_ exact_ distance	0.507886	- 0.507886	0.002	3164.8	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0646	min	-0.0646	kendall_ mallows_ exact_ distance	0.485199	- 0.485199	0.002	3430.5	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0636	min	-0.0636	kendall_ mallows_ exact_ distance	0.470366	- 0.470366	0.002	3733	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	Borda	Quality	0.308	max	0.308	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	Borda	Quality	0.3034	max	0.3034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	Borda	Quality	0.3116	max	0.3116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	Borda	Quality	0.312	max	0.312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	Borda	Quality	0.2986	max	0.2986	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	Borda	Quality	0.289	max	0.289	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	Borda	Quality	0.2844	max	0.2844	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	Borda	Quality	0.2778	max	0.2778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	Borda	Quality	0.2768	max	0.2768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	Borda	Quality	0.2756	max	0.2756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	Kemeny	Quality	0.308	max	0.308	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	Kemeny	Quality	0.2916	max	0.2916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	Kemeny	Quality	0.2978	max	0.2978	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	Kemeny	Quality	0.3128	max	0.3128	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	Kemeny	Quality	0.306	max	0.306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	Kemeny	Quality	0.2884	max	0.2884	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	Kemeny	Quality	0.282	max	0.282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	Kemeny	Quality	0.2744	max	0.2744	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	Kemeny	Quality	0.2722	max	0.2722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	Kemeny	Quality	0.271	max	0.271	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	RRF	Quality	0.3074	max	0.3074	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	RRF	Quality	0.3022	max	0.3022	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	RRF	Quality	0.3066	max	0.3066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	RRF	Quality	0.3152	max	0.3152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	RRF	Quality	0.2986	max	0.2986	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	RRF	Quality	0.2912	max	0.2912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	RRF	Quality	0.2878	max	0.2878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	RRF	Quality	0.2798	max	0.2798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	RRF	Quality	0.2772	max	0.2772	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	RRF	Quality	0.2812	max	0.2812	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	Schulze	Quality	0.308	max	0.308	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	Schulze	Quality	0.2924	max	0.2924	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	Schulze	Quality	0.2974	max	0.2974	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	Schulze	Quality	0.312	max	0.312	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	Schulze	Quality	0.3008	max	0.3008	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	Schulze	Quality	0.2966	max	0.2966	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	Schulze	Quality	0.2844	max	0.2844	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	Schulze	Quality	0.2694	max	0.2694	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	Schulze	Quality	0.2758	max	0.2758	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	Schulze	Quality	0.276	max	0.276	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	Simple Averaging	Quality	0.3056	max	0.3056	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	Simple Averaging	Quality	0.2996	max	0.2996	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	Simple Averaging	Quality	0.3024	max	0.3024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	Simple Averaging	Quality	0.2872	max	0.2872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	Simple Averaging	Quality	0.2876	max	0.2876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	Simple Averaging	Quality	0.2898	max	0.2898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	Simple Averaging	Quality	0.285	max	0.285	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	Simple Averaging	Quality	0.2882	max	0.2882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	Simple Averaging	Quality	0.2858	max	0.2858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	Simple Averaging	Quality	0.286	max	0.286	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	Borda	Quality	0.2586	min	-0.2586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	Borda	Quality	0.2688	min	-0.2688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	Borda	Quality	0.3024	min	-0.3024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	Borda	Quality	0.3216	min	-0.3216	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	Borda	Quality	0.3324	min	-0.3324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	Borda	Quality	0.3482	min	-0.3482	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	Borda	Quality	0.3448	min	-0.3448	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	Borda	Quality	0.3664	min	-0.3664	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	Borda	Quality	0.3514	min	-0.3514	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	Borda	Quality	0.3464	min	-0.3464	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	Kemeny	Quality	0.2586	min	-0.2586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	Kemeny	Quality	0.3044	min	-0.3044	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	Kemeny	Quality	0.2772	min	-0.2772	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	Kemeny	Quality	0.2872	min	-0.2872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	Kemeny	Quality	0.3056	min	-0.3056	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	Kemeny	Quality	0.3304	min	-0.3304	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	Kemeny	Quality	0.3298	min	-0.3298	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	Kemeny	Quality	0.3634	min	-0.3634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	Kemeny	Quality	0.3546	min	-0.3546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	Kemeny	Quality	0.3492	min	-0.3492	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	RRF	Quality	0.256	min	-0.256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	RRF	Quality	0.2716	min	-0.2716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 - 0.661997		0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	RRF	Quality	0.2748	min	-0.2748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 - 0.533641		0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	RRF	Quality	0.3094	min	-0.3094	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 - 0.475614		0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	RRF	Quality	0.318	min	-0.318	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 - 0.505821		0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	RRF	Quality	0.323	min	-0.323	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 - 0.569208		0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	RRF	Quality	0.3306	min	-0.3306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 - 0.574619		0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	RRF	Quality	0.3552	min	-0.3552	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 - 0.612495		0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	RRF	Quality	0.3388	min	-0.3388	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654		0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	RRF	Quality	0.3424	min	-0.3424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 - 0.518147		0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	Schulze	Quality	0.2586	min	-0.2586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 - 0.530299		0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	Schulze	Quality	0.291	min	-0.291	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 - 0.661997		0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	Schulze	Quality	0.2872	min	-0.2872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	Schulze	Quality	0.3258	min	-0.3258	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	Schulze	Quality	0.3152	min	-0.3152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	Schulze	Quality	0.3174	min	-0.3174	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	Schulze	Quality	0.3316	min	-0.3316	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	Schulze	Quality	0.3564	min	-0.3564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	Schulze	Quality	0.3522	min	-0.3522	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	Schulze	Quality	0.3444	min	-0.3444	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	Simple Averaging	Quality	0.2646	min	-0.2646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	Simple Averaging	Quality	0.2752	min	-0.2752	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	Simple Averaging	Quality	0.3706	min	-0.3706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	Simple Averaging	Quality	0.4004	min	-0.4004	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	Simple Averaging	Quality	0.3954	min	-0.3954	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	Simple Averaging	Quality	0.3896	min	-0.3896	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	Simple Averaging	Quality	0.3894	min	-0.3894	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	Simple Averaging	Quality	0.3882	min	-0.3882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	Simple Averaging	Quality	0.3858	min	-0.3858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	Simple Averaging	Quality	0.3862	min	-0.3862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	Borda	Quality	0.1818	max	0.1818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	Borda	Quality	0.1762	max	0.1762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	Borda	Quality	0.1856	max	0.1856	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	Borda	Quality	0.1876	max	0.1876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	Borda	Quality	0.1782	max	0.1782	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	Borda	Quality	0.1698	max	0.1698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	Borda	Quality	0.1634	max	0.1634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	Borda	Quality	0.1618	max	0.1618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	Borda	Quality	0.1616	max	0.1616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	Borda	Quality	0.158	max	0.158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	Kemeny	Quality	0.1818	max	0.1818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	Kemeny	Quality	0.17	max	0.17	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	Kemeny	Quality	0.175	max	0.175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	Kemeny	Quality	0.1874	max	0.1874	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	Kemeny	Quality	0.1806	max	0.1806	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	Kemeny	Quality	0.1716	max	0.1716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	Kemeny	Quality	0.1642	max	0.1642	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	Kemeny	Quality	0.1574	max	0.1574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	Kemeny	Quality	0.1586	max	0.1586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	Kemeny	Quality	0.1556	max	0.1556	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	RRF	Quality	0.1812	max	0.1812	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	RRF	Quality	0.1762	max	0.1762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	RRF	Quality	0.1834	max	0.1834	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	RRF	Quality	0.1886	max	0.1886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	RRF	Quality	0.1798	max	0.1798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	RRF	Quality	0.1728	max	0.1728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	RRF	Quality	0.1682	max	0.1682	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	RRF	Quality	0.1644	max	0.1644	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	RRF	Quality	0.1638	max	0.1638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	RRF	Quality	0.1612	max	0.1612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	Schulze	Quality	0.1818	max	0.1818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	Schulze	Quality	0.1658	max	0.1658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	Schulze	Quality	0.1704	max	0.1704	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	Schulze	Quality	0.1876	max	0.1876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	Schulze	Quality	0.181	max	0.181	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	Schulze	Quality	0.175	max	0.175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	Schulze	Quality	0.1672	max	0.1672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	Schulze	Quality	0.1578	max	0.1578	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	Schulze	Quality	0.1618	max	0.1618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	Schulze	Quality	0.1576	max	0.1576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	Simple Averaging	Quality	0.1814	max	0.1814	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	Simple Averaging	Quality	0.1762	max	0.1762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	Simple Averaging	Quality	0.1804	max	0.1804	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	Simple Averaging	Quality	0.1726	max	0.1726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	Simple Averaging	Quality	0.1738	max	0.1738	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	Simple Averaging	Quality	0.1742	max	0.1742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	Simple Averaging	Quality	0.1724	max	0.1724	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	Simple Averaging	Quality	0.1748	max	0.1748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	Simple Averaging	Quality	0.1736	max	0.1736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	Simple Averaging	Quality	0.1726	max	0.1726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	Borda	Quality	0.1452	min	-0.1452	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	Borda	Quality	0.1586	min	-0.1586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	Borda	Quality	0.1802	min	-0.1802	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	Borda	Quality	0.1982	min	-0.1982	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	Borda	Quality	0.2092	min	-0.2092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	Borda	Quality	0.2242	min	-0.2242	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	Borda	Quality	0.2196	min	-0.2196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	Borda	Quality	0.2388	min	-0.2388	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	Borda	Quality	0.2284	min	-0.2284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	Borda	Quality	0.2186	min	-0.2186	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	Kemeny	Quality	0.1452	min	-0.1452	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	Kemeny	Quality	0.1904	min	-0.1904	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	Kemeny	Quality	0.165	min	-0.165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	Kemeny	Quality	0.1658	min	-0.1658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	Kemeny	Quality	0.1868	min	-0.1868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	Kemeny	Quality	0.2088	min	-0.2088	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	Kemeny	Quality	0.2098	min	-0.2098	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	Kemeny	Quality	0.2394	min	-0.2394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	Kemeny	Quality	0.2292	min	-0.2292	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	Kemeny	Quality	0.2234	min	-0.2234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	RRF	Quality	0.1424	min	-0.1424	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	RRF	Quality	0.1612	min	-0.1612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	RRF	Quality	0.1606	min	-0.1606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	RRF	Quality	0.1868	min	-0.1868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	RRF	Quality	0.1964	min	-0.1964	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	RRF	Quality	0.2046	min	-0.2046	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	RRF	Quality	0.2076	min	-0.2076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	RRF	Quality	0.2258	min	-0.2258	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	RRF	Quality	0.217	min	-0.217	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	RRF	Quality	0.2176	min	-0.2176	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	Schulze	Quality	0.1452	min	-0.1452	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	Schulze	Quality	0.1786	min	-0.1786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	Schulze	Quality	0.1726	min	-0.1726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	Schulze	Quality	0.2018	min	-0.2018	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	Schulze	Quality	0.1956	min	-0.1956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	Schulze	Quality	0.1954	min	-0.1954	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	Schulze	Quality	0.2068	min	-0.2068	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	Schulze	Quality	0.2342	min	-0.2342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	Schulze	Quality	0.2262	min	-0.2262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	Schulze	Quality	0.2182	min	-0.2182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	Simple Averaging	Quality	0.15	min	-0.15	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	Simple Averaging	Quality	0.1638	min	-0.1638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	Simple Averaging	Quality	0.238	min	-0.238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	Simple Averaging	Quality	0.2698	min	-0.2698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	Simple Averaging	Quality	0.2632	min	-0.2632	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	Simple Averaging	Quality	0.2592	min	-0.2592	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	Simple Averaging	Quality	0.2574	min	-0.2574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	Simple Averaging	Quality	0.2538	min	-0.2538	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	Simple Averaging	Quality	0.2494	min	-0.2494	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	Simple Averaging	Quality	0.251	min	-0.251	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 255	C	Borda	Robustness	0.2158	min	-0.2158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 255	C	Borda	Robustness	0.2178	min	-0.2178	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 255	C	Borda	Robustness	0.206	min	-0.206	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Borda	Robustness	0.203	min	-0.203	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Borda	Robustness	0.1974	min	-0.1974	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Borda	Robustness	0.1924	min	-0.1924	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Borda	Robustness	0.1898	min	-0.1898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Borda	Robustness	0.1886	min	-0.1886	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Borda	Robustness	0.1884	min	-0.1884	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Borda	Robustness	0.1882	min	-0.1882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2158	min	-0.2158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2092	min	-0.2092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2046	min	-0.2046	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2054	min	-0.2054	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Kemeny	Robustness	0.2076	min	-0.2076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Kemeny	Robustness	0.1944	min	-0.1944	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Kemeny	Robustness	0.1906	min	-0.1906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Kemeny	Robustness	0.189	min	-0.189	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Kemeny	Robustness	0.1848	min	-0.1848	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Kemeny	Robustness	0.179	min	-0.179	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	RRF	Robustness	0.2148	min	-0.2148	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	RRF	Robustness	0.2164	min	-0.2164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	RRF	Robustness	0.2048	min	-0.2048	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	RRF	Robustness	0.205	min	-0.205	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	RRF	Robustness	0.1934	min	-0.1934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	RRF	Robustness	0.193	min	-0.193	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	RRF	Robustness	0.1926	min	-0.1926	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	RRF	Robustness	0.1872	min	-0.1872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	RRF	Robustness	0.1868	min	-0.1868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	RRF	Robustness	0.1914	min	-0.1914	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	Schulze	Robustness	0.2158	min	-0.2158	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	Schulze	Robustness	0.2092	min	-0.2092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	Schulze	Robustness	0.206	min	-0.206	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Schulze	Robustness	0.2016	min	-0.2016	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Schulze	Robustness	0.2006	min	-0.2006	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Schulze	Robustness	0.1984	min	-0.1984	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Schulze	Robustness	0.1924	min	-0.1924	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 - 0.574619		0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Schulze	Robustness	0.1846	min	-0.1846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 - 0.612495		0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Schulze	Robustness	0.187	min	-0.187	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654		0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Schulze	Robustness	0.1864	min	-0.1864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 - 0.518147		0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.2124	min	-0.2124	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 - 0.530299		0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.2144	min	-0.2144	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 - 0.661997		0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.1882	min	-0.1882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 - 0.533641		0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.1732	min	-0.1732	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 - 0.475614		0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.175	min	-0.175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 - 0.505821		0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.1776	min	-0.1776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 - 0.569208		0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.173	min	-0.173	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 - 0.574619		0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.1804	min	-0.1804	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.1784	min	-0.1784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	0.1768	min	-0.1768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0586	min	-0.0586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0534	min	-0.0534	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0712	min	-0.0712	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.072	min	-0.072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0676	min	-0.0676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0694	min	-0.0694	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0584	min	-0.0584	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0596	min	-0.0596	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0496	min	-0.0496	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0532	min	-0.0532	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0586	min	-0.0586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.039	min	-0.039	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0402	min	-0.0402	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0746	min	-0.0746	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0714	min	-0.0714	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0588	min	-0.0588	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0544	min	-0.0544	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0546	min	-0.0546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0552	min	-0.0552	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0492	min	-0.0492	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0606	min	-0.0606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0524	min	-0.0524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0638	min	-0.0638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0754	min	-0.0754	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0784	min	-0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0604	min	-0.0604	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0644	min	-0.0644	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0634	min	-0.0634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0502	min	-0.0502	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0608	min	-0.0608	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 255	Cbar	Schulze	Robustness	0.0586	min	-0.0586	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 255	Cbar	Schulze	Robustness	0.0358	min	-0.0358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 255	Cbar	Schulze	Robustness	0.0508	min	-0.0508	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 255	Cbar	Schulze	Robustness	0.0798	min	-0.0798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 255	Cbar	Schulze	Robustness	0.067	min	-0.067	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 255	Cbar	Schulze	Robustness	0.063	min	-0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 255	Cbar	Schulze	Robustness	0.0582	min	-0.0582	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 255	Cbar	Schulze	Robustness	0.0426	min	-0.0426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 255	Cbar	Schulze	Robustness	0.0486	min	-0.0486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 255	Cbar	Schulze	Robustness	0.0506	min	-0.0506	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 255	Cbar	Simple Averaging	Robustness	0.0592	min	-0.0592	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0534	min	-0.0534	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 - 0.661997	-	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0788	min	-0.0788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 - 0.533641	-	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0784	min	-0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 - 0.475614	-	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0784	min	-0.0784	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 - 0.505821	-	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0756	min	-0.0756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 - 0.569208	-	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0786	min	-0.0786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 - 0.574619	-	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0746	min	-0.0746	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 - 0.612495	-	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0752	min	-0.0752	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654	-	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0754	min	-0.0754	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 - 0.518147	-	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	Borda	Robustness	0.116	min	-0.116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 - 0.530299	-	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	Borda	Robustness	0.115	min	-0.115	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 - 0.661997	-	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 255	F	Borda	Robustness	0.11	min	-0.11	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 255	F	Borda	Robustness	0.1108	min	-0.1108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 255	F	Borda	Robustness	0.1042	min	-0.1042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 255	F	Borda	Robustness	0.099	min	-0.099	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 255	F	Borda	Robustness	0.094	min	-0.094	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 255	F	Borda	Robustness	0.0972	min	-0.0972	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 255	F	Borda	Robustness	0.0972	min	-0.0972	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 255	F	Borda	Robustness	0.095	min	-0.095	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 255	F	Kemeny	Robustness	0.116	min	-0.116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 255	F	Kemeny	Robustness	0.1114	min	-0.1114	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 255	F	Kemeny	Robustness	0.1066	min	-0.1066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 255	F	Kemeny	Robustness	0.1106	min	-0.1106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 255	F	Kemeny	Robustness	0.11	min	-0.11	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 255	F	Kemeny	Robustness	0.1036	min	-0.1036	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 255	F	Kemeny	Robustness	0.0982	min	-0.0982	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 255	F	Kemeny	Robustness	0.0972	min	-0.0972	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 255	F	Kemeny	Robustness	0.0958	min	-0.0958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 255	F	Kemeny	Robustness	0.0904	min	-0.0904	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 255	F	RRF	Robustness	0.116	min	-0.116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 255	F	RRF	Robustness	0.114	min	-0.114	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 255	F	RRF	Robustness	0.1104	min	-0.1104	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 255	F	RRF	Robustness	0.1102	min	-0.1102	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	RRF	Robustness	0.1032	min	-0.1032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	RRF	Robustness	0.1004	min	-0.1004	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	RRF	Robustness	0.0994	min	-0.0994	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	RRF	Robustness	0.097	min	-0.097	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	RRF	Robustness	0.097	min	-0.097	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	RRF	Robustness	0.0956	min	-0.0956	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	Schulze	Robustness	0.116	min	-0.116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	Schulze	Robustness	0.1058	min	-0.1058	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	Schulze	Robustness	0.1046	min	-0.1046	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	Schulze	Robustness	0.1092	min	-0.1092	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.108	min	-0.108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 255	F	Schulze	Robustness	0.102	min	-0.102	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 255	F	Schulze	Robustness	0.1004	min	-0.1004	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 255	F	Schulze	Robustness	0.0968	min	-0.0968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 255	F	Schulze	Robustness	0.0974	min	-0.0974	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 255	F	Schulze	Robustness	0.0926	min	-0.0926	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 255	F	Simple Averaging	Robustness	0.1148	min	-0.1148	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 255	F	Simple Averaging	Robustness	0.1154	min	-0.1154	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 255	F	Simple Averaging	Robustness	0.097	min	-0.097	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0908	min	-0.0908	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0934	min	-0.0934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 255	F	Simple Averaging	Robustness	0.094	min	-0.094	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0912	min	-0.0912	spearman_mallows_multi_proposal_importance_binned_symmetric_approximation	0.574619	-0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0964	min	-0.0964	spearman_mallows_multi_proposal_importance_binned_symmetric_approximation	0.612495	-0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 255	F	Simple Averaging	Robustness	0.096	min	-0.096	spearman_mallows_multi_proposal_importance_binned_symmetric_approximation	0.548654	-0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 255	F	Simple Averaging	Robustness	0.0944	min	-0.0944	spearman_mallows_multi_proposal_importance_binned_symmetric_approximation	0.518147	-0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 255	Fbar	Borda	Robustness	0.0232	min	-0.0232	spearman_mallows_multi_proposal_importance_binned_symmetric_approximation	0.530299	-0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 255	Fbar	Borda	Robustness	0.0222	min	-0.0222	spearman_mallows_multi_proposal_importance_binned_symmetric_approximation	0.661997	-0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 255	Fbar	Borda	Robustness	0.0302	min	-0.0302	spearman_mallows_multi_proposal_importance_binned_symmetric_approximation	0.533641	-0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 255	Fbar	Borda	Robustness	0.0262	min	-0.0262	spearman_mallows_multi_proposal_importance_binned_symmetric_approximation	0.475614	-0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 255	Fbar	Borda	Robustness	0.0324	min	-0.0324	spearman_mallows_multi_proposal_importance_binned_symmetric_approximation	0.505821	-0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 255	Fbar	Borda	Robustness	0.0316	min	-0.0316	spearman_mallows_multi_proposal_importance_binned_symmetric_approximation	0.569208	-0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 255	Fbar	Borda	Robustness	0.0198	min	-0.0198	spearman_mallows_multi_proposal_importance_binned_symmetric_approximation	0.574619	-0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0234	min	-0.0234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0212	min	-0.0212	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.019	min	-0.019	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0232	min	-0.0232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0118	min	-0.0118	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0088	min	-0.0088	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0272	min	-0.0272	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.036	min	-0.036	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0258	min	-0.0258	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0214	min	-0.0214	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0238	min	-0.0238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0226	min	-0.0226	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.015	min	-0.015	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0234	min	-0.0234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0202	min	-0.0202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.026	min	-0.026	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.032	min	-0.032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0382	min	-0.0382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0252	min	-0.0252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.024	min	-0.024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0232	min	-0.0232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0202	min	-0.0202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0246	min	-0.0246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0232	min	-0.0232	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0066	min	-0.0066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0142	min	-0.0142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0352	min	-0.0352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0288	min	-0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0254	min	-0.0254	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0202	min	-0.0202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.014	min	-0.014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0146	min	-0.0146	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.017	min	-0.017	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.0244	min	-0.0244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.0182	min	-0.0182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.034	min	-0.034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.0428	min	-0.0428	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.0414	min	-0.0414	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.037	min	-0.037	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.0394	min	-0.0394	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.0338	min	-0.0338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.0324	min	-0.0324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 255	Fbar	Simple Averaging	Robustness	0.0338	min	-0.0338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	Borda	Robustness	0.3244	min	-0.3244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	Borda	Robustness	0.3176	min	-0.3176	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	Borda	Robustness	0.3338	min	-0.3338	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	Borda	Robustness	0.3406	min	-0.3406	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	Borda	Robustness	0.3474	min	-0.3474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	Borda	Robustness	0.3452	min	-0.3452	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	Borda	Robustness	0.3422	min	-0.3422	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	Borda	Robustness	0.3418	min	-0.3418	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	Borda	Robustness	0.3396	min	-0.3396	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	Borda	Robustness	0.3384	min	-0.3384	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	Kemeny	Robustness	0.3244	min	-0.3244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	Kemeny	Robustness	0.328	min	-0.328	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	Kemeny	Robustness	0.329	min	-0.329	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	Kemeny	Robustness	0.332	min	-0.332	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	Kemeny	Robustness	0.317	min	-0.317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	Kemeny	Robustness	0.3358	min	-0.3358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	Kemeny	Robustness	0.3284	min	-0.3284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	Kemeny	Robustness	0.3278	min	-0.3278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	Kemeny	Robustness	0.323	min	-0.323	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	Kemeny	Robustness	0.3296	min	-0.3296	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	RRF	Robustness	0.327	min	-0.327	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	RRF	Robustness	0.3156	min	-0.3156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	RRF	Robustness	0.333	min	-0.333	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	RRF	Robustness	0.3352	min	-0.3352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	RRF	Robustness	0.3436	min	-0.3436	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	RRF	Robustness	0.337	min	-0.337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	RRF	Robustness	0.3348	min	-0.3348	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	RRF	Robustness	0.3324	min	-0.3324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	RRF	Robustness	0.3322	min	-0.3322	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	RRF	Robustness	0.3286	min	-0.3286	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	Schulze	Robustness	0.3244	min	-0.3244	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	Schulze	Robustness	0.3282	min	-0.3282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	Schulze	Robustness	0.3238	min	-0.3238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	Schulze	Robustness	0.337	min	-0.337	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	Schulze	Robustness	0.339	min	-0.339	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	Schulze	Robustness	0.3246	min	-0.3246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	Schulze	Robustness	0.325	min	-0.325	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	Schulze	Robustness	0.3328	min	-0.3328	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	Schulze	Robustness	0.3246	min	-0.3246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	Schulze	Robustness	0.3296	min	-0.3296	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.3246	min	-0.3246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.3284	min	-0.3284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.3372	min	-0.3372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.347	min	-0.347	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.3478	min	-0.3478	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.3448	min	-0.3448	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.35	min	-0.35	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.3408	min	-0.3408	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.3452	min	-0.3452	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.3474	min	-0.3474	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Borda	Robustness	0.3204	min	-0.3204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Borda	Robustness	0.3134	min	-0.3134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Borda	Robustness	0.3262	min	-0.3262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Borda	Robustness	0.3498	min	-0.3498	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Borda	Robustness	0.3358	min	-0.3358	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Borda	Robustness	0.3202	min	-0.3202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Borda	Robustness	0.319	min	-0.319	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Borda	Robustness	0.2942	min	-0.2942	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Borda	Robustness	0.314	min	-0.314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Borda	Robustness	0.3208	min	-0.3208	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Kemeny	Robustness	0.3204	min	-0.3204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2782	min	-0.2782	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Kemeny	Robustness	0.3086	min	-0.3086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Kemeny	Robustness	0.3062	min	-0.3062	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2952	min	-0.2952	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2846	min	-0.2846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2932	min	-0.2932	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2642	min	-0.2642	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2816	min	-0.2816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Kemeny	Robustness	0.2774	min	-0.2774	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	RRF	Robustness	0.3234	min	-0.3234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	RRF	Robustness	0.3132	min	-0.3132	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	RRF	Robustness	0.3202	min	-0.3202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	RRF	Robustness	0.3324	min	-0.3324	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	RRF	Robustness	0.3132	min	-0.3132	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	RRF	Robustness	0.3066	min	-0.3066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	RRF	Robustness	0.2962	min	-0.2962	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	RRF	Robustness	0.2768	min	-0.2768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	RRF	Robustness	0.2968	min	-0.2968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	RRF	Robustness	0.2944	min	-0.2944	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Schulze	Robustness	0.3204	min	-0.3204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Schulze	Robustness	0.29	min	-0.29	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Schulze	Robustness	0.3004	min	-0.3004	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Schulze	Robustness	0.3336	min	-0.3336	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Schulze	Robustness	0.3034	min	-0.3034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Schulze	Robustness	0.2934	min	-0.2934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Schulze	Robustness	0.2872	min	-0.2872	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Schulze	Robustness	0.2818	min	-0.2818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Schulze	Robustness	0.2776	min	-0.2776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Schulze	Robustness	0.288	min	-0.288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3152	min	-0.3152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3048	min	-0.3048	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3282	min	-0.3282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3426	min	-0.3426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3366	min	-0.3366	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3314	min	-0.3314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3256	min	-0.3256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3202	min	-0.3202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.32	min	-0.32	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	0.3208	min	-0.3208	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	Borda	Robustness	0.168	min	-0.168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	Borda	Robustness	0.1696	min	-0.1696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	Borda	Robustness	0.1716	min	-0.1716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	Borda	Robustness	0.1676	min	-0.1676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	Borda	Robustness	0.1772	min	-0.1772	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	Borda	Robustness	0.178	min	-0.178	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	Borda	Robustness	0.1742	min	-0.1742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	Borda	Robustness	0.1716	min	-0.1716	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	Borda	Robustness	0.1686	min	-0.1686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	Borda	Robustness	0.1692	min	-0.1692	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	Kemeny	Robustness	0.168	min	-0.168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	Kemeny	Robustness	0.175	min	-0.175	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	Kemeny	Robustness	0.1706	min	-0.1706	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	Kemeny	Robustness	0.1704	min	-0.1704	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	Kemeny	Robustness	0.1634	min	-0.1634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	Kemeny	Robustness	0.173	min	-0.173	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	Kemeny	Robustness	0.168	min	-0.168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	Kemeny	Robustness	0.1688	min	-0.1688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	Kemeny	Robustness	0.1632	min	-0.1632	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	Kemeny	Robustness	0.1668	min	-0.1668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	RRF	Robustness	0.1644	min	-0.1644	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	RRF	Robustness	0.1688	min	-0.1688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	RRF	Robustness	0.1756	min	-0.1756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	RRF	Robustness	0.1646	min	-0.1646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	RRF	Robustness	0.1714	min	-0.1714	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	RRF	Robustness	0.1696	min	-0.1696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	RRF	Robustness	0.1694	min	-0.1694	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	RRF	Robustness	0.1702	min	-0.1702	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	RRF	Robustness	0.1664	min	-0.1664	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	RRF	Robustness	0.1648	min	-0.1648	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	Schulze	Robustness	0.168	min	-0.168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	Schulze	Robustness	0.1794	min	-0.1794	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	Schulze	Robustness	0.176	min	-0.176	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	Schulze	Robustness	0.1686	min	-0.1686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	Schulze	Robustness	0.1668	min	-0.1668	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	Schulze	Robustness	0.167	min	-0.167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	Schulze	Robustness	0.1658	min	-0.1658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	Schulze	Robustness	0.167	min	-0.167	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	Schulze	Robustness	0.1604	min	-0.1604	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	Schulze	Robustness	0.1662	min	-0.1662	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	Simple Averaging	Robustness	0.1628	min	-0.1628	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	Simple Averaging	Robustness	0.1726	min	-0.1726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	Simple Averaging	Robustness	0.1532	min	-0.1532	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	Simple Averaging	Robustness	0.156	min	-0.156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	Simple Averaging	Robustness	0.1558	min	-0.1558	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	Simple Averaging	Robustness	0.156	min	-0.156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	Simple Averaging	Robustness	0.1574	min	-0.1574	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	Simple Averaging	Robustness	0.1514	min	-0.1514	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	Simple Averaging	Robustness	0.1536	min	-0.1536	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	Simple Averaging	Robustness	0.1564	min	-0.1564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Borda	Robustness	0.1014	min	-0.1014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Borda	Robustness	0.0916	min	-0.0916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Borda	Robustness	0.1134	min	-0.1134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Borda	Robustness	0.13	min	-0.13	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Borda	Robustness	0.1166	min	-0.1166	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Borda	Robustness	0.1042	min	-0.1042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Borda	Robustness	0.1018	min	-0.1018	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Borda	Robustness	0.0828	min	-0.0828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Borda	Robustness	0.097	min	-0.097	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Borda	Robustness	0.0996	min	-0.0996	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.1014	min	-0.1014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0548	min	-0.0548	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.086	min	-0.086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.096	min	-0.096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0776	min	-0.0776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0702	min	-0.0702	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0758	min	-0.0758	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0522	min	-0.0522	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0712	min	-0.0712	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.0684	min	-0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	RRF	Robustness	0.1048	min	-0.1048	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	RRF	Robustness	0.0862	min	-0.0862	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	RRF	Robustness	0.0984	min	-0.0984	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	RRF	Robustness	0.1144	min	-0.1144	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	RRF	Robustness	0.0966	min	-0.0966	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	RRF	Robustness	0.086	min	-0.086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	RRF	Robustness	0.081	min	-0.081	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	RRF	Robustness	0.07	min	-0.07	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	RRF	Robustness	0.0842	min	-0.0842	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	RRF	Robustness	0.0776	min	-0.0776	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.1014	min	-0.1014	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.068	min	-0.068	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.0818	min	-0.0818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.1176	min	-0.1176	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.0868	min	-0.0868	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.0778	min	-0.0778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.0768	min	-0.0768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.0652	min	-0.0652	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.0704	min	-0.0704	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654	-	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.0762	min	-0.0762	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 - 0.518147	-	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1008	min	-0.1008	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 - 0.530299	-	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.088	min	-0.088	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 - 0.661997	-	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1178	min	-0.1178	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 - 0.533641	-	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1262	min	-0.1262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 - 0.475614	-	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1238	min	-0.1238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 - 0.505821	-	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1152	min	-0.1152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 - 0.569208	-	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1124	min	-0.1124	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 - 0.574619	-	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1096	min	-0.1096	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 - 0.612495	-	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1128	min	-0.1128	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654	-	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1118	min	-0.1118	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Borda	Robustness	0.306	min	-0.306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Borda	Robustness	0.3084	min	-0.3084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Borda	Robustness	0.317	min	-0.317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Borda	Robustness	0.3128	min	-0.3128	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Borda	Robustness	0.3188	min	-0.3188	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Borda	Robustness	0.3256	min	-0.3256	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Borda	Robustness	0.3172	min	-0.3172	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Borda	Robustness	0.3246	min	-0.3246	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Borda	Robustness	0.3168	min	-0.3168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Borda	Robustness	0.3208	min	-0.3208	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.306	min	-0.306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.3164	min	-0.3164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.3108	min	-0.3108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.3156	min	-0.3156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.3072	min	-0.3072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.3166	min	-0.3166	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.3216	min	-0.3216	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.3186	min	-0.3186	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.315	min	-0.315	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.317	min	-0.317	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	RRF	Robustness	0.3058	min	-0.3058	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	RRF	Robustness	0.3102	min	-0.3102	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	RRF	Robustness	0.3196	min	-0.3196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	RRF	Robustness	0.3154	min	-0.3154	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	RRF	Robustness	0.321	min	-0.321	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	RRF	Robustness	0.3138	min	-0.3138	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	RRF	Robustness	0.3126	min	-0.3126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	RRF	Robustness	0.3142	min	-0.3142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	RRF	Robustness	0.3128	min	-0.3128	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	RRF	Robustness	0.3134	min	-0.3134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Schulze	Robustness	0.306	min	-0.306	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Schulze	Robustness	0.3164	min	-0.3164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Schulze	Robustness	0.3178	min	-0.3178	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Schulze	Robustness	0.321	min	-0.321	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Schulze	Robustness	0.3148	min	-0.3148	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Schulze	Robustness	0.3126	min	-0.3126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Schulze	Robustness	0.3162	min	-0.3162	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Schulze	Robustness	0.3202	min	-0.3202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Schulze	Robustness	0.3156	min	-0.3156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Schulze	Robustness	0.3124	min	-0.3124	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.2974	min	-0.2974	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3082	min	-0.3082	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3086	min	-0.3086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3086	min	-0.3086	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3138	min	-0.3138	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3156	min	-0.3156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3218	min	-0.3218	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.314	min	-0.314	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3182	min	-0.3182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.3152	min	-0.3152	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2824	min	-0.2824	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2728	min	-0.2728	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2998	min	-0.2998	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Borda	Robustness	0.3188	min	-0.3188	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Borda	Robustness	0.3068	min	-0.3068	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2912	min	-0.2912	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2854	min	-0.2854	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2636	min	-0.2636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2778	min	-0.2778	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Borda	Robustness	0.2822	min	-0.2822	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2824	min	-0.2824	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2588	min	-0.2588	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2756	min	-0.2756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2774	min	-0.2774	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.266	min	-0.266	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2542	min	-0.2542	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2624	min	-0.2624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2452	min	-0.2452	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.253	min	-0.253	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.2522	min	-0.2522	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2888	min	-0.2888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2766	min	-0.2766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.284	min	-0.284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	RRF	Robustness	0.3072	min	-0.3072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2804	min	-0.2804	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	RRF	Robustness	0.276	min	-0.276	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2682	min	-0.2682	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2524	min	-0.2524	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2634	min	-0.2634	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	RRF	Robustness	0.2654	min	-0.2654	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2824	min	-0.2824	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2646	min	-0.2646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2672	min	-0.2672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.3072	min	-0.3072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2786	min	-0.2786	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2766	min	-0.2766	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2604	min	-0.2604	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2536	min	-0.2536	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2512	min	-0.2512	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.2696	min	-0.2696	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2864	min	-0.2864	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2764	min	-0.2764	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.3098	min	-0.3098	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.3174	min	-0.3174	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.3106	min	-0.3106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.3076	min	-0.3076	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2986	min	-0.2986	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2934	min	-0.2934	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2958	min	-0.2958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654	-	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.2946	min	-0.2946	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 - 0.518147	-	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Borda	Robustness	0.1608	min	-0.1608	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 - 0.530299	-	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Borda	Robustness	0.1616	min	-0.1616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 - 0.661997	-	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Borda	Robustness	0.1612	min	-0.1612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 - 0.533641	-	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Borda	Robustness	0.1502	min	-0.1502	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 - 0.475614	-	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Borda	Robustness	0.1598	min	-0.1598	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 - 0.505821	-	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Borda	Robustness	0.1656	min	-0.1656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 - 0.569208	-	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Borda	Robustness	0.1664	min	-0.1664	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 - 0.574619	-	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Borda	Robustness	0.1662	min	-0.1662	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 - 0.612495	-	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Borda	Robustness	0.1576	min	-0.1576	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654	-	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Borda	Robustness	0.1624	min	-0.1624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Kemeny	Robustness	0.1608	min	-0.1608	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Kemeny	Robustness	0.1672	min	-0.1672	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Kemeny	Robustness	0.1612	min	-0.1612	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Kemeny	Robustness	0.1628	min	-0.1628	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Kemeny	Robustness	0.1542	min	-0.1542	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Kemeny	Robustness	0.1604	min	-0.1604	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Kemeny	Robustness	0.1656	min	-0.1656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Kemeny	Robustness	0.1652	min	-0.1652	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Kemeny	Robustness	0.1568	min	-0.1568	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Kemeny	Robustness	0.1614	min	-0.1614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	RRF	Robustness	0.1606	min	-0.1606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	RRF	Robustness	0.1658	min	-0.1658	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	RRF	Robustness	0.165	min	-0.165	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	RRF	Robustness	0.1572	min	-0.1572	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	RRF	Robustness	0.1618	min	-0.1618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	RRF	Robustness	0.1568	min	-0.1568	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	RRF	Robustness	0.1624	min	-0.1624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	RRF	Robustness	0.1598	min	-0.1598	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	RRF	Robustness	0.1564	min	-0.1564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	RRF	Robustness	0.1624	min	-0.1624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Schulze	Robustness	0.1608	min	-0.1608	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Schulze	Robustness	0.1698	min	-0.1698	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Schulze	Robustness	0.1694	min	-0.1694	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Schulze	Robustness	0.1578	min	-0.1578	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Schulze	Robustness	0.1546	min	-0.1546	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Schulze	Robustness	0.1638	min	-0.1638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Schulze	Robustness	0.1618	min	-0.1618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Schulze	Robustness	0.1616	min	-0.1616	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Schulze	Robustness	0.1564	min	-0.1564	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Schulze	Robustness	0.1592	min	-0.1592	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1508	min	-0.1508	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1618	min	-0.1618	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1386	min	-0.1386	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1294	min	-0.1294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1328	min	-0.1328	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1382	min	-0.1382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1426	min	-0.1426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1372	min	-0.1372	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1396	min	-0.1396	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	0.1376	min	-0.1376	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0614	min	-0.0614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.047	min	-0.047	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0928	min	-0.0928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1106	min	-0.1106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0932	min	-0.0932	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0788	min	-0.0788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0818	min	-0.0818	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0624	min	-0.0624	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0704	min	-0.0704	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.0788	min	-0.0788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0614	min	-0.0614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0356	min	-0.0356	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0606	min	-0.0606	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0684	min	-0.0684	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0548	min	-0.0548	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.047	min	-0.047	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.053	min	-0.053	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.0396	min	-0.0396	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.047	min	-0.047	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.045	min	-0.045	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0702	min	-0.0702	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0532	min	-0.0532	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.072	min	-0.072	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0966	min	-0.0966	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0732	min	-0.0732	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0686	min	-0.0686	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.0622	min	-0.0622	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.052	min	-0.052	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.06	min	-0.06	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.066	min	-0.066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0614	min	-0.0614	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0382	min	-0.0382	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0512	min	-0.0512	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0996	min	-0.0996	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0676	min	-0.0676	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0708	min	-0.0708	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0566	min	-0.0566	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0458	min	-0.0458	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0486	min	-0.0486	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0656	min	-0.0656	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0646	min	-0.0646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0568	min	-0.0568	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1034	min	-0.1034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.107	min	-0.107	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.105	min	-0.105	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1	min	-0.1	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0946	min	-0.0946	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0888	min	-0.0888	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0938	min	-0.0938	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0916	min	-0.0916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	Borda	Robustness	0.1106	min	-0.1106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	Borda	Robustness	0.113	min	-0.113	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	Borda	Robustness	0.1176	min	-0.1176	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	Borda	Robustness	0.1138	min	-0.1138	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	Borda	Robustness	0.1164	min	-0.1164	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	Borda	Robustness	0.126	min	-0.126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	Borda	Robustness	0.126	min	-0.126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	Borda	Robustness	0.1238	min	-0.1238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	Borda	Robustness	0.1204	min	-0.1204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	Borda	Robustness	0.1142	min	-0.1142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	Kemeny	Robustness	0.1106	min	-0.1106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	Kemeny	Robustness	0.1116	min	-0.1116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	Kemeny	Robustness	0.1136	min	-0.1136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	Kemeny	Robustness	0.1202	min	-0.1202	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	Kemeny	Robustness	0.1134	min	-0.1134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	Kemeny	Robustness	0.121	min	-0.121	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	Kemeny	Robustness	0.1234	min	-0.1234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	Kemeny	Robustness	0.1138	min	-0.1138	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	Kemeny	Robustness	0.1154	min	-0.1154	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	Kemeny	Robustness	0.1136	min	-0.1136	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	RRF	Robustness	0.107	min	-0.107	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	RRF	Robustness	0.1108	min	-0.1108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	RRF	Robustness	0.1194	min	-0.1194	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	RRF	Robustness	0.1146	min	-0.1146	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	RRF	Robustness	0.1196	min	-0.1196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	RRF	Robustness	0.1262	min	-0.1262	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	RRF	Robustness	0.1218	min	-0.1218	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	RRF	Robustness	0.1198	min	-0.1198	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	RRF	Robustness	0.1218	min	-0.1218	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	RRF	Robustness	0.1126	min	-0.1126	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	Schulze	Robustness	0.1106	min	-0.1106	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	Schulze	Robustness	0.1134	min	-0.1134	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	Schulze	Robustness	0.1156	min	-0.1156	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	Schulze	Robustness	0.115	min	-0.115	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	Schulze	Robustness	0.1206	min	-0.1206	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	Schulze	Robustness	0.115	min	-0.115	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	Schulze	Robustness	0.1204	min	-0.1204	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	Schulze	Robustness	0.1196	min	-0.1196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	Schulze	Robustness	0.1148	min	-0.1148	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	Schulze	Robustness	0.112	min	-0.112	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	Simple Averaging	Robustness	0.1022	min	-0.1022	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	Simple Averaging	Robustness	0.1116	min	-0.1116	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	Simple Averaging	Robustness	0.121	min	-0.121	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	Simple Averaging	Robustness	0.1188	min	-0.1188	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	Simple Averaging	Robustness	0.12	min	-0.12	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	Simple Averaging	Robustness	0.1168	min	-0.1168	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	Simple Averaging	Robustness	0.124	min	-0.124	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	Simple Averaging	Robustness	0.1174	min	-0.1174	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	Simple Averaging	Robustness	0.1198	min	-0.1198	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	Simple Averaging	Robustness	0.1192	min	-0.1192	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Borda	Robustness	0.0906	min	-0.0906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Borda	Robustness	0.0986	min	-0.0986	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Borda	Robustness	0.1024	min	-0.1024	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Borda	Robustness	0.1142	min	-0.1142	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Borda	Robustness	0.107	min	-0.107	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Borda	Robustness	0.1042	min	-0.1042	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Borda	Robustness	0.098	min	-0.098	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Borda	Robustness	0.0898	min	-0.0898	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Borda	Robustness	0.101	min	-0.101	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Borda	Robustness	0.103	min	-0.103	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.0906	min	-0.0906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.0892	min	-0.0892	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Kemeny	Robustness	0.1016	min	-0.1016	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Kemeny	Robustness	0.1034	min	-0.1034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Kemeny	Robustness	0.0882	min	-0.0882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Kemeny	Robustness	0.0924	min	-0.0924	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Kemeny	Robustness	0.0986	min	-0.0986	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Kemeny	Robustness	0.0916	min	-0.0916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Kemeny	Robustness	0.0904	min	-0.0904	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Kemeny	Robustness	0.0994	min	-0.0994	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	RRF	Robustness	0.1034	min	-0.1034	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	RRF	Robustness	0.0962	min	-0.0962	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	RRF	Robustness	0.102	min	-0.102	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	RRF	Robustness	0.108	min	-0.108	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	RRF	Robustness	0.0954	min	-0.0954	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	RRF	Robustness	0.1004	min	-0.1004	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	RRF	Robustness	0.0882	min	-0.0882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	RRF	Robustness	0.0882	min	-0.0882	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	RRF	Robustness	0.0966	min	-0.0966	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	RRF	Robustness	0.0958	min	-0.0958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Schulze	Robustness	0.0906	min	-0.0906	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Schulze	Robustness	0.0924	min	-0.0924	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Schulze	Robustness	0.0916	min	-0.0916	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Schulze	Robustness	0.111	min	-0.111	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Schulze	Robustness	0.0974	min	-0.0974	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Schulze	Robustness	0.0946	min	-0.0946	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Schulze	Robustness	0.0988	min	-0.0988	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Schulze	Robustness	0.1016	min	-0.1016	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Schulze	Robustness	0.0968	min	-0.0968	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Schulze	Robustness	0.0958	min	-0.0958	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1012	min	-0.1012	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0928	min	-0.0928	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1234	min	-0.1234	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.13	min	-0.13	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1278	min	-0.1278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1252	min	-0.1252	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1228	min	-0.1228	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 - 0.574619		0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1178	min	-0.1178	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 - 0.612495		0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1182	min	-0.1182	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 - 0.548654		0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.1196	min	-0.1196	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 - 0.518147		0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	Borda	Robustness	0.0816	min	-0.0816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 - 0.530299		0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	Borda	Robustness	0.084	min	-0.084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 - 0.661997		0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	Borda	Robustness	0.0798	min	-0.0798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 - 0.533641		0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	Borda	Robustness	0.0764	min	-0.0764	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 - 0.475614		0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	Borda	Robustness	0.0764	min	-0.0764	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 - 0.505821		0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	Borda	Robustness	0.084	min	-0.084	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 - 0.569208		0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	Borda	Robustness	0.0866	min	-0.0866	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 - 0.574619		0.002	2.2576e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	Borda	Robustness	0.077	min	-0.077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	Borda	Robustness	0.0756	min	-0.0756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	Borda	Robustness	0.0748	min	-0.0748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	Kemeny	Robustness	0.0816	min	-0.0816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	Kemeny	Robustness	0.0812	min	-0.0812	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	Kemeny	Robustness	0.0806	min	-0.0806	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	Kemeny	Robustness	0.0846	min	-0.0846	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	Kemeny	Robustness	0.081	min	-0.081	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	Kemeny	Robustness	0.0798	min	-0.0798	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	Kemeny	Robustness	0.0816	min	-0.0816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	Kemeny	Robustness	0.0756	min	-0.0756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	Kemeny	Robustness	0.0726	min	-0.0726	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	Kemeny	Robustness	0.0748	min	-0.0748	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	RRF	Robustness	0.0782	min	-0.0782	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	RRF	Robustness	0.0804	min	-0.0804	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	RRF	Robustness	0.0828	min	-0.0828	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	RRF	Robustness	0.0822	min	-0.0822	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	RRF	Robustness	0.0796	min	-0.0796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	RRF	Robustness	0.0858	min	-0.0858	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	RRF	Robustness	0.083	min	-0.083	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	RRF	Robustness	0.074	min	-0.074	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	RRF	Robustness	0.0752	min	-0.0752	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	RRF	Robustness	0.0742	min	-0.0742	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	Schulze	Robustness	0.0816	min	-0.0816	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	Schulze	Robustness	0.0878	min	-0.0878	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	Schulze	Robustness	0.0876	min	-0.0876	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	Schulze	Robustness	0.0788	min	-0.0788	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	Schulze	Robustness	0.081	min	-0.081	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	Schulze	Robustness	0.0796	min	-0.0796	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	Schulze	Robustness	0.0808	min	-0.0808	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	Schulze	Robustness	0.0772	min	-0.0772	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	Schulze	Robustness	0.0768	min	-0.0768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	Schulze	Robustness	0.077	min	-0.077	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	Simple Averaging	Robustness	0.0718	min	-0.0718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	Simple Averaging	Robustness	0.0768	min	-0.0768	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	Simple Averaging	Robustness	0.08	min	-0.08	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	Simple Averaging	Robustness	0.0722	min	-0.0722	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0756	min	-0.0756	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	Simple Averaging	Robustness	0.0736	min	-0.0736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	Simple Averaging	Robustness	0.0774	min	-0.0774	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	Simple Averaging	Robustness	0.0718	min	-0.0718	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	Simple Averaging	Robustness	0.0736	min	-0.0736	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	Simple Averaging	Robustness	0.0734	min	-0.0734	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Borda	Robustness	0.0278	min	-0.0278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Borda	Robustness	0.0274	min	-0.0274	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Borda	Robustness	0.0402	min	-0.0402	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641 -	0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Borda	Robustness	0.051	min	-0.051	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614 -	0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Borda	Robustness	0.0426	min	-0.0426	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821 -	0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Borda	Robustness	0.0402	min	-0.0402	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208 -	0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Borda	Robustness	0.0396	min	-0.0396	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619 -	0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Borda	Robustness	0.028	min	-0.028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495 -	0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Borda	Robustness	0.0368	min	-0.0368	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654 -	0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Borda	Robustness	0.0428	min	-0.0428	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147 -	0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.0278	min	-0.0278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299 -	0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.0222	min	-0.0222	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997 -	0.661997	0.002	1.0523e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.0352	min	-0.0352	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.0446	min	-0.0446	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.0298	min	-0.0298	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.0288	min	-0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.0328	min	-0.0328	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.0288	min	-0.0288	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.0294	min	-0.0294	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.0362	min	-0.0362	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	RRF	Robustness	0.0366	min	-0.0366	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	RRF	Robustness	0.0276	min	-0.0276	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	RRF	Robustness	0.0386	min	-0.0386	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	RRF	Robustness	0.0468	min	-0.0468	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	RRF	Robustness	0.039	min	-0.039	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	RRF	Robustness	0.0366	min	-0.0366	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	RRF	Robustness	0.0284	min	-0.0284	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	RRF	Robustness	0.032	min	-0.032	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	RRF	Robustness	0.0354	min	-0.0354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	RRF	Robustness	0.0342	min	-0.0342	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Schulze	Robustness	0.0278	min	-0.0278	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Schulze	Robustness	0.0238	min	-0.0238	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Schulze	Robustness	0.028	min	-0.028	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Schulze	Robustness	0.049	min	-0.049	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Schulze	Robustness	0.039	min	-0.039	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Schulze	Robustness	0.0368	min	-0.0368	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Schulze	Robustness	0.0354	min	-0.0354	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Schulze	Robustness	0.0356	min	-0.0356	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Schulze	Robustness	0.0386	min	-0.0386	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Schulze	Robustness	0.035	min	-0.035	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0368	min	-0.0368	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.530299	- 0.530299	0.002	1.0999e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0282	min	-0.0282	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.661997	- 0.661997	0.002	1.0523e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0688	min	-0.0688	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.533641	- 0.533641	0.002	2.0796e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0666	min	-0.0666	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.475614	- 0.475614	0.002	2.3254e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.066	min	-0.066	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.505821	- 0.505821	0.002	2.3084e+05	11

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Rule	Value Kind	Value	Objective Direction	Objective Value	Fit Model	Fit Statistic	Fit Score	Fit P Value	Mean Distance	Noise Selected q
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0588	min	-0.0588	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.569208	- 0.569208	0.002	2.2177e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0638	min	-0.0638	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.574619	- 0.574619	0.002	2.2576e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.063	min	-0.063	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.612495	- 0.612495	0.002	2.1949e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0646	min	-0.0646	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.548654	- 0.548654	0.002	2.5082e+05	11
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0636	min	-0.0636	spearman_ mallows_ multi_ proposal_ importance_ binned_ symmetric_ approximation	0.518147	- 0.518147	0.002	2.9165e+05	11

Table 302: ImageNet-ResNet-18

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	False	True	5	True	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	True	True	5	False	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	False	True	5	True	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	True	True	5	False	True	["GuidedBack prop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	False	True	5	False	False	["GuidedBack prop", "DeepLiftShap", "DeepLift"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Cbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Cbar	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	F	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	F	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Clean	Fbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Clean	Fbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 C		True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 C		True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 C		False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 C		True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 C		False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 C		True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 C		False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 C		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 C		True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 Cbar		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 Cbar		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 Cbar		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 Cbar		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 Cbar		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 Cbar		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 Cbar		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 Cbar		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 Cbar		False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	10	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Cbar	False	True	10	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Cbar	True	True	10	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 F		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 F		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 F		False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 F		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 F		False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 F		True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 F		True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 F		True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255 F		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255 F		True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255 F		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255 F		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255 F		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255 F		False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255 F		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255 F		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255 F		False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	4	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	4	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	False	True	4	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	True	True	4	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	False	True	9	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	False	True	9	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	True	True	9	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	False	True	10	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	True	True	10	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Cbar	False	True	3	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	F	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	F	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Gaussian 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Gaussian 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Cbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	True	True	6	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	F	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	F	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	False	True	6	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	True	True	6	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	False	True	8	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	True	True	8	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Cbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	F	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	F	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	3	Speckle 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	4	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	5	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	9	Speckle 0.15	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	10	Speckle 0.15	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Kendall	11	Speckle 0.15	Fbar	True	True	3	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	C	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	C	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	C	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Cbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	False	True	5	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	False	True	5	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	True	True	5	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	F	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	F	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Clean	Fbar	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Clean	Fbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Clean	Fbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255 C	C	True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255 C	C	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255 C		False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255 C		True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255 C		False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255 C		False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255 C		True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 C		False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	C	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	C	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	C	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	10	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	10	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Cbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Cbar	True	True	3	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	False	True	8	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	False	True	8	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	True	True	8	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	False	True	11	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	F	False	True	11	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	F	False	True	11	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	F	False	True	11	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	F	False	True	11	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	F	False	True	11	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	F	False	True	11	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	F	False	True	11	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	F	False	True	11	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	F	True	True	11	True	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	F	False	True	11	False	False	['GuidedBackprop', 'DeepLiftShap']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255 F	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255 F	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255 Fbar	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255 Fbar	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255 Fbar	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255 Fbar	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 Fbar	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 Fbar	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255 Fbar	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255 Fbar	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255 Fbar	Fbar	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255 Fbar	Fbar	True	True	11	True	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255 Fbar	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255 Fbar	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255 Fbar	Fbar	False	True	4	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255 Fbar	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255 Fbar	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255 Fbar	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	4	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Adversarial Sara 2 255	Fbar	False	True	3	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Adversarial Sara 2 255	Fbar	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Adversarial Sara 2 255	Fbar	True	True	3	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	False	True	3	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	False	True	3	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	False	True	4	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	False	True	4	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	True	True	4	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Cbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	False	True	10	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	True	True	10	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	False	True	2	True	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	False	True	2	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	True	True	2	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	F	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	F	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Gaussian 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Gaussian 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Gaussian 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Cbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	True	True	10	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	F	False	True	5	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	F	False	True	5	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	F	True	True	5	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Salt Pepper 0.05	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Salt Pepper 0.05	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Salt Pepper 0.05	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	C	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	C	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	C	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	False	True	9	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	True	True	9	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "Integrated Gradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	False	True	6	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	False	True	6	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	True	True	6	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	False	True	8	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	False	True	8	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	True	True	8	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	False	True	2	True	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Cbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Cbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Cbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	False	True	11	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	False	True	11	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	False	True	11	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	True	True	11	True	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	False	True	10	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	False	True	10	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	True	True	10	False	True	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient', 'Deconvolution', 'LRP']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	False	True	9	False	False	['GuidedBackprop', 'DeepLiftShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	False	True	9	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	False	True	9	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	False	True	9	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	False	True	9	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	False	True	9	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	False	True	9	False	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency']
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	False	True	9	True	False	['GuidedBackprop', 'DeepLiftShap', 'DeepLift', 'FeatureAblation', 'Occlusion', 'GradientShap', 'IntegratedGradients', 'Saliency', 'InputXGradient']

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	False	True	9	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	True	True	9	False	True	lation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	False	True	10	False	False	ient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	False	True	10	False	False	lation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	False	True	10	False	False	ient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	False	True	10	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	False	True	10	False	False	lation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	False	True	10	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	True	True	10	False	True	lation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	F	False	True	2	True	False	ient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	F	False	True	2	False	False	lation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	F	False	True	2	False	False	lation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	F	False	True	2	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAb
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	False	True	2	False	False	lation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGrad
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	F	False	True	2	False	False	ient", "Deconvolution"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	F	True	True	2	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	3	Speckle 0.15	Fbar	False	True	3	True	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	4	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	5	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	2	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap"]

Cell	Dataset	Model	Distance Model	q	Condition	Metric	Selected By Noise	Noise Forced Fallback	Best Q	Is Optimal q	Q11 Reference	Method Prefix
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	6	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	7	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	8	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	9	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	10	Speckle 0.15	Fbar	False	True	3	False	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution"]
ImageNet-ResNet-18	ImageNet	ResNet-18	Spearman	11	Speckle 0.15	Fbar	True	True	3	False	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion", "GradientShap", "IntegratedGradients", "Saliency", "InputXGradient", "Deconvolution", "LRP"]

Table 303: ImageNet-ResNet-18

Cell	Q	Rule	Predicted Score	Theta	Mean Distance	Actual F	Predicted Q	NOISE Q	Actual Regret	Actual Near Optimal 95
ImageNet-ResNet-18	2	Borda	0.171067	4.239551	5.7148	0.1818	4	5	0.002	True
ImageNet-ResNet-18	3	Borda	0.171443	4.386417	5.364533	0.1762	4	5	0.002	False
ImageNet-ResNet-18	4	Borda	0.176989	3.54931	7.57135	0.1856	4	5	0.002	True
ImageNet-ResNet-18	5	Borda	0.172512	3.457704	7.84256	0.1876	4	5	0.002	True
ImageNet-ResNet-18	6	Borda	0.170775	3.41039	7.984733	0.1782	4	5	0.002	False
ImageNet-ResNet-18	7	Borda	0.169595	3.427477	7.933229	0.1698	4	5	0.002	False
ImageNet-ResNet-18	8	Borda	0.164607	3.392996	8.03735	0.1634	4	5	0.002	False
ImageNet-ResNet-18	9	Borda	0.157607	3.42122	7.952067	0.1618	4	5	0.002	False
ImageNet-ResNet-18	10	Borda	0.160269	3.193735	8.65292	0.1616	4	5	0.002	False
ImageNet-ResNet-18	11	Borda	0.160312	2.9804	9.335673	0.158	4	5	0.002	False
ImageNet-ResNet-18	2	Kemeny	0.171067	4.239551	5.7148	0.1818	5	5	0	True
ImageNet-ResNet-18	3	Kemeny	0.169673	5.013329	4.046133	0.17	5	5	0	False
ImageNet-ResNet-18	4	Kemeny	0.170446	3.987173	6.3539	0.175	5	5	0	False
ImageNet-ResNet-18	5	Kemeny	0.179783	3.694213	7.15368	0.1874	5	5	0	True
ImageNet-ResNet-18	6	Kemeny	0.173703	3.657112	7.259267	0.1806	5	5	0	True
ImageNet-ResNet-18	7	Kemeny	0.167547	3.749178	6.999	0.1716	5	5	0	False
ImageNet-ResNet-18	8	Kemeny	0.162094	3.678705	7.1977	0.1642	5	5	0	False
ImageNet-ResNet-18	9	Kemeny	0.151663	3.719726	7.081622	0.1574	5	5	0	False
ImageNet-ResNet-18	10	Kemeny	0.151761	3.455865	7.84806	0.1586	5	5	0	False
ImageNet-ResNet-18	11	Kemeny	0.153802	3.223616	8.559164	0.1556	5	5	0	False

Table 304: ImageNet-ResNet-18

					AccRob Replace Top Gaussian Std	ConsRob Replace Top Gaussian Std	AccRob Replace Top Salt Pepper Amount	ConsRob Replace Top Salt Pepper Amount	AccRob Replace Top Speckle Std	ConsRob Replace Top Speckle Std
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	0.15	0.15	0.05	0.05	0.15	0.15
Best Explanation	0.4608	0.6288	0.5712	0.9062	0.1896	0.1608	0.4486	0.002	0.0554	0.0382
Simple Averaging	0.4716	0.6232	0.5854	0.8692	0.203	0.1802	0.4544	0.0246	0.0664	0.0538
Borda (NAIVE)	0.464	0.6288	0.5772	0.9184	0.2034	0.1772	0.4488	0.0168	0.065	0.0594
Borda (THEORY)	0.4332	0.6316	0.5362	0.9184	0.1984	0.1778	0.4214	0.0236	0.064	0.0644
RRF (NAIVE)	0.4682	0.6304	0.5788	0.9188	0.1964	0.1658	0.4492	0.0126	0.0638	0.0416
RRF (THEORY)	0.4302	0.629	0.5316	0.9028	0.2032	0.1842	0.4182	0.0274	0.0696	0.0694
Schulze (NAIVE)	0.4902	0.626	0.618	0.905	0.198	0.165	0.4694	0.0502	0.0582	0.0442
Schulze (THEORY)	0.4306	0.6272	0.535	0.9022	0.194	0.174	0.419	0.0236	0.0634	0.0648
Kemeny Young (NAIVE)	0.4586	0.6258	0.5704	0.9134	0.204	0.1786	0.4434	0.0086	0.065	0.054
Kemeny Young (THEORY)	0.4426	0.631	0.542	0.9196	0.1934	0.1704	0.4294	0.0226	0.0728	0.0646

Table 305: ImageNet–ResNet-18

					AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom						
Best Explanation	0.4144	0.627	0.5086	0.8806	0.1906	0.1706	0.402	0.0082	0.0528	0.0418
Simple Averaging	0.4296	0.6174	0.5322	0.848	0.207	0.194	0.4166	0.0172	0.0668	0.0614
Borda (NAIVE)	0.4192	0.6258	0.5076	0.8958	0.2022	0.174	0.4074	0.0072	0.0624	0.0466
Borda (THEORY)	0.384	0.623	0.4674	0.8838	0.1946	0.176	0.3742	0.0474	0.0746	0.0724
RRF (NAIVE)	0.4248	0.6256	0.521	0.8998	0.2006	0.1774	0.412	0.004	0.0626	0.048
RRF (THEORY)	0.3792	0.6236	0.4622	0.883	0.1948	0.1792	0.3702	0.0516	0.0702	0.0688
Schulze (NAIVE)	0.4458	0.6252	0.5552	0.883	0.197	0.18	0.4328	0.0302	0.0618	0.0466
Schulze (THEORY)	0.3848	0.623	0.4674	0.8806	0.1944	0.1724	0.3748	0.0478	0.0742	0.073
Kemeny Young (NAIVE)	0.4158	0.6278	0.5046	0.8998	0.2012	0.1764	0.4042	0.0076	0.0622	0.0484
Kemeny Young (THEORY)	0.3926	0.6242	0.481	0.8774	0.1862	0.1758	0.3804	0.0292	0.0632	0.0588

Table 306: ImageNet-ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.1628	0.5916	0.1926	0.7838	0.096	0.0906	0.1582	0.0068	0.041	0.0422
Simple Averaging	0.2304	0.5794	0.2786	0.7422	0.1404	0.1434	0.2256	0.1454	0.0496	0.0514
Borda (NAIVE)	0.2096	0.6028	0.2524	0.7982	0.1262	0.1226	0.2042	0.1728	0.0474	0.0432
Borda (THEORY)	0.142	0.5922	0.1722	0.7818	0.095	0.096	0.1384	0.2478	0.0384	0.0352
RRF (NAIVE)	0.2208	0.5984	0.2658	0.7972	0.1374	0.1374	0.2152	0.161	0.048	0.0492
RRF (THEORY)	0.1474	0.5928	0.1776	0.7822	0.1008	0.1024	0.1432	0.2448	0.036	0.037
Schulze (NAIVE)	0.2428	0.5914	0.2934	0.7802	0.141	0.1416	0.2372	0.1318	0.0418	0.0438
Schulze (THEORY)	0.1452	0.5942	0.1752	0.7788	0.0964	0.0966	0.1414	0.2436	0.0384	0.036
Kemeny Young (NAIVE)	0.2068	0.5952	0.2448	0.789	0.1256	0.1202	0.2022	0.1794	0.0406	0.034
Kemeny Young (THEORY)	0.1626	0.591	0.195	0.7814	0.1068	0.105	0.1586	0.2236	0.038	0.0332

Table 307: ImageNet-ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.5204	0.6326	0.6676	0.934	0.1636	0.0974	0.4988	0.0014	0.0558	0.0346
Simple Averaging	0.5344	0.6308	0.6898	0.9064	0.1982	0.1642	0.5078	0.0322	0.0648	0.0534
Borda (NAIVE)	0.5318	0.6346	0.6806	0.9454	0.1912	0.155	0.5052	0.0232	0.0606	0.0456
Borda (THEORY)	0.518	0.634	0.6616	0.9366	0.197	0.1694	0.4934	0.0124	0.0668	0.0622
RRF (NAIVE)	0.5368	0.6338	0.6906	0.9448	0.195	0.1506	0.51	0.025	0.0608	0.0462
RRF (THEORY)	0.5142	0.6344	0.653	0.9328	0.1968	0.1642	0.4912	0.0004	0.0632	0.0594
Schulze (NAIVE)	0.5576	0.6332	0.726	0.9354	0.1918	0.1472	0.5272	0.0462	0.068	0.0474
Schulze (THEORY)	0.5156	0.6342	0.6544	0.9338	0.1982	0.1648	0.4926	0.0016	0.061	0.0538
Kemeny Young (NAIVE)	0.529	0.6364	0.6738	0.9468	0.1922	0.1504	0.5036	0.0166	0.0618	0.0484
Kemeny Young (THEORY)	0.5182	0.636	0.6596	0.938	0.1916	0.1596	0.4926	0.0044	0.062	0.0502

Table 308: ImageNet–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.0854	0.553	0.1038	0.7044	0.061	0.062	0.0824	0.0426	0.02	0.0228
Simple Averaging	0.1394	0.5398	0.1706	0.675	0.095	0.0978	0.1366	0.2398	0.0308	0.0332
Borda (NAIVE)	0.1292	0.5614	0.1578	0.7262	0.0874	0.0882	0.1262	0.254	0.0314	0.0314
Borda (THEORY)	0.07	0.5496	0.0866	0.7046	0.0526	0.055	0.0672	0.3214	0.0174	0.021
RRF (NAIVE)	0.133	0.5696	0.1626	0.7268	0.088	0.0892	0.13	0.2486	0.0298	0.0306
RRF (THEORY)	0.0762	0.5482	0.0922	0.7036	0.0578	0.0602	0.0738	0.316	0.0216	0.0232
Schulze (NAIVE)	0.142	0.5524	0.1762	0.7034	0.0894	0.0938	0.1388	0.2376	0.0244	0.0296
Schulze (THEORY)	0.0684	0.5528	0.0836	0.7048	0.0518	0.0542	0.0656	0.3254	0.0178	0.017
Kemeny Young (NAIVE)	0.1268	0.5648	0.1582	0.7324	0.0878	0.0906	0.1234	0.2526	0.026	0.028
Kemeny Young (THEORY)	0.086	0.5498	0.106	0.7044	0.0624	0.0652	0.0834	0.3004	0.021	0.0198

Table 309: ImageNet–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.4414	0.6258	0.5446	0.897	0.19	0.159	0.4278	0.0126	0.0548	0.04
Simple Averaging	0.439	0.6194	0.5482	0.8618	0.1962	0.182	0.4254	0.0174	0.0556	0.0518
Borda (NAIVE)	0.4324	0.627	0.5326	0.9084	0.193	0.1734	0.4188	0.0054	0.0572	0.0528
Borda (THEORY)	0.4098	0.6254	0.4996	0.8878	0.2052	0.1862	0.3986	0.034	0.07	0.0668
RRF (NAIVE)	0.44	0.6272	0.5422	0.9162	0.1948	0.1712	0.4254	0.0074	0.0568	0.0498
RRF (THEORY)	0.4032	0.6244	0.4908	0.8938	0.2002	0.1758	0.391	0.051	0.068	0.0606
Schulze (NAIVE)	0.4718	0.6232	0.5816	0.8952	0.2044	0.178	0.4554	0.0398	0.0622	0.0464
Schulze (THEORY)	0.4064	0.6248	0.4956	0.8952	0.2016	0.184	0.3944	0.048	0.063	0.0596
Kemeny Young (NAIVE)	0.43	0.6286	0.5308	0.9118	0.1934	0.1738	0.4166	0.0002	0.0562	0.0534
Kemeny Young (THEORY)	0.4108	0.628	0.5028	0.9084	0.1882	0.1666	0.399	0.0238	0.0584	0.0582

Table 310: ImageNet–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.2954	0.6108	0.3486	0.84	0.1584	0.1454	0.2884	0.0126	0.0488	0.0352
Simple Averaging	0.3348	0.6078	0.3998	0.8068	0.1748	0.1634	0.3274	0.054	0.0624	0.0518
Borda (NAIVE)	0.3146	0.6168	0.376	0.8526	0.166	0.1586	0.3072	0.0834	0.0564	0.0472
Borda (THEORY)	0.2696	0.6066	0.3188	0.8298	0.1586	0.15	0.2622	0.142	0.0586	0.0538
RRF (NAIVE)	0.3296	0.6154	0.3956	0.86	0.1754	0.1722	0.322	0.0652	0.065	0.053
RRF (THEORY)	0.261	0.6112	0.3086	0.8408	0.1522	0.1414	0.2526	0.1634	0.0538	0.048
Schulze (NAIVE)	0.348	0.6112	0.4234	0.8404	0.178	0.1752	0.3406	0.0362	0.0562	0.0452
Schulze (THEORY)	0.2712	0.6122	0.3222	0.841	0.1594	0.1472	0.263	0.1512	0.0588	0.0564
Kemeny Young (NAIVE)	0.3124	0.6156	0.3692	0.8554	0.1664	0.1544	0.3042	0.0922	0.0574	0.0454
Kemeny Young (THEORY)	0.2746	0.6146	0.3254	0.857	0.1542	0.139	0.2676	0.1284	0.0422	0.0326

Table 311: ImageNet–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.1214	0.5744	0.149	0.7492	0.0766	0.0806	0.1174	0.0626	0.0314	0.0276
Simple Averaging	0.1808	0.5704	0.2202	0.7286	0.1124	0.1148	0.177	0.1982	0.0408	0.0412
Borda (NAIVE)	0.165	0.5926	0.1998	0.7802	0.1002	0.095	0.1608	0.222	0.0368	0.0366
Borda (THEORY)	0.1028	0.5766	0.126	0.7462	0.0676	0.069	0.1008	0.2852	0.0236	0.0248
RRF (NAIVE)	0.172	0.5948	0.2044	0.7864	0.1042	0.0992	0.1682	0.217	0.0334	0.0312
RRF (THEORY)	0.1088	0.5762	0.134	0.745	0.0746	0.0762	0.1048	0.2858	0.0268	0.0294
Schulze (NAIVE)	0.1944	0.5766	0.2372	0.7536	0.117	0.1232	0.1894	0.1846	0.041	0.0394
Schulze (THEORY)	0.107	0.5758	0.1306	0.7494	0.0724	0.0746	0.1032	0.2912	0.026	0.0292
Kemeny Young (NAIVE)	0.161	0.5902	0.1932	0.7718	0.0914	0.0894	0.1572	0.225	0.0342	0.033
Kemeny Young (THEORY)	0.1198	0.5816	0.1442	0.7572	0.0764	0.0766	0.1174	0.2704	0.0206	0.0162

Table 312: ImageNet–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.5278	0.6318	0.6832	0.9282	0.1684	0.1024	0.5024	0.0184	0.0578	0.026
Simple Averaging	0.5154	0.627	0.6518	0.9026	0.1976	0.1664	0.4954	0.044	0.0642	0.0504
Borda (NAIVE)	0.5128	0.634	0.6512	0.9402	0.1948	0.1664	0.4908	0.0342	0.062	0.0554
Borda (THEORY)	0.4942	0.6324	0.6206	0.9372	0.2064	0.1788	0.4748	0.0038	0.0632	0.0616
RRF (NAIVE)	0.5166	0.6308	0.6574	0.9386	0.1904	0.1576	0.4956	0.034	0.0682	0.0552
RRF (THEORY)	0.4892	0.6316	0.6132	0.9276	0.2012	0.1754	0.4692	0.008	0.0602	0.0572
Schulze (NAIVE)	0.5414	0.633	0.7014	0.9316	0.1962	0.1588	0.5142	0.0672	0.0684	0.0486
Schulze (THEORY)	0.4958	0.6308	0.6242	0.9286	0.201	0.1732	0.4762	0	0.0658	0.0622
Kemeny Young (NAIVE)	0.5092	0.6332	0.6468	0.9412	0.1946	0.1676	0.487	0.0288	0.0616	0.0574
Kemeny Young (THEORY)	0.4962	0.6304	0.6228	0.9432	0.1994	0.1746	0.4756	0.0052	0.0614	0.0566

Table 313: ImageNet-ResNet-18

					AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom						
Best Explanation	0.0548	0.5208	0.0674	0.653	0.037	0.0352	0.0522	0.0182	0.0156	0.0152
Simple Averaging	0.1008	0.5266	0.1244	0.6528	0.068	0.0718	0.0986	0.2826	0.0256	0.027
Borda (NAIVE)	0.0906	0.5388	0.1102	0.678	0.0606	0.0594	0.088	0.2998	0.0202	0.0166
Borda (THEORY)	0.048	0.527	0.0598	0.6584	0.0358	0.0364	0.0464	0.3468	0.0152	0.0146
RRF (NAIVE)	0.0914	0.5576	0.1144	0.7088	0.0606	0.0616	0.0888	0.2948	0.0228	0.0206
RRF (THEORY)	0.0522	0.5266	0.0648	0.659	0.0384	0.04	0.0496	0.3448	0.0172	0.0168
Schulze (NAIVE)	0.1066	0.5244	0.1322	0.6608	0.0682	0.0718	0.1044	0.2774	0.0184	0.0192
Schulze (THEORY)	0.0474	0.523	0.06	0.6534	0.0362	0.035	0.0446	0.3492	0.0128	0.0148
Kemeny Young (NAIVE)	0.0918	0.5452	0.114	0.6918	0.0586	0.0626	0.0888	0.2958	0.0232	0.026
Kemeny Young (THEORY)	0.0612	0.5356	0.0756	0.6736	0.0424	0.0436	0.0596	0.329	0.016	0.0168

Table 314: ImageNet–ResNet-18

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.4098	0.4996	0.6254	0.8878
Borda (n=3)	Ensemble	0.4136	0.5016	0.6282	0.9038
Borda (n=4)	Ensemble	0.4108	0.5028	0.628	0.9084
Borda (n=5)	Ensemble	0.4126	0.5108	0.6298	0.9094
Borda (n=6)	Ensemble	0.4224	0.5236	0.6284	0.9084
Borda (n=7)	Ensemble	0.43	0.5308	0.6286	0.9118
Borda (n=8)	Ensemble	0.4324	0.5326	0.627	0.9084
Kemeny Young (n=2)	Ensemble	0.4098	0.4996	0.6254	0.8878
Kemeny Young (n=3)	Ensemble	0.4136	0.5016	0.6282	0.9038
Kemeny Young (n=4)	Ensemble	0.4108	0.5028	0.628	0.9084
Kemeny Young (n=5)	Ensemble	0.4126	0.5108	0.6298	0.9094
Kemeny Young (n=6)	Ensemble	0.4224	0.5236	0.6284	0.9084
Kemeny Young (n=7)	Ensemble	0.43	0.5308	0.6286	0.9118
Kemeny Young (n=8)	Ensemble	0.4324	0.5326	0.627	0.9084
RRF (n=2)	Ensemble	0.4032	0.4908	0.6244	0.8938
RRF (n=3)	Ensemble	0.4188	0.511	0.6256	0.893
RRF (n=4)	Ensemble	0.4154	0.5064	0.6248	0.8936
RRF (n=5)	Ensemble	0.4178	0.517	0.6234	0.8966
RRF (n=6)	Ensemble	0.4248	0.5244	0.6246	0.8936
RRF (n=7)	Ensemble	0.4352	0.5376	0.6306	0.912
RRF (n=8)	Ensemble	0.44	0.5422	0.6272	0.9162
Schulze (n=2)	Ensemble	0.4064	0.4956	0.6248	0.8952
Schulze (n=3)	Ensemble	0.4168	0.513	0.6244	0.8904
Schulze (n=4)	Ensemble	0.4176	0.5128	0.623	0.8898
Schulze (n=5)	Ensemble	0.437	0.5372	0.623	0.892
Schulze (n=6)	Ensemble	0.4612	0.571	0.625	0.8928
Schulze (n=7)	Ensemble	0.472	0.582	0.6256	0.8946
Schulze (n=8)	Ensemble	0.4718	0.5816	0.6232	0.8952
Norm Ensemble (n=2)	Ensemble	0.4302	0.5332	0.6254	0.8934
Norm Ensemble (n=3)	Ensemble	0.4516	0.57	0.6248	0.8924
Norm Ensemble (n=4)	Ensemble	0.4498	0.5646	0.6244	0.8894
Norm Ensemble (n=5)	Ensemble	0.4452	0.5586	0.6236	0.8944
Norm Ensemble (n=6)	Ensemble	0.4416	0.5516	0.626	0.8918
Norm Ensemble (n=7)	Ensemble	0.4422	0.5528	0.6194	0.8564
Norm Ensemble (n=8)	Ensemble	0.439	0.5482	0.6194	0.8618
Deconvolution	Single	0.5312	0.6938	0.621	0.8674
DeepLIFT SHAP	Single	0.5926	0.7904	0.5802	0.773
Baselines Combined Zng	Single	0.5926	0.7904	0.5802	0.773
DeepLIFT SHAP	Single	0.5926	0.7904	0.5802	0.773
Baselines Combined Zng	Single	0.5926	0.7904	0.5802	0.773
DeepLIFT SHAP	Single	0.5926	0.7904	0.5802	0.773
Baselines Combined Zng	Single	0.5926	0.7904	0.5802	0.773
DeepLIFT Baselines	Single	0.5926	0.7904	0.5802	0.773
Global Mean	Single	0.5926	0.7904	0.5802	0.773
DeepLIFT Baselines	Single	0.5926	0.7904	0.5802	0.773
Global Mean	Single	0.4264	0.5226	0.6158	0.8464
FeatureAblation Patch Size 16	Single	0.4264	0.5226	0.6158	0.8464
FeatureAblation Patch Size 16	Single	0.4264	0.5226	0.6158	0.8464
GradientShap Baselines Combined Zng N Samples 20	Single	0.4744	0.5892	0.625	0.897
GradientShap Baselines Combined Zng N Samples 20	Single	0.4744	0.5892	0.625	0.897
GradientShap Baselines Combined Zng N Samples 40	Single	0.4706	0.5894	0.6244	0.8904
GradientShap Baselines Combined Zng N Samples 40	Single	0.4706	0.5894	0.6244	0.8904
GuidedBackprop	Single	0.4414	0.5446	0.6176	0.8536
GuidedBackprop	Single	0.4414	0.5446	0.6176	0.8536
InputXGradient	Single	0.5056	0.6418	0.622	0.8804
InputXGradient	Single	0.5056	0.6418	0.622	0.8804
IntegratedGradients	Single	0.477	0.5968	0.6258	0.8892
Baselines Zero N Steps 200	Single	0.477	0.5968	0.6258	0.8892
IntegratedGradients	Single	0.4772	0.5976	0.625	0.8882
Baselines Zero N Steps 200	Single	0.4772	0.5976	0.625	0.8882
IntegratedGradients	Single	0.4772	0.5976	0.625	0.8882
Baselines Zero N Steps 50	Single	0.4772	0.5976	0.625	0.8882
IntegratedGradients	Single	0.4772	0.5976	0.625	0.8882
Baselines Zero N Steps 50	Single	0.4772	0.5976	0.625	0.8882
Occlusion Baselines	Single	0.4594	0.5676	0.625	0.8884
Global Mean Patch Size 16	Single	0.4594	0.5676	0.625	0.8884

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.4594	0.5676	0.625	0.8884
Global Mean Patch Size 16					
Saliency	Single	0.4866	0.6098	0.6206	0.8796
Saliency	Single	0.4866	0.6098	0.6206	0.8796

Table 315: ImageNet–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.2052	0.1862	0.3986	0.034	0.07	0.0668	0.1562	0.0804	0.5822	0.145	0.0542	0.0266
Borda (n=3)	Ensemble	0.1958	0.1752	0.4018	0.0356	0.0692	0.0672	0.1618	0.0942	0.5854	0.1566	0.0576	0.0432
Borda (n=4)	Ensemble	0.1882	0.1666	0.399	0.0238	0.0584	0.0582	0.1626	0.096	0.5846	0.1592	0.0588	0.0488
Borda (n=5)	Ensemble	0.1912	0.1726	0.399	0.0152	0.051	0.0508	0.1648	0.098	0.5864	0.1526	0.0564	0.0312
Borda (n=6)	Ensemble	0.194	0.1776	0.4092	0.0064	0.0532	0.055	0.1544	0.0728	0.585	0.1556	0.0556	0.0302
Borda (n=7)	Ensemble	0.1934	0.1738	0.4166	0.0002	0.0562	0.0534	0.156	0.0784	0.584	0.1572	0.054	0.0298
Borda (n=8)	Ensemble	0.193	0.1734	0.4188	0.0054	0.0572	0.0528	0.1512	0.072	0.5818	0.1616	0.0526	0.0278
Kemeny Young (n=2)	Ensemble	0.2052	0.1862	0.3986	0.034	0.07	0.0668	0.1562	0.0804	0.5822	0.145	0.0542	0.0266
Kemeny Young (n=3)	Ensemble	0.1958	0.1752	0.4018	0.0356	0.0692	0.0672	0.1618	0.0942	0.5854	0.1566	0.0576	0.0432
Kemeny Young (n=4)	Ensemble	0.1882	0.1666	0.399	0.0238	0.0584	0.0582	0.1626	0.096	0.5846	0.1592	0.0588	0.0488
Kemeny Young (n=5)	Ensemble	0.1912	0.1726	0.399	0.0152	0.051	0.0508	0.1648	0.098	0.5864	0.1526	0.0564	0.0312
Kemeny Young (n=6)	Ensemble	0.194	0.1776	0.4092	0.0064	0.0532	0.055	0.1544	0.0728	0.585	0.1556	0.0556	0.0302
Kemeny Young (n=7)	Ensemble	0.1934	0.1738	0.4166	0.0002	0.0562	0.0534	0.156	0.0784	0.584	0.1572	0.054	0.0298
Kemeny Young (n=8)	Ensemble	0.193	0.1734	0.4188	0.0054	0.0572	0.0528	0.1512	0.072	0.5818	0.1616	0.0526	0.0278
RRF (n=2)	Ensemble	0.2002	0.1758	0.391	0.051	0.068	0.0606	0.1574	0.0842	0.5808	0.1494	0.0546	0.0318
RRF (n=3)	Ensemble	0.2046	0.1906	0.4068	0.0288	0.0698	0.0716	0.159	0.0812	0.5826	0.1474	0.0556	0.029
RRF (n=4)	Ensemble	0.1974	0.1872	0.4032	0.0234	0.066	0.061	0.1594	0.0836	0.582	0.1444	0.0576	0.0314
RRF (n=5)	Ensemble	0.1944	0.1822	0.4056	0.0156	0.0524	0.0524	0.1554	0.0834	0.5794	0.1458	0.0566	0.0324
RRF (n=6)	Ensemble	0.191	0.1754	0.4118	0.0094	0.0556	0.0502	0.1542	0.083	0.5814	0.1376	0.0546	0.0248
RRF (n=7)	Ensemble	0.198	0.1758	0.4204	0.0048	0.057	0.0486	0.1608	0.0982	0.5876	0.1674	0.0624	0.0382
RRF (n=8)	Ensemble	0.1948	0.1712	0.4254	0.0074	0.0568	0.0498	0.1504	0.083	0.5814	0.1686	0.0594	0.0404
Schulze (n=2)	Ensemble	0.2016	0.184	0.3944	0.048	0.063	0.0596	0.156	0.0848	0.5834	0.157	0.0536	0.0342
Schulze (n=3)	Ensemble	0.193	0.1794	0.4038	0.0248	0.064	0.0714	0.1562	0.08	0.5832	0.1428	0.0536	0.029
Schulze (n=4)	Ensemble	0.1932	0.181	0.405	0.0194	0.0594	0.0558	0.1538	0.0802	0.5806	0.1356	0.0538	0.0294
Schulze (n=5)	Ensemble	0.2044	0.1866	0.424	0.0062	0.0598	0.0544	0.156	0.0834	0.5794	0.1324	0.0544	0.0324
Schulze (n=6)	Ensemble	0.2252	0.214	0.4442	0.0316	0.0822	0.0884	0.1566	0.0834	0.582	0.1312	0.0566	0.0312
Schulze (n=7)	Ensemble	0.213	0.19	0.4558	0.043	0.073	0.0616	0.159	0.088	0.5822	0.1374	0.0562	0.0334
Schulze (n=8)	Ensemble	0.2044	0.178	0.4554	0.0398	0.0622	0.0464	0.1568	0.0864	0.5808	0.1424	0.0536	0.0354
Norm Ensemble (n=2)	Ensemble	0.2138	0.197	0.414	0.0028	0.0702	0.0628	0.158	0.084	0.5836	0.1534	0.0556	0.036
Norm Ensemble (n=3)	Ensemble	0.1984	0.1846	0.436	0.0356	0.0702	0.0606	0.1638	0.1152	0.5812	0.1508	0.054	0.0484
Norm Ensemble (n=4)	Ensemble	0.199	0.1836	0.4348	0.0298	0.0672	0.0602	0.1614	0.0928	0.5822	0.1426	0.0542	0.043
Norm Ensemble (n=5)	Ensemble	0.2034	0.1926	0.432	0.0326	0.0684	0.0552	0.158	0.0944	0.5804	0.145	0.0538	0.0434
Norm Ensemble (n=6)	Ensemble	0.206	0.1936	0.4288	0.0208	0.0724	0.0684	0.1528	0.0788	0.5836	0.142	0.056	0.029
Norm Ensemble (n=7)	Ensemble	0.2032	0.1952	0.428	0.025	0.0694	0.0624	0.1478	0.0478	0.5772	0.1076	0.0508	0.0066
Norm Ensemble (n=8)	Ensemble	0.1962	0.182	0.4254	0.0174	0.0556	0.0518	0.163	0.1132	0.5828	0.1546	0.0476	0.0026
Deconvolution	Single	0.2082	0.1938	0.5132	0.1264	0.0714	0.0748	0.1594	0.0912	0.5774	0.1324	0.0558	0.0258
Deconvolution	Single	0.2082	0.1938	0.5132	0.1264	0.0714	0.0748	0.1594	0.0912	0.5774	0.1324	0.0558	0.0258
DeepLIFT SHAP	Single	0.1928	0.165	0.5578	0.102	0.0698	0.0514	0.1978	0.1664	0.543	0.0836	0.063	0.043
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1928	0.165	0.5578	0.102	0.0698	0.0514	0.1978	0.1664	0.543	0.0836	0.063	0.043
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1928	0.165	0.5578	0.102	0.0698	0.0514	0.1978	0.1664	0.543	0.0836	0.063	0.043
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1928	0.165	0.5578	0.102	0.0698	0.0514	0.1978	0.1664	0.543	0.0836	0.063	0.043
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.1928	0.165	0.5578	0.102	0.0698	0.0514	0.1978	0.1664	0.543	0.0836	0.063	0.043
Global Mean													
DeepLIFT Baselines	Single	0.1928	0.165	0.5578	0.102	0.0698	0.0514	0.1978	0.1664	0.543	0.0836	0.063	0.043
Global Mean													
FeatureAblation Patch	Single	0.2046	0.1904	0.414	0.0092	0.0736	0.0616	0.167	0.1024	0.5798	0.2294	0.0588	0.0286
Size 16													
FeatureAblation Patch	Single	0.2046	0.1904	0.414	0.0092	0.0736	0.0616	0.167	0.1024	0.5798	0.2294	0.0588	0.0286
Size 16													
GradientShap Baselines	Single	0.1966	0.1658	0.4574	0.0456	0.0644	0.04	0.1564	0.0902	0.5818	0.1502	0.0524	0.0314
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1966	0.1658	0.4574	0.0456	0.0644	0.04	0.1564	0.0902	0.5818	0.1502	0.0524	0.0314
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1926	0.1744	0.4536	0.0484	0.0578	0.043	0.1582	0.0798	0.581	0.1398	0.0544	0.0314
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.1926	0.1744	0.4536	0.0484	0.0578	0.043	0.1582	0.0798	0.581	0.1398	0.0544	0.0314
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.19	0.159	0.4278	0.0126	0.0686	0.058	0.1694	0.1002	0.5794	0.1688	0.058	0.0278
GuidedBackprop	Single	0.19	0.159	0.4278	0.0126	0.0686	0.058	0.1694	0.1002	0.5794	0.1688	0.058	0.0278
InputXGradient	Single	0.2122	0.203	0.4852	0.104	0.073	0.0682	0.1558	0.0728	0.5796	0.1324	0.0576	0.031
InputXGradient	Single	0.2122	0.203	0.4852	0.104	0.073	0.0682	0.1558	0.0728	0.5796	0.1324	0.0576	0.031
IntegratedGradients	Single	0.1982	0.1732	0.46	0.0562	0.0564	0.0416	0.1612	0.0866	0.5836	0.1348	0.0574	0.0342
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1982	0.1732	0.46	0.0562	0.0564	0.0416	0.1612	0.0866	0.5836	0.1348	0.0574	0.0342
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1998	0.1742	0.4602	0.0558	0.0548	0.04	0.1586	0.0848	0.582	0.1338	0.056	0.0312
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.1998	0.1742	0.4602	0.0558	0.0548	0.04	0.1586	0.0848	0.582	0.1338	0.056	0.0312
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.2074	0.1938	0.444	0.0108	0.074	0.0734	0.16	0.0894	0.584	0.2224	0.0584	0.0222
Occlusion Baselines Global Mean Patch Size 16	Single	0.2074	0.1938	0.444	0.0108	0.074	0.0734	0.16	0.0894	0.584	0.2224	0.0584	0.0222
Saliency	Single	0.214	0.1948	0.4686	0.0364	0.066	0.056	0.1524	0.0854	0.581	0.186	0.0584	0.0316
Saliency	Single	0.214	0.1948	0.4686	0.0364	0.066	0.056	0.1524	0.0854	0.581	0.186	0.0584	0.0316

Table 316: ImageNet-ResNet-18

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.384	0.4674	0.623	0.8838
Borda (n=3)	Ensemble	0.395	0.4786	0.6264	0.88
Borda (n=4)	Ensemble	0.3926	0.481	0.6242	0.8774
Borda (n=5)	Ensemble	0.405	0.4922	0.623	0.8808
Borda (n=6)	Ensemble	0.4146	0.5006	0.626	0.8942
Borda (n=7)	Ensemble	0.4158	0.5046	0.6278	0.8998
Borda (n=8)	Ensemble	0.4192	0.5076	0.6258	0.8958
Kemeny Young (n=2)	Ensemble	0.384	0.4674	0.623	0.8838
Kemeny Young (n=3)	Ensemble	0.395	0.4786	0.6264	0.88
Kemeny Young (n=4)	Ensemble	0.3926	0.481	0.6242	0.8774
Kemeny Young (n=5)	Ensemble	0.405	0.4922	0.623	0.8808
Kemeny Young (n=6)	Ensemble	0.4146	0.5006	0.626	0.8942
Kemeny Young (n=7)	Ensemble	0.4158	0.5046	0.6278	0.8998
Kemeny Young (n=8)	Ensemble	0.4192	0.5076	0.6258	0.8958
RRF (n=2)	Ensemble	0.3792	0.4622	0.6236	0.883
RRF (n=3)	Ensemble	0.3982	0.483	0.625	0.882
RRF (n=4)	Ensemble	0.4032	0.4876	0.6242	0.8762
RRF (n=5)	Ensemble	0.408	0.4946	0.626	0.8892
RRF (n=6)	Ensemble	0.416	0.5072	0.6262	0.885
RRF (n=7)	Ensemble	0.4232	0.5166	0.6272	0.8844
RRF (n=8)	Ensemble	0.4248	0.521	0.6256	0.8998
Schulze (n=2)	Ensemble	0.3848	0.4674	0.623	0.8806
Schulze (n=3)	Ensemble	0.394	0.4822	0.6254	0.8782
Schulze (n=4)	Ensemble	0.4086	0.4936	0.6228	0.8766
Schulze (n=5)	Ensemble	0.4266	0.5186	0.6234	0.877
Schulze (n=6)	Ensemble	0.438	0.5436	0.6232	0.8796
Schulze (n=7)	Ensemble	0.443	0.554	0.624	0.8818
Schulze (n=8)	Ensemble	0.4458	0.5552	0.6252	0.883
Norm Ensemble (n=2)	Ensemble	0.405	0.505	0.6248	0.8788
Norm Ensemble (n=3)	Ensemble	0.4386	0.5472	0.623	0.8774
Norm Ensemble (n=4)	Ensemble	0.4322	0.5408	0.622	0.8748
Norm Ensemble (n=5)	Ensemble	0.4232	0.5266	0.6278	0.8844
Norm Ensemble (n=6)	Ensemble	0.4262	0.5264	0.6216	0.8776
Norm Ensemble (n=7)	Ensemble	0.4358	0.536	0.623	0.8796
Norm Ensemble (n=8)	Ensemble	0.4296	0.5322	0.6174	0.848
Deconvolution	Single	0.5178	0.6658	0.6182	0.8616
DeepLIFT SHAP	Single	0.5178	0.6658	0.6182	0.8616
Baselines Combined Zng	Single	0.5668	0.7514	0.5436	0.7106
DeepLIFT SHAP	Single	0.5668	0.7514	0.5436	0.7106
Baselines Combined Zng	Single	0.5668	0.7514	0.5436	0.7106
DeepLIFT SHAP	Single	0.5668	0.7514	0.5436	0.7106
Baselines Combined Zng	Single	0.5668	0.7514	0.5436	0.7106
DeepLIFT Baselines	Single	0.5668	0.7514	0.5436	0.7106
Global Mean	Single	0.5668	0.7514	0.5436	0.7106
DeepLIFT Baselines	Single	0.5668	0.7514	0.5436	0.7106
Global Mean	Single	0.5668	0.7514	0.5436	0.7106
FeatureAblation Patch	Single	0.417	0.5126	0.607	0.8242
Size 14	Single	0.417	0.5126	0.607	0.8242
FeatureAblation Patch	Single	0.417	0.5126	0.607	0.8242
Size 14	Single	0.417	0.5126	0.607	0.8242
GradientShap Baselines	Single	0.4516	0.5628	0.6258	0.8806
Combined Zng N	Single	0.4516	0.5628	0.6258	0.8806
Samples 20	Single	0.4516	0.5628	0.6258	0.8806
GradientShap Baselines	Single	0.4516	0.5628	0.6258	0.8806
Combined Zng N	Single	0.4516	0.5628	0.6258	0.8806
Samples 20	Single	0.4516	0.5628	0.6258	0.8806
GradientShap Baselines	Single	0.4502	0.564	0.627	0.8798
Combined Zng N	Single	0.4502	0.564	0.627	0.8798
Samples 40	Single	0.4502	0.564	0.627	0.8798
GradientShap Baselines	Single	0.4502	0.564	0.627	0.8798
Combined Zng N	Single	0.4502	0.564	0.627	0.8798
Samples 40	Single	0.4502	0.564	0.627	0.8798
GuidedBackprop	Single	0.4144	0.5086	0.6106	0.8386
GuidedBackprop	Single	0.4144	0.5086	0.6106	0.8386
InputXGradient	Single	0.4872	0.6128	0.6208	0.874
InputXGradient	Single	0.4872	0.6128	0.6208	0.874
IntegratedGradients	Single	0.4568	0.5706	0.6234	0.8758
Baselines Zero N Steps	Single	0.4568	0.5706	0.6234	0.8758
200	Single	0.4568	0.5706	0.6234	0.8758
IntegratedGradients	Single	0.4568	0.5706	0.6234	0.8758
Baselines Zero N Steps	Single	0.4568	0.5706	0.6234	0.8758
200	Single	0.4568	0.5706	0.6234	0.8758
IntegratedGradients	Single	0.4582	0.5738	0.6228	0.8752
Baselines Zero N Steps	Single	0.4582	0.5738	0.6228	0.8752
50	Single	0.4582	0.5738	0.6228	0.8752
IntegratedGradients	Single	0.4582	0.5738	0.6228	0.8752
Baselines Zero N Steps	Single	0.4582	0.5738	0.6228	0.8752
50	Single	0.4582	0.5738	0.6228	0.8752
Occlusion Baselines	Single	0.45	0.555	0.6196	0.8754
Global Mean Patch Size	Single	0.45	0.555	0.6196	0.8754
14	Single	0.45	0.555	0.6196	0.8754

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.45	0.555	0.6196	0.8754
Global Mean Patch Size 14					
Saliency	Single	0.477	0.5868	0.6158	0.8612
Saliency	Single	0.477	0.5868	0.6158	0.8612

Table 317: ImageNet–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.1946	0.176	0.3742	0.0474	0.0746	0.0724	0.1562	0.0866	0.581	0.1368	0.0558	0.0338
Borda (n=3)	Ensemble	0.1982	0.1776	0.3838	0.0308	0.071	0.0682	0.1594	0.0842	0.585	0.137	0.0588	0.0306
Borda (n=4)	Ensemble	0.1862	0.1758	0.3804	0.0292	0.0632	0.0588	0.157	0.0854	0.5832	0.1268	0.0542	0.0254
Borda (n=5)	Ensemble	0.2012	0.1832	0.3932	0.0196	0.0632	0.0546	0.157	0.0904	0.5804	0.131	0.0518	0.0254
Borda (n=6)	Ensemble	0.2038	0.1796	0.4048	0.0122	0.0692	0.0604	0.1618	0.1018	0.5838	0.1482	0.0536	0.041
Borda (n=7)	Ensemble	0.2012	0.1764	0.4042	0.0076	0.0622	0.0484	0.1602	0.0974	0.5864	0.1566	0.0542	0.0364
Borda (n=8)	Ensemble	0.2022	0.174	0.4074	0.0072	0.0624	0.0466	0.1546	0.0916	0.5834	0.1472	0.054	0.032
Kemeny Young (n=2)	Ensemble	0.1946	0.176	0.3742	0.0474	0.0746	0.0724	0.1562	0.0866	0.581	0.1368	0.0558	0.0338
Kemeny Young (n=3)	Ensemble	0.1982	0.1776	0.3838	0.0308	0.071	0.0682	0.1594	0.0842	0.585	0.137	0.0588	0.0306
Kemeny Young (n=4)	Ensemble	0.1862	0.1758	0.3804	0.0292	0.0632	0.0588	0.157	0.0854	0.5832	0.1268	0.0542	0.0254
Kemeny Young (n=5)	Ensemble	0.2012	0.1832	0.3932	0.0196	0.0632	0.0546	0.157	0.0904	0.5804	0.131	0.0518	0.0254
Kemeny Young (n=6)	Ensemble	0.2038	0.1796	0.4048	0.0122	0.0692	0.0604	0.1618	0.1018	0.5838	0.1482	0.0536	0.041
Kemeny Young (n=7)	Ensemble	0.2012	0.1764	0.4042	0.0076	0.0622	0.0484	0.1602	0.0974	0.5864	0.1566	0.0542	0.0364
Kemeny Young (n=8)	Ensemble	0.2022	0.174	0.4074	0.0072	0.0624	0.0466	0.1546	0.0916	0.5834	0.1472	0.054	0.032
RRF (n=2)	Ensemble	0.1948	0.1792	0.3702	0.0516	0.0702	0.0688	0.1554	0.0846	0.5806	0.1336	0.0556	0.0332
RRF (n=3)	Ensemble	0.1988	0.1788	0.3878	0.0364	0.0734	0.0658	0.16	0.0868	0.5824	0.1338	0.0576	0.0324
RRF (n=4)	Ensemble	0.1972	0.1824	0.3934	0.0262	0.0686	0.0626	0.1538	0.0788	0.5822	0.1292	0.056	0.0256
RRF (n=5)	Ensemble	0.1942	0.1768	0.3966	0.0234	0.0632	0.0548	0.1578	0.0916	0.5836	0.141	0.0574	0.0356
RRF (n=6)	Ensemble	0.1984	0.1764	0.4036	0.0094	0.0592	0.049	0.158	0.084	0.5836	0.1404	0.0588	0.0256
RRF (n=7)	Ensemble	0.1994	0.1732	0.41	0.0046	0.0598	0.0432	0.1574	0.0814	0.5844	0.1476	0.0598	0.0306
RRF (n=8)	Ensemble	0.2006	0.1774	0.412	0.004	0.0626	0.048	0.156	0.0896	0.583	0.1632	0.0596	0.0406
Schulze (n=2)	Ensemble	0.1944	0.1724	0.3748	0.0478	0.0742	0.073	0.1556	0.089	0.5812	0.1332	0.0564	0.0294
Schulze (n=3)	Ensemble	0.1954	0.1832	0.384	0.042	0.0702	0.0674	0.162	0.0862	0.5824	0.1298	0.0572	0.0272
Schulze (n=4)	Ensemble	0.2022	0.1832	0.3996	0.0192	0.0752	0.0688	0.158	0.0814	0.5814	0.1302	0.054	0.0282
Schulze (n=5)	Ensemble	0.2038	0.177	0.4136	0.0024	0.0702	0.0502	0.1604	0.0832	0.5814	0.128	0.0552	0.0302
Schulze (n=6)	Ensemble	0.1894	0.175	0.4254	0.0218	0.0608	0.0438	0.1584	0.0848	0.5816	0.1314	0.054	0.0296
Schulze (n=7)	Ensemble	0.1966	0.1804	0.4306	0.0304	0.0566	0.0424	0.1598	0.0914	0.5816	0.1328	0.0542	0.03
Schulze (n=8)	Ensemble	0.197	0.18	0.4328	0.0302	0.0618	0.0466	0.1574	0.087	0.5834	0.1368	0.0572	0.0312
Norm Ensemble (n=2)	Ensemble	0.202	0.1922	0.3928	0.0092	0.0688	0.0718	0.1586	0.0832	0.5834	0.1314	0.055	0.031
Norm Ensemble (n=3)	Ensemble	0.2052	0.1962	0.4248	0.0232	0.0654	0.0558	0.159	0.0846	0.581	0.131	0.0546	0.0298
Norm Ensemble (n=4)	Ensemble	0.2026	0.1908	0.4186	0.0192	0.0622	0.058	0.1548	0.0802	0.5796	0.1258	0.0536	0.0242
Norm Ensemble (n=5)	Ensemble	0.194	0.179	0.4102	0.0094	0.063	0.0588	0.16	0.0848	0.5868	0.1362	0.0596	0.0388
Norm Ensemble (n=6)	Ensemble	0.1964	0.1862	0.413	0.0116	0.0618	0.055	0.152	0.0826	0.5788	0.1388	0.0546	0.0242
Norm Ensemble (n=7)	Ensemble	0.2062	0.1898	0.4222	0.0136	0.0698	0.0606	0.1534	0.0814	0.5812	0.1356	0.0544	0.0252
Norm Ensemble (n=8)	Ensemble	0.207	0.194	0.4166	0.0172	0.0668	0.0614	0.1488	0.048	0.5766	0.1072	0.0518	0.011
Deconvolution	Single	0.2112	0.2032	0.5	0.1072	0.0774	0.0788	0.16	0.0972	0.5776	0.154	0.0568	0.0362
Deconvolution	Single	0.2112	0.2032	0.5	0.1072	0.0774	0.0788	0.16	0.0972	0.5776	0.154	0.0568	0.0362
DeepLIFT SHAP	Single	0.1978	0.1842	0.5306	0.0916	0.073	0.0642	0.201	0.189	0.512	0.0866	0.074	0.0648
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1978	0.1842	0.5306	0.0916	0.073	0.0642	0.201	0.189	0.512	0.0866	0.074	0.0648
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1978	0.1842	0.5306	0.0916	0.073	0.0642	0.201	0.189	0.512	0.0866	0.074	0.0648
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1978	0.1842	0.5306	0.0916	0.073	0.0642	0.201	0.189	0.512	0.0866	0.074	0.0648
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.1978	0.1842	0.5306	0.0916	0.073	0.0642	0.201	0.189	0.512	0.0866	0.074	0.0648
Global Mean													
DeepLIFT Baselines	Single	0.1978	0.1842	0.5306	0.0916	0.073	0.0642	0.201	0.189	0.512	0.0866	0.074	0.0648
Global Mean													
FeatureAblation Patch	Single	0.213	0.2034	0.4072	0.0082	0.0728	0.0694	0.1746	0.1232	0.5716	0.2086	0.0592	0.039
Size 14													
FeatureAblation Patch	Single	0.213	0.2034	0.4072	0.0082	0.0728	0.0694	0.1746	0.1232	0.5716	0.2086	0.0592	0.039
Size 14													
GradientShap Baselines	Single	0.1998	0.1842	0.438	0.037	0.059	0.042	0.159	0.0846	0.5842	0.1308	0.0556	0.029
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1998	0.1842	0.438	0.037	0.059	0.042	0.159	0.0846	0.5842	0.1308	0.0556	0.029
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1956	0.186	0.4368	0.0424	0.0582	0.0454	0.1626	0.084	0.5838	0.134	0.058	0.0266
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.1956	0.186	0.4368	0.0424	0.0582	0.0454	0.1626	0.084	0.5838	0.134	0.058	0.0266
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.1906	0.1728	0.402	0.0372	0.061	0.0574	0.1676	0.1042	0.5724	0.1558	0.0518	0.0208
GuidedBackprop	Single	0.1906	0.1728	0.402	0.0372	0.061	0.0574	0.1676	0.1042	0.5724	0.1558	0.0518	0.0208
InputXGradient	Single	0.2198	0.2064	0.4694	0.0844	0.0726	0.0722	0.162	0.0826	0.5792	0.1294	0.0554	0.0336
InputXGradient	Single	0.2198	0.2064	0.4694	0.0844	0.0726	0.0722	0.162	0.0826	0.5792	0.1294	0.0554	0.0336
IntegratedGradients	Single	0.2046	0.184	0.4426	0.0448	0.0528	0.0418	0.1624	0.084	0.5816	0.1296	0.0568	0.0272
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.2046	0.184	0.4426	0.0448	0.0528	0.0418	0.1624	0.084	0.5816	0.1296	0.0568	0.0272
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.2052	0.1888	0.4442	0.049	0.054	0.0434	0.1624	0.083	0.581	0.1288	0.0566	0.0274
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.2052	0.1888	0.4442	0.049	0.054	0.0434	0.1624	0.083	0.581	0.1288	0.0566	0.0274
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 14	Single	0.2022	0.1706	0.436	0.0108	0.0728	0.0632	0.1648	0.13	0.582	0.2126	0.057	0.0516
Occlusion Baselines Global Mean Patch Size 14	Single	0.2022	0.1706	0.436	0.0108	0.0728	0.0632	0.1648	0.13	0.582	0.2126	0.057	0.0516
Saliency	Single	0.2198	0.1934	0.4616	0.0214	0.0808	0.0628	0.1532	0.0836	0.5792	0.1894	0.0484	0.023
Saliency	Single	0.2198	0.1934	0.4616	0.0214	0.0808	0.0628	0.1532	0.0836	0.5792	0.1894	0.0484	0.023

Table 318: ImageNet-ResNet-18

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.2696	0.3188	0.6066	0.8298
Borda (n=3)	Ensemble	0.2746	0.3254	0.6146	0.857
Borda (n=4)	Ensemble	0.2902	0.3462	0.6158	0.858
Borda (n=5)	Ensemble	0.2956	0.354	0.6122	0.8586
Borda (n=6)	Ensemble	0.3016	0.3582	0.6146	0.8548
Borda (n=7)	Ensemble	0.3124	0.3692	0.6156	0.8554
Borda (n=8)	Ensemble	0.3146	0.376	0.6168	0.8526
Kemeny Young (n=2)	Ensemble	0.2696	0.3188	0.6066	0.8298
Kemeny Young (n=3)	Ensemble	0.2746	0.3254	0.6146	0.857
Kemeny Young (n=4)	Ensemble	0.2902	0.3462	0.6158	0.858
Kemeny Young (n=5)	Ensemble	0.2956	0.354	0.6122	0.8586
Kemeny Young (n=6)	Ensemble	0.3016	0.3582	0.6146	0.8548
Kemeny Young (n=7)	Ensemble	0.3124	0.3692	0.6156	0.8554
Kemeny Young (n=8)	Ensemble	0.3146	0.376	0.6168	0.8526
RRF (n=2)	Ensemble	0.261	0.3086	0.6112	0.8408
RRF (n=3)	Ensemble	0.2988	0.3566	0.6086	0.8368
RRF (n=4)	Ensemble	0.2928	0.346	0.6074	0.8348
RRF (n=5)	Ensemble	0.3036	0.36	0.6138	0.8448
RRF (n=6)	Ensemble	0.3152	0.3756	0.6132	0.8386
RRF (n=7)	Ensemble	0.3234	0.3864	0.6164	0.8556
RRF (n=8)	Ensemble	0.3296	0.3956	0.6154	0.86
Schulze (n=2)	Ensemble	0.2712	0.3222	0.6122	0.841
Schulze (n=3)	Ensemble	0.2886	0.3458	0.611	0.8356
Schulze (n=4)	Ensemble	0.303	0.3638	0.6104	0.8316
Schulze (n=5)	Ensemble	0.3212	0.3836	0.6118	0.8356
Schulze (n=6)	Ensemble	0.343	0.4132	0.61	0.8386
Schulze (n=7)	Ensemble	0.351	0.4262	0.6102	0.8434
Schulze (n=8)	Ensemble	0.348	0.4234	0.6112	0.8404
Norm Ensemble (n=2)	Ensemble	0.2984	0.3658	0.6092	0.8386
Norm Ensemble (n=3)	Ensemble	0.3372	0.4156	0.6118	0.8374
Norm Ensemble (n=4)	Ensemble	0.3342	0.41	0.61	0.8348
Norm Ensemble (n=5)	Ensemble	0.3292	0.4048	0.61	0.8416
Norm Ensemble (n=6)	Ensemble	0.3288	0.3976	0.61	0.84
Norm Ensemble (n=7)	Ensemble	0.335	0.4044	0.604	0.7982
Norm Ensemble (n=8)	Ensemble	0.3348	0.3998	0.6078	0.8068
Deconvolution	Single	0.4416	0.5562	0.6054	0.8262
DeepLIFT SHAP	Single	0.4416	0.5562	0.6054	0.8262
Baselines Combined Zng	Single	0.5432	0.6972	0.5374	0.683
DeepLIFT SHAP	Single	0.5432	0.6972	0.5374	0.683
Baselines Combined Zng	Single	0.5432	0.6972	0.5374	0.683
DeepLIFT SHAP	Single	0.5432	0.6972	0.5374	0.683
Baselines Combined Zng	Single	0.5432	0.6972	0.5374	0.683
DeepLIFT Baselines	Single	0.5432	0.6972	0.5374	0.683
Global Mean	Single	0.5432	0.6972	0.5374	0.683
DeepLIFT Baselines	Single	0.5432	0.6972	0.5374	0.683
Global Mean	Single	0.5432	0.6972	0.5374	0.683
FeatureAblation Patch Size 16	Single	0.3128	0.382	0.5794	0.7702
FeatureAblation Patch Size 16	Single	0.3128	0.382	0.5794	0.7702
GradientShap Baselines Combined Zng N Samples 20	Single	0.3554	0.4332	0.6096	0.84
GradientShap Baselines Combined Zng N Samples 20	Single	0.3554	0.4332	0.6096	0.84
GradientShap Baselines Combined Zng N Samples 40	Single	0.3598	0.441	0.6106	0.8392
GradientShap Baselines Combined Zng N Samples 40	Single	0.3598	0.441	0.6106	0.8392
GuidedBackprop	Single	0.2954	0.3486	0.599	0.8014
GuidedBackprop	Single	0.2954	0.3486	0.599	0.8014
InputXGradient	Single	0.4072	0.5018	0.6108	0.8272
InputXGradient	Single	0.4072	0.5018	0.6108	0.8272
IntegratedGradients	Single	0.3646	0.4464	0.6082	0.8286
Baselines Zero N Steps 200	Single	0.3646	0.4464	0.6082	0.8286
IntegratedGradients	Single	0.3646	0.4464	0.6082	0.8286
Baselines Zero N Steps 200	Single	0.3642	0.4478	0.6092	0.8286
IntegratedGradients	Single	0.3642	0.4478	0.6092	0.8286
Baselines Zero N Steps 50	Single	0.3642	0.4478	0.6092	0.8286
IntegratedGradients	Single	0.3642	0.4478	0.6092	0.8286
Baselines Zero N Steps 50	Single	0.3642	0.4478	0.6092	0.8286
Occlusion Baselines	Single	0.3564	0.4344	0.6102	0.83
Global Mean Patch Size 16	Single	0.3564	0.4344	0.6102	0.83

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.3564	0.4344	0.6102	0.83
Global Mean Patch Size 16					
Saliency	Single	0.3732	0.4486	0.6086	0.822
Saliency	Single	0.3732	0.4486	0.6086	0.822

Table 319: ImageNet–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.1586	0.15	0.2622	0.142	0.0586	0.0538	0.162	0.1054	0.5728	0.1922	0.0558	0.0306
Borda (n=3)	Ensemble	0.1542	0.139	0.2676	0.1284	0.0422	0.0326	0.1704	0.1314	0.5814	0.2174	0.0578	0.0416
Borda (n=4)	Ensemble	0.1588	0.1494	0.2832	0.1074	0.0548	0.0466	0.1668	0.1306	0.581	0.2166	0.0588	0.0436
Borda (n=5)	Ensemble	0.1582	0.1502	0.2896	0.1044	0.0478	0.0398	0.1628	0.1296	0.5782	0.2142	0.0588	0.0428
Borda (n=6)	Ensemble	0.1574	0.1468	0.294	0.102	0.0528	0.0406	0.1676	0.131	0.58	0.2076	0.0602	0.0422
Borda (n=7)	Ensemble	0.1664	0.1544	0.3042	0.0922	0.0574	0.0454	0.1718	0.128	0.581	0.2156	0.0616	0.0452
Borda (n=8)	Ensemble	0.166	0.1586	0.3072	0.0834	0.0564	0.0472	0.1626	0.1028	0.5812	0.212	0.06	0.0346
Kemeny Young (n=2)	Ensemble	0.1586	0.15	0.2622	0.142	0.0586	0.0538	0.162	0.1054	0.5728	0.1922	0.0558	0.0306
Kemeny Young (n=3)	Ensemble	0.1542	0.139	0.2676	0.1284	0.0422	0.0326	0.1704	0.1314	0.5814	0.2174	0.0578	0.0416
Kemeny Young (n=4)	Ensemble	0.1588	0.1494	0.2832	0.1074	0.0548	0.0466	0.1668	0.1306	0.581	0.2166	0.0588	0.0436
Kemeny Young (n=5)	Ensemble	0.1582	0.1502	0.2896	0.1044	0.0478	0.0398	0.1628	0.1296	0.5782	0.2142	0.0588	0.0428
Kemeny Young (n=6)	Ensemble	0.1574	0.1468	0.294	0.102	0.0528	0.0406	0.1676	0.131	0.58	0.2076	0.0602	0.0422
Kemeny Young (n=7)	Ensemble	0.1664	0.1544	0.3042	0.0922	0.0574	0.0454	0.1718	0.128	0.581	0.2156	0.0616	0.0452
Kemeny Young (n=8)	Ensemble	0.166	0.1586	0.3072	0.0834	0.0564	0.0472	0.1626	0.1028	0.5812	0.212	0.06	0.0346
RRF (n=2)	Ensemble	0.1522	0.1414	0.2526	0.1634	0.0538	0.048	0.1664	0.1156	0.5782	0.2016	0.0606	0.0428
RRF (n=3)	Ensemble	0.1676	0.1544	0.2918	0.107	0.058	0.0516	0.168	0.1178	0.5742	0.1986	0.0584	0.0394
RRF (n=4)	Ensemble	0.1628	0.1522	0.286	0.1116	0.0532	0.0424	0.167	0.1134	0.5728	0.1922	0.059	0.0396
RRF (n=5)	Ensemble	0.1644	0.1574	0.2964	0.0942	0.0534	0.042	0.1738	0.1234	0.58	0.2026	0.0624	0.051
RRF (n=6)	Ensemble	0.1708	0.165	0.3072	0.0852	0.0604	0.0522	0.1642	0.1118	0.578	0.1922	0.0614	0.033
RRF (n=7)	Ensemble	0.172	0.1672	0.3158	0.0732	0.0616	0.0462	0.1708	0.1306	0.5816	0.2162	0.0636	0.0422
RRF (n=8)	Ensemble	0.1754	0.1722	0.322	0.0652	0.065	0.053	0.1614	0.1072	0.579	0.2246	0.0642	0.0486
Schulze (n=2)	Ensemble	0.1594	0.1472	0.263	0.1512	0.0588	0.0564	0.1676	0.1176	0.5788	0.2132	0.0622	0.0382
Schulze (n=3)	Ensemble	0.1668	0.1584	0.2814	0.1178	0.0566	0.06	0.1664	0.1138	0.5776	0.194	0.062	0.038
Schulze (n=4)	Ensemble	0.1688	0.1608	0.296	0.094	0.058	0.0582	0.1682	0.108	0.5766	0.188	0.06	0.035
Schulze (n=5)	Ensemble	0.1676	0.16	0.3122	0.0756	0.0546	0.0436	0.1718	0.117	0.5772	0.1896	0.061	0.0424
Schulze (n=6)	Ensemble	0.1918	0.198	0.335	0.0494	0.0878	0.0814	0.1674	0.1124	0.5752	0.191	0.0598	0.0416
Schulze (n=7)	Ensemble	0.1848	0.182	0.3436	0.0352	0.068	0.059	0.1692	0.1216	0.5752	0.1966	0.0592	0.0448
Schulze (n=8)	Ensemble	0.178	0.1752	0.3406	0.0362	0.0562	0.0452	0.1674	0.1098	0.5758	0.1938	0.0616	0.0412
Norm Ensemble (n=2)	Ensemble	0.1684	0.1706	0.2892	0.0962	0.0626	0.0594	0.1674	0.1192	0.5746	0.1996	0.0616	0.0398
Norm Ensemble (n=3)	Ensemble	0.1756	0.1712	0.328	0.044	0.0568	0.0546	0.1786	0.1438	0.5772	0.2012	0.0638	0.0528
Norm Ensemble (n=4)	Ensemble	0.1774	0.1754	0.3256	0.0468	0.0596	0.057	0.1728	0.1314	0.5754	0.1944	0.0648	0.0484
Norm Ensemble (n=5)	Ensemble	0.1774	0.177	0.3216	0.0478	0.0624	0.063	0.1708	0.1338	0.5758	0.1986	0.0592	0.0528
Norm Ensemble (n=6)	Ensemble	0.1762	0.1668	0.3216	0.0544	0.0606	0.0526	0.1628	0.1184	0.5762	0.1986	0.0588	0.041
Norm Ensemble (n=7)	Ensemble	0.1812	0.1792	0.328	0.0464	0.0628	0.0578	0.1584	0.0776	0.5694	0.16	0.0518	0.0082
Norm Ensemble (n=8)	Ensemble	0.1748	0.1634	0.3274	0.054	0.0624	0.0518	0.1824	0.1464	0.578	0.2006	0.0574	0.0052
Deconvolution	Single	0.219	0.2208	0.431	0.0766	0.0804	0.0842	0.167	0.1238	0.5696	0.1784	0.0618	0.0474
Deconvolution	Single	0.219	0.2208	0.431	0.0766	0.0804	0.0842	0.167	0.1238	0.5696	0.1784	0.0618	0.0474
DeepLIFT SHAP	Single	0.1916	0.1654	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754	0.0564
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1916	0.1654	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754	0.0564
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1916	0.1654	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754	0.0564
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1916	0.1654	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754	0.0564
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.1916	0.1654	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754	0.0564
Global Mean													
DeepLIFT Baselines	Single	0.1916	0.1654	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754	0.0564
Global Mean													
FeatureAblation Patch	Single	0.1738	0.169	0.3048	0.0756	0.0504	0.0502	0.1974	0.1762	0.5552	0.2654	0.0626	0.0624
Size 16													
FeatureAblation Patch	Single	0.1738	0.169	0.3048	0.0756	0.0504	0.0502	0.1974	0.1762	0.5552	0.2654	0.0626	0.0624
Size 16													
GradientShap Baselines	Single	0.179	0.1776	0.3472	0.027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.179	0.1776	0.3472	0.027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1876	0.1808	0.3518	0.0182	0.0592	0.0546	0.1684	0.1112	0.5772	0.1994	0.0604	0.042
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.1876	0.1808	0.3518	0.0182	0.0592	0.0546	0.1684	0.1112	0.5772	0.1994	0.0604	0.042
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.1584	0.1454	0.2884	0.1298	0.069	0.0612	0.1796	0.1332	0.5678	0.2198	0.0612	0.037
GuidedBackprop	Single	0.1584	0.1454	0.2884	0.1298	0.069	0.0612	0.1796	0.1332	0.5678	0.2198	0.0612	0.037
InputXGradient	Single	0.2094	0.213	0.3978	0.0372	0.0814	0.0854	0.176	0.1208	0.5774	0.1834	0.0632	0.0528
InputXGradient	Single	0.2094	0.213	0.3978	0.0372	0.0814	0.0854	0.176	0.1208	0.5774	0.1834	0.0632	0.0528
IntegratedGradients	Single	0.1868	0.1832	0.3558	0.0148	0.0536	0.0478	0.1688	0.1106	0.5728	0.1858	0.0612	0.0426
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1868	0.1832	0.3558	0.0148	0.0536	0.0478	0.1688	0.1106	0.5728	0.1858	0.0612	0.0426
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1862	0.184	0.3552	0.0126	0.0522	0.046	0.1712	0.1104	0.5734	0.1852	0.0624	0.043
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.1862	0.184	0.3552	0.0126	0.0522	0.046	0.1712	0.1104	0.5734	0.1852	0.0624	0.043
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.1844	0.179	0.3474	0.0522	0.0684	0.065	0.1784	0.1332	0.5798	0.286	0.0616	0.0412
Occlusion Baselines Global Mean Patch Size 16	Single	0.1844	0.179	0.3474	0.0522	0.0684	0.065	0.1784	0.1332	0.5798	0.286	0.0616	0.0412
Saliency	Single	0.1942	0.1814	0.3646	0.0324	0.0672	0.0614	0.1716	0.1196	0.5766	0.2362	0.0624	0.0476
Saliency	Single	0.1942	0.1814	0.3646	0.0324	0.0672	0.0614	0.1716	0.1196	0.5766	0.2362	0.0624	0.0476

Table 320: ImageNet–ResNet-18

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.1028	0.126	0.5766	0.7462
Borda (n=3)	Ensemble	0.1198	0.1442	0.5816	0.7572
Borda (n=4)	Ensemble	0.1406	0.1692	0.5854	0.7534
Borda (n=5)	Ensemble	0.1544	0.1852	0.5784	0.748
Borda (n=6)	Ensemble	0.1564	0.1856	0.5794	0.7566
Borda (n=7)	Ensemble	0.161	0.1932	0.5902	0.7718
Borda (n=8)	Ensemble	0.165	0.1998	0.5926	0.7802
Kemeny Young (n=2)	Ensemble	0.1028	0.126	0.5766	0.7462
Kemeny Young (n=3)	Ensemble	0.1198	0.1442	0.5816	0.7572
Kemeny Young (n=4)	Ensemble	0.1406	0.1692	0.5854	0.7534
Kemeny Young (n=5)	Ensemble	0.1544	0.1852	0.5784	0.748
Kemeny Young (n=6)	Ensemble	0.1564	0.1856	0.5794	0.7566
Kemeny Young (n=7)	Ensemble	0.161	0.1932	0.5902	0.7718
Kemeny Young (n=8)	Ensemble	0.165	0.1998	0.5926	0.7802
RRF (n=2)	Ensemble	0.1088	0.134	0.5762	0.745
RRF (n=3)	Ensemble	0.1416	0.1688	0.5736	0.745
RRF (n=4)	Ensemble	0.1442	0.1752	0.5708	0.7444
RRF (n=5)	Ensemble	0.1454	0.1774	0.5834	0.7558
RRF (n=6)	Ensemble	0.1586	0.1906	0.582	0.7606
RRF (n=7)	Ensemble	0.1632	0.1998	0.5894	0.7694
RRF (n=8)	Ensemble	0.172	0.2044	0.5948	0.7864
Schulze (n=2)	Ensemble	0.107	0.1306	0.5758	0.7494
Schulze (n=3)	Ensemble	0.1314	0.1586	0.575	0.7452
Schulze (n=4)	Ensemble	0.1426	0.1722	0.568	0.7408
Schulze (n=5)	Ensemble	0.1662	0.1974	0.572	0.74
Schulze (n=6)	Ensemble	0.1818	0.221	0.5758	0.7452
Schulze (n=7)	Ensemble	0.1988	0.2374	0.5752	0.7512
Schulze (n=8)	Ensemble	0.1944	0.2372	0.5766	0.7536
Norm Ensemble (n=2)	Ensemble	0.1288	0.1524	0.5742	0.7472
Norm Ensemble (n=3)	Ensemble	0.1776	0.2146	0.5708	0.7418
Norm Ensemble (n=4)	Ensemble	0.1726	0.2066	0.5716	0.7382
Norm Ensemble (n=5)	Ensemble	0.1696	0.2016	0.5818	0.7508
Norm Ensemble (n=6)	Ensemble	0.174	0.2104	0.5794	0.749
Norm Ensemble (n=7)	Ensemble	0.1764	0.2152	0.5626	0.7146
Norm Ensemble (n=8)	Ensemble	0.1808	0.2202	0.5704	0.7286
Deconvolution	Single	0.296	0.3636	0.5698	0.7314
DeepLIFT SHAP	Single	0.4178	0.5016	0.3848	0.465
Baselines Combined Zng	Single	0.4178	0.5016	0.3848	0.465
DeepLIFT SHAP	Single	0.4178	0.5016	0.3848	0.465
Baselines Combined Zng	Single	0.4178	0.5016	0.3848	0.465
DeepLIFT SHAP	Single	0.4178	0.5016	0.3848	0.465
Baselines Combined Zng	Single	0.4178	0.5016	0.3848	0.465
DeepLIFT Baselines	Single	0.4178	0.5016	0.3848	0.465
Global Mean	Single	0.4178	0.5016	0.3848	0.465
DeepLIFT Baselines	Single	0.4178	0.5016	0.3848	0.465
Global Mean	Single	0.1628	0.1996	0.4936	0.6146
FeatureAblation Patch Size 16	Single	0.1628	0.1996	0.4936	0.6146
FeatureAblation Patch Size 16	Single	0.1628	0.1996	0.4936	0.6146
GradientShap Baselines Combined Zng N Samples 20	Single	0.2008	0.2374	0.5744	0.7492
GradientShap Baselines Combined Zng N Samples 20	Single	0.2008	0.2374	0.5744	0.7492
GradientShap Baselines Combined Zng N Samples 40	Single	0.2044	0.245	0.5744	0.7488
GradientShap Baselines Combined Zng N Samples 40	Single	0.2044	0.245	0.5744	0.7488
GuidedBackprop	Single	0.1214	0.149	0.556	0.7154
GuidedBackprop	Single	0.1214	0.149	0.556	0.7154
InputXGradient	Single	0.2464	0.3008	0.5514	0.7072
InputXGradient	Single	0.2464	0.3008	0.5514	0.7072
IntegratedGradients	Single	0.2062	0.2494	0.5684	0.7342
Baselines Zero N Steps 200	Single	0.2062	0.2494	0.5684	0.7342
IntegratedGradients	Single	0.2062	0.2494	0.5684	0.7342
Baselines Zero N Steps 200	Single	0.2082	0.2504	0.568	0.7342
IntegratedGradients	Single	0.2082	0.2504	0.568	0.7342
Baselines Zero N Steps 50	Single	0.2082	0.2504	0.568	0.7342
IntegratedGradients	Single	0.2082	0.2504	0.568	0.7342
Baselines Zero N Steps 50	Single	0.2082	0.2504	0.568	0.7342
Occlusion Baselines	Single	0.208	0.2572	0.5518	0.7088
Global Mean Patch Size 16	Single	0.208	0.2572	0.5518	0.7088

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.208	0.2572	0.5518	0.7088
Global Mean Patch Size 16					
Saliency	Single	0.214	0.2592	0.5616	0.7266
Saliency	Single	0.214	0.2592	0.5616	0.7266

Table 321: ImageNet–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.0676	0.069	0.1008	0.2852	0.0236	0.0248	0.1872	0.1702	0.5536	0.2392	0.0628	0.0472
Borda (n=3)	Ensemble	0.0764	0.0766	0.1174	0.2704	0.0206	0.0162	0.1894	0.1794	0.557	0.2386	0.067	0.0564
Borda (n=4)	Ensemble	0.0838	0.0844	0.1372	0.2482	0.0278	0.0242	0.199	0.1812	0.5606	0.2266	0.0732	0.0514
Borda (n=5)	Ensemble	0.0934	0.0904	0.1508	0.2322	0.0314	0.0274	0.1914	0.1748	0.5534	0.2176	0.0658	0.0472
Borda (n=6)	Ensemble	0.0876	0.0838	0.1526	0.2336	0.0364	0.0314	0.1844	0.1674	0.555	0.2236	0.0722	0.0616
Borda (n=7)	Ensemble	0.0914	0.0894	0.1572	0.225	0.0342	0.033	0.1972	0.19	0.567	0.2372	0.0734	0.0676
Borda (n=8)	Ensemble	0.1002	0.095	0.1608	0.222	0.0368	0.0366	0.1922	0.1844	0.5674	0.2476	0.0792	0.0814
Kemeny Young (n=2)	Ensemble	0.0676	0.069	0.1008	0.2852	0.0236	0.0248	0.1872	0.1702	0.5536	0.2392	0.0628	0.0472
Kemeny Young (n=3)	Ensemble	0.0764	0.0766	0.1174	0.2704	0.0206	0.0162	0.1894	0.1794	0.557	0.2386	0.067	0.0564
Kemeny Young (n=4)	Ensemble	0.0838	0.0844	0.1372	0.2482	0.0278	0.0242	0.199	0.1812	0.5606	0.2266	0.0732	0.0514
Kemeny Young (n=5)	Ensemble	0.0934	0.0904	0.1508	0.2322	0.0314	0.0274	0.1914	0.1748	0.5534	0.2176	0.0658	0.0472
Kemeny Young (n=6)	Ensemble	0.0876	0.0838	0.1526	0.2336	0.0364	0.0314	0.1844	0.1674	0.555	0.2236	0.0722	0.0616
Kemeny Young (n=7)	Ensemble	0.0914	0.0894	0.1572	0.225	0.0342	0.033	0.1972	0.19	0.567	0.2372	0.0734	0.0676
Kemeny Young (n=8)	Ensemble	0.1002	0.095	0.1608	0.222	0.0368	0.0366	0.1922	0.1844	0.5674	0.2476	0.0792	0.0814
RRF (n=2)	Ensemble	0.0746	0.0762	0.1048	0.2858	0.0268	0.0294	0.1866	0.1664	0.5504	0.215	0.0778	0.059
RRF (n=3)	Ensemble	0.0918	0.089	0.1378	0.2496	0.038	0.0332	0.184	0.1712	0.5488	0.2104	0.0708	0.0566
RRF (n=4)	Ensemble	0.0938	0.0932	0.1406	0.2428	0.0332	0.0342	0.186	0.177	0.5476	0.2126	0.0684	0.056
RRF (n=5)	Ensemble	0.0908	0.0884	0.1418	0.2402	0.0294	0.0254	0.1976	0.1806	0.5602	0.2218	0.0842	0.0728
RRF (n=6)	Ensemble	0.096	0.0956	0.1548	0.2274	0.0358	0.0346	0.185	0.1694	0.558	0.2252	0.0724	0.0678
RRF (n=7)	Ensemble	0.0966	0.0992	0.1594	0.2172	0.0326	0.034	0.1946	0.1792	0.5658	0.2412	0.0724	0.055
RRF (n=8)	Ensemble	0.1042	0.0992	0.1682	0.217	0.0334	0.0312	0.187	0.1686	0.5712	0.2598	0.0774	0.0754
Schulze (n=2)	Ensemble	0.0724	0.0746	0.1032	0.2912	0.026	0.0292	0.1884	0.1766	0.553	0.2246	0.078	0.0694
Schulze (n=3)	Ensemble	0.0896	0.0894	0.1282	0.2558	0.0348	0.0324	0.1792	0.1584	0.5508	0.2134	0.072	0.0586
Schulze (n=4)	Ensemble	0.0922	0.0918	0.139	0.2422	0.0304	0.031	0.179	0.1616	0.5452	0.2114	0.0682	0.0572
Schulze (n=5)	Ensemble	0.102	0.0946	0.1622	0.2216	0.0376	0.0298	0.189	0.1704	0.5506	0.21	0.0738	0.0636
Schulze (n=6)	Ensemble	0.1206	0.1236	0.1784	0.1978	0.0548	0.0562	0.1838	0.1658	0.554	0.2122	0.077	0.0658
Schulze (n=7)	Ensemble	0.1234	0.128	0.1946	0.183	0.0472	0.0446	0.1872	0.1734	0.5526	0.216	0.0706	0.0656
Schulze (n=8)	Ensemble	0.117	0.1232	0.1894	0.1846	0.041	0.0394	0.1868	0.171	0.5538	0.2208	0.0752	0.0694
Norm Ensemble (n=2)	Ensemble	0.086	0.0868	0.1248	0.2626	0.0266	0.0224	0.1906	0.173	0.5496	0.223	0.0798	0.065
Norm Ensemble (n=3)	Ensemble	0.1132	0.117	0.1736	0.2002	0.046	0.0458	0.1984	0.1846	0.5458	0.211	0.0828	0.078
Norm Ensemble (n=4)	Ensemble	0.1114	0.1136	0.169	0.2082	0.0456	0.0458	0.19	0.1768	0.5476	0.2068	0.0774	0.0666
Norm Ensemble (n=5)	Ensemble	0.1106	0.1098	0.166	0.2136	0.0422	0.0394	0.2024	0.1894	0.5598	0.2176	0.0886	0.0792
Norm Ensemble (n=6)	Ensemble	0.11	0.1122	0.1704	0.2054	0.0418	0.0418	0.1852	0.1694	0.557	0.2198	0.0752	0.0612
Norm Ensemble (n=7)	Ensemble	0.1106	0.1138	0.1734	0.2002	0.0386	0.0366	0.1742	0.1384	0.5402	0.1848	0.0516	0.017
Norm Ensemble (n=8)	Ensemble	0.1124	0.1148	0.177	0.1982	0.0408	0.0412	0.2002	0.2058	0.5514	0.2184	0.0656	0.0384
Deconvolution	Single	0.1848	0.1946	0.2906	0.0626	0.0672	0.0674	0.1934	0.1642	0.545	0.2176	0.0674	0.0572
Deconvolution	Single	0.1848	0.1946	0.2906	0.0626	0.0672	0.0674	0.1934	0.1642	0.545	0.2176	0.0674	0.0572
DeepLIFT SHAP	Single	0.1966	0.194	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1966	0.194	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1966	0.194	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1966	0.194	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.1966	0.194	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
Global Mean													
DeepLIFT Baselines	Single	0.1966	0.194	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
Global Mean													
FeatureAblation Patch	Single	0.1078	0.1102	0.1588	0.2154	0.03	0.0312	0.2248	0.24	0.4814	0.185	0.076	0.0872
Size 16													
FeatureAblation Patch	Single	0.1078	0.1102	0.1588	0.2154	0.03	0.0312	0.2248	0.24	0.4814	0.185	0.076	0.0872
Size 16													
GradientShap Baselines	Single	0.1222	0.1152	0.1966	0.1824	0.0378	0.0276	0.1852	0.1754	0.5508	0.2182	0.0766	0.0698
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1222	0.1152	0.1966	0.1824	0.0378	0.0276	0.1852	0.1754	0.5508	0.2182	0.0766	0.0698
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.126	0.1272	0.2002	0.1768	0.0404	0.0366	0.1866	0.1762	0.5524	0.2204	0.0778	0.0678
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.126	0.1272	0.2002	0.1768	0.0404	0.0366	0.1866	0.1762	0.5524	0.2204	0.0778	0.0678
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.0766	0.0806	0.1174	0.2712	0.0314	0.0332	0.1936	0.176	0.5354	0.222	0.0642	0.0524
GuidedBackprop	Single	0.0766	0.0806	0.1174	0.2712	0.0314	0.0332	0.1936	0.176	0.5354	0.222	0.0642	0.0524
InputXGradient	Single	0.156	0.1634	0.2424	0.1206	0.0566	0.0604	0.1822	0.163	0.5294	0.1826	0.0712	0.0618
InputXGradient	Single	0.156	0.1634	0.2424	0.1206	0.0566	0.0604	0.1822	0.163	0.5294	0.1826	0.0712	0.0618
IntegratedGradients	Single	0.129	0.1308	0.2014	0.1712	0.0358	0.0344	0.1872	0.1706	0.5464	0.2052	0.076	0.064
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.129	0.1308	0.2014	0.1712	0.0358	0.0344	0.1872	0.1706	0.5464	0.2052	0.076	0.064
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1314	0.1322	0.2036	0.1702	0.0378	0.0346	0.1844	0.1688	0.546	0.2062	0.075	0.0634
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.1314	0.1322	0.2036	0.1702	0.0378	0.0346	0.1844	0.1688	0.546	0.2062	0.075	0.0634
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.125	0.1274	0.2036	0.17	0.0396	0.0394	0.1992	0.1974	0.5332	0.2528	0.0744	0.0682
Occlusion Baselines Global Mean Patch Size 16	Single	0.125	0.1274	0.2036	0.17	0.0396	0.0394	0.1992	0.1974	0.5332	0.2528	0.0744	0.0682
Saliency	Single	0.1352	0.1438	0.2096	0.1652	0.0476	0.0508	0.1776	0.1618	0.5376	0.2346	0.0606	0.0516
Saliency	Single	0.1352	0.1438	0.2096	0.1652	0.0476	0.0508	0.1776	0.1618	0.5376	0.2346	0.0606	0.0516

Table 322: ImageNet-ResNet-18

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.5118	0.6444	0.6322	0.9288
Borda (n=3)	Ensemble	0.4942	0.6206	0.6324	0.9372
Borda (n=4)	Ensemble	0.4962	0.6228	0.6304	0.9432
Borda (n=5)	Ensemble	0.5024	0.6344	0.6322	0.9414
Borda (n=6)	Ensemble	0.5022	0.6406	0.631	0.9422
Borda (n=7)	Ensemble	0.5092	0.6468	0.6332	0.9412
Borda (n=8)	Ensemble	0.5128	0.6512	0.634	0.9402
Kemeny Young (n=2)	Ensemble	0.5118	0.6444	0.6322	0.9288
Kemeny Young (n=3)	Ensemble	0.4942	0.6206	0.6324	0.9372
Kemeny Young (n=4)	Ensemble	0.4962	0.6228	0.6304	0.9432
Kemeny Young (n=5)	Ensemble	0.5024	0.6344	0.6322	0.9414
Kemeny Young (n=6)	Ensemble	0.5022	0.6406	0.631	0.9422
Kemeny Young (n=7)	Ensemble	0.5092	0.6468	0.6332	0.9412
Kemeny Young (n=8)	Ensemble	0.5128	0.6512	0.634	0.9402
RRF (n=2)	Ensemble	0.4934	0.6178	0.6312	0.9296
RRF (n=3)	Ensemble	0.4892	0.6132	0.6316	0.9276
RRF (n=4)	Ensemble	0.498	0.624	0.6308	0.927
RRF (n=5)	Ensemble	0.5056	0.6348	0.6334	0.9334
RRF (n=6)	Ensemble	0.5116	0.6456	0.6346	0.932
RRF (n=7)	Ensemble	0.5188	0.6546	0.6326	0.9438
RRF (n=8)	Ensemble	0.5166	0.6574	0.6308	0.9386
Schulze (n=2)	Ensemble	0.4958	0.6242	0.6308	0.9286
Schulze (n=3)	Ensemble	0.5028	0.6252	0.6326	0.9278
Schulze (n=4)	Ensemble	0.4992	0.6268	0.63	0.9266
Schulze (n=5)	Ensemble	0.5154	0.6562	0.6322	0.9274
Schulze (n=6)	Ensemble	0.5344	0.6874	0.6324	0.9272
Schulze (n=7)	Ensemble	0.5446	0.7078	0.6332	0.93
Schulze (n=8)	Ensemble	0.5414	0.7014	0.633	0.9316
Norm Ensemble (n=2)	Ensemble	0.505	0.6486	0.6292	0.9304
Norm Ensemble (n=3)	Ensemble	0.5198	0.669	0.6306	0.9292
Norm Ensemble (n=4)	Ensemble	0.5174	0.6636	0.6288	0.9286
Norm Ensemble (n=5)	Ensemble	0.5154	0.658	0.632	0.9312
Norm Ensemble (n=6)	Ensemble	0.5154	0.6596	0.6312	0.93
Norm Ensemble (n=7)	Ensemble	0.5214	0.661	0.6276	0.8986
Norm Ensemble (n=8)	Ensemble	0.5154	0.6518	0.627	0.9026
Deconvolution	Single	0.5864	0.7922	0.6306	0.916
DeepLIFT SHAP	Single	0.5864	0.7922	0.6306	0.916
Baselines Combined Zng	Single	0.6182	0.8556	0.6254	0.8746
DeepLIFT SHAP	Single	0.6182	0.8556	0.6254	0.8746
Baselines Combined Zng	Single	0.6182	0.8556	0.6254	0.8746
DeepLIFT SHAP	Single	0.6182	0.8556	0.6254	0.8746
Baselines Combined Zng	Single	0.6182	0.8556	0.6254	0.8746
DeepLIFT SHAP	Single	0.6182	0.8556	0.6254	0.8746
Global Mean	Single	0.6182	0.8556	0.6254	0.8746
DeepLIFT Baselines	Single	0.6182	0.8556	0.6254	0.8746
Global Mean	Single	0.6182	0.8556	0.6254	0.8746
FeatureAblation Patch	Single	0.5066	0.6332	0.6264	0.8966
Size 16	Single	0.5066	0.6332	0.6264	0.8966
FeatureAblation Patch	Single	0.5066	0.6332	0.6264	0.8966
Size 16	Single	0.5066	0.6332	0.6264	0.8966
GradientShap Baselines	Single	0.5438	0.7104	0.6318	0.9282
Combined Zng N	Single	0.5438	0.7104	0.6318	0.9282
Samples 20	Single	0.5438	0.7104	0.6318	0.9282
GradientShap Baselines	Single	0.543	0.713	0.6304	0.9268
Combined Zng N	Single	0.543	0.713	0.6304	0.9268
Samples 40	Single	0.543	0.713	0.6304	0.9268
GradientShap Baselines	Single	0.543	0.713	0.6304	0.9268
Combined Zng N	Single	0.543	0.713	0.6304	0.9268
Samples 40	Single	0.543	0.713	0.6304	0.9268
GuidedBackprop	Single	0.5278	0.6832	0.6286	0.8964
GuidedBackprop	Single	0.5278	0.6832	0.6286	0.8964
InputXGradient	Single	0.5602	0.7458	0.6318	0.922
InputXGradient	Single	0.5602	0.7458	0.6318	0.922
IntegratedGradients	Single	0.549	0.7212	0.6292	0.924
Baselines Zero N Steps	Single	0.549	0.7212	0.6292	0.924
200	Single	0.549	0.7212	0.6292	0.924
IntegratedGradients	Single	0.549	0.7212	0.6292	0.924
Baselines Zero N Steps	Single	0.549	0.7212	0.6292	0.924
200	Single	0.549	0.7212	0.6292	0.924
IntegratedGradients	Single	0.549	0.7212	0.6292	0.924
Baselines Zero N Steps	Single	0.549	0.7212	0.6292	0.924
50	Single	0.549	0.7212	0.6292	0.924
IntegratedGradients	Single	0.549	0.7212	0.6292	0.924
Baselines Zero N Steps	Single	0.549	0.7212	0.6292	0.924
50	Single	0.549	0.7212	0.6292	0.924
Occlusion Baselines	Single	0.523	0.6596	0.6312	0.9244
Global Mean Patch Size	Single	0.523	0.6596	0.6312	0.9244
16	Single	0.523	0.6596	0.6312	0.9244

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.523	0.6596	0.6312	0.9244
Global Mean Patch Size 16					
Saliency	Single	0.5558	0.7256	0.628	0.9186
Saliency	Single	0.5558	0.7256	0.628	0.9186

Table 323: ImageNet–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.2064	0.1906	0.4926	0.0204	0.0716	0.0684	0.154	0.06	0.5818	0.1006	0.0584	0.0212
Borda (n=3)	Ensemble	0.2064	0.1788	0.4748	0.0038	0.0632	0.0616	0.1522	0.0688	0.5828	0.1104	0.0582	0.0356
Borda (n=4)	Ensemble	0.1994	0.1746	0.4756	0.0052	0.0614	0.0566	0.1496	0.0714	0.5784	0.1126	0.0482	0.026
Borda (n=5)	Ensemble	0.2018	0.1746	0.4816	0.0178	0.0552	0.0558	0.1506	0.072	0.582	0.113	0.051	0.0228
Borda (n=6)	Ensemble	0.1936	0.1694	0.4804	0.0284	0.0556	0.056	0.149	0.0706	0.5804	0.109	0.0498	0.0214
Borda (n=7)	Ensemble	0.1946	0.1676	0.487	0.0288	0.0616	0.0574	0.1532	0.0678	0.5816	0.11	0.055	0.0216
Borda (n=8)	Ensemble	0.1948	0.1664	0.4908	0.0342	0.062	0.0554	0.1532	0.05	0.5826	0.1058	0.0556	0.0222
Kemeny Young (n=2)	Ensemble	0.2064	0.1906	0.4926	0.0204	0.0716	0.0684	0.154	0.06	0.5818	0.1006	0.0584	0.0212
Kemeny Young (n=3)	Ensemble	0.2064	0.1788	0.4748	0.0038	0.0632	0.0616	0.1522	0.0688	0.5828	0.1104	0.0582	0.0356
Kemeny Young (n=4)	Ensemble	0.1994	0.1746	0.4756	0.0052	0.0614	0.0566	0.1496	0.0714	0.5784	0.1126	0.0482	0.026
Kemeny Young (n=5)	Ensemble	0.2018	0.1746	0.4816	0.0178	0.0552	0.0558	0.1506	0.072	0.582	0.113	0.051	0.0228
Kemeny Young (n=6)	Ensemble	0.1936	0.1694	0.4804	0.0284	0.0556	0.056	0.149	0.0706	0.5804	0.109	0.0498	0.0214
Kemeny Young (n=7)	Ensemble	0.1946	0.1676	0.487	0.0288	0.0616	0.0574	0.1532	0.0678	0.5816	0.11	0.055	0.0216
Kemeny Young (n=8)	Ensemble	0.1948	0.1664	0.4908	0.0342	0.062	0.0554	0.1532	0.05	0.5826	0.1058	0.0556	0.0222
RRF (n=2)	Ensemble	0.2008	0.172	0.4744	0.008	0.0636	0.0564	0.1552	0.0602	0.5824	0.1054	0.057	0.0224
RRF (n=3)	Ensemble	0.2012	0.1754	0.4692	0.008	0.0602	0.0572	0.1532	0.0596	0.5824	0.1	0.0546	0.0262
RRF (n=4)	Ensemble	0.202	0.1794	0.4768	0.0046	0.0626	0.0592	0.152	0.062	0.5806	0.0984	0.0548	0.0222
RRF (n=5)	Ensemble	0.2038	0.1706	0.4858	0.0204	0.069	0.0662	0.1548	0.0698	0.5822	0.1062	0.058	0.0278
RRF (n=6)	Ensemble	0.201	0.1674	0.4908	0.0278	0.0664	0.0596	0.1548	0.061	0.583	0.1006	0.059	0.0268
RRF (n=7)	Ensemble	0.2006	0.1666	0.497	0.0336	0.0672	0.055	0.1524	0.0726	0.5816	0.1182	0.055	0.0366
RRF (n=8)	Ensemble	0.1904	0.1576	0.4956	0.034	0.0682	0.0552	0.15	0.0436	0.5788	0.1038	0.0548	0.0314
Schulze (n=2)	Ensemble	0.201	0.1732	0.4762	0	0.0658	0.0622	0.1542	0.0604	0.5814	0.107	0.0546	0.0208
Schulze (n=3)	Ensemble	0.2098	0.1878	0.4826	0.0006	0.069	0.0638	0.154	0.0564	0.5824	0.097	0.0562	0.0224
Schulze (n=4)	Ensemble	0.206	0.1882	0.4792	0.0082	0.0634	0.0554	0.1528	0.0632	0.5808	0.0988	0.0552	0.0156
Schulze (n=5)	Ensemble	0.2006	0.1768	0.4938	0.0304	0.065	0.0656	0.1534	0.0642	0.5826	0.0974	0.0582	0.0154
Schulze (n=6)	Ensemble	0.2142	0.1948	0.507	0.0538	0.0898	0.0906	0.154	0.0632	0.5834	0.0966	0.0572	0.0182
Schulze (n=7)	Ensemble	0.2098	0.181	0.518	0.0716	0.0798	0.0722	0.1552	0.0628	0.5842	0.1006	0.0574	0.0212
Schulze (n=8)	Ensemble	0.1962	0.1588	0.5142	0.0672	0.0684	0.0486	0.154	0.059	0.5826	0.0994	0.057	0.021
Norm Ensemble (n=2)	Ensemble	0.204	0.177	0.4816	0.0276	0.0684	0.0624	0.152	0.0614	0.5798	0.1084	0.052	0.0226
Norm Ensemble (n=3)	Ensemble	0.2	0.1796	0.4962	0.0482	0.0726	0.0686	0.1554	0.0814	0.5802	0.1038	0.055	0.0356
Norm Ensemble (n=4)	Ensemble	0.2026	0.1808	0.4946	0.045	0.0732	0.063	0.1544	0.0764	0.5788	0.0978	0.0534	0.0308
Norm Ensemble (n=5)	Ensemble	0.1982	0.1772	0.493	0.0432	0.0688	0.0596	0.1554	0.076	0.5814	0.0976	0.054	0.03
Norm Ensemble (n=6)	Ensemble	0.2034	0.1968	0.4936	0.0472	0.0788	0.0772	0.1486	0.0566	0.58	0.1	0.0544	0.0234
Norm Ensemble (n=7)	Ensemble	0.209	0.1924	0.4998	0.0464	0.0776	0.0684	0.1484	0.0256	0.578	0.069	0.0524	0.0064
Norm Ensemble (n=8)	Ensemble	0.1976	0.1664	0.4954	0.044	0.0642	0.0504	0.1582	0.089	0.582	0.1076	0.0492	0.0044
Deconvolution	Single	0.191	0.1622	0.5566	0.1194	0.0668	0.0622	0.1492	0.0556	0.5798	0.0924	0.0548	0.0216
Deconvolution	Single	0.191	0.1622	0.5566	0.1194	0.0668	0.0622	0.1492	0.0556	0.5798	0.0924	0.0548	0.0216
DeepLIFT SHAP	Single	0.1684	0.1024	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
Baselines Combined Zng	Single	0.1684	0.1024	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
DeepLIFT SHAP	Single	0.1684	0.1024	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
Baselines Combined Zng	Single	0.1684	0.1024	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
DeepLIFT SHAP	Single	0.1684	0.1024	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
Baselines Combined Zng	Single	0.1684	0.1024	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
DeepLIFT SHAP	Single	0.1684	0.1024	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
Global Mean	Single	0.1684	0.1024	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
DeepLIFT SHAP	Single	0.1684	0.1024	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
Global Mean	Single	0.1684	0.1024	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
FeatureAblation Patch	Single	0.208	0.1864	0.4876	0.0254	0.0716	0.0622	0.1502	0.066	0.5768	0.1556	0.0524	0.0174
Size 16	Single	0.208	0.1864	0.4876	0.0254	0.0716	0.0622	0.1502	0.066	0.5768	0.1556	0.0524	0.0174
FeatureAblation Patch	Single	0.192	0.147	0.5156	0.0684	0.0636	0.0422	0.1548	0.0562	0.5812	0.0958	0.0576	0.0198
Size 16	Single	0.192	0.147	0.5156	0.0684	0.0636	0.0422	0.1548	0.0562	0.5812	0.0958	0.0576	0.0198
GradientShap Baselines	Single	0.192	0.147	0.5156	0.0684	0.0636	0.0422	0.1548	0.0562	0.5812	0.0958	0.0576	0.0198
Combined Zng N	Single	0.192	0.147	0.5156	0.0684	0.0636	0.0422	0.1548	0.0562	0.5812	0.0958	0.0576	0.0198
Samples 20	Single	0.192	0.147	0.5156	0.0684	0.0636	0.0422	0.1548	0.0562	0.5812	0.0958	0.0576	0.0198
GradientShap Baselines	Single	0.1874	0.153	0.5144	0.0704	0.0646	0.0442	0.1534	0.0626	0.5796	0.0998	0.0544	0.0192
Combined Zng N	Single	0.1874	0.153	0.5144	0.0704	0.0646	0.0442	0.1534	0.0626	0.5796	0.0998	0.0544	0.0192
Samples 40	Single	0.1874	0.153	0.5144	0.0704	0.0646	0.0442	0.1534	0.0626	0.5796	0.0998	0.0544	0.0192
GradientShap Baselines	Single	0.1874	0.153	0.5144	0.0704	0.0646	0.0442	0.1534	0.0626	0.5796	0.0998	0.0544	0.0192
Combined Zng N	Single	0.1874	0.153	0.5144	0.0704	0.0646	0.0442	0.1534	0.0626	0.5796	0.0998	0.0544	0.0192
Samples 40	Single	0.1874	0.153	0.5144	0.0704	0.0646	0.0442	0.1534	0.0626	0.5796	0.0998	0.0544	0.0192
GuidedBackprop	Single	0.1848	0.147	0.5024	0.0184	0.0648	0.0514	0.1622	0.0692	0.581	0.1108	0.0592	0.0236
GuidedBackprop	Single	0.1848	0.147	0.5024	0.0184	0.0648	0.0514	0.1622	0.0692	0.581	0.1108	0.0592	0.0236
InputXGradient	Single	0.1962	0.1636	0.5288	0.0962	0.0682	0.06	0.1538	0.0556	0.5838	0.0892	0.0544	0.0174
InputXGradient	Single	0.1962	0.1636	0.5288	0.0962	0.0682	0.06	0.1538	0.0556	0.5838	0.0892	0.0544	0.0174
IntegratedGradients	Single	0.1936	0.1584	0.5186	0.074	0.0696	0.0548	0.15	0.0612	0.5806	0.0928	0.0542	0.016
Baselines Zero N Steps	Single	0.1936	0.1584	0.5186	0.074	0.0696	0.0548	0.15	0.0612	0.5806	0.0928	0.0542	0.016
200	Single	0.1936	0.1584	0.5186	0.074	0.0696	0.0548	0.15	0.0612	0.5806	0.0928	0.0542	0.016
IntegratedGradients	Single	0.1936	0.1584	0.5186	0.074	0.0696	0.0548	0.15	0.0612	0.5806	0.0928	0.0542	0.016
Baselines Zero N Steps	Single	0.1936	0.1584	0.5186	0.074	0.0696	0.0548	0.15	0.0612	0.5806	0.0928	0.0542	0.016
200	Single	0.1936	0.1584	0.5186	0.074	0.0696	0.0548	0.15	0.0612	0.5806	0.0928	0.0542	0.016
IntegratedGradients	Single	0.194	0.1578	0.5184	0.0736	0.0692	0.053	0.1494	0.062	0.581	0.0946	0.0552	0.0174
Baselines Zero N Steps	Single	0.194	0.1578	0.5184	0.0736	0.0692	0.053	0.1494	0.062	0.581	0.0946	0.0552	0.0174
50	Single	0.194	0.1578	0.5184	0.0736	0.0692	0.053	0.1494	0.062	0.581	0.0946	0.0552	0.0174
IntegratedGradients	Single	0.194	0.1578	0.5184	0.0736	0.0692	0.053	0.1494	0.062	0.581	0.0946	0.0552	0.0174
Baselines Zero N Steps	Single	0.194	0.1578	0.5184	0.0736	0.0692	0.053	0.1494	0.062	0.581	0.0946	0.0552	0.0174
50	Single	0.194	0.1578	0.5184	0.0736	0.0692	0.053	0.1494	0.062	0.581	0.0946	0.0552	0.0174

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.2048	0.183	0.5022	0.0222	0.071	0.0602	0.1556	0.0574	0.581	0.147	0.056	0.0168
Occlusion Baselines Global Mean Patch Size 16	Single	0.2048	0.183	0.5022	0.0222	0.071	0.0602	0.1556	0.0574	0.581	0.147	0.056	0.0168
Saliency	Single	0.1964	0.1566	0.526	0.0496	0.0722	0.048	0.1518	0.055	0.5808	0.135	0.0536	0.0242
Saliency	Single	0.1964	0.1566	0.526	0.0496	0.0722	0.048	0.1518	0.055	0.5808	0.135	0.0536	0.0242

Table 324: ImageNet-ResNet-18

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.048	0.0598	0.527	0.6584
Borda (n=3)	Ensemble	0.0612	0.0756	0.5356	0.6736
Borda (n=4)	Ensemble	0.074	0.0944	0.5344	0.6734
Borda (n=5)	Ensemble	0.0822	0.103	0.5292	0.6652
Borda (n=6)	Ensemble	0.0872	0.1082	0.5332	0.6664
Borda (n=7)	Ensemble	0.0918	0.114	0.5452	0.6918
Borda (n=8)	Ensemble	0.0906	0.1102	0.5388	0.678
Kemeny Young (n=2)	Ensemble	0.048	0.0598	0.527	0.6584
Kemeny Young (n=3)	Ensemble	0.0612	0.0756	0.5356	0.6736
Kemeny Young (n=4)	Ensemble	0.074	0.0944	0.5344	0.6734
Kemeny Young (n=5)	Ensemble	0.0822	0.103	0.5292	0.6652
Kemeny Young (n=6)	Ensemble	0.0872	0.1082	0.5332	0.6664
Kemeny Young (n=7)	Ensemble	0.0918	0.114	0.5452	0.6918
Kemeny Young (n=8)	Ensemble	0.0906	0.1102	0.5388	0.678
RRF (n=2)	Ensemble	0.0522	0.0648	0.5266	0.659
RRF (n=3)	Ensemble	0.065	0.081	0.5206	0.653
RRF (n=4)	Ensemble	0.072	0.0872	0.5198	0.6466
RRF (n=5)	Ensemble	0.08	0.099	0.5328	0.6744
RRF (n=6)	Ensemble	0.0868	0.1076	0.5308	0.6718
RRF (n=7)	Ensemble	0.088	0.1102	0.5446	0.6912
RRF (n=8)	Ensemble	0.0914	0.1144	0.5576	0.7088
Schulze (n=2)	Ensemble	0.0474	0.06	0.523	0.6534
Schulze (n=3)	Ensemble	0.0634	0.075	0.521	0.6546
Schulze (n=4)	Ensemble	0.0648	0.08	0.513	0.6374
Schulze (n=5)	Ensemble	0.086	0.1094	0.5152	0.646
Schulze (n=6)	Ensemble	0.0988	0.1222	0.52	0.6506
Schulze (n=7)	Ensemble	0.106	0.1318	0.525	0.6562
Schulze (n=8)	Ensemble	0.1066	0.1322	0.5244	0.6608
Norm Ensemble (n=2)	Ensemble	0.0614	0.0762	0.5174	0.6494
Norm Ensemble (n=3)	Ensemble	0.0838	0.1018	0.517	0.644
Norm Ensemble (n=4)	Ensemble	0.0836	0.1024	0.5184	0.6432
Norm Ensemble (n=5)	Ensemble	0.0864	0.1034	0.5258	0.657
Norm Ensemble (n=6)	Ensemble	0.0896	0.1084	0.5274	0.6616
Norm Ensemble (n=7)	Ensemble	0.0966	0.1168	0.5156	0.6404
Norm Ensemble (n=8)	Ensemble	0.1008	0.1244	0.5266	0.6528
Deconvolution	Single	0.196	0.2414	0.5152	0.632
Deconvolution	Single	0.196	0.2414	0.5152	0.632
DeepLIFT SHAP	Single	0.364	0.43	0.3038	0.3644
Baselines Combined Zng	Single	0.364	0.43	0.3038	0.3644
DeepLIFT SHAP	Single	0.364	0.43	0.3038	0.3644
Baselines Combined Zng	Single	0.364	0.43	0.3038	0.3644
DeepLIFT SHAP	Single	0.364	0.43	0.3038	0.3644
Baselines Combined Zng	Single	0.364	0.43	0.3038	0.3644
DeepLIFT Baselines	Single	0.364	0.43	0.3038	0.3644
Global Mean	Single	0.364	0.43	0.3038	0.3644
DeepLIFT Baselines	Single	0.364	0.43	0.3038	0.3644
Global Mean	Single	0.364	0.43	0.3038	0.3644
FeatureAblation Patch	Single	0.0792	0.0984	0.3886	0.4626
Size 16	Single	0.0792	0.0984	0.3886	0.4626
FeatureAblation Patch	Single	0.0792	0.0984	0.3886	0.4626
Size 16	Single	0.0792	0.0984	0.3886	0.4626
GradientShap Baselines	Single	0.1098	0.1308	0.5194	0.653
Combined Zng N	Single	0.1098	0.1308	0.5194	0.653
Samples 20	Single	0.1098	0.1308	0.5194	0.653
GradientShap Baselines	Single	0.1098	0.1308	0.5194	0.653
Combined Zng N	Single	0.1098	0.1308	0.5194	0.653
Samples 20	Single	0.1098	0.1308	0.5194	0.653
GradientShap Baselines	Single	0.1092	0.134	0.5208	0.6518
Combined Zng N	Single	0.1092	0.134	0.5208	0.6518
Samples 40	Single	0.1092	0.134	0.5208	0.6518
GradientShap Baselines	Single	0.1092	0.134	0.5208	0.6518
Combined Zng N	Single	0.1092	0.134	0.5208	0.6518
Samples 40	Single	0.1092	0.134	0.5208	0.6518
GuidedBackprop	Single	0.0548	0.0674	0.5052	0.629
GuidedBackprop	Single	0.0548	0.0674	0.5052	0.629
InputXGradient	Single	0.1474	0.1824	0.4816	0.5984
InputXGradient	Single	0.1474	0.1824	0.4816	0.5984
IntegratedGradients	Single	0.1168	0.1446	0.5126	0.6358
Baselines Zero N Steps	Single	0.1168	0.1446	0.5126	0.6358
200	Single	0.1168	0.1446	0.5126	0.6358
IntegratedGradients	Single	0.1168	0.1446	0.5126	0.6358
Baselines Zero N Steps	Single	0.1168	0.1446	0.5126	0.6358
200	Single	0.1168	0.1446	0.5126	0.6358
IntegratedGradients	Single	0.1138	0.1422	0.5136	0.6376
Baselines Zero N Steps	Single	0.1138	0.1422	0.5136	0.6376
50	Single	0.1138	0.1422	0.5136	0.6376
IntegratedGradients	Single	0.1138	0.1422	0.5136	0.6376
Baselines Zero N Steps	Single	0.1138	0.1422	0.5136	0.6376
50	Single	0.1138	0.1422	0.5136	0.6376
Occlusion Baselines	Single	0.124	0.1486	0.4736	0.5854
Global Mean Patch Size	Single	0.124	0.1486	0.4736	0.5854
16	Single	0.124	0.1486	0.4736	0.5854

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.124	0.1486	0.4736	0.5854
Global Mean Patch Size 16					
Saliency	Single	0.1216	0.15	0.5094	0.6368
Saliency	Single	0.1216	0.15	0.5094	0.6368

Table 325: ImageNet–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.0358	0.0364	0.0464	0.3468	0.0152	0.0146	0.1976	0.1956	0.5082	0.1902	0.0516	0.0248
Borda (n=3)	Ensemble	0.0424	0.0436	0.0596	0.329	0.016	0.0168	0.208	0.2086	0.5156	0.1994	0.0446	0.0236
Borda (n=4)	Ensemble	0.0482	0.0504	0.0716	0.3124	0.0184	0.0202	0.2064	0.2076	0.5148	0.1966	0.0486	0.0276
Borda (n=5)	Ensemble	0.0536	0.0564	0.0798	0.3054	0.0196	0.0202	0.2056	0.2076	0.51	0.1868	0.0556	0.0384
Borda (n=6)	Ensemble	0.0554	0.057	0.0846	0.3012	0.025	0.0282	0.1958	0.1968	0.515	0.1868	0.0632	0.045
Borda (n=7)	Ensemble	0.0586	0.0626	0.0888	0.2958	0.0232	0.026	0.2034	0.201	0.5266	0.209	0.0792	0.0796
Borda (n=8)	Ensemble	0.0606	0.0594	0.088	0.2998	0.0202	0.0166	0.1954	0.192	0.52	0.1936	0.0772	0.0742
Kemeny Young (n=2)	Ensemble	0.0358	0.0364	0.0464	0.3468	0.0152	0.0146	0.1976	0.1956	0.5082	0.1902	0.0516	0.0248
Kemeny Young (n=3)	Ensemble	0.0424	0.0436	0.0596	0.329	0.016	0.0168	0.208	0.2086	0.5156	0.1994	0.0446	0.0236
Kemeny Young (n=4)	Ensemble	0.0482	0.0504	0.0716	0.3124	0.0184	0.0202	0.2064	0.2076	0.5148	0.1966	0.0486	0.0276
Kemeny Young (n=5)	Ensemble	0.0536	0.0564	0.0798	0.3054	0.0196	0.0202	0.2056	0.2076	0.51	0.1868	0.0556	0.0384
Kemeny Young (n=6)	Ensemble	0.0554	0.057	0.0846	0.3012	0.025	0.0282	0.1958	0.1968	0.515	0.1868	0.0632	0.045
Kemeny Young (n=7)	Ensemble	0.0586	0.0626	0.0888	0.2958	0.0232	0.026	0.2034	0.201	0.5266	0.209	0.0792	0.0796
Kemeny Young (n=8)	Ensemble	0.0606	0.0594	0.088	0.2998	0.0202	0.0166	0.1954	0.192	0.52	0.1936	0.0772	0.0742
RRF (n=2)	Ensemble	0.0384	0.04	0.0496	0.3448	0.0172	0.0168	0.2122	0.205	0.508	0.1866	0.0898	0.0896
RRF (n=3)	Ensemble	0.044	0.0458	0.0626	0.3274	0.0176	0.0182	0.1926	0.1904	0.501	0.1738	0.0782	0.0726
RRF (n=4)	Ensemble	0.0512	0.0484	0.0702	0.3204	0.0192	0.016	0.1916	0.1842	0.5004	0.168	0.0758	0.0682
RRF (n=5)	Ensemble	0.0524	0.0522	0.0778	0.309	0.0198	0.0194	0.2086	0.2158	0.5138	0.195	0.094	0.0978
RRF (n=6)	Ensemble	0.0608	0.0622	0.0848	0.3008	0.0236	0.023	0.192	0.1898	0.512	0.1914	0.0748	0.0754
RRF (n=7)	Ensemble	0.0602	0.0598	0.0858	0.2996	0.0188	0.0198	0.2052	0.2148	0.5246	0.2134	0.0746	0.067
RRF (n=8)	Ensemble	0.0606	0.0616	0.0888	0.2948	0.0228	0.0206	0.2038	0.2148	0.5374	0.2342	0.0896	0.09
Schulze (n=2)	Ensemble	0.0362	0.035	0.0446	0.3492	0.0128	0.0148	0.207	0.2024	0.505	0.1804	0.0872	0.0854
Schulze (n=3)	Ensemble	0.0498	0.0466	0.0614	0.3314	0.0216	0.0174	0.1936	0.1928	0.5004	0.1736	0.0792	0.0778
Schulze (n=4)	Ensemble	0.0454	0.046	0.0628	0.3264	0.0166	0.0156	0.1922	0.1786	0.4948	0.1568	0.0758	0.0648
Schulze (n=5)	Ensemble	0.0552	0.0564	0.0832	0.2988	0.0134	0.0152	0.198	0.1888	0.4984	0.1698	0.0826	0.0808
Schulze (n=6)	Ensemble	0.0708	0.072	0.096	0.2882	0.0314	0.036	0.1996	0.1886	0.502	0.1734	0.0854	0.0848
Schulze (n=7)	Ensemble	0.0672	0.0704	0.103	0.277	0.0264	0.0254	0.2036	0.1974	0.5064	0.1768	0.0862	0.0822
Schulze (n=8)	Ensemble	0.0682	0.0718	0.1044	0.2774	0.0184	0.0192	0.2002	0.1942	0.5056	0.1826	0.086	0.085
Norm Ensemble (n=2)	Ensemble	0.048	0.0508	0.0586	0.3304	0.019	0.0226	0.2024	0.1972	0.4978	0.176	0.0872	0.0858
Norm Ensemble (n=3)	Ensemble	0.0602	0.0626	0.0814	0.3042	0.0206	0.0188	0.204	0.2012	0.4972	0.1696	0.0856	0.0834
Norm Ensemble (n=4)	Ensemble	0.0586	0.0612	0.0812	0.3036	0.0226	0.0206	0.2006	0.1932	0.5008	0.1666	0.0892	0.0824
Norm Ensemble (n=5)	Ensemble	0.0616	0.0604	0.0842	0.3032	0.0244	0.0246	0.2092	0.2074	0.5084	0.1804	0.097	0.092
Norm Ensemble (n=6)	Ensemble	0.0614	0.0616	0.0872	0.2988	0.0186	0.0168	0.199	0.1964	0.5102	0.1824	0.0838	0.0822
Norm Ensemble (n=7)	Ensemble	0.0676	0.0664	0.0942	0.2894	0.0258	0.0226	0.1928	0.1828	0.4986	0.1644	0.0598	0.044
Norm Ensemble (n=8)	Ensemble	0.068	0.0718	0.0986	0.2826	0.0256	0.027	0.2192	0.2276	0.5102	0.1856	0.0746	0.0612
Deconvolution	Single	0.1264	0.133	0.1916	0.1752	0.0506	0.0492	0.2032	0.1924	0.4976	0.171	0.0804	0.0728
Deconvolution	Single	0.1264	0.133	0.1916	0.1752	0.0506	0.0492	0.2032	0.1924	0.4976	0.171	0.0804	0.0728
DeepLIFT SHAP	Single	0.1804	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1804	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1804	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.1804	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.1804	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Global Mean													
DeepLIFT Baselines	Single	0.1804	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
Global Mean													
FeatureAblation Patch	Single	0.0556	0.0576	0.0768	0.3096	0.0196	0.0194	0.2244	0.2444	0.3802	0.0498	0.0734	0.0758
Size 16													
FeatureAblation Patch	Single	0.0556	0.0576	0.0768	0.3096	0.0196	0.0194	0.2244	0.2444	0.3802	0.0498	0.0734	0.0758
Size 16													
GradientShap Baselines	Single	0.0702	0.0676	0.1064	0.2794	0.0212	0.0166	0.1982	0.1988	0.5018	0.1772	0.085	0.0844
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.0702	0.0676	0.1064	0.2794	0.0212	0.0166	0.1982	0.1988	0.5018	0.1772	0.085	0.0844
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.0702	0.072	0.1062	0.276	0.0216	0.0204	0.2036	0.1966	0.504	0.1732	0.0908	0.0908
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.0702	0.072	0.1062	0.276	0.0216	0.0204	0.2036	0.1966	0.504	0.1732	0.0908	0.0908
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.037	0.0352	0.0522	0.3402	0.0156	0.0152	0.1972	0.184	0.4896	0.1788	0.0598	0.051
GuidedBackprop	Single	0.037	0.0352	0.0522	0.3402	0.0156	0.0152	0.1972	0.184	0.4896	0.1788	0.0598	0.051
InputXGradient	Single	0.0984	0.1038	0.145	0.2272	0.0358	0.0432	0.1852	0.1876	0.466	0.1258	0.082	0.0838
InputXGradient	Single	0.0984	0.1038	0.145	0.2272	0.0358	0.0432	0.1852	0.1876	0.466	0.1258	0.082	0.0838
IntegratedGradients	Single	0.079	0.0812	0.114	0.265	0.0178	0.021	0.1988	0.1872	0.4954	0.1618	0.0866	0.0788
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.079	0.0812	0.114	0.265	0.0178	0.021	0.1988	0.1872	0.4954	0.1618	0.0866	0.0788
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.0746	0.0776	0.111	0.2678	0.016	0.021	0.2004	0.1906	0.496	0.1638	0.0888	0.08
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.0746	0.0776	0.111	0.2678	0.016	0.021	0.2004	0.1906	0.496	0.1638	0.0888	0.08
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 16	Single	0.0832	0.0816	0.1208	0.2632	0.0298	0.0256	0.2112	0.2292	0.4606	0.1576	0.0742	0.0732
Occlusion Baselines Global Mean Patch Size 16	Single	0.0832	0.0816	0.1208	0.2632	0.0298	0.0256	0.2112	0.2292	0.4606	0.1576	0.0742	0.0732
Saliency	Single	0.0834	0.0864	0.119	0.2606	0.0294	0.0356	0.183	0.1838	0.4914	0.1806	0.0722	0.0636
Saliency	Single	0.0834	0.0864	0.119	0.2606	0.0294	0.0356	0.183	0.1838	0.4914	0.1806	0.0722	0.0636

Table 326: ImageNet–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.4414	0.6258	0.5446	0.897	0.19	0.159	0.4278	0.0126	0.0548	0.04
Borda	0.4136	0.6282	0.5016	0.9038	0.1958	0.1752	0.4018	0.0356	0.0692	0.0672
Kemeny Young	0.4126	0.6298	0.5108	0.9094	0.1912	0.1726	0.399	0.0152	0.051	0.0508
RRF	0.4188	0.6256	0.511	0.893	0.2046	0.1906	0.4068	0.0288	0.0698	0.0716
Schulze	0.4168	0.6244	0.513	0.8904	0.193	0.1794	0.4038	0.0248	0.064	0.0714
Simple Averaging	0.4516	0.6248	0.57	0.8924	0.1984	0.1846	0.436	0.0356	0.0702	0.0606
Borda (Independence)	0.4108	0.628	0.5028	0.9084	0.1882	0.1666	0.399	0.0238	0.0584	0.0582
Kemeny Young (Independence)	0.4224	0.6284	0.5236	0.9084	0.194	0.1776	0.4092	0.0064	0.0532	0.055
RRF (Independence)	0.4154	0.6248	0.5064	0.8936	0.1974	0.1872	0.4032	0.0234	0.066	0.061
Schulze (Independence)	0.4176	0.623	0.5128	0.8898	0.1932	0.181	0.405	0.0194	0.0594	0.0558
SimpleAvg (Independence)	0.4498	0.6244	0.5646	0.8894	0.199	0.1836	0.4348	0.0298	0.0672	0.0602

Table 327: ImageNet–ResNet-18

Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Best Explanation	0.2954	0.6108	0.3486	0.84	0.1584	0.1454	0.2884	0.0126	0.0488	0.0352
Borda	0.2746	0.6146	0.3254	0.857	0.1542	0.139	0.2676	0.1284	0.0422	0.0326
Kemeny Young	0.2956	0.6122	0.354	0.8586	0.1582	0.1502	0.2896	0.1044	0.0478	0.0398
RRF	0.2988	0.6086	0.3566	0.8368	0.1676	0.1544	0.2918	0.107	0.058	0.0516
Schulze	0.2886	0.611	0.3458	0.8356	0.1668	0.1584	0.2814	0.1178	0.0566	0.06
Simple Averaging	0.3372	0.6118	0.4156	0.8374	0.1756	0.1712	0.328	0.044	0.0568	0.0546
Borda (Independence)	0.2902	0.6158	0.3462	0.858	0.1588	0.1494	0.2832	0.1074	0.0548	0.0466
Kemeny Young (Independence)	0.3016	0.6146	0.3582	0.8548	0.1574	0.1468	0.294	0.102	0.0528	0.0406
RRF (Independence)	0.2928	0.6074	0.346	0.8348	0.1628	0.1522	0.286	0.1116	0.0532	0.0424
Schulze (Independence)	0.303	0.6104	0.3638	0.8316	0.1688	0.1608	0.296	0.094	0.058	0.0582
SimpleAvg (Independence)	0.3342	0.61	0.41	0.8348	0.1774	0.1754	0.3256	0.0468	0.0596	0.057

Table 328: ImageNet-ResNet-18

					AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom						
Best Explanation	0.1214	0.5744	0.149	0.7492	0.0766	0.0806	0.1174	0.0626	0.0314	0.0276
Borda	0.1198	0.5816	0.1442	0.7572	0.0764	0.0766	0.1174	0.2704	0.0206	0.0162
Kemeny Young	0.1544	0.5784	0.1852	0.748	0.0934	0.0904	0.1508	0.2322	0.0314	0.0274
RRF	0.1416	0.5736	0.1688	0.745	0.0918	0.089	0.1378	0.2496	0.038	0.0332
Schulze	0.1314	0.575	0.1586	0.7452	0.0896	0.0894	0.1282	0.2558	0.0348	0.0324
Simple Averaging	0.1776	0.5708	0.2146	0.7418	0.1132	0.117	0.1736	0.2002	0.046	0.0458
Borda (Independence)	0.1406	0.5854	0.1692	0.7534	0.0838	0.0844	0.1372	0.2482	0.0278	0.0242
Kemeny Young (Independence)	0.1564	0.5794	0.1856	0.7566	0.0876	0.0838	0.1526	0.2336	0.0364	0.0314
RRF (Independence)	0.1442	0.5708	0.1752	0.7444	0.0938	0.0932	0.1406	0.2428	0.0332	0.0342
Schulze (Independence)	0.1426	0.568	0.1722	0.7408	0.0922	0.0918	0.139	0.2422	0.0304	0.031
SimpleAvg (Independence)	0.1726	0.5716	0.2066	0.7382	0.1114	0.1136	0.169	0.2082	0.0456	0.0458

Table 329: ImageNet–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.5278	0.6318	0.6832	0.9282	0.1684	0.1024	0.5024	0.0184	0.0578	0.026
Borda	0.4942	0.6324	0.6206	0.9372	0.2064	0.1788	0.4748	0.0038	0.0632	0.0616
Kemeny Young	0.5024	0.6322	0.6344	0.9414	0.2018	0.1746	0.4816	0.0178	0.0552	0.0558
RRF	0.4892	0.6316	0.6132	0.9276	0.2012	0.1754	0.4692	0.008	0.0602	0.0572
Schulze	0.5028	0.6326	0.6252	0.9278	0.2098	0.1878	0.4826	0.0006	0.069	0.0638
Simple Averaging	0.5198	0.6306	0.669	0.9292	0.2	0.1796	0.4962	0.0482	0.0726	0.0686
Borda (Independence)	0.4962	0.6304	0.6228	0.9432	0.1994	0.1746	0.4756	0.0052	0.0614	0.0566
Kemeny Young (Independence)	0.5022	0.631	0.6406	0.9422	0.1936	0.1694	0.4804	0.0284	0.0556	0.056
RRF (Independence)	0.498	0.6308	0.624	0.927	0.202	0.1794	0.4768	0.0046	0.0626	0.0592
Schulze (Independence)	0.4992	0.63	0.6268	0.9266	0.206	0.1882	0.4792	0.0082	0.0634	0.0554
SimpleAvg (Independence)	0.5174	0.6288	0.6636	0.9286	0.2026	0.1808	0.4946	0.045	0.0732	0.063

Table 330: ImageNet–ResNet-18

	Acc Replace Top	Acc Replace Bottom	Cons Replace Top	Cons Replace Bottom	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15
Method										
Best Explanation	0.0548	0.5208	0.0674	0.653	0.037	0.0352	0.0522	0.0182	0.0156	0.0152
Borda	0.0612	0.5356	0.0756	0.6736	0.0424	0.0436	0.0596	0.329	0.016	0.0168
Kemeny Young	0.0822	0.5292	0.103	0.6652	0.0536	0.0564	0.0798	0.3054	0.0196	0.0202
RRF	0.065	0.5206	0.081	0.653	0.044	0.0458	0.0626	0.3274	0.0176	0.0182
Schulze	0.0634	0.521	0.075	0.6546	0.0498	0.0466	0.0614	0.3314	0.0216	0.0174
Simple Averaging	0.0838	0.517	0.1018	0.644	0.0602	0.0626	0.0814	0.3042	0.0206	0.0188
Borda (Independence)	0.074	0.5344	0.0944	0.6734	0.0482	0.0504	0.0716	0.3124	0.0184	0.0202
Kemeny Young (Independence)	0.0872	0.5332	0.1082	0.6664	0.0554	0.057	0.0846	0.3012	0.025	0.0282
RRF (Independence)	0.072	0.5198	0.0872	0.6466	0.0512	0.0484	0.0702	0.3204	0.0192	0.016
Schulze (Independence)	0.0648	0.513	0.08	0.6374	0.0454	0.046	0.0628	0.3264	0.0166	0.0156
SimpleAvg (Independence)	0.0836	0.5184	0.1024	0.6432	0.0586	0.0612	0.0812	0.3036	0.0226	0.0206

Table 331: ImageNet-ResNet-18

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.309	0.3738	0.6174	0.8478
Borda (n=3)	Ensemble	0.3204	0.3834	0.617	0.8512
Borda (n=4)	Ensemble	0.3286	0.3964	0.6178	0.8538
Borda (n=5)	Ensemble	0.3372	0.4062	0.6206	0.86
Borda (n=6)	Ensemble	0.3462	0.4158	0.6208	0.8732
Borda (n=7)	Ensemble	0.3536	0.4264	0.622	0.8682
Borda (n=8)	Ensemble	0.3546	0.4314	0.623	0.869
Kemeny Young (n=2)	Ensemble	0.309	0.3738	0.6174	0.8478
Kemeny Young (n=3)	Ensemble	0.3204	0.3834	0.617	0.8512
Kemeny Young (n=4)	Ensemble	0.3286	0.3964	0.6178	0.8538
Kemeny Young (n=5)	Ensemble	0.3372	0.4062	0.6206	0.86
Kemeny Young (n=6)	Ensemble	0.3462	0.4158	0.6208	0.8732
Kemeny Young (n=7)	Ensemble	0.3536	0.4264	0.622	0.8682
Kemeny Young (n=8)	Ensemble	0.3546	0.4314	0.623	0.869
RRF (n=2)	Ensemble	0.3052	0.3666	0.618	0.8594
RRF (n=3)	Ensemble	0.341	0.4136	0.615	0.852
RRF (n=4)	Ensemble	0.3382	0.412	0.6178	0.8538
RRF (n=5)	Ensemble	0.3438	0.4162	0.621	0.861
RRF (n=6)	Ensemble	0.3576	0.4326	0.623	0.8628
RRF (n=7)	Ensemble	0.3704	0.4494	0.6218	0.862
RRF (n=8)	Ensemble	0.3714	0.4496	0.6206	0.8702
Schulze (n=2)	Ensemble	0.3126	0.374	0.6168	0.856
Schulze (n=3)	Ensemble	0.3292	0.4006	0.6162	0.8506
Schulze (n=4)	Ensemble	0.3414	0.4142	0.6166	0.8534
Schulze (n=5)	Ensemble	0.3618	0.4396	0.6178	0.8546
Schulze (n=6)	Ensemble	0.3806	0.4666	0.6172	0.8556
Schulze (n=7)	Ensemble	0.389	0.4756	0.6162	0.8546
Schulze (n=8)	Ensemble	0.388	0.4696	0.6158	0.8534
Norm Ensemble (n=2)	Ensemble	0.3388	0.412	0.6168	0.8596
Norm Ensemble (n=3)	Ensemble	0.3804	0.4672	0.6166	0.852
Norm Ensemble (n=4)	Ensemble	0.3774	0.4634	0.615	0.8526
Norm Ensemble (n=5)	Ensemble	0.363	0.4468	0.6196	0.8626
Norm Ensemble (n=6)	Ensemble	0.3686	0.4512	0.622	0.8554
Norm Ensemble (n=7)	Ensemble	0.3694	0.4528	0.6182	0.8546
Norm Ensemble (n=8)	Ensemble	0.3694	0.4466	0.614	0.8262
Deconvolution	Single	0.4774	0.6036	0.6138	0.8396
DeepLIFT	Single				
DeepLIFT SHAP	Single				
FeatureAblation	Single				
GradientShap	Single				
GuidedBackprop	Single	0.341	0.4098	0.6008	0.8146
InputXGradient	Single	0.4334	0.5406	0.6116	0.8384
IntegratedGradients	Single				
Occlusion	Single				
Saliency	Single	0.4132	0.5002	0.6102	0.8414

Table 332: ImageNet–ResNet-18

Method	Type	Acc	Cons	Acc	Cons
		Replace Top	Replace Top	Replace Bottom	Replace Bottom
Borda (n=2)	Ensemble	0.309	0.3738	0.6174	0.8478
Borda (n=3)	Ensemble	0.3204	0.3834	0.617	0.8512
Borda (n=4)	Ensemble	0.3286	0.3964	0.6178	0.8538
Borda (n=5)	Ensemble	0.3372	0.4062	0.6206	0.86
Borda (n=6)	Ensemble	0.3462	0.4158	0.6208	0.8732
Borda (n=7)	Ensemble	0.3536	0.4264	0.622	0.8682
Borda (n=8)	Ensemble	0.3546	0.4314	0.623	0.869
Kemeny Young (n=2)	Ensemble	0.309	0.3738	0.6174	0.8478
Kemeny Young (n=3)	Ensemble	0.3204	0.3834	0.617	0.8512
Kemeny Young (n=4)	Ensemble	0.3286	0.3964	0.6178	0.8538
Kemeny Young (n=5)	Ensemble	0.3372	0.4062	0.6206	0.86
Kemeny Young (n=6)	Ensemble	0.3462	0.4158	0.6208	0.8732
Kemeny Young (n=7)	Ensemble	0.3536	0.4264	0.622	0.8682
Kemeny Young (n=8)	Ensemble	0.3546	0.4314	0.623	0.869
RRF (n=2)	Ensemble	0.3052	0.3666	0.618	0.8594
RRF (n=3)	Ensemble	0.341	0.4136	0.615	0.852
RRF (n=4)	Ensemble	0.3382	0.412	0.6178	0.8538
RRF (n=5)	Ensemble	0.3438	0.4162	0.621	0.861
RRF (n=6)	Ensemble	0.3576	0.4326	0.623	0.8628
RRF (n=7)	Ensemble	0.3704	0.4494	0.6218	0.862
RRF (n=8)	Ensemble	0.3714	0.4496	0.6206	0.8702
Schulze (n=2)	Ensemble	0.3126	0.374	0.6168	0.856
Schulze (n=3)	Ensemble	0.3292	0.4006	0.6162	0.8506
Schulze (n=4)	Ensemble	0.3414	0.4142	0.6166	0.8534
Schulze (n=5)	Ensemble	0.3618	0.4396	0.6178	0.8546
Schulze (n=6)	Ensemble	0.3806	0.4666	0.6172	0.8556
Schulze (n=7)	Ensemble	0.389	0.4756	0.6162	0.8546
Schulze (n=8)	Ensemble	0.388	0.4696	0.6158	0.8534
Norm Ensemble (n=2)	Ensemble	0.3388	0.412	0.6168	0.8596
Norm Ensemble (n=3)	Ensemble	0.3804	0.4672	0.6166	0.852
Norm Ensemble (n=4)	Ensemble	0.3774	0.4634	0.615	0.8526
Norm Ensemble (n=5)	Ensemble	0.363	0.4468	0.6196	0.8626
Norm Ensemble (n=6)	Ensemble	0.3686	0.4512	0.622	0.8554
Norm Ensemble (n=7)	Ensemble	0.3694	0.4528	0.6182	0.8546
Norm Ensemble (n=8)	Ensemble	0.3694	0.4466	0.614	0.8262
Deconvolution	Single	0.4774	0.6036	0.6138	0.8396
Deconvolution	Single	0.4774	0.6036	0.6138	0.8396
DeepLIFT SHAP	Single	0.5562	0.7232	0.5308	0.6838
Baselines Combined Zng	Single	0.5562	0.7232	0.5308	0.6838
DeepLIFT SHAP	Single	0.5562	0.7232	0.5308	0.6838
Baselines Combined Zng	Single	0.5562	0.7232	0.5308	0.6838
DeepLIFT SHAP	Single	0.5562	0.7232	0.5308	0.6838
Baselines Combined Zng	Single	0.5562	0.7232	0.5308	0.6838
Global Mean	Single	0.5562	0.7232	0.5308	0.6838
DeepLIFT Baselines	Single	0.5562	0.7232	0.5308	0.6838
Global Mean	Single	0.5562	0.7232	0.5308	0.6838
FeatureAblation Patch	Single	0.3584	0.4378	0.59	0.7778
Size 14	Single	0.3584	0.4378	0.59	0.7778
FeatureAblation Patch	Single	0.3584	0.4378	0.59	0.7778
Size 14	Single	0.3584	0.4378	0.59	0.7778
GradientShap Baselines	Single	0.393	0.4878	0.617	0.8532
Combined Zng N	Single	0.393	0.4878	0.617	0.8532
Samples 20	Single	0.393	0.4878	0.617	0.8532
GradientShap Baselines	Single	0.393	0.4878	0.617	0.8532
Combined Zng N	Single	0.393	0.4878	0.617	0.8532
Samples 20	Single	0.393	0.4878	0.617	0.8532
GradientShap Baselines	Single	0.3994	0.4866	0.6166	0.8596
Combined Zng N	Single	0.3994	0.4866	0.6166	0.8596
Samples 40	Single	0.3994	0.4866	0.6166	0.8596
GradientShap Baselines	Single	0.3994	0.4866	0.6166	0.8596
Combined Zng N	Single	0.3994	0.4866	0.6166	0.8596
Samples 40	Single	0.3994	0.4866	0.6166	0.8596
GuidedBackprop	Single	0.341	0.4098	0.6008	0.8146
GuidedBackprop	Single	0.341	0.4098	0.6008	0.8146
InputXGradient	Single	0.4334	0.5406	0.6116	0.8384
InputXGradient	Single	0.4334	0.5406	0.6116	0.8384
IntegratedGradients	Single	0.401	0.4894	0.6178	0.8482
Baselines Zero N Steps	Single	0.401	0.4894	0.6178	0.8482
200	Single	0.401	0.4894	0.6178	0.8482
IntegratedGradients	Single	0.401	0.4894	0.6178	0.8482
Baselines Zero N Steps	Single	0.401	0.4894	0.6178	0.8482
200	Single	0.401	0.4894	0.6178	0.8482
IntegratedGradients	Single	0.402	0.491	0.6178	0.848
Baselines Zero N Steps	Single	0.402	0.491	0.6178	0.848
50	Single	0.402	0.491	0.6178	0.848
IntegratedGradients	Single	0.402	0.491	0.6178	0.848
Baselines Zero N Steps	Single	0.402	0.491	0.6178	0.848
50	Single	0.402	0.491	0.6178	0.848
Occlusion Baselines	Single	0.397	0.4844	0.6122	0.8322
Global Mean Patch Size	Single	0.397	0.4844	0.6122	0.8322
14	Single	0.397	0.4844	0.6122	0.8322

Method	Type	Acc Replace Top	Cons Replace Top	Acc Replace Bottom	Cons Replace Bottom
Occlusion Baselines	Single	0.397	0.4844	0.6122	0.8322
Global Mean Patch Size 14	Single	0.4132	0.5002	0.6102	0.8414
Saliency	Single	0.4132	0.5002	0.6102	0.8414

Table 333: ImageNet-ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.1698	0.1572	0.301	0.1048	0.0586	0.06	0.1646	0.0922	0.5784	0.1584	0.0552	0.0246
Borda (n=3)	Ensemble	0.1748	0.1614	0.3128	0.0876	0.0502	0.0402	0.1672	0.097	0.58	0.1606	0.0594	0.032
Borda (n=4)	Ensemble	0.1746	0.1618	0.3202	0.0762	0.0594	0.053	0.164	0.0966	0.5798	0.1616	0.0604	0.0376
Borda (n=5)	Ensemble	0.1736	0.1624	0.329	0.0644	0.0642	0.0532	0.1682	0.1082	0.5822	0.1642	0.0636	0.0428
Borda (n=6)	Ensemble	0.182	0.1696	0.3386	0.0562	0.063	0.0504	0.1686	0.1198	0.5816	0.1808	0.0606	0.0534
Borda (n=7)	Ensemble	0.1842	0.1696	0.3454	0.0484	0.0626	0.0488	0.166	0.1124	0.583	0.1876	0.0642	0.0432
Borda (n=8)	Ensemble	0.1844	0.1734	0.346	0.0454	0.059	0.0482	0.1636	0.1012	0.5836	0.1872	0.0604	0.0332
Kemeny Young (n=2)	Ensemble	0.1698	0.1572	0.301	0.1048	0.0586	0.06	0.1646	0.0922	0.5784	0.1584	0.0552	0.0246
Kemeny Young (n=3)	Ensemble	0.1748	0.1614	0.3128	0.0876	0.0502	0.0402	0.1672	0.097	0.58	0.1606	0.0594	0.032
Kemeny Young (n=4)	Ensemble	0.1746	0.1618	0.3202	0.0762	0.0594	0.053	0.164	0.0966	0.5798	0.1616	0.0604	0.0376
Kemeny Young (n=5)	Ensemble	0.1736	0.1624	0.329	0.0644	0.0642	0.0532	0.1682	0.1082	0.5822	0.1642	0.0636	0.0428
Kemeny Young (n=6)	Ensemble	0.182	0.1696	0.3386	0.0562	0.063	0.0504	0.1686	0.1198	0.5816	0.1808	0.0606	0.0534
Kemeny Young (n=7)	Ensemble	0.1842	0.1696	0.3454	0.0484	0.0626	0.0488	0.166	0.1124	0.583	0.1876	0.0642	0.0432
Kemeny Young (n=8)	Ensemble	0.1844	0.1734	0.346	0.0454	0.059	0.0482	0.1636	0.1012	0.5836	0.1872	0.0604	0.0332
RRF (n=2)	Ensemble	0.1676	0.1562	0.297	0.1142	0.0606	0.0594	0.166	0.1044	0.5804	0.1714	0.0552	0.0352
RRF (n=3)	Ensemble	0.1906	0.181	0.332	0.0664	0.0636	0.0688	0.1646	0.0984	0.5768	0.1644	0.0564	0.0328
RRF (n=4)	Ensemble	0.1814	0.1748	0.3306	0.0656	0.0698	0.0692	0.1586	0.0972	0.5796	0.1652	0.0606	0.037
RRF (n=5)	Ensemble	0.1796	0.1692	0.3356	0.0602	0.0656	0.0598	0.1628	0.098	0.5828	0.1656	0.061	0.0438
RRF (n=6)	Ensemble	0.1844	0.1714	0.3496	0.0414	0.0626	0.052	0.1622	0.1062	0.5834	0.1722	0.0652	0.0438
RRF (n=7)	Ensemble	0.1938	0.1806	0.3624	0.0246	0.068	0.0586	0.1604	0.106	0.5842	0.1842	0.0632	0.0402
RRF (n=8)	Ensemble	0.1942	0.1744	0.3624	0.0262	0.0656	0.0534	0.1624	0.1082	0.5826	0.1968	0.06	0.036
Schulze (n=2)	Ensemble	0.1728	0.1602	0.3048	0.1036	0.0606	0.0552	0.164	0.1022	0.5796	0.171	0.0546	0.0322
Schulze (n=3)	Ensemble	0.1768	0.1684	0.3208	0.0754	0.0648	0.0634	0.1666	0.0992	0.5782	0.1614	0.057	0.0276
Schulze (n=4)	Ensemble	0.183	0.1786	0.3346	0.0606	0.0652	0.0692	0.1668	0.0994	0.579	0.1634	0.0608	0.0372
Schulze (n=5)	Ensemble	0.1852	0.171	0.3536	0.0398	0.059	0.046	0.1664	0.1022	0.5798	0.1614	0.0632	0.0366
Schulze (n=6)	Ensemble	0.1904	0.1786	0.3716	0.0136	0.0632	0.0492	0.1654	0.1038	0.579	0.162	0.0576	0.0312
Schulze (n=7)	Ensemble	0.196	0.1846	0.3786	0.0042	0.0624	0.0518	0.1652	0.0954	0.578	0.16	0.0592	0.0356
Schulze (n=8)	Ensemble	0.1958	0.1808	0.379	0.0108	0.0648	0.0468	0.1636	0.0992	0.578	0.1594	0.0534	0.029
Norm Ensemble (n=2)	Ensemble	0.1804	0.174	0.33	0.062	0.0652	0.0624	0.1644	0.104	0.5798	0.1748	0.056	0.0422
Norm Ensemble (n=3)	Ensemble	0.1994	0.191	0.371	0.0144	0.0694	0.0634	0.1684	0.102	0.5784	0.1658	0.059	0.0366
Norm Ensemble (n=4)	Ensemble	0.2014	0.1898	0.367	0.019	0.076	0.07	0.158	0.0954	0.5768	0.166	0.0578	0.0346
Norm Ensemble (n=5)	Ensemble	0.1848	0.1778	0.3542	0.0322	0.0578	0.0542	0.1628	0.1068	0.581	0.1714	0.0652	0.0548
Norm Ensemble (n=6)	Ensemble	0.1918	0.1818	0.36	0.0242	0.0698	0.0702	0.1668	0.1014	0.5828	0.168	0.0626	0.0334
Norm Ensemble (n=7)	Ensemble	0.1882	0.1814	0.3606	0.0218	0.0604	0.0568	0.1598	0.1016	0.5798	0.1706	0.0574	0.0364
Norm Ensemble (n=8)	Ensemble	0.1868	0.1738	0.3602	0.0282	0.0622	0.0512	0.1558	0.0728	0.5744	0.142	0.0536	0.004
Deconvolution	Single	0.2172	0.2194	0.4642	0.0934	0.0788	0.0824	0.165	0.119	0.5776	0.178	0.064	0.042
DeepLIFT	Single												
DeepLIFT SHAP	Single												
FeatureAblation	Single												
GradientShap	Single												
GuidedBackprop	Single	0.1724	0.1602	0.3322	0.087	0.0562	0.0574	0.1734	0.1248	0.567	0.193	0.0546	0.0354
InputXGradient	Single	0.2102	0.2076	0.4232	0.0604	0.0716	0.069	0.1612	0.0992	0.574	0.1528	0.0574	0.031
IntegratedGradients	Single												
Occlusion	Single												
Saliency	Single	0.2054	0.1916	0.403	0.0068	0.0656	0.0504	0.16	0.1224	0.5762	0.2268	0.058	0.0432

Table 334: ImageNet–ResNet-18

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Borda (n=2)	Ensemble	0.1698	0.1572	0.301	0.1048	0.0586	0.06	0.1646	0.0922	0.5784	0.1584	0.0552	0.0246
Borda (n=3)	Ensemble	0.1748	0.1614	0.3128	0.0876	0.0502	0.0402	0.1672	0.097	0.58	0.1606	0.0594	0.032
Borda (n=4)	Ensemble	0.1746	0.1618	0.3202	0.0762	0.0594	0.053	0.164	0.0966	0.5798	0.1616	0.0604	0.0376
Borda (n=5)	Ensemble	0.1736	0.1624	0.329	0.0644	0.0642	0.0532	0.1682	0.1082	0.5822	0.1642	0.0636	0.0428
Borda (n=6)	Ensemble	0.182	0.1696	0.3386	0.0562	0.063	0.0504	0.1686	0.1198	0.5816	0.1808	0.0606	0.0534
Borda (n=7)	Ensemble	0.1842	0.1696	0.3454	0.0484	0.0626	0.0488	0.166	0.1124	0.583	0.1876	0.0642	0.0432
Borda (n=8)	Ensemble	0.1844	0.1734	0.346	0.0454	0.059	0.0482	0.1636	0.1012	0.5836	0.1872	0.0604	0.0332
Kemeny Young (n=2)	Ensemble	0.1698	0.1572	0.301	0.1048	0.0586	0.06	0.1646	0.0922	0.5784	0.1584	0.0552	0.0246
Kemeny Young (n=3)	Ensemble	0.1748	0.1614	0.3128	0.0876	0.0502	0.0402	0.1672	0.097	0.58	0.1606	0.0594	0.032
Kemeny Young (n=4)	Ensemble	0.1746	0.1618	0.3202	0.0762	0.0594	0.053	0.164	0.0966	0.5798	0.1616	0.0604	0.0376
Kemeny Young (n=5)	Ensemble	0.1736	0.1624	0.329	0.0644	0.0642	0.0532	0.1682	0.1082	0.5822	0.1642	0.0636	0.0428
Kemeny Young (n=6)	Ensemble	0.182	0.1696	0.3386	0.0562	0.063	0.0504	0.1686	0.1198	0.5816	0.1808	0.0606	0.0534
Kemeny Young (n=7)	Ensemble	0.1842	0.1696	0.3454	0.0484	0.0626	0.0488	0.166	0.1124	0.583	0.1876	0.0642	0.0432
Kemeny Young (n=8)	Ensemble	0.1844	0.1734	0.346	0.0454	0.059	0.0482	0.1636	0.1012	0.5836	0.1872	0.0604	0.0332
RRF (n=2)	Ensemble	0.1676	0.1562	0.297	0.1142	0.0606	0.0594	0.166	0.1044	0.5804	0.1714	0.0552	0.0352
RRF (n=3)	Ensemble	0.1906	0.181	0.332	0.0664	0.0636	0.0688	0.1646	0.0984	0.5768	0.1644	0.0564	0.0328
RRF (n=4)	Ensemble	0.1814	0.1748	0.3306	0.0656	0.0698	0.0692	0.1586	0.0972	0.5796	0.1652	0.0606	0.037
RRF (n=5)	Ensemble	0.1796	0.1692	0.3356	0.0602	0.0656	0.0598	0.1628	0.098	0.5828	0.1656	0.061	0.0438
RRF (n=6)	Ensemble	0.1844	0.1714	0.3496	0.0414	0.0626	0.052	0.1622	0.1062	0.5834	0.1722	0.0652	0.0438
RRF (n=7)	Ensemble	0.1938	0.1806	0.3624	0.0246	0.068	0.0586	0.1604	0.106	0.5842	0.1842	0.0632	0.0402
RRF (n=8)	Ensemble	0.1942	0.1744	0.3624	0.0262	0.0656	0.0534	0.1624	0.1082	0.5826	0.1968	0.06	0.036
Schulze (n=2)	Ensemble	0.1728	0.1602	0.3048	0.1036	0.0606	0.0552	0.164	0.1022	0.5796	0.171	0.0546	0.0322
Schulze (n=3)	Ensemble	0.1768	0.1684	0.3208	0.0754	0.0648	0.0634	0.1666	0.0992	0.5782	0.1614	0.057	0.0276
Schulze (n=4)	Ensemble	0.183	0.1786	0.3346	0.0606	0.0652	0.0692	0.1668	0.0994	0.579	0.1634	0.0608	0.0372
Schulze (n=5)	Ensemble	0.1852	0.171	0.3536	0.0398	0.059	0.046	0.1664	0.1022	0.5798	0.1614	0.0632	0.0366
Schulze (n=6)	Ensemble	0.1904	0.1786	0.3716	0.0136	0.0632	0.0492	0.1654	0.1038	0.579	0.162	0.0576	0.0312
Schulze (n=7)	Ensemble	0.196	0.1846	0.3786	0.0042	0.0624	0.0518	0.1652	0.0954	0.578	0.16	0.0592	0.0356
Schulze (n=8)	Ensemble	0.1958	0.1808	0.379	0.0108	0.0648	0.0468	0.1636	0.0992	0.578	0.1594	0.0534	0.029
Norm Ensemble (n=2)	Ensemble	0.1804	0.174	0.33	0.062	0.0652	0.0624	0.1644	0.104	0.5798	0.1748	0.056	0.0422
Norm Ensemble (n=3)	Ensemble	0.1994	0.191	0.371	0.0144	0.0694	0.0634	0.1684	0.102	0.5784	0.1658	0.059	0.0366
Norm Ensemble (n=4)	Ensemble	0.2014	0.1898	0.367	0.019	0.076	0.07	0.158	0.0954	0.5768	0.166	0.0578	0.0346
Norm Ensemble (n=5)	Ensemble	0.1848	0.1778	0.3542	0.0322	0.0578	0.0542	0.1628	0.1068	0.581	0.1714	0.0652	0.0548
Norm Ensemble (n=6)	Ensemble	0.1918	0.1818	0.36	0.0242	0.0698	0.0702	0.1668	0.1014	0.5828	0.168	0.0626	0.0334
Norm Ensemble (n=7)	Ensemble	0.1882	0.1814	0.3606	0.0218	0.0604	0.0568	0.1598	0.1016	0.5798	0.1706	0.0574	0.0364
Norm Ensemble (n=8)	Ensemble	0.1868	0.1738	0.3602	0.0282	0.0622	0.0512	0.1558	0.0728	0.5744	0.142	0.0536	0.004
Deconvolution	Single	0.2172	0.2194	0.4642	0.0934	0.0788	0.0824	0.165	0.119	0.5776	0.178	0.064	0.042
Deconvolution	Single	0.2172	0.2194	0.4642	0.0934	0.0788	0.0824	0.165	0.119	0.5776	0.178	0.064	0.042
DeepLIFT SHAP	Single	0.2008	0.1872	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.2008	0.1872	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.2008	0.1872	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
Baselines Combined Zng													
DeepLIFT SHAP	Single	0.2008	0.1872	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
Baselines Combined Zng													
DeepLIFT Baselines	Single	0.2008	0.1872	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
Global Mean													
DeepLIFT Baselines	Single	0.2008	0.1872	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
Global Mean													
FeatureAblation Patch	Single	0.1962	0.1892	0.3494	0.0504	0.0756	0.0722	0.1876	0.1512	0.56	0.2276	0.0632	0.0442
Size 14													
FeatureAblation Patch	Single	0.1962	0.1892	0.3494	0.0504	0.0756	0.0722	0.1876	0.1512	0.56	0.2276	0.0632	0.0442
Size 14													
GradientShap Baselines	Single	0.1942	0.1864	0.3836	0.0088	0.0564	0.0494	0.1648	0.0988	0.579	0.1654	0.0562	0.0292
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1942	0.1864	0.3836	0.0088	0.0564	0.0494	0.1648	0.0988	0.579	0.1654	0.0562	0.0292
Combined Zng N													
Samples 20													
GradientShap Baselines	Single	0.1972	0.1822	0.3902	0.0092	0.0672	0.0474	0.1628	0.1026	0.5772	0.1694	0.0566	0.0402
Combined Zng N													
Samples 40													
GradientShap Baselines	Single	0.1972	0.1822	0.3902	0.0092	0.0672	0.0474	0.1628	0.1026	0.5772	0.1694	0.0566	0.0402
Combined Zng N													
Samples 40													
GuidedBackprop	Single	0.1724	0.1602	0.3322	0.087	0.0562	0.0574	0.1734	0.1248	0.567	0.193	0.0546	0.0354
GuidedBackprop	Single	0.1724	0.1602	0.3322	0.087	0.0562	0.0574	0.1734	0.1248	0.567	0.193	0.0546	0.0354
InputXGradient	Single	0.2102	0.2076	0.4232	0.0604	0.0716	0.069	0.1612	0.0992	0.574	0.1528	0.0574	0.031
InputXGradient	Single	0.2102	0.2076	0.4232	0.0604	0.0716	0.069	0.1612	0.0992	0.574	0.1528	0.0574	0.031
IntegratedGradients	Single	0.1972	0.1836	0.391	0.0084	0.0604	0.0486	0.1662	0.1002	0.5808	0.1608	0.0598	0.0338
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.1972	0.1836	0.391	0.0084	0.0604	0.0486	0.1662	0.1002	0.5808	0.1608	0.0598	0.0338
Baselines Zero N Steps													
200													
IntegratedGradients	Single	0.198	0.1842	0.3918	0.0092	0.064	0.051	0.1682	0.1008	0.5808	0.1608	0.0596	0.035
Baselines Zero N Steps													
50													
IntegratedGradients	Single	0.198	0.1842	0.3918	0.0092	0.064	0.051	0.1682	0.1008	0.5808	0.1608	0.0596	0.035
Baselines Zero N Steps													
50													

Method	Type	AccRob Replace Top Gaussian Std 0.15	ConsRob Replace Top Gaussian Std 0.15	AccRob Replace Top Salt Pepper Amount 0.05	ConsRob Replace Top Salt Pepper Amount 0.05	AccRob Replace Top Speckle Std 0.15	ConsRob Replace Top Speckle Std 0.15	AccRob Replace Bottom Gaussian Std 0.15	ConsRob Replace Bottom Gaussian Std 0.15	AccRob Replace Bottom Salt Pepper Amount 0.05	ConsRob Replace Bottom Salt Pepper Amount 0.05	AccRob Replace Bottom Speckle Std 0.15	ConsRob Replace Bottom Speckle Std 0.15
Occlusion Baselines Global Mean Patch Size 14	Single	0.196	0.1742	0.3834	0.0176	0.0672	0.0618	0.1734	0.1462	0.5802	0.2298	0.066	0.0458
Occlusion Baselines Global Mean Patch Size 14	Single	0.196	0.1742	0.3834	0.0176	0.0672	0.0618	0.1734	0.1462	0.5802	0.2298	0.066	0.0458
Saliency	Single	0.2054	0.1916	0.403	0.0068	0.0656	0.0504	0.16	0.1224	0.5762	0.2268	0.058	0.0432
Saliency	Single	0.2054	0.1916	0.403	0.0068	0.0656	0.0504	0.16	0.1224	0.5762	0.2268	0.058	0.0432

Table 335: ImageNet–ResNet-18

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	$R^{\mu}_{\mathcal{F}}$	$R^{\mu}_{\mathcal{F}}$	$R^{\mu}_{\mathcal{U}}$	$R^{\mu}_{\mathcal{C}}$	$R^{\mu}_{\mathcal{F}}$	$R^{\mu}_{\mathcal{F}}$	$R^{\mu}_{\mathcal{U}}$	$R^{\mu}_{\mathcal{C}}$
ImageNet	ResNet-18	CNN	Test	Best Individual	5000	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848
ImageNet	ResNet-18	CNN	Test	Simple Averaging	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946
ImageNet	ResNet-18	CNN	Test	Borda	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822
ImageNet	ResNet-18	CNN	Test	Kemeny	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522
ImageNet	ResNet-18	CNN	Test	RRF	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654
ImageNet	ResNet-18	CNN	Test	Schulze	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696

Table 336: ImageNet–ResNet-18

Dataset	Model	Architecture	Split	Method	R^c_p	R^s_p	R^c_c	R^s_c	R^a_p	R^s_p	R^a_c	R^s_c	Selected Sources
ImageNet	ResNet-18	CNN	Test	Best Individual	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0.002	3102f14ae28876c574f8 36787c1c08631f7d7356 54dddc7d798c951cf86d 73f3
ImageNet	ResNet-18	CNN	Test	Simple Averaging	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754	
ImageNet	ResNet-18	CNN	Test	Borda	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532	
ImageNet	ResNet-18	CNN	Test	Kemeny	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492	
ImageNet	ResNet-18	CNN	Test	RRF	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608	
ImageNet	ResNet-18	CNN	Test	Schulze	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506	

Table 337: ImageNet–ResNet-18

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	$R^{\mu}_{\mathcal{F}}$	$R^{\mu}_{\mathcal{F}}$	$R^{\mu}_{\mathcal{U}}$	$R^{\mu}_{\mathcal{C}}$	$R^{\mu}_{\mathcal{F}}$	$R^{\mu}_{\mathcal{F}}$	$R^{\mu}_{\mathcal{U}}$	$R^{\mu}_{\mathcal{C}}$
ImageNet	ResNet-18	CNN	Test	Best Individual	5000	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848
ImageNet	ResNet-18	CNN	Test	Simple Averaging	5000	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946
ImageNet	ResNet-18	CNN	Test	Borda	5000	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822
ImageNet	ResNet-18	CNN	Test	Kemeny	5000	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522
ImageNet	ResNet-18	CNN	Test	RRF	5000	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654
ImageNet	ResNet-18	CNN	Test	Schulze	5000	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696

Table 338: ImageNet–ResNet-18

Dataset	Model	Architecture	Split	Method	R^c_p	R^s_p	R^c_c	R^s_c	R^a_p	R^s_p	R^a_c	R^s_c	Selected Sources
ImageNet	ResNet-18	CNN	Test	Best Individual	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0.002	3102f14ae28876c574f8 36787c1c08631f7d7356 54dddc7d798c951cf86d 73f3
ImageNet	ResNet-18	CNN	Test	Simple Averaging	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754	
ImageNet	ResNet-18	CNN	Test	Borda	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532	
ImageNet	ResNet-18	CNN	Test	Kemeny	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492	
ImageNet	ResNet-18	CNN	Test	RRF	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608	
ImageNet	ResNet-18	CNN	Test	Schulze	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506	

Table 339: ImageNet–ResNet-18

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
ImageNet	ResNet-18	Best Individual	Dataset Model	All	20	19						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	All	20	1	1	0	19			
ImageNet	ResNet-18	Borda	Dataset Model	All	20	0	0	0	20	11	1	8
ImageNet	ResNet-18	Kemeny	Dataset Model	All	20	0	0	0	20	13	0	7
ImageNet	ResNet-18	RRF	Dataset Model	All	20	0	0	0	20	13	0	7
ImageNet	ResNet-18	Schulze	Dataset Model	All	20	0	0	0	20	14	0	6
ImageNet	ResNet-18	Best Individual	Dataset Model	Quality	4	3						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Quality	4	1	1	0	3			
ImageNet	ResNet-18	Borda	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Kemeny	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	RRF	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Schulze	Dataset Model	Quality	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Best Individual	Dataset Model	Robustness All	16	16						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Robustness All	16	0	0	0	16			
ImageNet	ResNet-18	Borda	Dataset Model	Robustness All	16	0	0	0	16	9	1	6
ImageNet	ResNet-18	Kemeny	Dataset Model	Robustness All	16	0	0	0	16	11	0	5
ImageNet	ResNet-18	RRF	Dataset Model	Robustness All	16	0	0	0	16	11	0	5
ImageNet	ResNet-18	Schulze	Dataset Model	Robustness All	16	0	0	0	16	12	0	4
ImageNet	ResNet-18	Best Individual	Dataset Model	Gaussian	4	4						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Gaussian	4	0	0	0	4			
ImageNet	ResNet-18	Borda	Dataset Model	Gaussian	4	0	0	0	4	2	1	1
ImageNet	ResNet-18	Kemeny	Dataset Model	Gaussian	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	RRF	Dataset Model	Gaussian	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Schulze	Dataset Model	Gaussian	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Best Individual	Dataset Model	Salt Pepper	4	4						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Salt Pepper	4	0	0	0	4			
ImageNet	ResNet-18	Borda	Dataset Model	Salt Pepper	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Kemeny	Dataset Model	Salt Pepper	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	RRF	Dataset Model	Salt Pepper	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Schulze	Dataset Model	Salt Pepper	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Best Individual	Dataset Model	Speckle	4	4						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Speckle	4	0	0	0	4			
ImageNet	ResNet-18	Borda	Dataset Model	Speckle	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Kemeny	Dataset Model	Speckle	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	RRF	Dataset Model	Speckle	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Schulze	Dataset Model	Speckle	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Best Individual	Dataset Model	Adversarial	4	4						
ImageNet	ResNet-18	Simple Averaging	Dataset Model	Adversarial	4	0	0	0	4			
ImageNet	ResNet-18	Borda	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Kemeny	Dataset Model	Adversarial	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	RRF	Dataset Model	Adversarial	4	0	0	0	4	2	0	2
ImageNet	ResNet-18	Schulze	Dataset Model	Adversarial	4	0	0	0	4	3	0	1
ImageNet	ResNet-18	Best Individual	Overall	All	80	75						
ImageNet	ResNet-18	Simple Averaging	Overall	All	80	2	2	1	77			
ImageNet	ResNet-18	Borda	Overall	All	80	1	3	0	77	44	1	35
ImageNet	ResNet-18	Kemeny	Overall	All	80	1	1	0	79	41	4	35
ImageNet	ResNet-18	RRF	Overall	All	80	3	3	1	76	43	1	36
ImageNet	ResNet-18	Schulze	Overall	All	80	0	2	0	78	46	1	33
ImageNet	ResNet-18	Best Individual	Overall	Quality	16	15						
ImageNet	ResNet-18	Simple Averaging	Overall	Quality	16	1	1	0	15			
ImageNet	ResNet-18	Borda	Overall	Quality	16	0	0	0	16	5	0	11
ImageNet	ResNet-18	Kemeny	Overall	Quality	16	0	0	0	16	4	1	11
ImageNet	ResNet-18	RRF	Overall	Quality	16	0	0	0	16	6	0	10
ImageNet	ResNet-18	Schulze	Overall	Quality	16	0	0	0	16	8	0	8
ImageNet	ResNet-18	Best Individual	Overall	Robustness All	64	60						
ImageNet	ResNet-18	Simple Averaging	Overall	Robustness All	64	1	1	1	62			
ImageNet	ResNet-18	Borda	Overall	Robustness All	64	1	3	0	61	39	1	24
ImageNet	ResNet-18	Kemeny	Overall	Robustness All	64	1	1	0	63	37	3	24
ImageNet	ResNet-18	RRF	Overall	Robustness All	64	3	3	1	60	37	1	26
ImageNet	ResNet-18	Schulze	Overall	Robustness All	64	0	2	0	62	38	1	25
ImageNet	ResNet-18	Best Individual	Overall	Gaussian	16	15						
ImageNet	ResNet-18	Simple Averaging	Overall	Gaussian	16	0	0	1	15			
ImageNet	ResNet-18	Borda	Overall	Gaussian	16	0	1	0	15	11	1	4
ImageNet	ResNet-18	Kemeny	Overall	Gaussian	16	0	0	0	16	9	1	6
ImageNet	ResNet-18	RRF	Overall	Gaussian	16	2	1	1	14	9	0	7
ImageNet	ResNet-18	Schulze	Overall	Gaussian	16	0	0	0	16	8	0	8
ImageNet	ResNet-18	Best Individual	Overall	Salt Pepper	16	15						
ImageNet	ResNet-18	Simple Averaging	Overall	Salt Pepper	16	0	0	0	16			
ImageNet	ResNet-18	Borda	Overall	Salt Pepper	16	0	1	0	15	7	0	9
ImageNet	ResNet-18	Kemeny	Overall	Salt Pepper	16	1	1	0	15	6	2	8
ImageNet	ResNet-18	RRF	Overall	Salt Pepper	16	0	1	0	15	10	1	5
ImageNet	ResNet-18	Schulze	Overall	Salt Pepper	16	0	1	0	15	8	1	7
ImageNet	ResNet-18	Best Individual	Overall	Speckle	16	14						
ImageNet	ResNet-18	Simple Averaging	Overall	Speckle	16	1	1	0	15			
ImageNet	ResNet-18	Borda	Overall	Speckle	16	1	1	0	15	12	0	4
ImageNet	ResNet-18	Kemeny	Overall	Speckle	16	0	0	0	16	12	0	4
ImageNet	ResNet-18	RRF	Overall	Speckle	16	1	1	0	15	10	0	6
ImageNet	ResNet-18	Schulze	Overall	Speckle	16	0	1	0	15	12	0	4
ImageNet	ResNet-18	Best Individual	Overall	Adversarial	16	16						
ImageNet	ResNet-18	Simple Averaging	Overall	Adversarial	16	0	0	0	16			
ImageNet	ResNet-18	Borda	Overall	Adversarial	16	0	0	0	16	9	0	7
ImageNet	ResNet-18	Kemeny	Overall	Adversarial	16	0	0	0	16	10	0	6
ImageNet	ResNet-18	RRF	Overall	Adversarial	16	0	0	0	16	8	0	8

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	16	0	0	0	16	10	0	6