

# 1 ViT-B/16

Table 1: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | Architecture | Split | Method           | Setting         | $Q$ | Source<br>Count | Sample<br>Count | $F$      | $\bar{F}$ | $C$      | $\bar{C}$ | $R^u_F$   | $R^p_F$   | $R^s_F$   | $R^+_{\bar{F}}$ |
|-------------------|----------|----------|--------------|-------|------------------|-----------------|-----|-----------------|-----------------|----------|-----------|----------|-----------|-----------|-----------|-----------|-----------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Best Individual  | Best Individual | 1   | 3               | 1000            | 0.266    | 0.258667  | 0.283667 | 0.294     | -0.051667 | 0.027     | -0.016    | 0.045333        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | NAIVE           | 11  | 3               | 1000            | 0.220333 | 0.344333  | 0.242667 | 0.395333  | -0.036667 | 0.001     | -0.012333 | 0.042333        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | Ind             | 11  | 11              | 1000            | 0.209    | 0.394     | 0.236    | 0.447     | -0.014    | 0.005     | -0.017    | 0.048           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | NAIVE           | 11  | 3               | 1000            | 0.232333 | 0.353333  | 0.255667 | 0.408     | -0.042333 | -0.020333 | -0.007667 | 0.043           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | Ind             | 11  | 11              | 1000            | 0.226    | 0.379     | 0.247    | 0.43      | -0.027    | -0.018    | -0.006    | 0.047           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | NAIVE           | 11  | 3               | 1000            | 0.245    | 0.341667  | 0.265    | 0.395333  | -0.036333 | -0.007667 | -0.005333 | 0.046667        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | Ind             | 11  | 11              | 1000            | 0.252    | 0.346     | 0.271    | 0.406     | -0.03     | 0.004     | -0.015    | 0.04            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | NAIVE           | 11  | 3               | 1000            | 0.243667 | 0.36      | 0.262667 | 0.414667  | -0.041    | -0.002    | -0.009333 | 0.044333        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | Ind             | 11  | 11              | 1000            | 0.241    | 0.377     | 0.258    | 0.431     | -0.029    | -0.012    | -0.004    | 0.043           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | NAIVE           | 11  | 3               | 1000            | 0.244333 | 0.358     | 0.266667 | 0.411667  | -0.049    | -0.013667 | -0.013667 | 0.037667        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | Ind             | 11  | 11              | 1000            | 0.227    | 0.373     | 0.247    | 0.426     | -0.011    | -0.012    | 0.007     | 0.048           |

Table 2: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | Architecture | Split | Method           | Setting         | $Q$ | Source<br>Count | $R^p_{\mathcal{C}}$ | $R^p_{\mathcal{C}}$ | $R^p_{\mathcal{C}}$ | $R^p_{\mathcal{C}}$ | $R^p_{\mathcal{E}}$ | $R^p_{\mathcal{E}}$ | $R^p_{\mathcal{E}}$ | $R^p_{\mathcal{E}}$ | $R^p_{\mathcal{C}}$ |
|-------------------|----------|----------|--------------|-------|------------------|-----------------|-----|-----------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Best Individual  | Best Individual | 1   | 3               | -0.004667           | 0.049667            | -0.008667           | 0.042667            | -0.038              | 0.009667            | 0.019667            | -0.038333           | -0.127667           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | NAIVE           | 11  | 3               | 0.004               | 0.031               | -0.004333           | 0.043333            | -0.036333           | -0.005              | 0.011333            | -0.041667           | -0.136667           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | Ind             | 11  | 11              | 0.035               | 0.033               | -0.011              | 0.046               | -0.015              | 0.002               | -0.009              | -0.055              | -0.11               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | NAIVE           | 11  | 3               | -0.000667           | 0.009667            | -0.005667           | 0.035               | 0.000333            | -0.006667           | 0.007               | -0.040667           | -0.089              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | Ind             | 11  | 11              | 0.021               | 0.013               | -0.002              | 0.047               | 0.051               | 0.041               | 0.027               | -0.034              | -0.043              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | NAIVE           | 11  | 3               | 0.005667            | 0.023333            | 0.003333            | 0.044667            | 0.002333            | 1.8504e-17          | 0.012667            | -0.036667           | -0.093333           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | Ind             | 11  | 11              | 0.029               | 0.028               | 0.002               | 0.04                | 0.047               | 0.032               | 0.033               | -0.03               | -0.034              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | NAIVE           | 11  | 3               | 0.003               | 0.031               | -0.001667           | 0.044               | 0.011333            | 0.011667            | 0.017333            | -0.035              | -0.085667           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | Ind             | 11  | 11              | 0.031               | 0.019               | 0.008               | 0.043               | 0.038               | 0.046               | 0.024               | -0.028              | -0.048              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | NAIVE           | 11  | 3               | -0.005333           | 0.018333            | -0.008333           | 0.035667            | 0.007667            | 0.007333            | 0.017               | -0.032              | -0.088333           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | Ind             | 11  | 11              | 0.038               | 0.02                | 0.018               | 0.051               | 0.045               | 0.035               | 0.028               | -0.041              | -0.048              |

Table 3: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | Architecture | Split | Method           | Setting         | $Q$ | Source<br>Count | $R^p_C$   | $R^s_C$     | $R^p_{\phi}$ | $F^p_{\text{switched}}$ | $F^s_{\text{switched}}$ | $C^p_{\text{switched}}$ | $C^s_{\text{switched}}$ | $F^p_{\text{switched}}$ | $F^s_{\text{switched}}$ |
|-------------------|----------|----------|--------------|-------|------------------|-----------------|-----|-----------------|-----------|-------------|--------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Best Individual  | Best Individual | 1   | 3               | -0.077667 | 0.006667    | -0.039333    | 0.214333                | 0.296667                | 0.279                   | 0.421667                | 0.293                   | 0.249                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | NAIVE           | 11  | 3               | -0.094333 | -0.001667   | -0.042       | 0.183667                | 0.380667                | 0.246667                | 0.532                   | 0.221333                | 0.349333                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | Ind             | 11  | 11              | -0.089    | -0.024      | -0.053       | 0.195                   | 0.409                   | 0.271                   | 0.557                   | 0.214                   | 0.392                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | NAIVE           | 11  | 3               | -0.096333 | -0.002667   | -0.042333    | 0.19                    | 0.353                   | 0.255                   | 0.497                   | 0.212                   | 0.36                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | Ind             | 11  | 11              | -0.055    | 0.012       | -0.033       | 0.199                   | 0.328                   | 0.268                   | 0.473                   | 0.208                   | 0.338                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | NAIVE           | 11  | 3               | -0.091333 | -1.8504e-17 | -0.04        | 0.208667                | 0.339333                | 0.270667                | 0.488667                | 0.237333                | 0.341667                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | Ind             | 11  | 11              | -0.059    | 0.028       | -0.025       | 0.222                   | 0.299                   | 0.3                     | 0.44                    | 0.256                   | 0.314                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | NAIVE           | 11  | 3               | -0.079    | 0.006667    | -0.035667    | 0.202667                | 0.348667                | 0.265667                | 0.500333                | 0.241667                | 0.348333                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | Ind             | 11  | 11              | -0.052    | 0.016       | -0.027       | 0.212                   | 0.339                   | 0.289                   | 0.479                   | 0.229                   | 0.331                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | NAIVE           | 11  | 3               | -0.081667 | 0.003667    | -0.034333    | 0.195333                | 0.350333                | 0.261333                | 0.5                     | 0.230667                | 0.350667                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | Ind             | 11  | 11              | -0.057    | 0.016       | -0.04        | 0.216                   | 0.328                   | 0.285                   | 0.474                   | 0.215                   | 0.338                   |

Table 4: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | Architecture | Split | Method           | Setting         | $Q$ | Source Count | $C^p_{\text{unperturbed}}$ | $C^p_{\text{perturbed}}$ | $F^s_{\text{unperturbed}}$ | $F^s_{\text{perturbed}}$ | $C^s_{\text{unperturbed}}$ | $C^s_{\text{perturbed}}$ | $F^a_{\text{unperturbed}}$ | $F^a_{\text{perturbed}}$ | $C^a_{\text{unperturbed}}$ |
|-------------------|----------|----------|--------------|-------|------------------|-----------------|-----|--------------|----------------------------|--------------------------|----------------------------|--------------------------|----------------------------|--------------------------|----------------------------|--------------------------|----------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Best Individual  | Best Individual | 1   | 3            | 0.333333                   | 0.371667                 | 0.25                       | 0.239                    | 0.275                      | 0.287333                 | 0.311333                   | 0.297                    | 0.326333                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | NAIVE           | 11  | 3            | 0.273667                   | 0.489667                 | 0.208                      | 0.333                    | 0.238333                   | 0.397                    | 0.262667                   | 0.386                    | 0.286                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | Ind             | 11  | 11           | 0.269                      | 0.536                    | 0.192                      | 0.403                    | 0.225                      | 0.471                    | 0.257                      | 0.449                    | 0.282                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | NAIVE           | 11  | 3            | 0.265333                   | 0.504333                 | 0.224667                   | 0.346333                 | 0.25                       | 0.410667                 | 0.275333                   | 0.394                    | 0.290667                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | Ind             | 11  | 11           | 0.26                       | 0.485                    | 0.22                       | 0.352                    | 0.245                      | 0.418                    | 0.273                      | 0.413                    | 0.294                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | NAIVE           | 11  | 3            | 0.288333                   | 0.486667                 | 0.239667                   | 0.329                    | 0.268333                   | 0.395333                 | 0.291667                   | 0.378333                 | 0.309667                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | Ind             | 11  | 11           | 0.299                      | 0.465                    | 0.237                      | 0.313                    | 0.273                      | 0.378                    | 0.292                      | 0.376                    | 0.311                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | NAIVE           | 11  | 3            | 0.293667                   | 0.493667                 | 0.234333                   | 0.342667                 | 0.261                      | 0.408                    | 0.288                      | 0.395                    | 0.306667                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | Ind             | 11  | 11           | 0.277                      | 0.483                    | 0.237                      | 0.353                    | 0.266                      | 0.415                    | 0.284                      | 0.405                    | 0.301                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | NAIVE           | 11  | 3            | 0.285                      | 0.493333                 | 0.230667                   | 0.341                    | 0.258333                   | 0.408                    | 0.282                      | 0.39                     | 0.302333                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | Ind             | 11  | 11           | 0.267                      | 0.483                    | 0.234                      | 0.345                    | 0.265                      | 0.41                     | 0.275                      | 0.414                    | 0.298                      |

Table 5: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | Architecture | Split | Method           | Setting         | $Q$ | Source Count | $C^*_{\text{attached}}$ | $SD(F)$  | $SD(\hat{F})$ | $SD(C)$  | $SD(\hat{C})$ | $SD(R^*_\epsilon)$ | $SD(R^*_\epsilon)$ | $SD(R^*_\epsilon)$ | $SD(R^*_\epsilon)$ |
|-------------------|----------|----------|--------------|-------|------------------|-----------------|-----|--------------|-------------------------|----------|---------------|----------|---------------|--------------------|--------------------|--------------------|--------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Best Individual  | Best Individual | 1   | 3            | 0.333333                | 0.015588 | 0.024194      | 0.018009 | 0.020664      | 0.004509           | 0.002              | 0.003              | 0.003215           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | NAIVE           | 11  | 3            | 0.437333                | 0.019088 | 0.028219      | 0.01914  | 0.028006      | 0.012741           | 0.011136           | 0.005132           | 0.004933           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | Ind             | 11  | 11           | 0.5                     |          |               |          |               |                    |                    |                    |                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | NAIVE           | 11  | 3            | 0.450333                | 0.009074 | 0.004163      | 0.010066 | 0.001732      | 0.001528           | 0.008021           | 0.012503           | 0.004359           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | Ind             | 11  | 11           | 0.463                   |          |               |          |               |                    |                    |                    |                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | NAIVE           | 11  | 3            | 0.435333                | 0.015716 | 0.020232      | 0.016523 | 0.022502      | 0.014224           | 0.011504           | 0.009074           | 0.019655           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | Ind             | 11  | 11           | 0.431                   |          |               |          |               |                    |                    |                    |                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | NAIVE           | 11  | 3            | 0.450333                | 0.015011 | 0.015133      | 0.016563 | 0.016503      | 0.008185           | 0.008888           | 0.004726           | 0.010214           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | Ind             | 11  | 11           | 0.458                   |          |               |          |               |                    |                    |                    |                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | NAIVE           | 11  | 3            | 0.446                   | 0.017039 | 0.008888      | 0.015177 | 0.012503      | 0.013892           | 0.012503           | 0.010214           | 0.005508           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | Ind             | 11  | 11           | 0.466                   |          |               |          |               |                    |                    |                    |                    |

Table 6: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | Architecture | Split | Method           | Setting         | $Q$ | Source Count | $SD(R_{\mathcal{C}}^e)$ | $SD(R_{\mathcal{C}}^p)$ | $SD(R_{\mathcal{C}}^s)$ | $SD(R_{\mathcal{C}}^v)$ | $SD(R_{\mathcal{E}}^e)$ | $SD(R_{\mathcal{E}}^p)$ | $SD(R_{\mathcal{E}}^s)$ | $SD(R_{\mathcal{E}}^v)$ | $SD(R_{\mathcal{C}}^e)$ |
|-------------------|----------|----------|--------------|-------|------------------|-----------------|-----|--------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Best Individual  | Best Individual | 1   | 3            | 0.016803                | 0.007095                | 0.004041                | 0.006658                | 0.028844                | 0.018009                | 0.010599                | 0.014572                | 0.020841                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | NAIVE           | 11  | 3            | 0.021703                | 0.010583                | 0.009292                | 0.007638                | 0.02203                 | 0.02816                 | 0.008622                | 0.008737                | 0.03166                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | Ind             | 11  | 11           |                         |                         |                         |                         |                         |                         |                         |                         |                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | NAIVE           | 11  | 3            | 0.010017                | 0.010066                | 0.008145                | 0.007                   | 0.007506                | 0.011372                | 0.010583                | 0.011547                | 0.014731                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | Ind             | 11  | 11           |                         |                         |                         |                         |                         |                         |                         |                         |                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | NAIVE           | 11  | 3            | 0.014364                | 0.008622                | 0.012097                | 0.020817                | 0.026407                | 0.020809                | 0.016258                | 0.002517                | 0.031005                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | Ind             | 11  | 11           |                         |                         |                         |                         |                         |                         |                         |                         |                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | NAIVE           | 11  | 3            | 0.008544                | 0.006245                | 0.00611                 | 0.014                   | 0.018877                | 0.008963                | 0.006028                | 0.009849                | 0.022279                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | Ind             | 11  | 11           |                         |                         |                         |                         |                         |                         |                         |                         |                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | NAIVE           | 11  | 3            | 0.012662                | 0.010786                | 0.009292                | 0.005033                | 0.009866                | 0.021127                | 0.005568                | 0.003606                | 0.020502                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | Ind             | 11  | 11           |                         |                         |                         |                         |                         |                         |                         |                         |                         |

Table 7: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | Architecture | Split | Method           | Setting         | $Q$ | Source Count | $SD(R^e_C)$ | $SD(R^s_C)$ | $SD(R^a_C)$ | $SD(F^s_{\text{estimated}})$ | $SD(F^s_{\text{estimated}})$ | $SD(C^s_{\text{estimated}})$ | $SD(C^s_{\text{estimated}})$ | $SD(F^s_{\text{estimated}})$ | $SD(F^s_{\text{estimated}})$ |
|-------------------|----------|----------|--------------|-------|------------------|-----------------|-----|--------------|-------------|-------------|-------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Best Individual  | Best Individual | 1   | 3            | 0.008622    | 0.002082    | 0.013614    | 0.011719                     | 0.013614                     | 0.010392                     | 0.019757                     | 0.015716                     | 0.023431                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | NAIVE           | 11  | 3            | 0.031086    | 0.010017    | 0.007211    | 0.013503                     | 0.038734                     | 0.014468                     | 0.044677                     | 0.02916                      | 0.037978                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | Ind             | 11  | 11           |             |             |             |                              |                              |                              |                              |                              |                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | NAIVE           | 11  | 3            | 0.017786    | 0.011504    | 0.008083    | 0.008185                     | 0.010817                     | 0.008185                     | 0.014                        | 0.016703                     | 0.014                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | Ind             | 11  | 11           |             |             |             |                              |                              |                              |                              |                              |                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | NAIVE           | 11  | 3            | 0.021733    | 0.017692    | 0.004359    | 0.001528                     | 0.009238                     | 0.002517                     | 0.012503                     | 0.006506                     | 0.018771                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | Ind             | 11  | 11           |             |             |             |                              |                              |                              |                              |                              |                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | NAIVE           | 11  | 3            | 0.010817    | 0.006658    | 0.006658    | 0.015044                     | 0.009018                     | 0.015948                     | 0.012858                     | 0.019348                     | 0.023861                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | Ind             | 11  | 11           |             |             |             |                              |                              |                              |                              |                              |                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | NAIVE           | 11  | 3            | 0.026312    | 0.009713    | 0.006658    | 0.010504                     | 0.003215                     | 0.007024                     | 0.010392                     | 0.020599                     | 0.023861                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | Ind             | 11  | 11           |             |             |             |                              |                              |                              |                              |                              |                              |



Table 8: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | Architecture | Split | Method           | Setting         | $Q$ | Source Count | $SD(C^e_{\text{perturbed}})$ | $SD(C^p_{\text{perturbed}})$ | $SD(F^e_{\text{perturbed}})$ | $SD(F^p_{\text{perturbed}})$ | $SD(C^e_{\text{perturbed}})$ | $SD(C^p_{\text{perturbed}})$ | $SD(F^e_{\text{perturbed}})$ | $SD(F^p_{\text{perturbed}})$ | $SD(C^e_{\text{perturbed}})$ |
|-------------------|----------|----------|--------------|-------|------------------|-----------------|-----|--------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Best Individual  | Best Individual | 1   | 3            | 0.014012                     | 0.025813                     | 0.018248                     | 0.016523                     | 0.015395                     | 0.019425                     | 0.012423                     | 0.033601                     | 0.01222                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | NAIVE           | 11  | 3            | 0.02558                      | 0.040649                     | 0.019975                     | 0.035791                     | 0.022502                     | 0.035553                     | 0.016773                     | 0.023643                     | 0.020075                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | Ind             | 11  | 11           |                              |                              |                              |                              |                              |                              |                              |                              |                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | NAIVE           | 11  | 3            | 0.018475                     | 0.016073                     | 0.008622                     | 0.009018                     | 0.007                        | 0.010017                     | 0.005033                     | 0.009165                     | 0.008145                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | Ind             | 11  | 11           |                              |                              |                              |                              |                              |                              |                              |                              |                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | NAIVE           | 11  | 3            | 0.010599                     | 0.022679                     | 0.007506                     | 0.012288                     | 0.00611                      | 0.01124                      | 0.004041                     | 0.017898                     | 0.005132                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | Ind             | 11  | 11           |                              |                              |                              |                              |                              |                              |                              |                              |                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | NAIVE           | 11  | 3            | 0.019502                     | 0.025325                     | 0.010693                     | 0.020841                     | 0.010817                     | 0.021633                     | 0.009849                     | 0.017776                     | 0.011504                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | Ind             | 11  | 11           |                              |                              |                              |                              |                              |                              |                              |                              |                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | NAIVE           | 11  | 3            | 0.018735                     | 0.025891                     | 0.011719                     | 0.007                        | 0.012342                     | 0.007211                     | 0.014422                     | 0.011                        | 0.013204                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | Ind             | 11  | 11           |                              |                              |                              |                              |                              |                              |                              |                              |                              |

Table 9: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | Architecture | Split | Method           | Setting         | $Q$ | Source<br>Count | $SD(C_{\text{attributer}}^*)$ | Selected<br>Individu<br>al                                                                                            |
|-------------------|----------|----------|--------------|-------|------------------|-----------------|-----|-----------------|-------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Best Individual  | Best Individual | 1   | 3               | 0.032716                      | {*C*:*FullLRP*,*Cbar*:*CheferTran<br>sformer<br>Attribution*,*F*:*FullLRP*,*Fbar*:*CheferTran<br>sformerAttribution*} |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | NAIVE           | 11  | 3               | 0.021221                      |                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | Ind             | 11  | 11              |                               |                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | NAIVE           | 11  | 3               | 0.006807                      |                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | Ind             | 11  | 11              |                               |                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | NAIVE           | 11  | 3               | 0.018148                      |                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | Ind             | 11  | 11              |                               |                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | NAIVE           | 11  | 3               | 0.012858                      |                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | Ind             | 11  | 11              |                               |                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | NAIVE           | 11  | 3               | 0.009539                      |                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | Ind             | 11  | 11              |                               |                                                                                                                       |

Table 10: OCTMNIST–ViT-B/16

| Dataset  | Model    | Architecture | Split | Method           | Sample<br>Count | $F$   | $\bar{F}$ | $C$   | $\bar{C}$ | $R_F^g$ | $R_{\bar{F}}^g$ | $R_C^g$ | $R_{\bar{C}}^g$ | $R_F^p$ | $R_{\bar{F}}^p$ | $R_C^p$ | $R_{\bar{C}}^p$ |
|----------|----------|--------------|-------|------------------|-----------------|-------|-----------|-------|-----------|---------|-----------------|---------|-----------------|---------|-----------------|---------|-----------------|
| OCTMNIST | ViT-B/16 | ViT          | Test  | Best Individual  | 1000            | 0.262 | 0.194     | 0.309 | 0.217     | 0.047   | -0.044          | 0.077   | -0.12           | 0.08    | -0.007          | 0.079   | -0.085          |
| OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | 1000            | 0.245 | 0.219     | 0.28  | 0.247     | 0.012   | -0.065          | 0.052   | -0.153          | 0.07    | -0.013          | 0.087   | -0.09           |
| OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | 1000            | 0.226 | 0.261     | 0.261 | 0.298     | 0.019   | -0.022          | 0.055   | -0.099          | 0.06    | 0.007           | 0.066   | -0.045          |
| OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | 1000            | 0.217 | 0.24      | 0.261 | 0.263     | 0.034   | -0.023          | 0.073   | -0.1            | 0.056   | 0.013           | 0.063   | -0.048          |
| OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | 1000            | 0.216 | 0.235     | 0.252 | 0.266     | 0.033   | -0.037          | 0.074   | -0.109          | 0.078   | 0.023           | 0.085   | -0.042          |
| OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | 1000            | 0.216 | 0.251     | 0.256 | 0.277     | 0.037   | -0.014          | 0.078   | -0.091          | 0.072   | 0.035           | 0.076   | -0.035          |

Table 11: OCTMNIST–ViT-B/16

| Dataset  | Model    | Architecture | Split | Method           | $R^c_{\mathcal{F}}$ | $R^s_{\mathcal{F}}$ | $R^c_{\mathcal{F}^*}$ | $R^s_{\mathcal{F}^*}$ | $R^c_{\mathcal{F}^*}$ | $R^s_{\mathcal{F}^*}$ | $R^c_{\mathcal{F}^*}$ | $R^s_{\mathcal{F}^*}$ | $F^{\mathcal{F}}$ | $\bar{F}^{\mathcal{F}}$ | $C^{\mathcal{F}}$ | $\bar{C}^{\mathcal{F}}$ | $F^{\mathcal{F}}$ |
|----------|----------|--------------|-------|------------------|---------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-------------------|-------------------------|-------------------|-------------------------|-------------------|
| OCTMNIST | ViT-B/16 | ViT          | Test  | Best Individual  | 0.008               | 0.012               | 0.008                 | 0.001                 | -0.025                | -0.064                | -0.021                | -0.066                | 0.309             | 0.238                   | 0.386             | 0.337                   | 0.342             |
| OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | 0.002               | 0.012               | 0                     | 0.001                 | 0.004                 | -0.129                | -0.003                | -0.138                | 0.257             | 0.284                   | 0.332             | 0.4                     | 0.315             |
| OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | -0.005              | 0.007               | -0.001                | 0                     | -0.01                 | -0.107                | -0.016                | -0.106                | 0.245             | 0.283                   | 0.316             | 0.397                   | 0.286             |
| OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | 0.003               | 0.011               | 0.004                 | 0.003                 | -0.024                | -0.113                | -0.032                | -0.12                 | 0.251             | 0.263                   | 0.334             | 0.363                   | 0.273             |
| OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | 0.008               | 0.002               | 0.012                 | -0.004                | -0.002                | -0.103                | -0.006                | -0.106                | 0.249             | 0.272                   | 0.326             | 0.375                   | 0.294             |
| OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | 0.006               | 0.021               | 0.006                 | 0.018                 | -0.009                | -0.108                | -0.007                | -0.111                | 0.253             | 0.265                   | 0.334             | 0.368                   | 0.288             |

Table 12: OCTMNIST–ViT-B/16

| Dataset  | Model    | Architecture | Split | Method           | $F^p_{\text{unperturbed}}$ | $C^p_{\text{unperturbed}}$ | $\hat{C}^p_{\text{unperturbed}}$ | $F^s_{\text{unperturbed}}$ | $\hat{F}^s_{\text{unperturbed}}$ | $C^s_{\text{unperturbed}}$ | $\hat{C}^s_{\text{unperturbed}}$ | $F^s_{\text{unperturbed}}$ | $\hat{F}^s_{\text{unperturbed}}$ | $C^s_{\text{unperturbed}}$ | $\hat{C}^s_{\text{unperturbed}}$ | Selected Sources                                                |
|----------|----------|--------------|-------|------------------|----------------------------|----------------------------|----------------------------------|----------------------------|----------------------------------|----------------------------|----------------------------------|----------------------------|----------------------------------|----------------------------|----------------------------------|-----------------------------------------------------------------|
| OCTMNIST | ViT-B/16 | ViT          | Test  | Best Individual  | 0.201                      | 0.388                      | 0.302                            | 0.27                       | 0.182                            | 0.317                      | 0.216                            | 0.237                      | 0.258                            | 0.288                      | 0.283                            | cfc288e1586b460c6549af3e1ae8b92450ed14d56c9c2d5b8e5a0371e39fbf5 |
| OCTMNIST | ViT-B/16 | ViT          | Test  | Simple Averaging | 0.232                      | 0.367                      | 0.337                            | 0.247                      | 0.207                            | 0.28                       | 0.246                            | 0.249                      | 0.348                            | 0.277                      | 0.385                            |                                                                 |
| OCTMNIST | ViT-B/16 | ViT          | Test  | Borda            | 0.254                      | 0.327                      | 0.343                            | 0.221                      | 0.254                            | 0.26                       | 0.298                            | 0.216                      | 0.368                            | 0.245                      | 0.404                            |                                                                 |
| OCTMNIST | ViT-B/16 | ViT          | Test  | Kemeny           | 0.227                      | 0.324                      | 0.311                            | 0.22                       | 0.229                            | 0.265                      | 0.26                             | 0.193                      | 0.353                            | 0.229                      | 0.383                            |                                                                 |
| OCTMNIST | ViT-B/16 | ViT          | Test  | RRF              | 0.212                      | 0.337                      | 0.308                            | 0.224                      | 0.233                            | 0.264                      | 0.27                             | 0.214                      | 0.338                            | 0.246                      | 0.372                            |                                                                 |
| OCTMNIST | ViT-B/16 | ViT          | Test  | Schulze          | 0.216                      | 0.332                      | 0.312                            | 0.222                      | 0.23                             | 0.262                      | 0.259                            | 0.207                      | 0.359                            | 0.249                      | 0.388                            |                                                                 |

Table 13: OCTMNIST-ViT-B/16

| Dataset  | Model    | Method           | Scope         | Group          | Comparison<br>on<br>Cells | Wins | Vs<br>Best<br>Better | Vs<br>Best<br>Equal | Vs<br>Best<br>Worse | Vs<br>Simpleavg<br>Better | Vs<br>Simpleavg<br>Equal | Vs<br>Simpleavg<br>Worse |
|----------|----------|------------------|---------------|----------------|---------------------------|------|----------------------|---------------------|---------------------|---------------------------|--------------------------|--------------------------|
| OCTMNIST | ViT-B/16 | Best Individual  | Dataset Model | All            | 20                        | 9    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Dataset Model | All            | 20                        | 3    | 3                    | 2                   | 15                  |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Dataset Model | All            | 20                        | 0    | 6                    | 0                   | 14                  | 8                         | 0                        | 12                       |
| OCTMNIST | ViT-B/16 | Kemeny           | Dataset Model | All            | 20                        | 0    | 6                    | 0                   | 14                  | 11                        | 0                        | 9                        |
| OCTMNIST | ViT-B/16 | RRF              | Dataset Model | All            | 20                        | 2    | 8                    | 1                   | 11                  | 11                        | 0                        | 9                        |
| OCTMNIST | ViT-B/16 | Schulze          | Dataset Model | All            | 20                        | 7    | 9                    | 0                   | 11                  | 13                        | 0                        | 7                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Dataset Model | Quality        | 4                         | 4    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Dataset Model | Quality        | 4                         | 0    | 0                    | 0                   | 4                   |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Dataset Model | Quality        | 4                         | 0    | 0                    | 0                   | 4                   | 0                         | 0                        | 4                        |
| OCTMNIST | ViT-B/16 | Kemeny           | Dataset Model | Quality        | 4                         | 0    | 0                    | 0                   | 4                   | 0                         | 0                        | 4                        |
| OCTMNIST | ViT-B/16 | RRF              | Dataset Model | Quality        | 4                         | 0    | 0                    | 0                   | 4                   | 0                         | 0                        | 4                        |
| OCTMNIST | ViT-B/16 | Schulze          | Dataset Model | Quality        | 4                         | 0    | 0                    | 0                   | 4                   | 0                         | 0                        | 4                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Dataset Model | Robustness All | 16                        | 5    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Dataset Model | Robustness All | 16                        | 3    | 3                    | 2                   | 11                  |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Dataset Model | Robustness All | 16                        | 0    | 6                    | 0                   | 10                  | 8                         | 0                        | 8                        |
| OCTMNIST | ViT-B/16 | Kemeny           | Dataset Model | Robustness All | 16                        | 0    | 6                    | 0                   | 10                  | 11                        | 0                        | 5                        |
| OCTMNIST | ViT-B/16 | RRF              | Dataset Model | Robustness All | 16                        | 2    | 8                    | 1                   | 7                   | 11                        | 0                        | 5                        |
| OCTMNIST | ViT-B/16 | Schulze          | Dataset Model | Robustness All | 16                        | 7    | 9                    | 0                   | 7                   | 13                        | 0                        | 3                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Dataset Model | Gaussian       | 4                         | 1    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Dataset Model | Gaussian       | 4                         | 0    | 0                    | 0                   | 4                   |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Dataset Model | Gaussian       | 4                         | 0    | 2                    | 0                   | 2                   | 4                         | 0                        | 0                        |
| OCTMNIST | ViT-B/16 | Kemeny           | Dataset Model | Gaussian       | 4                         | 0    | 2                    | 0                   | 2                   | 4                         | 0                        | 0                        |
| OCTMNIST | ViT-B/16 | RRF              | Dataset Model | Gaussian       | 4                         | 0    | 2                    | 0                   | 2                   | 4                         | 0                        | 0                        |
| OCTMNIST | ViT-B/16 | Schulze          | Dataset Model | Gaussian       | 4                         | 3    | 3                    | 0                   | 1                   | 4                         | 0                        | 0                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Dataset Model | Salt Pepper    | 4                         | 1    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Dataset Model | Salt Pepper    | 4                         | 1    | 1                    | 0                   | 3                   |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Dataset Model | Salt Pepper    | 4                         | 0    | 2                    | 0                   | 2                   | 2                         | 0                        | 2                        |
| OCTMNIST | ViT-B/16 | Kemeny           | Dataset Model | Salt Pepper    | 4                         | 0    | 2                    | 0                   | 2                   | 2                         | 0                        | 2                        |
| OCTMNIST | ViT-B/16 | RRF              | Dataset Model | Salt Pepper    | 4                         | 0    | 3                    | 0                   | 1                   | 3                         | 0                        | 1                        |
| OCTMNIST | ViT-B/16 | Schulze          | Dataset Model | Salt Pepper    | 4                         | 2    | 2                    | 0                   | 2                   | 3                         | 0                        | 1                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Dataset Model | Speckle        | 4                         | 1    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Dataset Model | Speckle        | 4                         | 0    | 0                    | 2                   | 2                   |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Dataset Model | Speckle        | 4                         | 0    | 0                    | 0                   | 4                   | 0                         | 0                        | 4                        |
| OCTMNIST | ViT-B/16 | Kemeny           | Dataset Model | Speckle        | 4                         | 0    | 1                    | 0                   | 3                   | 3                         | 0                        | 1                        |
| OCTMNIST | ViT-B/16 | RRF              | Dataset Model | Speckle        | 4                         | 2    | 1                    | 1                   | 2                   | 2                         | 0                        | 2                        |
| OCTMNIST | ViT-B/16 | Schulze          | Dataset Model | Speckle        | 4                         | 2    | 2                    | 0                   | 2                   | 4                         | 0                        | 0                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Dataset Model | Adversarial    | 4                         | 2    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Dataset Model | Adversarial    | 4                         | 2    | 2                    | 0                   | 2                   |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Dataset Model | Adversarial    | 4                         | 0    | 2                    | 0                   | 2                   | 2                         | 0                        | 2                        |
| OCTMNIST | ViT-B/16 | Kemeny           | Dataset Model | Adversarial    | 4                         | 0    | 1                    | 0                   | 3                   | 2                         | 0                        | 2                        |
| OCTMNIST | ViT-B/16 | RRF              | Dataset Model | Adversarial    | 4                         | 0    | 2                    | 0                   | 2                   | 2                         | 0                        | 2                        |
| OCTMNIST | ViT-B/16 | Schulze          | Dataset Model | Adversarial    | 4                         | 0    | 2                    | 0                   | 2                   | 2                         | 0                        | 2                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Overall       | All            | 20                        | 9    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Overall       | All            | 20                        | 3    | 3                    | 2                   | 15                  |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Overall       | All            | 20                        | 0    | 6                    | 0                   | 14                  | 8                         | 0                        | 12                       |
| OCTMNIST | ViT-B/16 | Kemeny           | Overall       | All            | 20                        | 0    | 6                    | 0                   | 14                  | 11                        | 0                        | 9                        |
| OCTMNIST | ViT-B/16 | RRF              | Overall       | All            | 20                        | 2    | 8                    | 1                   | 11                  | 11                        | 0                        | 9                        |
| OCTMNIST | ViT-B/16 | Schulze          | Overall       | All            | 20                        | 7    | 9                    | 0                   | 11                  | 13                        | 0                        | 7                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Overall       | Quality        | 4                         | 4    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Overall       | Quality        | 4                         | 0    | 0                    | 0                   | 4                   |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Overall       | Quality        | 4                         | 0    | 0                    | 0                   | 4                   | 0                         | 0                        | 4                        |
| OCTMNIST | ViT-B/16 | Kemeny           | Overall       | Quality        | 4                         | 0    | 0                    | 0                   | 4                   | 0                         | 0                        | 4                        |
| OCTMNIST | ViT-B/16 | RRF              | Overall       | Quality        | 4                         | 0    | 0                    | 0                   | 4                   | 0                         | 0                        | 4                        |
| OCTMNIST | ViT-B/16 | Schulze          | Overall       | Quality        | 4                         | 0    | 0                    | 0                   | 4                   | 0                         | 0                        | 4                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Overall       | Robustness All | 16                        | 5    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Overall       | Robustness All | 16                        | 3    | 3                    | 2                   | 11                  |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Overall       | Robustness All | 16                        | 0    | 6                    | 0                   | 10                  | 8                         | 0                        | 8                        |
| OCTMNIST | ViT-B/16 | Kemeny           | Overall       | Robustness All | 16                        | 0    | 6                    | 0                   | 10                  | 11                        | 0                        | 5                        |
| OCTMNIST | ViT-B/16 | RRF              | Overall       | Robustness All | 16                        | 2    | 8                    | 1                   | 7                   | 11                        | 0                        | 5                        |
| OCTMNIST | ViT-B/16 | Schulze          | Overall       | Robustness All | 16                        | 7    | 9                    | 0                   | 7                   | 13                        | 0                        | 3                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Overall       | Gaussian       | 4                         | 1    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Overall       | Gaussian       | 4                         | 0    | 0                    | 0                   | 4                   |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Overall       | Gaussian       | 4                         | 0    | 2                    | 0                   | 2                   | 4                         | 0                        | 0                        |
| OCTMNIST | ViT-B/16 | Kemeny           | Overall       | Gaussian       | 4                         | 0    | 2                    | 0                   | 2                   | 4                         | 0                        | 0                        |
| OCTMNIST | ViT-B/16 | RRF              | Overall       | Gaussian       | 4                         | 0    | 2                    | 0                   | 2                   | 4                         | 0                        | 0                        |
| OCTMNIST | ViT-B/16 | Schulze          | Overall       | Gaussian       | 4                         | 3    | 3                    | 0                   | 1                   | 4                         | 0                        | 0                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Overall       | Salt Pepper    | 4                         | 1    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Overall       | Salt Pepper    | 4                         | 1    | 1                    | 0                   | 3                   |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Overall       | Salt Pepper    | 4                         | 0    | 2                    | 0                   | 2                   | 2                         | 0                        | 2                        |
| OCTMNIST | ViT-B/16 | Kemeny           | Overall       | Salt Pepper    | 4                         | 0    | 2                    | 0                   | 2                   | 2                         | 0                        | 2                        |
| OCTMNIST | ViT-B/16 | RRF              | Overall       | Salt Pepper    | 4                         | 0    | 3                    | 0                   | 1                   | 3                         | 0                        | 1                        |
| OCTMNIST | ViT-B/16 | Schulze          | Overall       | Salt Pepper    | 4                         | 2    | 2                    | 0                   | 2                   | 3                         | 0                        | 1                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Overall       | Speckle        | 4                         | 1    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Overall       | Speckle        | 4                         | 0    | 0                    | 2                   | 2                   |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Overall       | Speckle        | 4                         | 0    | 0                    | 0                   | 4                   | 0                         | 0                        | 4                        |
| OCTMNIST | ViT-B/16 | Kemeny           | Overall       | Speckle        | 4                         | 0    | 1                    | 0                   | 3                   | 3                         | 0                        | 1                        |
| OCTMNIST | ViT-B/16 | RRF              | Overall       | Speckle        | 4                         | 2    | 1                    | 1                   | 2                   | 2                         | 0                        | 2                        |
| OCTMNIST | ViT-B/16 | Schulze          | Overall       | Speckle        | 4                         | 2    | 2                    | 0                   | 2                   | 4                         | 0                        | 0                        |
| OCTMNIST | ViT-B/16 | Best Individual  | Overall       | Adversarial    | 4                         | 2    |                      |                     |                     |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Simple Averaging | Overall       | Adversarial    | 4                         | 2    | 2                    | 0                   | 2                   |                           |                          |                          |
| OCTMNIST | ViT-B/16 | Borda            | Overall       | Adversarial    | 4                         | 0    | 2                    | 0                   | 2                   | 2                         | 0                        | 2                        |
| OCTMNIST | ViT-B/16 | Kemeny           | Overall       | Adversarial    | 4                         | 0    | 1                    | 0                   | 3                   | 2                         | 0                        | 2                        |
| OCTMNIST | ViT-B/16 | RRF              | Overall       | Adversarial    | 4                         | 0    | 2                    | 0                   | 2                   | 2                         | 0                        | 2                        |

| Dataset | Model | Method  | Scope   | Group       | Comparis<br>on<br>Cells | Wins | Vs<br>Best<br>Better | Vs<br>Best<br>Equal | Vs<br>Best<br>Worse | Vs<br>Simpleavg<br>Better | Vs<br>Simpleavg<br>Equal | Vs<br>Simpleavg<br>Worse |
|---------|-------|---------|---------|-------------|-------------------------|------|----------------------|---------------------|---------------------|---------------------------|--------------------------|--------------------------|
|         |       | Schulze | Overall | Adversarial | 4                       | 0    | 2                    | 0                   | 2                   | 2                         | 0                        | 2                        |

Table 14: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | $q$ | Geometry | Geometry Label | Center Rule | Rule             | Method Prefix                                                                                                           | Quality                                           | Perturbed Quality                                 | Robustness                                        |
|-------------------|----------|----------|-----|----------|----------------|-------------|------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6   | Spearman | NOISE-S        | borda       | Simple Averaging | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "Attention"] | { "C":0.289,"Cbar":0.289,"F":0.289,"Fbar":0.289 } | { "C":0.289,"Cbar":0.289,"F":0.289,"Fbar":0.289 } | { "C":0.289,"Cbar":0.289,"F":0.289,"Fbar":0.289 } |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6   | Spearman | NOISE-S        | borda       | Borda            | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "Attention"] | { "C":0.298,"Cbar":0.298,"F":0.298,"Fbar":0.298 } | { "C":0.298,"Cbar":0.298,"F":0.298,"Fbar":0.298 } | { "C":0.298,"Cbar":0.298,"F":0.298,"Fbar":0.298 } |



| Cell              | Dataset  | Model    | q | Geometry | Geometry Label | Center Rule | Rule    | Method Prefix                                                                                                          | Quality                                                                                                                         | Perturbed Quality                                                                                                               | Robustness                                                                                                                      |
|-------------------|----------|----------|---|----------|----------------|-------------|---------|------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6 | Spearman | NOISE-S        | borda       | RRF     | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP attribution"] | { "C":0.303, "Cbar":0.198, "F":0.255, "Fbar":0.268, "Fbar":0.259, "salt-pepper-0.05":{ "C":0.38, "Cbar":0.267, "Fbar":0.181 } } | { "C":0.303, "Cbar":0.198, "F":0.255, "Fbar":0.268, "Fbar":0.259, "salt-pepper-0.05":{ "C":0.38, "Cbar":0.267, "Fbar":0.181 } } | { "C":0.303, "Cbar":0.198, "F":0.255, "Fbar":0.268, "Fbar":0.259, "salt-pepper-0.05":{ "C":0.38, "Cbar":0.267, "Fbar":0.181 } } |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6 | Spearman | NOISE-S        | borda       | Kemeny  | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP attribution"] | { "C":0.303, "Cbar":0.198, "F":0.255, "Fbar":0.268, "Fbar":0.259, "salt-pepper-0.05":{ "C":0.38, "Cbar":0.267, "Fbar":0.181 } } | { "C":0.303, "Cbar":0.198, "F":0.255, "Fbar":0.268, "Fbar":0.259, "salt-pepper-0.05":{ "C":0.38, "Cbar":0.267, "Fbar":0.181 } } | { "C":0.303, "Cbar":0.198, "F":0.255, "Fbar":0.268, "Fbar":0.259, "salt-pepper-0.05":{ "C":0.38, "Cbar":0.267, "Fbar":0.181 } } |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6 | Spearman | NOISE-S        | borda       | Schulze | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP attribution"] | { "C":0.3, "Cbar":0.268, "F":0.255, "Fbar":0.268, "Fbar":0.259, "salt-pepper-0.05":{ "C":0.38, "Cbar":0.267, "Fbar":0.181 } }   | { "C":0.3, "Cbar":0.268, "F":0.255, "Fbar":0.268, "Fbar":0.259, "salt-pepper-0.05":{ "C":0.38, "Cbar":0.267, "Fbar":0.181 } }   | { "C":0.3, "Cbar":0.268, "F":0.255, "Fbar":0.268, "Fbar":0.259, "salt-pepper-0.05":{ "C":0.38, "Cbar":0.267, "Fbar":0.181 } }   |





Table 15: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule   | Value Kind             | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|------------------------|--------|--------|------------------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | C      | Borda  | Conditioned<br>Quality | 0.284 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | C      | Borda  | Conditioned<br>Quality | 0.309 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | C      | Borda  | Conditioned<br>Quality | 0.315 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | C      | Borda  | Conditioned<br>Quality | 0.312 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | C      | Borda  | Conditioned<br>Quality | 0.308 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | C      | Borda  | Conditioned<br>Quality | 0.308 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | C      | Borda  | Conditioned<br>Quality | 0.281 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | C      | Borda  | Conditioned<br>Quality | 0.288 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | C      | Borda  | Conditioned<br>Quality | 0.251 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | C      | Borda  | Conditioned<br>Quality | 0.245 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | C      | Kemeny | Conditioned<br>Quality | 0.284 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | C      | Kemeny | Conditioned<br>Quality | 0.292 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | C      | Kemeny | Conditioned<br>Quality | 0.317 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                               |
|-------------------|----------|----------|----|------------------------|--------|--------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | C      | Kemeny | Conditioned Quality | 0.305 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | C      | Kemeny | Conditioned Quality | 0.308 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | C      | Kemeny | Conditioned Quality | 0.292 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | C      | Kemeny | Conditioned Quality | 0.277 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | C      | Kemeny | Conditioned Quality | 0.269 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | C      | Kemeny | Conditioned Quality | 0.254 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | C      | Kemeny | Conditioned Quality | 0.229 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | C      | RRF    | Conditioned Quality | 0.28  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | C      | RRF    | Conditioned Quality | 0.302 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | C      | RRF    | Conditioned Quality | 0.325 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | C      | RRF    | Conditioned Quality | 0.307 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | C      | RRF    | Conditioned Quality | 0.318 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                            |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule    | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|---------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | C      | RRF     | Conditioned Quality | 0.296 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | C      | RRF     | Conditioned Quality | 0.284 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | C      | RRF     | Conditioned Quality | 0.274 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | C      | RRF     | Conditioned Quality | 0.243 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | C      | RRF     | Conditioned Quality | 0.246 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | C      | Schulze | Conditioned Quality | 0.284 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | C      | Schulze | Conditioned Quality | 0.301 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | C      | Schulze | Conditioned Quality | 0.309 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | C      | Schulze | Conditioned Quality | 0.309 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | C      | Schulze | Conditioned Quality | 0.311 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | C      | Schulze | Conditioned Quality | 0.297 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | C      | Schulze | Conditioned Quality | 0.275 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | C      | Schulze          | Conditioned Quality | 0.283 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | C      | Schulze          | Conditioned Quality | 0.245 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | C      | Schulze          | Conditioned Quality | 0.249 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | C      | Simple Averaging | Conditioned Quality | 0.284 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | C      | Simple Averaging | Conditioned Quality | 0.286 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | C      | Simple Averaging | Conditioned Quality | 0.32  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | C      | Simple Averaging | Conditioned Quality | 0.314 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | C      | Simple Averaging | Conditioned Quality | 0.314 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | C      | Simple Averaging | Conditioned Quality | 0.303 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | C      | Simple Averaging | Conditioned Quality | 0.282 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | C      | Simple Averaging | Conditioned Quality | 0.285 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | C      | Simple Averaging | Conditioned Quality | 0.271 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule             | Value Kind             | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|------------------------|--------|------------------|------------------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | C      | Simple Averaging | Conditioned<br>Quality | 0.277 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Cbar   | Borda            | Conditioned<br>Quality | 0.294 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Cbar   | Borda            | Conditioned<br>Quality | 0.286 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Cbar   | Borda            | Conditioned<br>Quality | 0.323 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Cbar   | Borda            | Conditioned<br>Quality | 0.3   | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Cbar   | Borda            | Conditioned<br>Quality | 0.319 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Cbar   | Borda            | Conditioned<br>Quality | 0.334 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Cbar   | Borda            | Conditioned<br>Quality | 0.36  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Cbar   | Borda            | Conditioned<br>Quality | 0.339 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Cbar   | Borda            | Conditioned<br>Quality | 0.387 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Cbar   | Borda            | Conditioned<br>Quality | 0.404 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Cbar   | Kemeny           | Conditioned<br>Quality | 0.294 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |



| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|------------------------|--------|--------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Cbar   | Kemeny | Conditioned Quality | 0.294 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Cbar   | Kemeny | Conditioned Quality | 0.279 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Cbar   | Kemeny | Conditioned Quality | 0.277 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Cbar   | Kemeny | Conditioned Quality | 0.289 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Cbar   | Kemeny | Conditioned Quality | 0.309 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Cbar   | Kemeny | Conditioned Quality | 0.337 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Cbar   | Kemeny | Conditioned Quality | 0.331 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Cbar   | Kemeny | Conditioned Quality | 0.372 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Cbar   | Kemeny | Conditioned Quality | 0.383 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Cbar   | RRF    | Conditioned Quality | 0.297 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Cbar   | RRF    | Conditioned Quality | 0.267 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Cbar   | RRF    | Conditioned Quality | 0.295 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Cbar   | RRF    | Conditioned Quality | 0.28  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule    | Value Kind             | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|------------------------|--------|---------|------------------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Cbar   | RRF     | Conditioned<br>Quality | 0.297 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Cbar   | RRF     | Conditioned<br>Quality | 0.31  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Cbar   | RRF     | Conditioned<br>Quality | 0.334 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Cbar   | RRF     | Conditioned<br>Quality | 0.319 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Cbar   | RRF     | Conditioned<br>Quality | 0.368 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Cbar   | RRF     | Conditioned<br>Quality | 0.372 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Cbar   | Schulze | Conditioned<br>Quality | 0.294 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Cbar   | Schulze | Conditioned<br>Quality | 0.283 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Cbar   | Schulze | Conditioned<br>Quality | 0.297 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Cbar   | Schulze | Conditioned<br>Quality | 0.284 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Cbar   | Schulze | Conditioned<br>Quality | 0.305 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Cbar   | Schulze | Conditioned<br>Quality | 0.31  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule             | Value Kind             | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|------------------------|--------|------------------|------------------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Cbar   | Schulze          | Conditioned<br>Quality | 0.348 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Cbar   | Schulze          | Conditioned<br>Quality | 0.337 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Cbar   | Schulze          | Conditioned<br>Quality | 0.379 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Cbar   | Schulze          | Conditioned<br>Quality | 0.388 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Conditioned<br>Quality | 0.305 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Conditioned<br>Quality | 0.291 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Conditioned<br>Quality | 0.354 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Conditioned<br>Quality | 0.328 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Conditioned<br>Quality | 0.354 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Conditioned<br>Quality | 0.348 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Conditioned<br>Quality | 0.365 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Conditioned<br>Quality | 0.364 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Conditioned Quality | 0.373 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Conditioned Quality | 0.385 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | F      | Borda            | Conditioned Quality | 0.235 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | F      | Borda            | Conditioned Quality | 0.267 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | F      | Borda            | Conditioned Quality | 0.283 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | F      | Borda            | Conditioned Quality | 0.278 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | F      | Borda            | Conditioned Quality | 0.274 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | F      | Borda            | Conditioned Quality | 0.277 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | F      | Borda            | Conditioned Quality | 0.25  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | F      | Borda            | Conditioned Quality | 0.257 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | F      | Borda            | Conditioned Quality | 0.219 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | F      | Borda            | Conditioned Quality | 0.216 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|--------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | F      | Kemeny | Conditioned Quality | 0.235 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | F      | Kemeny | Conditioned Quality | 0.249 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | F      | Kemeny | Conditioned Quality | 0.271 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | F      | Kemeny | Conditioned Quality | 0.267 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | F      | Kemeny | Conditioned Quality | 0.27  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | F      | Kemeny | Conditioned Quality | 0.259 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | F      | Kemeny | Conditioned Quality | 0.24  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | F      | Kemeny | Conditioned Quality | 0.234 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | F      | Kemeny | Conditioned Quality | 0.209 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | F      | Kemeny | Conditioned Quality | 0.193 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | F      | RRF    | Conditioned Quality | 0.233 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | F      | RRF    | Conditioned Quality | 0.256 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | F      | RRF    | Conditioned Quality | 0.282 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule    | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|---------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | F      | RRF     | Conditioned Quality | 0.266 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | F      | RRF     | Conditioned Quality | 0.282 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | F      | RRF     | Conditioned Quality | 0.26  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | F      | RRF     | Conditioned Quality | 0.244 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | F      | RRF     | Conditioned Quality | 0.233 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | F      | RRF     | Conditioned Quality | 0.208 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | F      | RRF     | Conditioned Quality | 0.214 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | F      | Schulze | Conditioned Quality | 0.235 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | F      | Schulze | Conditioned Quality | 0.255 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | F      | Schulze | Conditioned Quality | 0.26  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | F      | Schulze | Conditioned Quality | 0.274 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | F      | Schulze | Conditioned Quality | 0.283 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | F      | Schulze          | Conditioned Quality | 0.259 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | F      | Schulze          | Conditioned Quality | 0.244 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | F      | Schulze          | Conditioned Quality | 0.255 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | F      | Schulze          | Conditioned Quality | 0.212 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | F      | Schulze          | Conditioned Quality | 0.207 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | F      | Simple Averaging | Conditioned Quality | 0.235 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | F      | Simple Averaging | Conditioned Quality | 0.247 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | F      | Simple Averaging | Conditioned Quality | 0.288 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | F      | Simple Averaging | Conditioned Quality | 0.282 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | F      | Simple Averaging | Conditioned Quality | 0.286 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | F      | Simple Averaging | Conditioned Quality | 0.274 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | F      | Simple Averaging | Conditioned Quality | 0.253 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule             | Value Kind             | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                        |
|-------------------|----------|----------|----|------------------------|--------|------------------|------------------------|-------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | F      | Simple Averaging | Conditioned<br>Quality | 0.257 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | F      | Simple Averaging | Conditioned<br>Quality | 0.245 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | F      | Simple Averaging | Conditioned<br>Quality | 0.249 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Fbar   | Borda            | Conditioned<br>Quality | 0.265 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Fbar   | Borda            | Conditioned<br>Quality | 0.258 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Fbar   | Borda            | Conditioned<br>Quality | 0.286 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Fbar   | Borda            | Conditioned<br>Quality | 0.262 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Fbar   | Borda            | Conditioned<br>Quality | 0.283 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Fbar   | Borda            | Conditioned<br>Quality | 0.303 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Fbar   | Borda            | Conditioned<br>Quality | 0.33  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Fbar   | Borda            | Conditioned<br>Quality | 0.302 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Fbar   | Borda            | Conditioned<br>Quality | 0.352 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |



| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule   | Value Kind             | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|------------------------|--------|--------|------------------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Fbar   | Borda  | Conditioned<br>Quality | 0.368 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Fbar   | Kemeny | Conditioned<br>Quality | 0.265 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Fbar   | Kemeny | Conditioned<br>Quality | 0.264 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Fbar   | Kemeny | Conditioned<br>Quality | 0.248 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Fbar   | Kemeny | Conditioned<br>Quality | 0.248 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Fbar   | Kemeny | Conditioned<br>Quality | 0.258 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Fbar   | Kemeny | Conditioned<br>Quality | 0.278 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Fbar   | Kemeny | Conditioned<br>Quality | 0.314 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Fbar   | Kemeny | Conditioned<br>Quality | 0.311 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Fbar   | Kemeny | Conditioned<br>Quality | 0.345 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Fbar   | Kemeny | Conditioned<br>Quality | 0.353 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Fbar   | RRF    | Conditioned<br>Quality | 0.269 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule    | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|------------------------|--------|---------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Fbar   | RRF     | Conditioned Quality | 0.241 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Fbar   | RRF     | Conditioned Quality | 0.263 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Fbar   | RRF     | Conditioned Quality | 0.251 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Fbar   | RRF     | Conditioned Quality | 0.266 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbl ation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Fbar   | RRF     | Conditioned Quality | 0.281 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbl ation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Fbar   | RRF     | Conditioned Quality | 0.308 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbl ation", "Integrated Gradients", "Sallency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Fbar   | RRF     | Conditioned Quality | 0.285 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbl ation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Fbar   | RRF     | Conditioned Quality | 0.34  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbl ation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Fbar   | RRF     | Conditioned Quality | 0.338 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbl ation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Fbar   | Schulze | Conditioned Quality | 0.265 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Fbar   | Schulze | Conditioned Quality | 0.255 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Fbar   | Schulze | Conditioned Quality | 0.265 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Fbar   | Schulze | Conditioned Quality | 0.254 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Fbar   | Schulze          | Conditioned Quality | 0.268 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Fbar   | Schulze          | Conditioned Quality | 0.276 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Fbar   | Schulze          | Conditioned Quality | 0.316 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Fbar   | Schulze          | Conditioned Quality | 0.302 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Fbar   | Schulze          | Conditioned Quality | 0.355 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Fbar   | Schulze          | Conditioned Quality | 0.359 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Conditioned Quality | 0.276 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Conditioned Quality | 0.263 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Conditioned Quality | 0.318 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Conditioned Quality | 0.29  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Conditioned Quality | 0.321 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Conditioned Quality | 0.308 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule             | Value Kind             | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|------------------------|--------|------------------|------------------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Conditioned<br>Quality | 0.333 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Conditioned<br>Quality | 0.331 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Conditioned<br>Quality | 0.337 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Conditioned<br>Quality | 0.348 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15          | C      | Borda            | Conditioned<br>Quality | 0.372 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15          | C      | Borda            | Conditioned<br>Quality | 0.366 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15          | C      | Borda            | Conditioned<br>Quality | 0.349 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15          | C      | Borda            | Conditioned<br>Quality | 0.37  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15          | C      | Borda            | Conditioned<br>Quality | 0.323 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15          | C      | Borda            | Conditioned<br>Quality | 0.329 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15          | C      | Borda            | Conditioned<br>Quality | 0.319 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15          | C      | Borda            | Conditioned<br>Quality | 0.321 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|---------------|--------|--------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | C      | Borda  | Conditioned Quality | 0.316 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | C      | Borda  | Conditioned Quality | 0.316 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | C      | Kemeny | Conditioned Quality | 0.372 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | C      | Kemeny | Conditioned Quality | 0.378 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | C      | Kemeny | Conditioned Quality | 0.367 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | C      | Kemeny | Conditioned Quality | 0.366 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | C      | Kemeny | Conditioned Quality | 0.364 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | C      | Kemeny | Conditioned Quality | 0.359 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | C      | Kemeny | Conditioned Quality | 0.351 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | C      | Kemeny | Conditioned Quality | 0.346 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | C      | Kemeny | Conditioned Quality | 0.336 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | C      | Kemeny | Conditioned Quality | 0.334 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule    | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|---------------|--------|---------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | C      | RRF     | Conditioned Quality | 0.373 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | C      | RRF     | Conditioned Quality | 0.362 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | C      | RRF     | Conditioned Quality | 0.358 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | C      | RRF     | Conditioned Quality | 0.339 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | C      | RRF     | Conditioned Quality | 0.355 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | C      | RRF     | Conditioned Quality | 0.344 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | C      | RRF     | Conditioned Quality | 0.335 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | C      | RRF     | Conditioned Quality | 0.344 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | C      | RRF     | Conditioned Quality | 0.332 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | C      | RRF     | Conditioned Quality | 0.326 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | C      | Schulze | Conditioned Quality | 0.372 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | C      | Schulze | Conditioned Quality | 0.371 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | C      | Schulze | Conditioned Quality | 0.372 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind             | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|---------------|--------|------------------|------------------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | C      | Schulze          | Conditioned<br>Quality | 0.353 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | C      | Schulze          | Conditioned<br>Quality | 0.354 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | C      | Schulze          | Conditioned<br>Quality | 0.355 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | C      | Schulze          | Conditioned<br>Quality | 0.352 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | C      | Schulze          | Conditioned<br>Quality | 0.346 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | C      | Schulze          | Conditioned<br>Quality | 0.331 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | C      | Schulze          | Conditioned<br>Quality | 0.334 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.375 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.378 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.369 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.369 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.344 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                        |
|-------------------|----------|----------|----|---------------|--------|------------------|---------------------|-------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | C      | Simple Averaging | Conditioned Quality | 0.338 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | C      | Simple Averaging | Conditioned Quality | 0.336 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | C      | Simple Averaging | Conditioned Quality | 0.333 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | C      | Simple Averaging | Conditioned Quality | 0.336 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | C      | Simple Averaging | Conditioned Quality | 0.332 | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Cbar   | Borda            | Conditioned Quality | 0.322 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Cbar   | Borda            | Conditioned Quality | 0.33  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Cbar   | Borda            | Conditioned Quality | 0.389 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Cbar   | Borda            | Conditioned Quality | 0.385 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Cbar   | Borda            | Conditioned Quality | 0.415 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Cbar   | Borda            | Conditioned Quality | 0.407 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Cbar   | Borda            | Conditioned Quality | 0.403 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |



| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule   | Value Kind             | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                        |
|-------------------|----------|----------|----|---------------|--------|--------|------------------------|-------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Cbar   | Borda  | Conditioned<br>Quality | 0.37  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Cbar   | Borda  | Conditioned<br>Quality | 0.379 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Cbar   | Borda  | Conditioned<br>Quality | 0.397 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Cbar   | Kemeny | Conditioned<br>Quality | 0.322 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Cbar   | Kemeny | Conditioned<br>Quality | 0.334 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Cbar   | Kemeny | Conditioned<br>Quality | 0.351 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Cbar   | Kemeny | Conditioned<br>Quality | 0.348 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Cbar   | Kemeny | Conditioned<br>Quality | 0.345 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Cbar   | Kemeny | Conditioned<br>Quality | 0.356 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Cbar   | Kemeny | Conditioned<br>Quality | 0.362 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Cbar   | Kemeny | Conditioned<br>Quality | 0.354 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Cbar   | Kemeny | Conditioned<br>Quality | 0.367 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule    | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|---------------|--------|---------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Cbar   | Kemeny  | Conditioned Quality | 0.363 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Cbar   | RRF     | Conditioned Quality | 0.325 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Cbar   | RRF     | Conditioned Quality | 0.343 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Cbar   | RRF     | Conditioned Quality | 0.359 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Cbar   | RRF     | Conditioned Quality | 0.35  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Cbar   | RRF     | Conditioned Quality | 0.364 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Cbar   | RRF     | Conditioned Quality | 0.362 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Cbar   | RRF     | Conditioned Quality | 0.366 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Cbar   | RRF     | Conditioned Quality | 0.349 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Cbar   | RRF     | Conditioned Quality | 0.362 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Cbar   | RRF     | Conditioned Quality | 0.375 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Cbar   | Schulze | Conditioned Quality | 0.322 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|---------------|--------|------------------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.326 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.341 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.35  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.365 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.379 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.367 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.352 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.358 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.368 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.319 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.328 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.387 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.386 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|---------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.391 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.399 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.387 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.393 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.391 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.4   | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | F      | Borda            | Conditioned Quality | 0.301 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | F      | Borda            | Conditioned Quality | 0.297 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | F      | Borda            | Conditioned Quality | 0.281 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | F      | Borda            | Conditioned Quality | 0.298 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | F      | Borda            | Conditioned Quality | 0.257 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | F      | Borda            | Conditioned Quality | 0.26  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|---------------|--------|--------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | F      | Borda  | Conditioned Quality | 0.252 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | F      | Borda  | Conditioned Quality | 0.256 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | F      | Borda  | Conditioned Quality | 0.254 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | F      | Borda  | Conditioned Quality | 0.245 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | F      | Kemeny | Conditioned Quality | 0.301 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | F      | Kemeny | Conditioned Quality | 0.307 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | F      | Kemeny | Conditioned Quality | 0.29  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | F      | Kemeny | Conditioned Quality | 0.292 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | F      | Kemeny | Conditioned Quality | 0.282 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | F      | Kemeny | Conditioned Quality | 0.277 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | F      | Kemeny | Conditioned Quality | 0.275 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | F      | Kemeny | Conditioned Quality | 0.265 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |

| Cell              | Dataset  | Model    | Q  | Condition     | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|---------------|--------|--------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | F      | Kemeny | Conditioned Quality | 0.256 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | F      | Kemeny | Conditioned Quality | 0.251 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | F      | RRF    | Conditioned Quality | 0.301 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | F      | RRF    | Conditioned Quality | 0.295 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | F      | RRF    | Conditioned Quality | 0.285 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | F      | RRF    | Conditioned Quality | 0.277 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | F      | RRF    | Conditioned Quality | 0.268 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | F      | RRF    | Conditioned Quality | 0.273 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | F      | RRF    | Conditioned Quality | 0.263 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | F      | RRF    | Conditioned Quality | 0.265 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | F      | RRF    | Conditioned Quality | 0.255 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | F      | RRF    | Conditioned Quality | 0.249 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|---------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | F      | Schulze          | Conditioned Quality | 0.301 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | F      | Schulze          | Conditioned Quality | 0.302 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | F      | Schulze          | Conditioned Quality | 0.295 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | F      | Schulze          | Conditioned Quality | 0.285 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | F      | Schulze          | Conditioned Quality | 0.279 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | F      | Schulze          | Conditioned Quality | 0.276 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | F      | Schulze          | Conditioned Quality | 0.272 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | F      | Schulze          | Conditioned Quality | 0.262 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | F      | Schulze          | Conditioned Quality | 0.249 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | F      | Schulze          | Conditioned Quality | 0.253 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | F      | Simple Averaging | Conditioned Quality | 0.298 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | F      | Simple Averaging | Conditioned Quality | 0.308 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | F      | Simple Averaging | Conditioned Quality | 0.3   | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|---------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | F      | Simple Averaging | Conditioned Quality | 0.286 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | F      | Simple Averaging | Conditioned Quality | 0.261 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | F      | Simple Averaging | Conditioned Quality | 0.26  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | F      | Simple Averaging | Conditioned Quality | 0.255 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | F      | Simple Averaging | Conditioned Quality | 0.251 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | F      | Simple Averaging | Conditioned Quality | 0.255 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | F      | Simple Averaging | Conditioned Quality | 0.257 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Fbar   | Borda            | Conditioned Quality | 0.22  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Fbar   | Borda            | Conditioned Quality | 0.222 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Fbar   | Borda            | Conditioned Quality | 0.275 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Fbar   | Borda            | Conditioned Quality | 0.279 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Fbar   | Borda            | Conditioned Quality | 0.294 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |



| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                        |
|-------------------|----------|----------|----|---------------|--------|--------|---------------------|-------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Fbar   | Borda  | Conditioned Quality | 0.292 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Fbar   | Borda  | Conditioned Quality | 0.292 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Fbar   | Borda  | Conditioned Quality | 0.263 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Fbar   | Borda  | Conditioned Quality | 0.276 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Fbar   | Borda  | Conditioned Quality | 0.283 | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.22  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.231 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.244 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.246 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.24  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.249 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.255 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                |
|-------------------|----------|----------|----|---------------|--------|--------|---------------------|-------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.243 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.269 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.263 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Fbar   | RRF    | Conditioned Quality | 0.22  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Fbar   | RRF    | Conditioned Quality | 0.237 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Fbar   | RRF    | Conditioned Quality | 0.247 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Fbar   | RRF    | Conditioned Quality | 0.248 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Fbar   | RRF    | Conditioned Quality | 0.259 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Fbar   | RRF    | Conditioned Quality | 0.261 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Fbar   | RRF    | Conditioned Quality | 0.256 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Fbar   | RRF    | Conditioned Quality | 0.243 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Fbar   | RRF    | Conditioned Quality | 0.262 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"] |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|---------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Fbar   | RRF              | Conditioned Quality | 0.272 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.22  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.22  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.234 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.252 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.259 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.272 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.264 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.25  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.261 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.265 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Fbar   | Simple Averaging | Conditioned Quality | 0.214 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                |
|-------------------|----------|----------|----|------------------|--------|------------------|---------------------|-------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15    | Fbar   | Simple Averaging | Conditioned Quality | 0.223 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15    | Fbar   | Simple Averaging | Conditioned Quality | 0.276 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15    | Fbar   | Simple Averaging | Conditioned Quality | 0.278 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15    | Fbar   | Simple Averaging | Conditioned Quality | 0.282 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15    | Fbar   | Simple Averaging | Conditioned Quality | 0.288 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15    | Fbar   | Simple Averaging | Conditioned Quality | 0.282 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15    | Fbar   | Simple Averaging | Conditioned Quality | 0.283 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency"]                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15    | Fbar   | Simple Averaging | Conditioned Quality | 0.28  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15    | Fbar   | Simple Averaging | Conditioned Quality | 0.284 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | C      | Borda            | Conditioned Quality | 0.386 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | C      | Borda            | Conditioned Quality | 0.376 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | C      | Borda            | Conditioned Quality | 0.367 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | C      | Borda            | Conditioned Quality | 0.375 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                 |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|--------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | C      | Borda  | Conditioned Quality | 0.36  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | C      | Borda  | Conditioned Quality | 0.351 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | C      | Borda  | Conditioned Quality | 0.353 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | C      | Borda  | Conditioned Quality | 0.342 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | C      | Borda  | Conditioned Quality | 0.328 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | C      | Borda  | Conditioned Quality | 0.327 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | C      | Kemeny | Conditioned Quality | 0.386 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | C      | Kemeny | Conditioned Quality | 0.381 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | C      | Kemeny | Conditioned Quality | 0.384 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | C      | Kemeny | Conditioned Quality | 0.381 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | C      | Kemeny | Conditioned Quality | 0.382 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | C      | Kemeny | Conditioned Quality | 0.369 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                         |
|-------------------|----------|----------|----|------------------|--------|--------|---------------------|-------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | C      | Kemeny | Conditioned Quality | 0.353 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | C      | Kemeny | Conditioned Quality | 0.353 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | C      | Kemeny | Conditioned Quality | 0.337 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | C      | Kemeny | Conditioned Quality | 0.324 | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | C      | RRF    | Conditioned Quality | 0.384 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | C      | RRF    | Conditioned Quality | 0.383 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | C      | RRF    | Conditioned Quality | 0.385 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | C      | RRF    | Conditioned Quality | 0.391 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | C      | RRF    | Conditioned Quality | 0.38  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | C      | RRF    | Conditioned Quality | 0.372 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | C      | RRF    | Conditioned Quality | 0.358 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | C      | RRF    | Conditioned Quality | 0.348 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |

| Cell              | Dataset  | Model    | Q  | Condition        | Metric | Rule    | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|------------------|--------|---------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | C      | RRF     | Conditioned Quality | 0.331 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | C      | RRF     | Conditioned Quality | 0.337 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | C      | Schulze | Conditioned Quality | 0.386 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | C      | Schulze | Conditioned Quality | 0.377 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | C      | Schulze | Conditioned Quality | 0.393 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | C      | Schulze | Conditioned Quality | 0.383 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | C      | Schulze | Conditioned Quality | 0.378 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | C      | Schulze | Conditioned Quality | 0.366 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | C      | Schulze | Conditioned Quality | 0.342 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | C      | Schulze | Conditioned Quality | 0.347 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | C      | Schulze | Conditioned Quality | 0.339 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | C      | Schulze | Conditioned Quality | 0.332 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | C      | Simple Averaging | Conditioned Quality | 0.385 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | C      | Simple Averaging | Conditioned Quality | 0.389 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | C      | Simple Averaging | Conditioned Quality | 0.377 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | C      | Simple Averaging | Conditioned Quality | 0.391 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | C      | Simple Averaging | Conditioned Quality | 0.38  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | C      | Simple Averaging | Conditioned Quality | 0.37  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | C      | Simple Averaging | Conditioned Quality | 0.373 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | C      | Simple Averaging | Conditioned Quality | 0.373 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | C      | Simple Averaging | Conditioned Quality | 0.366 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | C      | Simple Averaging | Conditioned Quality | 0.367 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Cbar   | Borda            | Conditioned Quality | 0.297 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Cbar   | Borda            | Conditioned Quality | 0.302 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Cbar   | Borda            | Conditioned Quality | 0.352 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |



| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|--------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Cbar   | Borda  | Conditioned Quality | 0.348 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Cbar   | Borda  | Conditioned Quality | 0.362 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Cbar   | Borda  | Conditioned Quality | 0.343 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Cbar   | Borda  | Conditioned Quality | 0.339 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Cbar   | Borda  | Conditioned Quality | 0.332 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Cbar   | Borda  | Conditioned Quality | 0.336 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Cbar   | Borda  | Conditioned Quality | 0.343 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Cbar   | Kemeny | Conditioned Quality | 0.297 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Cbar   | Kemeny | Conditioned Quality | 0.306 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Cbar   | Kemeny | Conditioned Quality | 0.301 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Cbar   | Kemeny | Conditioned Quality | 0.305 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Cbar   | Kemeny | Conditioned Quality | 0.301 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|--------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Cbar   | Kemeny | Conditioned Quality | 0.298 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Cbar   | Kemeny | Conditioned Quality | 0.309 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Cbar   | Kemeny | Conditioned Quality | 0.305 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Cbar   | Kemeny | Conditioned Quality | 0.322 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Cbar   | Kemeny | Conditioned Quality | 0.311 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Cbar   | RRF    | Conditioned Quality | 0.301 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Cbar   | RRF    | Conditioned Quality | 0.305 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Cbar   | RRF    | Conditioned Quality | 0.31  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Cbar   | RRF    | Conditioned Quality | 0.32  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Cbar   | RRF    | Conditioned Quality | 0.307 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Cbar   | RRF    | Conditioned Quality | 0.309 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Cbar   | RRF    | Conditioned Quality | 0.314 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule    | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                |
|-------------------|----------|----------|----|------------------|--------|---------|---------------------|-------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Cbar   | RRF     | Conditioned Quality | 0.294 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Cbar   | RRF     | Conditioned Quality | 0.316 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Cbar   | RRF     | Conditioned Quality | 0.308 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Cbar   | Schulze | Conditioned Quality | 0.297 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Cbar   | Schulze | Conditioned Quality | 0.297 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Cbar   | Schulze | Conditioned Quality | 0.291 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Cbar   | Schulze | Conditioned Quality | 0.319 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Cbar   | Schulze | Conditioned Quality | 0.306 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Cbar   | Schulze | Conditioned Quality | 0.304 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Cbar   | Schulze | Conditioned Quality | 0.309 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Cbar   | Schulze | Conditioned Quality | 0.303 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Cbar   | Schulze | Conditioned Quality | 0.318 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"] |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Cbar   | Schulze          | Conditioned Quality | 0.312 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Conditioned Quality | 0.295 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Conditioned Quality | 0.315 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Conditioned Quality | 0.35  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Conditioned Quality | 0.347 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Conditioned Quality | 0.339 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Conditioned Quality | 0.336 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Conditioned Quality | 0.34  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Conditioned Quality | 0.336 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Cbar   | Simple Averaging | Conditioned Quality | 0.342 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Cbar   | Simple Averaging | Conditioned Quality | 0.337 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | F      | Borda            | Conditioned Quality | 0.332 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|------------------|--------|--------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | F      | Borda  | Conditioned Quality | 0.328 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | F      | Borda  | Conditioned Quality | 0.326 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | F      | Borda  | Conditioned Quality | 0.337 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | F      | Borda  | Conditioned Quality | 0.316 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | F      | Borda  | Conditioned Quality | 0.304 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | F      | Borda  | Conditioned Quality | 0.301 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | F      | Borda  | Conditioned Quality | 0.305 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | F      | Borda  | Conditioned Quality | 0.281 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | F      | Borda  | Conditioned Quality | 0.286 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | F      | Kemeny | Conditioned Quality | 0.332 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | F      | Kemeny | Conditioned Quality | 0.333 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | F      | Kemeny | Conditioned Quality | 0.343 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | F      | Kemeny | Conditioned Quality | 0.335 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|------------------|--------|--------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | F      | Kemeny | Conditioned Quality | 0.339 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | F      | Kemeny | Conditioned Quality | 0.323 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | F      | Kemeny | Conditioned Quality | 0.303 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | F      | Kemeny | Conditioned Quality | 0.308 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | F      | Kemeny | Conditioned Quality | 0.291 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | F      | Kemeny | Conditioned Quality | 0.273 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | F      | RRF    | Conditioned Quality | 0.335 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | F      | RRF    | Conditioned Quality | 0.338 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | F      | RRF    | Conditioned Quality | 0.346 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | F      | RRF    | Conditioned Quality | 0.344 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | F      | RRF    | Conditioned Quality | 0.34  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | F      | RRF    | Conditioned Quality | 0.324 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule    | Value Kind             | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                    |
|-------------------|----------|----------|----|------------------|--------|---------|------------------------|-------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | F      | RRF     | Conditioned<br>Quality | 0.307 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | F      | RRF     | Conditioned<br>Quality | 0.306 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | F      | RRF     | Conditioned<br>Quality | 0.288 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | F      | RRF     | Conditioned<br>Quality | 0.294 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | F      | Schulze | Conditioned<br>Quality | 0.332 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | F      | Schulze | Conditioned<br>Quality | 0.328 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | F      | Schulze | Conditioned<br>Quality | 0.341 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | F      | Schulze | Conditioned<br>Quality | 0.341 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | F      | Schulze | Conditioned<br>Quality | 0.33  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | F      | Schulze | Conditioned<br>Quality | 0.321 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | F      | Schulze | Conditioned<br>Quality | 0.299 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | F      | Schulze | Conditioned<br>Quality | 0.303 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |

| Cell              | Dataset  | Model    | Q  | Condition        | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|------------------|--------|------------------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | F      | Schulze          | Conditioned Quality | 0.293 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | F      | Schulze          | Conditioned Quality | 0.288 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | F      | Simple Averaging | Conditioned Quality | 0.336 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | F      | Simple Averaging | Conditioned Quality | 0.343 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | F      | Simple Averaging | Conditioned Quality | 0.332 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | F      | Simple Averaging | Conditioned Quality | 0.347 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | F      | Simple Averaging | Conditioned Quality | 0.331 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | F      | Simple Averaging | Conditioned Quality | 0.321 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | F      | Simple Averaging | Conditioned Quality | 0.32  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | F      | Simple Averaging | Conditioned Quality | 0.32  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | F      | Simple Averaging | Conditioned Quality | 0.316 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | F      | Simple Averaging | Conditioned Quality | 0.315 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |



| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|--------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Fbar   | Borda  | Conditioned Quality | 0.188 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Fbar   | Borda  | Conditioned Quality | 0.19  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Fbar   | Borda  | Conditioned Quality | 0.24  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Fbar   | Borda  | Conditioned Quality | 0.24  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Fbar   | Borda  | Conditioned Quality | 0.254 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Fbar   | Borda  | Conditioned Quality | 0.249 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Fbar   | Borda  | Conditioned Quality | 0.248 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Fbar   | Borda  | Conditioned Quality | 0.243 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Fbar   | Borda  | Conditioned Quality | 0.247 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Fbar   | Borda  | Conditioned Quality | 0.254 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Fbar   | Kemeny | Conditioned Quality | 0.188 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Fbar   | Kemeny | Conditioned Quality | 0.199 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Fbar   | Kemeny | Conditioned Quality | 0.191 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|--------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Fbar   | Kemeny | Conditioned Quality | 0.199 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Fbar   | Kemeny | Conditioned Quality | 0.198 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Fbar   | Kemeny | Conditioned Quality | 0.196 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Fbar   | Kemeny | Conditioned Quality | 0.21  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Fbar   | Kemeny | Conditioned Quality | 0.205 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Fbar   | Kemeny | Conditioned Quality | 0.226 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Fbar   | Kemeny | Conditioned Quality | 0.227 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Fbar   | RRF    | Conditioned Quality | 0.19  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Fbar   | RRF    | Conditioned Quality | 0.191 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Fbar   | RRF    | Conditioned Quality | 0.202 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Fbar   | RRF    | Conditioned Quality | 0.213 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Fbar   | RRF    | Conditioned Quality | 0.214 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule    | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|---------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Fbar   | RRF     | Conditioned Quality | 0.215 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Fbar   | RRF     | Conditioned Quality | 0.217 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Fbar   | RRF     | Conditioned Quality | 0.198 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Fbar   | RRF     | Conditioned Quality | 0.219 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Fbar   | RRF     | Conditioned Quality | 0.212 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Fbar   | Schulze | Conditioned Quality | 0.188 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Fbar   | Schulze | Conditioned Quality | 0.188 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Fbar   | Schulze | Conditioned Quality | 0.189 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Fbar   | Schulze | Conditioned Quality | 0.208 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Fbar   | Schulze | Conditioned Quality | 0.203 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Fbar   | Schulze | Conditioned Quality | 0.21  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Fbar   | Schulze | Conditioned Quality | 0.215 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                               |
|-------------------|----------|----------|----|------------------|--------|------------------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Fbar   | Schulze          | Conditioned Quality | 0.211 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Fbar   | Schulze          | Conditioned Quality | 0.223 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Fbar   | Schulze          | Conditioned Quality | 0.216 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Conditioned Quality | 0.185 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Conditioned Quality | 0.203 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Conditioned Quality | 0.243 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Conditioned Quality | 0.241 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Conditioned Quality | 0.24  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Conditioned Quality | 0.238 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Conditioned Quality | 0.238 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Conditioned Quality | 0.234 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Fbar   | Simple Averaging | Conditioned Quality | 0.24  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                        |
|-------------------|----------|----------|----|------------------|--------|------------------|---------------------|-------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Fbar   | Simple Averaging | Conditioned Quality | 0.232 | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15     | C      | Borda            | Conditioned Quality | 0.318 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15     | C      | Borda            | Conditioned Quality | 0.308 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15     | C      | Borda            | Conditioned Quality | 0.308 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15     | C      | Borda            | Conditioned Quality | 0.305 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15     | C      | Borda            | Conditioned Quality | 0.292 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15     | C      | Borda            | Conditioned Quality | 0.276 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15     | C      | Borda            | Conditioned Quality | 0.26  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15     | C      | Borda            | Conditioned Quality | 0.275 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15     | C      | Borda            | Conditioned Quality | 0.249 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15     | C      | Borda            | Conditioned Quality | 0.26  | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15     | C      | Kemeny           | Conditioned Quality | 0.318 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|--------------|--------|--------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | C      | Kemeny | Conditioned Quality | 0.313 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | C      | Kemeny | Conditioned Quality | 0.308 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | C      | Kemeny | Conditioned Quality | 0.309 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | C      | Kemeny | Conditioned Quality | 0.319 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | C      | Kemeny | Conditioned Quality | 0.304 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | C      | Kemeny | Conditioned Quality | 0.283 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | C      | Kemeny | Conditioned Quality | 0.289 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | C      | Kemeny | Conditioned Quality | 0.269 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | C      | Kemeny | Conditioned Quality | 0.265 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | C      | RRF    | Conditioned Quality | 0.322 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | C      | RRF    | Conditioned Quality | 0.31  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | C      | RRF    | Conditioned Quality | 0.327 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | C      | RRF    | Conditioned Quality | 0.318 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule    | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|--------------|--------|---------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | C      | RRF     | Conditioned Quality | 0.307 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | C      | RRF     | Conditioned Quality | 0.304 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | C      | RRF     | Conditioned Quality | 0.286 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | C      | RRF     | Conditioned Quality | 0.287 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | C      | RRF     | Conditioned Quality | 0.259 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | C      | RRF     | Conditioned Quality | 0.264 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | C      | Schulze | Conditioned Quality | 0.318 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | C      | Schulze | Conditioned Quality | 0.315 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | C      | Schulze | Conditioned Quality | 0.316 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | C      | Schulze | Conditioned Quality | 0.314 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | C      | Schulze | Conditioned Quality | 0.316 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | C      | Schulze | Conditioned Quality | 0.296 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind             | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                    |
|-------------------|----------|----------|----|--------------|--------|------------------|------------------------|-------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | C      | Schulze          | Conditioned<br>Quality | 0.283 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | C      | Schulze          | Conditioned<br>Quality | 0.285 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | C      | Schulze          | Conditioned<br>Quality | 0.256 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | C      | Schulze          | Conditioned<br>Quality | 0.262 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.316 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.318 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.32  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.317 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.311 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.306 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.296 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | C      | Simple Averaging | Conditioned<br>Quality | 0.296 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |



| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|--------------|--------|------------------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | C      | Simple Averaging | Conditioned Quality | 0.282 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | C      | Simple Averaging | Conditioned Quality | 0.28  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Cbar   | Borda            | Conditioned Quality | 0.226 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Cbar   | Borda            | Conditioned Quality | 0.229 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Cbar   | Borda            | Conditioned Quality | 0.254 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Cbar   | Borda            | Conditioned Quality | 0.229 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Cbar   | Borda            | Conditioned Quality | 0.248 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Cbar   | Borda            | Conditioned Quality | 0.257 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Cbar   | Borda            | Conditioned Quality | 0.255 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Cbar   | Borda            | Conditioned Quality | 0.245 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Cbar   | Borda            | Conditioned Quality | 0.265 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Cbar   | Borda            | Conditioned Quality | 0.298 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------|--------|--------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Cbar   | Kemeny | Conditioned Quality | 0.226 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Cbar   | Kemeny | Conditioned Quality | 0.227 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Cbar   | Kemeny | Conditioned Quality | 0.238 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Cbar   | Kemeny | Conditioned Quality | 0.225 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Cbar   | Kemeny | Conditioned Quality | 0.221 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Cbar   | Kemeny | Conditioned Quality | 0.238 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Cbar   | Kemeny | Conditioned Quality | 0.231 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Cbar   | Kemeny | Conditioned Quality | 0.234 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Cbar   | Kemeny | Conditioned Quality | 0.25  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Cbar   | Kemeny | Conditioned Quality | 0.26  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Cbar   | RRF    | Conditioned Quality | 0.227 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Cbar   | RRF    | Conditioned Quality | 0.225 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Cbar   | RRF    | Conditioned Quality | 0.237 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule    | Value Kind             | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|--------------|--------|---------|------------------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Cbar   | RRF     | Conditioned<br>Quality | 0.232 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Cbar   | RRF     | Conditioned<br>Quality | 0.219 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Cbar   | RRF     | Conditioned<br>Quality | 0.226 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Cbar   | RRF     | Conditioned<br>Quality | 0.238 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Cbar   | RRF     | Conditioned<br>Quality | 0.243 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Cbar   | RRF     | Conditioned<br>Quality | 0.261 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Cbar   | RRF     | Conditioned<br>Quality | 0.27  | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Cbar   | Schulze | Conditioned<br>Quality | 0.226 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Cbar   | Schulze | Conditioned<br>Quality | 0.235 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Cbar   | Schulze | Conditioned<br>Quality | 0.234 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Cbar   | Schulze | Conditioned<br>Quality | 0.225 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Cbar   | Schulze | Conditioned<br>Quality | 0.236 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                       |
|-------------------|----------|----------|----|--------------|--------|------------------|---------------------|-------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.223 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.244 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.239 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.257 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Cbar   | Schulze          | Conditioned Quality | 0.259 | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.236 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.231 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.259 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.245 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.252 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.251 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.248 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.248 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.246 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Cbar   | Simple Averaging | Conditioned Quality | 0.246 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | F      | Borda            | Conditioned Quality | 0.264 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | F      | Borda            | Conditioned Quality | 0.261 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | F      | Borda            | Conditioned Quality | 0.273 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | F      | Borda            | Conditioned Quality | 0.271 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | F      | Borda            | Conditioned Quality | 0.259 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | F      | Borda            | Conditioned Quality | 0.24  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | F      | Borda            | Conditioned Quality | 0.228 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | F      | Borda            | Conditioned Quality | 0.232 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | F      | Borda            | Conditioned Quality | 0.212 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                        |
|-------------------|----------|----------|----|--------------|--------|--------|---------------------|-------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | F      | Borda  | Conditioned Quality | 0.221 | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | F      | Kemeny | Conditioned Quality | 0.264 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | F      | Kemeny | Conditioned Quality | 0.267 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | F      | Kemeny | Conditioned Quality | 0.272 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | F      | Kemeny | Conditioned Quality | 0.263 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | F      | Kemeny | Conditioned Quality | 0.278 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | F      | Kemeny | Conditioned Quality | 0.261 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | F      | Kemeny | Conditioned Quality | 0.237 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | F      | Kemeny | Conditioned Quality | 0.243 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | F      | Kemeny | Conditioned Quality | 0.223 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | F      | Kemeny | Conditioned Quality | 0.22  | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | F      | RRF    | Conditioned Quality | 0.267 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule    | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|--------------|--------|---------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | F      | RRF     | Conditioned Quality | 0.264 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | F      | RRF     | Conditioned Quality | 0.288 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | F      | RRF     | Conditioned Quality | 0.277 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | F      | RRF     | Conditioned Quality | 0.267 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | F      | RRF     | Conditioned Quality | 0.261 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | F      | RRF     | Conditioned Quality | 0.242 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | F      | RRF     | Conditioned Quality | 0.243 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | F      | RRF     | Conditioned Quality | 0.217 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | F      | RRF     | Conditioned Quality | 0.224 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | F      | Schulze | Conditioned Quality | 0.264 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | F      | Schulze | Conditioned Quality | 0.269 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | F      | Schulze | Conditioned Quality | 0.28  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | F      | Schulze | Conditioned Quality | 0.273 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|--------------|--------|------------------|---------------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | F      | Schulze          | Conditioned Quality | 0.274 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | F      | Schulze          | Conditioned Quality | 0.256 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | F      | Schulze          | Conditioned Quality | 0.238 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | F      | Schulze          | Conditioned Quality | 0.235 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | F      | Schulze          | Conditioned Quality | 0.216 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | F      | Schulze          | Conditioned Quality | 0.222 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | F      | Simple Averaging | Conditioned Quality | 0.268 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | F      | Simple Averaging | Conditioned Quality | 0.266 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | F      | Simple Averaging | Conditioned Quality | 0.282 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | F      | Simple Averaging | Conditioned Quality | 0.283 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | F      | Simple Averaging | Conditioned Quality | 0.271 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | F      | Simple Averaging | Conditioned Quality | 0.266 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |



| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                       |
|-------------------|----------|----------|----|--------------|--------|------------------|---------------------|-------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | F      | Simple Averaging | Conditioned Quality | 0.258 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | F      | Simple Averaging | Conditioned Quality | 0.255 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | F      | Simple Averaging | Conditioned Quality | 0.246 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | F      | Simple Averaging | Conditioned Quality | 0.247 | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Fbar   | Borda            | Conditioned Quality | 0.187 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Fbar   | Borda            | Conditioned Quality | 0.192 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Fbar   | Borda            | Conditioned Quality | 0.208 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Fbar   | Borda            | Conditioned Quality | 0.183 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Fbar   | Borda            | Conditioned Quality | 0.203 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Fbar   | Borda            | Conditioned Quality | 0.21  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Fbar   | Borda            | Conditioned Quality | 0.211 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Fbar   | Borda            | Conditioned Quality | 0.204 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule   | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------|--------|--------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Fbar   | Borda  | Conditioned Quality | 0.227 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Fbar   | Borda  | Conditioned Quality | 0.254 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.187 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.191 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.197 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.188 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.181 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.195 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.198 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.196 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.222 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Fbar   | Kemeny | Conditioned Quality | 0.229 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule    | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------|--------|---------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Fbar   | RRF     | Conditioned Quality | 0.188 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Fbar   | RRF     | Conditioned Quality | 0.19  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Fbar   | RRF     | Conditioned Quality | 0.193 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Fbar   | RRF     | Conditioned Quality | 0.187 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Fbar   | RRF     | Conditioned Quality | 0.18  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Fbar   | RRF     | Conditioned Quality | 0.183 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Fbar   | RRF     | Conditioned Quality | 0.198 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Fbar   | RRF     | Conditioned Quality | 0.203 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Fbar   | RRF     | Conditioned Quality | 0.22  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Fbar   | RRF     | Conditioned Quality | 0.233 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Fbar   | Schulze | Conditioned Quality | 0.187 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Fbar   | Schulze | Conditioned Quality | 0.197 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Fbar   | Schulze | Conditioned Quality | 0.191 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.187 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.196 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.185 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.208 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.2   | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.22  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Fbar   | Schulze          | Conditioned Quality | 0.23  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Fbar   | Simple Averaging | Conditioned Quality | 0.195 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Fbar   | Simple Averaging | Conditioned Quality | 0.195 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Fbar   | Simple Averaging | Conditioned Quality | 0.212 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Fbar   | Simple Averaging | Conditioned Quality | 0.205 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Fbar   | Simple Averaging | Conditioned Quality | 0.21  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind          | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------|--------|------------------|---------------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Fbar   | Simple Averaging | Conditioned Quality | 0.211 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Fbar   | Simple Averaging | Conditioned Quality | 0.208 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Fbar   | Simple Averaging | Conditioned Quality | 0.21  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Fbar   | Simple Averaging | Conditioned Quality | 0.206 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Fbar   | Simple Averaging | Conditioned Quality | 0.207 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean        | C      | Borda            | Quality             | 0.307 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean        | C      | Borda            | Quality             | 0.313 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean        | C      | Borda            | Quality             | 0.319 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean        | C      | Borda            | Quality             | 0.315 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean        | C      | Borda            | Quality             | 0.298 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean        | C      | Borda            | Quality             | 0.293 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean        | C      | Borda            | Quality             | 0.273 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule   | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                                           |
|-------------------|----------|----------|----|-----------|--------|--------|------------|-------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | C      | Borda  | Quality    | 0.275 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | C      | Borda  | Quality    | 0.25  | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | C      | Borda  | Quality    | 0.261 | True          | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | C      | Kemeny | Quality    | 0.307 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | C      | Kemeny | Quality    | 0.31  | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | C      | Kemeny | Quality    | 0.314 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | C      | Kemeny | Quality    | 0.304 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | C      | Kemeny | Quality    | 0.303 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | C      | Kemeny | Quality    | 0.288 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | C      | Kemeny | Quality    | 0.284 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | C      | Kemeny | Quality    | 0.269 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | C      | Kemeny | Quality    | 0.252 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |

| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule    | Value Kind | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|-----------|--------|---------|------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | C      | Kemeny  | Quality    | 0.261 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | C      | RRF     | Quality    | 0.307 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | C      | RRF     | Quality    | 0.316 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | C      | RRF     | Quality    | 0.322 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | C      | RRF     | Quality    | 0.318 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | C      | RRF     | Quality    | 0.303 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | C      | RRF     | Quality    | 0.299 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | C      | RRF     | Quality    | 0.276 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | C      | RRF     | Quality    | 0.267 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | C      | RRF     | Quality    | 0.241 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | C      | RRF     | Quality    | 0.252 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | C      | Schulze | Quality    | 0.307 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule             | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|-----------|--------|------------------|------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | C      | Schulze          | Quality    | 0.312 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | C      | Schulze          | Quality    | 0.311 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | C      | Schulze          | Quality    | 0.312 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | C      | Schulze          | Quality    | 0.3   | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | C      | Schulze          | Quality    | 0.285 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | C      | Schulze          | Quality    | 0.276 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | C      | Schulze          | Quality    | 0.282 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | C      | Schulze          | Quality    | 0.245 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | C      | Schulze          | Quality    | 0.256 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | C      | Simple Averaging | Quality    | 0.309 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | C      | Simple Averaging | Quality    | 0.312 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | C      | Simple Averaging | Quality    | 0.305 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | C      | Simple Averaging | Quality    | 0.302 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |



| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule             | Value Kind | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|-----------|--------|------------------|------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | C      | Simple Averaging | Quality    | 0.289 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | C      | Simple Averaging | Quality    | 0.296 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | C      | Simple Averaging | Quality    | 0.285 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | C      | Simple Averaging | Quality    | 0.29  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | C      | Simple Averaging | Quality    | 0.278 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | C      | Simple Averaging | Quality    | 0.28  | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | Cbar   | Borda            | Quality    | 0.226 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | Cbar   | Borda            | Quality    | 0.222 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | Cbar   | Borda            | Quality    | 0.262 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | Cbar   | Borda            | Quality    | 0.252 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | Cbar   | Borda            | Quality    | 0.249 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | Cbar   | Borda            | Quality    | 0.254 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |

| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule   | Value Kind | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                    |
|-------------------|----------|----------|----|-----------|--------|--------|------------|-------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | Cbar   | Borda  | Quality    | 0.253 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | Cbar   | Borda  | Quality    | 0.253 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | Cbar   | Borda  | Quality    | 0.277 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | Cbar   | Borda  | Quality    | 0.298 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | Cbar   | Kemeny | Quality    | 0.226 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | Cbar   | Kemeny | Quality    | 0.231 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | Cbar   | Kemeny | Quality    | 0.228 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | Cbar   | Kemeny | Quality    | 0.217 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | Cbar   | Kemeny | Quality    | 0.211 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | Cbar   | Kemeny | Quality    | 0.227 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | Cbar   | Kemeny | Quality    | 0.249 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | Cbar   | Kemeny | Quality    | 0.234 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |

| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule   | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                                           |
|-------------------|----------|----------|----|-----------|--------|--------|------------|-------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | Cbar   | Kemeny | Quality    | 0.262 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | Cbar   | Kemeny | Quality    | 0.263 | True          | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | Cbar   | RRF    | Quality    | 0.223 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | Cbar   | RRF    | Quality    | 0.216 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | Cbar   | RRF    | Quality    | 0.251 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | Cbar   | RRF    | Quality    | 0.236 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | Cbar   | RRF    | Quality    | 0.223 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | Cbar   | RRF    | Quality    | 0.237 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | Cbar   | RRF    | Quality    | 0.24  | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | Cbar   | RRF    | Quality    | 0.241 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | Cbar   | RRF    | Quality    | 0.271 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | Cbar   | RRF    | Quality    | 0.266 | True          | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |

| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule             | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|-----------|--------|------------------|------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | Cbar   | Schulze          | Quality    | 0.226 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | Cbar   | Schulze          | Quality    | 0.231 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | Cbar   | Schulze          | Quality    | 0.232 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | Cbar   | Schulze          | Quality    | 0.228 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | Cbar   | Schulze          | Quality    | 0.229 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | Cbar   | Schulze          | Quality    | 0.233 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | Cbar   | Schulze          | Quality    | 0.25  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | Cbar   | Schulze          | Quality    | 0.242 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | Cbar   | Schulze          | Quality    | 0.276 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | Cbar   | Schulze          | Quality    | 0.277 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | Cbar   | Simple Averaging | Quality    | 0.231 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | Cbar   | Simple Averaging | Quality    | 0.227 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | Cbar   | Simple Averaging | Quality    | 0.251 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule             | Value Kind | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                    |
|-------------------|----------|----------|----|-----------|--------|------------------|------------|-------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | Cbar   | Simple Averaging | Quality    | 0.243 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | Cbar   | Simple Averaging | Quality    | 0.246 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | Cbar   | Simple Averaging | Quality    | 0.245 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | Cbar   | Simple Averaging | Quality    | 0.249 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | Cbar   | Simple Averaging | Quality    | 0.249 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | Cbar   | Simple Averaging | Quality    | 0.245 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | Cbar   | Simple Averaging | Quality    | 0.247 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | F      | Borda            | Quality    | 0.257 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | F      | Borda            | Quality    | 0.27  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | F      | Borda            | Quality    | 0.285 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | F      | Borda            | Quality    | 0.273 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | F      | Borda            | Quality    | 0.27  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation"]                                                                                                 |

| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule   | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|-----------|--------|--------|------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | F      | Borda  | Quality    | 0.262 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | F      | Borda  | Quality    | 0.242 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | F      | Borda  | Quality    | 0.242 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | F      | Borda  | Quality    | 0.211 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | F      | Borda  | Quality    | 0.226 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | F      | Kemeny | Quality    | 0.257 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | F      | Kemeny | Quality    | 0.26  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | F      | Kemeny | Quality    | 0.27  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | F      | Kemeny | Quality    | 0.264 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | F      | Kemeny | Quality    | 0.263 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | F      | Kemeny | Quality    | 0.247 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | F      | Kemeny | Quality    | 0.243 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule   | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                                           |
|-------------------|----------|----------|----|-----------|--------|--------|------------|-------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | F      | Kemeny | Quality    | 0.233 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | F      | Kemeny | Quality    | 0.214 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | F      | Kemeny | Quality    | 0.217 | True          | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | F      | RRF    | Quality    | 0.262 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | F      | RRF    | Quality    | 0.27  | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | F      | RRF    | Quality    | 0.283 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | F      | RRF    | Quality    | 0.27  | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | F      | RRF    | Quality    | 0.274 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | F      | RRF    | Quality    | 0.265 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | F      | RRF    | Quality    | 0.241 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | F      | RRF    | Quality    | 0.237 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | F      | RRF    | Quality    | 0.206 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |

| Cell              | Dataset  | Model    | Q  | Condition | Metric | Rule             | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|-----------|--------|------------------|------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | F      | RRF              | Quality    | 0.216 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | F      | Schulze          | Quality    | 0.257 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | F      | Schulze          | Quality    | 0.266 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | F      | Schulze          | Quality    | 0.269 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | F      | Schulze          | Quality    | 0.264 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | F      | Schulze          | Quality    | 0.268 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | F      | Schulze          | Quality    | 0.248 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | F      | Schulze          | Quality    | 0.241 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | F      | Schulze          | Quality    | 0.24  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | F      | Schulze          | Quality    | 0.209 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | F      | Schulze          | Quality    | 0.216 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | F      | Simple Averaging | Quality    | 0.266 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |



| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule             | Value Kind | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|-----------|--------|------------------|------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | F      | Simple Averaging | Quality    | 0.267 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | F      | Simple Averaging | Quality    | 0.278 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | F      | Simple Averaging | Quality    | 0.275 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | F      | Simple Averaging | Quality    | 0.26  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAb<br>lation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | F      | Simple Averaging | Quality    | 0.265 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAb<br>lation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | F      | Simple Averaging | Quality    | 0.255 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAb<br>lation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | F      | Simple Averaging | Quality    | 0.26  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAb<br>lation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | F      | Simple Averaging | Quality    | 0.244 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAb<br>lation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | F      | Simple Averaging | Quality    | 0.245 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAb<br>lation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | Fbar   | Borda            | Quality    | 0.201 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | Fbar   | Borda            | Quality    | 0.194 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | Fbar   | Borda            | Quality    | 0.226 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | Fbar   | Borda            | Quality    | 0.215 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |

| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule   | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|-----------|--------|--------|------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | Fbar   | Borda  | Quality    | 0.219 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | Fbar   | Borda  | Quality    | 0.225 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | Fbar   | Borda  | Quality    | 0.222 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | Fbar   | Borda  | Quality    | 0.213 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | Fbar   | Borda  | Quality    | 0.246 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | Fbar   | Borda  | Quality    | 0.261 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | Fbar   | Kemeny | Quality    | 0.201 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | Fbar   | Kemeny | Quality    | 0.202 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | Fbar   | Kemeny | Quality    | 0.196 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | Fbar   | Kemeny | Quality    | 0.188 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | Fbar   | Kemeny | Quality    | 0.179 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | Fbar   | Kemeny | Quality    | 0.198 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |

| Cell              | Dataset  | Model    | q  | Condition | Metric | Rule   | Value Kind | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                    |
|-------------------|----------|----------|----|-----------|--------|--------|------------|-------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | Fbar   | Kemeny | Quality    | 0.223 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | Fbar   | Kemeny | Quality    | 0.205 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | Fbar   | Kemeny | Quality    | 0.236 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | Fbar   | Kemeny | Quality    | 0.24  | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | Fbar   | RRF    | Quality    | 0.2   | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | Fbar   | RRF    | Quality    | 0.191 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | Fbar   | RRF    | Quality    | 0.217 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | Fbar   | RRF    | Quality    | 0.204 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | Fbar   | RRF    | Quality    | 0.192 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | Fbar   | RRF    | Quality    | 0.202 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | Fbar   | RRF    | Quality    | 0.211 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | Fbar   | RRF    | Quality    | 0.211 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |

| Cell              | Dataset  | Model    | Q  | Condition | Metric | Rule    | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|-----------|--------|---------|------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | Fbar   | RRF     | Quality    | 0.243 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | Fbar   | RRF     | Quality    | 0.235 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean     | Fbar   | Schulze | Quality    | 0.201 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean     | Fbar   | Schulze | Quality    | 0.2   | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean     | Fbar   | Schulze | Quality    | 0.201 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean     | Fbar   | Schulze | Quality    | 0.193 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean     | Fbar   | Schulze | Quality    | 0.192 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean     | Fbar   | Schulze | Quality    | 0.201 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean     | Fbar   | Schulze | Quality    | 0.223 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean     | Fbar   | Schulze | Quality    | 0.212 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean     | Fbar   | Schulze | Quality    | 0.252 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean     | Fbar   | Schulze | Quality    | 0.251 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition                | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------------------|--------|------------------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Clean                    | Fbar   | Simple Averaging | Quality    | 0.206  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Clean                    | Fbar   | Simple Averaging | Quality    | 0.2    | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Clean                    | Fbar   | Simple Averaging | Quality    | 0.216  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Clean                    | Fbar   | Simple Averaging | Quality    | 0.206  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Clean                    | Fbar   | Simple Averaging | Quality    | 0.211  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Clean                    | Fbar   | Simple Averaging | Quality    | 0.214  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Clean                    | Fbar   | Simple Averaging | Quality    | 0.217  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Clean                    | Fbar   | Simple Averaging | Quality    | 0.216  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Clean                    | Fbar   | Simple Averaging | Quality    | 0.217  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Clean                    | Fbar   | Simple Averaging | Quality    | 0.219  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 C | C      | Borda            | Robustness | -0.023 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 C | C      | Borda            | Robustness | -0.004 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 C | C      | Borda            | Robustness | -0.004 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|--------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | C      | Borda  | Robustness | -0.003 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | C      | Borda  | Robustness | 0.01   | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | C      | Borda  | Robustness | 0.015  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | C      | Borda  | Robustness | 0.008  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | C      | Borda  | Robustness | 0.013  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | C      | Borda  | Robustness | 0.001  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | C      | Borda  | Robustness | -0.016 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | C      | Kemeny | Robustness | -0.023 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | C      | Kemeny | Robustness | -0.018 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | C      | Kemeny | Robustness | 0.003  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | C      | Kemeny | Robustness | 0.001  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | C      | Kemeny | Robustness | 0.005  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|--------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | C      | Kemeny | Robustness | 0.004  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | C      | Kemeny | Robustness | -0.007 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | C      | Kemeny | Robustness | 0      | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | C      | Kemeny | Robustness | 0.002  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | C      | Kemeny | Robustness | -0.032 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | C      | RRF    | Robustness | -0.027 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | C      | RRF    | Robustness | -0.014 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | C      | RRF    | Robustness | 0.003  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | C      | RRF    | Robustness | -0.011 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | C      | RRF    | Robustness | 0.015  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | C      | RRF    | Robustness | -0.003 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | C      | RRF    | Robustness | 0.008  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule    | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                        |
|-------------------|----------|----------|----|------------------------|--------|---------|------------|--------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | C      | RRF     | Robustness | 0.007  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | C      | RRF     | Robustness | 0.002  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | C      | RRF     | Robustness | -0.006 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | C      | Schulze | Robustness | -0.023 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | C      | Schulze | Robustness | -0.011 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | C      | Schulze | Robustness | -0.002 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | C      | Schulze | Robustness | -0.003 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | C      | Schulze | Robustness | 0.011  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | C      | Schulze | Robustness | 0.012  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | C      | Schulze | Robustness | -0.001 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | C      | Schulze | Robustness | 0.001  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | C      | Schulze | Robustness | 0      | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |



| Cell              | Dataset  | Model    | q  | Condition                   | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|-----------------------------|--------|------------------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 C    |        | Schulze          | Robustness | -0.007 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 C    |        | Simple Averaging | Robustness | -0.025 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 C    |        | Simple Averaging | Robustness | -0.026 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 C    |        | Simple Averaging | Robustness | 0.015  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 C    |        | Simple Averaging | Robustness | 0.012  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 C    |        | Simple Averaging | Robustness | 0.025  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 C    |        | Simple Averaging | Robustness | 0.007  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 C    |        | Simple Averaging | Robustness | -0.003 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 C    |        | Simple Averaging | Robustness | -0.005 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 C    |        | Simple Averaging | Robustness | -0.007 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 C    |        | Simple Averaging | Robustness | -0.003 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 Cbar |        | Borda            | Robustness | -0.068 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|--------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Cbar   | Borda  | Robustness | -0.064 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Cbar   | Borda  | Robustness | -0.061 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Cbar   | Borda  | Robustness | -0.048 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Cbar   | Borda  | Robustness | -0.07  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Cbar   | Borda  | Robustness | -0.08  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Cbar   | Borda  | Robustness | -0.107 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Cbar   | Borda  | Robustness | -0.086 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Cbar   | Borda  | Robustness | -0.11  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Cbar   | Borda  | Robustness | -0.106 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Cbar   | Kemeny | Robustness | -0.068 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Cbar   | Kemeny | Robustness | -0.063 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Cbar   | Kemeny | Robustness | -0.051 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Cbar   | Kemeny | Robustness | -0.06  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|--------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Cbar   | Kemeny | Robustness | -0.078 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Cbar   | Kemeny | Robustness | -0.082 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Cbar   | Kemeny | Robustness | -0.088 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Cbar   | Kemeny | Robustness | -0.097 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Cbar   | Kemeny | Robustness | -0.11  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Cbar   | Kemeny | Robustness | -0.12  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Cbar   | RRF    | Robustness | -0.074 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Cbar   | RRF    | Robustness | -0.051 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Cbar   | RRF    | Robustness | -0.044 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Cbar   | RRF    | Robustness | -0.044 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Cbar   | RRF    | Robustness | -0.074 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Cbar   | RRF    | Robustness | -0.073 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule    | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|---------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Cbar   | RRF     | Robustness | -0.094 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Cbar   | RRF     | Robustness | -0.078 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Cbar   | RRF     | Robustness | -0.097 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Cbar   | RRF     | Robustness | -0.106 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Cbar   | Schulze | Robustness | -0.068 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Cbar   | Schulze | Robustness | -0.052 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Cbar   | Schulze | Robustness | -0.065 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Cbar   | Schulze | Robustness | -0.056 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Cbar   | Schulze | Robustness | -0.076 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Cbar   | Schulze | Robustness | -0.077 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Cbar   | Schulze | Robustness | -0.098 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Cbar   | Schulze | Robustness | -0.095 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|------------------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Cbar   | Schulze          | Robustness | -0.103 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Cbar   | Schulze          | Robustness | -0.111 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Robustness | -0.074 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Robustness | -0.064 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Robustness | -0.103 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Robustness | -0.085 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Robustness | -0.108 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Robustness | -0.103 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Robustness | -0.116 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Robustness | -0.115 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Robustness | -0.128 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Robustness | -0.138 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition                | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------------------|--------|--------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 F | F      | Borda  | Robustness | -0.022 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 F | F      | Borda  | Robustness | -0.003 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 F | F      | Borda  | Robustness | -0.002 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 F | F      | Borda  | Robustness | 0.005  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 F | F      | Borda  | Robustness | 0.004  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 F | F      | Borda  | Robustness | 0.015  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 F | F      | Borda  | Robustness | 0.008  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 F | F      | Borda  | Robustness | 0.015  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 F | F      | Borda  | Robustness | 0.008  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 F | F      | Borda  | Robustness | -0.01  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 F | F      | Kemeny | Robustness | -0.022 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 F | F      | Kemeny | Robustness | -0.011 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 F | F      | Kemeny | Robustness | 0.001  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition                | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------------------|--------|--------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 F | F      | Kemeny | Robustness | 0.003  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 F | F      | Kemeny | Robustness | 0.007  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 F | F      | Kemeny | Robustness | 0.012  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 F | F      | Kemeny | Robustness | -0.003 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 F | F      | Kemeny | Robustness | 0.001  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 F | F      | Kemeny | Robustness | -0.005 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 F | F      | Kemeny | Robustness | -0.024 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 F | F      | RRF    | Robustness | -0.029 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 F | F      | RRF    | Robustness | -0.014 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 F | F      | RRF    | Robustness | -0.001 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 F | F      | RRF    | Robustness | -0.004 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 F | F      | RRF    | Robustness | 0.008  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule    | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|---------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | F      | RRF     | Robustness | -0.005 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | F      | RRF     | Robustness | 0.003  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | F      | RRF     | Robustness | -0.004 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | F      | RRF     | Robustness | 0.002  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | F      | RRF     | Robustness | -0.002 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | F      | Schulze | Robustness | -0.022 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | F      | Schulze | Robustness | -0.011 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | F      | Schulze | Robustness | -0.009 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | F      | Schulze | Robustness | 0.01   | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | F      | Schulze | Robustness | 0.015  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | F      | Schulze | Robustness | 0.011  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | F      | Schulze | Robustness | 0.003  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |



| Cell              | Dataset  | Model    | q  | Condition                | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------------------|--------|------------------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 F | F      | Schulze          | Robustness | 0.015  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 F | F      | Schulze          | Robustness | 0.003  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 F | F      | Schulze          | Robustness | -0.009 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 F | F      | Simple Averaging | Robustness | -0.031 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 F | F      | Simple Averaging | Robustness | -0.02  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 F | F      | Simple Averaging | Robustness | 0.01   | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 F | F      | Simple Averaging | Robustness | 0.007  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 F | F      | Simple Averaging | Robustness | 0.026  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 F | F      | Simple Averaging | Robustness | 0.009  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 F | F      | Simple Averaging | Robustness | -0.002 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 F | F      | Simple Averaging | Robustness | -0.003 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 F | F      | Simple Averaging | Robustness | 0.001  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule             | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|------------------------|--------|------------------|------------|--------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | F      | Simple Averaging | Robustness | 0.004  | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Fbar   | Borda            | Robustness | -0.064 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Fbar   | Borda            | Robustness | -0.064 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Fbar   | Borda            | Robustness | -0.06  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Fbar   | Borda            | Robustness | -0.047 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Fbar   | Borda            | Robustness | -0.064 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Fbar   | Borda            | Robustness | -0.078 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Fbar   | Borda            | Robustness | -0.108 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Fbar   | Borda            | Robustness | -0.089 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Fbar   | Borda            | Robustness | -0.106 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Fbar   | Borda            | Robustness | -0.107 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Fbar   | Kemeny           | Robustness | -0.064 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|------------------------|--------|--------|------------|--------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Fbar   | Kemeny | Robustness | -0.062 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Fbar   | Kemeny | Robustness | -0.052 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Fbar   | Kemeny | Robustness | -0.06  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Fbar   | Kemeny | Robustness | -0.079 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbl ation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Fbar   | Kemeny | Robustness | -0.08  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbl ation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Fbar   | Kemeny | Robustness | -0.091 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbl ation", "Integrated Gradients", "Sallency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Fbar   | Kemeny | Robustness | -0.106 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbl ation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Fbar   | Kemeny | Robustness | -0.109 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbl ation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Fbar   | Kemeny | Robustness | -0.113 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbl ation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Fbar   | RRF    | Robustness | -0.069 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Fbar   | RRF    | Robustness | -0.05  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Fbar   | RRF    | Robustness | -0.046 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Fbar   | RRF    | Robustness | -0.047 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule    | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|------------------------|--------|---------|------------|--------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Fbar   | RRF     | Robustness | -0.074 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Fbar   | RRF     | Robustness | -0.079 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Fbar   | RRF     | Robustness | -0.097 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Fbar   | RRF     | Robustness | -0.074 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Fbar   | RRF     | Robustness | -0.097 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Fbar   | RRF     | Robustness | -0.103 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Fbar   | Schulze | Robustness | -0.064 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Fbar   | Schulze | Robustness | -0.055 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Fbar   | Schulze | Robustness | -0.064 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Fbar   | Schulze | Robustness | -0.061 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Fbar   | Schulze | Robustness | -0.076 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Fbar   | Schulze | Robustness | -0.075 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule             | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|------------------------|--------|------------------|------------|--------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Fbar   | Schulze          | Robustness | -0.093 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Fbar   | Schulze          | Robustness | -0.09  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Fbar   | Schulze          | Robustness | -0.103 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Fbar   | Schulze          | Robustness | -0.108 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Robustness | -0.07  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Robustness | -0.063 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Robustness | -0.102 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Robustness | -0.084 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Robustness | -0.11  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Robustness | -0.094 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Robustness | -0.116 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Robustness | -0.115 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |

| Cell              | Dataset  | Model    | q  | Condition              | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------------|--------|------------------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Robustness | -0.12  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Robustness | -0.129 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15          | C      | Borda            | Robustness | 0.065  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15          | C      | Borda            | Robustness | 0.053  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15          | C      | Borda            | Robustness | 0.03   | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15          | C      | Borda            | Robustness | 0.055  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15          | C      | Borda            | Robustness | 0.025  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15          | C      | Borda            | Robustness | 0.036  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15          | C      | Borda            | Robustness | 0.046  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15          | C      | Borda            | Robustness | 0.046  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15          | C      | Borda            | Robustness | 0.066  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15          | C      | Borda            | Robustness | 0.055  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule   | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|---------------|--------|--------|------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | C      | Kemeny | Robustness | 0.065 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | C      | Kemeny | Robustness | 0.068 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | C      | Kemeny | Robustness | 0.053 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | C      | Kemeny | Robustness | 0.062 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | C      | Kemeny | Robustness | 0.061 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | C      | Kemeny | Robustness | 0.071 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | C      | Kemeny | Robustness | 0.067 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | C      | Kemeny | Robustness | 0.077 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | C      | Kemeny | Robustness | 0.084 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | C      | Kemeny | Robustness | 0.073 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | C      | RRF    | Robustness | 0.066 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | C      | RRF    | Robustness | 0.046 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | C      | RRF    | Robustness | 0.036 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule    | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|---------------|--------|---------|------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | C      | RRF     | Robustness | 0.021 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | C      | RRF     | Robustness | 0.052 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | C      | RRF     | Robustness | 0.045 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | C      | RRF     | Robustness | 0.059 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | C      | RRF     | Robustness | 0.077 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | C      | RRF     | Robustness | 0.091 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | C      | RRF     | Robustness | 0.074 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | C      | Schulze | Robustness | 0.065 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | C      | Schulze | Robustness | 0.059 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | C      | Schulze | Robustness | 0.061 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | C      | Schulze | Robustness | 0.041 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | C      | Schulze | Robustness | 0.054 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |



| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                               |
|-------------------|----------|----------|----|---------------|--------|------------------|------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | C      | Schulze          | Robustness | 0.07  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | C      | Schulze          | Robustness | 0.076 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | C      | Schulze          | Robustness | 0.064 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | C      | Schulze          | Robustness | 0.086 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | C      | Schulze          | Robustness | 0.078 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | C      | Simple Averaging | Robustness | 0.066 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | C      | Simple Averaging | Robustness | 0.066 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | C      | Simple Averaging | Robustness | 0.064 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | C      | Simple Averaging | Robustness | 0.067 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | C      | Simple Averaging | Robustness | 0.055 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | C      | Simple Averaging | Robustness | 0.042 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | C      | Simple Averaging | Robustness | 0.051 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                        |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                |
|-------------------|----------|----------|----|---------------|--------|------------------|------------|--------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | C      | Simple Averaging | Robustness | 0.043  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | C      | Simple Averaging | Robustness | 0.058  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | C      | Simple Averaging | Robustness | 0.052  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Cbar   | Borda            | Robustness | -0.096 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Cbar   | Borda            | Robustness | -0.108 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Cbar   | Borda            | Robustness | -0.127 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Cbar   | Borda            | Robustness | -0.133 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Cbar   | Borda            | Robustness | -0.166 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Cbar   | Borda            | Robustness | -0.153 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Cbar   | Borda            | Robustness | -0.15  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Cbar   | Borda            | Robustness | -0.117 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Cbar   | Borda            | Robustness | -0.102 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"] |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule   | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|---------------|--------|--------|------------|--------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Cbar   | Borda  | Robustness | -0.099 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Cbar   | Kemeny | Robustness | -0.096 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Cbar   | Kemeny | Robustness | -0.103 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Cbar   | Kemeny | Robustness | -0.123 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Cbar   | Kemeny | Robustness | -0.131 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Cbar   | Kemeny | Robustness | -0.134 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Cbar   | Kemeny | Robustness | -0.129 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Cbar   | Kemeny | Robustness | -0.113 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Cbar   | Kemeny | Robustness | -0.12  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Cbar   | Kemeny | Robustness | -0.105 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Cbar   | Kemeny | Robustness | -0.1   | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Cbar   | RRF    | Robustness | -0.102 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule    | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|---------------|--------|---------|------------|--------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Cbar   | RRF     | Robustness | -0.127 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Cbar   | RRF     | Robustness | -0.108 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Cbar   | RRF     | Robustness | -0.114 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Cbar   | RRF     | Robustness | -0.141 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Cbar   | RRF     | Robustness | -0.125 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Cbar   | RRF     | Robustness | -0.126 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Cbar   | RRF     | Robustness | -0.108 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Cbar   | RRF     | Robustness | -0.091 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Cbar   | RRF     | Robustness | -0.109 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Cbar   | Schulze | Robustness | -0.096 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Cbar   | Schulze | Robustness | -0.095 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Cbar   | Schulze | Robustness | -0.109 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Cbar   | Schulze | Robustness | -0.122 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|---------------|--------|------------------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Cbar   | Schulze          | Robustness | -0.136 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Cbar   | Schulze          | Robustness | -0.146 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Cbar   | Schulze          | Robustness | -0.117 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Cbar   | Schulze          | Robustness | -0.11  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Cbar   | Schulze          | Robustness | -0.082 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Cbar   | Schulze          | Robustness | -0.091 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Cbar   | Simple Averaging | Robustness | -0.088 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Cbar   | Simple Averaging | Robustness | -0.101 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Cbar   | Simple Averaging | Robustness | -0.136 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Cbar   | Simple Averaging | Robustness | -0.143 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Cbar   | Simple Averaging | Robustness | -0.145 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Cbar   | Simple Averaging | Robustness | -0.154 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                    |
|-------------------|----------|----------|----|---------------|--------|------------------|------------|--------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Cbar   | Simple Averaging | Robustness | -0.138 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Cbar   | Simple Averaging | Robustness | -0.144 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Cbar   | Simple Averaging | Robustness | -0.146 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Cbar   | Simple Averaging | Robustness | -0.153 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | F      | Borda            | Robustness | 0.044  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | F      | Borda            | Robustness | 0.027  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | F      | Borda            | Robustness | -0.004 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | F      | Borda            | Robustness | 0.025  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | F      | Borda            | Robustness | -0.013 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | F      | Borda            | Robustness | -0.002 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | F      | Borda            | Robustness | 0.01   | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | F      | Borda            | Robustness | 0.014  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |

| Cell              | Dataset  | Model    | Q  | Condition     | Metric | Rule   | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|---------------|--------|--------|------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | F      | Borda  | Robustness | 0.043 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | F      | Borda  | Robustness | 0.019 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | F      | Kemeny | Robustness | 0.044 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | F      | Kemeny | Robustness | 0.047 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | F      | Kemeny | Robustness | 0.02  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | F      | Kemeny | Robustness | 0.028 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | F      | Kemeny | Robustness | 0.019 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | F      | Kemeny | Robustness | 0.03  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | F      | Kemeny | Robustness | 0.032 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | F      | Kemeny | Robustness | 0.032 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | F      | Kemeny | Robustness | 0.042 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | F      | Kemeny | Robustness | 0.034 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule    | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|---------------|--------|---------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | F      | RRF     | Robustness | 0.039  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | F      | RRF     | Robustness | 0.025  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | F      | RRF     | Robustness | 0.002  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | F      | RRF     | Robustness | 0.007  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | F      | RRF     | Robustness | -0.006 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | F      | RRF     | Robustness | 0.008  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | F      | RRF     | Robustness | 0.022  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | F      | RRF     | Robustness | 0.028  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | F      | RRF     | Robustness | 0.049  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | F      | RRF     | Robustness | 0.033  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | F      | Schulze | Robustness | 0.044  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | F      | Schulze | Robustness | 0.036  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | F      | Schulze | Robustness | 0.026  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |



| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|---------------|--------|------------------|------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | F      | Schulze          | Robustness | 0.021 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | F      | Schulze          | Robustness | 0.011 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | F      | Schulze          | Robustness | 0.028 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | F      | Schulze          | Robustness | 0.031 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | F      | Schulze          | Robustness | 0.022 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | F      | Schulze          | Robustness | 0.04  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | F      | Schulze          | Robustness | 0.037 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | F      | Simple Averaging | Robustness | 0.032 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | F      | Simple Averaging | Robustness | 0.041 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | F      | Simple Averaging | Robustness | 0.022 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | F      | Simple Averaging | Robustness | 0.011 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | F      | Simple Averaging | Robustness | 0.001 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                        |
|-------------------|----------|----------|----|---------------|--------|------------------|------------|--------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | F      | Simple Averaging | Robustness | -0.005 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | F      | Simple Averaging | Robustness | 0      | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | F      | Simple Averaging | Robustness | -0.009 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | F      | Simple Averaging | Robustness | 0.011  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | F      | Simple Averaging | Robustness | 0.012  | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Fbar   | Borda            | Robustness | -0.019 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Fbar   | Borda            | Robustness | -0.028 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Fbar   | Borda            | Robustness | -0.049 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Fbar   | Borda            | Robustness | -0.064 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Fbar   | Borda            | Robustness | -0.075 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Fbar   | Borda            | Robustness | -0.067 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Fbar   | Borda            | Robustness | -0.07  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                               |
|-------------------|----------|----------|----|---------------|--------|--------|------------|--------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Fbar   | Borda  | Robustness | -0.05  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Fbar   | Borda  | Robustness | -0.03  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Fbar   | Borda  | Robustness | -0.022 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Fbar   | Kemeny | Robustness | -0.019 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Fbar   | Kemeny | Robustness | -0.029 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Fbar   | Kemeny | Robustness | -0.048 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Fbar   | Kemeny | Robustness | -0.058 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Fbar   | Kemeny | Robustness | -0.061 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Fbar   | Kemeny | Robustness | -0.051 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Fbar   | Kemeny | Robustness | -0.032 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Fbar   | Kemeny | Robustness | -0.038 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Fbar   | Kemeny | Robustness | -0.033 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |

| Cell              | Dataset  | Model    | Q  | Condition     | Metric | Rule    | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|---------------|--------|---------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Fbar   | Kemeny  | Robustness | -0.023 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Fbar   | RRF     | Robustness | -0.02  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Fbar   | RRF     | Robustness | -0.046 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Fbar   | RRF     | Robustness | -0.03  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Fbar   | RRF     | Robustness | -0.044 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Fbar   | RRF     | Robustness | -0.067 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Fbar   | RRF     | Robustness | -0.059 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Fbar   | RRF     | Robustness | -0.045 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Fbar   | RRF     | Robustness | -0.032 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Fbar   | RRF     | Robustness | -0.019 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Fbar   | RRF     | Robustness | -0.037 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Fbar   | Schulze | Robustness | -0.019 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition     | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|---------------|--------|------------------|------------|--------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Fbar   | Schulze          | Robustness | -0.02  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Fbar   | Schulze          | Robustness | -0.033 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Fbar   | Schulze          | Robustness | -0.059 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15 | Fbar   | Schulze          | Robustness | -0.067 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15 | Fbar   | Schulze          | Robustness | -0.071 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15 | Fbar   | Schulze          | Robustness | -0.041 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15 | Fbar   | Schulze          | Robustness | -0.038 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15 | Fbar   | Schulze          | Robustness | -0.009 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15 | Fbar   | Schulze          | Robustness | -0.014 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Gaussian 0.15 | Fbar   | Simple Averaging | Robustness | -0.008 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Gaussian 0.15 | Fbar   | Simple Averaging | Robustness | -0.023 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Gaussian 0.15 | Fbar   | Simple Averaging | Robustness | -0.06  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Gaussian 0.15 | Fbar   | Simple Averaging | Robustness | -0.072 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|------------------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Gaussian 0.15    | Fbar   | Simple Averaging | Robustness | -0.071 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Gaussian 0.15    | Fbar   | Simple Averaging | Robustness | -0.074 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Gaussian 0.15    | Fbar   | Simple Averaging | Robustness | -0.065 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Gaussian 0.15    | Fbar   | Simple Averaging | Robustness | -0.067 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Gaussian 0.15    | Fbar   | Simple Averaging | Robustness | -0.063 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Gaussian 0.15    | Fbar   | Simple Averaging | Robustness | -0.065 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | C      | Borda            | Robustness | 0.079  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | C      | Borda            | Robustness | 0.063  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | C      | Borda            | Robustness | 0.048  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | C      | Borda            | Robustness | 0.06   | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | C      | Borda            | Robustness | 0.062  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | C      | Borda            | Robustness | 0.058  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                         |
|-------------------|----------|----------|----|------------------|--------|--------|------------|-------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | C      | Borda  | Robustness | 0.08  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | C      | Borda  | Robustness | 0.067 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | C      | Borda  | Robustness | 0.078 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | C      | Borda  | Robustness | 0.066 | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | C      | Kemeny | Robustness | 0.079 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | C      | Kemeny | Robustness | 0.071 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | C      | Kemeny | Robustness | 0.07  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | C      | Kemeny | Robustness | 0.077 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | C      | Kemeny | Robustness | 0.079 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | C      | Kemeny | Robustness | 0.081 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | C      | Kemeny | Robustness | 0.069 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | C      | Kemeny | Robustness | 0.084 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|--------|------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | C      | Kemeny | Robustness | 0.085 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | C      | Kemeny | Robustness | 0.063 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | C      | RRF    | Robustness | 0.077 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | C      | RRF    | Robustness | 0.067 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | C      | RRF    | Robustness | 0.063 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | C      | RRF    | Robustness | 0.073 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | C      | RRF    | Robustness | 0.077 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | C      | RRF    | Robustness | 0.073 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | C      | RRF    | Robustness | 0.082 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | C      | RRF    | Robustness | 0.081 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | C      | RRF    | Robustness | 0.09  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | C      | RRF    | Robustness | 0.085 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |



| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule             | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|------------------|------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | C      | Schulze          | Robustness | 0.079 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | C      | Schulze          | Robustness | 0.065 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | C      | Schulze          | Robustness | 0.082 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | C      | Schulze          | Robustness | 0.071 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | C      | Schulze          | Robustness | 0.078 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | C      | Schulze          | Robustness | 0.081 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | C      | Schulze          | Robustness | 0.066 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | C      | Schulze          | Robustness | 0.065 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | C      | Schulze          | Robustness | 0.094 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | C      | Schulze          | Robustness | 0.076 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | C      | Simple Averaging | Robustness | 0.076 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | C      | Simple Averaging | Robustness | 0.077 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | C      | Simple Averaging | Robustness | 0.072 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule             | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|------------------|--------|------------------|------------|--------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | C      | Simple Averaging | Robustness | 0.089  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | C      | Simple Averaging | Robustness | 0.091  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | C      | Simple Averaging | Robustness | 0.074  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | C      | Simple Averaging | Robustness | 0.088  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | C      | Simple Averaging | Robustness | 0.083  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | C      | Simple Averaging | Robustness | 0.088  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | C      | Simple Averaging | Robustness | 0.087  | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Cbar   | Borda            | Robustness | -0.071 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Cbar   | Borda            | Robustness | -0.08  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Cbar   | Borda            | Robustness | -0.09  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Cbar   | Borda            | Robustness | -0.096 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Cbar   | Borda            | Robustness | -0.113 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                        |
|-------------------|----------|----------|----|------------------|--------|--------|------------|--------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Cbar   | Borda  | Robustness | -0.089 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Cbar   | Borda  | Robustness | -0.086 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Cbar   | Borda  | Robustness | -0.079 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Cbar   | Borda  | Robustness | -0.059 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Cbar   | Borda  | Robustness | -0.045 | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Cbar   | Kemeny | Robustness | -0.071 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Cbar   | Kemeny | Robustness | -0.075 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Cbar   | Kemeny | Robustness | -0.073 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Cbar   | Kemeny | Robustness | -0.088 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Cbar   | Kemeny | Robustness | -0.09  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Cbar   | Kemeny | Robustness | -0.071 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Cbar   | Kemeny | Robustness | -0.06  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|--------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Cbar   | Kemeny | Robustness | -0.071 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Cbar   | Kemeny | Robustness | -0.06  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Cbar   | Kemeny | Robustness | -0.048 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Cbar   | RRF    | Robustness | -0.078 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Cbar   | RRF    | Robustness | -0.089 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Cbar   | RRF    | Robustness | -0.059 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Cbar   | RRF    | Robustness | -0.084 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Cbar   | RRF    | Robustness | -0.084 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Cbar   | RRF    | Robustness | -0.072 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Cbar   | RRF    | Robustness | -0.074 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Cbar   | RRF    | Robustness | -0.053 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Cbar   | RRF    | Robustness | -0.045 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|------------------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Cbar   | RRF              | Robustness | -0.042 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Cbar   | Schulze          | Robustness | -0.071 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Cbar   | Schulze          | Robustness | -0.066 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Cbar   | Schulze          | Robustness | -0.059 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Cbar   | Schulze          | Robustness | -0.091 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Cbar   | Schulze          | Robustness | -0.077 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Cbar   | Schulze          | Robustness | -0.071 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Cbar   | Schulze          | Robustness | -0.059 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Cbar   | Schulze          | Robustness | -0.061 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Cbar   | Schulze          | Robustness | -0.042 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Cbar   | Schulze          | Robustness | -0.035 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Robustness | -0.064 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|------------------|--------|------------------|------------|--------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Robustness | -0.088 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Robustness | -0.099 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Robustness | -0.104 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Robustness | -0.093 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Robustness | -0.091 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Robustness | -0.091 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Cbar   | Simple Averaging | Robustness | -0.087 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Cbar   | Simple Averaging | Robustness | -0.097 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Cbar   | Simple Averaging | Robustness | -0.09  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | F      | Borda            | Robustness | 0.075  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | F      | Borda            | Robustness | 0.058  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | F      | Borda            | Robustness | 0.041  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | F      | Borda            | Robustness | 0.064  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|--------|------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | F      | Borda  | Robustness | 0.046 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | F      | Borda  | Robustness | 0.042 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | F      | Borda  | Robustness | 0.059 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | F      | Borda  | Robustness | 0.063 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | F      | Borda  | Robustness | 0.07  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | F      | Borda  | Robustness | 0.06  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | F      | Kemeny | Robustness | 0.075 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | F      | Kemeny | Robustness | 0.073 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | F      | Kemeny | Robustness | 0.073 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | F      | Kemeny | Robustness | 0.071 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | F      | Kemeny | Robustness | 0.076 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | F      | Kemeny | Robustness | 0.076 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |

| Cell              | Dataset  | Model    | Q  | Condition        | Metric | Rule   | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                                                       |
|-------------------|----------|----------|----|------------------|--------|--------|------------|-------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | F      | Kemeny | Robustness | 0.06  | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | F      | Kemeny | Robustness | 0.075 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | F      | Kemeny | Robustness | 0.077 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | F      | Kemeny | Robustness | 0.056 | True          | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | F      | RRF    | Robustness | 0.073 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | F      | RRF    | Robustness | 0.068 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | F      | RRF    | Robustness | 0.063 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | F      | RRF    | Robustness | 0.074 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | F      | RRF    | Robustness | 0.066 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | F      | RRF    | Robustness | 0.059 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | F      | RRF    | Robustness | 0.066 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | F      | RRF    | Robustness | 0.069 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |



| Cell              | Dataset  | Model    | Q  | Condition        | Metric | Rule    | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|------------------|--------|---------|------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | F      | RRF     | Robustness | 0.082 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | F      | RRF     | Robustness | 0.078 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | F      | Schulze | Robustness | 0.075 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | F      | Schulze | Robustness | 0.062 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | F      | Schulze | Robustness | 0.072 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | F      | Schulze | Robustness | 0.077 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | F      | Schulze | Robustness | 0.062 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | F      | Schulze | Robustness | 0.073 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | F      | Schulze | Robustness | 0.058 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | F      | Schulze | Robustness | 0.063 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | F      | Schulze | Robustness | 0.084 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | F      | Schulze | Robustness | 0.072 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|------------------|--------|------------------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | F      | Simple Averaging | Robustness | 0.07   | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | F      | Simple Averaging | Robustness | 0.076  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | F      | Simple Averaging | Robustness | 0.054  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | F      | Simple Averaging | Robustness | 0.072  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | F      | Simple Averaging | Robustness | 0.071  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | F      | Simple Averaging | Robustness | 0.056  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | F      | Simple Averaging | Robustness | 0.065  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | F      | Simple Averaging | Robustness | 0.06   | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | F      | Simple Averaging | Robustness | 0.072  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | F      | Simple Averaging | Robustness | 0.07   | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Fbar   | Borda            | Robustness | 0.013  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Fbar   | Borda            | Robustness | 0.004  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Fbar   | Borda            | Robustness | -0.014 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|------------------|--------|--------|------------|--------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Fbar   | Borda  | Robustness | -0.025 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Fbar   | Borda  | Robustness | -0.035 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Fbar   | Borda  | Robustness | -0.024 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Fbar   | Borda  | Robustness | -0.026 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Fbar   | Borda  | Robustness | -0.03  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Fbar   | Borda  | Robustness | -0.001 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Fbar   | Borda  | Robustness | 0.007  | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Fbar   | Kemeny | Robustness | 0.013  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Fbar   | Kemeny | Robustness | 0.003  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Fbar   | Kemeny | Robustness | 0.005  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Fbar   | Kemeny | Robustness | -0.011 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Fbar   | Kemeny | Robustness | -0.019 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                         |
|-------------------|----------|----------|----|------------------|--------|--------|------------|--------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Fbar   | Kemeny | Robustness | 0.002  | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Fbar   | Kemeny | Robustness | 0.013  | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Fbar   | Kemeny | Robustness | 0      | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Fbar   | Kemeny | Robustness | 0.01   | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Fbar   | Kemeny | Robustness | 0.013  | True          | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Fbar   | RRF    | Robustness | 0.01   | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Fbar   | RRF    | Robustness | 0      | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Fbar   | RRF    | Robustness | 0.015  | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Fbar   | RRF    | Robustness | -0.009 | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Fbar   | RRF    | Robustness | -0.022 | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Fbar   | RRF    | Robustness | -0.013 | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Fbar   | RRF    | Robustness | -0.006 | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule    | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                               |
|-------------------|----------|----------|----|------------------|--------|---------|------------|--------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Fbar   | RRF     | Robustness | 0.013  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Fbar   | RRF     | Robustness | 0.024  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Fbar   | RRF     | Robustness | 0.023  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Fbar   | Schulze | Robustness | 0.013  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Fbar   | Schulze | Robustness | 0.012  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Fbar   | Schulze | Robustness | 0.012  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Fbar   | Schulze | Robustness | -0.015 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Fbar   | Schulze | Robustness | -0.011 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Fbar   | Schulze | Robustness | -0.009 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Fbar   | Schulze | Robustness | 0.008  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Fbar   | Schulze | Robustness | 0.001  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Fbar   | Schulze | Robustness | 0.029  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |

| Cell              | Dataset  | Model    | q  | Condition        | Metric | Rule             | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                    |
|-------------------|----------|----------|----|------------------|--------|------------------|------------|--------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Fbar   | Schulze          | Robustness | 0.035  | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Robustness | 0.021  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Robustness | -0.003 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Robustness | -0.027 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Robustness | -0.035 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Robustness | -0.029 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Robustness | -0.024 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Robustness | -0.021 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Salt Pepper 0.05 | Fbar   | Simple Averaging | Robustness | -0.018 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Salt Pepper 0.05 | Fbar   | Simple Averaging | Robustness | -0.023 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Salt Pepper 0.05 | Fbar   | Simple Averaging | Robustness | -0.013 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15     | C      | Borda            | Robustness | 0.011  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                        |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|--------------|--------|--------|------------|--------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | C      | Borda  | Robustness | -0.005 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | C      | Borda  | Robustness | -0.011 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | C      | Borda  | Robustness | -0.01  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | C      | Borda  | Robustness | -0.006 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | C      | Borda  | Robustness | -0.017 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | C      | Borda  | Robustness | -0.013 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | C      | Borda  | Robustness | 0      | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | C      | Borda  | Robustness | -0.001 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | C      | Borda  | Robustness | -0.001 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | C      | Kemeny | Robustness | 0.011  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | C      | Kemeny | Robustness | 0.003  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | C      | Kemeny | Robustness | -0.006 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | C      | Kemeny | Robustness | 0.005  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------|--------|--------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | C      | Kemeny | Robustness | 0.016  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | C      | Kemeny | Robustness | 0.016  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | C      | Kemeny | Robustness | -0.001 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | C      | Kemeny | Robustness | 0.02   | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | C      | Kemeny | Robustness | 0.017  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | C      | Kemeny | Robustness | 0.004  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | C      | RRF    | Robustness | 0.015  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | C      | RRF    | Robustness | -0.006 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | C      | RRF    | Robustness | 0.005  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | C      | RRF    | Robustness | 0      | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | C      | RRF    | Robustness | 0.004  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | C      | RRF    | Robustness | 0.005  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |



| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule    | Value Kind | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|--------------|--------|---------|------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | C      | RRF     | Robustness | 0.01  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | C      | RRF     | Robustness | 0.02  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | C      | RRF     | Robustness | 0.018 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | C      | RRF     | Robustness | 0.012 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | C      | Schulze | Robustness | 0.011 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | C      | Schulze | Robustness | 0.003 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | C      | Schulze | Robustness | 0.005 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | C      | Schulze | Robustness | 0.002 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | C      | Schulze | Robustness | 0.016 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | C      | Schulze | Robustness | 0.011 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | C      | Schulze | Robustness | 0.007 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | C      | Schulze | Robustness | 0.003 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------|--------|------------------|------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | C      | Schulze          | Robustness | 0.011 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | C      | Schulze          | Robustness | 0.006 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | C      | Simple Averaging | Robustness | 0.007 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | C      | Simple Averaging | Robustness | 0.006 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | C      | Simple Averaging | Robustness | 0.015 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | C      | Simple Averaging | Robustness | 0.015 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | C      | Simple Averaging | Robustness | 0.022 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | C      | Simple Averaging | Robustness | 0.01  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | C      | Simple Averaging | Robustness | 0.011 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | C      | Simple Averaging | Robustness | 0.006 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | C      | Simple Averaging | Robustness | 0.004 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | C      | Simple Averaging | Robustness | 0     | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------|--------|--------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Cbar   | Borda  | Robustness | 0      | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Cbar   | Borda  | Robustness | -0.007 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Cbar   | Borda  | Robustness | 0.008  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Cbar   | Borda  | Robustness | 0.023  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Cbar   | Borda  | Robustness | 0.001  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Cbar   | Borda  | Robustness | -0.003 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Cbar   | Borda  | Robustness | -0.002 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Cbar   | Borda  | Robustness | 0.008  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Cbar   | Borda  | Robustness | 0.012  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Cbar   | Borda  | Robustness | 0      | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Cbar   | Kemeny | Robustness | 0      | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Cbar   | Kemeny | Robustness | 0.004  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Cbar   | Kemeny | Robustness | -0.01  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule   | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|--------------|--------|--------|------------|--------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Cbar   | Kemeny | Robustness | -0.008 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Cbar   | Kemeny | Robustness | -0.01  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Cbar   | Kemeny | Robustness | -0.011 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Cbar   | Kemeny | Robustness | 0.018  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Cbar   | Kemeny | Robustness | 0      | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Cbar   | Kemeny | Robustness | 0.012  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Cbar   | Kemeny | Robustness | 0.003  | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Cbar   | RRF    | Robustness | -0.004 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Cbar   | RRF    | Robustness | -0.009 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Cbar   | RRF    | Robustness | 0.014  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Cbar   | RRF    | Robustness | 0.004  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Cbar   | RRF    | Robustness | 0.004  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule    | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                        |
|-------------------|----------|----------|----|--------------|--------|---------|------------|--------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Cbar   | RRF     | Robustness | 0.011  | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Cbar   | RRF     | Robustness | 0.002  | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Cbar   | RRF     | Robustness | -0.002 | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Cbar   | RRF     | Robustness | 0.01   | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Cbar   | RRF     | Robustness | -0.004 | True          | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Cbar   | Schulze | Robustness | 0      | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution"]                                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Cbar   | Schulze | Robustness | -0.004 | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]                                                                                                                                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Cbar   | Schulze | Robustness | -0.002 | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Cbar   | Schulze | Robustness | 0.003  | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Cbar   | Schulze | Robustness | -0.007 | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Cbar   | Schulze | Robustness | 0.01   | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Cbar   | Schulze | Robustness | 0.006  | False         | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                                           |
|-------------------|----------|----------|----|--------------|--------|------------------|------------|--------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Cbar   | Schulze          | Robustness | 0.003  | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Cbar   | Schulze          | Robustness | 0.019  | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Cbar   | Schulze          | Robustness | 0.018  | True          | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Cbar   | Simple Averaging | Robustness | -0.005 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Cbar   | Simple Averaging | Robustness | -0.004 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Cbar   | Simple Averaging | Robustness | -0.008 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Cbar   | Simple Averaging | Robustness | -0.002 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Cbar   | Simple Averaging | Robustness | -0.006 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Cbar   | Simple Averaging | Robustness | -0.006 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Cbar   | Simple Averaging | Robustness | 0.001  | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Cbar   | Simple Averaging | Robustness | 0.001  | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Cbar   | Simple Averaging | Robustness | -0.001 | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"] |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|--------------|--------|------------------|------------|--------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Cbar   | Simple Averaging | Robustness | 0.001  | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | F      | Borda            | Robustness | 0.007  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | F      | Borda            | Robustness | -0.009 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | F      | Borda            | Robustness | -0.012 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | F      | Borda            | Robustness | -0.002 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | F      | Borda            | Robustness | -0.011 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | F      | Borda            | Robustness | -0.022 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | F      | Borda            | Robustness | -0.014 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | F      | Borda            | Robustness | -0.01  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | F      | Borda            | Robustness | 0.001  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | F      | Borda            | Robustness | -0.005 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | F      | Kemeny           | Robustness | 0.007  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule   | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                    |
|-------------------|----------|----------|----|--------------|--------|--------|------------|--------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | F      | Kemeny | Robustness | 0.007  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | F      | Kemeny | Robustness | 0.002  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | F      | Kemeny | Robustness | -0.001 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | F      | Kemeny | Robustness | 0.015  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | F      | Kemeny | Robustness | 0.014  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | F      | Kemeny | Robustness | -0.006 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Sallency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | F      | Kemeny | Robustness | 0.01   | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Sallency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | F      | Kemeny | Robustness | 0.009  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Sallency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | F      | Kemeny | Robustness | 0.003  | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbli<br>ation", "Integrated<br>Gradients", "Sallency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | F      | RRF    | Robustness | 0.005  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | F      | RRF    | Robustness | -0.006 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | F      | RRF    | Robustness | 0.005  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | F      | RRF    | Robustness | 0.007  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                         |



| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule    | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------|--------|---------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | F      | RRF     | Robustness | -0.007 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | F      | RRF     | Robustness | -0.004 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | F      | RRF     | Robustness | 0.001  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | F      | RRF     | Robustness | 0.006  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | F      | RRF     | Robustness | 0.011  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | F      | RRF     | Robustness | 0.008  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | F      | Schulze | Robustness | 0.007  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | F      | Schulze | Robustness | 0.003  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | F      | Schulze | Robustness | 0.011  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | F      | Schulze | Robustness | 0.009  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | F      | Schulze | Robustness | 0.006  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | F      | Schulze | Robustness | 0.008  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |

| Cell              | Dataset  | Model    | Q  | Condition    | Metric | Rule             | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                        |
|-------------------|----------|----------|----|--------------|--------|------------------|------------|--------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | F      | Schulze          | Robustness | -0.003 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | F      | Schulze          | Robustness | -0.005 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | F      | Schulze          | Robustness | 0.007  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | F      | Schulze          | Robustness | 0.006  | True          | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | F      | Simple Averaging | Robustness | 0.002  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | F      | Simple Averaging | Robustness | -0.001 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | F      | Simple Averaging | Robustness | 0.004  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | F      | Simple Averaging | Robustness | 0.008  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | F      | Simple Averaging | Robustness | 0.011  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | F      | Simple Averaging | Robustness | 0.001  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | F      | Simple Averaging | Robustness | 0.003  | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | F      | Simple Averaging | Robustness | -0.005 | False         | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |

| Cell              | Dataset  | Model    | Q  | Condition    | Metric | Rule             | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                           |
|-------------------|----------|----------|----|--------------|--------|------------------|------------|-------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | F      | Simple Averaging | Robustness | 0.002 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | F      | Simple Averaging | Robustness | 0.002 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Fbar   | Borda            | Robustness | 0.014 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Fbar   | Borda            | Robustness | 0.002 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Fbar   | Borda            | Robustness | 0.018 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Fbar   | Borda            | Robustness | 0.032 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Fbar   | Borda            | Robustness | 0.016 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation"]                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Fbar   | Borda            | Robustness | 0.015 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients"]                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Fbar   | Borda            | Robustness | 0.011 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Fbar   | Borda            | Robustness | 0.009 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Fbar   | Borda            | Robustness | 0.019 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Fbar   | Borda            | Robustness | 0.007 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb lation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGrad ient", "FullLRP"] |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule   | Value Kind | Value  | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------|--------|--------|------------|--------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Fbar   | Kemeny | Robustness | 0.014  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Fbar   | Kemeny | Robustness | 0.011  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Fbar   | Kemeny | Robustness | -0.001 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Fbar   | Kemeny | Robustness | 0      | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Fbar   | Kemeny | Robustness | -0.002 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Fbar   | Kemeny | Robustness | 0.003  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Fbar   | Kemeny | Robustness | 0.025  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Fbar   | Kemeny | Robustness | 0.009  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Fbar   | Kemeny | Robustness | 0.014  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Fbar   | Kemeny | Robustness | 0.011  | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Fbar   | RRF    | Robustness | 0.012  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Fbar   | RRF    | Robustness | 0.001  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Fbar   | RRF    | Robustness | 0.024  | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule    | Value Kind | Value  | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|--------------|--------|---------|------------|--------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Fbar   | RRF     | Robustness | 0.017  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Fbar   | RRF     | Robustness | 0.012  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Fbar   | RRF     | Robustness | 0.019  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Fbar   | RRF     | Robustness | 0.013  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Fbar   | RRF     | Robustness | 0.008  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Fbar   | RRF     | Robustness | 0.023  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Fbar   | RRF     | Robustness | 0.002  | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Fbar   | Schulze | Robustness | 0.014  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Fbar   | Schulze | Robustness | 0.003  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]                                                                                                                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Fbar   | Schulze | Robustness | 0.01   | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Fbar   | Schulze | Robustness | 0.006  | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Fbar   | Schulze | Robustness | -0.004 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                                                                                                 |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind | Value | Q11 Reference | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|----|--------------|--------|------------------|------------|-------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Fbar   | Schulze          | Robustness | 0.016 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Fbar   | Schulze          | Robustness | 0.015 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Fbar   | Schulze          | Robustness | 0.012 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Fbar   | Schulze          | Robustness | 0.032 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Fbar   | Schulze          | Robustness | 0.021 | True          | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | Speckle 0.15 | Fbar   | Simple Averaging | Robustness | 0.011 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | Speckle 0.15 | Fbar   | Simple Averaging | Robustness | 0.005 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | Speckle 0.15 | Fbar   | Simple Averaging | Robustness | 0.004 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | Speckle 0.15 | Fbar   | Simple Averaging | Robustness | 0.001 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | Speckle 0.15 | Fbar   | Simple Averaging | Robustness | 0.001 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | Speckle 0.15 | Fbar   | Simple Averaging | Robustness | 0.003 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | Speckle 0.15 | Fbar   | Simple Averaging | Robustness | 0.009 | False         | ["Gradient Attention Rollout", "CheferTran sformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | q  | Condition    | Metric | Rule             | Value Kind | Value | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   |
|-------------------|----------|----------|----|--------------|--------|------------------|------------|-------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Speckle 0.15 | Fbar   | Simple Averaging | Robustness | 0.006 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Speckle 0.15 | Fbar   | Simple Averaging | Robustness | 0.011 | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Speckle 0.15 | Fbar   | Simple Averaging | Robustness | 0.012 | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] |

Table 16: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | Condition              | Metric | Rule  | Value Kind | Direction | Best Q | Best Value | Tied Q | Tie Policy                       | Method Prefix                                                                                                                                                                                              |
|-------------------|----------|----------|------------------------|--------|-------|------------|-----------|--------|------------|--------|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | C      | Borda | Quality    | max       | 4      | 0.319      | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | Cbar   | Borda | Quality    | min       | 3      | 0.222      | [3]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | F      | Borda | Quality    | max       | 4      | 0.285      | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | Fbar   | Borda | Quality    | min       | 3      | 0.194      | [3]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | C      | Borda | Robustness | max       | 7      | 0.015      | [7]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbelation", "Integrated Gradients"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | Cbar   | Borda | Robustness | max       | 5      | -0.048     | [5]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | F      | Borda | Robustness | max       | 7      | 0.015      | [7,9]  | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbelation", "Integrated Gradients"]                                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | Fbar   | Borda | Robustness | max       | 5      | -0.047     | [5]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | C      | Borda | Robustness | max       | 10     | 0.066      | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbelation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | Cbar   | Borda | Robustness | max       | 2      | -0.096     | [2]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution"]                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | F      | Borda | Robustness | max       | 2      | 0.044      | [2]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution"]                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | Fbar   | Borda | Robustness | max       | 2      | -0.019     | [2]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution"]                                                                                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | C      | Borda | Robustness | max       | 8      | 0.08       | [8]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbelation", "Integrated Gradients", "Saliency"]                                        |



| Cell              | Dataset  | Model    | Condition              | Metric | Rule   | Value Kind | Direction | Best Q | Best Value | Tied Q | Tie Policy                       | Method Prefix                                                                                                                                                                                                        |
|-------------------|----------|----------|------------------------|--------|--------|------------|-----------|--------|------------|--------|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | Cbar   | Borda  | Robustness | max       | 11     | -0.045     | [11]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Sallency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | F      | Borda  | Robustness | max       | 2      | 0.075      | [2]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | Fbar   | Borda  | Robustness | max       | 2      | 0.013      | [2]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | C      | Borda  | Robustness | max       | 2      | 0.011      | [2]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | Cbar   | Borda  | Robustness | max       | 5      | 0.023      | [5]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | F      | Borda  | Robustness | max       | 2      | 0.007      | [2]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | Fbar   | Borda  | Robustness | max       | 5      | 0.032      | [5]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | C      | Kemeny | Quality    | max       | 4      | 0.314      | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | Cbar   | Kemeny | Quality    | min       | 6      | 0.211      | [6]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | F      | Kemeny | Quality    | max       | 4      | 0.27       | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | Fbar   | Kemeny | Quality    | min       | 6      | 0.179      | [6]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | C      | Kemeny | Robustness | max       | 6      | 0.005      | [6]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | Cbar   | Kemeny | Robustness | max       | 4      | -0.051     | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | F      | Kemeny | Robustness | max       | 7      | 0.012      | [7]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients"]                                                               |

| Cell              | Dataset  | Model    | Condition              | Metric | Rule   | Value Kind | Direction | Best Q | Best Value | Tied Q   | Tie Policy                       | Method Prefix                                                                                                                                                                                                  |
|-------------------|----------|----------|------------------------|--------|--------|------------|-----------|--------|------------|----------|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | Fbar   | Kemeny | Robustness | max       | 4      | -0.052     | [4]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                  |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | C      | Kemeny | Robustness | max       | 10     | 0.084      | [10]     | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | Cbar   | Kemeny | Robustness | max       | 2      | -0.096     | [2]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution"]                                                                                                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | F      | Kemeny | Robustness | max       | 3      | 0.047      | [3]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]                                                                                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | Fbar   | Kemeny | Robustness | max       | 2      | -0.019     | [2]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution"]                                                                                                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | C      | Kemeny | Robustness | max       | 10     | 0.085      | [10]     | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | Cbar   | Kemeny | Robustness | max       | 11     | -0.048     | [11]     | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | F      | Kemeny | Robustness | max       | 10     | 0.077      | [10]     | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | Fbar   | Kemeny | Robustness | max       | 2      | 0.013      | [2,8,11] | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution"]                                                                                                                                                |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | C      | Kemeny | Robustness | max       | 9      | 0.02       | [9]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb", "Integrated Gradients", "Saliency", "Attention GradCAM"]                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | Cbar   | Kemeny | Robustness | max       | 8      | 0.018      | [8]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | F      | Kemeny | Robustness | max       | 6      | 0.015      | [6]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAb", "Integrated Gradients", "Saliency"]                                                   |

| Cell              | Dataset  | Model    | Condition              | Metric | Rule   | Value Kind | Direction | Best Q | Best Value | Tied Q | Tie Policy                       | Method Prefix                                                                                                                                                                                             |
|-------------------|----------|----------|------------------------|--------|--------|------------|-----------|--------|------------|--------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | Fbar   | Kemeny | Robustness | max       | 8      | 0.025      | [8]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency"]                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | C      | RRF    | Quality    | max       | 4      | 0.322      | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | Cbar   | RRF    | Quality    | min       | 3      | 0.216      | [3]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | F      | RRF    | Quality    | max       | 4      | 0.283      | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | Fbar   | RRF    | Quality    | min       | 3      | 0.191      | [3]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | C      | RRF    | Robustness | max       | 6      | 0.015      | [6]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation"]                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | Cbar   | RRF    | Robustness | max       | 4      | -0.044     | [4,5]  | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | F      | RRF    | Robustness | max       | 6      | 0.008      | [6]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation"]                                                                            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | Fbar   | RRF    | Robustness | max       | 4      | -0.046     | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                             |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | C      | RRF    | Robustness | max       | 10     | 0.091      | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | Cbar   | RRF    | Robustness | max       | 10     | -0.091     | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | F      | RRF    | Robustness | max       | 10     | 0.049      | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |

| Cell              | Dataset  | Model    | Condition        | Metric | Rule    | Value Kind | Direction | Best Q | Best Value | Tied Q | Tie Policy                       | Method Prefix                                                                                                                                                                                             |
|-------------------|----------|----------|------------------|--------|---------|------------|-----------|--------|------------|--------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15    | Fbar   | RRF     | Robustness | max       | 10     | -0.019     | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05 | C      | RRF     | Robustness | max       | 10     | 0.09       | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05 | Cbar   | RRF     | Robustness | max       | 11     | -0.042     | [11]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05 | F      | RRF     | Robustness | max       | 10     | 0.082      | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05 | Fbar   | RRF     | Robustness | max       | 10     | 0.024      | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15     | C      | RRF     | Robustness | max       | 9      | 0.02       | [9]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM"]                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15     | Cbar   | RRF     | Robustness | max       | 4      | 0.014      | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15     | F      | RRF     | Robustness | max       | 10     | 0.011      | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15     | Fbar   | RRF     | Robustness | max       | 4      | 0.024      | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                              |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean            | C      | Schulze | Quality    | max       | 3      | 0.312      | [3,5]  | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean            | Cbar   | Schulze | Quality    | min       | 2      | 0.226      | [2]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution"]                                                                                                                                            |

| Cell              | Dataset  | Model    | Condition              | Metric | Rule    | Value Kind | Direction | Best Q | Best Value | Tied Q | Tie Policy                       | Method Prefix                                                                                                                                                                                                          |
|-------------------|----------|----------|------------------------|--------|---------|------------|-----------|--------|------------|--------|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | F      | Schulze | Quality    | max       | 4      | 0.269      | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                          |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | Fbar   | Schulze | Quality    | min       | 6      | 0.192      | [6]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | C      | Schulze | Robustness | max       | 7      | 0.012      | [7]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients"]                                                               |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | Cbar   | Schulze | Robustness | max       | 3      | -0.052     | [3]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | F      | Schulze | Robustness | max       | 6      | 0.015      | [6,9]  | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | Fbar   | Schulze | Robustness | max       | 3      | -0.055     | [3]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap"]                                                                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | C      | Schulze | Robustness | max       | 10     | 0.086      | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | Cbar   | Schulze | Robustness | max       | 10     | -0.082     | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | F      | Schulze | Robustness | max       | 2      | 0.044      | [2]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution"]                                                                                                                                                        |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | Fbar   | Schulze | Robustness | max       | 10     | -0.009     | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | C      | Schulze | Robustness | max       | 10     | 0.094      | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | Cbar   | Schulze | Robustness | max       | 11     | -0.035     | [11]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTransformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAblication", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |

| Cell              | Dataset  | Model    | Condition              | Metric | Rule             | Value Kind | Direction | Best Q | Best Value | Tied Q | Tie Policy                       | Method Prefix                                                                                                                                                                                                        |
|-------------------|----------|----------|------------------------|--------|------------------|------------|-----------|--------|------------|--------|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | F      | Schulze          | Robustness | max       | 10     | 0.084      | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | Fbar   | Schulze          | Robustness | max       | 11     | 0.035      | [11]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | C      | Schulze          | Robustness | max       | 6      | 0.016      | [6]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | Cbar   | Schulze          | Robustness | max       | 10     | 0.019      | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | F      | Schulze          | Robustness | max       | 4      | 0.011      | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | Fbar   | Schulze          | Robustness | max       | 10     | 0.032      | [10]   | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient"]            |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | C      | Simple Averaging | Quality    | max       | 3      | 0.312      | [3]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | Cbar   | Simple Averaging | Quality    | min       | 3      | 0.227      | [3]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | F      | Simple Averaging | Quality    | max       | 4      | 0.278      | [4]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion"]                                                                                                                         |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Clean                  | Fbar   | Simple Averaging | Quality    | min       | 3      | 0.2        | [3]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | C      | Simple Averaging | Robustness | max       | 6      | 0.025      | [6]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | Cbar   | Simple Averaging | Robustness | max       | 3      | -0.064     | [3]    | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |

| Cell              | Dataset  | Model    | Condition              | Metric | Rule             | Value Kind | Direction | Best Q | Best Value | Tied Q   | Tie Policy                       | Method Prefix                                                                                                                                                                                                        |
|-------------------|----------|----------|------------------------|--------|------------------|------------|-----------|--------|------------|----------|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | F      | Simple Averaging | Robustness | max       | 6      | 0.026      | [6]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Adversarial Sara 2 255 | Fbar   | Simple Averaging | Robustness | max       | 3      | -0.063     | [3]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | C      | Simple Averaging | Robustness | max       | 5      | 0.067      | [5]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | Cbar   | Simple Averaging | Robustness | max       | 2      | -0.088     | [2]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP"]                                                                                                           |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | F      | Simple Averaging | Robustness | max       | 3      | 0.041      | [3]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Gaussian 0.15          | Fbar   | Simple Averaging | Robustness | max       | 2      | -0.008     | [2]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | C      | Simple Averaging | Robustness | max       | 6      | 0.091      | [6]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | Cbar   | Simple Averaging | Robustness | max       | 2      | -0.064     | [2]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | F      | Simple Averaging | Robustness | max       | 3      | 0.076      | [3]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Salt Pepper 0.05       | Fbar   | Simple Averaging | Robustness | max       | 2      | 0.021      | [2]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap"]                                                                                                                                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | C      | Simple Averaging | Robustness | max       | 6      | 0.022      | [6]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | Cbar   | Simple Averaging | Robustness | max       | 8      | 0.001      | [8,9,11] | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency"]                                                   |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | F      | Simple Averaging | Robustness | max       | 6      | 0.011      | [6]      | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation"]                                                                                       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | Speckle 0.15           | Fbar   | Simple Averaging | Robustness | max       | 11     | 0.012      | [11]     | smallest_q_within_absolute_1e-12 | ["Gradient Attention Rollout", "CheferTranformer Attribution", "Gradient Shap", "Occlusion", "PartialLRP", "FeatureAbliation", "Integrated Gradients", "Saliency", "Attention GradCAM", "InputXGradient", "FullLRP"] |

Table 17: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | $Q$ | Rule             | Q11<br>Reference | Method<br>Prefix                                                                                              | $F_{clean}$ | $F_{clean}$ | $C_{clean}$ | $C_{clean}$ | $F$<br>Perturbed<br>Gaussian<br>-0.15 | $F$<br>Perturbed<br>Gaussian<br>-0.15 | $C$<br>Perturbed<br>Gaussian<br>-0.15 | $C$<br>Perturbed<br>Gaussian<br>-0.15 | $F$<br>Perturbed<br>Salt-pep<br>per-0.05 | $F$<br>Perturbed<br>Salt-pep<br>per-0.05 | $C$<br>Perturbed<br>Salt-pep<br>per-0.05 |
|-------------------|----------|----------|-----|------------------|------------------|---------------------------------------------------------------------------------------------------------------|-------------|-------------|-------------|-------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2   | Simple Averaging | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                  | 0.266       | 0.206       | 0.309       | 0.231       | 0.298                                 | 0.214                                 | 0.375                                 | 0.319                                 | 0.336                                    | 0.185                                    | 0.385                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2   | Borda            | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                  | 0.257       | 0.201       | 0.307       | 0.226       | 0.301                                 | 0.22                                  | 0.372                                 | 0.322                                 | 0.332                                    | 0.188                                    | 0.386                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2   | RRF              | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                  | 0.262       | 0.2         | 0.307       | 0.223       | 0.301                                 | 0.22                                  | 0.373                                 | 0.325                                 | 0.335                                    | 0.19                                     | 0.384                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2   | Kemeny           | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                  | 0.257       | 0.201       | 0.307       | 0.226       | 0.301                                 | 0.22                                  | 0.372                                 | 0.322                                 | 0.332                                    | 0.188                                    | 0.386                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2   | Schulze          | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution"]                                  | 0.257       | 0.201       | 0.307       | 0.226       | 0.301                                 | 0.22                                  | 0.372                                 | 0.322                                 | 0.332                                    | 0.188                                    | 0.386                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3   | Simple Averaging | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]              | 0.267       | 0.2         | 0.312       | 0.227       | 0.308                                 | 0.223                                 | 0.378                                 | 0.328                                 | 0.343                                    | 0.203                                    | 0.389                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3   | Borda            | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]              | 0.27        | 0.194       | 0.313       | 0.222       | 0.297                                 | 0.222                                 | 0.366                                 | 0.33                                  | 0.328                                    | 0.19                                     | 0.376                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3   | RRF              | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]              | 0.27        | 0.191       | 0.316       | 0.216       | 0.295                                 | 0.237                                 | 0.362                                 | 0.343                                 | 0.338                                    | 0.191                                    | 0.383                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3   | Kemeny           | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]              | 0.26        | 0.202       | 0.31        | 0.231       | 0.307                                 | 0.231                                 | 0.378                                 | 0.334                                 | 0.333                                    | 0.199                                    | 0.381                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3   | Schulze          | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]              | 0.266       | 0.2         | 0.312       | 0.231       | 0.302                                 | 0.22                                  | 0.371                                 | 0.326                                 | 0.328                                    | 0.188                                    | 0.377                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4   | Simple Averaging | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap"]              | 0.278       | 0.216       | 0.305       | 0.251       | 0.3                                   | 0.276                                 | 0.369                                 | 0.387                                 | 0.332                                    | 0.243                                    | 0.377                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4   | Borda            | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"] | 0.285       | 0.226       | 0.319       | 0.262       | 0.281                                 | 0.275                                 | 0.349                                 | 0.389                                 | 0.326                                    | 0.24                                     | 0.367                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4   | RRF              | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"] | 0.283       | 0.217       | 0.322       | 0.251       | 0.285                                 | 0.247                                 | 0.358                                 | 0.359                                 | 0.346                                    | 0.202                                    | 0.385                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4   | Kemeny           | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"] | 0.27        | 0.196       | 0.314       | 0.228       | 0.29                                  | 0.244                                 | 0.367                                 | 0.351                                 | 0.343                                    | 0.191                                    | 0.384                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4   | Schulze          | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion"] | 0.269       | 0.201       | 0.311       | 0.232       | 0.295                                 | 0.234                                 | 0.372                                 | 0.341                                 | 0.341                                    | 0.189                                    | 0.393                                    |



| Cell              | Dataset  | Model    | Q | Rule             | Q11<br>Reference | Method<br>Prefix                                                                                                                                                              | $F_{clean}$ | $F_{data}$ | $C_{clean}$ | $C_{data}$ | $F$<br>Perturbed<br>Gaussian<br>-0.15 | $F$<br>Perturbed<br>Gaussian<br>-0.15 | $C$<br>Perturbed<br>Gaussian<br>-0.15 | $C$<br>Perturbed<br>Gaussian<br>-0.15 | $F$<br>Perturbed<br>Salt-pep<br>per-0.05 | $F$<br>Perturbed<br>Salt-pep<br>per-0.05 | $C$<br>Perturbed<br>Salt-pep<br>per-0.05 |
|-------------------|----------|----------|---|------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------|-------------|------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5 | Simple Averaging | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                   | 0.275       | 0.206      | 0.302       | 0.243      | 0.286                                 | 0.278                                 | 0.369                                 | 0.386                                 | 0.347                                    | 0.241                                    | 0.391                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5 | Borda            | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                   | 0.273       | 0.215      | 0.315       | 0.252      | 0.298                                 | 0.279                                 | 0.37                                  | 0.385                                 | 0.337                                    | 0.24                                     | 0.375                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5 | RRF              | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                   | 0.27        | 0.204      | 0.318       | 0.236      | 0.277                                 | 0.248                                 | 0.339                                 | 0.35                                  | 0.344                                    | 0.213                                    | 0.391                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5 | Kemeny           | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                   | 0.264       | 0.188      | 0.304       | 0.217      | 0.292                                 | 0.246                                 | 0.366                                 | 0.348                                 | 0.335                                    | 0.199                                    | 0.381                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5 | Schulze          | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                   | 0.264       | 0.193      | 0.312       | 0.228      | 0.285                                 | 0.252                                 | 0.353                                 | 0.35                                  | 0.341                                    | 0.208                                    | 0.383                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6 | Simple Averaging | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP"]                                                   | 0.26        | 0.211      | 0.289       | 0.246      | 0.261                                 | 0.282                                 | 0.344                                 | 0.391                                 | 0.331                                    | 0.24                                     | 0.38                                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6 | Borda            | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                            | 0.27        | 0.219      | 0.298       | 0.249      | 0.257                                 | 0.294                                 | 0.323                                 | 0.415                                 | 0.316                                    | 0.254                                    | 0.36                                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6 | RRF              | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                            | 0.274       | 0.192      | 0.303       | 0.223      | 0.268                                 | 0.259                                 | 0.355                                 | 0.364                                 | 0.34                                     | 0.214                                    | 0.38                                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6 | Kemeny           | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                            | 0.263       | 0.179      | 0.303       | 0.211      | 0.282                                 | 0.24                                  | 0.364                                 | 0.345                                 | 0.339                                    | 0.198                                    | 0.382                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6 | Schulze          | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                            | 0.268       | 0.192      | 0.3         | 0.229      | 0.279                                 | 0.259                                 | 0.354                                 | 0.365                                 | 0.33                                     | 0.203                                    | 0.378                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7 | Simple Averaging | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation"]                            | 0.265       | 0.214      | 0.296       | 0.245      | 0.26                                  | 0.288                                 | 0.338                                 | 0.399                                 | 0.321                                    | 0.238                                    | 0.37                                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7 | Borda            | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"] | 0.262       | 0.225      | 0.293       | 0.254      | 0.26                                  | 0.292                                 | 0.329                                 | 0.407                                 | 0.304                                    | 0.249                                    | 0.351                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7 | RRF              | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"] | 0.265       | 0.202      | 0.299       | 0.237      | 0.273                                 | 0.261                                 | 0.344                                 | 0.362                                 | 0.324                                    | 0.215                                    | 0.372                                    |

| Cell              | Dataset  | Model    | Q | Rule             | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                  | $F_{clean}$ | $F_{clean}$ | $C_{clean}$ | $C_{clean}$ | $F$<br>Perturbed<br>Gaussian<br>-0.15 | $F$<br>Perturbed<br>Gaussian<br>-0.15 | $C$<br>Perturbed<br>Gaussian<br>-0.15 | $C$<br>Perturbed<br>Gaussian<br>-0.15 | $F$<br>Perturbed<br>Salt-pep<br>per-0.05 | $F$<br>Perturbed<br>Salt-pep<br>per-0.05 | $C$<br>Perturbed<br>Salt-pep<br>per-0.05 |
|-------------------|----------|----------|---|------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|-------------|-------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7 | Kemeny           | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                     | 0.247       | 0.198       | 0.288       | 0.227       | 0.277                                 | 0.249                                 | 0.359                                 | 0.356                                 | 0.323                                    | 0.196                                    | 0.369                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7 | Schulze          | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                     | 0.248       | 0.201       | 0.285       | 0.233       | 0.276                                 | 0.272                                 | 0.355                                 | 0.379                                 | 0.321                                    | 0.21                                     | 0.366                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8 | Simple Averaging | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients"]                                     | 0.255       | 0.217       | 0.285       | 0.249       | 0.255                                 | 0.282                                 | 0.336                                 | 0.387                                 | 0.32                                     | 0.238                                    | 0.373                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8 | Borda            | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                         | 0.242       | 0.222       | 0.273       | 0.253       | 0.252                                 | 0.292                                 | 0.319                                 | 0.403                                 | 0.301                                    | 0.248                                    | 0.353                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8 | RRF              | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                         | 0.241       | 0.211       | 0.276       | 0.24        | 0.263                                 | 0.256                                 | 0.335                                 | 0.366                                 | 0.307                                    | 0.217                                    | 0.358                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8 | Kemeny           | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                         | 0.243       | 0.223       | 0.284       | 0.249       | 0.275                                 | 0.255                                 | 0.351                                 | 0.362                                 | 0.303                                    | 0.21                                     | 0.353                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8 | Schulze          | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                         | 0.241       | 0.223       | 0.276       | 0.25        | 0.272                                 | 0.264                                 | 0.352                                 | 0.367                                 | 0.299                                    | 0.215                                    | 0.342                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9 | Simple Averaging | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency"]                         | 0.26        | 0.216       | 0.29        | 0.249       | 0.251                                 | 0.283                                 | 0.333                                 | 0.393                                 | 0.32                                     | 0.234                                    | 0.373                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9 | Borda            | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"] | 0.242       | 0.213       | 0.275       | 0.253       | 0.256                                 | 0.263                                 | 0.321                                 | 0.37                                  | 0.305                                    | 0.243                                    | 0.342                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9 | RRF              | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"] | 0.237       | 0.211       | 0.267       | 0.241       | 0.265                                 | 0.243                                 | 0.344                                 | 0.349                                 | 0.306                                    | 0.198                                    | 0.348                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9 | Kemeny           | False            | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"] | 0.233       | 0.205       | 0.269       | 0.234       | 0.265                                 | 0.243                                 | 0.346                                 | 0.354                                 | 0.308                                    | 0.205                                    | 0.353                                    |

| Cell              | Dataset  | Model    | Q  | Rule             | Q11 Reference | Method Prefix                                                                                                                                                                                                                                       | $F_{clean}$ | $F_{data}$ | $C_{clean}$ | $C_{data}$ | $F$<br>Perturbed<br>Gaussian<br>-0.15 | $\bar{F}$<br>Perturbed<br>Gaussian<br>-0.15 | $C$<br>Perturbed<br>Gaussian<br>-0.15 | $\bar{C}$<br>Perturbed<br>Gaussian<br>-0.15 | $F$<br>Perturbed<br>Salt-pep<br>per-0.05 | $\bar{F}$<br>Perturbed<br>Salt-pep<br>per-0.05 | $C$<br>Perturbed<br>Salt-pep<br>per-0.05 |
|-------------------|----------|----------|----|------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------|-------------|------------|---------------------------------------|---------------------------------------------|---------------------------------------|---------------------------------------------|------------------------------------------|------------------------------------------------|------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | Schulze          | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM"]                                   | 0.24        | 0.212      | 0.282       | 0.242      | 0.262                                 | 0.25                                        | 0.346                                 | 0.352                                       | 0.303                                    | 0.211                                          | 0.347                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Simple Averaging | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGGrad<br>ient"]            | 0.244       | 0.217      | 0.278       | 0.245      | 0.255                                 | 0.28                                        | 0.336                                 | 0.391                                       | 0.316                                    | 0.24                                           | 0.366                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Borda            | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGGrad<br>ient"]            | 0.211       | 0.246      | 0.25        | 0.277      | 0.254                                 | 0.276                                       | 0.316                                 | 0.379                                       | 0.281                                    | 0.247                                          | 0.328                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | RRF              | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGGrad<br>ient"]            | 0.206       | 0.243      | 0.241       | 0.271      | 0.255                                 | 0.262                                       | 0.332                                 | 0.362                                       | 0.288                                    | 0.219                                          | 0.331                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Kemeny           | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGGrad<br>ient"]            | 0.214       | 0.236      | 0.252       | 0.262      | 0.256                                 | 0.269                                       | 0.336                                 | 0.367                                       | 0.291                                    | 0.226                                          | 0.337                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | Schulze          | False         | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGGrad<br>ient"]            | 0.209       | 0.252      | 0.245       | 0.276      | 0.249                                 | 0.261                                       | 0.331                                 | 0.358                                       | 0.293                                    | 0.223                                          | 0.339                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Simple Averaging | True          | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGGrad<br>ient"]            | 0.245       | 0.219      | 0.28        | 0.247      | 0.257                                 | 0.284                                       | 0.332                                 | 0.4                                         | 0.315                                    | 0.232                                          | 0.367                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Borda            | True          | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGGrad<br>ient", "FullLRP"] | 0.226       | 0.261      | 0.261       | 0.298      | 0.245                                 | 0.283                                       | 0.316                                 | 0.397                                       | 0.286                                    | 0.254                                          | 0.327                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | RRF              | True          | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGGrad<br>ient", "FullLRP"] | 0.216       | 0.235      | 0.252       | 0.266      | 0.249                                 | 0.272                                       | 0.326                                 | 0.375                                       | 0.294                                    | 0.212                                          | 0.337                                    |

| Cell              | Dataset  | Model    | Q  | Rule    | Q11<br>Reference | Method<br>Prefix                                                                                                                                                                                                                                   | $F_{clean}$ | $F_{clean}$ | $C_{clean}$ | $C_{clean}$ | $F$<br>Perturbed<br>Gaussian<br>-0.15 | $\bar{F}$<br>Perturbed<br>Gaussian<br>-0.15 | $C$<br>Perturbed<br>Gaussian<br>-0.15 | $\bar{C}$<br>Perturbed<br>Gaussian<br>-0.15 | $F$<br>Perturbed<br>Salt-pep<br>per-0.05 | $\bar{F}$<br>Perturbed<br>Salt-pep<br>per-0.05 | $C$<br>Perturbed<br>Salt-pep<br>per-0.05 |
|-------------------|----------|----------|----|---------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|-------------|-------------|---------------------------------------|---------------------------------------------|---------------------------------------|---------------------------------------------|------------------------------------------|------------------------------------------------|------------------------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Kemeny  | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] | 0.217       | 0.24        | 0.261       | 0.263       | 0.251                                 | 0.263                                       | 0.334                                 | 0.363                                       | 0.273                                    | 0.227                                          | 0.324                                    |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | Schulze | True             | ["Gradient<br>Attention<br>Rollout", "CheferTran<br>sformer<br>Attribution", "Gradient<br>Shap", "Occlusion", "PartialLRP", "FeatureAbl<br>ation", "Integrated<br>Gradients", "Saliency", "Attention<br>GradCAM", "InputXGrad<br>ient", "FullLRP"] | 0.216       | 0.251       | 0.256       | 0.277       | 0.253                                 | 0.265                                       | 0.334                                 | 0.368                                       | 0.288                                    | 0.216                                          | 0.332                                    |

Table 18: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | $Q$ | $\overset{C}{\text{Perturbed}}$<br>Salt-pep<br>per-0.05 | $\overset{F}{\text{Perturbed}}$<br>Speckle-<br>0.15 | $\overset{F}{\text{Perturbed}}$<br>Speckle-<br>0.15 | $\overset{C}{\text{Perturbed}}$<br>Speckle-<br>0.15 | $\overset{C}{\text{Perturbed}}$<br>Speckle-<br>0.15 | $\overset{F}{\text{Perturbed}}$<br>Adversar<br>ial-sara<br>-2-255 | $\overset{F}{\text{Perturbed}}$<br>Adversar<br>ial-sara<br>-2-255 | $\overset{C}{\text{Perturbed}}$<br>Adversar<br>ial-sara<br>-2-255 | $\overset{C}{\text{Perturbed}}$<br>Adversar<br>ial-sara<br>-2-255 | $R_F$<br>Gaussian-0.05 | $R_F$<br>Gaussian-0.05 | $R_C$<br>Gaussian-0.05 | $R_C$<br>Gaussian-0.05 | $R_F$<br>Salt-pepper-0.05 |
|-------------------|----------|----------|-----|---------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------|------------------------|------------------------|------------------------|------------------------|---------------------------|
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2   | 0.295                                                   | 0.268                                               | 0.195                                               | 0.316                                               | 0.236                                               | 0.235                                                             | 0.276                                                             | 0.284                                                             | 0.305                                                             | 0.032                  | -0.008                 | 0.066                  | -0.088                 | 0.07                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2   | 0.297                                                   | 0.264                                               | 0.187                                               | 0.318                                               | 0.226                                               | 0.235                                                             | 0.265                                                             | 0.284                                                             | 0.294                                                             | 0.044                  | -0.019                 | 0.065                  | -0.096                 | 0.075                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2   | 0.301                                                   | 0.267                                               | 0.188                                               | 0.322                                               | 0.227                                               | 0.233                                                             | 0.269                                                             | 0.28                                                              | 0.297                                                             | 0.039                  | -0.02                  | 0.066                  | -0.102                 | 0.073                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2   | 0.297                                                   | 0.264                                               | 0.187                                               | 0.318                                               | 0.226                                               | 0.235                                                             | 0.265                                                             | 0.284                                                             | 0.294                                                             | 0.044                  | -0.019                 | 0.065                  | -0.096                 | 0.075                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2   | 0.297                                                   | 0.264                                               | 0.187                                               | 0.318                                               | 0.226                                               | 0.235                                                             | 0.265                                                             | 0.284                                                             | 0.294                                                             | 0.044                  | -0.019                 | 0.065                  | -0.096                 | 0.075                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3   | 0.315                                                   | 0.266                                               | 0.195                                               | 0.318                                               | 0.231                                               | 0.247                                                             | 0.263                                                             | 0.286                                                             | 0.291                                                             | 0.041                  | -0.023                 | 0.066                  | -0.101                 | 0.076                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3   | 0.302                                                   | 0.261                                               | 0.192                                               | 0.308                                               | 0.229                                               | 0.267                                                             | 0.258                                                             | 0.309                                                             | 0.286                                                             | 0.027                  | -0.028                 | 0.053                  | -0.108                 | 0.058                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3   | 0.305                                                   | 0.264                                               | 0.19                                                | 0.31                                                | 0.225                                               | 0.256                                                             | 0.241                                                             | 0.302                                                             | 0.267                                                             | 0.025                  | -0.046                 | 0.046                  | -0.127                 | 0.068                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3   | 0.306                                                   | 0.267                                               | 0.191                                               | 0.313                                               | 0.227                                               | 0.249                                                             | 0.264                                                             | 0.292                                                             | 0.294                                                             | 0.047                  | -0.029                 | 0.068                  | -0.103                 | 0.073                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3   | 0.297                                                   | 0.269                                               | 0.197                                               | 0.315                                               | 0.235                                               | 0.255                                                             | 0.255                                                             | 0.301                                                             | 0.283                                                             | 0.036                  | -0.02                  | 0.059                  | -0.095                 | 0.062                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4   | 0.35                                                    | 0.282                                               | 0.212                                               | 0.32                                                | 0.259                                               | 0.288                                                             | 0.318                                                             | 0.32                                                              | 0.354                                                             | 0.022                  | -0.06                  | 0.064                  | -0.136                 | 0.054                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4   | 0.352                                                   | 0.273                                               | 0.208                                               | 0.308                                               | 0.254                                               | 0.283                                                             | 0.286                                                             | 0.315                                                             | 0.323                                                             | -0.004                 | -0.049                 | 0.03                   | -0.127                 | 0.041                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4   | 0.31                                                    | 0.288                                               | 0.193                                               | 0.327                                               | 0.237                                               | 0.282                                                             | 0.263                                                             | 0.325                                                             | 0.295                                                             | 0.002                  | -0.03                  | 0.036                  | -0.108                 | 0.063                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4   | 0.301                                                   | 0.272                                               | 0.197                                               | 0.308                                               | 0.238                                               | 0.271                                                             | 0.248                                                             | 0.317                                                             | 0.279                                                             | 0.02                   | -0.048                 | 0.053                  | -0.123                 | 0.073                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4   | 0.291                                                   | 0.28                                                | 0.191                                               | 0.316                                               | 0.234                                               | 0.26                                                              | 0.265                                                             | 0.309                                                             | 0.297                                                             | 0.026                  | -0.033                 | 0.061                  | -0.109                 | 0.072                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5   | 0.347                                                   | 0.283                                               | 0.205                                               | 0.317                                               | 0.245                                               | 0.282                                                             | 0.29                                                              | 0.314                                                             | 0.328                                                             | 0.011                  | -0.072                 | 0.067                  | -0.143                 | 0.072                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5   | 0.348                                                   | 0.271                                               | 0.183                                               | 0.305                                               | 0.229                                               | 0.278                                                             | 0.262                                                             | 0.312                                                             | 0.3                                                               | 0.025                  | -0.064                 | 0.055                  | -0.133                 | 0.064                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5   | 0.32                                                    | 0.277                                               | 0.187                                               | 0.318                                               | 0.232                                               | 0.266                                                             | 0.251                                                             | 0.307                                                             | 0.28                                                              | 0.007                  | -0.044                 | 0.021                  | -0.114                 | 0.074                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5   | 0.305                                                   | 0.263                                               | 0.188                                               | 0.309                                               | 0.225                                               | 0.267                                                             | 0.248                                                             | 0.305                                                             | 0.277                                                             | 0.028                  | -0.058                 | 0.062                  | -0.131                 | 0.071                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5   | 0.319                                                   | 0.273                                               | 0.187                                               | 0.314                                               | 0.225                                               | 0.274                                                             | 0.254                                                             | 0.309                                                             | 0.284                                                             | 0.021                  | -0.059                 | 0.041                  | -0.122                 | 0.077                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6   | 0.339                                                   | 0.271                                               | 0.21                                                | 0.311                                               | 0.252                                               | 0.286                                                             | 0.321                                                             | 0.314                                                             | 0.354                                                             | 0.001                  | -0.071                 | 0.055                  | -0.145                 | 0.071                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6   | 0.362                                                   | 0.259                                               | 0.203                                               | 0.292                                               | 0.248                                               | 0.274                                                             | 0.283                                                             | 0.308                                                             | 0.319                                                             | -0.013                 | -0.075                 | 0.025                  | -0.166                 | 0.046                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6   | 0.307                                                   | 0.267                                               | 0.18                                                | 0.307                                               | 0.219                                               | 0.282                                                             | 0.266                                                             | 0.318                                                             | 0.297                                                             | -0.006                 | -0.067                 | 0.052                  | -0.141                 | 0.066                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6   | 0.301                                                   | 0.278                                               | 0.181                                               | 0.319                                               | 0.221                                               | 0.27                                                              | 0.258                                                             | 0.308                                                             | 0.289                                                             | 0.019                  | -0.061                 | 0.061                  | -0.134                 | 0.076                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6   | 0.306                                                   | 0.274                                               | 0.196                                               | 0.316                                               | 0.236                                               | 0.283                                                             | 0.268                                                             | 0.311                                                             | 0.305                                                             | 0.011                  | -0.067                 | 0.054                  | -0.136                 | 0.062                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7   | 0.336                                                   | 0.266                                               | 0.211                                               | 0.306                                               | 0.251                                               | 0.274                                                             | 0.308                                                             | 0.303                                                             | 0.348                                                             | -0.005                 | -0.074                 | 0.042                  | -0.154                 | 0.056                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7   | 0.343                                                   | 0.24                                                | 0.21                                                | 0.276                                               | 0.257                                               | 0.277                                                             | 0.303                                                             | 0.308                                                             | 0.334                                                             | -0.002                 | -0.067                 | 0.036                  | -0.153                 | 0.042                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7   | 0.309                                                   | 0.261                                               | 0.183                                               | 0.304                                               | 0.226                                               | 0.26                                                              | 0.281                                                             | 0.296                                                             | 0.31                                                              | 0.008                  | -0.059                 | 0.045                  | -0.125                 | 0.059                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7   | 0.298                                                   | 0.261                                               | 0.195                                               | 0.304                                               | 0.238                                               | 0.259                                                             | 0.278                                                             | 0.292                                                             | 0.309                                                             | 0.03                   | -0.051                 | 0.071                  | -0.129                 | 0.076                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7   | 0.304                                                   | 0.256                                               | 0.185                                               | 0.296                                               | 0.223                                               | 0.259                                                             | 0.276                                                             | 0.297                                                             | 0.31                                                              | 0.028                  | -0.071                 | 0.07                   | -0.146                 | 0.073                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8   | 0.34                                                    | 0.258                                               | 0.208                                               | 0.296                                               | 0.248                                               | 0.253                                                             | 0.333                                                             | 0.282                                                             | 0.365                                                             | 0                      | -0.065                 | 0.051                  | -0.138                 | 0.065                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8   | 0.339                                                   | 0.228                                               | 0.211                                               | 0.26                                                | 0.255                                               | 0.25                                                              | 0.33                                                              | 0.281                                                             | 0.36                                                              | 0.01                   | -0.07                  | 0.046                  | -0.15                  | 0.059                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8   | 0.314                                                   | 0.242                                               | 0.198                                               | 0.286                                               | 0.238                                               | 0.244                                                             | 0.308                                                             | 0.284                                                             | 0.334                                                             | 0.022                  | -0.045                 | 0.059                  | -0.126                 | 0.066                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8   | 0.309                                                   | 0.237                                               | 0.198                                               | 0.283                                               | 0.231                                               | 0.24                                                              | 0.314                                                             | 0.277                                                             | 0.337                                                             | 0.032                  | -0.032                 | 0.067                  | -0.113                 | 0.06                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8   | 0.309                                                   | 0.238                                               | 0.208                                               | 0.283                                               | 0.244                                               | 0.244                                                             | 0.316                                                             | 0.275                                                             | 0.348                                                             | 0.031                  | -0.041                 | 0.076                  | -0.117                 | 0.058                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9   | 0.336                                                   | 0.255                                               | 0.21                                                | 0.296                                               | 0.248                                               | 0.257                                                             | 0.331                                                             | 0.285                                                             | 0.364                                                             | -0.009                 | -0.067                 | 0.043                  | -0.144                 | 0.06                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9   | 0.332                                                   | 0.232                                               | 0.204                                               | 0.275                                               | 0.245                                               | 0.257                                                             | 0.302                                                             | 0.288                                                             | 0.339                                                             | 0.014                  | -0.05                  | 0.046                  | -0.117                 | 0.063                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9   | 0.294                                                   | 0.243                                               | 0.203                                               | 0.287                                               | 0.243                                               | 0.233                                                             | 0.285                                                             | 0.274                                                             | 0.319                                                             | 0.028                  | -0.032                 | 0.077                  | -0.108                 | 0.069                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9   | 0.305                                                   | 0.243                                               | 0.196                                               | 0.289                                               | 0.234                                               | 0.234                                                             | 0.311                                                             | 0.269                                                             | 0.331                                                             | 0.032                  | -0.038                 | 0.077                  | -0.12                  | 0.075                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9   | 0.303                                                   | 0.235                                               | 0.2                                                 | 0.285                                               | 0.239                                               | 0.255                                                             | 0.302                                                             | 0.283                                                             | 0.337                                                             | 0.022                  | -0.038                 | 0.064                  | -0.11                  | 0.063                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10  | 0.342                                                   | 0.246                                               | 0.206                                               | 0.282                                               | 0.246                                               | 0.245                                                             | 0.337                                                             | 0.271                                                             | 0.373                                                             | 0.011                  | -0.063                 | 0.058                  | -0.146                 | 0.072                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10  | 0.336                                                   | 0.212                                               | 0.227                                               | 0.249                                               | 0.265                                               | 0.219                                                             | 0.352                                                             | 0.251                                                             | 0.387                                                             | 0.043                  | -0.03                  | 0.066                  | -0.102                 | 0.07                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10  | 0.316                                                   | 0.217                                               | 0.22                                                | 0.259                                               | 0.261                                               | 0.208                                                             | 0.34                                                              | 0.243                                                             | 0.368                                                             | 0.049                  | -0.019                 | 0.091                  | -0.091                 | 0.082                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10  | 0.322                                                   | 0.223                                               | 0.222                                               | 0.269                                               | 0.25                                                | 0.209                                                             | 0.345                                                             | 0.254                                                             | 0.372                                                             | 0.042                  | -0.033                 | 0.084                  | -0.105                 | 0.077                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10  | 0.318                                                   | 0.216                                               | 0.22                                                | 0.256                                               | 0.257                                               | 0.212                                                             | 0.355                                                             | 0.245                                                             | 0.379                                                             | 0.04                   | -0.009                 | 0.086                  | -0.082                 | 0.084                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11  | 0.337                                                   | 0.247                                               | 0.207                                               | 0.28                                                | 0.246                                               | 0.249                                                             | 0.348                                                             | 0.277                                                             | 0.385                                                             | 0.012                  | -0.065                 | 0.052                  | -0.153                 | 0.07                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11  | 0.343                                                   | 0.221                                               | 0.254                                               | 0.26                                                | 0.298                                               | 0.216                                                             | 0.368                                                             | 0.245                                                             | 0.404                                                             | 0.019                  | -0.022                 | 0.055                  | -0.099                 | 0.06                      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11  | 0.308                                                   | 0.224                                               | 0.233                                               | 0.264                                               | 0.27                                                | 0.214                                                             | 0.338                                                             | 0.246                                                             | 0.372                                                             | 0.033                  | -0.037                 | 0.074                  | -0.109                 | 0.078                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11  | 0.311                                                   | 0.22                                                | 0.229                                               | 0.265                                               | 0.26                                                | 0.193                                                             | 0.353                                                             | 0.229                                                             | 0.383                                                             | 0.034                  | -0.023                 | 0.073                  | -0.1                   | 0.056                     |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11  | 0.312                                                   | 0.222                                               | 0.23                                                | 0.262                                               | 0.259                                               | 0.207                                                             | 0.359                                                             | 0.249                                                             | 0.388                                                             | 0.037                  | -0.014                 | 0.078                  | -0.091                 | 0.072                     |

Table 19: OCTMNIST-ViT-B/16

| Cell              | Dataset  | Model    | Q  | $R_F$       | $R_C$       | $R_C$       | $R_F$       | $R_C$       | $R_C$       | $R_F$       | $R_C$       | $R_C$       | $R_F$       | $R_C$       | $R_C$       | $R_C$       |
|-------------------|----------|----------|----|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
|                   |          |          |    | Salt-pepper | Salt-pepper | Salt-pepper | Speckle-0.1 | Speckle-0.1 | Speckle-0.1 | Speckle-0.1 | Speckle-0.1 | Speckle-0.1 | Speckle-0.1 | Speckle-0.1 | Speckle-0.1 | Speckle-0.1 |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | 0.021       | 0.076       | -0.064      | 0.002       | 0.011       | 0.007       | -0.005      | -0.031      | -0.07       | -0.025      | -0.074      | -0.068      | -0.068      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | 0.013       | 0.079       | -0.071      | 0.007       | 0.014       | 0.011       | 0           | -0.022      | -0.064      | -0.023      | -0.068      | -0.068      | -0.068      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | 0.01        | 0.077       | -0.078      | 0.005       | 0.012       | 0.015       | -0.004      | -0.029      | -0.069      | -0.027      | -0.074      | -0.068      | -0.068      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | 0.013       | 0.079       | -0.071      | 0.007       | 0.014       | 0.011       | 0           | -0.022      | -0.064      | -0.023      | -0.068      | -0.068      | -0.068      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 2  | 0.013       | 0.079       | -0.071      | 0.007       | 0.014       | 0.011       | 0           | -0.022      | -0.064      | -0.023      | -0.068      | -0.068      | -0.068      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | -0.003      | 0.077       | -0.088      | -0.001      | 0.005       | 0.006       | -0.004      | -0.02       | -0.063      | -0.026      | -0.064      | -0.064      | -0.064      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | 0.004       | 0.063       | -0.08       | -0.009      | 0.002       | -0.005      | -0.007      | -0.003      | -0.064      | -0.004      | -0.064      | -0.064      | -0.064      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | 0           | 0.067       | -0.089      | -0.006      | 0.001       | -0.006      | -0.009      | -0.014      | -0.05       | -0.014      | -0.051      | -0.051      | -0.051      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | 0.003       | 0.071       | -0.075      | 0.007       | 0.011       | 0.003       | 0.004       | -0.011      | -0.062      | -0.018      | -0.063      | -0.063      | -0.063      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 3  | 0.012       | 0.065       | -0.066      | 0.003       | 0.003       | 0.003       | -0.004      | -0.011      | -0.055      | -0.011      | -0.052      | -0.052      | -0.052      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | -0.027      | 0.072       | -0.099      | 0.004       | 0.004       | 0.015       | -0.008      | 0.01        | -0.102      | 0.015       | -0.103      | -0.103      | -0.103      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | -0.014      | 0.048       | -0.09       | -0.012      | 0.018       | -0.011      | 0.008       | -0.002      | -0.06       | -0.004      | -0.061      | -0.061      | -0.061      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | 0.015       | 0.063       | -0.059      | 0.005       | 0.024       | 0.005       | 0.014       | -0.001      | -0.046      | 0.003       | -0.044      | -0.044      | -0.044      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | 0.005       | 0.07        | -0.073      | 0.002       | -0.001      | -0.006      | -0.01       | 0.001       | -0.052      | 0.003       | -0.051      | -0.051      | -0.051      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 4  | 0.012       | 0.082       | -0.059      | 0.011       | 0.01        | 0.005       | -0.002      | -0.009      | -0.064      | -0.002      | -0.065      | -0.065      | -0.065      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | -0.035      | 0.089       | -0.104      | 0.008       | 0.001       | 0.015       | -0.002      | 0.007       | -0.084      | 0.012       | -0.085      | -0.085      | -0.085      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | -0.025      | 0.06        | -0.096      | -0.002      | 0.032       | -0.01       | 0.023       | 0.005       | -0.047      | -0.003      | -0.048      | -0.048      | -0.048      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | -0.009      | 0.073       | -0.084      | 0.007       | 0.017       | 0           | 0.004       | -0.004      | -0.047      | -0.011      | -0.044      | -0.044      | -0.044      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | -0.011      | 0.077       | -0.088      | -0.001      | 0           | 0.005       | -0.008      | 0.003       | -0.06       | 0.001       | -0.06       | -0.06       | -0.06       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 5  | -0.015      | 0.071       | -0.091      | 0.009       | 0.006       | 0.002       | 0.003       | 0.01        | -0.061      | -0.003      | -0.056      | -0.056      | -0.056      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | -0.029      | 0.091       | -0.093      | 0.011       | 0.001       | 0.022       | -0.006      | 0.026       | -0.11       | 0.025       | -0.108      | -0.108      | -0.108      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | -0.035      | 0.062       | -0.113      | -0.011      | 0.016       | -0.006      | 0.001       | 0.004       | -0.064      | 0.01        | -0.07       | -0.07       | -0.07       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | -0.022      | 0.077       | -0.084      | -0.007      | 0.012       | 0.004       | 0.004       | 0.008       | -0.074      | 0.015       | -0.074      | -0.074      | -0.074      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | -0.019      | 0.079       | -0.09       | 0.015       | -0.002      | 0.016       | -0.01       | 0.007       | -0.079      | 0.005       | -0.078      | -0.078      | -0.078      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 6  | -0.011      | 0.078       | -0.077      | 0.006       | -0.004      | 0.016       | -0.007      | 0.015       | -0.076      | 0.011       | -0.076      | -0.076      | -0.076      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | -0.024      | 0.074       | -0.091      | 0.001       | 0.003       | 0.01        | -0.006      | 0.009       | -0.094      | 0.007       | -0.103      | -0.103      | -0.103      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | -0.024      | 0.058       | -0.089      | -0.022      | 0.015       | -0.017      | -0.003      | 0.015       | -0.078      | 0.015       | -0.08       | -0.08       | -0.08       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | -0.013      | 0.073       | -0.072      | -0.004      | 0.019       | 0.005       | 0.011       | -0.005      | -0.079      | -0.003      | -0.073      | -0.073      | -0.073      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | 0.002       | 0.081       | -0.071      | 0.014       | 0.003       | 0.016       | -0.011      | 0.012       | -0.08       | 0.004       | -0.082      | -0.082      | -0.082      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 7  | -0.009      | 0.081       | -0.071      | 0.008       | 0.016       | 0.011       | 0.01        | 0.011       | -0.075      | 0.012       | -0.077      | -0.077      | -0.077      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | -0.021      | 0.088       | -0.091      | 0.003       | 0.009       | 0.011       | 0.001       | -0.002      | -0.116      | -0.003      | -0.116      | -0.116      | -0.116      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | -0.026      | 0.08        | -0.086      | -0.014      | 0.011       | -0.013      | -0.002      | 0.008       | -0.108      | 0.008       | -0.107      | -0.107      | -0.107      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | -0.006      | 0.082       | -0.074      | 0.001       | 0.013       | 0.01        | 0.002       | 0.003       | -0.097      | 0.008       | -0.094      | -0.094      | -0.094      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | 0.013       | 0.069       | -0.06       | -0.006      | 0.025       | -0.001      | 0.018       | -0.003      | -0.091      | -0.007      | -0.088      | -0.088      | -0.088      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 8  | 0.008       | 0.066       | -0.059      | -0.003      | 0.015       | 0.007       | 0.006       | 0.003       | -0.093      | -0.001      | -0.098      | -0.098      | -0.098      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | -0.018      | 0.083       | -0.087      | -0.005      | 0.006       | 0.006       | 0.001       | -0.003      | -0.115      | -0.005      | -0.115      | -0.115      | -0.115      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | -0.03       | 0.067       | -0.079      | -0.01       | 0.009       | 0           | 0.008       | 0.015       | -0.089      | 0.013       | -0.086      | -0.086      | -0.086      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | 0.013       | 0.081       | -0.053      | 0.006       | 0.008       | 0.02        | -0.002      | -0.004      | -0.074      | 0.007       | -0.078      | -0.078      | -0.078      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | 0           | 0.084       | -0.071      | 0.01        | 0.009       | 0.02        | 0           | 0.001       | -0.106      | 0           | -0.097      | -0.097      | -0.097      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 9  | 0.001       | 0.065       | -0.061      | -0.005      | 0.012       | 0.003       | 0.003       | 0.015       | -0.09       | 0.001       | -0.095      | -0.095      | -0.095      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | -0.023      | 0.088       | -0.097      | 0.002       | 0.011       | 0.004       | -0.001      | 0.001       | -0.12       | -0.007      | -0.128      | -0.128      | -0.128      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | -0.001      | 0.078       | -0.059      | 0.001       | 0.019       | -0.001      | 0.012       | 0.008       | -0.106      | 0.001       | -0.11       | -0.11       | -0.11       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | 0.024       | 0.09        | -0.045      | 0.011       | 0.023       | 0.018       | 0.01        | 0.002       | -0.097      | 0.002       | -0.097      | -0.097      | -0.097      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | 0.01        | 0.085       | -0.06       | 0.009       | 0.014       | 0.017       | 0.012       | -0.005      | -0.109      | 0.002       | -0.11       | -0.11       | -0.11       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 10 | 0.029       | 0.094       | -0.042      | 0.007       | 0.032       | 0.011       | 0.019       | 0.003       | -0.103      | 0           | -0.103      | -0.103      | -0.103      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | -0.013      | 0.087       | -0.09       | 0.002       | 0.012       | 0           | 0.001       | 0.004       | -0.129      | -0.003      | -0.138      | -0.138      | -0.138      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | 0.007       | 0.066       | -0.045      | -0.005      | 0.007       | -0.001      | 0           | -0.01       | -0.107      | -0.016      | -0.106      | -0.106      | -0.106      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | 0.023       | 0.085       | -0.042      | 0.008       | 0.002       | 0.012       | -0.004      | -0.002      | -0.103      | -0.006      | -0.106      | -0.106      | -0.106      |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | 0.013       | 0.063       | -0.048      | 0.003       | 0.011       | 0.004       | 0.003       | -0.024      | -0.113      | -0.032      | -0.12       | -0.12       | -0.12       |
| OCTMNIST-ViT-B/16 | OCTMNIST | ViT-B/16 | 11 | 0.035       | 0.076       | -0.035      | 0.006       | 0.021       | 0.006       | 0.018       | -0.009      | -0.108      | -0.007      | -0.111      | -0.111      | -0.111      |

Table 20: OCTMNIST–ViT-B/16

| Dataset  | Model    | Method              | Finite<br>Fraction | Target<br>Sensitive | Selected<br>Batch<br>Size | Attack<br>Batch<br>Size | Attack<br>Seconds<br>Per<br>Sample | Attack<br>Peak<br>Cuda<br>Bytes |
|----------|----------|---------------------|--------------------|---------------------|---------------------------|-------------------------|------------------------------------|---------------------------------|
| OCTMNIST | Vit B/16 | Saliency            | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | Vit B/16 | InputXGradient      | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | Vit B/16 | IntegratedGradients | 1                  | true                | 1                         | 1                       | 0.145204                           | 6.6673e+09                      |
| OCTMNIST | Vit B/16 | FeatureAblation     | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | Vit B/16 | Occlusion           | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | Vit B/16 | GradientShap        | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | Vit B/16 | CheferTransformer   | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | Vit B/16 | Attribution         |                    |                     |                           |                         |                                    |                                 |
| OCTMNIST | Vit B/16 | PartialLRP          | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | Vit B/16 | FullLRP             | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | Vit B/16 | GradientAttention   | 1                  | true                | 1                         | 1                       | 0.05706                            | 3.3842e+09                      |
| OCTMNIST | Vit B/16 | Rollout             |                    |                     |                           |                         |                                    |                                 |
| OCTMNIST | Vit B/16 | AttentionGradCAM    | 1                  | true                | 1                         | 1                       | 0.047519                           | 3.3105e+09                      |

## A DenseNet-121



Table 21: OCTMNIST–DenseNet-121

| Dataset  | Model        | Method              | Finite<br>Fraction | Target<br>Sensitive | Selected<br>Batch<br>Size | Attack<br>Batch<br>Size | Attack<br>Seconds<br>Per<br>Sample | Attack<br>Peak<br>Cuda<br>Bytes |
|----------|--------------|---------------------|--------------------|---------------------|---------------------------|-------------------------|------------------------------------|---------------------------------|
| OCTMNIST | DenseNet-121 | Saliency            | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | DenseNet-121 | InputXGradient      | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | DenseNet-121 | IntegratedGradients | 1                  | true                | 1                         | 1                       | 0.088067                           | 6.6774e+09                      |
| OCTMNIST | DenseNet-121 | GuidedBackprop      | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | DenseNet-121 | Deconvolution       | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | DenseNet-121 | FeatureAblation     | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | DenseNet-121 | Occlusion           | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | DenseNet-121 | DeepLift            | 1                  | true                | 1                         | 1                       | 0.362596                           | 6.5945e+08                      |
| OCTMNIST | DenseNet-121 | GradientShap        | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | DenseNet-121 | DeepLiftShap        | 1                  | true                | 1                         | 1                       | 0.056082                           | 1.7365e+09                      |
| OCTMNIST | DenseNet-121 | LRP                 | 1                  | true                | 1                         |                         |                                    |                                 |

## B EfficientNet-B0

Table 22: OCTMNIST–EfficientNet-B0

| Dataset  | Model           | Method              | Finite<br>Fraction | Target<br>Sensitive | Selected<br>Batch<br>Size | Attack<br>Batch<br>Size | Attack<br>Seconds<br>Per<br>Sample | Attack<br>Peak<br>Cuda<br>Bytes |
|----------|-----------------|---------------------|--------------------|---------------------|---------------------------|-------------------------|------------------------------------|---------------------------------|
| OCTMNIST | EfficientNet-B0 | Saliency            | 1                  | true                | 1                         | 1                       | 0.32174                            | 3.8022e+08                      |
| OCTMNIST | EfficientNet-B0 | InputXGradient      | 1                  | true                | 1                         | 1                       | 0.187                              | 3.8263e+08                      |
| OCTMNIST | EfficientNet-B0 | IntegratedGradients | 1                  | true                | 1                         | 1                       | 0.037525                           | 4.5561e+09                      |
| OCTMNIST | EfficientNet-B0 | GuidedBackprop      | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | EfficientNet-B0 | Deconvolution       | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | EfficientNet-B0 | FeatureAblation     | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | EfficientNet-B0 | Occlusion           | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | EfficientNet-B0 | DeepLift            | 1                  | true                | 1                         | 1                       | 0.024336                           | 2.7865e+08                      |
| OCTMNIST | EfficientNet-B0 | GradientShap        | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | EfficientNet-B0 | DeepLiftShap        | 1                  | true                | 1                         | 1                       | 0.022935                           | 6.5411e+08                      |
| OCTMNIST | EfficientNet-B0 | LRP                 |                    |                     |                           |                         |                                    |                                 |

## C MobileNetV3-Large

Table 23: OCTMNIST-MobileNetV3-Large

| Dataset  | Model             | Method              | Finite<br>Fraction | Target<br>Sensitive | Selected<br>Batch<br>Size | Attack<br>Batch<br>Size | Attack<br>Seconds<br>Per<br>Sample | Attack<br>Peak<br>Cuda<br>Bytes |
|----------|-------------------|---------------------|--------------------|---------------------|---------------------------|-------------------------|------------------------------------|---------------------------------|
| OCTMNIST | MobileNetV3-Large | Saliency            | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | MobileNetV3-Large | InputXGradient      | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | MobileNetV3-Large | IntegratedGradients | 1                  | true                | 1                         | 1                       | 0.022089                           | 2.4103e+09                      |
| OCTMNIST | MobileNetV3-Large | GuidedBackprop      | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | MobileNetV3-Large | Deconvolution       | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | MobileNetV3-Large | FeatureAblation     | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | MobileNetV3-Large | Occlusion           | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | MobileNetV3-Large | DeepLift            | 1                  | true                | 1                         | 1                       | 0.021229                           | 2.2833e+08                      |
| OCTMNIST | MobileNetV3-Large | GradientShap        | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | MobileNetV3-Large | DeepLiftShap        | 1                  | true                | 1                         | 1                       | 0.020916                           | 4.9989e+08                      |
| OCTMNIST | MobileNetV3-Large | LRP                 |                    |                     |                           |                         |                                    |                                 |

## D ResNet-18

Table 24: OCTMNIST–ResNet-18

| Dataset  | Model     | Method              | Finite<br>Fraction | Target<br>Sensitive | Selected<br>Batch<br>Size | Attack<br>Batch<br>Size | Attack<br>Seconds<br>Per<br>Sample | Attack<br>Peak<br>Cuda<br>Bytes |
|----------|-----------|---------------------|--------------------|---------------------|---------------------------|-------------------------|------------------------------------|---------------------------------|
| OCTMNIST | ResNet-18 | Saliency            | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-18 | InputXGradient      | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-18 | IntegratedGradients | 1                  | true                | 1                         | 1                       | 0.033075                           | 1.2722e+09                      |
| OCTMNIST | ResNet-18 | GuidedBackprop      | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-18 | Deconvolution       | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-18 | FeatureAblation     | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-18 | Occlusion           | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-18 | DeepLift            | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-18 | GradientShap        | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-18 | DeepLiftShap        | 1                  | true                | 1                         | 1                       | 0.011559                           | 4.4584e+08                      |
| OCTMNIST | ResNet-18 | LRP                 | 1                  | true                | 1                         |                         |                                    |                                 |

## E ResNet-50



Table 25: OCTMNIST–ResNet-50

| Dataset  | Model     | Method              | Finite<br>Fraction | Target<br>Sensitive | Selected<br>Batch<br>Size | Attack<br>Batch<br>Size | Attack<br>Seconds<br>Per<br>Sample | Attack<br>Peak<br>Cuda<br>Bytes |
|----------|-----------|---------------------|--------------------|---------------------|---------------------------|-------------------------|------------------------------------|---------------------------------|
| OCTMNIST | ResNet-50 | Saliency            | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-50 | InputXGradient      | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-50 | IntegratedGradients | 1                  | true                | 1                         | 1                       | 0.07117                            | 4.5233e+09                      |
| OCTMNIST | ResNet-50 | GuidedBackprop      | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-50 | Deconvolution       | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-50 | FeatureAblation     | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-50 | Occlusion           | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-50 | DeepLift            | 1                  |                     | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-50 | GradientShap        | 1                  | true                | 1                         |                         |                                    |                                 |
| OCTMNIST | ResNet-50 | DeepLiftShap        | 1                  | true                | 1                         | 1                       | 0.025127                           | 1.2474e+09                      |
| OCTMNIST | ResNet-50 | LRP                 | 1                  | true                | 1                         |                         |                                    |                                 |