

1 ViT-B/16

Table 1: Places365-ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$	R_F^p	$R_{\bar{F}}^p$	R_C^p	$R_{\bar{C}}^p$
Places365	ViT-B/16	ViT	Test	Best Individual	36500	0.071562	0.368849	0.411452	0.863233	0.021452	0.07063	0.020685	-0.081425	0.019808	0.052767	0.001616	-0.074959
Places365	ViT-B/16	ViT	Test	Simple Averaging	36500	0.074055	0.374247	0.391233	0.876795	0.002137	0.074055	0.061945	-0.071808	0.006027	0.055205	0.049288	-0.068329
Places365	ViT-B/16	ViT	Test	Borda	36500	0.060493	0.389041	0.358356	0.897205	0.017452	0.087178	0.086658	-0.05474	0.019205	0.066466	0.06337	-0.052027
Places365	ViT-B/16	ViT	Test	Kemeny	36500	0.063479	0.387425	0.361945	0.896247	0.022192	0.087205	0.094274	-0.055315	0.020247	0.066411	0.070658	-0.05137
Places365	ViT-B/16	ViT	Test	RRF	36500	0.064027	0.385342	0.366247	0.893041	0.022027	0.085178	0.09263	-0.057068	0.021096	0.064082	0.067945	-0.052986
Places365	ViT-B/16	ViT	Test	Schulze	36500	0.06137	0.388438	0.361096	0.896055	0.022548	0.087068	0.092055	-0.054986	0.022027	0.066849	0.063671	-0.052082

Table 2: Places365-ViT-B/16

Dataset	Model	Architecture	Split	Method	R^c_L	R^s_L	R^c_G	R^s_G	R^c_F	R^s_F	R^c_C	R^s_C	F^D	F^S	C^S	C^D	F^D
Places365	ViT-B/16	ViT	Test	Best Individual	0.010712	0.015507	-0.030822	-0.044904	0.023699	-0.037425	-0.028274	-0.069918	0.093014	0.298219	0.432137	0.944658	0.09137
Places365	ViT-B/16	ViT	Test	Simple Averaging	-0.002548	0.014575	0.00126	-0.043041	0.008247	-0.044466	-0.035644	-0.062603	0.076192	0.300192	0.453178	0.948603	0.080082
Places365	ViT-B/16	ViT	Test	Borda	0.007315	0.022932	0.007288	-0.031315	0.019589	-0.036055	-0.010521	-0.049233	0.077945	0.301863	0.445014	0.951945	0.079699
Places365	ViT-B/16	ViT	Test	Kemeny	0.008164	0.022	0.008027	-0.031616	0.01337	-0.038082	-0.021808	-0.052493	0.085671	0.300219	0.456219	0.951562	0.083726
Places365	ViT-B/16	ViT	Test	RRF	0.007973	0.021836	0.008	-0.031781	0.014986	-0.039836	-0.020877	-0.054027	0.086055	0.300164	0.458877	0.95011	0.085123
Places365	ViT-B/16	ViT	Test	Schulze	0.00874	0.022164	0.008082	-0.032795	0.018767	-0.036822	-0.01611	-0.051397	0.083918	0.30137	0.453151	0.951041	0.083397

Table 3: Places365–ViT-B/16

Dataset	Model	Architecture	Split	Method	$F^p_{\text{perturbed}}$	$C^p_{\text{perturbed}}$	$\bar{C}^p_{\text{perturbed}}$	$F^s_{\text{perturbed}}$	$\bar{F}^s_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$\bar{C}^s_{\text{perturbed}}$	$F^a_{\text{perturbed}}$	$\bar{F}^a_{\text{perturbed}}$	$C^a_{\text{perturbed}}$	$\bar{C}^a_{\text{perturbed}}$	Selected Sources
Places365	ViT-B/16	ViT	Test	Best Individual	0.316082	0.413068	0.938192	0.082274	0.353342	0.38063	0.908137	0.09526	0.406274	0.383178	0.933151	6f179893795d32a59afb 0e9d9f03ff9c2da47008 bb43521b6cd1d7b993ab 30ec
Places365	ViT-B/16	ViT	Test	Simple Averaging	0.319041	0.440521	0.945123	0.071507	0.359671	0.392493	0.919836	0.082301	0.418712	0.355589	0.939397	
Places365	ViT-B/16	ViT	Test	Borda	0.322575	0.421726	0.949233	0.067808	0.36611	0.365644	0.928521	0.080082	0.425096	0.347836	0.946438	
Places365	ViT-B/16	ViT	Test	Kemeny	0.321014	0.432603	0.947616	0.071644	0.365425	0.369973	0.927863	0.076849	0.425507	0.340137	0.94874	
Places365	ViT-B/16	ViT	Test	RRF	0.32126	0.434192	0.946027	0.072	0.363507	0.374247	0.924822	0.079014	0.425178	0.34537	0.947068	
Places365	ViT-B/16	ViT	Test	Schulze	0.321589	0.424767	0.948137	0.07011	0.366274	0.369178	0.928849	0.080137	0.42526	0.344986	0.947452	

Table 4: Places365-ViT-B/16

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
Places365	ViT-B/16	Best Individual	Dataset Model	All	20	5						
Places365	ViT-B/16	Simple Averaging	Dataset Model	All	20	1	10	0	10			
Places365	ViT-B/16	Borda	Dataset Model	All	20	6	12	0	8	16	0	4
Places365	ViT-B/16	Kemeny	Dataset Model	All	20	4	13	0	7	16	0	4
Places365	ViT-B/16	RRF	Dataset Model	All	20	0	13	0	7	16	0	4
Places365	ViT-B/16	Schulze	Dataset Model	All	20	4	14	0	6	16	0	4
Places365	ViT-B/16	Best Individual	Dataset Model	Quality	4	3						
Places365	ViT-B/16	Simple Averaging	Dataset Model	Quality	4	1	1	0	3			
Places365	ViT-B/16	Borda	Dataset Model	Quality	4	0	0	0	4	0	0	4
Places365	ViT-B/16	Kemeny	Dataset Model	Quality	4	0	0	0	4	0	0	4
Places365	ViT-B/16	RRF	Dataset Model	Quality	4	0	0	0	4	0	0	4
Places365	ViT-B/16	Schulze	Dataset Model	Quality	4	0	0	0	4	0	0	4
Places365	ViT-B/16	Best Individual	Dataset Model	Robustness All	16	2			7			
Places365	ViT-B/16	Simple Averaging	Dataset Model	Robustness All	16	0	9	0	7			
Places365	ViT-B/16	Borda	Dataset Model	Robustness All	16	6	12	0	4	16	0	0
Places365	ViT-B/16	Kemeny	Dataset Model	Robustness All	16	4	13	0	3	16	0	0
Places365	ViT-B/16	RRF	Dataset Model	Robustness All	16	0	13	0	3	16	0	0
Places365	ViT-B/16	Schulze	Dataset Model	Robustness All	16	4	14	0	2	16	0	0
Places365	ViT-B/16	Best Individual	Dataset Model	Gaussian	4	0						
Places365	ViT-B/16	Simple Averaging	Dataset Model	Gaussian	4	0	3	0	1			
Places365	ViT-B/16	Borda	Dataset Model	Gaussian	4	1	3	0	1	4	0	0
Places365	ViT-B/16	Kemeny	Dataset Model	Gaussian	4	2	4	0	0	4	0	0
Places365	ViT-B/16	RRF	Dataset Model	Gaussian	4	0	4	0	0	4	0	0
Places365	ViT-B/16	Schulze	Dataset Model	Gaussian	4	1	4	0	0	4	0	0
Places365	ViT-B/16	Best Individual	Dataset Model	Salt Pepper	4	0						
Places365	ViT-B/16	Simple Averaging	Dataset Model	Salt Pepper	4	0	3	0	1			
Places365	ViT-B/16	Borda	Dataset Model	Salt Pepper	4	0	3	0	1	4	0	0
Places365	ViT-B/16	Kemeny	Dataset Model	Salt Pepper	4	2	4	0	0	4	0	0
Places365	ViT-B/16	RRF	Dataset Model	Salt Pepper	4	0	4	0	0	4	0	0
Places365	ViT-B/16	Schulze	Dataset Model	Salt Pepper	4	2	4	0	0	4	0	0
Places365	ViT-B/16	Best Individual	Dataset Model	Speckle	4	1						
Places365	ViT-B/16	Simple Averaging	Dataset Model	Speckle	4	0	2	0	2			
Places365	ViT-B/16	Borda	Dataset Model	Speckle	4	2	3	0	1	4	0	0
Places365	ViT-B/16	Kemeny	Dataset Model	Speckle	4	0	3	0	1	4	0	0
Places365	ViT-B/16	RRF	Dataset Model	Speckle	4	0	3	0	1	4	0	0
Places365	ViT-B/16	Schulze	Dataset Model	Speckle	4	1	3	0	1	4	0	0
Places365	ViT-B/16	Best Individual	Dataset Model	Adversarial	4	1						
Places365	ViT-B/16	Simple Averaging	Dataset Model	Adversarial	4	0	1	0	3			
Places365	ViT-B/16	Borda	Dataset Model	Adversarial	4	3	3	0	1	4	0	0
Places365	ViT-B/16	Kemeny	Dataset Model	Adversarial	4	0	2	0	2	4	0	0
Places365	ViT-B/16	RRF	Dataset Model	Adversarial	4	0	2	0	2	4	0	0
Places365	ViT-B/16	Schulze	Dataset Model	Adversarial	4	0	3	0	1	4	0	0
Places365	ViT-B/16	Best Individual	Overall	All	20	5						
Places365	ViT-B/16	Simple Averaging	Overall	All	20	1	10	0	10			
Places365	ViT-B/16	Borda	Overall	All	20	6	12	0	8	16	0	4
Places365	ViT-B/16	Kemeny	Overall	All	20	4	13	0	7	16	0	4
Places365	ViT-B/16	RRF	Overall	All	20	0	13	0	7	16	0	4
Places365	ViT-B/16	Schulze	Overall	All	20	4	14	0	6	16	0	4
Places365	ViT-B/16	Best Individual	Overall	Quality	4	3						
Places365	ViT-B/16	Simple Averaging	Overall	Quality	4	1	1	0	3			
Places365	ViT-B/16	Borda	Overall	Quality	4	0	0	0	4	0	0	4
Places365	ViT-B/16	Kemeny	Overall	Quality	4	0	0	0	4	0	0	4
Places365	ViT-B/16	RRF	Overall	Quality	4	0	0	0	4	0	0	4
Places365	ViT-B/16	Schulze	Overall	Quality	4	0	0	0	4	0	0	4
Places365	ViT-B/16	Best Individual	Overall	Robustness All	16	2			7			
Places365	ViT-B/16	Simple Averaging	Overall	Robustness All	16	0	9	0	7			
Places365	ViT-B/16	Borda	Overall	Robustness All	16	6	12	0	4	16	0	0
Places365	ViT-B/16	Kemeny	Overall	Robustness All	16	4	13	0	3	16	0	0
Places365	ViT-B/16	RRF	Overall	Robustness All	16	0	13	0	3	16	0	0
Places365	ViT-B/16	Schulze	Overall	Robustness All	16	4	14	0	2	16	0	0
Places365	ViT-B/16	Best Individual	Overall	Gaussian	4	0						
Places365	ViT-B/16	Simple Averaging	Overall	Gaussian	4	0	3	0	1			
Places365	ViT-B/16	Borda	Overall	Gaussian	4	1	3	0	1	4	0	0
Places365	ViT-B/16	Kemeny	Overall	Gaussian	4	2	4	0	0	4	0	0
Places365	ViT-B/16	RRF	Overall	Gaussian	4	0	4	0	0	4	0	0
Places365	ViT-B/16	Schulze	Overall	Gaussian	4	1	4	0	0	4	0	0
Places365	ViT-B/16	Best Individual	Overall	Salt Pepper	4	0						
Places365	ViT-B/16	Simple Averaging	Overall	Salt Pepper	4	0	3	0	1			
Places365	ViT-B/16	Borda	Overall	Salt Pepper	4	0	3	0	1	4	0	0
Places365	ViT-B/16	Kemeny	Overall	Salt Pepper	4	2	4	0	0	4	0	0
Places365	ViT-B/16	RRF	Overall	Salt Pepper	4	0	4	0	0	4	0	0
Places365	ViT-B/16	Schulze	Overall	Salt Pepper	4	2	4	0	0	4	0	0
Places365	ViT-B/16	Best Individual	Overall	Speckle	4	1						
Places365	ViT-B/16	Simple Averaging	Overall	Speckle	4	0	2	0	2			
Places365	ViT-B/16	Borda	Overall	Speckle	4	2	3	0	1	4	0	0
Places365	ViT-B/16	Kemeny	Overall	Speckle	4	0	3	0	1	4	0	0
Places365	ViT-B/16	RRF	Overall	Speckle	4	0	3	0	1	4	0	0
Places365	ViT-B/16	Schulze	Overall	Speckle	4	1	3	0	1	4	0	0
Places365	ViT-B/16	Best Individual	Overall	Adversarial	4	1						
Places365	ViT-B/16	Simple Averaging	Overall	Adversarial	4	0	1	0	3			
Places365	ViT-B/16	Borda	Overall	Adversarial	4	3	3	0	1	4	0	0
Places365	ViT-B/16	Kemeny	Overall	Adversarial	4	0	2	0	2	4	0	0
Places365	ViT-B/16	RRF	Overall	Adversarial	4	0	2	0	2	4	0	0

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	4	0	3	0	1	4	0	0

Table 5: Places365–ViT-B/16

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
Places365	ViT B/16	Saliency	1	true	1			
Places365	ViT B/16	InputXGradient	1	true	1			
Places365	ViT B/16	IntegratedGradients	1	true	1	1	0.140826	6.6691e+09
Places365	ViT B/16	FeatureAblation	1	true	1			
Places365	ViT B/16	Occlusion	1	true	1			
Places365	ViT B/16	GradientShap	1	true	1			
Places365	ViT B/16	CheferTransformer	1	true	1			
Places365	ViT B/16	Attribution	1	true	1			
Places365	ViT B/16	PartialLRP	1	true	1			
Places365	ViT B/16	FullLRP	1	true	1			
Places365	ViT B/16	GradientAttention	1	true	1	1	0.056401	3.3791e+09
Places365	ViT B/16	Rollout	1	true	1			
Places365	ViT B/16	AttentionGradCAM	1	true	1	1	0.047329	3.3088e+09

A DenseNet-121

Table 6: Places365–DenseNet-121

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
Places365	DenseNet-121	Saliency	1		1			
Places365	DenseNet-121	InputXGradient	1		1			
Places365	DenseNet-121	IntegratedGradients	1	true	1	1	0.091151	6.6783e+09
Places365	DenseNet-121	GuidedBackprop	1		1			
Places365	DenseNet-121	Deconvolution	1		1			
Places365	DenseNet-121	FeatureAblation	1	true	1			
Places365	DenseNet-121	Occlusion	1	true	1			
Places365	DenseNet-121	DeepLift	1	true	1	1	0.053206	6.6006e+08
Places365	DenseNet-121	GradientShap	1	true	1			
Places365	DenseNet-121	DeepLiftShap	1	true	1	1	0.055751	1.7373e+09
Places365	DenseNet-121	LRP	1	true	1			

B EfficientNet-B0

Table 7: Places365–EfficientNet-B0

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
Places365	EfficientNet-B0	Saliency	1	true	1	1	0.373205	3.8183e+08
Places365	EfficientNet-B0	InputXGradient	1	true	1	1	0.237971	3.8424e+08
Places365	EfficientNet-B0	IntegratedGradients	1	true	1	1	0.038809	4.5567e+09
Places365	EfficientNet-B0	GuidedBackprop	1	true	1			
Places365	EfficientNet-B0	Deconvolution	1	true	1			
Places365	EfficientNet-B0	FeatureAblation	1	true	1			
Places365	EfficientNet-B0	Occlusion	1	true	1			
Places365	EfficientNet-B0	DeepLift	1	true	1	1	0.0237	2.7971e+08
Places365	EfficientNet-B0	GradientShap	1	true	1			
Places365	EfficientNet-B0	DeepLiftShap	1	true	1	1	0.023802	6.5547e+08
Places365	EfficientNet-B0	LRP						

C MobileNetV3-Large

Table 8: Places365–MobileNetV3-Large

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
Places365	MobileNetV3-Large	Saliency	1	true	1			
Places365	MobileNetV3-Large	InputXGradient	1	true	1			
Places365	MobileNetV3-Large	IntegratedGradients	1	true	1	1	0.022305	2.4124e+09
Places365	MobileNetV3-Large	GuidedBackprop	1	true	1			
Places365	MobileNetV3-Large	Deconvolution	1	true	1			
Places365	MobileNetV3-Large	FeatureAblation	1	true	1			
Places365	MobileNetV3-Large	Occlusion	1	true	1			
Places365	MobileNetV3-Large	DeepLift	1	true	1	1	0.019938	2.3215e+08
Places365	MobileNetV3-Large	GradientShap	1	true	1			
Places365	MobileNetV3-Large	DeepLiftShap	1	true	1	1	0.020923	5.0323e+08
Places365	MobileNetV3-Large	LRP						

D ResNet-18

Table 9: Places365–ResNet-18

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
Places365	ResNet-18	Saliency	1		1			
Places365	ResNet-18	InputXGradient	1		1			
Places365	ResNet-18	IntegratedGradients	1	true	1	1	0.033703	1.273e+09
Places365	ResNet-18	GuidedBackprop	1		1			
Places365	ResNet-18	Deconvolution	1		1			
Places365	ResNet-18	FeatureAblation	1	true	1			
Places365	ResNet-18	Occlusion	1	true	1			
Places365	ResNet-18	DeepLift	1		1			
Places365	ResNet-18	GradientShap	1	true	1			
Places365	ResNet-18	DeepLiftShap	1	true	1	1	0.017598	4.466e+08
Places365	ResNet-18	LRP	1	true	1			

E ResNet-50

Table 10: Places365–ResNet-50

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
Places365	ResNet-50	Saliency	1		1			
Places365	ResNet-50	InputXGradient	1		1			
Places365	ResNet-50	IntegratedGradients	1	true	1	1	0.075257	4.5275e+09
Places365	ResNet-50	GuidedBackprop	1	true	1			
Places365	ResNet-50	Deconvolution	1		1			
Places365	ResNet-50	FeatureAblation	1	true	1			
Places365	ResNet-50	Occlusion	1	true	1			
Places365	ResNet-50	DeepLift	1		1			
Places365	ResNet-50	GradientShap	1	true	1			
Places365	ResNet-50	DeepLiftShap	1	true	1	1	0.028298	1.2498e+09
Places365	ResNet-50	LRP	1	true	1			