

1 ViT-B/16

Table 1: RetinaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	Sample Count	F	F	C	$\hat{C}$	R^u_E	R^p_E	R^s_E	$R^+_{\hat{E}}$
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	400	-0.010833	0.105	0.199167	0.489167	-0.063333	-0.011667	-0.023333	0.009167
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	400	-0.023333	0.126667	0.163333	0.534167	-0.060833	-0.023333	-0.011667	0.021667
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	400	-0.0175	0.12	0.1875	0.5225	-0.0475	0.0325	0.0075	0.0175
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	400	-0.025	0.1225	0.166667	0.531667	-0.069167	-0.0175	-0.020833	0.019167
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	400	-0.0225	0.15	0.2125	0.5325	-0.0775	-0.0275	-0.005	0.025
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	400	-0.011667	0.126667	0.154167	0.556667	-0.069167	-0.034167	0.001667	0.011667
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	400	-0.02	0.09	0.2275	0.5025	-0.0675	0.0225	0.03	0.0175
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	400	-0.02	0.1475	0.1525	0.5575	-0.065	-0.028333	-0.011667	0.016667
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	400	-0.035	0.1275	0.235	0.5375	-0.045	0.04	0.02	0.0275
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	400	-0.021667	0.119167	0.164167	0.540833	-0.076667	-0.021667	-0.0225	0.018333
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	400	-0.0225	0.1175	0.235	0.5275	-0.0625	-0.025	0.005	0.005

Table 2: RetinaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$R^p_{\mathcal{C}}$	$R^p_{\mathcal{C}}$	$R^p_{\mathcal{C}}$	$R^p_{\mathcal{C}}$	$R^p_{\mathcal{C}}$	$R^p_{\mathcal{C}}$	$R^p_{\mathcal{C}}$	$R^p_{\mathcal{C}}$	$R^p_{\mathcal{C}}$
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.216667	0.194167	0.085	-0.026667	0.288333	0.1625	0.06	0.016667	-0.275
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.233333	0.184167	0.108333	-0.005	0.2925	0.156667	0.075833	0.013333	-0.224167
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.285	0.2325	0.135	0.0025	0.3325	0.185	0.11	0.0225	-0.225
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.22	0.1825	0.115	0.000833	0.2825	0.17	0.065833	0.011667	-0.241667
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.2075	0.145	0.1	-0.0375	0.3675	0.1975	0.12	-0.0025	-0.205
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.235833	0.185833	0.1075	-0.0075	0.295833	0.183333	0.068333	0.015833	-0.223333
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.255	0.1875	0.1025	-0.0475	0.305	0.17	0.09	-0.0175	-0.25
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.256667	0.189167	0.125833	-0.005	0.331667	0.1875	0.094167	0.0325	-0.215833
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.2375	0.1625	0.0925	-0.055	0.3475	0.1825	0.1125	0	-0.215
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.239167	0.185833	0.120833	0.000833	0.2825	0.1625	0.078333	0.01	-0.229167
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.2175	0.15	0.11	-0.0675	0.3325	0.1825	0.105	-0.02	-0.2275

Table 3: RetinaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$R^p_{\mathcal{C}}$	$R^s_{\mathcal{C}}$	$R^u_{\mathcal{C}}$	F^p_{switched}	F^s_{switched}	C^u_{switched}	C^s_{switched}	F^p_{switched}	F^s_{switched}
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	-0.133333	-0.120833	0.023333	-0.074167	-0.183333	0.415833	0.764167	-0.0225	-0.0575
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	-0.065833	-0.076667	0.025833	-0.084167	-0.165833	0.396667	0.758333	-0.046667	-0.03
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	-0.035	-0.0325	0.0325	-0.065	-0.2125	0.4725	0.7475	0.015	-0.065
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	-0.059167	-0.0775	0.008333	-0.094167	-0.16	0.386667	0.773333	-0.0425	-0.0475
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	-0.0225	-0.03	-0.0025	-0.1	-0.2175	0.42	0.7375	-0.05	-0.0475
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	-0.044167	-0.053333	0.02	-0.080833	-0.169167	0.39	0.78	-0.045833	-0.056667
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	-0.0675	-0.045	0.0025	-0.0875	-0.215	0.4825	0.7525	0.0025	-0.08
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	-0.045833	-0.045833	0.031667	-0.085	-0.184167	0.409167	0.773333	-0.048333	-0.04
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	-0.04	-0.0025	0.0325	-0.08	-0.22	0.4725	0.7525	0.005	-0.055
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	-0.059167	-0.064167	0.034167	-0.098333	-0.163333	0.403333	0.77	-0.043333	-0.043333
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	-0.02	-0.025	0.0175	-0.085	-0.215	0.4525	0.755	-0.0475	-0.065

Table 4: RetinaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	C^p unperturbed	C^p perturbed	F^s perturbed	$\hat{F}^s$ perturbed	C^s perturbed	$\hat{C}^s$ perturbed	F^s perturbed	$\hat{F}^s$ perturbed	C^s perturbed
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.393333	0.6225	-0.034167	0.045	0.284167	0.61	-0.001667	0.088333	0.1725
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.3475	0.6	-0.035	0.050833	0.271667	0.610833	-0.001667	0.113333	0.158333
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.42	0.5575	-0.01	0.01	0.3225	0.555	0	0.0975	0.19
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.349167	0.590833	-0.045833	0.056667	0.281667	0.609167	-0.005833	0.110833	0.1675
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.3575	0.555	-0.0275	0.03	0.3125	0.5625	0.0025	0.1525	0.175
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.34	0.600833	-0.01	0.058333	0.261667	0.61	-2.8912e-19	0.110833	0.146667
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.415	0.57	0.01	0	0.33	0.5475	-0.0025	0.1075	0.18
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.341667	0.603333	-0.031667	0.053333	0.278333	0.603333	-0.003333	0.115	0.1475
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.3975	0.5775	-0.015	0.015	0.3275	0.54	-0.0075	0.1275	0.18
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.35	0.6	-0.044167	0.040833	0.285	0.605	-0.003333	0.109167	0.165
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.385	0.5475	-0.0175	0.0125	0.345	0.5525	-0.0175	0.1375	0.1675

Table 5: RetinaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$C^*_{\text{out-of-dataset}}$	$SD(F)$	$SD(\hat{F})$	$SD(C)$	$SD(\hat{C})$	$SD(R^*_e)$	$SD(R^*_e)$	$SD(R^*_e)$	$SD(R^*_e)$
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.465833	0.002887	0.031918	0.017017	0.030242	0.007638	0.018428	0.006292	0.008036
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.508333	0.002887	0.054333	0.034034	0.055752	0.010104	0.031656	0.005204	0.008036
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11	0.49								
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.523333	0.0075	0.049244	0.034126	0.044041	0.011273	0.041307	0.026021	0.012332
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11	0.535								
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.536667	0.007217	0.087762	0.071078	0.083454	0.016646	0.025166	0.023229	0.015275
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11	0.5								
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.525833	0.010897	0.086639	0.051296	0.090967	0.005	0.025042	0.001443	0.021554
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11	0.505								
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.506667	0.00878	0.053053	0.044041	0.047059	0.012829	0.027876	0.010897	0.012583
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11	0.51								

Table 6: RetinaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R_{\mathcal{C}}^e)$	$SD(R_{\mathcal{C}}^p)$	$SD(R_{\mathcal{C}}^s)$	$SD(R_{\mathcal{C}}^v)$	$SD(R_{\mathcal{C}}^w)$	$SD(R_{\mathcal{C}}^x)$	$SD(R_{\mathcal{C}}^y)$	$SD(R_{\mathcal{C}}^z)$	$SD(R_{\mathcal{C}}^a)$
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.033572	0.016073	0.013919	0.011273	0.029826	0.025372	0.0325	0.035385	0.005
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.025536	0.017017	0.032628	0.020463	0.027042	0.025658	0.015877	0.036171	0.051498
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11									
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.062199	0.036315	0.047893	0.028759	0.040234	0.037832	0.033198	0.025042	0.023229
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11									
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.070015	0.028431	0.040927	0.047697	0.067562	0.068663	0.043756	0.040646	0.053463
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11									
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.088188	0.05162	0.050765	0.037832	0.072212	0.057173	0.051011	0.037333	0.054905
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11									
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.07654	0.026497	0.037859	0.031458	0.023848	0.030414	0.029826	0.015207	0.029616
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11									

Table 7: RetinaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(R^p_c)$	$SD(R^r_c)$	$SD(R^s_c)$	$SD(F^p_{\text{scrubbed}})$	$SD(F^r_{\text{scrubbed}})$	$SD(C^p_{\text{scrubbed}})$	$SD(C^r_{\text{scrubbed}})$	$SD(F^p_{\text{scrubbed}})$	$SD(F^r_{\text{scrubbed}})$
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.020361	0.050642	0.064437	0.007638	0.006292	0.03987	0.031656	0.019526	0.0125
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.01893	0.011273	0.031754	0.012829	0.044464	0.056255	0.013769	0.033942	0.056513
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11									
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.012583	0.016394	0.02529	0.016646	0.045208	0.096318	0.032532	0.047631	0.043804
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11									
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.048883	0.01893	0.024109	0.023629	0.021262	0.14	0.033634	0.026964	0.022684
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11									
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.055359	0.03827	0.041256	0.011456	0.015275	0.136573	0.036429	0.031258	0.032787
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11									
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.00878	0.020966	0.021554	0.012583	0.042007	0.119957	0.018028	0.036429	0.045023
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11									

Table 8: RetinaMNIST-ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$	$SD(C^p_{\text{perturbed}})$	$SD(F^e_{\text{perturbed}})$	$SD(F^p_{\text{perturbed}})$	$SD(C^e_{\text{perturbed}})$
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.0281	0.028395	0.00878	0.024109	0.017559	0.07	0.010104	0.010104	0.006614
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.036827	0.043589	0.006614	0.043036	0.063754	0.055584	0.005204	0.026732	0.013769
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11									
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.070059	0.03503	0.028759	0.03503	0.081292	0.059652	0.007638	0.028976	0.006614
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11									
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.096857	0.036429	0.02136	0.050642	0.11198	0.07172	0.010897	0.049329	0.030856
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11									
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.101253	0.037444	0.011815	0.042598	0.097799	0.053638	0.011273	0.049937	0.019843
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11									
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.070534	0.039686	0.019419	0.035119	0.078938	0.062199	0.003819	0.037859	0.015207
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11									

Table 9: RetinaMNIST–ViT-B/16

Cell	Dataset	Model	Architecture	Split	Method	Setting	Q	Source Count	$SD(C_{\text{architecture}}^*)$	Selected Individual
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Best Individual	Best Individual	1	3	0.039713	{*C*:'Saliency',*Cbar*:'CheferTran sformer Attribution',*F*:'Gradient Attention Rollout',*Fbar*:'PartialLRP'}
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	NAIVE	11	3	0.025166	
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	Ind	11	11		
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	NAIVE	11	3	0.018764	
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Borda	Ind	11	11		
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	NAIVE	11	3	0.059389	
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	RRF	Ind	11	11		
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	NAIVE	11	3	0.060432	
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	Ind	11	11		
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	NAIVE	11	3	0.028976	
RetinaMNIST–ViT-B/16	RetinaMNIST	ViT-B/16	ViT	Test	Schulze	Ind	11	11		

Table 10: RetinaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	Sample Count	F	$\bar{F}$	C	$\bar{C}$	R_F^p	R_F^p	R_U^p	R_C^p	R_F^p	R_F^p	R_U^p	R_C^p
RetinaMNIST	ViT-B/16	ViT	Test	Best Individual	400	0.0825	0.005	0.4225	0.365	-0.175	0.235	0.2	-0.37	-0.11	0.0925	0.095	-0.19
RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	400	0.015	0.0025	0.37	0.4325	-0.05	0.195	0.3025	-0.2825	-0.015	0.0875	0.195	-0.1
RetinaMNIST	ViT-B/16	ViT	Test	Borda	400	0.025	0.0525	0.38	0.4775	-0.0825	0.2475	0.2475	-0.225	-0.0125	0.1225	0.1325	-0.0375
RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	400	0.065	0.04	0.3575	0.4725	-0.13	0.2575	0.3475	-0.2425	-0.06	0.1025	0.2175	-0.04
RetinaMNIST	ViT-B/16	ViT	Test	RRF	400	0.04	0.0425	0.375	0.4675	-0.1225	0.255	0.3	-0.2475	-0.0325	0.1	0.17	-0.055
RetinaMNIST	ViT-B/16	ViT	Test	Schulze	400	0.0575	0.0375	0.37	0.4675	-0.13	0.24	0.3	-0.2575	-0.04	0.1025	0.1825	-0.055

Table 11: RetinaMNIST–ViT-B/16

Dataset	Model	Architecture	Split	Method	R^c_L	R^s_P	$R^c_{\bar{L}}$	$R^s_{\bar{L}}$	R^s_P	$R^s_{\bar{P}}$	$R^s_{\bar{C}}$	$R^s_{\bar{P}}$	F^s	$\bar{F}^s$	C^s	$\bar{C}^s$	F^P
RetinaMNIST	ViT-B/16	ViT	Test	Best Individual	-0.06	0.01	0.1475	-0.16	-0.0075	0.005	-0.0125	0.0175	-0.0925	-0.23	0.6225	0.735	-0.0275
RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	0.0475	0.02	0.205	-0.0925	0.015	-0.035	-0.0125	0.0075	-0.035	-0.1925	0.6725	0.715	0
RetinaMNIST	ViT-B/16	ViT	Test	Borda	0.0425	0.0475	0.1675	-0.0525	0.0325	0.005	-0.0325	0.07	-0.0575	-0.195	0.6275	0.7025	0.0125
RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	-0.025	0.02	0.1625	-0.055	-0.0125	0.0075	-0.04	0.0575	-0.065	-0.2175	0.705	0.715	0.005
RetinaMNIST	ViT-B/16	ViT	Test	RRF	0.0375	0.0125	0.1725	-0.06	0.005	-0.005	-0.05	0.0475	-0.0825	-0.2125	0.675	0.715	0.0075
RetinaMNIST	ViT-B/16	ViT	Test	Schulze	0	0.0225	0.1625	-0.0575	-0.0025	-0.01	-0.03	0.055	-0.0725	-0.2025	0.67	0.725	0.0175

Table 12: RetinaMNIST-ViT-B/16

Dataset	Model	Architecture	Split	Method	$F^p_{\text{perturbed}}$	$C^p_{\text{perturbed}}$	$\bar{C}^p_{\text{perturbed}}$	$F^s_{\text{perturbed}}$	$F^{ss}_{\text{perturbed}}$	$C^s_{\text{perturbed}}$	$\bar{C}^s_{\text{perturbed}}$	$F^a_{\text{perturbed}}$	$F^{sa}_{\text{perturbed}}$	$C^a_{\text{perturbed}}$	$\bar{C}^a_{\text{perturbed}}$	Selected Sources
RetinaMNIST	ViT-B/16	ViT	Test	Best Individual	-0.0875	0.5175	0.555	0.0225	-0.005	0.57	0.525	0.075	0	0.41	0.3475	49065dbc85aca24f4660
RetinaMNIST	ViT-B/16	ViT	Test	Simple Averaging	-0.085	0.565	0.5325	0.0625	-0.0175	0.575	0.525	0.03	0.0375	0.3575	0.425	2c09e84187768aa45ebc
RetinaMNIST	ViT-B/16	ViT	Test	Borda	-0.07	0.5125	0.515	0.0675	0.005	0.5475	0.53	0.0575	0.0475	0.3475	0.4075	962161226227740ab963
RetinaMNIST	ViT-B/16	ViT	Test	Kemeny	-0.0625	0.575	0.5125	0.04	0.02	0.52	0.5275	0.0525	0.0325	0.3175	0.415	e756
RetinaMNIST	ViT-B/16	ViT	Test	RRF	-0.0575	0.545	0.5225	0.0775	0.03	0.5475	0.5275	0.045	0.0475	0.325	0.42	
RetinaMNIST	ViT-B/16	ViT	Test	Schulze	-0.065	0.5525	0.5225	0.0575	0.015	0.5325	0.525	0.055	0.0475	0.34	0.4125	

Table 13: RetinaMNIST-ViT-B/16

Dataset	Model	Method	Scope	Group	Comparison on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
RetinaMNIST	ViT-B/16	Best Individual	Dataset Model	All	20	4						
RetinaMNIST	ViT-B/16	Simple Averaging	Dataset Model	All	20	5	12	1	7			
RetinaMNIST	ViT-B/16	Borda	Dataset Model	All	20	8	14	1	5	12	0	8
RetinaMNIST	ViT-B/16	Kemeny	Dataset Model	All	20	4	14	0	6	10	1	9
RetinaMNIST	ViT-B/16	RRF	Dataset Model	All	20	0	14	0	6	9	0	11
RetinaMNIST	ViT-B/16	Schulze	Dataset Model	All	20	0	14	0	6	9	1	10
RetinaMNIST	ViT-B/16	Best Individual	Dataset Model	Quality	4	3						
RetinaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Quality	4	1	1	0	3			
RetinaMNIST	ViT-B/16	Borda	Dataset Model	Quality	4	0	0	0	4	2	0	2
RetinaMNIST	ViT-B/16	Kemeny	Dataset Model	Quality	4	0	0	0	4	1	0	3
RetinaMNIST	ViT-B/16	RRF	Dataset Model	Quality	4	0	0	0	4	2	0	2
RetinaMNIST	ViT-B/16	Schulze	Dataset Model	Quality	4	0	0	0	4	1	1	2
RetinaMNIST	ViT-B/16	Best Individual	Dataset Model	Robustness All	16	1						
RetinaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Robustness All	16	4	11	1	4			
RetinaMNIST	ViT-B/16	Borda	Dataset Model	Robustness All	16	8	14	1	1	10	0	6
RetinaMNIST	ViT-B/16	Kemeny	Dataset Model	Robustness All	16	4	14	0	2	9	1	6
RetinaMNIST	ViT-B/16	RRF	Dataset Model	Robustness All	16	0	14	0	2	7	0	9
RetinaMNIST	ViT-B/16	Schulze	Dataset Model	Robustness All	16	0	14	0	2	8	0	8
RetinaMNIST	ViT-B/16	Best Individual	Dataset Model	Gaussian	4	0						
RetinaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Gaussian	4	1	3	0	1			
RetinaMNIST	ViT-B/16	Borda	Dataset Model	Gaussian	4	1	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Kemeny	Dataset Model	Gaussian	4	2	4	0	0	3	0	1
RetinaMNIST	ViT-B/16	RRF	Dataset Model	Gaussian	4	0	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Schulze	Dataset Model	Gaussian	4	0	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Best Individual	Dataset Model	Salt Pepper	4	0						
RetinaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Salt Pepper	4	0	3	0	1			
RetinaMNIST	ViT-B/16	Borda	Dataset Model	Salt Pepper	4	3	4	0	0	3	0	1
RetinaMNIST	ViT-B/16	Kemeny	Dataset Model	Salt Pepper	4	1	4	0	0	3	0	1
RetinaMNIST	ViT-B/16	RRF	Dataset Model	Salt Pepper	4	0	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Schulze	Dataset Model	Salt Pepper	4	0	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Best Individual	Dataset Model	Speckle	4	0						
RetinaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Speckle	4	2	4	0	0			
RetinaMNIST	ViT-B/16	Borda	Dataset Model	Speckle	4	2	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Kemeny	Dataset Model	Speckle	4	0	4	0	0	1	1	2
RetinaMNIST	ViT-B/16	RRF	Dataset Model	Speckle	4	0	4	0	0	1	0	3
RetinaMNIST	ViT-B/16	Schulze	Dataset Model	Speckle	4	0	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Best Individual	Dataset Model	Adversarial	4	1						
RetinaMNIST	ViT-B/16	Simple Averaging	Dataset Model	Adversarial	4	1	1	1	2			
RetinaMNIST	ViT-B/16	Borda	Dataset Model	Adversarial	4	2	2	1	1	3	0	1
RetinaMNIST	ViT-B/16	Kemeny	Dataset Model	Adversarial	4	1	2	0	2	2	0	2
RetinaMNIST	ViT-B/16	RRF	Dataset Model	Adversarial	4	0	2	0	2	2	0	2
RetinaMNIST	ViT-B/16	Schulze	Dataset Model	Adversarial	4	0	2	0	2	2	0	2
RetinaMNIST	ViT-B/16	Best Individual	Overall	All	20	4						
RetinaMNIST	ViT-B/16	Simple Averaging	Overall	All	20	5	12	1	7			
RetinaMNIST	ViT-B/16	Borda	Overall	All	20	8	14	1	5	12	0	8
RetinaMNIST	ViT-B/16	Kemeny	Overall	All	20	4	14	0	6	10	1	9
RetinaMNIST	ViT-B/16	RRF	Overall	All	20	0	14	0	6	9	0	11
RetinaMNIST	ViT-B/16	Schulze	Overall	All	20	0	14	0	6	9	1	10
RetinaMNIST	ViT-B/16	Best Individual	Overall	Quality	4	3						
RetinaMNIST	ViT-B/16	Simple Averaging	Overall	Quality	4	1	1	0	3			
RetinaMNIST	ViT-B/16	Borda	Overall	Quality	4	0	0	0	4	2	0	2
RetinaMNIST	ViT-B/16	Kemeny	Overall	Quality	4	0	0	0	4	1	0	3
RetinaMNIST	ViT-B/16	RRF	Overall	Quality	4	0	0	0	4	2	0	2
RetinaMNIST	ViT-B/16	Schulze	Overall	Quality	4	0	0	0	4	1	1	2
RetinaMNIST	ViT-B/16	Best Individual	Overall	Robustness All	16	1						
RetinaMNIST	ViT-B/16	Simple Averaging	Overall	Robustness All	16	4	11	1	4			
RetinaMNIST	ViT-B/16	Borda	Overall	Robustness All	16	8	14	1	1	10	0	6
RetinaMNIST	ViT-B/16	Kemeny	Overall	Robustness All	16	4	14	0	2	9	1	6
RetinaMNIST	ViT-B/16	RRF	Overall	Robustness All	16	0	14	0	2	7	0	9
RetinaMNIST	ViT-B/16	Schulze	Overall	Robustness All	16	0	14	0	2	8	0	8
RetinaMNIST	ViT-B/16	Best Individual	Overall	Gaussian	4	0						
RetinaMNIST	ViT-B/16	Simple Averaging	Overall	Gaussian	4	1	3	0	1			
RetinaMNIST	ViT-B/16	Borda	Overall	Gaussian	4	1	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Kemeny	Overall	Gaussian	4	2	4	0	0	3	0	1
RetinaMNIST	ViT-B/16	RRF	Overall	Gaussian	4	0	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Schulze	Overall	Gaussian	4	0	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Best Individual	Overall	Salt Pepper	4	0						
RetinaMNIST	ViT-B/16	Simple Averaging	Overall	Salt Pepper	4	0	3	0	1			
RetinaMNIST	ViT-B/16	Borda	Overall	Salt Pepper	4	3	4	0	0	3	0	1
RetinaMNIST	ViT-B/16	Kemeny	Overall	Salt Pepper	4	1	4	0	0	3	0	1
RetinaMNIST	ViT-B/16	RRF	Overall	Salt Pepper	4	0	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Schulze	Overall	Salt Pepper	4	0	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Best Individual	Overall	Speckle	4	0						
RetinaMNIST	ViT-B/16	Simple Averaging	Overall	Speckle	4	2	4	0	0			
RetinaMNIST	ViT-B/16	Borda	Overall	Speckle	4	2	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Kemeny	Overall	Speckle	4	0	4	0	0	1	1	2
RetinaMNIST	ViT-B/16	RRF	Overall	Speckle	4	0	4	0	0	1	0	3
RetinaMNIST	ViT-B/16	Schulze	Overall	Speckle	4	0	4	0	0	2	0	2
RetinaMNIST	ViT-B/16	Best Individual	Overall	Adversarial	4	1						
RetinaMNIST	ViT-B/16	Simple Averaging	Overall	Adversarial	4	1	1	1	2			
RetinaMNIST	ViT-B/16	Borda	Overall	Adversarial	4	2	2	1	1	3	0	1
RetinaMNIST	ViT-B/16	Kemeny	Overall	Adversarial	4	1	2	0	2	2	0	2
RetinaMNIST	ViT-B/16	RRF	Overall	Adversarial	4	0	2	0	2	2	0	2

Dataset	Model	Method	Scope	Group	Comparis on Cells	Wins	Vs Best Better	Vs Best Equal	Vs Best Worse	Vs Simpleavg Better	Vs Simpleavg Equal	Vs Simpleavg Worse
		Schulze	Overall	Adversarial	4	0	2	0	2	2	0	2

Table 14: RetinaMNIST-ViT-B/16

Cell	Dataset	Model	ρ	Geometry	Geometry Label	Center Rule	Rule	Method Prefix	Quality	Perturbed Quality	Robustness
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Spearman	NOISE-S	borda	Simple Averaging	["Saliency","Integrated Gradients"]	(0.9875,"Cbar":0.075,"Fbar":0.075)	sara-2-255":{"C":0.245,"F":0.505,"Fbar":0.06,"Fbar":0.125},"gaussian-0.0424999999 0.15":{"C":0.6499999999,"Fbar":-0.075,"Fbar":-0.2}, "salt-pepper-0.05":{"C":0.52,"Cbar":0.52,"Fbar":0.0225,"Fbar":-0.0675},"speckle-0.15":{"C":0.4999999999,"Fbar":0.5325,"Fbar":0.06,"Fbar":0.0125}}	0.7541754175
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Spearman	NOISE-S	borda	Borda	["Saliency","Integrated Gradients"]	(0.9875,"Cbar":0.075,"Fbar":0.075)	sara-2-255":{"C":0.235,"F":0.5025,"Fbar":0.0525,"Fbar":0.115},"gaussian-0.0524999999 0.15":{"C":0.6599999999,"Fbar":-0.07,"Fbar":-0.1875}, "salt-pepper-0.05":{"C":0.5225,"Cbar":0.5225,"Fbar":0.0625},"speckle-0.15":{"C":0.4675,"Fbar":0.5325,"Fbar":0.0525,"Fbar":0.0125}}	0.7541754175
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Spearman	NOISE-S	borda	RRF	["Saliency","Integrated Gradients"]	(0.9875,"Cbar":0.075,"Fbar":0.075)	sara-2-255":{"C":0.2325,"F":0.495,"Fbar":0.05,"Fbar":0.11},"gaussian-0.0524999999 0.15":{"C":0.6325,"Fbar":-0.0825,"Fbar":-0.19}, "salt-pepper-0.05":{"C":0.535,"Cbar":0.535,"Fbar":0.0005,"Fbar":-0.06},"speckle-0.15":{"C":0.4675,"Fbar":0.5325,"Fbar":0.0625,"Fbar":0.0125}}	0.7541754175

Table 15: RetinaMNIST-ViT-B/16

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.2425	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.235	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.255	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.2925	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.315	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.33	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.3275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.3625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.35	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Borda	Conditioned Quality	0.3475	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.2425	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.2425	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.26	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.255	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.29	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.2925	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.295	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.305	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.305	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Conditioned Quality	0.3175	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.2425	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.2325	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.245	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.295	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.32	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.3225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.32	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.33	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	RRF	Conditioned Quality	0.325	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.2425	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.24	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.2525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.2575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.2925	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.295	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.3075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.3175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.3275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Schulze	Conditioned Quality	0.34	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.25	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.245	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.25	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.3275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.3625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.3675	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.3675	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.3675	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.36	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Simple Averaging	Conditioned Quality	0.3575	True	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.5225	False	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.5025	False	["Saliency", "InputXGrad ient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.4875	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.4725	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.455	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.41	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.43	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.3975	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.41	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Borda	Conditioned Quality	0.4075	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.5	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.48	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.4825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.44	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.445	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.4375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.44	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Conditioned Quality	0.415	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.515	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.495	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.495	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.46	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.45	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.4175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Conditioned Quality	0.42	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.515	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.505	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.49	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.4575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.46	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.455	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.46	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Conditioned Quality	0.4125	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.52	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.505	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.5025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.435	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.43	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.405	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.4	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.405	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Conditioned Quality	0.425	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.08	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255 F		Borda	Conditioned Quality	0.0575	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F		Kemeny	Conditioned Quality	0.08	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F		Kemeny	Conditioned Quality	0.065	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F		Kemeny	Conditioned Quality	0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F		Kemeny	Conditioned Quality	0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F		Kemeny	Conditioned Quality	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F		Kemeny	Conditioned Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Kemeny	Conditioned Quality	0.0525	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.0775	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Conditioned Quality	0.045	True	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.08	False	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.065	False	["Saliency", "InputXGrad ient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.06	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.065	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.0575	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.0575	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.0525	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.0525	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.035	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Conditioned Quality	0.055	True	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.08	False	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.06	False	["Saliency", "InputXGrad ient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.0675	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.045	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.04	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Conditioned Quality	0.03	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.1225	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.115	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.1075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.08	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Conditioned Quality	0.0475	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.1225	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.1375	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.1125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.11	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.09	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.0725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Conditioned Quality	0.0325	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.12	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.11	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.1025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Conditioned Quality	0.0475	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.1225	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.1275	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.11	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.1025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Conditioned Quality	0.0475	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.1325	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.125	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.11	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Conditioned Quality	0.0375	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	C	Borda	Conditioned Quality	0.6225	False	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	C	Borda	Conditioned Quality	0.655	False	["Saliency", "InputXGrad ient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	C	Borda	Conditioned Quality	0.6425	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	C	Borda	Conditioned Quality	0.65	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	C	Borda	Conditioned Quality	0.6425	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	C	Borda	Conditioned Quality	0.6525	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	C	Borda	Conditioned Quality	0.65	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	C	Borda	Conditioned Quality	0.6425	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	C	Borda	Conditioned Quality	0.63	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	C	Borda	Conditioned Quality	0.6275	True	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6225	False	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.62	False	["Saliency", "InputXGrad ient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.65	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.6575	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.66	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.68	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.665	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.695	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.69	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Conditioned Quality	0.705	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	C	RRF	Conditioned Quality	0.63	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	C	RRF	Conditioned Quality	0.6325	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	C	RRF	Conditioned Quality	0.65	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	C	RRF	Conditioned Quality	0.6525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	C	RRF	Conditioned Quality	0.6475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	C	RRF	Conditioned Quality	0.6725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	C	RRF	Conditioned Quality	0.6675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	C	RRF	Conditioned Quality	0.68	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	C	RRF	Conditioned Quality	0.65	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	C	RRF	Conditioned Quality	0.675	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6225	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	C	Schulze	Conditioned Quality	0.64	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	C	Schulze	Conditioned Quality	0.67	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	C	Schulze	Conditioned Quality	0.675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	C	Schulze	Conditioned Quality	0.675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	C	Schulze	Conditioned Quality	0.6525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	C	Schulze	Conditioned Quality	0.67	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.63	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.645	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.585	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.61	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Conditioned Quality	0.6725	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.74	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.745	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.7375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.7275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.72	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.7325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.71	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.7175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.7075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Conditioned Quality	0.7025	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.74	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.745	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.7275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.72	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.72	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.7325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.7325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Conditioned Quality	0.715	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.7425	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.74	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.7325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.715	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.7175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.71	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.72	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.7125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Conditioned Quality	0.715	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.74	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.7375	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.73	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.7225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.7175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.7125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.73	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.72	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.7175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Conditioned Quality	0.725	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.75	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.735	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.73	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.73	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.73	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.7325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.72	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.715	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.7225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Conditioned Quality	0.715	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	F	Borda	Conditioned Quality	-0.085	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	F	Borda	Conditioned Quality	-0.07	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	F	Borda	Conditioned Quality	-0.08	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	F	Borda	Conditioned Quality	-0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	F	Borda	Conditioned Quality	-0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	F	Borda	Conditioned Quality	-0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	F	Borda	Conditioned Quality	-0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	F	Borda	Conditioned Quality	-0.08	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	F	Borda	Conditioned Quality	-0.07	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	F	Borda	Conditioned Quality	-0.0575	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Conditioned Quality	-0.085	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Conditioned Quality	-0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Conditioned Quality	-0.09	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Conditioned Quality	-0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Conditioned Quality	-0.085	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Conditioned Quality	-0.09	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Conditioned Quality	-0.08	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Conditioned Quality	-0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Conditioned Quality	-0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Conditioned Quality	-0.065	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	F	RRF	Conditioned Quality	-0.0925	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	F	RRF	Conditioned Quality	-0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	F	RRF	Conditioned Quality	-0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	F	RRF	Conditioned Quality	-0.0875	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	F	RRF	Conditioned Quality	-0.08	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	F	RRF	Conditioned Quality	-0.1	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	F	RRF	Conditioned Quality	-0.0925	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	F	RRF	Conditioned Quality	-0.085	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	F	RRF	Conditioned Quality	-0.09	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	F	RRF	Conditioned Quality	-0.0825	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	F	Schulze	Conditioned Quality	-0.085	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	F	Schulze	Conditioned Quality	-0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	F	Schulze	Conditioned Quality	-0.09	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	F	Schulze	Conditioned Quality	-0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	F	Schulze	Conditioned Quality	-0.0875	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	F	Schulze	Conditioned Quality	-0.08	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	F	Schulze	Conditioned Quality	-0.095	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	F	Schulze	Conditioned Quality	-0.075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	F	Schulze	Conditioned Quality	-0.09	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	F	Schulze	Conditioned Quality	-0.0725	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	-0.0875	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	-0.075	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	-0.085	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	-0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	-0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	-0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	-0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	-0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	-0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Conditioned Quality	-0.035	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.1875	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.1875	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.2025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.2	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.21	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.2025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.2025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.205	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Conditioned Quality	-0.195	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.1875	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.19	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.2025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.22	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.2125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.2175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.215	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.21	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.205	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Conditioned Quality	-0.2175	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.1875	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.19	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.2075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.22	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.205	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.2125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.2175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Conditioned Quality	-0.2125	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.1875	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.1925	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.205	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.215	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.205	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.205	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.205	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.2175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Conditioned Quality	-0.2025	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.1875	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.2	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.21	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.195	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.205	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.21	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.1925	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.1925	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.515	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.545	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.5425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.56	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.5075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.515	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Conditioned Quality	0.5125	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.515	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.5325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.5425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.5475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.5475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.5725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.5675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Conditioned Quality	0.575	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.525	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.5375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.5525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.5675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.5375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.5525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.55	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Conditioned Quality	0.545	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.515	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.54	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Conditioned Quality	0.5525	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.52	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.52	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.555	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.51	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.5	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.5275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Conditioned Quality	0.565	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.5275	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.5375	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.5375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.52	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.5275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.515	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Conditioned Quality	0.515	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5275	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.54	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.54	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Conditioned Quality	0.5125	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5325	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Conditioned Quality	0.5225	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.5275	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.5275	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.5375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.5375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.5425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.52	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.505	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.52	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Conditioned Quality	0.5225	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.52	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.54	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.5425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.5325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.52	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Conditioned Quality	0.5325	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Conditioned Quality	-0.015	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Conditioned Quality	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Conditioned Quality	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Conditioned Quality	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Conditioned Quality	0.0125	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	-0.015	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	-0.02	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	-0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.015	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Conditioned Quality	0.005	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Conditioned Quality	-0.0125	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Conditioned Quality	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Conditioned Quality	-0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.0325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.0275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Conditioned Quality	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Conditioned Quality	0.0075	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Conditioned Quality	-0.015	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Conditioned Quality	-0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Conditioned Quality	-0.015	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Conditioned Quality	-0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Conditioned Quality	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Conditioned Quality	0.0175	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	-0.02	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	-0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	-0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Conditioned Quality	0	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.0675	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.08	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Conditioned Quality	-0.07	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.0675	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.0725	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.07	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Conditioned Quality	-0.0625	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.065	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.06	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.0725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Conditioned Quality	-0.0575	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.0675	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.075	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.07	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.08	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Conditioned Quality	-0.065	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	-0.065	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	-0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	-0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	-0.0725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	-0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	-0.085	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	-0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	-0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	-0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Conditioned Quality	-0.085	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	C	Borda	Conditioned Quality	0.46	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	C	Borda	Conditioned Quality	0.4675	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	C	Borda	Conditioned Quality	0.4675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	C	Borda	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	C	Borda	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	C	Borda	Conditioned Quality	0.54	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	C	Borda	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	C	Borda	Conditioned Quality	0.565	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	C	Borda	Conditioned Quality	0.5325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	C	Borda	Conditioned Quality	0.5475	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	C	Kemeny	Conditioned Quality	0.46	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	C	Kemeny	Conditioned Quality	0.47	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	C	Kemeny	Conditioned Quality	0.4575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	C	Kemeny	Conditioned Quality	0.505	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	C	Kemeny	Conditioned Quality	0.5125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	C	Kemeny	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	C	Kemeny	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	C	Kemeny	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	C	Kemeny	Conditioned Quality	0.515	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	C	Kemeny	Conditioned Quality	0.52	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	C	RRF	Conditioned Quality	0.4575	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	C	RRF	Conditioned Quality	0.4675	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	C	RRF	Conditioned Quality	0.4675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	C	RRF	Conditioned Quality	0.51	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	C	RRF	Conditioned Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	C	RRF	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	C	RRF	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	C	RRF	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	C	RRF	Conditioned Quality	0.5275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	C	RRF	Conditioned Quality	0.5475	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	C	Schulze	Conditioned Quality	0.46	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	C	Schulze	Conditioned Quality	0.48	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	C	Schulze	Conditioned Quality	0.47	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	C	Schulze	Conditioned Quality	0.515	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	C	Schulze	Conditioned Quality	0.52	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	C	Schulze	Conditioned Quality	0.515	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	C	Schulze	Conditioned Quality	0.525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	C	Schulze	Conditioned Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	C	Schulze	Conditioned Quality	0.5325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	C	Schulze	Conditioned Quality	0.5325	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.46	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4975	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.4825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.5275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.545	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.54	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.5425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.58	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Conditioned Quality	0.575	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.535	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.52	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.52	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.5025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Conditioned Quality	0.53	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.535	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.545	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.5275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.5125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.5225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Conditioned Quality	0.5275	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.545	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.5325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.5125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.515	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.5125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.5125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Conditioned Quality	0.5275	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.535	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.525	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.5175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.5375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.495	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Conditioned Quality	0.525	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5375	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5325	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.515	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.51	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.5075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Conditioned Quality	0.525	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	F	Borda	Conditioned Quality	0.0025	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	F	Borda	Conditioned Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	F	Borda	Conditioned Quality	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	F	Borda	Conditioned Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	F	Borda	Conditioned Quality	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	F	Borda	Conditioned Quality	0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	F	Borda	Conditioned Quality	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	F	Borda	Conditioned Quality	0.0725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	F	Borda	Conditioned Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	F	Borda	Conditioned Quality	0.0675	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	F	Kemeny	Conditioned Quality	0.0025	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	F	Kemeny	Conditioned Quality	0.0325	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	F	Kemeny	Conditioned Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	F	Kemeny	Conditioned Quality	0.08	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	F	Kemeny	Conditioned Quality	0.0725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	F	Kemeny	Conditioned Quality	0.075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	F	Kemeny	Conditioned Quality	0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	F	Kemeny	Conditioned Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	F	Kemeny	Conditioned Quality	0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	F	Kemeny	Conditioned Quality	0.04	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	F	RRF	Conditioned Quality	-0.0025	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	F	RRF	Conditioned Quality	0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	F	RRF	Conditioned Quality	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	F	RRF	Conditioned Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	F	RRF	Conditioned Quality	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	F	RRF	Conditioned Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	F	RRF	Conditioned Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	F	RRF	Conditioned Quality	0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	F	RRF	Conditioned Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	F	RRF	Conditioned Quality	0.0775	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	F	Schulze	Conditioned Quality	0.0025	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	F	Schulze	Conditioned Quality	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	F	Schulze	Conditioned Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	F	Schulze	Conditioned Quality	0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	F	Schulze	Conditioned Quality	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	F	Schulze	Conditioned Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	F	Schulze	Conditioned Quality	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	F	Schulze	Conditioned Quality	0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	F	Schulze	Conditioned Quality	0.07	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	F	Schulze	Conditioned Quality	0.0575	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.015	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Conditioned Quality	0.0625	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.03	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Conditioned Quality	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Conditioned Quality	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Conditioned Quality	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Conditioned Quality	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Conditioned Quality	0.005	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.03	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Conditioned Quality	0.02	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.025	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Conditioned Quality	-0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Conditioned Quality	0	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Conditioned Quality	0.03	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.03	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Conditioned Quality	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Conditioned Quality	0.015	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.02	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.0275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	0	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Conditioned Quality	-0.0175	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	C	Borda	Quality	0.2825	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	C	Borda	Quality	0.2875	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	C	Borda	Quality	0.2925	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	C	Borda	Quality	0.3025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	C	Borda	Quality	0.3225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	C	Borda	Quality	0.37	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	C	Borda	Quality	0.3425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	C	Borda	Quality	0.365	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	C	Borda	Quality	0.3675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	C	Borda	Quality	0.38	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	C	Kemeny	Quality	0.2825	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	C	Kemeny	Quality	0.2825	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	C	Kemeny	Quality	0.28	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	C	Kemeny	Quality	0.2875	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	C	Kemeny	Quality	0.3275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	C	Kemeny	Quality	0.35	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	C	Kemeny	Quality	0.34	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	C	Kemeny	Quality	0.3475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	C	Kemeny	Quality	0.3675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	C	Kemeny	Quality	0.3575	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	C	RRF	Quality	0.28	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	C	RRF	Quality	0.285	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	C	RRF	Quality	0.28	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	C	RRF	Quality	0.32	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	C	RRF	Quality	0.3275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	C	RRF	Quality	0.3525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	C	RRF	Quality	0.355	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	C	RRF	Quality	0.375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	C	RRF	Quality	0.355	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	C	RRF	Quality	0.375	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	C	Schulze	Quality	0.2825	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	C	Schulze	Quality	0.2875	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	C	Schulze	Quality	0.285	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	C	Schulze	Quality	0.305	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	C	Schulze	Quality	0.3475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	C	Schulze	Quality	0.3375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	C	Schulze	Quality	0.3575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	C	Schulze	Quality	0.355	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	C	Schulze	Quality	0.365	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	C	Schulze	Quality	0.37	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	C	Simple Averaging	Quality	0.28	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	C	Simple Averaging	Quality	0.2875	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	C	Simple Averaging	Quality	0.29	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	C	Simple Averaging	Quality	0.3325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	C	Simple Averaging	Quality	0.3425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	C	Simple Averaging	Quality	0.39	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	C	Simple Averaging	Quality	0.3875	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	C	Simple Averaging	Quality	0.3775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	C	Simple Averaging	Quality	0.3825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	C	Simple Averaging	Quality	0.37	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	Cbar	Borda	Quality	0.6075	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	Cbar	Borda	Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	Cbar	Borda	Quality	0.5275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	Cbar	Borda	Quality	0.5125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	Cbar	Borda	Quality	0.4925	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	Cbar	Borda	Quality	0.4775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	Cbar	Borda	Quality	0.4775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	Cbar	Borda	Quality	0.465	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	Cbar	Borda	Quality	0.465	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	Cbar	Borda	Quality	0.4775	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	Cbar	Kemeny	Quality	0.6075	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	Cbar	Kemeny	Quality	0.595	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	Cbar	Kemeny	Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	Cbar	Kemeny	Quality	0.52	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	Cbar	Kemeny	Quality	0.5125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	Cbar	Kemeny	Quality	0.4975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	Cbar	Kemeny	Quality	0.5125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	Cbar	Kemeny	Quality	0.5	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	Cbar	Kemeny	Quality	0.49	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	Cbar	Kemeny	Quality	0.4725	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	Cbar	RRF	Quality	0.605	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	Cbar	RRF	Quality	0.5425	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	Cbar	RRF	Quality	0.5375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	Cbar	RRF	Quality	0.51	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	Cbar	RRF	Quality	0.485	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	Cbar	RRF	Quality	0.5	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	Cbar	RRF	Quality	0.5125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	Cbar	RRF	Quality	0.48	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	Cbar	RRF	Quality	0.475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	Cbar	RRF	Quality	0.4675	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	Cbar	Schulze	Quality	0.6075	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	Cbar	Schulze	Quality	0.555	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	Cbar	Schulze	Quality	0.53	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	Cbar	Schulze	Quality	0.5125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	Cbar	Schulze	Quality	0.4875	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	Cbar	Schulze	Quality	0.48	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	Cbar	Schulze	Quality	0.4925	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	Cbar	Schulze	Quality	0.465	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	Cbar	Schulze	Quality	0.47	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	Cbar	Schulze	Quality	0.4675	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	Cbar	Simple Averaging	Quality	0.6175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	Cbar	Simple Averaging	Quality	0.54	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	Cbar	Simple Averaging	Quality	0.535	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	Cbar	Simple Averaging	Quality	0.4775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	Cbar	Simple Averaging	Quality	0.4775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	Cbar	Simple Averaging	Quality	0.4675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	Cbar	Simple Averaging	Quality	0.4525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	Cbar	Simple Averaging	Quality	0.4375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	Cbar	Simple Averaging	Quality	0.4375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	Cbar	Simple Averaging	Quality	0.4325	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	F	Borda	Quality	0.0875	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	F	Borda	Quality	0.07	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	F	Borda	Quality	0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	F	Borda	Quality	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	F	Borda	Quality	0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	F	Borda	Quality	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	F	Borda	Quality	0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	F	Borda	Quality	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	F	Borda	Quality	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	F	Borda	Quality	0.025	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	F	Kemeny	Quality	0.0875	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	F	Kemeny	Quality	0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	F	Kemeny	Quality	0.07	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	F	Kemeny	Quality	0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	F	Kemeny	Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	F	Kemeny	Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	F	Kemeny	Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	F	Kemeny	Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	F	Kemeny	Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	F	Kemeny	Quality	0.065	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	F	RRF	Quality	0.085	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	F	RRF	Quality	0.0725	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	F	RRF	Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	F	RRF	Quality	0.08	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	F	RRF	Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	F	RRF	Quality	0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	F	RRF	Quality	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	F	RRF	Quality	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	F	RRF	Quality	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	F	RRF	Quality	0.04	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	F	Schulze	Quality	0.0875	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	F	Schulze	Quality	0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	F	Schulze	Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	F	Schulze	Quality	0.075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	F	Schulze	Quality	0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	F	Schulze	Quality	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	F	Schulze	Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	F	Schulze	Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	F	Schulze	Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	F	Schulze	Quality	0.0575	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	F	Simple Averaging	Quality	0.0875	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	F	Simple Averaging	Quality	0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	F	Simple Averaging	Quality	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	F	Simple Averaging	Quality	0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	F	Simple Averaging	Quality	0.025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- l- ation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	F	Simple Averaging	Quality	0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	F	Simple Averaging	Quality	0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	F	Simple Averaging	Quality	0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	F	Simple Averaging	Quality	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	F	Simple Averaging	Quality	0.015	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	Fbar	Borda	Quality	0.175	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	Fbar	Borda	Quality	0.125	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	Fbar	Borda	Quality	0.1025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	Fbar	Borda	Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	Fbar	Borda	Quality	0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	Fbar	Borda	Quality	0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	Fbar	Borda	Quality	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	Fbar	Borda	Quality	0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	Fbar	Borda	Quality	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	Fbar	Borda	Quality	0.0525	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	Fbar	Kemeny	Quality	0.175	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	Fbar	Kemeny	Quality	0.1825	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	Fbar	Kemeny	Quality	0.1075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	Fbar	Kemeny	Quality	0.1025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	Fbar	Kemeny	Quality	0.07	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	Fbar	Kemeny	Quality	0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	Fbar	Kemeny	Quality	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	Fbar	Kemeny	Quality	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	Fbar	Kemeny	Quality	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	Fbar	Kemeny	Quality	0.04	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	Fbar	RRF	Quality	0.1775	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	Fbar	RRF	Quality	0.1325	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	Fbar	RRF	Quality	0.105	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	Fbar	RRF	Quality	0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	Fbar	RRF	Quality	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	Fbar	RRF	Quality	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	Fbar	RRF	Quality	0.08	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	Fbar	RRF	Quality	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	Fbar	RRF	Quality	0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	Fbar	RRF	Quality	0.0425	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	Fbar	Schulze	Quality	0.175	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	Fbar	Schulze	Quality	0.1425	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	Fbar	Schulze	Quality	0.1075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	Fbar	Schulze	Quality	0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	Fbar	Schulze	Quality	0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	Fbar	Schulze	Quality	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	Fbar	Schulze	Quality	0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	Fbar	Schulze	Quality	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	Fbar	Schulze	Quality	0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	Fbar	Schulze	Quality	0.0375	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Clean	Fbar	Simple Averaging	Quality	0.19	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Clean	Fbar	Simple Averaging	Quality	0.13	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Clean	Fbar	Simple Averaging	Quality	0.1025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Clean	Fbar	Simple Averaging	Quality	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Clean	Fbar	Simple Averaging	Quality	0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Clean	Fbar	Simple Averaging	Quality	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Clean	Fbar	Simple Averaging	Quality	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Clean	Fbar	Simple Averaging	Quality	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Clean	Fbar	Simple Averaging	Quality	0	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Clean	Fbar	Simple Averaging	Quality	0.0025	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255 C		Borda	Robustness	-0.04	False	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255 C		Borda	Robustness	-0.0525	False	["Saliency", "InputXGrad ient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255 C		Borda	Robustness	-0.0375	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255 C		Borda	Robustness	-0.01	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255 C		Borda	Robustness	-0.0075	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255 C		Borda	Robustness	-0.04	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255 C		Borda	Robustness	-0.015	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255 C		Borda	Robustness	-0.0025	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255 C		Borda	Robustness	-0.0175	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255 C		Borda	Robustness	-0.0325	True	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.04	False	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.04	False	["Saliency", "InputXGrad ient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.02	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.0325	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.0375	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255 C		Kemeny	Robustness	-0.0575	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Kemeny	Robustness	-0.04	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	C	RRF	Robustness	-0.0375	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	C	RRF	Robustness	-0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	C	RRF	Robustness	-0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	C	RRF	Robustness	-0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	C	RRF	Robustness	-0.0325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	RRF	Robustness	-0.0325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	RRF	Robustness	-0.0325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	RRF	Robustness	-0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	RRF	Robustness	-0.025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255 C		RRF	Robustness	-0.05	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255 C		Schulze	Robustness	-0.04	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255 C		Schulze	Robustness	-0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255 C		Schulze	Robustness	-0.0325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255 C		Schulze	Robustness	-0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255 C		Schulze	Robustness	-0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255 C		Schulze	Robustness	-0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255 C		Schulze	Robustness	-0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255 C		Schulze	Robustness	-0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255 C		Schulze	Robustness	-0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255 C		Schulze	Robustness	-0.03	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.03	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255 C		Simple Averaging	Robustness	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255 C		Simple Averaging	Robustness	0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	C	Simple Averaging	Robustness	-0.0125	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.085	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0325	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Borda	Robustness	0.07	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.085	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0725	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	0.0575	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.09	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	RRF	Robustness	0.0475	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.085	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Schulze	Robustness	0.055	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0975	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.035	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	0.0075	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.0075	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F	F	Borda	Robustness	0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F	F	Borda	Robustness	0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.0325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255 F	F	Borda	Robustness	0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255 F	F	Borda	Robustness	-0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255 F	F	Borda	Robustness	0.0325	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.0075	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255 F	F	Kemeny	Robustness	0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255 F	F	Kemeny	Robustness	-0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Kemeny	Robustness	0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Kemeny	Robustness	-0.0125	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	RRF	Robustness	-0.0075	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	RRF	Robustness	-0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	RRF	Robustness	0	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	RRF	Robustness	-0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	RRF	Robustness	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	RRF	Robustness	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	RRF	Robustness	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	RRF	Robustness	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	RRF	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	RRF	Robustness	0.005	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Schulze	Robustness	-0.0075	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Schulze	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Schulze	Robustness	-0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Schulze	Robustness	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Schulze	Robustness	0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Schulze	Robustness	0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Schulze	Robustness	-0.015	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Schulze	Robustness	-0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Schulze	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Schulze	Robustness	-0.0025	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.0075	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	F	Simple Averaging	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.015	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.015	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	F	Simple Averaging	Robustness	0.015	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.0525	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.01	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.0275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Borda	Robustness	0	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Borda	Robustness	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Borda	Robustness	0	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Borda	Robustness	0.005	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0525	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	-0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	0.0075	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0575	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	RRF	Robustness	0	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	RRF	Robustness	0	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	RRF	Robustness	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	RRF	Robustness	-0.005	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.0525	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Schulze	Robustness	0.015	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Schulze	Robustness	-0.01	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0575	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	-0.035	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	C	Borda	Robustness	0.34	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	C	Borda	Robustness	0.3675	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	C	Borda	Robustness	0.35	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	C	Borda	Robustness	0.3475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	C	Borda	Robustness	0.32	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	C	Borda	Robustness	0.2825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	C	Borda	Robustness	0.3075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	C	Borda	Robustness	0.2775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	C	Borda	Robustness	0.2625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	C	Borda	Robustness	0.2475	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	C	Kemeny	Robustness	0.34	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	C	Kemeny	Robustness	0.3375	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	C	Kemeny	Robustness	0.37	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	C	Kemeny	Robustness	0.37	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	C	Kemeny	Robustness	0.3325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	C	Kemeny	Robustness	0.33	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	C	Kemeny	Robustness	0.325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	C	Kemeny	Robustness	0.3475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	C	Kemeny	Robustness	0.3225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	C	Kemeny	Robustness	0.3475	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	C	RRF	Robustness	0.35	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	C	RRF	Robustness	0.3475	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	C	RRF	Robustness	0.37	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	C	RRF	Robustness	0.3325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	C	RRF	Robustness	0.32	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	C	RRF	Robustness	0.32	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	C	RRF	Robustness	0.3125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	C	RRF	Robustness	0.305	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	C	RRF	Robustness	0.295	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	C	RRF	Robustness	0.3	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	C	Schulze	Robustness	0.34	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	C	Schulze	Robustness	0.3525	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	C	Schulze	Robustness	0.3675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	C	Schulze	Robustness	0.365	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	C	Schulze	Robustness	0.315	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	C	Schulze	Robustness	0.33	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	C	Schulze	Robustness	0.3175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	C	Schulze	Robustness	0.32	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	C	Schulze	Robustness	0.2875	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	C	Schulze	Robustness	0.3	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	C	Simple Averaging	Robustness	0.35	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	C	Simple Averaging	Robustness	0.3575	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	C	Simple Averaging	Robustness	0.3575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	C	Simple Averaging	Robustness	0.28	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	C	Simple Averaging	Robustness	0.2425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	C	Simple Averaging	Robustness	0.22	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	C	Simple Averaging	Robustness	0.25	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	C	Simple Averaging	Robustness	0.295	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	C	Simple Averaging	Robustness	0.29	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	C	Simple Averaging	Robustness	0.3025	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Borda	Robustness	-0.1325	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Borda	Robustness	-0.21	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Borda	Robustness	-0.21	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Borda	Robustness	-0.215	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Borda	Robustness	-0.2275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Borda	Robustness	-0.255	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Borda	Robustness	-0.2325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Borda	Robustness	-0.2525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Borda	Robustness	-0.2425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Borda	Robustness	-0.225	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.1325	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.15	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.22	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.235	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Kemeny	Robustness	-0.2425	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	RRF	Robustness	-0.1375	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	RRF	Robustness	-0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	RRF	Robustness	-0.195	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	RRF	Robustness	-0.205	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	RRF	Robustness	-0.2325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	RRF	Robustness	-0.225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	RRF	Robustness	-0.1975	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	RRF	Robustness	-0.24	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	RRF	Robustness	-0.2375	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	RRF	Robustness	-0.2475	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Schulze	Robustness	-0.1325	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Schulze	Robustness	-0.1825	False	["Saliency", "InputXGradient", "IntegratedGradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Schulze	Robustness	-0.21	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Schulze	Robustness	-0.23	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2375	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Schulze	Robustness	-0.255	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Schulze	Robustness	-0.2575	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.1325	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.195	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.195	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.265	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.285	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Cbar	Simple Averaging	Robustness	-0.2825	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	F	Borda	Robustness	-0.1725	False	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	F	Borda	Robustness	-0.14	False	["Saliency", "InputXGrad ient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	F	Borda	Robustness	-0.145	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	F	Borda	Robustness	-0.0975	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	F	Borda	Robustness	-0.0975	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	F	Borda	Robustness	-0.115	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	F	Borda	Robustness	-0.14	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	F	Borda	Robustness	-0.1275	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	F	Borda	Robustness	-0.115	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	F	Borda	Robustness	-0.0825	True	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	F	Kemeny	Robustness	-0.1725	False	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	F	Kemeny	Robustness	-0.165	False	["Saliency", "InputXGrad ient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	F	Kemeny	Robustness	-0.16	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	F	Kemeny	Robustness	-0.14	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	F	Kemeny	Robustness	-0.1525	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	F	Kemeny	Robustness	-0.1575	False	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	F	Kemeny	Robustness	-0.1475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	F	Kemeny	Robustness	-0.13	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	F	Kemeny	Robustness	-0.12	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	F	Kemeny	Robustness	-0.13	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	F	RRF	Robustness	-0.1775	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	F	RRF	Robustness	-0.155	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	F	RRF	Robustness	-0.15	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	F	RRF	Robustness	-0.1675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	F	RRF	Robustness	-0.14	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	F	RRF	Robustness	-0.1625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	F	RRF	Robustness	-0.1425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	F	RRF	Robustness	-0.14	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	F	RRF	Robustness	-0.145	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	F	RRF	Robustness	-0.1225	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	F	Schulze	Robustness	-0.1725	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	F	Schulze	Robustness	-0.16	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	F	Schulze	Robustness	-0.1575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	F	Schulze	Robustness	-0.135	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	F	Schulze	Robustness	-0.1225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	F	Schulze	Robustness	-0.135	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	F	Schulze	Robustness	-0.1625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	F	Schulze	Robustness	-0.135	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	F	Schulze	Robustness	-0.1425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	F	Schulze	Robustness	-0.13	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	F	Simple Averaging	Robustness	-0.175	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	F	Simple Averaging	Robustness	-0.1525	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	F	Simple Averaging	Robustness	-0.145	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	F	Simple Averaging	Robustness	-0.1	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	F	Simple Averaging	Robustness	-0.09	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	F	Simple Averaging	Robustness	-0.07	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	F	Simple Averaging	Robustness	-0.0975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	F	Simple Averaging	Robustness	-0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	F	Simple Averaging	Robustness	-0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	F	Simple Averaging	Robustness	-0.05	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Borda	Robustness	0.3625	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Borda	Robustness	0.3125	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Borda	Robustness	0.305	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Borda	Robustness	0.2525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Borda	Robustness	0.24	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Borda	Robustness	0.245	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Borda	Robustness	0.2525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Borda	Robustness	0.2375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Borda	Robustness	0.2525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Borda	Robustness	0.2475	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Kemeny	Robustness	0.3625	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Kemeny	Robustness	0.3725	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Kemeny	Robustness	0.31	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Kemeny	Robustness	0.3225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Kemeny	Robustness	0.27	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Kemeny	Robustness	0.245	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Kemeny	Robustness	0.2575	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	RRF	Robustness	0.365	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	RRF	Robustness	0.3225	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	RRF	Robustness	0.3025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	RRF	Robustness	0.285	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	RRF	Robustness	0.2725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	RRF	Robustness	0.2925	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	RRF	Robustness	0.285	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	RRF	Robustness	0.2575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	RRF	Robustness	0.26	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	RRF	Robustness	0.255	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Schulze	Robustness	0.3625	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Schulze	Robustness	0.335	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Schulze	Robustness	0.305	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Schulze	Robustness	0.2825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Schulze	Robustness	0.2725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Schulze	Robustness	0.26	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Schulze	Robustness	0.2675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Schulze	Robustness	0.25	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Schulze	Robustness	0.24	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Schulze	Robustness	0.24	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.3775	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.33	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.3	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.265	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.2375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.245	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.26	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Gaussian 0.15	Fbar	Simple Averaging	Robustness	0.195	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Borda	Robustness	0.2325	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Borda	Robustness	0.235	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Borda	Robustness	0.2425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Borda	Robustness	0.2425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Borda	Robustness	0.22	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Borda	Robustness	0.19	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Borda	Robustness	0.165	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Borda	Robustness	0.16	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Borda	Robustness	0.1475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Borda	Robustness	0.1325	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Kemeny	Robustness	0.2325	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Kemeny	Robustness	0.2475	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Kemeny	Robustness	0.2525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Kemeny	Robustness	0.255	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Kemeny	Robustness	0.2075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Kemeny	Robustness	0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Kemeny	Robustness	0.2075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Kemeny	Robustness	0.225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Kemeny	Robustness	0.2	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Kemeny	Robustness	0.2175	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	RRF	Robustness	0.245	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	RRF	Robustness	0.25	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	RRF	Robustness	0.2575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	RRF	Robustness	0.2325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	RRF	Robustness	0.195	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	RRF	Robustness	0.215	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	RRF	Robustness	0.1825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	RRF	Robustness	0.1775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	RRF	Robustness	0.195	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	RRF	Robustness	0.17	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Schulze	Robustness	0.2325	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Schulze	Robustness	0.2425	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Schulze	Robustness	0.255	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Schulze	Robustness	0.2375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Schulze	Robustness	0.175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Schulze	Robustness	0.215	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Schulze	Robustness	0.175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Schulze	Robustness	0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Schulze	Robustness	0.1875	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Schulze	Robustness	0.1825	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.24	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.2325	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.265	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.1775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.1575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.14	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.14	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.1925	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	C	Simple Averaging	Robustness	0.195	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Borda	Robustness	0.08	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.0275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Borda	Robustness	-0.0375	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.08	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Kemeny	Robustness	0.055	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.015	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.015	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.0275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Kemeny	Robustness	-0.04	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	RRF	Robustness	0.0825	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	RRF	Robustness	0.01	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	RRF	Robustness	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	RRF	Robustness	-0.055	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.08	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Schulze	Robustness	0.0275	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.0275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Schulze	Robustness	-0.055	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.1	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.02	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.07	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.08	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	-0.1	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Borda	Robustness	-0.1025	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Borda	Robustness	-0.0875	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Borda	Robustness	-0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Borda	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Borda	Robustness	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Borda	Robustness	-0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Borda	Robustness	-0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Borda	Robustness	-0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Borda	Robustness	-0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Borda	Robustness	-0.0125	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Kemeny	Robustness	-0.1025	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Kemeny	Robustness	-0.1025	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Kemeny	Robustness	-0.09	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Kemeny	Robustness	-0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Kemeny	Robustness	-0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Kemeny	Robustness	-0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Kemeny	Robustness	-0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Kemeny	Robustness	-0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Kemeny	Robustness	-0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Kemeny	Robustness	-0.06	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	RRF	Robustness	-0.0975	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	RRF	Robustness	-0.0775	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	RRF	Robustness	-0.09	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	RRF	Robustness	-0.075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	RRF	Robustness	-0.0275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	RRF	Robustness	-0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	RRF	Robustness	-0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	RRF	Robustness	-0.0275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	RRF	Robustness	-0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	RRF	Robustness	-0.0325	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Schulze	Robustness	-0.1025	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Schulze	Robustness	-0.095	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Schulze	Robustness	-0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Schulze	Robustness	-0.0875	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Schulze	Robustness	-0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Schulze	Robustness	-0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Schulze	Robustness	-0.0725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Schulze	Robustness	-0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Schulze	Robustness	-0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Schulze	Robustness	-0.04	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.1075	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.1	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.0625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.015	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	F	Simple Averaging	Robustness	-0.015	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Borda	Robustness	0.2425	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1875	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Borda	Robustness	0.125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Borda	Robustness	0.115	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Borda	Robustness	0.1225	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.2425	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.255	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.16	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Kemeny	Robustness	0.1025	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	RRF	Robustness	0.2425	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1925	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	RRF	Robustness	0.15	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	RRF	Robustness	0.115	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	RRF	Robustness	0.12	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	RRF	Robustness	0.1	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.2425	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.2175	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.12	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.115	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.11	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.0875	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Schulze	Robustness	0.1025	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.255	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.1275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	0.0875	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	C	Borda	Robustness	0.1775	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	C	Borda	Robustness	0.18	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	C	Borda	Robustness	0.175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	C	Borda	Robustness	0.2325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	C	Borda	Robustness	0.2125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	C	Borda	Robustness	0.17	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	C	Borda	Robustness	0.1925	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	C	Borda	Robustness	0.2	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	C	Borda	Robustness	0.165	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	C	Borda	Robustness	0.1675	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	C	Kemeny	Robustness	0.1775	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	C	Kemeny	Robustness	0.1875	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	C	Kemeny	Robustness	0.1775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	C	Kemeny	Robustness	0.2175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	C	Kemeny	Robustness	0.185	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	C	Kemeny	Robustness	0.1675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	C	Kemeny	Robustness	0.1775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	C	Kemeny	Robustness	0.17	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	C	Kemeny	Robustness	0.1475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	C	Kemeny	Robustness	0.1625	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	C	RRF	Robustness	0.1775	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	C	RRF	Robustness	0.1825	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	C	RRF	Robustness	0.1875	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	C	RRF	Robustness	0.19	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	C	RRF	Robustness	0.2025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	C	RRF	Robustness	0.165	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	C	RRF	Robustness	0.1625	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	C	RRF	Robustness	0.1425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	C	RRF	Robustness	0.1725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	C	RRF	Robustness	0.1725	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	C	Schulze	Robustness	0.1775	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	C	Schulze	Robustness	0.1925	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	C	Schulze	Robustness	0.185	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	C	Schulze	Robustness	0.21	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	C	Schulze	Robustness	0.1725	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	C	Schulze	Robustness	0.1775	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	C	Schulze	Robustness	0.1675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	C	Schulze	Robustness	0.175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	C	Schulze	Robustness	0.1675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	C	Schulze	Robustness	0.1625	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	C	Simple Averaging	Robustness	0.18	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	C	Simple Averaging	Robustness	0.21	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	C	Simple Averaging	Robustness	0.1925	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	C	Simple Averaging	Robustness	0.195	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	C	Simple Averaging	Robustness	0.2025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	C	Simple Averaging	Robustness	0.15	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	C	Simple Averaging	Robustness	0.155	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	C	Simple Averaging	Robustness	0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	C	Simple Averaging	Robustness	0.1975	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	C	Simple Averaging	Robustness	0.205	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Borda	Robustness	0.0725	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Borda	Robustness	0.015	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Borda	Robustness	-0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Borda	Robustness	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Borda	Robustness	-0.0275	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Borda	Robustness	-0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Borda	Robustness	-0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Borda	Robustness	-0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Borda	Robustness	-0.07	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Borda	Robustness	-0.0525	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Kemeny	Robustness	0.0725	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Kemeny	Robustness	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Kemeny	Robustness	-0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Kemeny	Robustness	-0.015	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Kemeny	Robustness	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Kemeny	Robustness	-0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Kemeny	Robustness	0	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Kemeny	Robustness	-0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Kemeny	Robustness	-0.04	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Kemeny	Robustness	-0.055	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	RRF	Robustness	0.06	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	RRF	Robustness	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	RRF	Robustness	0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	RRF	Robustness	-0.0225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	RRF	Robustness	-0.0275	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	RRF	Robustness	-0.015	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	RRF	Robustness	0	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	RRF	Robustness	-0.0325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	RRF	Robustness	-0.0425	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	RRF	Robustness	-0.06	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Schulze	Robustness	0.0725	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Schulze	Robustness	0.03	False	["Saliency", "InputXGradient", "IntegratedGradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Schulze	Robustness	0	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Schulze	Robustness	-0.005	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Schulze	Robustness	-0.05	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Schulze	Robustness	-0.055	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Schulze	Robustness	-0.0325	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttention Rollout", "Attention GradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Schulze	Robustness	-0.03	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Schulze	Robustness	-0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Schulze	Robustness	-0.0575	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.08	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Cbar	Simple Averaging	Robustness	0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.055	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0875	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0875	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Cbar	Simple Averaging	Robustness	-0.0925	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	F	Borda	Robustness	-0.085	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	F	Borda	Robustness	-0.0175	False	["Saliency", "InputXGradient", "IntegratedGradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	F	Borda	Robustness	-0.01	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	F	Borda	Robustness	0.02	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	F	Borda	Robustness	0.01	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	F	Borda	Robustness	-0.0075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	F	Borda	Robustness	-0.0075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	F	Borda	Robustness	0.025	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransformerAttribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	F	Borda	Robustness	0.0225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransformerAttribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	F	Borda	Robustness	0.0425	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransformerAttribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	F	Kemeny	Robustness	-0.085	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	F	Kemeny	Robustness	-0.05	False	["Saliency", "InputXGradient", "IntegratedGradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	F	Kemeny	Robustness	-0.0175	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	F	Kemeny	Robustness	0.0225	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	F	Kemeny	Robustness	0.005	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	F	Kemeny	Robustness	0.0075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	F	Kemeny	Robustness	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	F	Kemeny	Robustness	0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	F	Kemeny	Robustness	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	F	Kemeny	Robustness	-0.025	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	F	RRF	Robustness	-0.0875	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	F	RRF	Robustness	-0.01	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	F	RRF	Robustness	-0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	F	RRF	Robustness	-0.02	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	F	RRF	Robustness	-0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	F	RRF	Robustness	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	F	RRF	Robustness	0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	F	RRF	Robustness	0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	F	RRF	Robustness	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	F	RRF	Robustness	0.0375	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	F	Schulze	Robustness	-0.085	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	F	Schulze	Robustness	-0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	F	Schulze	Robustness	-0.015	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	F	Schulze	Robustness	0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	F	Schulze	Robustness	0.0125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	F	Schulze	Robustness	-0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	F	Schulze	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	F	Schulze	Robustness	0.0025	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	F	Schulze	Robustness	0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	F	Schulze	Robustness	0	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	F	Simple Averaging	Robustness	-0.0725	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	F	Simple Averaging	Robustness	-0.0175	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	F	Simple Averaging	Robustness	0.0075	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	F	Simple Averaging	Robustness	0.01	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	F	Simple Averaging	Robustness	0.0225	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	F	Simple Averaging	Robustness	0.035	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	F	Simple Averaging	Robustness	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	F	Simple Averaging	Robustness	0.065	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	F	Simple Averaging	Robustness	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	F	Simple Averaging	Robustness	0.0475	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Borda	Robustness	0.145	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Borda	Robustness	0.1125	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Borda	Robustness	0.09	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Borda	Robustness	0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Borda	Robustness	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Borda	Robustness	0.0325	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Borda	Robustness	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Borda	Robustness	0.0375	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]

Cell	Dataset	Model	Q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Borda	Robustness	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Borda	Robustness	0.0475	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Kemeny	Robustness	0.145	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Kemeny	Robustness	0.16	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Kemeny	Robustness	0.095	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Kemeny	Robustness	0.1	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Kemeny	Robustness	0.0675	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Kemeny	Robustness	0.06	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Kemeny	Robustness	0.05	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Kemeny	Robustness	0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Kemeny	Robustness	0.045	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Kemeny	Robustness	0.02	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	RRF	Robustness	0.1525	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	RRF	Robustness	0.12	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	RRF	Robustness	0.1	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	RRF	Robustness	0.075	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	RRF	Robustness	0.06	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	RRF	Robustness	0.0675	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	RRF	Robustness	0.0775	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	RRF	Robustness	0.035	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransformerAttribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	RRF	Robustness	0.04	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransformerAttribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	RRF	Robustness	0.0125	True	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM", "CheferTransformerAttribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Schulze	Robustness	0.145	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Schulze	Robustness	0.13	False	["Saliency", "InputXGradient", "IntegratedGradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Schulze	Robustness	0.09	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Schulze	Robustness	0.0725	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Schulze	Robustness	0.045	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Schulze	Robustness	0.0525	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Schulze	Robustness	0.055	False	["Saliency", "InputXGradient", "IntegratedGradients", "GradientShap", "FeatureAblation", "Occlusion", "GradientAttentionRollout", "AttentionGradCAM"]

Cell	Dataset	Model	q	Condition	Metric	Rule	Value Kind	Value	Q11 Reference	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Schulze	Robustness	0.0475	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Schulze	Robustness	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Schulze	Robustness	0.0225	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.17	False	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.1175	False	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.1125	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0825	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0425	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0525	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.0575	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.015	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.005	False	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Speckle 0.15	Fbar	Simple Averaging	Robustness	0.02	True	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTranformer Attribution", "FullLRP", "PartialLRP"]

Table 16: RetinaMNIST-ViT-B/16

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	C	Borda	Quality	max	11	0.38	[11]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	Cbar	Borda	Quality	min	9	0.465	[9,10]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	F	Borda	Quality	max	2	0.0875	[2]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	Fbar	Borda	Quality	min	7	0.035	[7,9]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Borda	Robustness	max	9	-0.0025	[9]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Borda	Robustness	max	2	0.085	[2]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Borda	Robustness	max	11	0.0325	[11]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Borda	Robustness	max	2	0.0525	[2]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	C	Borda	Robustness	max	3	0.3675	[3]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Borda	Robustness	max	2	-0.1325	[2]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	F	Borda	Robustness	max	11	-0.0825	[11]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Borda	Robustness	max	2	0.3625	[2]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	C	Borda	Robustness	max	4	0.2425	[4,5]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Borda	Robustness	max	2	0.08	[2]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	F	Borda	Robustness	max	6	-0.005	[6]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Borda	Robustness	max	2	0.2425	[2]	smallest_q_within__absolute_1e-12	["Saliency", "InputXGradient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	C	Borda	Robustness	max	5	0.2325	[5]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	Cbar	Borda	Robustness	max	2	0.0725	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	F	Borda	Robustness	max	11	0.0425	[11]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	Fbar	Borda	Robustness	max	2	0.145	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	C	Kemeny	Quality	max	10	0.3675	[10]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	Cbar	Kemeny	Quality	min	11	0.4725	[11]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	F	Kemeny	Quality	max	2	0.0875	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	Fbar	Kemeny	Quality	min	10	0.04	[10, 11]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Kemeny	Robustness	max	4	-0.02	[4]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Kemeny	Robustness	max	2	0.085	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Kemeny	Robustness	max	5	0.0075	[5]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbblation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Kemeny	Robustness	max	2	0.0525	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	C	Kemeny	Robustness	max	4	0.37	[4, 5]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Kemeny	Robustness	max	2	-0.1325	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	F	Kemeny	Robustness	max	10	-0.12	[10]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Kemeny	Robustness	max	3	0.3725	[3]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	C	Kemeny	Robustness	max	5	0.255	[5]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbblation"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Kemeny	Robustness	max	2	0.08	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	F	Kemeny	Robustness	max	9	-0.0375	[9]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Kemeny	Robustness	max	3	0.255	[3]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	C	Kemeny	Robustness	max	5	0.2175	[5]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	Cbar	Kemeny	Robustness	max	2	0.0725	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	F	Kemeny	Robustness	max	5	0.0225	[5]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	Fbar	Kemeny	Robustness	max	3	0.16	[3]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	C	RRF	Quality	max	9	0.375	[9,11]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	Cbar	RRF	Quality	min	11	0.4675	[11]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	F	RRF	Quality	max	2	0.085	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	Fbar	RRF	Quality	min	10	0.0425	[10,11]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	C	RRF	Robustness	max	10	-0.025	[10]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	RRF	Robustness	max	2	0.09	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	F	RRF	Robustness	max	11	0.005	[11]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	RRF	Robustness	max	2	0.0575	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	C	RRF	Robustness	max	4	0.37	[4]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	Cbar	RRF	Robustness	max	2	-0.1375	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	F	RRF	Robustness	max	11	-0.1225	[11]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	Fbar	RRF	Robustness	max	2	0.365	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	C	RRF	Robustness	max	4	0.2575	[4]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	RRF	Robustness	max	2	0.0825	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	F	RRF	Robustness	max	7	-0.0225	[7]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	RRF	Robustness	max	2	0.2425	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	C	RRF	Robustness	max	6	0.2025	[6]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	Cbar	RRF	Robustness	max	2	0.06	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	F	RRF	Robustness	max	11	0.0375	[11]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	Fbar	RRF	Robustness	max	2	0.1525	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	C	Schulze	Quality	max	11	0.37	[11]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	Cbar	Schulze	Quality	min	9	0.465	[9]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	F	Schulze	Quality	max	2	0.0875	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	Fbar	Schulze	Quality	min	10	0.0225	[10]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Schulze	Robustness	max	11	-0.03	[11]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Schulze	Robustness	max	2	0.085	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Schulze	Robustness	max	6	0.0225	[6]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Schulze	Robustness	max	2	0.0525	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	C	Schulze	Robustness	max	4	0.3675	[4]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Schulze	Robustness	max	2	-0.1325	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	F	Schulze	Robustness	max	6	-0.1225	[6]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Schulze	Robustness	max	2	0.3625	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	C	Schulze	Robustness	max	4	0.255	[4]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Schulze	Robustness	max	2	0.08	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	F	Schulze	Robustness	max	10	-0.03	[10]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Schulze	Robustness	max	2	0.2425	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	C	Schulze	Robustness	max	5	0.21	[5]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	Cbar	Schulze	Robustness	max	2	0.0725	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	F	Schulze	Robustness	max	10	0.0175	[10]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	Fbar	Schulze	Robustness	max	2	0.145	[2]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	C	Simple Averaging	Quality	max	7	0.39	[7]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	Cbar	Simple Averaging	Quality	min	11	0.4325	[11]	smallest_q_within_absolute_1e-12	["Saliency", "InputXGradient", "Integrated Gradients", "Gradient Shap", "FeatureAbelation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP", "PartialLRP"]

Cell	Dataset	Model	Condition	Metric	Rule	Value Kind	Direction	Best Q	Best Value	Tied Q	Tie Policy	Method Prefix
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	F	Simple Averaging	Quality	max	2	0.0875	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Clean	Fbar	Simple Averaging	Quality	min	10	0	[10]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	C	Simple Averaging	Robustness	max	6	0.02	[6]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	Cbar	Simple Averaging	Robustness	max	2	0.0975	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	F	Simple Averaging	Robustness	max	9	0.0425	[9]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Adversarial Sara 2 255	Fbar	Simple Averaging	Robustness	max	2	0.0575	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	C	Simple Averaging	Robustness	max	3	0.3575	[3,4]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	Cbar	Simple Averaging	Robustness	max	2	-0.1325	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	F	Simple Averaging	Robustness	max	11	-0.05	[11]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP", "PartialLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Gaussian 0.15	Fbar	Simple Averaging	Robustness	max	2	0.3775	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	C	Simple Averaging	Robustness	max	4	0.265	[4]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	Cbar	Simple Averaging	Robustness	max	2	0.1	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	F	Simple Averaging	Robustness	max	10	-0.0025	[10]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Salt Pepper 0.05	Fbar	Simple Averaging	Robustness	max	2	0.255	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	C	Simple Averaging	Robustness	max	3	0.21	[3]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient", "Integrated Gradients"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	Cbar	Simple Averaging	Robustness	max	2	0.08	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	F	Simple Averaging	Robustness	max	10	0.0675	[10]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran sformer Attribution", "FullLRP"]
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	Speckle 0.15	Fbar	Simple Averaging	Robustness	max	2	0.17	[2]	smallest_q_ within_ absolute_1e-12	["Saliency", "InputXGrad ient"]

Table 17: RetinaMNIST-ViT-B/16

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{base}	F_{clean}	C_{base}	C_{clean}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Simple Averaging	False	["Saliency", "InputX092d ient"]	0.19	0.28	0.6175	-0.0875	-0.1875	0.63	0.75	-0.02	-0.065	0.52	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Borda	False	["Saliency", "InputX092d ient"]	0.175	0.2825	0.6075	-0.085	-0.1875	0.6225	0.74	-0.015	-0.0675	0.515	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	RRF	False	["Saliency", "InputX096d ient"]	0.1775	0.28	0.605	-0.0925	-0.1875	0.63	0.7425	-0.0125	-0.065	0.525	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Kemeny	False	["Saliency", "InputX092d ient"]	0.175	0.2825	0.6075	-0.085	-0.1875	0.6225	0.74	-0.015	-0.0675	0.515	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	Schulze	False	["Saliency", "InputX092d ient"]	0.175	0.2825	0.6075	-0.085	-0.1875	0.6225	0.74	-0.015	-0.0675	0.515	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Simple Averaging	False	["Saliency", "InputX072d ient", "Integrated Gradients"]	0.13	0.2875	0.54	-0.075	-0.2	0.645	0.735	-0.0225	-0.0675	0.52	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Borda	False	["Saliency", "InputX092d ient", "Integrated Gradients"]	0.125	0.2875	0.535	-0.07	-0.1875	0.655	0.745	-0.0175	-0.0625	0.5225	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	RRF	False	["Saliency", "InputX072d ient", "Integrated Gradients"]	0.1325	0.285	0.5425	-0.0825	-0.19	0.6325	0.74	-0.005	-0.06	0.535	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Kemeny	False	["Saliency", "InputX092d ient", "Integrated Gradients"]	0.1825	0.2825	0.595	-0.0825	-0.19	0.62	0.745	-0.02	-0.0725	0.53	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	Schulze	False	["Saliency", "InputX092d ient", "Integrated Gradients"]	0.1425	0.2875	0.555	-0.0775	-0.1925	0.64	0.7375	-0.0125	-0.075	0.53	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Simple Averaging	False	["Saliency", "InputX096d ient", "Integrated Gradients", "Gradient Shap"]	0.1025	0.29	0.535	-0.085	-0.1975	0.6475	0.73	-0.0025	-0.065	0.555	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Borda	False	["Saliency", "InputX096d ient", "Integrated Gradients", "Gradient Shap"]	0.1025	0.2925	0.5275	-0.08	-0.2025	0.6425	0.7375	-0.0175	-0.06	0.535	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	RRF	False	["Saliency", "InputX092d ient", "Integrated Gradients", "Gradient Shap"]	0.105	0.28	0.5375	-0.0825	-0.1975	0.65	0.7325	-0.0225	-0.0525	0.5375	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Kemeny	False	["Saliency", "InputX092d ient", "Integrated Gradients", "Gradient Shap"]	0.1075	0.28	0.53	-0.09	-0.2025	0.65	0.7275	-0.02	-0.0525	0.5325	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	Schulze	False	["Saliency", "InputX092d ient", "Integrated Gradients", "Gradient Shap"]	0.1075	0.285	0.53	-0.09	-0.1975	0.6525	0.73	-0.015	-0.055	0.54	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Simple Averaging	False	["Saliency", "InputX092d ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]	0.055	0.3325	0.4775	-0.0625	-0.21	0.6125	0.73	0.0225	-0.0725	0.51	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Borda	False	["Saliency", "InputX094d ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]	0.0525	0.3025	0.5125	-0.0575	-0.2	0.65	0.7275	0.0225	-0.065	0.545	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	RRF	False	["Saliency", "InputX098d ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]	0.0775	0.32	0.51	-0.0875	-0.2075	0.6525	0.715	0.005	-0.0725	0.5525	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Kemeny	False	["Saliency", "InputX092d ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]	0.1025	0.2875	0.52	-0.0825	-0.22	0.6575	0.72	0.0075	-0.05	0.5425	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	Schulze	False	["Saliency", "InputX096d ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation"]	0.0775	0.305	0.5125	-0.06	-0.205	0.67	0.7225	-0.0125	-0.0425	0.5425	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Simple Averaging	False	["Saliency", "InputX096d ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]	0.0425	0.3425	0.4775	-0.065	-0.195	0.585	0.73	-0.02	-0.055	0.5	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Borda	False	["Saliency", "InputX093d ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]	0.0425	0.3225	0.4925	-0.0675	-0.1975	0.6425	0.72	0.025	-0.075	0.5425	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	RRF	False	["Saliency", "InputX096d ient", "Integrated Gradients", "Gradient Shap", "FeatureAbl ation", "Occlusion"]	0.0525	0.3275	0.485	-0.08	-0.22	0.6475	0.7175	0.0325	-0.0625	0.5225	

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{class}	C_{clean}	C_{class}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Kemeny	False	["Saliency", "InputX002dient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]	0.0625	0.07	0.3275	0.5125	-0.085	-0.2125	0.66	0.725	-0.01	-0.0525	0.535
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	Schulze	False	["Saliency", "InputX002dient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion"]	0.065	0.0575	0.3475	0.4875	-0.0875	-0.215	0.6625	0.7175	0	-0.0575	0.5225
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Simple Averaging	False	["Saliency", "InputX002dient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]	0.04	0.04	0.39	0.4675	-0.06	-0.205	0.61	0.7325	-0.01	-0.085	0.53
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Borda	False	["Saliency", "InputX002dient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]	0.05	0.035	0.37	0.4775	-0.065	-0.21	0.6525	0.7325	0.03	-0.0675	0.56
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	RRF	False	["Saliency", "InputX002dient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]	0.0625	0.0675	0.3525	0.5	-0.1	-0.225	0.6725	0.725	0.04	-0.075	0.5675
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Kemeny	False	["Saliency", "InputX002dient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]	0.0625	0.065	0.35	0.4975	-0.09	-0.2175	0.68	0.72	0.005	-0.0675	0.5475
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	Schulze	False	["Saliency", "InputX002dient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout"]	0.065	0.055	0.3375	0.48	-0.08	-0.205	0.6675	0.7125	0.0075	-0.07	0.5525
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Simple Averaging	False	["Saliency", "InputX002dient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]	0.04	0.05	0.3875	0.4525	-0.0675	-0.21	0.6375	0.72	-0.01	-0.0775	0.5275
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Borda	False	["Saliency", "InputX002dient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]	0.0625	0.05	0.3425	0.4775	-0.0825	-0.2025	0.65	0.71	0.02	-0.075	0.5075
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	RRF	False	["Saliency", "InputX002dient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]	0.05	0.08	0.355	0.5125	-0.0925	-0.205	0.6675	0.71	0.0125	-0.0675	0.5375
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Kemeny	False	["Saliency", "InputX002dient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]	0.0625	0.055	0.34	0.5125	-0.08	-0.215	0.665	0.7325	0	-0.07	0.5475
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	Schulze	False	["Saliency", "InputX002dient", "Integrated Gradients", "Gradient Shap", "FeatureAblation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM"]	0.0625	0.0625	0.3575	0.4925	-0.095	-0.205	0.675	0.73	-0.005	-0.08	0.5325

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	F_{clean}	C_{clean}	C_{clean}	F Perturbed Gaussian -0.15	F Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	C Perturbed Gaussian -0.15	F Perturbed Salt-pep per-0.05	F Perturbed Salt-pep per-0.05	C Perturbed Salt-pep per-0.05
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Simple Averaging	False	["Saliency", "InputX0028", "Integrated Gradients", "Gradient Shap", "Feature Ablation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]	0.005	0.3775	0.4375	-0.055	-0.1925	0.6725	0.715	-0.0025	-0.0775	0.575	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Borda	False	["Saliency", "InputX0047", "Integrated Gradients", "Gradient Shap", "Feature Ablation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]	0.035	0.365	0.465	-0.08	-0.2025	0.6425	0.7175	-0.005	-0.08	0.525	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	RRF	False	["Saliency", "InputX0056", "Integrated Gradients", "Gradient Shap", "Feature Ablation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]	0.045	0.375	0.48	-0.085	-0.2125	0.68	0.72	0.0275	-0.075	0.5525	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Kemeny	False	["Saliency", "InputX0058", "Integrated Gradients", "Gradient Shap", "Feature Ablation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]	0.0475	0.3475	0.5	-0.0775	-0.21	0.695	0.7325	0.015	-0.065	0.5725	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	Schulze	False	["Saliency", "InputX006d", "Integrated Gradients", "Gradient Shap", "Feature Ablation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution"]	0.045	0.355	0.465	-0.075	-0.205	0.675	0.72	0.02	-0.065	0.5525	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Simple Averaging	False	["Saliency", "InputX0095", "Integrated Gradients", "Gradient Shap", "Feature Ablation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]	0	0.3825	0.4375	-0.055	-0.1975	0.6725	0.7225	-0.005	-0.0825	0.575	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Borda	False	["Saliency", "InputX004d", "Integrated Gradients", "Gradient Shap", "Feature Ablation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]	0.0475	0.3675	0.465	-0.07	-0.205	0.63	0.7075	0.01	-0.055	0.515	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	RRF	False	["Saliency", "InputX006d", "Integrated Gradients", "Gradient Shap", "Feature Ablation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]	0.0425	0.355	0.475	-0.09	-0.2175	0.65	0.7125	-0.0025	-0.065	0.55	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Kemeny	False	["Saliency", "InputX0098", "Integrated Gradients", "Gradient Shap", "Feature Ablation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTransformer Attribution", "FullLRP"]	0.04	0.3675	0.49	-0.0675	-0.205	0.69	0.725	-0.005	-0.06	0.5675	

Cell	Dataset	Model	Q	Rule	Q11 Reference	Method Prefix	F_{clean}	$\hat{F}_{clean}$	C_{clean}	$\hat{C}_{clean}$	F^F Perturbed Gaussian -0.15	F^F Perturbed Gaussian -0.15	C^C Perturbed Gaussian -0.15	C^C Perturbed Gaussian -0.15	F^F Perturbed Salt-pep per-0.05	F^F Perturbed Salt-pep per-0.05	C^C Perturbed Salt-pep per-0.05
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	Schulze	False	["Saliency", "InputX0052d", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP"]	0.0225	0.365	0.47	-0.09	-0.2175	0.6525	0.7175	0.0225	-0.065	0.5525	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Simple Averaging	True	["Saliency", "InputX0065d", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]	0.0025	0.37	0.4325	-0.035	-0.1925	0.6725	0.715	0	-0.085	0.565	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Borda	True	["Saliency", "InputX0065d", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]	0.0525	0.38	0.4775	-0.0575	-0.195	0.6275	0.7025	0.0125	-0.07	0.5125	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	RRF	True	["Saliency", "InputX0094d", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]	0.0425	0.375	0.4675	-0.0825	-0.2125	0.675	0.715	0.0075	-0.0575	0.545	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Kemeny	True	["Saliency", "InputX0065d", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]	0.04	0.3575	0.4725	-0.065	-0.2175	0.705	0.715	0.005	-0.0625	0.575	
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	Schulze	True	["Saliency", "InputX0052d", "Integrated Gradients", "Gradient Shap", "FeatureAb- lation", "Occlusion", "Gradient Attention Rollout", "Attention GradCAM", "CheferTran- sformer Attribution", "FullLRP", "PartialLRP"]	0.0375	0.37	0.4675	-0.0725	-0.2025	0.67	0.725	0.0175	-0.065	0.5525	

Table 18: RetinaMNIST-ViT-B/16

Cell	Dataset	Model	Q	C Perturbed Salt-pep per-0.05	F Perturbed Speckle- 0.15	F Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	C Perturbed Speckle- 0.15	F Perturbed Adversar ial-sara -2-255	F Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	C Perturbed Adversar ial-sara -2-255	R_F Gaussian-0.1	R_F Gaussian-0.1	R_C Gaussian-0.1	R_C Gaussian-0.1	R_F Salt-pepper-0.05
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	0.5175	0.015	0.02	0.46	0.5375	0.08	0.1325	0.25	0.52	-0.175	0.3775	0.35	-0.1325	-0.1075
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	0.5275	0.0025	0.03	0.46	0.535	0.08	0.1225	0.2425	0.5225	-0.1725	0.3625	0.34	-0.1325	-0.1025
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	0.5225	-0.0025	0.025	0.4575	0.545	0.0775	0.12	0.2425	0.515	-0.1775	0.365	0.35	-0.1375	-0.0975
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	0.5275	0.0025	0.03	0.46	0.535	0.08	0.1225	0.2425	0.5225	-0.1725	0.3625	0.34	-0.1325	-0.1025
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	0.5275	0.0025	0.03	0.46	0.535	0.08	0.1225	0.2425	0.5225	-0.1725	0.3625	0.34	-0.1325	-0.1025
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	0.52	0.06	0.0125	0.4975	0.5325	0.06	0.125	0.245	0.505	-0.1525	0.33	0.3575	-0.195	-0.1
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	0.5375	0.0525	0.0125	0.4675	0.52	0.0525	0.115	0.235	0.5025	-0.14	0.3125	0.3675	-0.21	-0.0875
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	0.5325	0.0625	0.0125	0.4675	0.53	0.05	0.11	0.2325	0.495	-0.155	0.3225	0.3475	-0.1975	-0.0775
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	0.54	0.0325	0.0225	0.47	0.545	0.065	0.1375	0.2425	0.5225	-0.165	0.3725	0.3375	-0.15	-0.1025
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	0.5275	0.04	0.0125	0.48	0.525	0.065	0.1275	0.24	0.515	-0.16	0.335	0.3525	-0.1825	-0.095
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	0.5225	0.0675	-0.01	0.4825	0.525	0.0675	0.11	0.25	0.5025	-0.145	0.3	0.3575	-0.195	-0.0625
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	0.5375	0.055	0.0125	0.4675	0.535	0.06	0.1075	0.255	0.4875	-0.145	0.305	0.35	-0.21	-0.0825
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	0.5325	0.045	0.005	0.4675	0.5175	0.0675	0.1025	0.245	0.495	-0.15	0.3025	0.37	-0.195	-0.09
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	0.5325	0.0525	0.0125	0.4575	0.535	0.0575	0.1125	0.26	0.5	-0.16	0.31	0.37	-0.1975	-0.09
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	0.5375	0.0525	0.0175	0.47	0.53	0.06	0.11	0.2525	0.505	-0.1575	0.305	0.3675	-0.2	-0.0825
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	0.54	0.0475	-0.0275	0.5275	0.515	0.045	0.0475	0.3275	0.435	-0.1	0.265	0.28	-0.2525	-0.015
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	0.525	0.06	-0.005	0.535	0.5175	0.05	0.08	0.2925	0.4725	-0.0975	0.2525	0.3475	-0.215	-0.0175
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	0.5225	0.06	0.0025	0.51	0.5325	0.05	0.0775	0.275	0.475	-0.1675	0.285	0.3325	-0.205	-0.075
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	0.535	0.08	0.0025	0.505	0.535	0.065	0.11	0.255	0.48	-0.14	0.3225	0.37	-0.2	-0.05
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	0.5375	0.0825	0.005	0.515	0.5175	0.065	0.1025	0.2575	0.49	-0.135	0.2825	0.365	-0.21	-0.0875
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	0.5425	0.0475	0	0.545	0.5125	0.04	0.06	0.3625	0.43	-0.09	0.2375	0.2425	-0.2525	-0.045
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	0.52	0.04	-0.0025	0.535	0.52	0.05	0.0675	0.315	0.455	-0.0975	0.24	0.32	-0.2275	-0.005
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	0.53	0.0475	-0.0075	0.53	0.5125	0.0575	0.0825	0.295	0.46	-0.14	0.2725	0.32	-0.2325	-0.0275
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	0.5275	0.0725	0.0025	0.5125	0.5225	0.055	0.09	0.29	0.4825	-0.1525	0.2825	0.3325	-0.2125	-0.0775
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	0.5425	0.0475	0.0125	0.52	0.5375	0.0575	0.075	0.2925	0.4575	-0.1225	0.2725	0.315	-0.23	-0.035
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	0.5325	0.045	-0.0125	0.54	0.51	0.035	0.0525	0.3675	0.425	-0.07	0.245	0.22	-0.265	-0.02
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	0.5225	0.0425	0.0025	0.54	0.525	0.0425	0.035	0.33	0.41	-0.115	0.245	0.2825	-0.255	-0.02
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	0.53	0.06	0	0.5175	0.515	0.0525	0.0775	0.32	0.4525	-0.1625	0.2925	0.32	-0.225	-0.0225
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	0.5225	0.075	0.005	0.5175	0.5275	0.06	0.075	0.2925	0.44	-0.1575	0.2825	0.33	-0.2225	-0.0625
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	0.525	0.0525	0.0025	0.515	0.535	0.0575	0.0775	0.295	0.46	-0.135	0.26	0.33	-0.2325	-0.0475
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	0.5225	0.035	-0.0075	0.5425	0.5075	0.045	0.055	0.3675	0.405	-0.0975	0.26	0.25	-0.2675	-0.04
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	0.5275	0.05	0.005	0.535	0.5175	0.025	0.0525	0.3275	0.43	-0.14	0.2525	0.3075	-0.2325	-0.0375
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	0.5225	0.06	0.0025	0.5175	0.5125	0.04	0.06	0.3225	0.45	-0.1425	0.285	0.3125	-0.1975	-0.0375
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	0.54	0.0575	0.005	0.5175	0.5125	0.05	0.0725	0.295	0.445	-0.1475	0.27	0.325	-0.22	-0.0675
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	0.52	0.05	0.0075	0.525	0.525	0.0525	0.0675	0.3075	0.455	-0.1625	0.2675	0.3175	-0.2375	-0.0725
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	0.5175	0.0675	-0.01	0.575	0.525	0.045	0.0225	0.3675	0.4	-0.0575	0.1975	0.295	-0.2775	-0.005
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	0.515	0.0725	-0.0025	0.565	0.5025	0.055	0.04	0.3625	0.3975	-0.1275	0.2375	0.2775	-0.2525	-0.0525
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	0.5225	0.0775	0.01	0.5175	0.5125	0.045	0.045	0.32	0.4125	-0.14	0.2575	0.305	-0.24	-0.0275
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	0.53	0.06	-0.01	0.5175	0.5225	0.055	0.0525	0.305	0.4375	-0.13	0.2575	0.3475	-0.2325	-0.0375
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	0.505	0.0625	-0.0025	0.53	0.495	0.0525	0.0575	0.3175	0.425	-0.135	0.25	0.32	-0.255	-0.04
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	0.52	0.065	-0.005	0.58	0.525	0.0375	0.02	0.36	0.405	-0.0525	0.1975	0.29	-0.285	-0.0025
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	0.525	0.0675	-0.0025	0.5325	0.535	0.0375	0.0475	0.35	0.41	-0.115	0.2525	0.2625	-0.2425	-0.035
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	0.5325	0.0675	0.0025	0.5275	0.5175	0.0375	0.03	0.33	0.4175	-0.145	0.26	0.295	-0.2375	-0.0575
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	0.53	0.065	-0.005	0.515	0.53	0.035	0.06	0.305	0.44	-0.12	0.245	0.3225	-0.235	-0.0575
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	0.52	0.07	-0.0175	0.5325	0.535	0.035	0.0675	0.3275	0.46	-0.1425	0.24	0.2875	-0.2475	-0.03
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	0.5325	0.0625	-0.0175	0.575	0.525	0.03	0.0375	0.3575	0.425	-0.05	0.195	0.3025	-0.2825	-0.015
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	0.515	0.0675	0.005	0.5475	0.53	0.0575	0.0475	0.3475	0.4075	-0.0825	0.2475	0.2475	-0.225	-0.0125
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	0.5225	0.0775	0.03	0.5475	0.5275	0.045	0.0475	0.325	0.42	-0.1225	0.255	0.3	-0.2475	-0.0325
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	0.5125	0.04	0.02	0.52	0.5275	0.0525	0.0325	0.3175	0.415	-0.13	0.2575	0.3475	-0.2425	-0.06
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	0.5225	0.0575	0.015	0.5325	0.525	0.055	0.0475	0.34	0.4125	-0.13	0.24	0.3	-0.2575	-0.04

Table 19: RetinaMNIST-ViT-B/16

Cell	Dataset	Model	Q	R_F Salt-pepper	R_C Salt-pepper	R_G Salt-pepper	R_F Speckle-0	R_C Speckle-0	R_G Speckle-0	R_F Speckle-0	R_C Speckle-0	R_G Speckle-0	R_F Diversaria	R_C Diversaria	R_G Diversaria	R_F Adversarial	R_C Adversarial	R_G Adversarial	R_F Adversarial	R_C Adversarial	R_G Adversarial
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	0.255	0.24	0.1	-0.0725	0.17	0.18	0.08	-0.0075	0.0575	-0.03	0.0975							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	0.2425	0.2325	0.08	-0.085	0.145	0.1775	0.0725	-0.0075	0.0525	-0.04	0.085							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	0.2425	0.245	0.0825	-0.0875	0.1525	0.1775	0.06	-0.0075	0.0575	-0.0375	0.09							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	0.2425	0.2325	0.08	-0.085	0.145	0.1775	0.0725	-0.0075	0.0525	-0.04	0.085							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	2	0.2425	0.2325	0.08	-0.085	0.145	0.1775	0.0725	-0.0075	0.0525	-0.04	0.085							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	0.1975	0.2325	0.02	-0.0175	0.1175	0.21	0.0075	-0.0175	0.005	-0.0425	0.035							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	0.1875	0.235	-0.0025	-0.0175	0.1125	0.18	0.015	-0.0175	0.01	-0.0525	0.0325							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	0.1925	0.25	0.01	-0.01	0.12	0.1825	0.0125	-0.0225	0.0225	-0.0525	0.0475							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	0.255	0.2475	0.055	-0.05	0.16	0.1875	0.05	-0.0175	0.045	-0.04	0.0725							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	3	0.2175	0.2425	0.0275	-0.0425	0.13	0.1925	0.03	-0.0175	0.015	-0.0475	0.04							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	0.1675	0.265	0.0125	0.0075	0.1125	0.1925	0.01	0.0075	-0.0075	-0.04	0.0325							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	0.1625	0.2425	-0.01	-0.01	0.09	0.175	-0.0075	-0.005	-0.005	-0.0375	0.04							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	0.1575	0.2575	0.005	-0.0225	0.1	0.1875	0.02	0	0.0025	-0.035	0.0425							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	0.16	0.2525	-0.0025	-0.0175	0.095	0.1775	-0.005	-0.0125	-0.005	-0.02	0.03							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	4	0.1625	0.255	-0.0075	-0.015	0.09	0.185	0	-0.0075	-0.0025	-0.0325	0.025							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	0.1275	0.1775	-0.0625	0.01	0.0825	0.195	-0.0375	0.0075	0.0075	-0.005	0.0425							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	0.1175	0.2425	-0.0125	0.02	0.0575	0.2325	-0.005	0.01	-0.0275	-0.01	0.04							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	0.15	0.2325	-0.0125	-0.02	0.075	0.19	-0.0225	-0.03	0	-0.045	0.035							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	0.1525	0.255	-0.015	0.0225	0.1	0.2175	-0.015	0.0075	-0.0075	-0.0325	0.04							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	5	0.12	0.2375	-0.025	0.0075	0.0725	0.21	-0.005	-0.01	-0.025	-0.0475	0.0225							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	0.0975	0.1575	-0.065	0.0225	0.0425	0.2025	-0.035	0.015	-0.0175	0.02	0.0475							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	0.1175	0.22	-0.0275	0.01	0.045	0.2125	-0.0275	0.02	-0.025	-0.0075	0.0375							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	0.115	0.195	-0.045	-0.0125	0.06	0.2025	-0.0275	-0.0025	-0.03	-0.0325	0.025							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	0.1225	0.2075	-0.015	0.005	0.0675	0.185	-0.01	-0.0125	-0.02	-0.0375	0.03							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	6	0.115	0.175	-0.055	0.0125	0.045	0.1725	-0.05	0.0225	-0.0175	-0.055	0.03							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	0.125	0.14	-0.065	0.035	0.0525	0.15	-0.0425	0.025	-0.0125	-0.0225	0.0425							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	0.1025	0.19	-0.045	-0.0075	0.0325	0.17	-0.0475	-0.0075	0	-0.04	0.0675							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	0.1425	0.215	-0.03	-0.0025	0.0675	0.165	-0.015	-0.01	-0.01	-0.0325	0.0475							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	0.1325	0.1975	-0.025	0.0075	0.06	0.1675	-0.03	-0.0075	-0.01	-0.0575	0.0575							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	7	0.125	0.215	-0.045	-0.0025	0.0525	0.1775	-0.055	0.0025	-0.0225	-0.0425	0.02							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	0.1275	0.14	-0.07	0.005	0.0575	0.155	-0.055	0.015	-0.005	-0.02	0.0475							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	0.125	0.165	-0.05	-0.0075	0.045	0.1925	-0.04	-0.0325	-0.0025	-0.015	0.0475							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	0.1475	0.1825	-0.01	0.01	0.0775	0.1625	0	-0.01	0.02	-0.0325	0.0625							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	0.125	0.2075	-0.0275	-0.01	0.05	0.1775	0	-0.0175	-0.0175	-0.045	0.0675							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	8	0.1425	0.175	-0.0275	-0.0175	0.055	0.1675	-0.0325	-0.015	-0.005	-0.05	0.0375							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	0.0825	0.1975	-0.08	0.065	0.015	0.1975	-0.0875	0.0425	-0.0175	-0.01	0.0375							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	0.115	0.16	-0.05	0.025	0.0375	0.2	-0.0375	0.0075	-0.005	-0.0025	0.0675							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	0.12	0.1775	-0.0425	0.0225	0.035	0.1425	-0.0325	-0.01	0	-0.055	0.0675							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	0.1125	0.225	-0.03	0.0075	0.0575	0.17	-0.0225	0.0025	-0.005	-0.0425	0.0625							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	9	0.11	0.1975	-0.04	0.0025	0.0475	0.175	-0.03	-0.0075	-0.0125	-0.0375	0.04							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	0.0825	0.1925	-0.0825	0.0675	0.005	0.1975	-0.0875	0.04	-0.02	-0.0225	0.0325							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	0.1025	0.1475	-0.06	0.0225	0.05	0.165	-0.07	-0.0075	0	-0.0175	0.055							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	0.1075	0.195	-0.0575	0.0125	0.04	0.1725	-0.0425	-0.0175	0.0125	-0.025	0.0575							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	0.1	0.2	-0.04	0.0125	0.045	0.1475	-0.04	-0.0175	-0.02	-0.0625	0.05							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	10	0.0875	0.1875	-0.05	0.0175	0.005	0.1675	-0.065	-0.0175	-0.045	-0.0375	0.01							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	0.0875	0.195	-0.1	0.0475	0.02	0.205	-0.0925	0.015	-0.035	-0.0125	0.0075							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	0.1225	0.1325	-0.0375	0.0425	0.0475	0.1675	-0.0525	0.0325	0.005	-0.0325	0.07							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	0.1	0.17	-0.055	0.0375	0.0125	0.1725	-0.06	0.005	-0.005	-0.05	0.0475							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	0.1025	0.2175	-0.04	-0.025	0.02	0.1625	-0.055	-0.0125	0.0075	-0.04	0.0575							
RetinaMNIST-ViT-B/16	RetinaMNIST	ViT-B/16	11	0.1025	0.1825	-0.055	0.0	0.0225	0.1625	-0.0575	-0.0025	-0.01	-0.03	0.055							

Table 20: RetinaMNIST-ViT-B/16

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
RetinaMNIST	Vit B/16	Saliency	1	true	1			
RetinaMNIST	Vit B/16	InputXGradient	1	true	1			
RetinaMNIST	Vit B/16	IntegratedGradients	1	true	1	1	0.145022	6.6673e+09
RetinaMNIST	Vit B/16	FeatureAblation	1	true	1			
RetinaMNIST	Vit B/16	Occlusion	1	true	1			
RetinaMNIST	Vit B/16	GradientShap	1	true	1			
RetinaMNIST	Vit B/16	CheferTransformer	1	true	1			
RetinaMNIST	Vit B/16	Attribution	1	true	1			
RetinaMNIST	Vit B/16	PartialLRP	1	true	1			
RetinaMNIST	Vit B/16	FullLRP	1	true	1			
RetinaMNIST	Vit B/16	GradientAttention	1	true	1	1	0.061142	3.3842e+09
RetinaMNIST	Vit B/16	Rollout	1	true	1			
RetinaMNIST	Vit B/16	AttentionGradCAM	1	true	1	1	0.049519	3.3105e+09

A DenseNet-121

Table 21: RetinaMNIST–DenseNet-121

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
RetinaMNIST	DenseNet-121	Saliency	1		1			
RetinaMNIST	DenseNet-121	InputXGradient	1		1			
RetinaMNIST	DenseNet-121	IntegratedGradients	1	true	1	1	0.084344	6.6774e+09
RetinaMNIST	DenseNet-121	GuidedBackprop	1		1			
RetinaMNIST	DenseNet-121	Deconvolution	1		1			
RetinaMNIST	DenseNet-121	FeatureAblation	1	true	1			
RetinaMNIST	DenseNet-121	Occlusion	1	true	1			
RetinaMNIST	DenseNet-121	DeepLift	1	true	1	1	0.057337	6.6006e+08
RetinaMNIST	DenseNet-121	GradientShap	1	true	1			
RetinaMNIST	DenseNet-121	DeepLiftShap	1	true	1	1	0.056515	1.7365e+09
RetinaMNIST	DenseNet-121	LRP	1	true	1			

B EfficientNet-B0

Table 22: RetinaMNIST-EfficientNet-B0

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
RetinaMNIST	EfficientNet-B0	Saliency	1	true	1	1	0.406874	3.8023e+08
RetinaMNIST	EfficientNet-B0	InputXGradient	1	true	1	1	0.25237	3.8264e+08
RetinaMNIST	EfficientNet-B0	IntegratedGradients	1	true	1	1	0.039734	4.5561e+09
RetinaMNIST	EfficientNet-B0	GuidedBackprop	1	true	1			
RetinaMNIST	EfficientNet-B0	Deconvolution	1	true	1			
RetinaMNIST	EfficientNet-B0	FeatureAblation	1	true	1			
RetinaMNIST	EfficientNet-B0	Occlusion	1	true	1			
RetinaMNIST	EfficientNet-B0	DeepLift	1	true	1	1	0.024079	2.7866e+08
RetinaMNIST	EfficientNet-B0	GradientShap	1		1			
RetinaMNIST	EfficientNet-B0	DeepLiftShap	1	true	1	1	0.023131	6.5472e+08
RetinaMNIST	EfficientNet-B0	LRP						

C MobileNetV3-Large

Table 23: RetinaMNIST–MobileNetV3-Large

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
RetinaMNIST	MobileNetV3-Large	Saliency	1	true	1			
RetinaMNIST	MobileNetV3-Large	InputXGradient	1	true	1			
RetinaMNIST	MobileNetV3-Large	IntegratedGradients	1	true	1	1	0.02552	2.4103e+09
RetinaMNIST	MobileNetV3-Large	GuidedBackprop	1	true	1			
RetinaMNIST	MobileNetV3-Large	Deconvolution	1	true	1			
RetinaMNIST	MobileNetV3-Large	FeatureAblation	1	true	1			
RetinaMNIST	MobileNetV3-Large	Occlusion	1	true	1			
RetinaMNIST	MobileNetV3-Large	DeepLift	1	true	1	1	0.022834	2.2834e+08
RetinaMNIST	MobileNetV3-Large	GradientShap	1	true	1			
RetinaMNIST	MobileNetV3-Large	DeepLiftShap	1	true	1	1	0.02129	4.999e+08
RetinaMNIST	MobileNetV3-Large	LRP						

D ResNet-18

Table 24: RetinaMNIST–ResNet-18

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
RetinaMNIST	ResNet-18	Saliency	1		1			
RetinaMNIST	ResNet-18	InputXGradient	1		1			
RetinaMNIST	ResNet-18	IntegratedGradients	1	true	1	1	0.039341	1.2722e+09
RetinaMNIST	ResNet-18	GuidedBackprop	1		1			
RetinaMNIST	ResNet-18	Deconvolution	1		1			
RetinaMNIST	ResNet-18	FeatureAblation	1	true	1			
RetinaMNIST	ResNet-18	Occlusion	1	true	1			
RetinaMNIST	ResNet-18	DeepLift	1		1			
RetinaMNIST	ResNet-18	GradientShap	1	true	1			
RetinaMNIST	ResNet-18	DeepLiftShap	1	true	1	1	0.016234	4.4584e+08
RetinaMNIST	ResNet-18	LRP	1	true	1			

E ResNet-50

Table 25: RetinaMNIST–ResNet-50

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
RetinaMNIST	ResNet-50	Saliency	1		1			
RetinaMNIST	ResNet-50	InputXGradient	1		1			
RetinaMNIST	ResNet-50	IntegratedGradients	1	true	1	1	0.077072	4.5233e+09
RetinaMNIST	ResNet-50	GuidedBackprop	1		1			
RetinaMNIST	ResNet-50	Deconvolution	1		1			
RetinaMNIST	ResNet-50	FeatureAblation	1	true	1			
RetinaMNIST	ResNet-50	Occlusion	1	true	1			
RetinaMNIST	ResNet-50	DeepLift	1		1			
RetinaMNIST	ResNet-50	GradientShap	1	true	1			
RetinaMNIST	ResNet-50	DeepLiftShap	1	true	1	1	0.026977	1.2474e+09
RetinaMNIST	ResNet-50	LRP	1	true	1			