

1 ViT-B/16

Table 1: TissueMNIST–ViT-B/16

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
TissueMNIST	Vit B/16	Saliency	1	true	1			
TissueMNIST	Vit B/16	InputXGradient	1	true	1			
TissueMNIST	Vit B/16	IntegratedGradients	1	true	1	1	0.140803	6.6673e+09
TissueMNIST	Vit B/16	FeatureAblation	1	true	1			
TissueMNIST	Vit B/16	Occlusion	1	true	1			
TissueMNIST	Vit B/16	GradientShap	1	true	1			
TissueMNIST	Vit B/16	CheferTransformer	1	true	1			
		Attribution						
TissueMNIST	Vit B/16	PartialLRP	1	true	1			
TissueMNIST	Vit B/16	FullLRP	1	true	1			
TissueMNIST	Vit B/16	GradientAttention	1	true	1	1	0.062294	3.3842e+09
		Rollout						
TissueMNIST	Vit B/16	AttentionGradCAM	1	true	1	1	0.051687	3.3105e+09

A DenseNet-121

Table 2: TissueMNIST–DenseNet-121

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
TissueMNIST	DenseNet-121	Saliency	1		1			
TissueMNIST	DenseNet-121	InputXGradient	1		1			
TissueMNIST	DenseNet-121	IntegratedGradients	1	true	1	1	0.091962	6.6774e+09
TissueMNIST	DenseNet-121	GuidedBackprop	1	true	1			
TissueMNIST	DenseNet-121	Deconvolution	1		1			
TissueMNIST	DenseNet-121	FeatureAblation	1	true	1			
TissueMNIST	DenseNet-121	Occlusion	1	true	1			
TissueMNIST	DenseNet-121	DeepLift	1	true	1	1	0.058259	6.5947e+08
TissueMNIST	DenseNet-121	GradientShap	1	true	1			
TissueMNIST	DenseNet-121	DeepLiftShap	1	true	1	1	0.052809	1.7365e+09
TissueMNIST	DenseNet-121	LRP	1	true	1			

B EfficientNet-B0

Table 3: TissueMNIST-EfficientNet-B0

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
TissueMNIST	EfficientNet-B0	Saliency	1	true	1	1	0.252425	3.8024e+08
TissueMNIST	EfficientNet-B0	InputXGradient	1	true	1	1	0.181233	3.8265e+08
TissueMNIST	EfficientNet-B0	IntegratedGradients	1	true	1	1	0.037191	4.5561e+09
TissueMNIST	EfficientNet-B0	GuidedBackprop	1	true	1			
TissueMNIST	EfficientNet-B0	Deconvolution	1	true	1			
TissueMNIST	EfficientNet-B0	FeatureAblation	1	true	1			
TissueMNIST	EfficientNet-B0	Occlusion	1	true	1			
TissueMNIST	EfficientNet-B0	DeepLift	1	true	1	1	0.023244	2.7867e+08
TissueMNIST	EfficientNet-B0	GradientShap	1	true	1			
TissueMNIST	EfficientNet-B0	DeepLiftShap	1	true	1	1	0.022673	6.5413e+08
TissueMNIST	EfficientNet-B0	LRP						

C MobileNetV3-Large

Table 4: TissueMNIST-MobileNetV3-Large

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
TissueMNIST	MobileNetV3-Large	Saliency	1	true	1			
TissueMNIST	MobileNetV3-Large	InputXGradient	1	true	1			
TissueMNIST	MobileNetV3-Large	IntegratedGradients	1	true	1	1	0.024564	2.4103e+09
TissueMNIST	MobileNetV3-Large	GuidedBackprop	1	true	1			
TissueMNIST	MobileNetV3-Large	Deconvolution	1	true	1			
TissueMNIST	MobileNetV3-Large	FeatureAblation	1	true	1			
TissueMNIST	MobileNetV3-Large	Occlusion	1	true	1			
TissueMNIST	MobileNetV3-Large	DeepLift	1	true	1	1	0.020956	2.2835e+08
TissueMNIST	MobileNetV3-Large	GradientShap	1	true	1			
TissueMNIST	MobileNetV3-Large	DeepLiftShap	1	true	1	1	0.021406	5.0209e+08
TissueMNIST	MobileNetV3-Large	LRP						

D ResNet-18

Table 5: TissueMNIST–ResNet-18

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
TissueMNIST	ResNet-18	Saliency	1		1			
TissueMNIST	ResNet-18	InputXGradient	1		1			
TissueMNIST	ResNet-18	IntegratedGradients	1	true	1	1	0.035272	1.2722e+09
TissueMNIST	ResNet-18	GuidedBackprop	1		1			
TissueMNIST	ResNet-18	Deconvolution	1		1			
TissueMNIST	ResNet-18	FeatureAblation	1	true	1			
TissueMNIST	ResNet-18	Occlusion	1	true	1			
TissueMNIST	ResNet-18	DeepLift	1		1			
TissueMNIST	ResNet-18	GradientShap	1	true	1			
TissueMNIST	ResNet-18	DeepLiftShap	1	true	1	1	0.016902	4.4585e+08
TissueMNIST	ResNet-18	LRP	1	true	1			

E ResNet-50

Table 6: TissueMNIST–ResNet-50

Dataset	Model	Method	Finite Fraction	Target Sensitive	Selected Batch Size	Attack Batch Size	Attack Seconds Per Sample	Attack Peak Cuda Bytes
TissueMNIST	ResNet-50	Saliency	1		1			
TissueMNIST	ResNet-50	InputXGradient	1		1			
TissueMNIST	ResNet-50	IntegratedGradients	1	true	1	1	0.073951	4.5233e+09
TissueMNIST	ResNet-50	GuidedBackprop	1		1			
TissueMNIST	ResNet-50	Deconvolution	1		1			
TissueMNIST	ResNet-50	FeatureAblation	1	true	1			
TissueMNIST	ResNet-50	Occlusion	1	true	1			
TissueMNIST	ResNet-50	DeepLift	1		1			
TissueMNIST	ResNet-50	GradientShap	1	true	1			
TissueMNIST	ResNet-50	DeepLiftShap	1	true	1	1	0.026137	1.2474e+09
TissueMNIST	ResNet-50	LRP	1	true	1			