

Interestingness Measures: Lift and χ^2

Interestingness Measure: Lift

- Measure of dependent/correlated events: **lift**

$$lift(B,C) = \frac{c(B \rightarrow C)}{s(C)} = \frac{s(B \cup C)}{s(B) \times s(C)}$$

Lift is more telling than s & c

	B	¬B	$\sum_{row}$
C	400	350	750
¬C	200	50	250
$\sum_{col.}$	600	400	1000

- Lift(B, C) may tell how B and C are correlated
  - Lift(B, C) = 1: B and C are independent
  - > 1: positively correlated
  - < 1: negatively correlated
- For our example,

$$lift(B,C) = \frac{400/1000}{600/1000 \times 750/1000} = 0.89$$

$$lift(B,\neg C) = \frac{200/1000}{600/1000 \times 250/1000} = 1.33$$

- Thus, B and C are negatively correlated since lift(B, C) < 1;
  - B and ¬C are positively correlated since lift(B, ¬C) > 1

Interestingness Measure: χ^2

- Another measure to test correlated events: **χ^2**

$$\chi^2 = \sum \frac{(Observed - Expected)^2}{Expected}$$

	B	¬B	Σ_{row}
C	400 (450)	350 (300)	750
¬C	200 (150)	50 (100)	250
Σ_{col}	600	400	1000

Expected value

Observed value

- General rules
  - **χ^2** = 0: independent
  - **χ^2** > 0: correlated, either positive or negative, so it needs additional test
- Now, $\chi^2 = \frac{(400-450)^2}{450} + \frac{(350-300)^2}{300} + \frac{(200-150)^2}{150} + \frac{(50-100)^2}{100} = 55.56$
- **χ^2** shows B and C are negatively correlated since the expected value is 450 but the observed is only 400
- **χ^2** is also more telling than the support-confidence framework

Lift and χ^2: Are They Always Good Measures?

- Null transactions: Transactions that contain neither B nor C
- Let's examine the dataset D
  - BC (100) is much rarer than B¬C (1000) and ¬BC (1000), but there are many ¬B¬C (100000)
  - Unlikely B & C will happen together!
- But, Lift(B, C) = 8.44 >> 1 (Lift shows B and C are strongly positively correlated!)
- χ^2 = 670: Observed(BC) >> expected value (11.85)
- *Too many null transactions may "spoil the soup"!*

	B	¬B	$\sum_{row}$
C	100	1000	1100
¬C	1000	100000	101000
$\sum_{col.}$	1100	101000	102100

null transactions

Contingency table with expected values added

	B	¬B	$\sum_{row}$
C	100 (11.85)	1000	1100
¬C	1000 (988.15)	100000	101000
$\sum_{col.}$	1100	101000	102100