

Code save > <> 19110145_TKWEB Lab03.html > ...

```
1  <!DOCTYPE html>
2  <html>
3
4  <head>
5      <meta charset="utf-8">
6      <title>Bai 1</title>
7      <link rel="stylesheet" href="Bai1.css" type="text/css">
8  </head>
9
10 <body>
11     <div id="body">
12         <div id="header">
13             </div>
14         <div id="nav">30 Dec 08</div>
15         <div id="main">
16             <h2>Menu</h2>
17             <ul>
18                 <li><a href="#">Link</a> </li>
19                 <li><a href="#">Link</a> </li>
20                 <li><a href="#">Link</a> </li>
21                 <li><a href="#">Link</a> </li>
22             </ul>
23         </div>
24         <div id="sidebar">
25             <h2>Two Column with Header & Footer & Footer</h2>
26             <h3>Ver 1.0</h3>
27             <p>There is a main outer div which centers the page and is a fixed width. There are 4 main div's within this outer div, header (#hdr)
28             and the right div which is for our content.
29             </p>
30         </div>
31     </div>
32     <div id="footer">Copyright(c). You 2008</div>
33 </div>
```

FILE BAI1.CSS

Visual Studio Code interface showing two CSS files being edited side-by-side.

Left Editor (Bai1.css):


```
1  html {
2      margin: 0;
3      padding: 0;
4      background-color: #666262;
5  }
6
7  body {
8      margin: 0;
9      padding: 0;
10     background-color: #666262;
11 }
12
13 #body {
14     padding: 0;
15     margin: 10px;
16     border-style: solid;
17     border-width: 1px;
18     width: 800px;
19     background-color: #BBABAB;
20 }
21
22 #header {
23     text-align: center;
24     background: #CFD0D4;
25 }
26
27 #nav {
28     padding: 5px 10px;
29     background: #A49E9E;
30     border-top: 1px solid black;
31 }
32
33 #main {
```

Right Editor (Bai1.css):

```
33 #main {
34     float: left;
35     width: 224px;
36     padding: 10px;
37     background: #CFD0D4;
38     border-top: 1px solid black;
39     border-bottom: 1px solid black;
40     border-right: 1px solid black;
41     text-align: center;
42     height: 250px;
43 }
44
45 #sidebar {
46     float: right;
47     width: 530px;
48     padding: 10px;
49     background: white;
50     border-bottom: 1px solid black;
51     border-top: 1px solid black;
52     height: 250px;
53     text-align: center;
54 }
55
56 #footer {
57     text-align: center;
58     background: #CFD0D4;
59 }
60
61 #main ul {
62     margin: 0;
63     padding: 0;
64     list-style: none;
```

Bottom Bar:

- Select Python Interpreter
- 0 1
- Live Share
- d:/Code s
- Task View
- Ln 19, Col 4
- Spaces: 4
- UTF-8
- CRLF
- CSS
- Go Live
- lkte: ready
- Prettier
- Formatting: X
- ENG
- 2:21 PM
- 11/29/2021



Your Logo

30 Dec 08

Menu

[Link](#)
[Link](#)
[Link](#)
[Link](#)

Two Column with Header & Footer & Footer

Ver 1.0

There is a main outer div which centers the page and is a fixed width. There are 4 main div's within this outer div, header (#hdr), bar(#bar), body(#body) and footer (#ftr). The body div holds 2 more divs, the left div which is for navigation and the right div which is for our content.

Copyright(c). You 2008

BÀI 2

Visual Studio Code interface showing the code editor for 19110145_TKWEB Lab03.html. The code is an HTML document with a CSS3 3-column layout.

```
Code save > 19110145_TKWEB Lab03.html > ...
32     <div id= footer >copyright(c). You 2008</div>
33     </div>
34 </body>
35
36 </html>
37 <!doctype html>
38 <html>
39
40 <head>
41     <meta charset="utf-8">
42     <title>Bai 2</title>
43     <link href="Bai2.css" rel="stylesheet" type="text/css">
44 </head>
45
46 <body>
47     <div id="body">
48         <div id="header">
49             <h1>CSS 3 column with 1 center column Fluid</h1>
50         </div>
51         <div id="main">
52             <div id="content1"><b>Left Column: </b><i>230px </i>abc</div>
53             <div id="content2">
54                 <div id="content2-1"><b>Content Column: </b><i>Fluid </i> abc</div>
55                 <div id="content2-2"><b>Right Column: </b><i>200px </i>abc</div>
56             </div>
57         </div>
58         <div id="footer"> Dynamic Drive CSS Library</div>
59     </div>
60 </body>
61
62 </html>
63 <!doctype html>
64 <html>
```

Activate Windows
Go to Settings to activate Windows.

Select Python Interpreter 0 1 Live Share d:/Code save/19110145_TKWEB Lab03.html Preview Available Ln 92, Col 1 Spaces: 4 UTF-8 CRLF html Go Live kate: ready Prettier Formatting: X

EXPLORER

19110145_TKWEB Lab03.html # Bai2.css

OPEN EDITORS

GROUP 1

19110145_TKWEB... # Bai2.css Code... 2

GROUP 2

Bai2.css Cod... 2

UNTITLED (WORKSPACE)

Bai1.css

Bai2.css 2

Bai3.css

Bai4.css

Bai5.css

OUTLINE

TIMELINE Bai2.css

No timeline information was provided.

CS-SCRIPT - ACTIVE

TASK EXPLORER

MAVEN

Code save > # Bai2.css > #header

```

1  html {
2      padding: 0;
3      margin: 0;
4  }
5
6  body {
7      padding: 0;
8      margin: 0;
9  }
10
11 #body {
12     width: 800px;
13     margin: 0 auto;
14     background: #ffffff;
15 }
16
17 #header {
18     padding-bottom: 10px;
19     background: #d7dedf;
20 }
21
22 #content1 {
23     float: left;
24     width: 230px;
25     padding: 10px;
26     background: #ddfea0;
27     display: inline;
28 }
29
30 #content2 {
31     float: right;
32     width: 550px;
33 
```

Code save > # Bai2.css > #header

```

35 #content2-1 {
36     float: left;
37     padding: 10px;
38     width: 310px;
39     background: white;
40 }
41
42 #content2-2 {
43     float: right;
44     padding: 10px;
45     width: 200px;
46     background: #ffcf77;
47 }
48
49 #footer {
50     clear: both;
51     padding: 10px;
52     background: black;
53     color: gold;
54     text-decoration: underline;
55     text-align: center;
56 }
57
58 i {
59     font-weight: bold;
60     color: red;
61     font-size: 20px;
62 }
63
64 b {
65     font-size: 20px;
66 
```

Select Python Interpreter 0 2 Live Share d:/Code save/Bai2.css Ln 20, Col 2 Spaces: 4 UTF-8 CRLF CSS Go Live lita: ready Prettier Formatting: X

Search the web and Windows 2:42 PM 11/29/2021

CSS 3 column with 1 center column Fluid

Left Column: **230px** abc

Content Column: **Fluid** abc

Right Column: **200px**
abc

[Dynamic Drive CSS Library](#)

BÀI 3

File Edit Selection View Go Run Terminal Help 19110145_TKWEB Lab03.html - Untitled (Workspace) - Visual Studio Code

19110145_TKWEB Lab03.html X # BAICONGDIEM.css

Code save > 19110145_TKWEB Lab03.html > ...

```
61
62 </html>
63 <!doctype html>
64 <html>
65
66 <head>
67     <meta charset="utf-8">
68     <title>Bai 3</title>
69     <link href="Bai3.css" rel="stylesheet" type="text/css">
70 </head>
71
72 <body>
73     <ul>
74         <li><a href="#">HOME</a></li>
75         <li><a href="#">ABOUT US</a></li>
76         <li><a href="#">SERVICES</a></li>
77         <li>
78             <a href="#">SOLUTIONS</a>
79         </li>
80         <li>
81             <a href="#">CONTACT US</a>
82         </li>
83     </ul>
84 </body>
85
86 </html>
87
88
89
90
91
92
93
```

Activate Windows
Go to Settings to activate Windows.

Select Python Interpreter 0 1 Live Share d:/Code save/19110145_TKWEB Lab03.html Preview Available Ln 92, Col 1 Spaces: 4 UTF-8 CRLF html Go Live kate: ready Prettier Formatting: X

Search the web and Windows

2:20 PM 11/29/2021

FILE Bai3.css

File

Edit

Selection

View

Go

Run

Terminal

Help

19110145_TKW...

19110145_TKW...

Bai3.css

Code save

UNTITLED (WORKSPACE)

Bai1.css

Bai2.css

Bai3.css

Bai4.css

Bai5.css

OUTLINE

TIMELINE Bai3.css

No timeline information was provided.

CS-SCRIPT - ACTIVE

TASK EXPLORER

MAVEN

Bai3.css - Untitled (Workspace) - Visual Studio Code

Code save > # Bai3.css > li a: hover

1

{

2list-style-type: none;

3text-align: center;

4background-image: url(../TKWEB/images_Lab03/images_Lab03/menu_036_bg.jpg);

5margin: 10px;

6padding: 10px;

7overflow: hidden;

8width: 800px;

9}

10

11li {

12float: left;

13width: 120px;

14margin: 10px;

15padding: 1px;

16}

17

18li a {

19display: inline-block;

20text-decoration: none;

21text-align: center;

22font-weight: bold;

23}

24

25li a: hover {

26display: block;

27background-image: url(../TKWEB/images_Lab03/images_Lab03/menu_036_c.jpg);

28padding: 5px;

29color: rgb(63, 70, 77);

30}

Activate Windows

Go to Settings to activate Windows.

Select Python Interpreter

0 0

Live Share

d:/Code save/Bai3.css

Ln 30, Col 2

Spaces: 4

UTF-8

CRLF

CSS

Go Live

lkte: ready

Prettier

Formatting: X

2:22 PM

11/29/2021

HOME

ABOUT US

SERVICES

SOLUTIONS

CONTACT US

BÀI 4

code save > <> 19110145_TKWEB Lab03.html > ...

```
93  <!DOCTYPE html>
94  <html>
95
96  <head>
97      <meta charset="uft-8">
98      <title>BAI 4</title>
99      <link ref="stylesheet" href="Bai4.css" type="text/css">
100 </head>
101
102 <body>
103     <div id="menu">
104         <ul>
105             <li><a href="#">Item 1</a></li>
106             <li><a href="#">Item 2</a></li>
107             <li><a href="#">Folder 1<span></span></a>
108                 <ul class="sub-folder1">
109                     <li><a href="#">Sub Item 1.1</a></li>
110                     <li><a href="#">Sub Item 1.2</a></li>
111                 </ul>
112             </li>
113             <li><a href="#">Item 3</a></li>
114             <li>
115                 <a href="#">Folder 2<span></span></a>
116                 <ul class="sub-folder2">
117                     <li>
118                         <a href="#">Sub Item 2.1</a>
119                     </li>
120                     <li><a href="#">Sub Item 2.2</a></li>
121                 </ul>
122             </li>
123             <li><a href="#">Item 4</a></li>
124         </ul>
125     </div>
```

FILE Bai4.css

Code save > # Bai4.css > #menu li: hover .sub-folder1

```
1  body {
2      font-size: 18px;
3  }
4
5  #menu ul {
6      background: #25438A;
7      width: 160px;
8      padding: 0;
9      list-style-type: none;
10 }
11
12 #menu li {
13     width: auto;
14     height: 40px;
15     line-height: 40px;
16     border-bottom: 1px solid #eBeBeB;
17     border-right: 1px solid #eBeBeB;
18     padding: 0 1em;
19 }
20
21 #menu li: hover {
22     background: black;
23 }
24
25 #menu a {
26     text-decoration: none;
27     color: white;
28     font-weight: bold;
29     display: block;
30 }
31
32 #menu ul li {
33     position: relative;
```



Code save > # Bai4.css > #menu li: hover .sub-folder1

```
35
36 #menu .sub-folder1 {
37     position: absolute;
38     top: 0;
39     left: 160px;
40     display: none;
41 }
42
43 #menu li: hover .sub-folder1 {
44     display: block;
45 }
46
47 #menu li: hover .sub-folder2 {
48     display: block;
49 }
50
51 #menu .sub-folder2 {
52     position: absolute;
53     left: 160px;
54     top: 0;
55     display: none;
56 }
57
58 #menu ul li a span {
59     width: 0;
60     height: 0;
61     border-top: 10px solid transparent;
62     border-bottom: 10px solid transparent;
63     border-left: 10px solid white;
64     position: absolute;
65     margin-top: 10px;
66     margin-left: 40%;
67 }
```

Activate Windows
Go to Settings to activate Windows

Item 1	
Item 2	
Folder 1 ▶	Sub Item 1.1
Item 3	Sub Item 1.2
Folder 2 ▶	
Item 4	

BÀI 5

```
193
194 </html>-->
195 <!DOCTYPE html>
196 <html>
197
198 <head>
199     <meta charset="utf-8">
200     <title>BAI 5</title>
201     <link href="Bai5.css" rel="stylesheet" type="text/css">
202
203 </head>
204
205 <body>
206     <div id="menu">
207         <ul>
208             <li><a href="#">Trang chủ</a></li>
209             <li><a href="#">Kinh tế</a>
210                 <ul class="sub-menu">
211                     <li><a href="#">Tài chính</a></li>
212                     <li><a href="#">Chứng khoán</a></li>
213                     <li><a href="#">Doanh nghiệp</a></li>
214                     <li><a href="#">Doanh nhân</a></li>
215                 </ul>
216             </li>
217             <li><a href="#">Xã hội</a></li>
218             <li><a href="#">Văn hóa</a></li>
219             <li><a href="#">Thể thao</a></li>
220         </ul>
221     </div>
```

Code save > # Bai5.css > #menu ul li a: hover

```
1  @charset "utf-8";
2  * {
3      margin: 0;
4      padding: 0;
5  }
6
7  #menu ul {
8      list-style-type: none;
9      background: #ED2225;
10     text-align: center;
11     overflow: hidden;
12 }
13
14 #menu ul li {
15     display: inline-table;
16     width: 160px;
17     height: 40px;
18     line-height: 40px;
19     position: relative;
20     border-right: 1px solid #e8e8e8;
21 }
22
23 #menu ul li a {
24     color: black;
25     text-decoration: none;
26     display: block;
27     font-weight: bold;
28 }
29
30 #menu ul li a: hover {
31     color: white;
32 }
```

Code save > # Bai5.css > #menu ul li a: hover

```
30 #menu ul li a: hover {
31     color: white;
32 }
33
34 #menu ul li .sub-menu {
35     display: none;
36     position: absolute;
37 }
38
39 #menu ul li: hover .sub-menu {
40     display: block;
41     background: #63DAED;
42 }
43
44 #menu ul li ul a {
45     border-bottom: 2px dotted black;
46     border-left: 1px solid black;
47     border-right: 1px solid black;
48 }
```

file:///D:/Code%20save/19110145_TKWEB%20Lab03.html#

xpress  Amazon.com  Agoda.com

Trang chủ	Kinh tế	Xã hội	Văn hóa	Thể thao	
	Tài chính				
	Chứng khoán				
	Doanh nghiệp				
	Doanh nhân				

19110145_TKWEB Lab03.html X

BAICONGDIEM.css

Code save >

19110145_TKWEB Lab03.html >

html >

head >

link

```

177     <ul class="sub-menu">
178         <li>
179             <a href="#">Tài chính</a>
180         </li>
181         <li>
182             <a href="#">Chứng khoán</a>
183         </li>
184         <li>
185             <a href="#">Doanh nghiệp</a>
186             <ul class="test">
187                 <li><a href="#">Kiểm toán</a></li>
188                 <li><a href="#">Kế toán</a></li>
189                 <li><a href="#">Kinh doanh</a></li>
190             </ul>
191         </li>
192         <li><a href="#">Doanh nhân</a></li>
193     </ul>
194     <li>
195         <a href="#">Xã hội</a>
196     </li>
197     <li>
198         <a href="#">Văn hóa</a>
199     </li>
200     <li>
201         <a href="#">Thể thao</a>
202     </li>
203 </ul>
204 </div>
205 </body>
206
207 </html>

```

FILE CSS

File Edit Selection View Go Run Terminal Help

BAICONGDIEM.css - Untitled (Workspace) - Visual Studio Code

19110145_TKWEB Lab03.html

BAICONGDIEM.css

Code save > # BAICONGDIEM.css > #menu ul li: hover.test

```
1 @charset "utf-8";
2 * {
3     margin: 0;
4     padding: 0;
5 }
6
7 #menu ul {
8     list-style-type: none;
9     background: #ED2225;
10    text-align: center;
11 }
12
13 #menu ul li {
14     display: inline-table;
15     width: 160px;
16     height: 40px;
17     line-height: 40px;
18     position: relative;
19     border-right: 1px solid #e8e8e8;
20 }
21
22 #menu ul li a {
23     color: black;
24     text-decoration: none;
25     display: block;
26     font-weight: bold;
27 }
28
29 #menu ul li a: hover {
30     color: white;
31 }
32
33 #menu ul li .sub-menu {
```

BAICONGDIEM.css

Code save > # BAICONGDIEM.css > #menu ul li .sub-menu

```
33 #menu ul li .sub-menu {
34     display: none;
35     position: absolute;
36 }
37
38 #menu ul li: hover .sub-menu {
39     display: none;
40     background: #63DAED;
41 }
42
43 #menu ul li ul a {
44     border-bottom: 2px dotted black;
45     border-left: 1px solid black;
46     border-right: 1px solid black;
47 }
48
49 #menu ul ul .test {
50     left: 160px;
51     top: 0px;
52     position: absolute;
53     background: #38CCD8;
54     border-left: none;
55     display: none;
56 }
57
58 #menu ul ul li: hover.test {
59     display: block;
60 }
```

Select Python Interpreter 0 1 Live Share d:/Code save/BAICONGDIEM.css

Ln 33, Col 14 Spaces: 4 UTF-8 CRLF CSS Go Live kite: ready Prettier Formatting: X

Search the web and Windows

2:18 PM 11/29/2021



Trang chủ	Kinh tế	Xã hội	Văn hóa	Thể thao	
	Tài chính				
	Chứng khoán				
	Doanh nghiệp	Kiểm toán			
	Doanh nhân	Kế toán			
		Kinh doanh			