

FileEditSelectionViewGoRunTerminalHelp

TKWeb_lab05.html - Untitled (Workspace) - Visual Studio Code

TKWeb_lab05.html ×# Lab05.cssJS Lab05.js

Code save > TKWEB > <> TKWeb_lab05.html > html > head > script

1<!DOCTYPE html>

2<html lang="en">

3

4<head>

5<meta charset="UTF-8">

6<title>Bai 1</title>

7<script type="text/javascript">

8mssv = prompt("Nhap MSSV: ");

9hoten = prompt("Nhap Ho ten: ");

10lop = prompt("Nhap lop: ");

11document.write("<table width='100%' border='1' cellspacing='0' cellpadding='0'>");

12document.write("<tr align=center>");

13document.write("<td colspan='3'>" + "DANH SACH SINH VIEN" + "</td>");

14document.write("</tr>");

15document.write("<tr>");

16document.write("<td>" + "MSSV" + "</td>");

17document.write("<td>" + "Ho ten" + "</td>");

18document.write("<td>" + "Lop" + "</td>");

19document.write("</tr>");

20document.write("<tr>");

21document.write("<td>" + mssv + "</td>");

22document.write("<td>" + hoten + "</td>");

23document.write("<td>" + lop + "</td>");

24document.write("</tr>");

25document.write("</table>");

26</script>

Python 3.10.0 64-bit0 0CS-Script initializing...

Ln 8, Col 38Spaces: 4UTF-8CRLFhtmlGo Livekite: ready

Search the web and Windows

12:06 AM1/9/2022

file:///D:/Code%20save/TKWEB/TKWeb_lab05.html

ss Amazon.com Agoda.com

This page says

Nhap MSSV:

OK

Cancel

<> TKWeb_lab05.html ×

Lab05.css

JS Lab05.js



Code save > TKWEB > <> TKWeb_lab05.html > html > body > table.container > tr > td

```
34 <!DOCTYPE HTML>
35 <html lang="en">
36
37 <head>
38     <meta charset="UTF-8">
39     <title>Bai 2</title>
40     <style type="text/css">
41         .container {
42             border: 1px solid black;
43             width: 100%;
44             border-collapse: collapse;
45         }
46
47         td {
48             border: 1px solid black;
49         }
50     </style>
51     <script type="text/javascript">
52         function checkCPU() {
53             var chk = Document.frmCheckCPU.getElementById("chkCPU");
54             if (chk.checked == true) {
55                 Document.frmBuyCPU.getElementById("txtBuyCPU").disabled = true;
56             } else {
57                 Document.frmBuyCPU.getElementById("txtBuyCPU").disabled = false;
58             }
59         }
```




Activate Windows
Go to Settings to activate Windows.



TKWeb_lab05.html ×

Lab05.css

JS Lab05.js



Code save > TKWEB > <> TKWeb_lab05.html > html > body > table.container > tr > td


```
60     </script>
61 </head>
62
63 <body>
64     <table class="container">
65         <tr>
66             <td>STT</td>
67             <td>Tên hàng</td>
68             <td>Số lượng có</td>
69             <td>Số lượng mua</td>
70             <td>Đơn giá</td>
71             <td>Chọn mua</td>
72         </tr>
73         <tr>
74             <td>1</td>
75             <td>CPU</td>
76             <td>
77                 <form name="frmEnableCPU"><input type="text" id="txtCPU" /></form>
78             </td>
79             <td>
80                 <form name="frmBuyCPU"><input type="text" id="txtBuyCPU" /></form>
81             </td>
82             <td>100</td>
83             <td>
84                 <form name="frmCheckCPU"><input type="checkbox" id="chkCPU" onchange="checkCPU()" /></form>
85             </td>
```

Activate Windows
Go to Settings to activate Windows.

TKWeb_lab05.html ×

Lab05.css

JS Lab05.js



Code save > TKWEB > <> TKWeb_lab05.html > html > body > table.container > tr > td

```
89     <td>RAM</td>
90     <td>
91         <form name="frmEnableRAM"><input type="text" id="txtRAM" /></form>
92     </td>
93     <td>
94         <form name="frmBuyRAM"><input type="text" id="txtBuyRAM" /></form>
95     </td>
96     <td>50</td>
97     <td>
98         <form name="frmCheckRAM"><input type="checkbox" id="chkRAM" onclick="checkRAM()" /></form>
99     </td>
100 </tr>
101 <tr>
102     <td>3</td>
103     <td>HDD</td>
104     <td>
105         <form name="frmEnableHDD"><input type="text" id="txtHDD" /></form>
106     </td>
107     <td>
108         <form name="frmBuyHDD"><input type="text" id="txtBuyHDD" /></form>
109     </td>
110     <td>80</td>
111     <td>
112         <form name="frmCheckHDD"><input type="checkbox" id="chkHDD" onclick="checkHDD()" /></form>
113     </td>
114 </tr>
```




Activate Windows
Go to Settings to activate Windows.

TKWeb_lab05.html ×

Lab05.css

JS Lab05.js



Code save > TKWEB > <> TKWeb_lab05.html > html > body > table.container > tr > td

```
107 |         <td>
108 |             <form name="frmBuyHDD"><input type="text" id="txtBuyHDD" /></form>
109 |         </td>
110 |         <td>80</td>
111 |         <td>
112 |             <form name="frmCheckHDD"><input type="checkbox" d="chkHDD" onclick="checkHDD()" /></form>
113 |         </td>
114 |     </tr>
115 |     <tr>
116 |         <td></td>
117 |         <td>
118 |             <form name="frmOK">
119 |                 <input type="button" id="btnOK" value="OK"></form>
120 |         </td>
121 |         <td colspan="2">Tổng :</td>
122 |         <td>
123 |             <form name="frmSUM">
124 |                 <input type="text" id="txtSUM" />
125 |             </td>
126 |         <td>
127 |             <form name="frmVAT"><input type="checkbox" id="chkVAT">VAT</form>
128 |         </td>
129 |     </tr>
130 | </table>
131 | </body>
132 |
133 | </html>
```



Activate Windows
Go to Settings to activate Windows.

Python 3.10.0 64-bit 0 0 CS-Script initializing...

Ln 67, Col 30

Spaces: 4


UTF-8

CRLF

html

Go Live

kite: ready





| STT | Tên hàng | Số lượng có | Số lượng mua | Đơn giá | Chọn mua |
|-----|-----------------------------------|----------------------|----------------------|----------------------|------------------------------|
| 1 | CPU | <input type="text"/> | <input type="text"/> | 100 | <input type="checkbox"/> |
| 2 | RAM | <input type="text"/> | <input type="text"/> | 50 | <input type="checkbox"/> |
| 3 | HDD | <input type="text"/> | <input type="text"/> | 80 | <input type="checkbox"/> |
| | <input type="button" value="OK"/> | Tổng : | | <input type="text"/> | <input type="checkbox"/> VAT |

<> TKWeb_lab05.html ×

Lab05.css

JS Lab05.js



Code save > TKWEB > <> TKWeb_lab05.html > html > body > table.container > tr > td

```
135 <!DOCTYPE HTML>
136 <html>
137
138 <head>
139     <meta charset="utf-8">
140     <title>Bai 3</title>
141     <style>
142         html* {
143             margin: 0;
144             padding: 0;
145         }
146
147         .container {
148             background-color: black;
149             width: 540px;
150             margin: 100px auto;
151         }
152
153         .clock {
154             position: relative;
155             background-image: url(../images_Lab05/clock-04.png);
156             width: 500px;
157             height: 500px;
158             background-size: contain;
159             color: green;
160             border-radius: 50%;
```



Activate Windows
Go to Settings to activate Windows.

Python 3.10.0 64-bit 0 0 CS-Script initializing...

Ln 67, Col 30

Spaces: 4

UTF-8

CRLF

html

Go Live


kite: ready



<> TKWeb_lab05.html ×

Lab05.css

JS Lab05.js



Code save > TKWEB > <> TKWeb_lab05.html > html > body > table.container > tr > td

```
161     background-color: rgb(19, 18, 18);
162     border: 20px solid green;
163     display: flex;
164     align-items: center;
165 }
166
167 .h-hand {
168     position: absolute;
169     left: 240px;
170     top: 155px;
171     background-image: url(./images_Lab05/hour.png);
172     height: 100px;
173     width: 20px;
174     background-size: 20px 100px;
175     transform-origin: 50% 95%;
176     border-radius: 4px;
177     outline: 100px solid transparent;
178 }
179
180 .m-hand {
181     position: absolute;
182     left: 240px;
183     top: 80px;
184     background-image: url(./images_Lab05/min.png);
185     height: 180px;
186     width: 20px;
```




Activate Windows
Go to Settings to activate Windows.



<> TKWeb_lab05.html ×

Lab05.css

JS Lab05.js



Code save > TKWEB > <> TKWeb_lab05.html > html

```
204     .digital {
205         position: absolute;
206         left: 135px;
207         top: 300px;
208         opacity: 0.3;
209     }
210
211     input {
212         color: green;
213         font-size: 50px;
214         background-color: black;
215         border: none;
216     }
217 </style>
218 <script>
219     function rClock() {
220         clock();
221         setInterval(Clock, 1000);
222     }
223
224     function clock() {
225         var date = new Date();
226         var time = [date.getHours(), date.getMinutes(), date.getSeconds()];
227         var clockDivs = [document.getElementById("hour"), document.getElementById("min"), document.getElementById("sec")];
228         var hour = time[1] + time[0] * 30;
229         clockDivs[0].style.transform = "rotate(" + hour + "deg)";
```

Activate Windows
Go to Settings to activate Windows.



<> TKWeb_lab05.html ×


Lab05.css

JS Lab05.js

Code save > TKWEB > <> TKWeb_lab05.html > html

```
227 var clockDivs = [document.getElementById("hour"), document.getElementById("min"), document.getElementById("sec")];
228 var hour = time[1] + time[0] * 30;
229 clockDivs[0].style.transform = "rotate(" + hour + "deg)";
230 clockDivs[1].style.transform = "rotate(" + time[1] * 6 + "deg)";
231 clockDivs[2].style.transform = "rotate(" + time[2] * 6 + "deg)";
232 var time = new Date();
233 var hours = time.getHours();
234 var minutes = time.getMinutes();
235 var hour = (hours > 12) ? hours - 12 : hours;
236 var minute = ((minutes < 10) ? ":0" : ":") + minutes;
237 var display = " " + hours + minute + ((hours > 12) ? "PM" : "AM");
238 document.ClockDiv.ClockText.value = display;
239 }
240 </script>
241 </head>
242
243 <body onLoad="rClock()">
244   <div class="container">
245     <div class="clock">
246       <div class="h-hand" id="hour"></div>
247       <div class="m-hand" id="min"></div>
248       <div class="s-hand" id="sec"></div>
249       <div class="digital" id="dgt">
250         <form name="ClockDiv">
251           <input type="text" name="ClockText" size="5"></form>
252         </div>
253     </div>
```

Activate Windows
Go to Settings to activate Windows.



<> TKWeb_lab05.html ×

Lab05.css

JS Lab05.js

Code save > TKWEB > <> TKWeb_lab05.html > html > body > div#khung > div.clear

```
257 </html>-->
258 <!DOCTYPE HTML>
259 <html>
260
261 <head>
262     <meta charset="utf-8">
263     <title>Bai 4</title>
264     <link href="Lab05.css" rel="stylesheet" type="text/css">
265 </head>
266
267 <body>
268     <div id="khung">
269         <input type="text" id="result" value="0">
270         <div class="clear"></div>
271         <div class="button first" onClick="ClickButton(this)">CE</div>
272         <div class="button" onClick="ClickButton(this)">&lt;-</div>
273         <div class="button" onClick="ClickButton(this)">%</div>
274         <div class="button" onClick="ClickButton(this)">+</div>
275
276         <div class="clear"></div>
277         <div class="button first" onClick="ClickButton(this)">7</div>
278         <div class="button" onClick="ClickButton(this)">8</div>
279         <div class="button" onClick="ClickButton(this)">9</div>
280         <div class="button" onClick="ClickButton(this)">-</div>
281
282         <div class="clear"></div>
283         <div class="button first" onClick="ClickButton(this)">4</div>
```



Activate Windows
Go to Settings to activate Windows.

Python 3.10.0 64-bit 0 0 CS-Script initializing...

Ln 288, Col 34 Spaces: 4 UTF-8 CRLF html Go Live kite: ready

<> TKWeb_lab05.html ×

Lab05.css

JS Lab05.js

Code save > TKWEB > <> TKWeb_lab05.html > html > body > div#khung > div.clear

```
278 <div class="button" onClick="ClickButton(this)">8</div>
279 <div class="button" onClick="ClickButton(this)">9</div>
280 <div class="button" onClick="ClickButton(this)">-</div>
281
282 <div class="clear"></div>
283 <div class="button first" onClick="ClickButton(this)">4</div>
284 <div class="button" onClick="ClickButton(this)">5</div>
285 <div class="button" onClick="ClickButton(this)">6</div>
286 <div class="button" onClick="ClickButton(this)">x</div>
287
288 <div class="clear"></div>
289 <div class="button first" onClick="ClickButton(this)">1</div>
290 <div class="button" onClick="ClickButton(this)">2</div>
291 <div class="button" onClick="ClickButton(this)">3</div>
292 <div class="button" onClick="ClickButton(this)">/</div>
293
294 <div class="clear"></div>
295 <div class="button first" onClick="ClickButton(this)">0</div>
296 <div class="button" onClick="ClickButton(this)">+/-</div>
297 <div class="button" onClick="ClickButton(this)">.</div>
298 <div class="button" onClick="ClickButton(this)">=</div>
299
300 <div class="clear"></div>
301 </div>
302 <script type="text/javascript" src="Lab05.js"></script>
303 </body>
304
```

Activate Windows
Go to Settings to activate Windows.

Code save > TKWEB > # Lab05.css > #result

```
1  body {
2      font-family: Arial;
3      font-size: 18px;
4      padding: 200px 0px 0px 200px;
5  }
6
7  body>#khung {
8      background-color: rgb(103, 103, 241);
9  }
10
11 #khung {
12     margin: 0px;
13     padding: 30px 15px 15px 15px;
14     border: 2px solid rgb(56, 56, 158);
15     width: 285px;
16     border-radius: 20px;
17     box-shadow: 3px 10px 10px -6px black;
18 }
19
20 .clear {
21     clear: both;
22 }
23
24 #result {
25     margin: 0px 0px 15px 0px;
26     padding: 10px;
```


Code save > TKWEB > # Lab05.css > #result

```

27     text-align: right;
28     width: 265px;
29     font-size: 20px;
30     border: 1px solid #333;
31 }
32
33 .button {
34     margin: 0px 0px 15px 15px;
35     padding: 10px 10px 10px 10px;
36     float: left;
37     text-align: center;
38     text-transform: uppercase;
39     background-color: #000000;
40     color: #FFFFFF;
41     width: 40px;
42     border-radius: 10px;
43     box-shadow: 0 8px 6px -6px #000000;
44 }
45
46 .button.first {
47     margin-left: 0px;
48 }
49
50 .button:hover {
51     background-color: #808080;
52 }

```

