



1		2		3		4	
A							
B							
C							
D							
1		2		3		4	

Title			
Size A	Number		Revision
Date:	2/25/2026		Sheet of
File:	D:\08_Semester 8\..Index Page.SchDoc		Drawn By:




Title		
Size	Number	Revision
A3		
Date:	2/25/2026	Sheet of
File:	D:\08 Semester 8\...\Block Diagram.Sch	Drawn By:




Title		
Size A3	Number	Revision
Date: 2/25/2026	Sheet of	
File: D:\08 Semester 8\Power Tree\SchDoc	Drawn By:	

DC JACK & FILTER


DC IN 12 - 24V




TEST POINT & POWER LEDs




BUCK - CONVERTER - 5V




BUCK - CONVERTER - 3.3V



ISOLATED - CONVERTER 5V_RS485




PIN 3V FOR RTC




Title		
Size	Number	Revision
A3		
Date:	2/25/2026	Sheet of
File:	D:\08 Semester 8\Power Supply Sch	Drawn By:


POWER FILTERs & POWER LEDs




RJ45 PORT



ETHERNET - W5500




MODE SWITCH & CRYSTAL & RESET BUTTON




Title		
Size	Number	Revision
A3		
Date:	2/25/2026	Sheet of
File:	D:\08 Semester 8\...\Ethernet.SchDoc	Drawn By:

COMMUNICATE WITH MCU


PORT 1



PORT 2




CONNECTORs & TEST POINTs




RS485 PORTS


PORT 1



PORT 2




POWER LEDs & POWER FILTERs




Title		
Size A3	Number	Revision
Date: 2/25/2026	Sheet of	
File: D:\08 Semester 8\...\RS485 Port.SchDoc	Drawn By:	


USER BUTTON



LCD 16x4A




ENCODER




Title		
Size A3	Number	Revision
Date:	2/25/2026	Sheet of
File:	D:\08 Semester 8\...User Interface.Sch	Drawn By:


POWER FILTERs & POWER LEDs




EEPROM MEMORY



MOUNTING HOLES




REAL TIME CLOCK (RTC)




Title		
Size	Number	Revision
A3		
Date:	2/25/2026	Sheet of
File:	D:\08 Semester 8\...RTC and EEPROM	Author By:


POWER FILTER & TEST POINTs



BOOT & RESET BUTTONs & POWER LEDs




MICROCONTROLLER



Strapping Pin	Default Configuration	Bit Value
GPIO0	Weak pull-up	1
GPIO3	Floating	-
GPIO45	Weak pull-down	0
GPIO46	Weak pull-down	0

FLASH & DEBUG - USB TYPE C



Auto program

DTR	RTS	EN	IO0	IO2
1	1	1	1	1
0	0	1	1	1
1	0	0	1	1
0	1	1	0	0

Title		
Size	Number	Revision
A3		
Date:	2/25/2026	Sheet of
File:	D:\08 Semester 8\MCU.SchDoc	Drawn By: