



Core components:


ESP32 Development Board:

- **Use:** This is the main microcontroller that will serve as the brain of the security system. It will process inputs from the sensors, control the outputs, and handle communication via Wi-Fi.



PIR Motion Sensors:

- **Use:** These sensors detect motion within a certain range. When movement is detected, they send a signal to the ESP32, which can then trigger an alert or other action.



Magnetic Door Sensors:


- **Use:** The sensors detect the opening and closing of doors or windows. They consist of a magnet and a sensor; when the magnet moves away from the sensor (door/window

opens), the sensor sends a signal to the ESP32.




Breadboard:

- **Use:** The breadboard is used for prototyping the circuit without soldering. It allows you to easily connect components with jumper wires and make adjustments to the circuit.




Jumper Wires:

- **Use:** These wires are used to connect different components on the breadboard and to the ESP32. They provide the necessary electrical connections for the circuit.




Power Supply (USB or Battery):

- **Use:** The power supply provides the necessary voltage and current to power the ESP32 and other connected components.




Buzzer:

- **Use:** The buzzer is used to produce an audible alert when motion is detected or a door/window is opened. This serves as an alarm to deter intruders.


**Resistors:**

- **Use:** Resistors are used to limit the current flow in the circuit and protect sensitive components. They are especially useful when connecting LEDs and sensors.



LEDs:

- **Use:** LEDs can be used as visual indicators. For example, an LED can light up to show that the system is armed, motion is detected, or a door/window is open.



Optionals:

ESP32-CAM Module:

Use: The camera module can be used for capturing images or streaming video. It's useful for visual monitoring and recording evidence when motion is detected.



MicroSD Card Module:

- **Use:** This module can be used to store images or videos captured by the ESP32-CAM. It provides local storage for the security system.

Real-Time Clock (RTC) Module:

- **Use:** The RTC module keeps track of the current time and date. It is useful for timestamping events, such as when motion was detected or a door/window was opened.