

Make a simple endpoint

```
@RestController
public class HelloController {


    @GetMapping("/hello")
    public ResponseEntity<Map<String, String>> hello() {
        Map<String, String> map = new HashMap<>();
        map.put("message", "Hello from SpringBoot!");

        return ResponseEntity.ok(map);
    }
}
```


Set up https in application.properties. The url of the endpoint will be `https://localhost:8443/hello`

```
# Server HTTPS settings
server.port=8443
server.ssl.key-store=classpath:myapp.jks
server.ssl.key-store-password=rootuser
server.ssl.key-alias=myapp
server.ssl.key-store-type=JKS
```

Turn on SSL certificate verification on POSTMAN



Now, visiting the endpoint <https://localhost:8443/hello> will give an error:



Run the following commands in the project folder to generate self-sign SSL/TLS:

```
keytool -genkeypair \  
-alias myapp \  
-keyalg RSA \  
-keysize 2048 \  
-storetype JKS \  
-keystore src/main/resources/myapp.jks \  
-validity 3650
```

First name and last name should be set to “localhost”, the rest is optional

This will make a myapp.jks file.


Move that file to “/main/resources” folder

Export .crt file with this command

```
keytool -export -alias myapp \  
-keystore src/main/resources/myapp.jks \  
-rfc -file src/main/resources/myapp.crt
```

The `-rfc` flag ensures the file starts with `-----BEGIN CERTIFICATE-----`, which Postman prefers.

Now import the .crt file in postman.



It works!

The screenshot shows the Postman API client interface. The top bar includes navigation links (Home, Workspaces, API Network), a search bar, and user options (Invite, Upgrade). A notification banner at the top states: "We're updating our plans and pricing on March 1. See [our blog](#) for more details."

The left sidebar displays the "My Workspace" structure with a tree view of collections and environments. The "spring-security" collection is expanded, showing a "GET hello" request.

The main panel shows the details of the "GET hello" request. The URL is "https://localhost:8443/hello". The response status is "200 OK" with a response time of "24 ms" and a body size of "200 B". The response body is a JSON object:

```
{  "message": "Hello from SpringBoot!"}
```

The bottom status bar includes various utility icons: Cloud View, Find and replace, Console, Terminal, Runner, Start Proxy, Cookies, Vault, Trash, and a help icon.