

DBC 释义

0x370 时间

0.999800 CAN 1 370			HUT34
Time_Hour	11		
TimeMod	24		
TimeIndcn	am		
Time_Minutes	41		
Time_Second	16		
Time_Year_Right	4		
Time_Year_Left	2		
Time_Month	4		
Time_Day	18		

0x452 车辆实时位置、速度、角度、方向盘转角、拐弯半径

0.019000 CAN 2 452			Debug_APA_0x452	CAN FD Frame
APACurDrvInfo_SteeringAngle	-0.4425 Deg			-0.0077
APACurDrvInfo_CarTurnRadius	0.3800 m			17C
TrajCalSubLaneObjX	-4968 mm			EC98
APACurDrvInfo_VehSpd	0.0000 km/h			0.0000
APACurDrvInfo_CarAngle	-4.3819 Deg			-0.0765
APACurDrvInfo_CarPos_X	-0.4730 m			FE27
APACurDrvInfo_CarPos_Y	1.8640 m			748

0x451 当前命令, running 状态, APADisablecause

0.003500 CAN 2 451	Debug_APA_0x451	CAN FD Frame	Rx 15 64	15 00 00 00 00 15
APAIPCDInfo_APAStatus		5	5	
cIGNPinIOState	0x1: VOL_ABOVE_SWITCH_THRESHOLD		1	
APAIPCDInfo_DisplayCmd	APA Not Available		0	
ParkProcCarMayHitObj12CorSeq	NoHitObj		0	
VehMotCtrlCarParkingState	Off		0	
PCalTrgPosNewTargetPosMode	0		0	
APASlotCorPangSlotRRSCorSeq	0		0	
TraJCalParkingSenarioType	PerpendRearIn_Normal		0	
VehStopReqChangeGearPos	REQ_CHANGE_GEAR_POS_FWD		1	
Obj1Exit	1		1	
Obj2Exit	0		0	
APACarCurStepDrvDirection	1		1	
RearBumperHitObj12	0		0	
FrontBumperHitObj12	0		0	
SteeringCorAngSlotTurnAroundObj2	0		0	
ParkProgrPosUseToCalOutTargetDis	-2235 mm		F745	
MPACtrlMethod	CtrlledbyKey		0	
APFControlState	OFF		0	
APFConnectState	No Connect		0	
APFCtrlDisableCause	NO_CAUSES		0	
APATrajCalFailCause	0		0	
APALibVer	-1		FF	
ParkProcCurrentGearPosition	R		3	
APADisplayCmd	APA Not Available		0	
APAVehMotCtrlReqVehMotCtrlType	No_Req		0	
APAAutoParkingExitCause	SlotFoundDriveModeNotAutoTimeout		5	
ParkProcAPAParkingFailedCauses	APASStateGoOutFromActive		C	
APARunningState	Deactivation		0	
EBCMControlState	Off		0	
APAVehMotCtrlState	Off		0	
TraJCalCarParkingCurStepIndex	STEP_1		0	
AutoDrvProcDrivingFailedCauses	No Failure		0	
APAVPLSPIReceiveCnt	-75		B5	
PASAPAParkingSuspendCause	No Abort Cause		0	
APADisableCauses	No Cause		0	
AutoDrvDisableCauses	NO_CAUSES		0	
TraJCalAPATrajectoryCalResult	0		0	
DriverSelectSlotIndex	7		7	
TraJCalAPATrajectoryCalStatus	CALFINISHED		3	
ParkProcAPATrajectoryCalCmd	AutoSearchSlot		6	
TotalValidSlotNumber2	0		0	
TotalValidSlotNumber1	0		0	
cSlotUnValidCause	0		0	
MPARunningState	DEACTIVATED		0	
MPASState	OFF		0	
MPADisableCauses	NO_CAUSES		0	
MPAParkingFailedCauses	Without Failure		0	
cSysProcSubfunction	NONE		0	
MPACurDisplayCmd	PutTheGearToPark		1	

0x469 APAState APAMainDisableCause APASubDisableCause

0.005200 CAN 2 469	FuncStateInfo	
APAState		
APASStsMngParkoutSlotIsValidFlag		
APASStsMngParkoutSpaceIsValidFlag		
APASStsMngFrontObjIsDetectedFlag		
APACarParkingMode		
APAMainDisableCause		
APASubDisableCause		

0x77A 车位释放相关

cal			
☒	☒	Debug_CommonData_0x77A::APACarPar_USLeftSlotNum	0
☒	☒	Debug_CommonData_0x77A::APAVPLLeftSlotNum	0
☒	☒	Debug_CommonData_0x77A::APACommonFusionLeftSlotNum	0
☒	☒	Debug_APA_0x451::TotalValidSlotNumber1	0
☒	☒	Debug_CommonData_0x77A::APAVPLRightSlotNum	2
☒	☒	Debug_CommonData_0x77A::APACommonFusionRightSlotNum	2
☒	☒	Debug_APA_0x451::TotalValidSlotNumber2	1
☒	☒	Debug_CommonData_0x783::APATrajCalFailCause	RequestCal
☒	☒	Debug_CommonData_0x77A::APATrajCalCnt	6
☒	☒	Debug_CommonData_0x77A::APATrajCalFaildCnt	11
☒	☒	Debug_APA_0x451::TrajCalAPATrajectoryCalResult	1
☒	☒	Debug_CommonData_0x7... APASlotFusionFailPar_USSlotID	0
☒	☒	Debug_CommonData_0x... APASlotFusionFailPar_VPLSlotID	0
☒	☒	Debug_CommonData_0x7... APASlotFusionFailPar_FailType	0
☒	☒	Debug_CommonData_0x... APASlotFusionValidityCheckFail	0
☒	☒	Debug_CommonData_... APASlotFusionSlotSetInvalidIndex	0

0x5A1 0x5A3 RawOD MCU 收到的 OD 原始数据

0.039247	CAN 2	5A1	Debug_LABFus_VisRawData_0_3	CAN FD Frame	Rx
VOddObjNum			1	1	
VODStatus			2	2	
VODSynTimeStamp			28748	704C	
CameraIndex			0	0	
VisTimeStamp			52931	CBC3	
LABFusObjIndex			15	F	
VisObjRxObjInfoRawData_Type_Obj0			1	1	
Obj0_ObjCntrPt_Global_X			1728	6C0	
Obj0_ObjCntrPt_Global_Y			779	30B	
Obj0_RxObjCntrPt_X			168	15	
Obj0_RxObjCntrPt_Y			-664	AD	
ViObjObjInfoRawData_CfdLvl_Obj0			40	28	
VisObjRxObjInfoRawData_Type_Obj1			0	0	
Obj1_ObjCntrPt_Global_X			32767	7FFF	
Obj1_ObjCntrPt_Global_Y			32767	7FFF	
Obj1_RxObjCntrPt_X			-8	FF	
Obj1_RxObjCntrPt_Y			-8	FF	
ViObjObjInfoRawData_CfdLvl_Obj1			0	0	
VisObjRxObjInfoRawData_Type_Obj2			0	0	
Obj2_ObjCntrPt_Global_X			32767	7FFF	
Obj2_ObjCntrPt_Global_Y			32767	7FFF	
Obj2_RxObjCntrPt_X			-8	FF	
Obj2_RxObjCntrPt_Y			-8	FF	
ViObjObjInfoRawData_CfdLvl_Obj2			0	0	
VisObjRxObjInfoRawData_Type_Obj3			0	0	
Obj3_ObjCntrPt_Global_X			32767	7FFF	
Obj3_ObjCntrPt_Global_Y			32767	7FFF	
Obj3_RxObjCntrPt_X			-8	FF	
Obj3_RxObjCntrPt_Y			-8	FF	
ViObjObjInfoRawData_CfdLvl_Obj3			0	0	

0.042912	CAN 2	5A3	Debug_LAEBFus_VisRawData_4_9		CAN FD Frame
VisObjRxObjInfoRawData_Type_Obj4		0		0	
Obj4_ObjCntrPt_Global_X		32767		7FFF	
Obj4_ObjCntrPt_Global_Y		32767		7FFF	
Obj4_RxObjCntrPt_X		-8		FF	
Obj4_RxObjCntrPt_Y		-8		FF	
VisObjObjInfoRawData_CfdLv1_Obj4		0		0	
VisObjRxObjInfoRawData_Type_Obj5		0		0	
Obj5_ObjCntrPt_Global_X		32767		7FFF	
Obj5_ObjCntrPt_Global_Y		32767		7FFF	
Obj5_RxObjCntrPt_X		-8		FF	
Obj5_RxObjCntrPt_Y		-8		FF	
VisObjObjInfoRawData_CfdLv1_Obj5		0		0	
VisObjRxObjInfoRawData_Type_Obj6		0		0	
Obj6_ObjCntrPt_Global_X		0		0	
Obj6_ObjCntrPt_Global_Y		0		0	
Obj6_RxObjCntrPt_X		0		0	
Obj6_RxObjCntrPt_Y		0		0	
VisObjObjInfoRawData_CfdLv1_Obj6		0		0	
VisObjRxObjInfoRawData_Type_Obj7		0		0	
Obj7_ObjCntrPt_Global_X		0		0	
Obj7_ObjCntrPt_Global_Y		0		0	
Obj7_RxObjCntrPt_X		0		0	
Obj7_RxObjCntrPt_Y		0		0	
VisObjObjInfoRawData_CfdLv1_Obj7		0		0	
VisObjRxObjInfoRawData_Type_Obj8		0		0	
Obj8_ObjCntrPt_Global_X		0		0	
Obj8_ObjCntrPt_Global_Y		0		0	
Obj8_RxObjCntrPt_X		0		0	
Obj8_RxObjCntrPt_Y		0		0	
VisObjObjInfoRawData_CfdLv1_Obj8		0		0	
VisObjRxObjInfoRawData_Type_Obj9		12		C	
Obj9_ObjCntrPt_Global_X		-13108		CCCC	
Obj9_ObjCntrPt_Global_Y		-13108		CCCC	
Obj9_RxObjCntrPt_X		-416		CC	
Obj9_RxObjCntrPt_Y		-416		CC	
VisObjObjInfoRawData_CfdLv1_Obj9		204		CC	

0x776 VisOD OD 过滤后的数据

0.118216	CAN 2	776	Debug_CommonData_0x776		CAN FD Frame	Rx	15	64	1D 03 FA 75 21
ObjNum		29		1D					
VisObj_Index		3		3					
ObjCntrPtAtWorld_x		-1419		FA75					
ObjCntrPtAtWorld_y		8586		218A					
VisReadIndex		6		6					
VisObjSpeed_y		0		0					
VisObj_Type		精度		6					

0x77B 画线车位标志位

Parflag				
☒		Debug_CommonData_0x77B::APAVPLeftSlot1PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot2PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot3PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot4PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot5PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot6PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot7PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot8PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot9PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot10PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot11PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot12PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot1PtParFlag	4	
☒		Debug_CommonData_0x77B::APAVPLRightSlot2PtParFlag	12	
☒		Debug_CommonData_0x77B::APAVPLRightSlot3PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot4PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot5PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot6PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot7PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot8PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot9PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot10PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot11PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot12PtParFlag	0	

值	含义
0	默认值，车位无效
2	车位信息有更新
4	车位有效
8	轨迹计算成功
6	车位信息有更新且车位有效
12	车位有效且轨迹计算成功

0x77B SlotObjInfo

APADisplayCmd	0	0
APAVPLRightSlotObjInfo0	0	0
APAVPLRightSlotObjInfo1	0	0
APAVPLRightSlotObjInfo2	0	0
APAVPLRightSlotObjInfo3	0	0
APAVPLRightSlotObjInfo4	0	0
APAVPLRightSlotObjInfo5	0	0
APAVPLRightSlotObjInfo6	0	0
APAVPLRightSlotObjInfo7	0	0
APAVPLRightSlotObjInfo8	0	0
APAVPLRightSlotObjInfo9	0	0
APAVPLRightSlotObjInfo10	0	0
APAVPLRightSlotObjInfo11	0	0
APAVPLLeftSlotObjInfo0	0	0
APAVPLLeftSlotObjInfo1	0	0
APAVPLLeftSlotObjInfo2	0	0
APAVPLLeftSlotObjInfo3	0	0
APAVPLLeftSlotObjInfo4	0	0
APAVPLLeftSlotObjInfo5	0	0
APAVPLLeftSlotObjInfo6	0	0
APAVPLLeftSlotObjInfo7	0	0
APAVPLLeftSlotObjInfo8	0	0
APAVPLLeftSlotObjInfo9	0	0
APAVPLLeftSlotObjInfo10	0	0
APAVPLLeftSlotObjInfo11	0	0

0x77B 融合车辆的数据来源：1-SOC 赋值画线车位 slotobjinfo; 2-2D 车辆; 3-接地点车辆

APAVPLSlot_FusionSource_Left_0		
APAVPLSlot_FusionSource_Left_1		
APAVPLSlot_FusionSource_Left_2		
APAVPLSlot_FusionSource_Left_3		
APAVPLSlot_FusionSource_Left_4		
APAVPLSlot_FusionSource_Left_5		
APAVPLSlot_FusionSource_Left_6		
APAVPLSlot_FusionSource_Left_7		
APAVPLSlot_FusionSource_Left_8		
APAVPLSlot_FusionSource_Right_0		
APAVPLSlot_FusionSource_Right_1		
APAVPLSlot_FusionSource_Right_2		
APAVPLSlot_FusionSource_Right_3		
APAVPLSlot_FusionSource_Right_4		
APAVPLSlot_FusionSource_Right_5		
APAVPLSlot_FusionSource_Right_6		
APAVPLSlot_FusionSource_Right_7		
APAVPLSlot_FusionSource_Right_8		

VisObjDataProcVObjInfoObjNum	29	1D
VisObjData_Obj0_cType	2	2
VisObjData_Obj0_cID	2	2
VisObjData_Obj1_cType	2	2
VisObjData_Obj1_cID	3	3
VisObjData_Obj2_cType	13	D
VisObjData_Obj2_cID	5	5
VisObjData_Obj3_cType	13	D
VisObjData_Obj3_cID	5	5
VisObjData_Obj4_cType	13	D
VisObjData_Obj4_cID	6	6
VisObjData_Obj5_cType	13	D
VisObjData_Obj5_cID	5	5
VisObjData_Obj6_cType	13	D
VisObjData_Obj6_cID	6	6
VisObjData_Obj7_cType	1	1
VisObjData_Obj7_cID	4	4
VisObjData_Obj8_cType	2	2
VisObjData_Obj8_cID	7	7
VisObjData_Obj9_cType	13	D
VisObjData_Obj9_cID	5	5
VisObjData_Obj10_cType	13	D
VisObjData_Obj10_cID	6	6
VisObjData_Obj11_cType	0	0

0x77B 画线车位有效性

Parflag				
☒		Debug_CommonData_0x77B::APAVPLeftSlot1PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot2PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot3PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot4PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot5PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot6PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot7PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot8PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot9PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot10PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot11PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLeftSlot12PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot1PtParFlag	4	
☒		Debug_CommonData_0x77B::APAVPLRightSlot2PtParFlag	12	
☒		Debug_CommonData_0x77B::APAVPLRightSlot3PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot4PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot5PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot6PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot7PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot8PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot9PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot10PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot11PtParFlag	0	
☒		Debug_CommonData_0x77B::APAVPLRightSlot12PtParFlag	0	

0x772 VPL 角点数据

	name	hex	y
☒	Debug_CommonData_0x772::APAFusionInfo_Right_A_X	-	-
☒	Debug_CommonData...APAFusionInfo_Right_AB_SlotIndex	-	-
☒	Debug_CommonData...APAFusionInfo_Right_AB_SlotMode	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Right_A_Y	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Right_B_X	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Right_B_Y	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Right_C_X	-	-
☒	Debug_CommonData...APAFusionInfo_Right_CD_SlotIndex	-	-
☒	Debug_CommonData...APAFusionInfo_Right_CD_SlotMode	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Right_C_Y	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Right_D_X	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Right_D_Y	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Left_A_X	-	-
☒	Debug_CommonData...APAFusionInfo_Left_AB_SlotIndex	-	-
☒	Debug_CommonData...APAFusionInfo_Left_AB_SlotMode	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Left_A_Y	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Left_B_X	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Left_B_Y	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Left_C_X	-	-
☒	Debug_CommonData...APAFusionInfo_Left_CD_SlotIndex	-	-
☒	Debug_CommonData...APAFusionInfo_Left_CD_SlotMode	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Left_C_Y	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Left_D_X	-	-
☒	Debug_CommonData_0x772::APAFusionInfo_Left_D_Y	-	-

0x774 原始车位信息（包含轮档）

0.251000	CAN 2	774	Debug_CommonD
GetSlotInfo_VertexCoor_A_X		142	
GetSlotInfo_VertexCoor_A_Y		-692	
GetSlotInfo_VertexCoor_B_X		159	
GetSlotInfo_VertexCoor_B_Y		-2993	
GetSlotInfo_VertexCoor_C_X		5490	
GetSlotInfo_VertexCoor_C_Y		-2962	
GetSlotInfo_VertexCoor_D_X		5490	
GetSlotInfo_VertexCoor_D_Y		-718	
GetSlotInfo_VertexCoor_E_X		0	
GetSlotInfo_VertexCoor_E_Y		0	
GetSlotInfo_VertexCoor_F_X		0	
GetSlotInfo_VertexCoor_F_Y		1	
GetSlotInfo_VertexCoor_Index		0	
GetSlotInfo_VertexCoor_ObjInfo		1	
GetSlotInfo_VertexCoor_Property		3	
GetSlotInfo_VertexCoor_SlotNum		64	
GetSlotInfo_VertexCoor_SlotSide		-70	

OD 示意图相关

	普通CAN	CANFD			
VPL车位	0x773/0x774/0x775/0x776 (SlotMode = 0)	0x772 (SlotMode = 0)	棕色 (255, 163, 70)		只在找车位阶段绘制
USVPL车位	0x773/0x774/0x775/0x776 (SlotMode = 1)	0x772 (SlotMode = 1)	绿色 (0, 128, 0)		
OBJVPL车位	0x777/0x778/0x779/0x77A	0x772	黑色 (0, 0, 0)		
矫正之后的VPL车位	0x77B/0x77C	0x773	棕色 (255, 163, 70)		只在Active阶段绘制
SPI原始车位	0x775/0x776 (APA状态Active之后输出的坐标)	0x773	蓝色 (0, 160, 240)		只在Active阶段绘制
SPI叠加车位	0x709/0x70A/0x70C	0x77D	栗色 (100, 100, 40)		Active阶段只画Index为0的车位，找车位阶段全画
OD_行人	0x77E (ObjType = 1)	0x776 (ObjType = 1)	黑色 (0, 0, 0)		
OD_车辆	0x77E (ObjType = 2)	0x776 (OriginalVisObj_Type = 2)	枣红色 (136, 0, 27)		由之前的一个黑色的×改为4个枣红色圆点(接地点)
OD_两轮车	0x77E (ObjType = 3)	0x776 (ObjType = 3)	黑色 (0, 0, 0)		
OD_地锁	0x77E (ObjType = 5)	0x776 (ObjType = 5)	黑色 (0, 0, 0)		
OD_锥桶	0x77E (ObjType = 6)	0x776 (ObjType = 6)	红色 (255, 0, 0)		
OD_轮挡	0x77E (ObjType = 7)	0x776 (ObjType = 7)	红色 (255, 0, 0)		
OD_水马	NA	0x776 (ObjType = 8)	红色 (255, 0, 0)		
OD_警示牌	NA	0x776 (ObjType = 10)	紫色 (184, 61, 186)		
OD_禁停标志	NA	0x776 (ObjType = 11)	紫色 (184, 61, 186)		

激活 Windows

OD 枚举值

```

/* SODType */
#define kRespSOD_8C_GetSODStatus_02_SODType_Unknown 0
#define kRespSOD_8C_GetSODStatus_02_SODType_Pedestrian 1
#define kRespSOD_8C_GetSODStatus_02_SODType_FourWheelsVehicle 2
#define kRespSOD_8C_GetSODStatus_02_SODType_TwoWheelsVehicle 3
#define kRespSOD_8C_GetSODStatus_02_SODType_Rider 4
#define kRespSOD_8C_GetSODStatus_02_SODType_GroundLock 5
#define kRespSOD_8C_GetSODStatus_02_SODType_ConeBucket 6
#define kRespSOD_8C_GetSODStatus_02_SODType_WheelChock 7
#define kRespSOD_8C_GetSODStatus_02_SODType WaterHorse 8
#define kRespSOD_8C_GetSODStatus_02_SODType WarningPost 10
#define kRespSOD_8C_GetSODStatus_02_SODType_NoParkingSign 11
#define kRespSOD_8C_GetSODStatus_02_SODType_Reserved 12

```

画线车位 SlotObjInfo

```
/* Slot Object Info */
#define KAPA_44_SlotInfo_SlotObjInfo_None 0
#define KAPA_44_SlotInfo_SlotObjInfo_Pedestrian 1
#define KAPA_44_SlotInfo_SlotObjInfo_FourWheelVehicle 2
#define KAPA_44_SlotInfo_SlotObjInfo_TwoWheelVehicle 3
#define KAPA_44_SlotInfo_SlotObjInfo_Rider 4
#define KAPA_44_SlotInfo_SlotObjInfo_GroundLock 5
#define KAPA_44_SlotInfo_SlotObjInfo_ConeBucket 6
#define KAPA_44_SlotInfo_SlotObjInfo_WheelChock 7
#define KAPA_44_SlotInfo_SlotObjInfo_WaterHorse 8 liuww [9 wee
#define KAPA_44_SlotInfo_SlotObjInfo_SlashLine 9
#define KAPA_44_SlotInfo_SlotObjInfo_ForkLine 10
#define KAPA_44_SlotInfo_SlotObjInfo_Disabled 11
#define KAPA_44_SlotInfo_SlotObjInfo_NotEnoughSpace 12
#define KAPA_44_SlotInfo_SlotObjInfo_NoParkingSign 13
#define KAPA_44_SlotInfo_SlotObjInfo_WarningPost 14
#define KAPA_44_SlotInfo_SlotObjInfo_Reserve 15
```