

Discord relay (YaPDiscord)

Optional bridge between Minecraft and Discord. **Off by default** — enable only after webhooks and secrets are configured.

Components

Path	Role
plugins/yap-discord.jar	Plugin
plugins/YaPDiscord/config.yml	Webhooks, relay toggles, inbound HTTP
Dashboard Discord tab	Edit config without SSH (/api/discord)

Recommended setup order

1. **Moderation webhook** — Discord channel → Integrations → Webhooks → copy URL. Paste in dashboard or `webhooks.moderation`. Use **Test mod webhook**.
2. **Chat webhook** — separate channel for in-game chat mirror. Paste in `webhooks.chat`. Test.
3. **MC → Discord** — set `relay.mc-to-discord: true` (dashboard: MC → Discord chat = on). Requires chat webhook URL.
4. **Discord → MC** (optional) — only for bots posting into MC via HTTP: - Set `inbound.secret` to a long random string (not `change-me`). - Set `inbound.enabled: true` and `relay.discord-to-mc: true`. - Point your bot at `http://<host>:8765/discord/inbound` with the secret header.

Leave **Discord → MC off** until inbound is hardened. Public servers should bind inbound to localhost and reverse-proxy with auth if exposed.

Defaults (product)

```
webhooks:
  moderation: ""
  chat: ""

relay:
  mc-to-discord: false
  discord-to-mc: false

inbound:
  enabled: false
```

```
port: 8765
secret: "change-me"
```

Dashboard quick actions

Action	POST /api/discord
Save mod webhook	<code>{"action":"save-webhook","key":"moderation","url":"..."}</code>
Save chat webhook	<code>{"action":"save-webhook","key":"chat","url":"..."}</code>
Save relay	<code>{"action":"save-relay","mcToDiscord":"true","discordToMc":"false"}</code>
Reload plugin	<code>{"action":"reload"}</code>

Related

- [WEB_DASHBOARD.md](#) — Discord tab
- [COMMANDS.md](#) — in-game moderation (feeds mod webhook when configured)