

Anti-cheat vs region protection

YaPcore splits these into **different plugins** on purpose.

Plugin	Role	WorldGuard / Matrix analog
YaPRegions + YaPPlayerData claims	Cuboids, flags (pvp, build, entry, ...)	WorldGuard
YaPProtect	Block/container logging, rollback	CoreProtect
YaPGuard	Lightweight movement/combat heuristics	Not WorldGuard — basic native AC

YaPGuard (native, shipped)

- Fly/glide without permission, speed/timer, reach, scaffold, no-fall heuristics
- Violation buffer → warn/kick; `yapguard.bypass` for staff
- **Not** Matrix / Vulcan / Grim parity — intentionally small and Folia-safe

Use YaPGuard when you want **zero extra jars** and basic SMP protection.

Third-party “gold standard” on Folia

For serious PvP networks, **do not rebuild Matrix inside YaPGuard**. **Grim** is fetched on first setup (disabled until enabled):

```
./scripts/seed-defaults.sh      # downloads grim.jar.disabled
./scripts/grim-ac.sh enable     # activate + disable YaPGuard movement checks
# restart Folia
```

Manual fetch: `./scripts/fetch-grim.sh --disabled` or `gradle fetchGrim` — see [GRIM.md](#).

Option	Notes
Grim Anticheat	Recommended heavy AC; <code>fetch-grim.sh</code> + GRIM.md
Vulcan (if your build supports Folia)	Verify version matrix before deploying
YaPGuard only	Fine for casual SMP / creative / low cheat pressure

Product stance:

1. **Regions / flags** → extend YaP natives (claims + `yap-regions`)

2. **Heavy AC** → optional third-party jar; verify Folia support before deploy
3. **YaPGuard** → stays maintained as lightweight default, not a Matrix clone

Permissions

Node	Default
yapguard.admin	op
yapguard.bypass	op
yapguard.alerts	op
yapregions.admin	op — admin cuboids
yapdata.claims.admin	op — player claims

See [REGIONS.md](#) · [PERMISSIONS.md](#).