

Regions & claim flags (Phase 11)

YaPcore ships **WorldGuard-class flags** on player claims (`yap-playerdata`) plus **staff admin regions** (`yap-regions.jar`).

Overlap rule (admin regions)

When multiple admin regions contain a block, the **smallest volume** wins (same rule as WorldGuard priority-by-size for nested cuboids without explicit priority).

Player claims — flags

Per-claim overrides persist in `yap_claim_flags` (MariaDB via YaPDB).

Flag	Default	Behavior
<code>pvp</code>	deny	Player vs player damage
<code>mob-damage</code>	allow	Mob damage to players
<code>build</code>	trust	Block place/break (explicit deny blocks all)
<code>interact</code>	trust	Doors, buttons, levers
<code>entry</code>	allow	Deny entry with move cancel
<code>chest-access</code>	trust	Container open
<code>fire-spread</code>	deny	Cancels fire spread into/from claim
<code>mob-spawning</code>	allow	Blocks natural mob spawns (spawners/eggs exempt)

```
/claim flag set pvp deny
/claim flag set entry allow
```

Defaults: `plugins/YaPPlayerdata/config.yml` → `claims.default-flags` .

Trust levels (`access` , `build` , `manage`) still apply when a flag is not explicitly set.

Members / owners stay on PlayerData claims (intentional product split — admin regions do not duplicate claim membership).

Admin regions — YaPRegions

Staff cuboids using YaPWorld selection (`/yapworld wand` , `pos1/pos2`) or console coords:

```
/region define spawn
/region redefine spawn
/region remove spawn
/region flag set spawn pvp deny
/region flag set spawn tnt deny
/region list
/region list json
```

Admin region flags

Flag	Behavior when deny
pvp	Cancel player damage
mob-damage	Cancel mob damage to players
build	Cancel break/place/buckets
interact	Cancel doors/gates/buttons/levers
entry	Cancel move into region
chest-access	Cancel container open
fire-spread	Cancel fire spread
mob-spawning	Cancel natural spawns
item-drop	Cancel player item drop
item-pickup	Cancel player item pickup
tnt	Cancel TNT explosion damage to blocks
creeper-explosion	Cancel creeper block damage

Unset flags default to **allow**. Dashboard Regions tab shows the flag map from `region list json`.

Tables: `yap_admin_regions`, `yap_admin_region_flags`.

API: `com.yapcore.regions.RegionService` on `ServicesManager` — lookup via `RegionServices.find()`.

Related

- [PLAYERDATA.md](#) — claims, trust, tax
- [PROTECT.md](#) — grief audit / restore (not land claims)
- [PERMISSIONS.md](#) — `yapdata.claims.*`, `yapregions.admin`