

YaPWorld

Folia-safe **FAWE-class** world editing + Multiverse-class world management. Replaces stock WorldEdit / FAWE on the YaPcore product path ([FAWE Hangar](#) feature surface — first-party, not the FAWE jar).

Quick start

```
/yapworld          → in-game GUI
/yapworld tool      → golden axe wand
  Left-click  = pos1
  Right-click = pos2
  Shift+RMB   = GUI

//gmask #air
//set stone
//sel sphere
//copy → //paste
//brush smooth 5
```

Aliases: `/we`, `/worldedit`, `/mv`. Classic `//...` commands work like WorldEdit/FAWE.

FAWE-parity matrix

Area	Status
Cuboid <code>// edit + clipboard</code>	Done
Patterns (<code>%</code> , <code>block-data</code> , <code>#solid</code>)	Phase 1 done
<code>//mask</code> / <code>//gmask</code>	Phase 1 done
<code>//sel cuboid\ sphere\ cyl\ poly</code>	Phase 1 done
Biomes / regen / forest / deform / twist	Phase 1 done
Brushes: sphere, cyl, smooth, gravity, clipboard, butcher	Phase 1 done
Tools: farwand, superpickaxe, info, tree	Phase 1 done
Parallel chunk apply, <code>//fast</code> , limits	Phase 2 done
Entity schematics (<code>.yschem v2+</code>) + <code>EditApplyService</code> API	Phase 3 done

Area	Status
WorldEdit API shim (<code>com.sk89q.worldedit / WorldEdit.jar</code>)	Phase 4 done
WorldEditCUI selection outlines	Phase 4 done
Tile-entity NBT schematics (<code>.yschem v3</code>) + multi-clipboard	Phase 4 done
Clipboard web upload/download	Phase 4 done (optional; <code>editor.clipboard-web</code>)
NMS section placement / FAWE CFI	Out of scope

WorldEdit-class commands

Area	Commands
Selection	<code>//sel</code> <code>//wand</code> <code>//farwand</code> <code>//pos1</code> <code>//pos2</code> <code>//expand</code> <code>//contract</code> <code>//shift</code> <code>//outset</code> <code>//inset</code> <code>//chunk</code> <code>//size</code> <code>//desel</code>
Masks	<code>//mask</code> <code>//gmask</code> (<code>#air</code> <code>#solid</code> <code>#existing</code> <code>#region</code> materials <code>!negate</code>)
Edit	<code>//set</code> <code>//replace</code> <code><mask></code> <code><pattern></code> <code>//walls</code> <code>//faces</code> <code>//hollow</code> <code>//outline</code> <code>//overlay</code> <code>//smooth</code> <code>//naturalize</code>
Generate	<code>//cyl</code> <code>//sphere</code> <code>//pyramid</code> <code>//line</code> <code>//drain</code> <code>//regen</code> <code>//forest</code> <code>//flora</code> <code>//pumpkins</code>
Biome/deform	<code>//setbiome</code> <code>//biomeinfo</code> <code>//biomelist</code> <code>//deform</code> <code>//twist</code> <code>//center</code> <code>//curve</code>
Clipboard	<code>//copy</code> [<code>-m slot</code>] <code>//cut</code> <code>//paste</code> [<code>-a</code>] <code>//rotate</code> <code>//flip</code> <code>//stack</code> <code>//move</code> <code>//clipboard</code> [<code>slot</code>]
Schematics	<code>//schem list\ load\ save\ delete\ formats\ paste</code> (<code>.yschem v3</code> tile-NBT; <code>.schem</code> import)
Near/util	<code>//replacenear</code> <code>//removeabove</code> <code>//removebelow</code> <code>//extinguish</code> <code>//green</code> <code>//snow</code> <code>//thaw</code>
Nav	<code>//thru</code> <code>//jumpto</code> <code>//up</code> <code>//ascend</code> <code>//descend</code>
History	<code>//undo</code> <code>//redo</code> <code>//clearhistory</code> <code>//fast</code>
Brush	<code>//brush sphere\ cyl\ smooth\ gravity\ clipboard\ butcher</code> <code><r></code> [<code>pat</code>] <code>//size</code> <code>//mat</code>
Tools	<code>//superpickaxe</code> <code>//info</code> <code>//tree</code> <code>//none</code>

Patterns: `stone` , `50%stone,50%dirt` , `oak_log[axis=y]` , `#solid` .

Soft API

Install `yap-world.jar` plus `WorldEdit.jar` (YaPWorld shim — not stock EngineHub/FAWE).
Soft-deps that look for plugin `WorldEdit` / package `com.sk89q.worldedit` get a Folia-safe facade flushed through YaPWorld.

Bukkit services:

- `SelectionService` — `pos1/pos2` cuboid (regions / pregen)
- `EditApplyService` — `fillPattern` / `replaceMask`

```
WorldServices.editApply().ifPresent(edit ->
    edit.fillPattern(player, sel, "stone"));
```

WorldEditCUI clients receive outlines on channel `worldedit:cui` when `cui.enabled` is true.

Clipboard web (browser studio session): `GET/POST /api/world-edit/clipboard/{download|upload}?token=...` when `editor.clipboard-web` is true.

Permissions

Node	Default	Use
<code>yapworld.selection</code>	op	Wand, GUI, <code>//</code> edits
<code>yapworld.brush</code>	op	Brush mode
<code>yapworld.schematic</code>	op	Save/paste schematics
<code>yapworld.cui</code>	op	WorldEditCUI outlines (also covered by <code>yapworld.selection</code>)
<code>yapworld.editor</code>	op	Browser studio
<code>yapworld.pregen</code>	op	Pregen from selection
<code>yapworld.load</code> / <code>unload</code> / <code>teleport</code>	op	World mgmt
<code>yapworld.admin</code>	op	Reload / status

Config

`plugins/YaPWorld/config.yml` — max volume, brush radius, undo depth, `limits.*`, `cui.enabled`, browser editor port, `editor.clipboard-web`.

Related

[PERMISSIONS.md](#) · [REGIONS.md](#) · [PREGEN.md](#) · [PLUGIN_COMPAT_MATRIX.md](#)