

Brigadier, NMS, and Paper events

Product path (default)

Under `game-authority=paper`, Brigadier, Craft/NMS, and the full Paper event catalog come from **real Paper** — complete API coverage. See [PAPER_API_COVERAGE.md](#).

Compile plugins against `io.papermc.paper:paper-api:26.2.build.112-stable` and drop jars in `plugins/`.

Facade path (non-Paper authority only)

YaPcore also ships skeletal `org.bukkit.*` / `io.papermc.*` stubs for the Compatibility Bridge when Paper is **not** the game authority. That path is **not** bit-identical Paper. Prefer Paper authority for any real plugin work.

Brigadier (facade)

- Dependency: Mojang `com.mojang:brigadier`
- Registrar: `io.papermc.paper.command.brigadier.Commands#register`
- Dispatcher: `com.yapcore.command.BrigadierGateway`
- Source stack: `YaPCommandSourceStack` implements `CommandSourceStack`

```
import com.mojang.brigadier.builder.LiteralArgumentBuilder;
import io.papermc.paper.command.brigadier.Commands;
import io.papermc.paper.command.brigadier.CommandSourceStack;

Commands.register(
    LiteralArgumentBuilder.<CommandSourceStack>literal("yapping")
        .executes(ctx -> {
            ctx.getSource(); // YaPCommandSourceStack
            return 1;
        })
        .build()
);
```

Adventure ↔ Brigadier: `io.papermc.paper.brigadier.PaperBrigadier.message(Component)`.

Paper / Bukkit events (facade stubs)

Generated from **paper-api 26.2** sources into `org.bukkit.event.**`, `io.papermc.paper.event.**`, and `com.destroystokyo.paper.event.**`.

- Listen with `@EventHandler` as usual
- Stubs include `HandlerList` + optional `Cancellable`
- Payload getters are deepened over time; constructors accept `Object... ctx` for firing

Regenerate:

```
> **Retired (Folia product path):** Paperclip / Phase 3 vendor scripts (`vendor-paper.sh`,
`build-vendor-paper.sh`, `apply-yap-paper-hooks.sh`, `smoke-paper-plugins.sh`, `verify-paper-
api-coverage.sh`, Paper Phase 3 benches) were removed. Use `./scripts/fetch-folia.sh` and
`./scripts/build-yap-folia.sh` instead.
```

```
# Paper event stub generator removed with Paperclip tooling
gradle compileJava
```

Deep NMS / CraftBukkit (facade)

YaPcore provides **facades** (not Mojang obfuscated jars):

Cast / API	Type
<code>((CraftPlayer) player).getHandle()</code>	<code>net.minecraft.server.level.ServerPlayer</code>
<code>((CraftWorld) world).getHandle()</code>	<code>net.minecraft.server.level.ServerLevel</code>
<code>MinecraftServer.getServer()</code>	<code>net.minecraft.server.MinecraftServer</code>
<code>NmsAccess.get()</code>	helper entry

Honest limit: facade only. Under Paper authority you get real CraftBukkit.

Coverage

See `com.yapcore.api.ApiCoverage`, [PAPER_API_COVERAGE.md](#), and [MODULES_AND_API.md](#).