

Commands

Reference for **YaPcore console**, **web dashboard console**, and **in-game** commands.

Surface	How
YaP Control Panel console	Type commands in the GUI
Headless	<code>./start.sh --fg stdin</code>
Web dashboard	<code>http://127.0.0.1:8080/</code> → Console tab
In-game	Folia/Paper commands when OP'd

Leading `/` is optional in the YaP console.

YaPcore builtins (console)

Command	Description
<code>help</code>	Command list
<code>status</code>	Server status report
<code>start / stop</code>	Lifecycle (GUI context)
<code>plugins</code>	List installed plugins
<code>packs / setpack / clearpack</code>	Resource pack management
<code>ranks status</code>	YaPPerms rank pack status
<code>ranks apply</code>	Apply starter rank pack (<code>yapperm applypack</code>)
<code>ranks apply force</code>	Re-apply after clearing marker
<code>ranks reset-marker</code>	Clear <code>config/yap-ranks-applied</code>
<code>crashdump</code>	Write diagnostic report
<code>dashboard</code>	Web admin dashboard login link + token

See [PERMISSIONS.md](#) for rank assignment.

First-party plugin commands

YaPPerms (`yap-perms.jar`)

Command	Permission	Description
<code>/yapperm user <player> info</code>	<code>yapperm.user</code>	View effective

Command	Permission	Description
		permissions
/yapperm user <player> parent set\ add\ remove <group>	yapperm.admin	Group membership
/yapperm user <player> permission set <node> true\ false	yapperm.admin	Direct node grant
/yapperm user <player> meta set <prefix> [suffix]	yapperm.admin	Chat meta
/yapperm group create\ delete\ list\ info\ setprefix\ setnamecolor\ setchatcolor\ ...	yapperm.admin	Group CRUD + chat colors
/yapperm track list\ info	yapperm.admin	Promotion tracks
/yapperm applypack	yapperm.admin	Apply starter rank pack
/yapperm dump	yapperm.admin	Write web-editor snapshot
/yapperm editor-apply	yapperm.admin	Apply dashboard rank editor batch
/yapperm reload	yapperm.admin	Reload config
/promote <player> [track]	yapperm.promote	Move up track yap
/demote <player> [track]	yapperm.demote	Move down track

Aliases: /yperms , /perms

YaPAilities (yap-abilities.jar)

Command	Permission	Description
/abilities /ability /spell	yapabilities.use	Open the ability book
/spell <ability> [1-6]	yapabilities.bar	Put a spell on combat keys 4-9
/ability add <ability> [1-6]	yapabilities.bar	Same as /spell
/ability bind <1-6> <ability>	yapabilities.bar	Place on a specific slot
/ability mode combat	yapabilities.use	Show the combat hotbar (keys 4-9 cast)
/ability bar	yapabilities.use	List current bindings

Command	Permission	Description
/ability info <ability>	yapabilities.use	What the spell does, costs, and requirements
/ability tome	yapabilities.use	Get an Ability Tome

Click a spell in the book to add it. Press **4-9** to cast. Middle-click (or `/ability mode`) switches back to the build hotbar.

YaPChat (yap-chat.jar)

Command	Permission	Description
/msg /tell /w <player> <msg>	yapchat.msg	Private message
/reply /r <msg>	yapchat.msg	Reply to last PM
/staffchat /sc [msg]	yapchat.staff	Toggle staff channel, or one-shot message
/adminchat /ac [msg]	yapchat.admin	Toggle admin channel, or one-shot message
/channel /ch <global\ local\ trade\ staff\ admin>	yapchat.use	Switch sticky chat channel (!<msg> = one-shot local)
/ignore /unignore <player>	yapchat.use	Ignore list
/ignorelist	yapchat.use	Show ignored players
/clearchat /cc	yapchat.admin	Clear chat
/yapchat reload	yapchat.admin	Reload config

Local chat: prefix message with **!** when in global channel.

Chat line colors come from each YaPPerms rank (name-color / chat-color). Format tokens: {prefix}{namecolor}{player}{suffix}&7: {chatcolor}{message} .

YaPModeration (yap-moderation.jar)

Command	Permission	Description
/ban <player> [reason]	yapmod.ban	Permanent ban
/tempban /tban <player> <duration> [reason]	yapmod.ban	Timed ban
/unban <player>	yapmod.ban	Remove ban
/ipban <player\ ip> [reason]	yapmod.ipban	IP ban
/unbanip <ip>	yapmod.ipban	Remove IP ban
/mute <player> [reason]	yapmod.mute	Permanent mute
/tempmute /tmute <player> <duration> [reason]	yapmod.mute	Timed mute

Command	Permission	Description
/unmute <player>	yapmod.mute	Remove mute
/warn <player> [reason]	yapmod.warn	Warn
/kick <player> [reason]	yapmod.kick	Kick
/modhistory /history <player> [limit]	yapmod.history	Punishment log
/modcheck /check /alts <player>	yapmod.history	Status + linked alts
/banlist [limit]	yapmod.history	Active bans
/yapmod reload	yapmod.admin	Reload config
/yapmod seen [json\ snapshot]	yapmod.admin	List join history, dump JSON, or write dashboard snapshot

Duration examples: 30m , 2h , 7d , 1w .

YaPEssentials (yap-essentials.jar)

Command	Permission	Description
/spawn	yapessentials.spawn	Teleport to spawn
/setspawn	yapessentials.setspawn	Set spawn
/back	yapessentials.back	Previous location
/tpa /tpahere /tpaccept /tpdeny	yapessentials.tpa	Teleport requests
/tp /tphere /s	yapessentials.teleport	Staff teleport
/gm <0\ 1\ 2\ 3\ s\ c\ a\ sp> [player]	yapessentials.gamemode	Game mode (Essentials-style)
/gms /gmc /gma /gmshp [player]	yapessentials.gamemode	Survival / creative / adventure / spectator
/i /item <item> [amount] [player]	yapessentials.item	Give items (e.g. /i diamond 64)
/fly [player]	yapessentials.fly	Toggle flight
/god [player]	yapessentials.god	God mode
/speed <0-10> [fly\ walk]	yapessentials.speed	Move speed
/heal /feed [player]	yapessentials.heal	Restore health/hunger
/repair [hand\ all]	yapessentials.repair	Repair items
/clear [player]	yapessentials.clear	Clear inventory
/vanish /v [player]	yapessentials.vanish	Vanish
/invsee <player>	yapessentials.invsee	View inventory

Command	Permission	Description
/echest /ec <player>	yapessentials.echest	View ender chest
/nick <name\ off> [player]	yapessentials.nick	Display name
/afk	yapessentials.afk	AFK status
/list /online /who	yapessentials.list	Online players
/ptime /pweather	yapessentials.ptime / yapessentials.pweather	Client time/weather
/weather	yapessentials.weather	World weather (YaPDisasters GUI when installed)
/near [radius]	yapessentials.near	List nearby players
/workbench /craft	yapessentials.workbench	Portable crafting table
/disposal /trash	yapessentials.disposal	Disposable trash inventory
/suicide /kill	yapessentials.suicide	Kill yourself
/broadcast /bc <msg>	yapessentials.broadcast	Server broadcast
/rules /motd	yapessentials.rules	Info messages
/hat	yapessentials.hat	Wear held item
/socialspy /ss	yapessentials.staff.socialspy	Spy on PMs
/freeze <player>	yapessentials.staff.freeze	Freeze player
/check <player>	yapessentials.staff.check	Inspect player
/yapess reload	yapessentials.admin	Reload config

Feature toggles: `plugins/YaPEssentials/config.yml`.

Cross-plugin ops map (intentional Essentials split)

YaP does **not** clone EssentialsX's entire command set into one jar. Use these plugins:

EssentialsX-style need	YaP home
/home /sethome /delhome · /warp · /kit · /mail · /bal /pay /eco	YaPPlayerData — <code>homes.max</code> in config (dashboard Data tab shows max homes)
/msg /reply	YaPChat
/mute /ban /kick / warnings	YaPModeration
Spawn, TPA, GM, fly, vanish, weather QoL	YaPEssentials (this plugin)

YaPAdmin (`yap-admin.jar`)

Command	Permission	Description
<code>/yapadmin /staff /adminmenu /am</code>	<code>yapadmin.menu</code>	Open staff super menu
<code>/yapadmin reload</code>	<code>yapadmin.server</code>	Reload menu config

In-game kitchen-sink hub: players, give (presets + kits + materials), moderation, self tools, economy, deep-links. See [ADMIN_MENU.md](#).

Other shipped plugins

Plugin	Command	Doc
Pregen	<code>/yappregen ...</code>	PREGEN.md
Stacker	<code>/yapstacker ...</code>	STACKER.md
Vehicles	<code>/yapvehicle ...</code>	VEHICLES.md
Gameplay knobs	<code>/yapknobs ...</code>	TUNE.md
Plugin compat	<code>/yapcompat ...</code>	PLUGIN_BACKCOMPAT.md
PlaceholderAPI	<code>/papi ...</code>	PLACEHOLDERAPI.md
Player data	<code>/yapdata ... · /bal /pay /eco · /bag /backpack · /kit /kits /createkit /showkit /kitreset</code>	PLAYERDATA.md
Store / Tebex	Hub console: <code>yapperm ... · kit grant ...</code>	TEBEX.md
Resource packs	<code>/yappacks ...</code>	CLIENTS_AND_PACKS.md

YaPPlayerData kits (console / store)

Command	Description
<code>/bag [page]</code>	Open extra bag (45 slots/page). Aliases <code>/backpack /bp</code>
<code>/bag see <player> [page]</code>	Staff — open another player's bag
<code>/bal [player]</code>	Show balance
<code>/pay <player> <amount></code>	Pay a player
<code>/eco give\ take\ set <player> <amount></code>	Staff money (also <code>/eco reset <player></code>)
<code>/kit [name]</code>	Claim kit (player)
<code>/kits</code>	Kits GUI (live cooldown / cost / uses)
<code>/createkit <name> [delay]</code>	Save inventory + armor + offhand to <code>kits.yml</code>
<code>/delkit <name></code>	Remove a kit
<code>/showkit <name></code>	Preview GUI (shift-click in <code>/kits</code>)
<code>/kitreset <player> [kit\ all]</code>	Clear cooldown and uses
<code>kit give <player> <kit> [-force]</code>	Instant give (online on this backend)

Command	Description
<code>kit grant <player> <kit></code>	Queue delivery (shared DB → any backend)
<code>kit list</code>	Kits loaded from <code>kits.yml</code> on this server

Copy the same `plugins/YaPPlayerData/kits.yml` to Hub + survival. See [TEBEX.md](#).

Full permission node map: [PERMISSIONS.md](#).

Vanilla / Folia commands (in-game)

Under Folia game authority, players use **real vanilla / plugin commands** when OP'd — `/give`, `/tp`, `/gamemode`, `/difficulty`, etc.

Non-OP players only see plugin commands they have permission for — normal Bukkit behavior.

Grant OP

Method	How
Config seed	<code>ops=YourName</code> in <code>config/server.properties</code>
Console	<code>op YourName</code>
Auto (dev only)	<code>auto-op=true</code> (default false)

Reconnect after OP to refresh tab-complete.

Console examples (forwarded to Folia)

```
give @p diamond 64
tp Steve 0 80 0
gamemode creative @a
yapperm user Steve parent set vip
kit grant Steve vip
promote Steve
yappregen status
```

Store packages (Tebex on Hub): [TEBEX.md](#) · [examples/tebex/](#).

Implementation

Path	Role
<code>YaPcoreServer.executeCommand</code>	YaP builtins → else Folia/Paper dispatch
Folia kernel	<code>foliaKernel.dispatchConsoleCommand</code>

Path	Role
Web dashboard	/api/console → same execute path

See [QUICK_START.md](#) · [WEB_DASHBOARD.md](#).