

Discord relay (YaPDiscord)

Optional bridge between Minecraft and Discord. **Off by default** — enable only after webhooks and secrets are configured.

Components

Path	Role
plugins/yap-discord.jar	Plugin
plugins/YaPDiscord/config.yml	Webhooks, relay toggles, event toggles, inbound HTTP
Dashboard Discord tab	Edit config without SSH (/api/discord)

Recommended setup order

1. **Moderation webhook** — Discord channel → Integrations → Webhooks → copy URL. Paste in dashboard or `webhooks.moderation`. Use **Test mod webhook**.
2. **Chat webhook** — separate channel for in-game chat mirror. Paste in `webhooks.chat`. Test.
3. **Events webhook** (optional) — join/leave/death/advancement. Paste in `webhooks.events`, or leave blank to reuse the chat webhook. Test with **Test events webhook**.
4. **Event toggles** — enable `events.join` / `leave` / `death` / `advancement` as needed (dashboard checkboxes or YAML).
5. **MC → Discord** — set `relay.mc-to-discord: true` (dashboard: MC → Discord chat = on). Requires chat webhook URL.
6. **Discord → MC** (optional) — only for bots posting into MC via HTTP: - Set `inbound.secret` to a long random string (not `change-me`). - Set `inbound.enabled: true` and `relay.discord-to-mc: true`. - Point your bot at `http://<host>:8765/discord/inbound` with the secret header.

Leave **Discord → MC off** until inbound is hardened. Public servers should bind inbound to localhost and reverse-proxy with auth if exposed.

Defaults (product)

```
webhooks:
  moderation: ""
  chat: ""
  events: ""
```

```
relay:
  mc-to-discord: false
  discord-to-mc: false

events:
  join: false
  leave: false
  death: false
  advancement: false

inbound:
  enabled: false
  port: 8765
  secret: "change-me"
```

Server events

When an event toggle is on, YaPDiscord posts an embed to `webhooks.events` (or `webhooks.chat` if events URL is blank):

Toggle	Bukkit event
<code>events.join</code>	Player join
<code>events.leave</code>	Player quit
<code>events.death</code>	Player death (death message)
<code>events.advancement</code>	Advancement with a display title (hidden recipe unlocks skipped)

Dashboard quick actions

Action	POST <code>/api/discord</code>
Save mod webhook	<code>{"action": "save-webhook", "key": "moderation", "url": "..."} </code>
Save chat webhook	<code>{"action": "save-webhook", "key": "chat", "url": "..."} </code>
Save events webhook	<code>{"action": "save-webhook", "key": "events", "url": "..."} </code>
Save relay	<code>{"action": "save-relay", "mcToDiscord": "true", "discordToMc": "false"} </code>
Save event toggles	<code>{"action": "save-events", "join": "true", "leave": "true", "death": "false", "advancement": "false"} </code>

Action	POST /api/discord
Test webhook	<code>{"action": "test-webhook", "key": "moderation\ chat\ events"}</code>
Reload plugin	<code>{"action": "reload"}</code>

In-game: `/yapdiscord test moderation|chat|events`

Related

- [WEB_DASHBOARD.md](#) — Discord tab
- [COMMANDS.md](#) — in-game moderation (feeds mod webhook when configured)