


Supervised Learning Setup



In supervised learning:

- There is input $\mathbf{x} \in \mathcal{X}$, typically a vector of features (or covariates)
- There is target $t \in \mathcal{T}$, (also called response, outcome, output, class)
- Objective is to learn a function $f: \mathcal{X} \rightarrow \mathcal{T}$ such that $t \approx y = f(\mathbf{x})$ based on some data $\mathcal{D} = \{(\mathbf{x}^{(i)}, t^{(i)}) \text{ for } i = 1, 2, \dots, N\}$

Linear Regression - Model

- **Model:** In linear regression, we use a linear function of the features $\mathbf{x} = (x_1, \dots, x_D) \in \mathbb{R}^D$ to make predictions y of the target value $t \in \mathbb{R}$:

$$y = f(\mathbf{x}) = \sum_j w_j x_j + b$$

- y is the **prediction**
- $\mathbf{w}$ is the **weights**
- b is the **bias** (or **intercept**)
- $\mathbf{w}$ and b together are the **parameters**
- We hope that our prediction is close to the target: $y \approx t$.

INT305 Machine Learning Lecture 2 Linear Methods for Regression, Optimization

Sichen Liu
Department Intelligence Science
Sichen.Liu@xjtlu.edu.cn

Overview

- Second learning algorithm of the course: **linear regression**.
 - **Task:** predict scalar-valued targets (e.g. stock prices)
 - **Architecture:** linear function of the inputs
- While KNN was a complete algorithm, linear regression exemplifies a modular approach that will be used through this course:
 - choose a **model** describing the relationships between variables of interest
 - define a **loss function** quantifying how bad the fit to the data is
 - choose a **regularizer** saying how much we prefer different candidate models (or explanations of data)
 - fit a model that minimizes the loss function and satisfies the constraint/penalty imposed by the regularizer, possibly using an **optimization algorithm**
- Mixing and matching these modular components give us a lot of new ML methods.

Linear Regression - Loss Function

- A **loss function** $\mathcal{L}(y, t)$ defines how bad it is if, for some example $\mathbf{x}$, the algorithm predicts y , but the target is actually t .
- **Squared error loss function**:

$$\mathcal{L}(y, t) = \frac{1}{2}(y - t)^2$$

残差

- $y - t$ is the **residual**, and we want to make this small in magnitude.
- The $\frac{1}{2}$ factor is just to make the calculations convenient.
- **Cost function**: loss function averaged over all training examples.

$$\begin{aligned}\mathcal{J}(\mathbf{w}, b) &= \frac{1}{2N} \sum_{i=1}^N (y^{(i)} - t^{(i)})^2 \\ &= \frac{1}{2N} \sum_{i=1}^N (\mathbf{w}^T \mathbf{x}^{(i)} + b - t^{(i)})^2\end{aligned}$$

- Terminology varies. Some call “cost” *empirical* or *average loss*.

Vectorization

向量化

- Notation-wise, $\frac{1}{2N} \sum_{i=1}^N (y^{(i)} - t^{(i)})^2$ gets messy if we expand $y^{(i)}$:

$$\frac{1}{2N} \sum_{i=1}^N \left(\sum_{j=1}^D (w_j x_j^{(i)}) + b - t^{(i)} \right)^2$$

- The code equivalent is to compute the prediction using a for loop:

```
y = b
for j in range(D):
    y += w[j] * x[j]
```

- Excessive super/sub scripts are hard to work with, and Python loops are slow, so we **vectorize algorithms** by expressing them in terms of vectors and matrices.

$$\mathbf{w} = (w_1, \dots, w_D)^T \quad \mathbf{x} = (x_1, \dots, x_D)^T$$


$$y = \mathbf{w}^T \mathbf{x} + b$$

- This is simpler and executes much faster:

$$\mathbf{y} = \text{np.dot}(\mathbf{w}, \mathbf{x}) + b$$

What is Linear? 1 feature vs D features

- If we have only 1 feature:
 $y = wx + b$ where $w, x, b \in \mathbb{R}$.




- y is linear in x .

- If we have only D features:

$$y = \mathbf{w}^T \mathbf{x} + b \text{ where } \mathbf{w}, \mathbf{x} \in \mathbb{R}^D, b \in \mathbb{R}$$

- y is linear in $\mathbf{x}$.




Relation between the prediction y and inputs $\mathbf{x}$ is linear in both cases.

Linear Regression

We have a dataset $\mathcal{D} = \{(\mathbf{x}^{(i)}, t^{(i)})\}$ for $i = 1, 2, \dots, N\}$ where,

- $\mathbf{x}^{(i)} = (x_1^{(i)}, x_2^{(i)}, \dots, x_D^{(i)})^T \in \mathbb{R}^D$ are the inputs (e.g. age, height)
- $t^{(i)} \in \mathbb{R}$ is the target or response (e.g. income)
- Predict $t^{(i)}$ with a linear function of $\mathbf{x}^{(i)}$:



- $t^{(i)} \approx y^{(i)} = \mathbf{w}^T \mathbf{x}^{(i)} + b$
- Different $(\mathbf{w}, b)$ define different lines.
- We want the “best” line $(\mathbf{w}, b)$.
- How to quantify “best”?

Vectorization

- Computing the squared error cost across the whole dataset:

$$\mathbf{y} = \mathbf{X}\mathbf{w} + b\mathbf{1}$$
$$\mathcal{J} = \frac{1}{2N} \|\mathbf{y} - \mathbf{t}\|^2$$

- Sometimes we may use $\mathcal{J} = \frac{1}{2} \|\mathbf{y} - \mathbf{t}\|^2$, without a normalizer. This would correspond to the sum of losses, and not the averaged loss. The minimizer does not depend on N (but optimization might!).
- We can also add a column of 1's to design matrix, combine the bias and the weights, and conveniently write

$$\mathbf{X} = \begin{bmatrix} 1 & [\mathbf{x}^{(1)}]^\top \\ 1 & [\mathbf{x}^{(2)}]^\top \\ \vdots & \vdots \\ 1 & \vdots \end{bmatrix} \in \mathbb{R}^{N \times (D+1)} \quad \text{and} \quad \mathbf{w} = \begin{bmatrix} b \\ w_1 \\ w_2 \\ \vdots \end{bmatrix} \in \mathbb{R}^{D+1}$$

Then, our predictions reduce to $\mathbf{y} = \mathbf{X}\mathbf{w}$.

Vectorization

Why vectorize?

- The equations, and the code, will be simple and more readable. Gets rid of dummy variables/indices!
- Vectorized code is much faster
 - Cut down on Python interpreter overhead
 - Use highly optimized linear algebra libraries (hardware support)
 - Matrix multiplication very fast on GPU (Graphics Processing Unit)

Switching in and out of vectorized form is a skill you gain with practice.

- Some derivations are easier to do element-wise
- Some algorithms are easier to write/understand using for-loops and vectorize later for performance

Solving the Minimization Problem

We define a cost function. This is what we'd like to minimize.

Two commonly applied mathematical approaches:

- Algebraic, e.g., using inequalities:
 - To show z^* minimizes $f(z)$, show that $\forall z, f(z) \geq f(z^*)$
 - To show that $a = b$, show that $a \geq b$ and $b \geq a$

Calculus: minimum of a smooth function (if it exists) occurs at a **critical point**, i.e. point where the derivative is zero.

- Multivariate generalization: set the partial derivatives to zero (or equivalently the gradient).

Solutions may be direct or iterative

- Sometimes we can directly find provably optimal parameters (e.g., set the gradient to zero and solve in closed form). We call this a **direct solution**.
- We may also use optimization techniques that iteratively get us closer to the solution. We will get back to this soon.

Direct Solution II: Calculus

- **Partial derivative:** derivative of a multivariate function with respect to one of its arguments.
$$\frac{\partial}{\partial x_1} f(x_1, x_2) = \lim_{h \rightarrow 0} \frac{f(x_1 + h, x_2) - f(x_1, x_2)}{h}$$
- To compute, take the single variable derivative, pretending the other arguments are constant.
- Example: partial derivatives of the prediction y

$$\frac{\partial y}{\partial w_j} = \frac{\partial}{\partial w_j} \left[\sum_{j'} w_{j'} x_{j'} + b \right] \quad \frac{\partial y}{\partial b} = \frac{\partial}{\partial b} \left[\sum_{j'} w_{j'} x_{j'} + b \right] = 1$$


Direct Solution II: Calculus

- For loss derivatives, apply the **chain rule**:
$$\frac{\partial \mathcal{L}}{\partial w_j} = \frac{d\mathcal{L}}{dy} \frac{\partial y}{\partial w_j} = \frac{d\mathcal{L}}{dy} \frac{\partial y}{\partial b} = y - t$$
$$= \frac{d}{dy} \left[\frac{1}{2} (y - t)^2 \right] \cdot x_j = (y - t) x_j$$
- For cost derivatives, use **linearity** and average over data points:
$$\frac{\partial \mathcal{J}}{\partial w_j} = \frac{1}{N} \sum_{i=1}^N (y^{(i)} - t^{(i)}) x_j^{(i)} \quad \frac{\partial \mathcal{J}}{\partial b} = \frac{1}{N} \sum_{i=1}^N (y^{(i)} - t^{(i)})$$
- Minimum must occur at a point where partial derivatives are zero.
$$\frac{\partial \mathcal{J}}{\partial w_j} = 0 \quad (\forall j), \quad \frac{\partial \mathcal{J}}{\partial b} = 0.$$

(If $\partial \mathcal{J} / \partial w_j \neq 0$, you could reduce the cost by changing w_j)

Direct Solution I: Linear Algebra

- We seek w to minimize $\|Xw - t\|^2$, or equivalently $\|Xw - t\|$
- $\text{range}(X) = \{Xw | w \in \mathbb{R}^D\}$ is a D -dimensional subspace of $\mathbb{R}^N \rightarrow$ 平面 C 位于三维空间中
- Recall that the closest point $y^* = Xw^*$ in subspace $\text{range}(X)$ of $\mathbb{R}^N$ to arbitrary point $t \in \mathbb{R}^N$ is found by orthogonal projection. C 在三维空间中是平面, 如何到平面上一个点最近



- We have $(y^* - t) \perp Xw, \forall w \in \mathbb{R}^D$
- Why is y^* the closest point to t ?

- Consider any $z = Xw$
- By Pythagorean theorem and the trivial inequality ($x^2 \geq 0$):

$$\|z - t\|^2 = \|y^* - t\|^2 + \|y^* - z\|^2 \geq \|y^* - t\|^2$$

Direct Solution I: Linear Algebra


- From the previous slide, we have $(y^* - t) \perp Xw, \forall w \in \mathbb{R}^D$
- Equivalently, the columns of the design matrix X are all orthogonal to $(y^* - t)$, and we have that:

$$\begin{aligned} X^T (y^* - t) &= 0 \\ X^T X w^* - X^T t &= 0 \\ X^T X w^* &= X^T t \\ w^* &= (X^T X)^{-1} X^T t \end{aligned}$$

- While this solution is clean and the derivation easy to remember, like many algebraic solutions, it is somewhat ad hoc.
- On the hand, the tools of calculus are broadly applicable to differentiable loss functions...

Polynomial Feature Mapping 多项式特征映射

The relation between the input and output may not be linear.




- We can still use linear regression by mapping the input features to another space using **feature mapping** (or **basis expansion**). $\varphi(x): \mathbb{R}^D \rightarrow \mathbb{R}^d$ and treat the mapped feature (in $\mathbb{R}^d$) as the input of a linear regression procedure.
- Let us see how it works when $x \in \mathbb{R}$ and we use a polynomial feature mapping.

下文见变换

Polynomial Feature Mapping

If the relationship does not look linear, we can fit a polynomial.



Find the data using a degree-M polynomial function of the form:

$$y = w_0 + w_1x + w_2x^2 + \dots + w_Mx^M = \sum_{i=0}^M w_i x^i$$

- Here the feature mapping is $\varphi(x) = [1, x, x^2, \dots, x^M]^T$.
- We can still use linear regression to find w , since $y = \varphi(x)^T w$ is linear with $w_0, w_1, \dots$
- In general, φ can be any function. Another example: $\varphi(x) = [1, \sin(2\pi x), \cos(2\pi x), \sin(4\pi x), \dots]^T$

Direct Solution II: Calculus

- The derivation on the previous slide gives a system of linear equations, which we can solve efficiently.
- As is often the case for models and code, however, the solution is easier to characterize if we vectorize our calculus.
- We call the vector of partial derivatives the **gradient**.
- Thus, the "gradient of $f: \mathbb{R}^D \rightarrow \mathbb{R}$ ", denoted $\nabla f(w)$, is:

$$\left(\frac{\partial}{\partial w_1} f(w), \dots, \frac{\partial}{\partial w_D} f(w) \right)^T$$

- The gradient points in the direction of the greatest rate of increase.
- Analogue of second derivative (the "Hessian" matrix):

$$\nabla^2 f(w) \in \mathbb{R}^{D \times D} \text{ is a matrix with } [\nabla^2 f(w)]_{ij} = \frac{\partial^2}{\partial w_i \partial w_j} f(w).$$

Direct Solution II: Calculus

- We seek w to minimize $\mathcal{J}(w) = \frac{1}{2} \|Xw - t\|^2$
- Taking the gradient with respect to w (see course notes for additional details) we get:


$$\nabla_w \mathcal{J}(w) = X^T X w - X^T t = 0 \quad \frac{\partial \mathcal{J}}{\partial w_j}$$

- We get the same optimal weights as before:

$$w^* = (X^T X)^{-1} X^T t$$


- Linear regression is one of only a handful of models in this course that permit direct solution.

Polynomial Feature Mapping with M = 3




- Pattern Recognition and Machine Learning, Christopher Bishop.

Polynomial Feature Mapping with M = 9




- Pattern Recognition and Machine Learning, Christopher Bishop.

Polynomial Feature Mapping with M = 0



- Pattern Recognition and Machine Learning, Christopher Bishop.

Polynomial Feature Mapping with M = 1



- Pattern Recognition and Machine Learning, Christopher Bishop.

Regularization

- The degree M of the polynomial controls the model's complexity.
- The value of M is a hyperparameter for polynomial expansion, just like k in KNN. We can tune it using a validation set.
- Restricting the number of parameters / basis functions (M) is a crude approach to control the model complexity.
- Another approach: keep the model large, but **regularize** it.

➤ **Regularizer**: a function that quantifies how much we prefer one hypothesis vs. another.

L2 Regularization

- We can encourage the weights to be small by choosing as our regularizer the L^2 penalty.

$$\mathcal{R}(\mathbf{w}) = \frac{1}{2} \|\mathbf{w}\|_2^2 = \frac{1}{2} \sum_j w_j^2.$$

➤ Note: To be precise, the L^2 norm is Euclidean distance, so we're regularizing the squared L^2 norm.

- The regularized cost function makes a tradeoff between fit to the data and the norm of the weights.


$$\mathcal{J}_{reg}(\mathbf{w}) = \mathcal{J}(\mathbf{w}) + \lambda \mathcal{R}(\mathbf{w}) = \mathcal{J}(\mathbf{w}) + \frac{\lambda}{2} \sum_j w_j^2$$

- If you fit training data poorly, $\mathcal{J}$ is large. If your optimal weights have high values, $\mathcal{R}$ is large.
- Large λ penalizes wight values more.
- Like M , λ is a hyperparameter we can tune with a validation set.


Model Complexity and Generalization

Underfitting ($M=0$): model is too simple – does not fit the data.


Overfitting ($M=9$): model is too complex – fits perfectly.



Good model ($M=3$): achieves small test error (generalizes well).



Model Complexity and Generalization



- As M increases, the magnitude of coefficients gets larger.
- For $M=9$, the coefficients have become finely tuned to the data.
- Between data points, the function exhibits large oscillations.

Conclusion so far

Linear regression exemplifies recurring themes of this course:


- Choose a **model** and a **loss function**
- Formulate an **optimization problem**
- Solve the minimization problem using one of two strategies
 - **Direct solution** (set derivatives to zero)
 - **Gradient descent** (next topic)
- **Vectorize** the algorithm, i.e. represent in terms of linear algebra
- Make a linear model more powerful **using features**
- Improve the generalization by adding a **regularizer**

Flexcil - The Smart Study Toolkit & PDF, Annotate, Note

This Document has been modified with Flexcil app (Android) https://www.flexcil.com

Gradient Descent


- Now let's see a second way to minimize the cost function which is more broadly applicable: **gradient descent**.
- Many times, we do not have a direct solution: Taking derivatives of $\mathcal{J}$ w.r.t $\mathbf{w}$ and setting them to 0 doesn't have an explicit solution.
- **Gradient descent is an iterative algorithm**, which means we apply an update repeatedly until some criterion is met.
- We **initialize** the weights to something reasonable (e.g., all zeros) and repeatedly adjust them in the **direction of steepest descent**.



Flexcil - The Smart Study Toolkit & PDF, Annotate, Note

L2 Regularization

- The geometric picture:



Flexcil - The Smart Study Toolkit & PDF, Annotate, Note

This Document has been modified with Flexcil app (Android) https://www.flexcil.com

L2正则化的最小二乘法:岭回归

L2 Regularized Least Squares: Ridge regression

For the least squares problem, we have $\mathcal{J}(\mathbf{w}) = \frac{1}{2N} \|\mathbf{X}\mathbf{w} - \mathbf{t}\|^2$.

- When $\lambda > 0$ (with regularization), regularized cost gives

$$\begin{aligned} \mathbf{w}_\lambda^{\text{Ridge}} &= \underset{\mathbf{w}}{\operatorname{argmin}} \frac{1}{2N} \|\mathbf{X}\mathbf{w} - \mathbf{t}\|_2^2 + \frac{\lambda}{2} \|\mathbf{w}\|_2^2 \\ &= (\mathbf{X}^\top \mathbf{X} + \lambda \mathbf{I})^{-1} \mathbf{X}^\top \mathbf{t} \end{aligned}$$

- The case $\lambda = 0$ (no regularization) reduces to least squares solution!
- Note that it is also common to formulate this problem as $\operatorname{argmin}_{\mathbf{w}} \frac{1}{2} \|\mathbf{X}\mathbf{w} - \mathbf{t}\|_2^2 + \frac{\lambda}{2} \|\mathbf{w}\|_2^2$ in which case the solution is $\mathbf{w}_\lambda^{\text{Ridge}} = (\mathbf{X}^\top \mathbf{X} + \lambda \mathbf{I})^{-1} \mathbf{X}^\top \mathbf{t}$.

Flexcil - The Smart Study Toolkit & PDF, Annotate, Note

Gradient Descent for Linear Regression

- The squared error loss of linear regression is a convex function.
- Even for linear regression, where there is a direct solution, we sometimes need to use GD.
- Why gradient descent, if we can find the optimum directly?
 - GD can be applied to a much broader set of models
 - GD can be easier to implement than direct solutions
 - For regression in high-dimensional space, GD is more efficient than direct solution
- Linear regression solution: $(X^T X)^{-1} X^T t$
- Matrix inversion is an $\mathcal{O}(D^3)$ algorithm
- Each GD update costs $\mathcal{O}(ND)$
- Or less with stochastic GD (SGD), in a few slides
- Huge difference if $D \gg 1$

Gradient Descent under the L2 Regularization

- Gradient descent update to minimize $\mathcal{J}$:

$$\mathbf{w} \leftarrow \mathbf{w} - \alpha \frac{\partial}{\partial \mathbf{w}} \mathcal{J}$$
- The gradient descent update to minimize the L^2 regularized cost $\mathcal{J} + \lambda \mathcal{R}$ results in weight decay:

$$\begin{aligned} \mathbf{w} &\leftarrow \mathbf{w} - \alpha \frac{\partial}{\partial \mathbf{w}} (\mathcal{J} + \lambda \mathcal{R}) \\ &= \mathbf{w} - \alpha \left(\frac{\partial \mathcal{J}}{\partial \mathbf{w}} + \lambda \frac{\partial \mathcal{R}}{\partial \mathbf{w}} \right) \\ &= \mathbf{w} - \alpha \left(\frac{\partial \mathcal{J}}{\partial \mathbf{w}} + \lambda \mathbf{w} \right) \\ &= (1 - \alpha \lambda) \mathbf{w} - \alpha \frac{\partial \mathcal{J}}{\partial \mathbf{w}} \end{aligned}$$

Gradient Descent

- Observe:
 - If $\partial \mathcal{J} / \partial w_j > 0$, then increasing w_j increases $\mathcal{J}$.
 - If $\partial \mathcal{J} / \partial w_j < 0$, then increasing w_j decreases $\mathcal{J}$.
- The following update always decreases the cost function for small enough α (unless $\partial \mathcal{J} / \partial w_j = 0$):

$$w_j \leftarrow w_j - \alpha \frac{\partial \mathcal{J}}{\partial w_j}$$
- $\alpha > 0$ is a **learning rate** (or step size). The larger it is, the faster $\mathbf{w}$ changes.
 - We'll see later how to tune the learning rate, but values are typically small, e.g., 0.01 or 0.0001.
 - If cost is the sum of N individual losses rather than their average, smaller learning rate will be needed ($\alpha' = \alpha / N$).

Gradient Descent

- This gets its name from the **gradient**:

$$\nabla_{\mathbf{w}} \mathcal{J} = \frac{\partial \mathcal{J}}{\partial \mathbf{w}} = \begin{pmatrix} \frac{\partial \mathcal{J}}{\partial w_1} \\ \vdots \\ \frac{\partial \mathcal{J}}{\partial w_D} \end{pmatrix}$$
 - This is the direction of fastest increase in $\mathcal{J}$.
- Update rule in vector form:

$$\mathbf{w} \leftarrow \mathbf{w} - \alpha \frac{\partial \mathcal{J}}{\partial \mathbf{w}}$$

And for linear regression we have:

$$\mathbf{w} \leftarrow \mathbf{w} - \alpha \sum_{i=1}^N (y^{(i)} - t^{(i)}) \mathbf{x}^{(i)}$$
- So gradient descent updates $\mathbf{w}$ in the direction of fastest decrease.
- Observe that once it converges, we get a critical point, i.e. $\frac{\partial \mathcal{J}}{\partial \mathbf{w}} = \mathbf{0}$.

Stochastic Gradient Descent

- So far, the cost function J has been the average loss over the training examples:

$$J(\theta) = \frac{1}{N} \sum_{i=1}^N \mathcal{L}^{(i)} = \frac{1}{N} \sum_{i=1}^N \mathcal{L}(y(x^{(i)}, \theta), t^{(i)})$$

(θ denotes the parameters; e.g., in linear regression, $\theta = (\mathbf{w}, b)$)

- By linearity,

$$\frac{\partial J}{\partial \theta} = \frac{1}{N} \sum_{i=1}^N \frac{\partial \mathcal{L}^{(i)}}{\partial \theta}$$
- Computing the gradient requires summing over all of the training examples. This is known as **batch training**. *批量训练 (like N)*
- Batch training is impractical if you have a large dataset $N \gg 1$ (e.g. millions of training examples.)!

Stochastic Gradient Descent

- Stochastic gradient descent (SGD)**: update the parameters based on the gradient for a single training example, *单个训练*

1- Choose i uniformly at random,


$$2- \theta \leftarrow \theta - \alpha \frac{\partial \mathcal{L}^{(i)}}{\partial \theta}$$

- Cost of each SGD update is independent of N !
- SGD can make significant progress before even seeing all the data!
- Mathematical justification: if you sample a training example uniformly at random, the stochastic gradient is an **unbiased estimate** of the batch gradient:

$$\mathbb{E} \left[\frac{\partial \mathcal{L}^{(i)}}{\partial \theta} \right] = \frac{1}{N} \sum_{i=1}^N \frac{\partial \mathcal{L}^{(i)}}{\partial \theta} = \frac{\partial J}{\partial \theta} \quad \text{无偏 直接随机采样}$$

Learning Rate (Step Size)


- In gradient descent, the learning rate α is a hyperparameter we need to tune. Here are some things that can go wrong:



- Good values are typically between 0.001 and 0.1. You should do a grid search if you want good performance (i.e. try 0.1, 0.03, 0.01, ...).

Training Curves

- To diagnose optimization problems, it's useful to look at **training curves**: plot the training cost as a function of iteration.




- Warning: in general, it's very hard to tell from the training curves whether an optimizer has converged. They can reveal major problems, but they can't guarantee convergence.

SGD Learning Rate


- In stochastic training, the learning rate also influences the **fluctuations**, due to the stochasticity of the gradients.

波动

Small learning rate



Large learning rate



- Typical strategy:

- Use a large learning rate early in training so you can get close to the optimum
- Gradually decay the learning rate to reduce the fluctuations

Flexcil - The Smart Study Toolkit & PDF, Annotate, Note

This Document has been modified with Flexcil app (Android) <https://www.flexcil.com>

Conclusion

- In this lecture, we looked at linear regression, which exemplifies a modular approach that will be used throughout this course:
 - Choose a **model** describing the relationships between variables of interest (**linear**)
 - Define a **loss function** quantifying how bad the fit to the data is (**squared error**)
 - Choose a **regularizer** to control the model complexity/overfitting (L^2 , L^p **regularization**)
 - Fit/Optimize the model (**gradient descent**, **stochastic gradient descent**, **convexity**)
- By mixing and matching these modular components, we can obtain new ML methods.
- Next lecture: apply this framework to classification.

Stochastic Gradient Descent


- Problems with using single training example to estimate gradient:
 - Variance in the estimate may be high
 - We can't exploit efficient vectorized operations **无法利用高效向量化运算**
- Compromise approach:
 - Compute the gradients on a randomly chosen medium-sized set of training examples $\mathcal{M} \subset \{1, \dots, N\}$, called a **mini-batch** **小批量**
 - Stochastic gradients computed on larger mini-batches have smaller variance.
 - The mini-batch size $|\mathcal{M}|$ is a hyperparameter that needs to be set.
 - Too large: requires more compute: e.g., it takes more memory to store the activations, and longer to compute each gradient update
 - Too small: can't exploit vectorization, has high variance
 - A reasonable value might be $|\mathcal{M}| = 100$.

Flexcil - The Smart Study Toolkit & PDF, Annotate, Note


This Document has been modified with Flexcil app (Android) <https://www.flexcil.com>

Stochastic Gradient Descent

- Batch gradient descent moves directly downhill (locally speaking).
- SGD takes steps in a noisy direction, but moves downhill on average.



batch gradient descent



stochastic gradient descent