

practical-03

Aim- Design a webpage that make use of CSS with

A, B, C.

prac-3A CSS properties to change the background color of page.

##code

```
<!DOCTYPE html>
<html lang="en">
<head>

    <title>(a) background in css</title>
    <style>
    body{
background-color: rgb(219, 68, 68);}
    h1{
        background-color: red;
    }
    p{
        background-color:blue;
    }
    </style>
</head>
<body>
    <h1>this is heading tag</h1>
    <p>this is praragraph tag</p>
</body>
</html>
```




this is heading tag

this is praragraph tag

Prac-3b CSS properties to change the fonts and text styles.

##code

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>(b) font and text style</title>
</head>
<body>
    <h1
    style="font-family: jokerman;
    font-style:italic;
    background-color:pink;
    border:4px solid;">
    this is heading tag</h1>
    <p
    style="font-family:Freestyle script;
    font-style:oblique,italic;
    background-color:orange;
    border:4px dashed">
    this is praragraph tag</p>
</body>
</html>
```



this is heading tag

this is praragraph tag

prac-3c CSS properties for positioning an elements.

##code

```
<!DOCTYPE html>
```

```
<html lang="en">
<head>

  <title>(c) positioning in css</title>
  <style>
h2{
  position: static;
  border:5px solid;
  text-align: center;
}
p{
position: relative;
left:10px;
border:5px dashed;
}
  </style>
</head>
<body>
<h2>This is heading tags </h2>
<p>This is praragraph tag</p>
</body>
</html>
```

This is heading tags

This is praragraph tag