

Notification Framework

API Integration Guide

For Project Manager

1. What You Need Before You Start

Before your team can send notifications, you need two things:

1.1 Register Your Application

Each team must register as a client on the admin portal to receive an API Key. This key must be included in every API request.

Registration URL:

```
http://localhost:5173/register
```

During registration you will provide a client name and receive back a unique API Key. Store this key securely — it is shown only once.

1.2 The API Base URL (ngrok)

The framework is currently accessible via the following public URL (keep this confidential within your team):

```
https://nonarticulative-reatha-approvingly.ngrok-free.dev
```

⚠ **Note:** This URL is active only while our server is running. If you cannot connect, contact us to confirm the server is up. The URL may change if the session is restarted — we will notify you of any change.

To avoid the above problem we attached the code zip folder along with the commands to run.

2. Explore the API (Interactive Docs)

FastAPI automatically generates interactive documentation for all endpoints. You can browse every endpoint, see request/response formats, and test calls directly in your browser — no code needed.

Swagger UI<https://nonarticulative-reatha-approvingly.ngrok-free.dev/docs>

The OpenAPI JSON can be imported directly into Postman to give your team a ready-made API collection.

3. Sending a Notification

3.1 Endpoint

Method	URL
POST	https://nonarticulative-reatha-approvingly.ngrok-free.dev/notify

3.2 Required Header

Content-Type	application/json
---------------------	------------------

3.3 Request Body

Send a JSON body with the following structure:

```
{
  "client_id": "your_client_id",
  "event_type": "PAYMENT_SUCCESS",
  "recipients": [
    {
      "user_id": "user_001",
      "email": "user@example.com",
      "phone": "9876543210",
      "wa_number": "9876543210"
    }
  ],
  "channels_requested": ["email", "whatsapp"],
  "priority": "HIGH",
  "content": {
    "message": "Your payment was successful!"
  }
}
```

3.4 channels_requested Options

Value	Description
email	Send via email (fully implemented)
whatsapp	Send via WhatsApp (fully implemented)

3.5 priority Options

Value	Use Case
HIGH	OTPs, alerts, time-sensitive notifications
MEDIUM	Transactional notifications (payments, orders)
LOW	Promotional, bulk, non-urgent messages

4. User Preferences

End users can configure which channels they want to receive notifications on, and set Do-Not-Disturb (DND) windows. The framework automatically respects these preferences when routing notifications.

User preferences portal:

<https://nonarticulative-reatha-approvingly.ngrok-free.dev> → /preferences

5. Quick Start Checklist

1. Register at the portal and get your X-API-Key
2. Open the Swagger docs at /docs and explore available endpoints
3. Import /openapi.json into Postman for a ready-made collection
4. Send a POST /notify request with your API key in the header
5. Monitor delivery in the admin dashboard

— Notification Framework Team