


Program Structure



Top-down Integration

Unit under test	List of Stubs/Drivers	result	Stub's return value	Expected results	Actual results	Pass/Fail/No run
UniversalConverter	StubDistanceConverter	Pass	5000.0	5000.0	5000.0	Pass
UniversalConverter	StubWeightConverter	Fail	4.410	4.4092	4.410	Fail
UniversalConverter	StubTemperatureConverter	Pass	212.0	212.0	212.0	Pass
UniversalConverter + DistanceConverter	N/A (Real Module)	Pass	-	5000.0	5000.0	Pass
UniversalConverter + DistanceConverter	N/A (Real Module)	Fail	-	1.00000	1.0	Fail
UniversalConverter + WeightConverter	N/A (Real Module)	Pass	-	0.002	0.002	Pass
UniversalConverter + WeightConverter	N/A (Real Module)	Fail	-	2.20462	2.205	Fail
UniversalConverter + TemperatureConverter	N/A (Real Module)	Pass	-	132.0	132.0	Pass
UniversalConverter + TemperatureConverter	N/A (Real Module)	Pass	-	0.0	0.0	Pass
UniversalConverter + TemperatureConverter	N/A (Real Module)	Pass	-	273.15	273.15	Pass

Bottom-up Integration

Unit under test	List of Stubs/Drivers	result	Stub's return value	Expected results	Actual results	Pass/Fail/No run
DistanceConverter	Driver (getMultiplier)	Pass	-	1000.0	1000.0	Pass
DistanceConverter	Driver (getMultiplier)	Fail	-	1.609344	1.609	Fail

WeightConverter	Driver (getMultiplier)	Pass	-	0.001	0.001	Pass
WeightConverter	Driver (getMultiplier)	Pass	-	16.0	16.0	Pass
DistanceConverter	Driver (convert)	Pass	-	0.01	0.01	Pass
WeightConverter	Driver (convert)	Fail	-	29.166	32.0	Fail
TemperatureConverter	Driver (convert)	Pass	-	-173.15	-173.15	Pass
TemperatureConverter	Driver (convert)	Pass	-	132.0	132.0	Pass
UniversalConverter	Driver (Full Integration)	Fail	-	1.24274	1.242	Fail
UniversalConverter	Driver (Full Integration)	Pass	-	160.0	160.0	Pass