TELANGANA POLLUTION CONTROL BOARD
Zonal Office, 25-35/11, Tulasi Reddy Complex, 2nd Floor,
Opp. Govt. ITI College, R.C.Puram, Sangareddy District - 502 032.
Website: tgpcb.cgg.gov.in

CONSENT ORDER FOR ESTABLISHMENT – ORANGE CATEGORY

Order No.SRD-869/PCB/ZO/RCP/CFE/2025-250126029398 **Date: 24.09.2025**

Sub:- TGPCB – **CFE – M/s. Tejha Fabricators Ltd., Plot No. G66, G67, Sy.No. 70,174, General Park, IP-Sultanpur, Sultanpur (V), Patancheru (M), Sangareddy District** – Consent for Establishment of the Board under Sec. 25 of Water (P&C of P) Act, 1974 and Under Sec. 21 of Air (P&C of P) Act, 1981– **Issued** – Reg.

Ref:- 1. Industry's CFE application received through TS-iPASS on 02.09.2025at TGPCB, RO, Sangareddy
2. TGPCB, RO, Sangareddy verification report received on 17.09.2025.
3. CFE Committee meeting held on 23.09.2025 at TGPCB, Zonal Office, R.C.Puram.

* * * * *

I. In the reference 1st cited, an application was submitted to the Board seeking Consent for Establishment (CFE) to set-up a unit with installed capacities as mentioned below, with a project cost of **Rs.8.39 Crs** (Rupees Eight Crores and Thirty Nine Lakhs only):

S.No.	Product	Quantity
1.	Electrical Enclosures (Electrical Panels) with 7-Tank Surface Treatment	1,000 Units/Annum

II. As per the application, the industry is proposed site is located Plot No. G66, G67, Sy.No. 70,174, General park, IP-Sultanpur, Sultanpur (V), Patancheru (M), Sangareddy District with a total land area 5841.00 Sq.mts.

III. The above site was inspected by Asst. Environmental Engineer, Regional Office, T.G. Pollution Control Board, Sangareddy on 16.09.2025 and found that the industry is surrounded by **North:** Open land.; **South:** Open Plot; **East:** Internal IP Road; **West:** Internal IP Road.

IV. The Board, after careful scrutiny of the application, verification report of Regional Officer, Sangareddy, recommendation by the CFE Committee held on 23.09.2025 at TGPCB, Zonal Office, R.C.Puram, hereby issue **CONSENT FOR ESTABLISHMENT** to the industry, under Section 25 of Water (Prevention and Control of Pollution) Act, 1974 and under Section 21 of Air (Prevention and Control of Pollution) Act, 1981 and the rules made there under. This Order is issued to manufacture the products mentioned at para (I) only.

V. This CFE is issued from pollution control point of view only. Zoning and other regulations are not considered.

VI. The CFE now issued is subject to the conditions mentioned in Schedule 'A' and 'B'.

Encl: Schedule 'A' & Schedule 'B'

JOINT CHIEF ENVIRONMENTAL ENGINEER

To
M/s. Tejha Fabricators Ltd.,
Plot No. G66, G67, Sy.No. 70,174,
General Park, IP-Sultanpur,
Sultanpur (V), Patancheru (M),
Sangareddy District.

Copy to the Environmental Engineer, R.O., Sangareddy for information and necessary action.

SCHEDULE – A

1. Progress on implementation of the project shall be reported to the Regional Office of T.S. Pollution Control Board once in six months.
2. Separate energy meters shall be provided for Air pollution Control equipments and effluent treatment plant to record energy consumed.
3. The proponent shall obtain Consents for Operation from TSPCB, as required Under Section 25/26 of the Water (P & C of P) Act 1974 and under Section 21/22 of the Air (P&C of P) Act 1981 before commencement of the activity including trial production.
4. Notwithstanding anything contained in this conditional letter or consent, the Board hereby reserves its right and power under Section 27(2) of Water (Prevention and Control of Pollution) Act 1974 and under Section 21(4) of Air (Prevention & Control of Pollution) Act 1981 to review any or all the conditions imposed herein and to make such alternation as deemed fit and stipulate any additional conditions by the Board.
5. The Consent of the Board shall be exhibited in the factory premises at a conspicuous place for the information of the inspection officers of different departments.
6. Compensation is to be paid for any environmental damage caused by it, as fixed by the Collector and District Magistrate as civil liability.
7. Floor washing shall be admitted into the effluent collection system only and shall not be allowed to find their way in storm drains or open areas. The applicant shall maintain good house keeping. All pipe valves, sewers and drains shall be leak proof. Dyke walls shall be constructed around storage of chemicals.
8. Rain Water Harvesting (RWH) structure(s) shall be established on the plant site. The proponent shall ensure that effluent shall not enter the Rain Water Harvesting structure.
9. There shall not be any perceptible odour outside the industry's premises.
10. The Rules and Regulations notified by Ministry of Law and Justice, GOI regarding the Public Liability Insurance Act, 1991 shall be followed.
11. The industry shall comply with emission limits for DG sets of capacity upto 800 KW as per the notification G.S.R.520 (E), dated 01.07.2003 under the Environment (protection) Amendment Rules, 2003 and G.S.R.448 (E), dated 12.07.2004 under the Environment (protection) second Amendment Rules, 2004. In case of DG sets of capacity more than 800 KW shall comply with emission limits as per the notification G.S.R.489 (E), dated 09.07.2002 at serial No.96, under the Environment (Protection) Act, 1986.
12. The industry shall comply with ambient air quality standards of PM_{10} (particulate Matter size less than 10□m) – 100 □g/m^3; $PM_{2.5}$ (Particulate Matter size less than 2.5□m) – 60 □g/m^3; SO_2 – 80 □g/m^3; NO_x – 80 □g/m^3, outside the factory premises at the periphery of the industry.

    Standards for other parameters as mentioned in the National Ambient Air Quality Standards of CPCB Notification No.B29016/20/90/PCI-I, dated 18.11.2009 shall be complied.

    The following noise level standards shall be complied:

    Noise Levels : Day time (6 AM to 10 PM) - 75 dB (A)
    Night time (10 PM to 6 AM) - 70 dB (A)
13. The industry shall provide a minimum stack height (H) to the DG sets as per the following formula.

    $H = h + 0.2 \sqrt{KVA}$

    KVA = Total generation capacity, h = Height of building where DG Set is installed.
14. All the rules and regulations notified by Ministry of Environment, Forests & Climate Change (MoEF&CC), Govt. of India in respect of noise pollution control measures shall be followed to avoid nuisance to public.

15. Telangana State Pollution Control Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions of this Order. Also the Board reserves the right to withdraw the CFE without any prejudice/ notice on receiving any complaints by the Board regarding Environmental Pollution problems caused by the industry.
16. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal to such authority (hereinafter referred to as the appellate Authority) constituted under Section 28 of the Water (Prevention and control of Pollution) Act, 1974 and section 31 of Air (Prevention and control of pollution) Act, 1981.
17. As per the provisions of the Section 19 of the (TS-iPASS) Act, 2014 (Act No. 3 of 2014), the applicant shall be penalized with fine as prescribed by the government from time to time as well as rectification of the defect if he / she or the organization as the case may be fails to comply with the conditions or undertaking in self certification given to the Nodal Agency.

SCHEDULE – B

1. **This Order is valid for a period of five years from the date of issue.**

2. **The industry shall manufacture the above permitted product through Engineering Activities only including Metal Surface treatment i.e., fabrication of CRCA Sheets, 7-tank surface treatment (phosphating), powder coating, Oven curing, assembling & wiring etc.**

3. **The industry shall not carry any Galvanizing / Electroplating activities within the premises under any circumstances without taking permission of the Board.**

4. The source of water is Borewell. The industry shall take steps to reduce water consumption to the extent possible and consumption shall not exceed the quantities mentioned below:

S.No.	Purpose	Quantity
1.	Process	0.3 KLD
2.	Scrubbing water	0.2 KLD
3.	Miscellaneous	0.1 KLD
4.	Domestic	0.1 KLD
	Total	**0.7 KLD**

5. **As per the instructions of CPCB vide letter dated 25.04.2024, in case of usage of Ground Water, the industry shall obtain NOC from Central Ground Water Authority (CGWA) / State Ground Water Department, within One Month from the date of issue of CFE order**

6. The maximum waste water generation shall not exceed the following:

S.No.	Purpose	Quantity
1.	Process	0.15 KLD
2.	Scrubbing waste water	0.2 KLD
3.	Domestic	0.08 KLD
	Total	**0.43 KLD**

7. Effluent treatment and final disposal:

Purpose	Quantity	Point of final disposal	Limiting Standards (mg/lt except pH)
Process & Scrubbing waste water	0.35 KLD	Shall be disposed to CETP	Inlet Standards of CETP
Domestic	0.08 KLD	Septic tank followed by soak pit	---

8. The proponent shall comply with the following for controlling air pollution:

S. No	Details of Stack	Stack-1	Stack-2	Stack-3
a)	Attached to	Powder Coating Booth	7-tank Surface Treatment (Phosphating Section)	DG Set
b)	Capacity	---	---	63 KVA
c)	Fuel	---	---	Diesel
d)	Stack Height	---	---	As per condition no. 13 of schedule 'A' of this CFE order.
e)	Details of Air Pollution Control Equipment	Cyclone Dust Collector followed by Bag Filter	Scrubber	Acoustic enclosure
f)	Standards to be complied with	SPM – 115 mg/Nm^3	SPM – 115 mg/Nm^3	SPM – 115 mg/Nm^3

9. The Solid wastes generated shall not exceed the following breakup quantities:

Sl. No.	Category of Hazardous Waste as per the Schedules I, II and III	Quantity	Point of Disposal
1.	5.1 of Schedule – I: Used Oil	10 LPA	Shall be disposed to Board's Authorized Recycler / Reprocessors.
2.	35.3 of Schedule – I: Process Sludge	50 Kgs/Year	Shall be disposed to TSDF i.e., M/s.Hyderabad Waste Management Project, Dundigal (V), Dundigal Gandimaisamma (M), Medchal-Malkajgiri District / AFR Facility / Cement industries.

10. The industry shall construct above ground level RCC tanks for collection / storage of trade effluents and arrest ground water pollution due to leaks/crack of pipes, tanks and spillages etc.

11. The industry shall not cause any spillages / discharges of chemicals/ effluents on ground. The drums containing chemicals & wastes shall be stored on elevated platform provided with leachate/spillages collection pit. In no case the drums shall be stored on open ground.

12. **The industry shall provide Acid proof flooring within the process area for avoiding seepages into the ground water.**

13. The industry shall provide the pre-treatment facility for treatment of trade effluents before sending to CETP.

14. The industry shall obtain membership from CETP before applying for Board's CFO for disposal of trade effluents.

15. **The industry shall provide the Air Pollution Control Equipment i.e, Scrubber attached to 7-tank surface treatment (Phosphating section) to control the process emissions.**

16. **The industry shall carry out Powder Coating process with Air Pollution Control Equipment i.e., Cyclone Dust Collector followed by Bag Filter to control the process emissions / dust emissions and shall not carryout the Powder Coating openly under any circumstances.**

17. The industry shall construct elevated closed shed with impervious lining and leachate collection system for storage of Hazardous Waste / other waste.

18. The industry shall take membership with TSDF, i.e., M/s. Hyderabad Waste Management Project, Dundigal (V), Dundigal Gandimaisamma (M), Medchal-Malkajgiri District / AFR facility / Cement industries for disposal of hazardous waste.

19. The industry shall take all precautionary and safety measures during process operations.

20. The industry shall not discharge any wastewater outside the plant premises under any circumstances.

21. The industry shall not cause any air pollution / dust emissions / odour nuisance in the nearby environment.

22. The industry shall develop greenbelt such that it shall not be less than 33% of total area, preferably miyawaki type of plantation along the all sides of industry site. In case of any shortfall in green belt area, the industry shall contribute to common green belt in Industrial Parks.

23. The industry shall install the flow meters to measure the actual water consumption and waste water discharge and maintain a log register to record the readings.

24. The industry shall install separate energy meter to the Air Pollution Control System and shall maintain a log register to record the readings.

25. The industry may explore the possibility of tapping the solar energy for their energy requirements by providing roof top solar.

26. The industry shall not use Single Use Plastics (SUPs) under any circumstances.

27. The industry shall maintain good housekeeping within the plant premises.

28. The following rules and regulations notified by the MoEF&CC, GoI shall be implemented:

    a. Hazardous and other wastes (Management and Transboundary Movement) Rules, 2016 and amendments thereof.

    b. Manufacture, Storage and import of Hazardous Chemicals Rules, 1989 and amendments thereof.

    c. Battery Waste Management Rules, 2022 and amendments thereof.

    d. E-Waste (Management) Rules, 2022 and amendments thereof.

    e. Solid Waste Management Rules, 2016 and amendments thereof.

    f. Plastic Waste Management Rules, 2016 and amendments thereof.

    g. Bio-Medical Waste Management Rules, 2016 and amendments thereof

    h. Construction & Demolition Waste (Management & Handling) Rules, 2016 and amendments thereof.

29. The industry shall comply with all the directions issued by the Board from time to time.

30. The Board reserves its right to modify above conditions or stipulate any additional conditions including revocation of this order in the interest of environment protection.

31. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.

JOINT CHIEF ENVIRONMENTAL ENGINEER

To
M/s. Tejha Fabricators Ltd.,
Plot No. G66, G67, Sy.No. 70,174,
General Park, IP-Sultanpur,
Sultanpur (V), Patancheru (M),
Sangareddy District.