TELANGANA POLLUTION CONTROL BOARD

Zonal Office, 25-35/11, Tulasi Reddy Complex, 2nd Floor,
Opp. Govt. ITI College, R.C.Puram, Sangareddy District - 502 032.
Website: tspcb.cgg.gov.in

CONSENT ORDER FOR ESTABLISHMENT – ORANGE CATEGORY

Order No.RCPM-1204/PCB/ZO/RCP/CFE/2025-250125950424 **Date: 17.06.2025**

Sub: TGPCB – **CFE – M/s. Sadashiva Industries, Sy.No. 1610/A, 1611/AA, 1610/UU, 1613/AA3 & 1612/AA, 38/A2, 1608/A,1608/AA,1637/A, 1637/E, 1637/EE, Kalwakunta (V), Nizampet (M), Medak District** – Consent for Establishment of the Board Under Sec. 25 of Water (P&C of P) Act, 1974 and Under Sec. 21 of Air (P&C of P) Act, 1981 – **Issued** – Reg.

Ref:
1. Acknowledgement order dated 28.03.2024.
2. Industry's CFE application received through TG-iPASS on 01.06.2025 at TGPCB, RO, RC Puram.
3. TGPCB, RO, RC Puram verification report received on 13.06.2025.
4. CFE Committee meeting held on 16.06.2025 at TGPCB, Zonal Office, R.C.Puram.

* * * * *

I. In the reference 2nd cited, an application was submitted to the Board seeking Consent for Establishment (CFE) to set-up a unit with installed capacities as mentioned below, with a total project cost of **Rs. 2.20 Crs** (Rupees Two Crores and Twenty Lakhs only):

S.No.	Product	Capacity
1.	Raw Rice	35.0 TPD
2.	Parboiled Rice	38.0 TPD
	By- Products:	
1.	Rice Husk (for Parboiled activity)	6.5 TPD
2.	Rice Bran (for Parboiled activity)	3.5 TPD
3.	Broken Rice (for Parboiled activity)	2.0 TPD

II. As per the application, the industry's proposed site is located at Sy.No. 1610/A, 1611/AA, 1610/UU, 1613/AA3 & 1612/AA, 38/A2, 1608/A,1608/AA,1637/A, 1637/E, 1637/EE,, Kalwakunta (V), Nizampet (M), Medak District with a total land area 8.31 Acres.

III. The above site was inspected by Asst Environmental Engineer, Regional Office, TGPCB, RC Puram on 12.06.2025 and observed that the industry is surrounded by **North:** Approach road & Agricultural lands; **South:** Agricultural lands; **East:** Agricultural lands; **West:** Agriculture lands.

IV. The Board, after careful scrutiny of the application, verification report of Regional Officer, RC Puram recommendation by the CFE Committee meeting held on 16.06.2025 at TGPCB, Zonal Office, R.C. Puram, hereby issue **CONSENT FOR ESTABLISHMENT** to the industry, under Section 25 of Water (Prevention and Control of Pollution) Act, 1974 and under Section 21 of Air (Prevention and Control of Pollution) Act, 1981 and the rules made there under. This Order is issued to manufacture the products mentioned at para (I) only.

V. This CFE is issued from pollution control point of view only. Zoning and other regulations are not considered.

VI. The CFE now issued is subject to the conditions mentioned in Schedule 'A' and 'B'.

Encl: Schedule 'A' & Schedule 'B'

JOINT CHIEF ENVIRONMENTAL ENGINEER

TG POLLUTION CONTROL BOARD Zonal Office Ramachandrapuram 502032

To
M/s. Sadashiva Industries,
Sy.No. 1610/A, 1611/AA, 1610/UU,
1613/AA3 & 1612/AA, 38/A2, 1608/A,1608/AA,
1637/A, 1637/E, 1637/EE,
Kalwakunta (V), Nizampet (M),
Medak District.

Copy to the Environmental Engineer, R.O., RC Puram for information and necessary action.

SCHEDULE – A

1. Progress on implementation of the project shall be reported to the Regional Office of TG Pollution Control Board once in six months.
2. Separate energy meters shall be provided for Air pollution Control equipments and effluent treatment plant to record energy consumed.
3. The proponent shall obtain Consents for Operation from TGPCB, as required Under Section 25/26 of the Water (P & C of P) Act 1974 and under Section 21/22 of the Air (P&C of P) Act 1981 before commencement of the activity including trial production.
4. Notwithstanding anything contained in this conditional letter or consent, the Board hereby reserves its right and power under Section 27(2) of Water (Prevention and Control of Pollution) Act 1974 and under Section 21(4) of Air (Prevention & Control of Pollution) Act 1981 to review any or all the conditions imposed herein and to make such alternation as deemed fit and stipulate any additional conditions by the Board.
5. The Consent of the Board shall be exhibited in the factory premises at a conspicuous place for the information of the inspection officers of different departments.
6. Compensation is to be paid for any environmental damage caused by it, as fixed by the Collector and District Magistrate as civil liability.
7. Floor washing shall be admitted into the effluent collection system only and shall not be allowed to find their way in storm drains or open areas. The applicant shall maintain good house keeping. All pipe valves, sewers and drains shall be leak proof. Dyke walls shall be constructed around storage of chemicals.
8. Rain Water Harvesting (RWH) structure(s) shall be established on the plant site. The proponent shall ensure that effluent shall not enter the Rain Water Harvesting structure.
9. There shall not be any perceptible odour outside the industry's premises.
10. The Rules and Regulations notified by Ministry of Law and Justice, GOI regarding the Public Liability Insurance Act, 1991 shall be followed.
11. The industry shall comply with emission limits for DG sets of capacity upto 800 KW as per the notification G.S.R.520 (E), dated 01.07.2003 under the Environment (protection) Amendment Rules, 2003 and G.S.R.448 (E), dated 12.07.2004 under the Environment (protection) second Amendment Rules, 2004. In case of DG sets of capacity more than 800 KW shall comply with emission limits as per the notification G.S.R.489 (E), dated 09.07.2002 at serial No.96, under the Environment (Protection) Act, 1986.
12. The industry shall comply with Ambient Air Quality Standards of PM_{10} (particulate Matter size less than 10μm) – 100 $\mu g/m^3$; $PM_{2.5}$ (Particulate Matter size less than 2.5μm) – 60 $\mu g/m^3$; SO_2 – 80 $\mu g/m^3$; NO_x – 80 $\mu g/m^3$, outside the factory premises at the periphery of the industry.

    Standards for other parameters as mentioned in the National Ambient Air Quality Standards of CPCB Notification No.B29016/20/90/PCI-I, dated 18.11.2009 shall be complied.

    The following noise level standards shall be complied:

    Noise Levels : Day time (6 AM to 10 PM) - 75 dB (A)
    Night time (10 PM to 6 AM) - 70 dB (A)
13. The industry shall provide a minimum stack height (H) to the DG sets as per the following formula.

    $H = h + 0.2 \sqrt{KVA}$

    KVA = Total generation capacity, h = Height of building where DG Set is installed.
14. All the rules and regulations notified by Ministry of Environment, Forests & Climate Change (MoEF&CC), Govt. of India in respect of noise pollution control measures shall be followed to avoid nuisance to public.
15. Telangana Pollution Control Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions of this Order. Also the Board reserves the right to withdraw the CFE without any prejudice/ notice on receiving any complaints by the Board regarding Environmental Pollution problems caused by the industry.

16. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal to such authority (hereinafter referred to as the appellate Authority) constituted under Section 28 of the Water (Prevention and control of Pollution) Act, 1974 and section 31 of Air (Prevention and control of pollution) Act, 1981.

17. As per the provisions of the Section 19 of the (TG-iPASS) Act, 2014 (Act No. 3 of 2014), the applicant shall be penalized with fine as prescribed by the government from time to time as well as rectification of the defect if he / she or the organization as the case may be fails to comply with the conditions or undertaking in self certification given to the Nodal Agency.

SCHEDULE – B

1. **This Order is valid for a period of five years from the date of issue.**

2. **The industry shall submit the registered lease deed of land Ac. 3.31 Guntas on industry's name within one month.**

3. The source of water is Public Supply Water. The industry shall take steps to reduce water consumption to the extent possible and consumption shall not exceed the quantities mentioned below:

Purpose	Quantity
Process & Washings	60.0 KLD
Boiler Feed / make up	12.0 KLD
Domestic	2.0 KLD
Total	**74.0 KLD**

4. **As per the instructions of CPCB vide letter dated 25.04.2024, in case of usage of Ground Water, the industry shall obtain NOC from Central Ground Water Authority (CGWA) within One Month from the date of issue of CFE order.**

5. The maximum waste water generation shall not exceed the following:

Purpose	Quantity
Process & Washings	55.0 KLD
Boiler Blow Down	3.0 KLD
Domestic	2.0 KLD
Total	**60.0 KLD**

6. Effluent treatment and final disposal:

Purpose	Quantity	Point of final disposal	Limiting Standards (mg/lt except pH)
Process & Washings and Boiler Blow Down	58.0 KLD	Onland for irrigation within the industry's premises after treatment in ETP.	pH: 6.5 to 8.5, TSS - 200, TDS-2100 mg/l, BOD (3 days at 27^0 C) - 100.0 mg / l, Oil & Grease- 10.
Domestic	2.0 KLD	Septic tank followed by soak pit	---

7. The proponent shall comply with the following for controlling air pollution:

S.No.	Details of Stack	Stack-1	Stack-2
a)	Attached to	Husk Fired Boiler	DG Set
b)	Capacity	4.0 TPH	150 KVA
c)	Fuel	Husk	HSD
d)	Stack Height	30 mtrs	As per condition no. 13 of schedule 'A' of this CFE order.
e)	Details of Air Pollution Control Equipment	Multi-Cyclone Dust Collector	Acoustic enclosures
f)	Standards to be complied with	SPM – 115 mg/Nm^3	SPM – 115 mg/Nm^3

8. A sampling port with removable dummy of not less than 15cm diameter shall be provided in the stack at a distance of 8 times the diameter of the stack from the nearest constraint such as bends etc. A platform with suitable ladder shall be provided below 1 meter of sampling port to accommodate three persons with instruments. A 15 AMP 250 V plug point shall be provided on the platform.

9. The Solid wastes generated shall not exceed the following breakup quantities:

Sl. No.	Description of the Solid Waste	Quantity	Point of Disposal
1.	5.1 of Schedule – I: Waste Oil	As generated	Shall be disposed to Board's Authorized Recyclers / Reprocessors OR TSDF i.e., M/s. Hyderabad Waste Management Project, Dundigal (V), Dundigal Gandimaisamma (M), Medchal-Malkajgiri District / Alternate Fuel & Raw Material Facilities (AFRF) for pre processing / Cement industries for co processing.
2.	ETP Sludge	As generated	Shall be used as Bio manure within the premises.
3.	Boiler Ash	2.0 TPD	Shall be disposed to brick manufacturers.

10. The industry shall construct above ground level RCC tanks for collection / storage of trade effluents and arrest ground water pollution due to leaks/crack of pipes, tanks and spillages etc.

11. The industry shall not cause any spillages / discharges of chemicals/ effluents on ground. The drums containing chemicals & wastes shall be stored on elevated platform provided with leachate/spillages collection pit. In no case the drums shall be stored on open ground.

12. The industry shall construct full-fledged ETP (70 KLD) with 20% buffer for treatment of trade effluents and the treated waste water shall be used for onland for irrigation within the industry's premises duly meeting the irrigation standards stipulated and shall not discharge any waste water outside the premises.

13. The treated effluents shall be utilized for irrigation / plantation in a systematic way so as not to create any stagnated water pools, which may create septic conditions and foul odour.

14. The industry shall install the Air Pollution Control Equipment i.e., Multi-Cyclone Dust Collector attached to the Husk fired boiler of capacity 4.0 TPH to control the flue gas / dust emissions, to meet the Board prescribed emission limits standards.

15. The industry shall install the Air Pollution Control Equipment i.e., Cyclone Dust Collectors at Milling Sections to control the dust emissions.

16. The industry shall close the elevated Paddy transfer points in 3 sides to avoid the fugitive dust emissions.

17. The industry shall provide the suction hoods at paddy unloading area to avoid the fugitive dust emissions.

18. The industry shall connect all exhaust vents to Dust Control equipment to avoid the fugitive dust emissions.

19. The industry shall construct the closed room / shed for storage of husk & ash to control fugitive emissions. The industry shall not store the husk & ash openly.

20. The industry shall dispose the boiler ash to brick manufacturing industries.

21. The industry shall carryout water sprinkling to control fugitive dust emissions or take any appropriate dust control measures.

22. The industry shall not discharge any waste water outside the factory premises under any circumstances.

23. The industry shall not cause any air pollution / dust emissions / odour nuisance in the nearby environment.

24. The industry shall install flow meters to measure the actual water consumption, waste water generation, treated & disposed and maintain registers as per the meter readings.

25. The industry shall provide separate energy meter to the ETP & Air Pollution Control Equipment and maintain log registers.

26. The industry shall develop 10 mtrs thick green belt all along the boundary of the unit and in all the vacant places within the plant premises with tall growing trees with wide leaf area, The area allocated for greenbelt shall not be less than 33 % of total area of industry and shall have sufficient land at the rate of 1 Acre for 10 kilo Litre of treated effluent discharge.

27. The industry may explore the possibility of tapping the solar energy for their energy requirements by providing roof top solar.

28. The industry shall not use Single Use Plastics (SUPs) under any circumstances.

29. The industry shall maintain good housekeeping within the plant premises.

30. The following rules and regulations notified by the MoEF&CC, GoI shall be implemented:

a. Hazardous and other wastes (Management and Transboundary Movement) Rules, 2016 and amendments thereof.
b. Manufacture, Storage and import of Hazardous Chemicals Rules, 1989 and amendments thereof.
c. Battery Waste Management Rules, 2022 and amendments thereof.
d. E-Waste (Management) Rules, 2022 and amendments thereof.
e. Solid Waste Management Rules, 2016 and amendments thereof.
f. Plastic Waste Management Rules, 2016 and amendments thereof.
g. Bio-Medical Waste Management Rules, 2016 and amendments thereof
h. Construction & Demolition Waste (Management & Handling) Rules, 2016 and amendments thereof.

31. The industry shall comply with all the directions issued by the Board from time to time.

32. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.

33. The Board reserves its right to modify above conditions or stipulate any further conditions in the interest of environment protection.

K Sreddy

JOINT CHIEF ENVIRONMENTAL ENGINEER

TG POLLUTION CONTROL BOARD Zonal Office Ramachandrapuram

To
M/s. Sadashiva Industries,
Sy.No. 1610/A, 1611/AA, 1610/UU,
1613/AA3 & 1612/AA, 38/A2, 1608/A,1608/AA,
1637/A, 1637/E, 1637/EE,
Kalwakunta (V), Nizampet (M),
Medak District.