C2 | COMPONENTS + ALL 32 DATABASE TABLES

EXTENDED C2: API and real database relations (not a pure C4 Component diagram)

API :8080 | gRPC :8081 HTTP/2 | Redis :6379 | SQL :1433

DATABASES: I = Identity (21) | T = Tracking (7) | W = Worker (4)

WEB / NGINX :80
Host :5173

/api :8080

API ROUTING
JWT / Role
HTTP :8080

MEAL ADVICE
RecommendationsController

RecommendationService + gRPC client

RecommendationRepository / gRPC adapter

DATA REFERENCE A01
UserFoodPreferences [I]
SQL :1433

PROFILE
ProfileController

ProfileService

UserRepository / Profile persistence

DATA REFERENCE A02
UserProfiles [I]
SQL :1433

MEAL PLAN
MealPlansController

MealPlanningService

MealPlanRepository

DATA REFERENCE A03
MealPlans [I]
SQL :1433

AUTH
AuthController

AuthenticationService

UserRepository + RefreshTokenRepository

DATA REFERENCE A04
Users [I]
SQL :1433

REMINDERS
ReminderNotificationsController

ReminderService / IdentityRedisBridge

Identity outbox + inbox persistence

DATA REFERENCE A05
ReminderPreferences [I]
SQL :1433

MEAL LOG
MealLogsController

MealTrackingService

MealLogRepository

DATA REFERENCE A06
MealLogs [I]
SQL :1433

EATING WINDOW
EatingWindowController

MealTrackingService

EatingWindowRepository

DATA REFERENCE A07
EatingWindowSnapshots [I]
SQL :1433

FMD
FmdController

FmdService

FmdRepository

DATA REFERENCE A08
FmdSafetyAssessments [I]
SQL :1433

ACTIVITY ADVICE
RecommendationController

TrackingService + ActivityCoachClient

TrackingDbContext + gRPC adapter

DATA REFERENCE A09
ActivityGoals [T]
SQL :1433

ACTIVITY
TrackingController

TrackingService

TrackingDbContext

DATA REFERENCE A10
ActivityLogs [T]
SQL :1433

Users [I] | A04
PK Id
Email
Role
Status

UserProfiles [I] | A02
PK/FK UserId
TimeZone
FoodPreference

UserFoodPreferences [I] | A01
PK Id
UserId (APP REF)
FoodToken

UserDietaryPreferences [I]
PK UserId
DietaryPattern
AllergiesCsv

MealPlans [I] | A03
PK Id
UserId (APP REF)
Status
TimeZone

MealPlanDays [I]
PK Id
FK MealPlanId
DayNumber
DailyFocusCode

PlannedMeals [I]
PK Id
FK MealPlanDayId
SlotType
CandidateCode

MealReplacementHistories [I]
PK Id
MealPlanId (APP REF)
PlannedMealId (APP REF)

RecommendationFeedbacks [I]
PK Id
UserId (APP REF)
FeedbackType
CandidateCode

RefreshTokens [I]
PK Id
FK UserId
TokenHash
ExpiresAt

ReminderPreferences [I] | A05
PK/FK UserId
OptedIn
QuietStart
QuietEnd

UserNotifications [I]
PK Id
FK UserId
Category
DeduplicationKey

MealLogItems [I]
PK Id
FK MealLogId
FoodCode
ServingAmount

MealLogs [I] | A06
PK Id
UserId (APP REF)
LocalDate
EatenAt

EatingWindowSnapshots [I] | A07
PK Id
UserId (APP REF)
LocalDate
StatusCode

FmdSafetyAssessments [I] | A08
PK Id
UserId (APP REF)
ResultStatus

FmdCycles [I]
PK Id
UserId (APP REF)
Status

FmdCycleDays [I]
PK Id
FK FmdCycleId
DayNumber
Symptoms

FmdEducationAcknowledgements [I]
PK Id
UserId (APP REF)
EducationVersion

ActivityGoals [T] | A09
PK UserId (APP REF)
WeeklyMinutesTarget

ActivityLogs [T] | A10
PK Id
UserId (APP REF)
Kind
DurationMinutes

TrackingOutbox [T]
PK EventId
EventType
PublishedAtUtc

TrackingScoreSignals [T]
PK Id
UserId (APP REF)
DimensionCode

AdherenceScores [T]
PK Id
UserId (APP REF)
Score

ScoreDimensions [T]
PK Id
FK AdherenceScoreId
WeightedScore

ScoreConfigurationVersions [T]
PK Version
ActivityWeight
MealWeight

IdentityOutbox [I]
PK Id
EventType
PublishedAtUtc

ReminderSchedules [W]
PK Id
UserId (APP REF)
Category
NextDueUtc

ReminderDispatchRecords [W]
PK Id
UserId (APP REF)
DueAtUtc

WorkerOutbox [W]
PK EventId
EventType
PublishedAtUtc

IdentityInbox [I]
PK EventId
ReceivedAtUtc

WorkerProcessedEvents [W]
PK EventId
ProcessedAtUtc

C2: HTTP → Controller → Service → Repository → REF A01–A10. Find the same code on its real table.
FK: 9 solid Crow Foot | APP: 16 dashed | EVENT: 6 dotted. Worker DB is separate; gRPC has no own DB.

32 CURRENT EF TABLES: Identity 21 + Tracking 7 + Worker 4. TABLE REF labels navigate to real tables, NOT SQL foreign keys.
Only solid Crow Foot links are enforced in SQL; all other links are documented APP/EVENT relations.