```
meit@compute-node-1:~/Desktop/33249$ git -version
unknown option: -version
usage: git [--version] [--help] [-C <path>] [-c <name>=<value>]
           [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
           [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--bare]
           [--git-dir=<path>] [--work-tree=<path>] [--namespace=<name>]
           <command> [<args>]
meit@compute-node-1:~/Desktop/33249$ git --version
git version 2.25.1
meit@compute-node-1:~/Desktop/33249$ git init
Initialized empty Git repository in /home/meit/Desktop/33249/.git/
meit@compute-node-1:~/Desktop/33249$ git add
Nothing specified, nothing added.
Maybe you wanted to say 'git add .'?
meit@compute-node-1:~/Desktop/33249$ git add .
meit@compute-node-1:~/Desktop/33249$ git add.
git: 'add.' is not a git command. See 'git --help'.

The most similar command is
        add
meit@compute-node-1:~/Desktop/33249$ git commit -m 'Files added'

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

meit@compute-node-1:~/Desktop/33249$ git config --global user.email "omkar.v.lonkar@gmail.com"
meit@compute-node-1:~/Desktop/33249$ git commit -m 'Files added'
[master (root-commit) 16f680a] Files added
 6 files changed, 452 insertions(+)
 create mode 100644 1a/Assignment.html
 create mode 100644 1a/login.html
 create mode 100644 1a/styles.css
 create mode 100644 1b/display.html
 create mode 100644 1b/login.html
 create mode 100644 1b/registration.html
meit@compute-node-1:~/Desktop/33249$ git remote add origin https://github.com/omkarlonkar11/WAD.git

meit@compute-node-1:~/Desktop/33249$ git push -u origin main
Username for 'https://github.com': omkarlonkar11
Password for 'https://omkarlonkar11@github.com':
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 8 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (10/10), 4.97 KiB | 1018.00 KiB/s, done.
Total 10 (delta 0), reused 0 (delta 0)
To https://github.com/omkarlonkar11/WAD.git
 * [new branch]      main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
```