Mean absolute error (days) · scoring dates

20/20 requested configurations complete · calibration and held-out test sites · 2026-09-12 19:06:14 UTC

Common colour scales across both methods, date views, temperatures and partitions; fixed model order.

Existing thresholds RAW · Calibration

	07	65	81	89
FL	12.0	14.7	16.3	24.3
FB	12.5	19.6	22.1	37.9
CL-FL-S	12.1	15.3	14.6	20.3
CL-FL-P	10.6	17.7	14.8	19.9
CB-FL-S	12.0	15.2	14.8	20.2
CB-FL-P	10.6	16.8	14.5	19.1
CL-FB-S	12.3	20.4	21.6	37.3
CL-FB-P	15.5	28.5	23.3	39.6
CB-FB-S	11.1	19.2	21.7	37.1
CB-FB-P	16.0	28.4	22.8	38.9

Existing thresholds RAW · Test

	07	65	81	89
FL	11.4	14.8	16.3	26.1
FB	11.8	19.6	22.8	39.7
CL-FL-S	11.7	15.0	14.1	22.2
CL-FL-P	10.2	17.5	14.6	21.5
CB-FL-S	11.6	14.9	14.3	22.1
CB-FL-P	10.1	16.7	14.2	20.7
CL-FB-S	11.6	20.2	22.1	39.0
CL-FB-P	14.9	28.5	24.0	41.3
CB-FB-S	10.3	19.0	22.3	38.8
CB-FB-P	15.5	28.4	23.5	40.5

Existing thresholds DEM · Calibration

	07	65	81	89
FL	11.5	11.6	12.8	16.7
FB	12.0	10.0	16.2	30.7
CL-FL-S	11.9	11.4	13.1	18.1
CL-FL-P	10.0	10.3	12.6	15.5
CB-FL-S	11.6	11.2	13.0	17.8
CB-FL-P	9.7	10.0	12.3	15.3
CL-FB-S	12.3	10.5	17.2	30.3
CL-FB-P	14.1	10.8	18.1	32.3
CB-FB-S	12.2	10.1	17.0	30.0
CB-FB-P	14.1	10.7	17.6	32.0

Existing thresholds DEM · Test

	07	65	81	89
FL	10.8	11.8	12.6	18.6
FB	11.2	10.3	16.8	33.2
CL-FL-S	11.5	11.5	13.0	20.1
CL-FL-P	9.5	10.4	12.5	17.4
CB-FL-S	11.2	11.3	12.8	19.9
CB-FL-P	9.2	10.1	12.0	17.1
CL-FB-S	11.5	10.6	17.8	32.8
CL-FB-P	13.3	11.2	18.8	34.6
CB-FB-S	11.5	10.3	17.6	32.4
CB-FB-P	13.3	11.0	18.4	34.4

Median / cutoff fit RAW · Calibration

	07	65	81	89
FL	12.0	12.9	13.9	13.6
FB	12.5	11.6	14.7	14.3
CL-FL-S	9.8	10.0	13.9	12.2
CL-FL-P	10.6	11.8	13.2	12.1
CB-FL-S	9.7	10.0	13.4	11.7
CB-FL-P	10.2	11.6	13.1	12.1
CL-FB-S	10.6	10.9	14.2	13.5
CL-FB-P	15.0	13.6	15.5	14.6
CB-FB-S	10.2	10.5	14.0	13.2
CB-FB-P	14.4	13.1	15.3	14.5

Median / cutoff fit RAW · Test


	07	65	81	89
FL	11.5	12.9	13.2	15.1
FB	11.8	11.8	14.3	15.7
CL-FL-S	9.6	10.1	14.1	13.1
CL-FL-P	10.3	11.7	12.3	13.3
CB-FL-S	9.3	10.1	13.2	12.6
CB-FL-P	9.9	11.5	12.4	13.4
CL-FB-S	10.0	10.7	13.6	14.2
CL-FB-P	14.4	13.6	15.2	15.8
CB-FB-S	9.7	10.4	13.5	14.1
CB-FB-P	13.8	13.2	15.0	15.5

Median / cutoff fit DEM · Calibration

	07	65	81	89
FL	11.5	11.5	12.8	13.5
FB	11.9	10.0	13.1	14.0
CL-FL-S	9.7	9.3	12.9	12.0
CL-FL-P	9.9	10.2	12.2	11.9
CB-FL-S	9.5	9.0	12.9	11.9
CB-FL-P	9.6	10.0	12.2	11.9
CL-FB-S	9.6	8.8	13.2	13.4
CL-FB-P	13.8	10.9	13.3	14.1
CB-FB-S	9.5	8.6	13.2	13.2
CB-FB-P	13.6	10.8	13.3	14.1

Median / cutoff fit DEM · Test

	07	65	81	89
FL	10.8	11.7	12.6	14.2
FB	11.0	10.3	13.1	14.5
CL-FL-S	9.8	9.5	12.8	12.3
CL-FL-P	9.5	10.3	11.8	12.3
CB-FL-S	9.2	9.1	12.9	12.2
CB-FL-P	9.2	10.1	11.8	12.3
CL-FB-S	9.6	8.8	12.9	13.2
CL-FB-P	13.0	11.2	13.3	14.4
CB-FB-S	9.6	8.6	13.0	13.2
CB-FB-P	12.8	11.1	13.3	14.5



BBCH 07 budburst · 65 flowering · 81 veraison · 89 maturity/harvest. Grey —: pending; ×: failed; ·: unrequested; n/a: unavailable.

Errors use finite dates in the selected view and equal site weights; RMSE = square root of the mean site MSE.

Raw errors exclude unattained predictions; scoring errors can include BBCH81/89 assigned dates. Denominators can differ.

Bias = predicted − observed; negative is early. No confidence intervals or matched-pair effect estimates.

Mean absolute error (days) · raw dates

20/20 requested configurations complete · calibration and held-out test sites · 2026-09-12 19:06:14 UTC

Common colour scales across both methods, date views, temperatures and partitions; fixed model order.

Existing thresholds RAW · Calibration

	07	65	81	89
FL	12.0	14.7	16.3	24.3
FB	12.5	19.6	22.1	38.0
CL-FL-S	12.1	15.3	14.6	20.3
CL-FL-P	10.6	17.7	14.8	19.9
CB-FL-S	12.0	15.2	14.8	20.2
CB-FL-P	10.6	16.8	14.5	19.2
CL-FB-S	12.3	20.4	21.6	37.4
CL-FB-P	15.5	28.5	23.3	39.6
CB-FB-S	11.1	19.2	21.7	37.2
CB-FB-P	16.0	28.4	22.8	39.0

Existing thresholds RAW · Test

	07	65	81	89
FL	11.4	14.8	16.3	26.2
FB	11.8	19.6	22.8	39.7
CL-FL-S	11.7	15.0	14.1	22.3
CL-FL-P	10.2	17.5	14.6	21.6
CB-FL-S	11.6	14.9	14.3	22.2
CB-FL-P	10.1	16.7	14.2	20.8
CL-FB-S	11.6	20.2	22.1	39.1
CL-FB-P	14.9	28.5	24.0	41.3
CB-FB-S	10.3	19.0	22.2	38.8
CB-FB-P	15.5	28.4	23.5	40.5

Existing thresholds DEM · Calibration

	07	65	81	89
FL	11.5	11.6	12.8	16.8
FB	12.0	10.0	16.1	30.7
CL-FL-S	11.9	11.4	13.1	18.1
CL-FL-P	10.0	10.3	12.5	15.5
CB-FL-S	11.6	11.2	12.9	17.8
CB-FL-P	9.7	10.0	12.2	15.3
CL-FB-S	12.3	10.5	17.2	30.3
CL-FB-P	14.1	10.8	18.0	32.3
CB-FB-S	12.2	10.1	16.9	30.0
CB-FB-P	14.1	10.7	17.5	32.0

Existing thresholds DEM · Test

	07	65	81	89
FL	10.8	11.8	12.6	18.6
FB	11.2	10.3	16.8	33.2
CL-FL-S	11.5	11.5	12.9	20.1
CL-FL-P	9.5	10.4	12.5	17.4
CB-FL-S	11.2	11.3	12.7	19.9
CB-FL-P	9.2	10.1	12.0	17.1
CL-FB-S	11.5	10.6	17.7	32.8
CL-FB-P	13.3	11.2	18.8	34.6
CB-FB-S	11.5	10.3	17.6	32.4
CB-FB-P	13.3	11.0	18.4	34.4

Median / cutoff fit RAW · Calibration

	07	65	81	89
FL	12.0	12.9	13.9	13.8
FB	12.5	11.6	14.7	14.2
CL-FL-S	9.8	10.0	13.2	11.3
CL-FL-P	10.6	11.8	13.2	12.2
CB-FL-S	9.7	10.0	13.1	11.2
CB-FL-P	10.2	11.6	13.2	12.2
CL-FB-S	10.6	10.9	14.1	13.2
CL-FB-P	15.0	13.6	15.5	14.7
CB-FB-S	10.2	10.5	14.0	13.0
CB-FB-P	14.4	13.1	15.3	14.5

Median / cutoff fit RAW · Test


	07	65	81	89
FL	11.5	12.9	13.2	15.3
FB	11.8	11.8	14.3	15.9
CL-FL-S	9.6	10.1	13.0	13.2
CL-FL-P	10.3	11.7	12.3	13.9
CB-FL-S	9.3	10.1	12.6	13.1
CB-FL-P	9.9	11.5	12.4	13.9
CL-FB-S	10.0	10.7	13.4	14.2
CL-FB-P	14.4	13.6	15.2	15.7
CB-FB-S	9.7	10.4	13.3	14.0
CB-FB-P	13.8	13.2	14.9	15.5

Median / cutoff fit DEM · Calibration

	07	65	81	89
FL	11.5	11.5	12.8	13.7
FB	11.9	10.0	13.0	14.0
CL-FL-S	9.7	9.3	12.3	11.3
CL-FL-P	9.9	10.2	12.1	12.0
CB-FL-S	9.5	9.0	12.3	11.2
CB-FL-P	9.6	10.0	12.1	12.0
CL-FB-S	9.6	8.8	12.5	12.4
CL-FB-P	13.8	10.9	13.1	14.1
CB-FB-S	9.5	8.6	12.5	12.3
CB-FB-P	13.6	10.8	13.1	14.2

Median / cutoff fit DEM · Test

	07	65	81	89
FL	10.8	11.7	12.6	14.4
FB	11.0	10.3	13.0	14.8
CL-FL-S	9.8	9.5	12.3	11.9
CL-FL-P	9.5	10.3	11.8	12.3
CB-FL-S	9.2	9.1	12.4	11.9
CB-FL-P	9.2	10.1	11.8	12.4
CL-FB-S	9.6	8.8	12.4	12.9
CL-FB-P	13.0	11.2	13.2	14.5
CB-FB-S	9.6	8.6	12.4	12.8
CB-FB-P	12.8	11.1	13.2	14.6



BBCH 07 budburst · 65 flowering · 81 veraison · 89 maturity/harvest. Grey —: pending; ×: failed; ·: unrequested; n/a: unavailable.

Errors use finite dates in the selected view and equal site weights; RMSE = square root of the mean site MSE.

Raw errors exclude unattained predictions; scoring errors can include BBCH81/89 assigned dates. Denominators can differ.

Bias = predicted − observed; negative is early. No confidence intervals or matched-pair effect estimates.

Root mean square error (days) · scoring dates

20/20 requested configurations complete · calibration and held-out test sites · 2026-09-12 19:06:14 UTC

Common colour scales across both methods, date views, temperatures and partitions; fixed model order.

Existing thresholds RAW · Calibration

	07	65	81	89
FL	15.2	19.0	20.3	27.9
FB	16.1	23.4	26.4	40.3
CL-FL-S	15.3	19.1	18.8	23.9
CL-FL-P	14.1	21.1	19.1	23.4
CB-FL-S	15.2	18.9	19.0	23.8
CB-FL-P	14.1	20.3	18.7	22.7
CL-FB-S	15.8	23.9	25.9	39.7
CL-FB-P	18.9	32.3	27.4	41.8
CB-FB-S	14.6	22.6	26.0	39.5
CB-FB-P	19.3	32.1	27.0	41.2

Existing thresholds RAW · Test

	07	65	81	89
FL	14.7	18.9	20.6	30.3
FB	15.2	23.5	27.3	42.6
CL-FL-S	15.0	18.7	18.5	26.5
CL-FL-P	13.9	20.9	19.1	25.7
CB-FL-S	14.9	18.6	18.7	26.4
CB-FL-P	13.9	20.1	18.6	25.0
CL-FB-S	14.9	23.8	26.7	41.9
CL-FB-P	18.4	32.5	28.4	44.0
CB-FB-S	13.5	22.3	27.0	41.6
CB-FB-P	18.9	32.3	28.0	43.3

Existing thresholds DEM · Calibration

	07	65	81	89
FL	14.5	15.0	16.3	20.7
FB	15.3	13.6	20.4	33.6
CL-FL-S	15.0	14.8	17.0	21.8
CL-FL-P	13.2	13.5	16.5	19.1
CB-FL-S	14.6	14.5	16.8	21.5
CB-FL-P	12.8	13.3	16.1	19.0
CL-FB-S	15.7	13.8	21.5	33.2
CL-FB-P	17.3	14.3	22.4	35.0
CB-FB-S	15.3	13.5	21.3	32.9
CB-FB-P	17.3	14.2	21.9	34.7

Existing thresholds DEM · Test

	07	65	81	89
FL	14.1	15.3	16.1	23.1
FB	14.7	14.2	21.3	36.3
CL-FL-S	14.8	14.9	17.3	24.3
CL-FL-P	13.1	13.7	16.7	21.6
CB-FL-S	14.5	14.6	17.1	24.1
CB-FL-P	12.6	13.5	16.1	21.4
CL-FB-S	15.0	14.2	22.6	35.9
CL-FB-P	16.8	15.2	23.4	37.5
CB-FB-S	14.6	13.9	22.5	35.5
CB-FB-P	16.8	15.0	22.9	37.4

Median / cutoff fit RAW · Calibration

	07	65	81	89
FL	15.2	17.8	17.8	17.1
FB	16.1	16.6	18.9	18.3
CL-FL-S	13.2	14.7	19.6	17.2
CL-FL-P	13.8	16.7	17.3	15.4
CB-FL-S	13.4	14.7	18.2	16.1
CB-FL-P	13.4	16.5	17.2	15.4
CL-FB-S	14.6	15.2	18.8	17.8
CL-FB-P	19.1	18.4	19.8	18.7
CB-FB-S	14.0	15.0	18.5	17.3
CB-FB-P	18.2	17.9	19.6	18.5

Median / cutoff fit RAW · Test


	07	65	81	89
FL	14.7	17.3	16.6	18.8
FB	15.2	16.9	18.2	19.9
CL-FL-S	12.7	14.4	20.7	17.3
CL-FL-P	13.7	16.5	16.2	17.0
CB-FL-S	12.5	14.4	18.4	16.3
CB-FL-P	13.2	16.2	16.1	17.1
CL-FB-S	14.4	15.1	18.1	18.6
CL-FB-P	18.3	18.8	19.2	20.0
CB-FB-S	14.1	14.9	18.1	18.4
CB-FB-P	17.4	18.3	19.0	19.7

Median / cutoff fit DEM · Calibration

	07	65	81	89
FL	14.5	15.0	16.2	17.0
FB	15.6	13.6	16.9	18.1
CL-FL-S	12.8	12.6	18.1	16.9
CL-FL-P	13.0	13.6	15.9	15.4
CB-FL-S	12.6	12.3	18.1	16.8
CB-FL-P	12.6	13.4	15.8	15.3
CL-FB-S	13.7	12.3	18.5	18.6
CL-FB-P	17.6	14.6	17.2	18.2
CB-FB-S	14.3	12.1	18.5	18.5
CB-FB-P	17.5	14.5	17.1	18.2

Median / cutoff fit DEM · Test

	07	65	81	89
FL	14.1	15.3	16.0	18.1
FB	14.8	14.2	16.9	18.9
CL-FL-S	17.1	12.8	18.0	16.9
CL-FL-P	12.9	13.8	15.7	16.2
CB-FL-S	12.7	12.5	18.1	16.7
CB-FL-P	12.5	13.6	15.6	16.2
CL-FB-S	17.3	12.5	18.3	18.3
CL-FB-P	17.1	15.1	17.2	18.8
CB-FB-S	18.6	12.3	18.5	18.2
CB-FB-P	17.0	15.0	17.2	18.9



BBCH 07 budburst · 65 flowering · 81 veraison · 89 maturity/harvest. Grey —: pending; ×: failed; ·: unrequested; n/a: unavailable.

Errors use finite dates in the selected view and equal site weights; RMSE = square root of the mean site MSE.

Raw errors exclude unattained predictions; scoring errors can include BBCH81/89 assigned dates. Denominators can differ.

Bias = predicted − observed; negative is early. No confidence intervals or matched-pair effect estimates.

Root mean square error (days) · raw dates

20/20 requested configurations complete · calibration and held-out test sites · 2026-09-12 19:06:14 UTC

Common colour scales across both methods, date views, temperatures and partitions; fixed model order.

Existing thresholds RAW · Calibration

	07	65	81	89
FL	15.2	19.0	20.3	28.0
FB	16.1	23.4	26.4	40.4
CL-FL-S	15.3	19.1	18.8	24.1
CL-FL-P	14.1	21.1	19.1	23.5
CB-FL-S	15.2	18.9	19.0	24.0
CB-FL-P	14.1	20.3	18.8	22.9
CL-FB-S	15.8	23.9	25.9	39.8
CL-FB-P	18.9	32.3	27.4	41.9
CB-FB-S	14.6	22.6	26.0	39.6
CB-FB-P	19.3	32.1	27.0	41.3

Existing thresholds RAW · Test

	07	65	81	89
FL	14.7	18.9	20.6	30.4
FB	15.2	23.5	27.3	42.6
CL-FL-S	15.0	18.7	18.5	26.7
CL-FL-P	13.9	20.9	19.1	25.8
CB-FL-S	14.9	18.6	18.7	26.6
CB-FL-P	13.9	20.1	18.6	25.1
CL-FB-S	14.9	23.8	26.7	42.0
CL-FB-P	18.4	32.5	28.4	44.0
CB-FB-S	13.5	22.3	26.8	41.6
CB-FB-P	18.9	32.3	28.0	43.3

Existing thresholds DEM · Calibration

	07	65	81	89
FL	14.5	15.0	16.1	20.8
FB	15.3	13.6	20.3	33.6
CL-FL-S	15.0	14.8	16.8	21.8
CL-FL-P	13.2	13.5	16.3	19.2
CB-FL-S	14.6	14.5	16.6	21.5
CB-FL-P	12.8	13.3	15.9	19.0
CL-FB-S	15.7	13.8	21.4	33.2
CL-FB-P	17.3	14.3	22.3	35.0
CB-FB-S	15.3	13.5	21.2	32.9
CB-FB-P	17.3	14.2	21.7	34.7

Existing thresholds DEM · Test

	07	65	81	89
FL	14.1	15.3	16.1	23.1
FB	14.7	14.2	21.3	36.3
CL-FL-S	14.8	14.9	16.9	24.3
CL-FL-P	13.1	13.7	16.7	21.6
CB-FL-S	14.5	14.6	16.8	24.1
CB-FL-P	12.6	13.5	16.1	21.4
CL-FB-S	15.0	14.2	22.4	35.9
CL-FB-P	16.8	15.2	23.4	37.5
CB-FB-S	14.6	13.9	22.2	35.5
CB-FB-P	16.8	15.0	22.9	37.4

Median / cutoff fit RAW · Calibration

	07	65	81	89
FL	15.2	17.8	17.8	17.5
FB	16.1	16.6	18.8	18.4
CL-FL-S	13.2	14.7	17.4	14.7
CL-FL-P	13.8	16.7	17.3	15.7
CB-FL-S	13.4	14.7	17.2	14.6
CB-FL-P	13.4	16.5	17.3	15.7
CL-FB-S	14.6	15.2	18.6	17.3
CL-FB-P	19.1	18.4	19.7	19.2
CB-FB-S	14.0	15.0	18.5	17.1
CB-FB-P	18.2	17.9	19.6	18.9

Median / cutoff fit RAW · Test


	07	65	81	89
FL	14.7	17.3	16.6	19.6
FB	15.2	16.9	18.2	20.5
CL-FL-S	12.7	14.4	17.1	17.7
CL-FL-P	13.7	16.5	16.2	18.8
CB-FL-S	12.5	14.4	16.7	17.5
CB-FL-P	13.2	16.2	16.1	18.6
CL-FB-S	14.4	15.1	17.6	18.8
CL-FB-P	18.3	18.8	19.2	20.0
CB-FB-S	14.1	14.9	17.6	18.7
CB-FB-P	17.4	18.3	19.0	19.7

Median / cutoff fit DEM · Calibration

	07	65	81	89
FL	14.5	15.0	16.0	17.5
FB	15.6	13.6	16.6	18.7
CL-FL-S	12.8	12.6	16.0	14.9
CL-FL-P	13.0	13.6	15.7	15.7
CB-FL-S	12.6	12.3	16.0	14.8
CB-FL-P	12.6	13.4	15.6	15.7
CL-FB-S	13.7	12.3	16.3	16.6
CL-FB-P	17.6	14.6	16.7	18.8
CB-FB-S	14.3	12.1	16.3	16.6
CB-FB-P	17.5	14.5	16.7	18.9

Median / cutoff fit DEM · Test

	07	65	81	89
FL	14.1	15.3	16.0	18.6
FB	14.8	14.2	16.8	20.1
CL-FL-S	17.1	12.8	16.3	16.0
CL-FL-P	12.9	13.8	15.7	16.3
CB-FL-S	12.7	12.5	16.3	15.8
CB-FL-P	12.5	13.6	15.6	16.4
CL-FB-S	17.3	12.5	16.5	18.1
CL-FB-P	17.1	15.1	17.2	19.7
CB-FB-S	18.6	12.3	16.6	17.9
CB-FB-P	17.0	15.0	17.0	19.7



BBCH 07 budburst · 65 flowering · 81 veraison · 89 maturity/harvest. Grey —: pending; ×: failed; ·: unrequested; n/a: unavailable.

Errors use finite dates in the selected view and equal site weights; RMSE = square root of the mean site MSE.

Raw errors exclude unattained predictions; scoring errors can include BBCH81/89 assigned dates. Denominators can differ.

Bias = predicted − observed; negative is early. No confidence intervals or matched-pair effect estimates.

Signed bias (days) · scoring dates

20/20 requested configurations complete · calibration and held-out test sites · 2026-09-12 19:06:14 UTC

Common colour scales across both methods, date views, temperatures and partitions; fixed model order.

Existing thresholds RAW · Calibration

	07	65	81	89
FL	+1.0	-7.0	-10.9	-23.7
FB	+1.7	-16.1	-20.0	-37.8
CL-FL-S	+1.7	-8.3	-7.5	-19.2
CL-FL-P	+3.7	-12.8	-9.1	-19.0
CB-FL-S	+2.0	-8.1	-8.1	-19.0
CB-FL-P	+5.0	-11.8	-8.2	-18.1
CL-FB-S	+1.8	-17.2	-19.4	-37.2
CL-FB-P	+9.9	-26.2	-21.5	-39.4
CB-FB-S	+1.9	-15.8	-19.6	-37.0
CB-FB-P	+11.4	-26.1	-20.9	-38.8

Existing thresholds RAW · Test

	07	65	81	89
FL	+1.0	-7.4	-12.7	-25.2
FB	+1.7	-16.4	-21.8	-39.4
CL-FL-S	+1.7	-8.3	-9.0	-20.8
CL-FL-P	+3.6	-13.0	-10.6	-20.5
CB-FL-S	+2.0	-8.1	-9.6	-20.7
CB-FL-P	+5.0	-12.1	-9.8	-19.6
CL-FB-S	+1.7	-17.2	-21.2	-38.8
CL-FB-P	+9.9	-26.5	-23.3	-41.0
CB-FB-S	+1.7	-16.0	-21.1	-38.5
CB-FB-P	+11.5	-26.5	-22.7	-40.3

Existing thresholds DEM · Calibration

	07	65	81	89
FL	+1.0	-0.2	-0.9	-14.0
FB	+2.4	+0.4	-12.3	-30.5
CL-FL-S	+1.1	+0.3	-4.8	-16.3
CL-FL-P	+3.5	-0.6	-4.8	-13.3
CB-FL-S	+1.7	+0.5	-4.6	-16.0
CB-FL-P	+3.3	+0.3	-3.1	-13.0
CL-FB-S	+1.3	-2.0	-14.2	-30.0
CL-FB-P	+7.3	-1.9	-15.5	-32.0
CB-FB-S	+3.8	-0.1	-13.9	-29.7
CB-FB-P	+7.5	-1.8	-14.7	-31.7

Existing thresholds DEM · Test

	07	65	81	89
FL	+0.7	-0.8	-2.4	-16.6
FB	+2.1	-0.3	-14.0	-33.0
CL-FL-S	+1.0	+0.2	-6.0	-18.8
CL-FL-P	+3.1	-1.0	-6.3	-15.9
CB-FL-S	+1.5	+0.3	-5.8	-18.6
CB-FL-P	+3.0	+0.0	-4.4	-15.5
CL-FB-S	+1.2	-2.4	-15.6	-32.6
CL-FB-P	+6.9	-2.5	-17.1	-34.5
CB-FB-S	+3.6	-0.6	-15.3	-32.2
CB-FB-P	+7.2	-2.4	-16.4	-34.3

Median / cutoff fit RAW · Calibration

	07	65	81	89
FL	+0.4	+0.9	+0.0	-0.1
FB	+2.2	+4.1	-4.1	+1.2
CL-FL-S	+0.7	+1.0	-0.8	+1.4
CL-FL-P	+0.9	+1.0	-0.2	+0.3
CB-FL-S	+0.9	+1.0	-0.8	+0.4
CB-FL-P	+1.0	+0.9	-0.8	-0.0
CL-FB-S	+2.1	-2.5	-3.1	+1.8
CL-FB-P	+0.7	-4.6	-6.4	+1.4
CB-FB-S	+2.0	-1.6	-2.9	+1.6
CB-FB-P	+3.5	-4.1	-5.9	+1.3

Median / cutoff fit RAW · Test


	07	65	81	89
FL	+0.3	+0.5	-1.7	-1.8
FB	+2.2	+3.6	-6.1	-0.2
CL-FL-S	+0.4	+0.7	-1.2	-0.9
CL-FL-P	+0.7	+0.7	-1.8	-1.3
CB-FL-S	+0.6	+0.7	-1.6	-1.8
CB-FL-P	+0.9	+0.7	-2.3	-1.6
CL-FB-S	+2.0	-2.6	-4.8	+0.1
CL-FB-P	+0.6	-5.0	-8.4	-0.1
CB-FB-S	+1.9	-1.7	-4.5	-0.0
CB-FB-P	+3.4	-4.4	-7.9	-0.2

Median / cutoff fit DEM · Calibration

	07	65	81	89
FL	+0.4	+0.6	-0.2	+0.2
FB	-0.1	+0.5	-0.6	+1.4
CL-FL-S	+0.9	+0.9	-0.9	+0.8
CL-FL-P	+1.0	+1.0	-0.2	+0.9
CB-FL-S	+0.7	+1.0	-0.5	+0.8
CB-FL-P	+1.0	+1.0	-0.2	+0.8
CL-FB-S	-0.0	+0.8	+0.2	+2.3
CL-FB-P	+1.0	+0.8	-0.3	+1.2
CB-FB-S	+0.8	+0.9	-0.4	+2.3
CB-FB-P	+1.0	+0.8	-0.3	+1.3

Median / cutoff fit DEM · Test

	07	65	81	89
FL	+0.1	+0.1	-1.8	-2.2
FB	-0.4	-0.2	-2.2	-1.0
CL-FL-S	+1.0	+0.6	-1.9	-2.1
CL-FL-P	+0.6	+0.7	-1.6	-1.5
CB-FL-S	+0.4	+0.7	-1.5	-2.1
CB-FL-P	+0.7	+0.6	-1.6	-1.7
CL-FB-S	-0.0	+0.3	-1.1	-0.5
CL-FB-P	+0.5	+0.1	-1.9	-1.0
CB-FB-S	+0.9	+0.5	-1.7	-0.4
CB-FB-P	+0.5	+0.1	-1.9	-0.9



BBCH 07 budburst · 65 flowering · 81 veraison · 89 maturity/harvest. Grey —: pending; ×: failed; ·: unrequested; n/a: unavailable.

Errors use finite dates in the selected view and equal site weights; RMSE = square root of the mean site MSE.

Raw errors exclude unattained predictions; scoring errors can include BBCH81/89 assigned dates. Denominators can differ.

Bias = predicted − observed; negative is early. No confidence intervals or matched-pair effect estimates.

Signed bias (days) · raw dates

20/20 requested configurations complete · calibration and held-out test sites · 2026-09-12 19:06:14 UTC

Common colour scales across both methods, date views, temperatures and partitions; fixed model order.

Existing thresholds RAW · Calibration

	07	65	81	89
FL	+1.0	-7.0	-10.9	-23.7
FB	+1.7	-16.1	-20.0	-37.7
CL-FL-S	+1.7	-8.3	-7.5	-19.1
CL-FL-P	+3.7	-12.8	-9.1	-19.0
CB-FL-S	+2.0	-8.1	-8.1	-19.0
CB-FL-P	+5.0	-11.8	-8.2	-18.0
CL-FB-S	+1.8	-17.2	-19.4	-37.1
CL-FB-P	+9.9	-26.2	-21.5	-39.4
CB-FB-S	+1.9	-15.8	-19.7	-37.0
CB-FB-P	+11.4	-26.1	-20.9	-38.8

Existing thresholds RAW · Test

	07	65	81	89
FL	+1.0	-7.4	-12.7	-25.2
FB	+1.7	-16.4	-21.8	-39.5
CL-FL-S	+1.7	-8.3	-9.0	-20.7
CL-FL-P	+3.6	-13.0	-10.6	-20.4
CB-FL-S	+2.0	-8.1	-9.6	-20.6
CB-FL-P	+5.0	-12.1	-9.8	-19.5
CL-FB-S	+1.7	-17.2	-21.2	-38.8
CL-FB-P	+9.9	-26.5	-23.3	-41.1
CB-FB-S	+1.7	-16.0	-21.3	-38.6
CB-FB-P	+11.5	-26.5	-22.7	-40.3

Existing thresholds DEM · Calibration

	07	65	81	89
FL	+1.0	-0.2	-0.9	-13.9
FB	+2.4	+0.4	-12.3	-30.4
CL-FL-S	+1.1	+0.3	-4.9	-16.2
CL-FL-P	+3.5	-0.6	-4.9	-13.3
CB-FL-S	+1.7	+0.5	-4.6	-15.9
CB-FL-P	+3.3	+0.3	-3.1	-13.0
CL-FB-S	+1.3	-2.0	-14.3	-30.0
CL-FB-P	+7.3	-1.9	-15.5	-32.0
CB-FB-S	+3.8	-0.1	-14.0	-29.7
CB-FB-P	+7.5	-1.8	-14.8	-31.7

Existing thresholds DEM · Test

	07	65	81	89
FL	+0.7	-0.8	-2.4	-16.6
FB	+2.1	-0.3	-14.0	-33.0
CL-FL-S	+1.0	+0.2	-6.1	-18.8
CL-FL-P	+3.1	-1.0	-6.3	-15.9
CB-FL-S	+1.5	+0.3	-5.9	-18.6
CB-FL-P	+3.0	+0.0	-4.4	-15.5
CL-FB-S	+1.2	-2.4	-15.7	-32.6
CL-FB-P	+6.9	-2.5	-17.1	-34.5
CB-FB-S	+3.6	-0.6	-15.5	-32.2
CB-FB-P	+7.2	-2.4	-16.4	-34.3

Median / cutoff fit RAW · Calibration

	07	65	81	89
FL	+0.4	+0.9	+0.1	+0.1
FB	+2.2	+4.1	-4.1	+1.1
CL-FL-S	+0.7	+1.0	-1.6	+0.3
CL-FL-P	+0.9	+1.0	-0.2	+0.4
CB-FL-S	+0.9	+1.0	-1.1	-0.2
CB-FL-P	+1.0	+0.9	-0.7	+0.1
CL-FB-S	+2.1	-2.5	-3.3	+1.4
CL-FB-P	+0.7	-4.6	-6.5	+1.4
CB-FB-S	+2.0	-1.6	-3.0	+1.3
CB-FB-P	+3.5	-4.1	-6.0	+1.2

Median / cutoff fit RAW · Test


	07	65	81	89
FL	+0.3	+0.5	-1.7	-1.8
FB	+2.2	+3.6	-6.1	-0.1
CL-FL-S	+0.4	+0.7	-2.6	-0.9
CL-FL-P	+0.7	+0.7	-1.8	-0.7
CB-FL-S	+0.6	+0.7	-2.2	-1.4
CB-FL-P	+0.9	+0.7	-2.3	-1.1
CL-FB-S	+2.0	-2.6	-5.0	+0.0
CL-FB-P	+0.6	-5.0	-8.4	-0.2
CB-FB-S	+1.9	-1.7	-4.7	-0.1
CB-FB-P	+3.4	-4.4	-7.9	-0.4

Median / cutoff fit DEM · Calibration

	07	65	81	89
FL	+0.4	+0.6	-0.3	+0.4
FB	-0.1	+0.5	-0.7	+1.3
CL-FL-S	+0.9	+0.9	-1.6	-0.0
CL-FL-P	+1.0	+1.0	-0.3	+1.0
CB-FL-S	+0.7	+1.0	-1.2	+0.0
CB-FL-P	+1.0	+1.0	-0.3	+0.9
CL-FB-S	-0.0	+0.8	-0.6	+1.2
CL-FB-P	+1.0	+0.8	-0.6	+1.1
CB-FB-S	+0.8	+0.9	-1.2	+1.2
CB-FB-P	+1.0	+0.8	-0.5	+1.3

Median / cutoff fit DEM · Test

	07	65	81	89
FL	+0.1	+0.1	-1.8	-2.0
FB	-0.4	-0.2	-2.3	-0.8
CL-FL-S	+1.0	+0.6	-2.5	-2.5
CL-FL-P	+0.6	+0.7	-1.6	-1.5
CB-FL-S	+0.4	+0.7	-2.1	-2.6
CB-FL-P	+0.7	+0.6	-1.6	-1.6
CL-FB-S	-0.0	+0.3	-1.8	-1.0
CL-FB-P	+0.5	+0.1	-2.0	-1.0
CB-FB-S	+0.9	+0.5	-2.4	-0.9
CB-FB-P	+0.5	+0.1	-2.0	-0.8



BBCH 07 budburst · 65 flowering · 81 veraison · 89 maturity/harvest. Grey —: pending; ×: failed; ·: unrequested; n/a: unavailable.

Errors use finite dates in the selected view and equal site weights; RMSE = square root of the mean site MSE.

Raw errors exclude unattained predictions; scoring errors can include BBCH81/89 assigned dates. Denominators can differ.

Bias = predicted − observed; negative is early. No confidence intervals or matched-pair effect estimates.