






vagrant@ig-ubuntu: ~/Experi
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
PS C:\Users\YashBoppana> cd 2601600034
PS C:\Users\YashBoppana\2601600034> cd InfraGuardian
PS C:\Users\YashBoppana\2601600034\InfraGuardian> vagrant up ubuntu
Bringing machine 'ubuntu' up with 'virtualbox' provider...
==> ubuntu: Checking if box 'bento/ubuntu-22.04' version '202510.26.0' is up to date...
==> ubuntu: There was a problem while downloading the metadata for your box
==> ubuntu: to check for updates. This is not an error, since it is usually due
==> ubuntu: to temporary network problems. This is just a warning. The problem
==> ubuntu: encountered was:
==> ubuntu:
==> ubuntu: schannel: SEC_E_UNTRUSTED_ROOT (0x80090325) - The certificate chain was issued by an authority that is not trusted.
==> ubuntu:
==> ubuntu: If you want to check for box updates, verify your network connection
==> ubuntu: is valid and try again.
==> ubuntu: Resuming suspended VM...
==> ubuntu: Booting VM...
==> ubuntu: Waiting for machine to boot. This may take a few minutes...
ubuntu: SSH address: 127.0.0.1:2222
ubuntu: SSH username: vagrant
ubuntu: SSH auth method: private key
==> ubuntu: Machine booted and ready!
==> ubuntu: Machine already provisioned. Run `vagrant provision` or use the `--provision`
==> ubuntu: flag to force provisioning. Provisioners marked to run always will still run.
PS C:\Users\YashBoppana\2601600034\InfraGuardian> vagrant ssh ubuntu
Welcome to Ubuntu 22.04.5 LTS (GNU/Linux 5.15.0-160-generic x86_64)
* Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/pro
System information as of Tue Oct 6 10:36:39 AM UTC 2026
System load: 0.08
Usage of /: 18.7% of 30.34GB
Memory usage: 11%
Swap usage: 0%
Processes: 145
Users logged in: 0
29°
ENG
IN
20:37
06-10-2026



vagrant@ig-ubuntu: ~/Experi
IPv4 address for eth0: 10.0.2.15
IPv6 address for eth0: fd17:625c:f037:2:a00:27ff:fe16:ddef
This system is built by the Bento project by Chef Software
More information can be found at https://github.com/chef/bento
Use of this system is acceptance of the OS vendor EULA and License Agreements.
Last login: Sat Sep 26 08:29:14 2026 from 10.0.2.2
vagrant@ig-ubuntu:~$ sudo groupadd teamA
vagrant@ig-ubuntu:~$ sudo groupadd teamB
vagrant@ig-ubuntu:~$ sudo groupadd teamC
vagrant@ig-ubuntu:~$ getent group teamA
teamA:x:1001:
vagrant@ig-ubuntu:~$ getent group teamB
teamB:x:1002:
vagrant@ig-ubuntu:~$ getent group teamC
teamC:x:1003:
vagrant@ig-ubuntu:~$ sudo useradd -m -s /bin/bash arjun
vagrant@ig-ubuntu:~$ sudo useradd -m -s /bin/bash surya
vagrant@ig-ubuntu:~$ sudo useradd -m -s /bin/bash steven
vagrant@ig-ubuntu:~$ sudo useradd -m -s /bin/bash strange
vagrant@ig-ubuntu:~$ sudo useradd -m -s /bin/bash tony
vagrant@ig-ubuntu:~$ sudo useradd -m -s /bin/bash mark
vagrant@ig-ubuntu:~$ sudo usermod -aG teamA arjun
vagrant@ig-ubuntu:~$ sudo usermod -aG teamA surya
vagrant@ig-ubuntu:~$ sudo usermod -aG teamB steven
vagrant@ig-ubuntu:~$ sudo usermod -aG teamB strange
vagrant@ig-ubuntu:~$ sudo usermod -aG teamC tony
vagrant@ig-ubuntu:~$ sudo usermod -aG teamC mark
vagrant@ig-ubuntu:~$ groups arjun
arjun : arjun teamA
vagrant@ig-ubuntu:~$ groups steven
steven : steven teamB
vagrant@ig-ubuntu:~$ groups tony
tony : tony teamC
vagrant@ig-ubuntu:~$ sudo mkdir -p /projects/teamA
vagrant@ig-ubuntu:~$ sudo mkdir -p /projects/teamB
vagrant@ig-ubuntu:~$ sudo mkdir -p /projects/teamC
vagrant@ig-ubuntu:~$ ls -ld /projects/*
drwxr-xr-x 2 root root 4096 Oct 6 10:53 /projects/teamA
29°
ENG
IN
20:38
06-10-2026



vagrant@ig-ubuntu: ~/Experi
drwxr-xr-x 2 root root 4096 Oct 6 10:53 /projects/teamA
drwxr-xr-x 2 root root 4096 Oct 6 10:53 /projects/teamB
drwxr-xr-x 2 root root 4096 Oct 6 10:53 /projects/teamC
vagrant@ig-ubuntu:~$ sudo chown root:teamA /projects/teamA
vagrant@ig-ubuntu:~$ sudo chown root:teamB /projects/teamB
vagrant@ig-ubuntu:~$ sudo chown root:teamC /projects/teamC
vagrant@ig-ubuntu:~$ ls -ld /projects/*
drwxr-xr-x 2 root teamA 4096 Oct 6 10:53 /projects/teamA
drwxr-xr-x 2 root teamB 4096 Oct 6 10:53 /projects/teamB
drwxr-xr-x 2 root teamC 4096 Oct 6 10:53 /projects/teamC
vagrant@ig-ubuntu:~$ sudo chmod 2770 /projects/teamA
vagrant@ig-ubuntu:~$ sudo chmod 2770 /projects/teamB
vagrant@ig-ubuntu:~$ sudo chmod 2770 /projects/teamC
vagrant@ig-ubuntu:~$ ls -ld /projects/*
drwxrws--- 2 root teamA 4096 Oct 6 10:53 /projects/teamA
drwxrws--- 2 root teamB 4096 Oct 6 10:53 /projects/teamB
drwxrws--- 2 root teamC 4096 Oct 6 10:53 /projects/teamC
vagrant@ig-ubuntu:~$ sudo apt update
Get:1 http://security.ubuntu.com/ubuntu jammy-security InRelease [129 kB]
Hit:2 http://us.archive.ubuntu.com/ubuntu jammy InRelease
Get:3 http://us.archive.ubuntu.com/ubuntu jammy-updates InRelease [128 kB]
Get:4 http://security.ubuntu.com/ubuntu jammy-security/main amd64 Packages [3,633 kB]
Get:5 http://us.archive.ubuntu.com/ubuntu jammy-backports InRelease [127 kB]
Get:6 http://security.ubuntu.com/ubuntu jammy-security/main Translation-en [508 kB]
Get:7 http://us.archive.ubuntu.com/ubuntu jammy-updates/main amd64 Packages [3,907 kB]
Get:8 http://security.ubuntu.com/ubuntu jammy-security/restricted amd64 Packages [6,465 kB]
Get:9 http://security.ubuntu.com/ubuntu jammy-security/restricted Translation-en [1,244 kB]
Get:10 http://us.archive.ubuntu.com/ubuntu jammy-updates/main Translation-en [576 kB]
Get:11 http://us.archive.ubuntu.com/ubuntu jammy-updates/restricted amd64 Packages [6,714 kB]
Get:12 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 Packages [1,052 kB]
Get:13 http://us.archive.ubuntu.com/ubuntu jammy-updates/restricted Translation-en [1,290 kB]
Get:14 http://security.ubuntu.com/ubuntu jammy-security/universe Translation-en [237 kB]
Get:15 http://us.archive.ubuntu.com/ubuntu jammy-updates/universe amd64 Packages [1,285 kB]
Get:16 http://us.archive.ubuntu.com/ubuntu jammy-updates/universe Translation-en [325 kB]
Fetched 27.6 MB in 14s (1,965 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
185 packages can be upgraded. Run 'apt list --upgradable' to see them.
vagrant@ig-ubuntu:~$ sudo apt install acl -y
Reading package lists... Done
29°
ENG
IN
20:38
06-10-2026



vagrant@ig-ubuntu: ~/Experi
vagrant@ig-ubuntu:~$ sudo apt install acl -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following NEW packages will be installed:
acl
0 upgraded, 1 newly installed, 0 to remove and 185 not upgraded.
Need to get 38.5 kB of archives.
After this operation, 205 kB of additional disk space will be used.
Get:1 http://us.archive.ubuntu.com/ubuntu jammy/main amd64 acl amd64 2.3.1-1 [38.5 kB]
Fetched 38.5 kB in 1s (39.7 kB/s)
Selecting previously unselected package acl.
(Reading database ... 45823 files and directories currently installed.)
Preparing to unpack .../archives/acl_2.3.1-1_amd64.deb ...
Unpacking acl (2.3.1-1) ...
Setting up acl (2.3.1-1) ...
Processing triggers for man-db (2.10.2-1) ...
Scanning processes...
Scanning linux images...
Running kernel seems to be up-to-date.
No services need to be restarted.
No containers need to be restarted.
No user sessions are running outdated binaries.
No VM guests are running outdated hypervisor (qemu) binaries on this host.
vagrant@ig-ubuntu:~$ getfacl /projects/teamA
getfacl: Removing leading '/' from absolute path names
file: projects/teamA
owner: root
group: teamA
flags: -s-
user::rwx
group::rwx
other::---
vagrant@ig-ubuntu:~$ sudo setfacl -m g:teamA:rwx /projects/teamA
vagrant@ig-ubuntu:~$ sudo setfacl -m g:teamB:rwx /projects/teamB
29°
ENG
IN
20:38
06-10-2026



vagrant@ig-ubuntu: ~/Experi
vagrant@ig-ubuntu:~$ sudo setfacl -m g:teamC:rwx /projects/teamC
vagrant@ig-ubuntu:~$ ls -ld /projects/*
drwxrws---+ 2 root teamA 4096 Oct 6 10:53 /projects/teamA
drwxrws---+ 2 root teamB 4096 Oct 6 10:53 /projects/teamB
drwxrws---+ 2 root teamC 4096 Oct 6 10:53 /projects/teamC
vagrant@ig-ubuntu:~$ sudo -iu arjun
arjun@ig-ubuntu:~$ cd /projects/teamA
arjun@ig-ubuntu:/projects/teamA$ echo "Team A Project Data" > project.txt
arjun@ig-ubuntu:/projects/teamA$ ls -l
total 4
-rw-rw-r-- 1 arjun teamA 20 Oct 6 11:11 project.txt
arjun@ig-ubuntu:/projects/teamA$ exit
logout
vagrant@ig-ubuntu:~$ cd /projects/teamA
-bash: cd: /projects/teamA: Permission denied
vagrant@ig-ubuntu:~$ df -T /projects
Filesystem   Type 1K-blocks   Used Available Use% Mounted on
/dev/mapper/ubuntu--vg-ubuntu--lv ext4 31811408 5960712 24209224 20% /
vagrant@ig-ubuntu:~$ sudo apt install quota -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Suggested packages:
  libnet-ldap-perl rpcbind default-mta | mail-transport-agent
The following NEW packages will be installed:
  quota
0 upgraded, 1 newly installed, 0 to remove and 185 not upgraded.
Need to get 213 kB of archives.
After this operation, 1,249 kB of additional disk space will be used.
Get:1 http://us.archive.ubuntu.com/ubuntu jammy/main amd64 quota amd64 4.06-1build2 [213 kB]
Fetched 213 kB in 2s (103 kB/s)
Preconfiguring packages ...
Selecting previously unselected package quota.
(Reading database ... 45833 files and directories currently installed.)
Preparing to unpack .../quota_4.06-1build2_amd64.deb ...
Unpacking quota (4.06-1build2) ...
Setting up quota (4.06-1build2) ...
Processing triggers for man-db (2.10.2-1) ...
Scanning processes...
Scanning linux images...
29°
ENG
IN
20:39
06-10-2026



vagrant@ig-ubuntu: ~/Experi
Running kernel seems to be up-to-date.
No services need to be restarted.
No containers need to be restarted.
No user sessions are running outdated binaries.
No VM guests are running outdated hypervisor (qemu) binaries on this host.
vagrant@ig-ubuntu:~$ sudo edquota -g teamA
No filesystems with quota detected.
vagrant@ig-ubuntu:~$ sudo edquota -g teamB
No filesystems with quota detected.
vagrant@ig-ubuntu:~$ sudo edquota -g teamC
No filesystems with quota detected.
vagrant@ig-ubuntu:~$ sudo repquota -a
vagrant@ig-ubuntu:~$ sudo repquota -a
vagrant@ig-ubuntu:~$ sudo repquota -b
repquota: invalid option -- 'b'
repquota: Utility for reporting quotas.
Usage:
repquota [-vugsi] [-c|C] [-t|n] [-F quotaformat] [-O (default | xml | csv)] (-a | mntpoint)
-v, --verbose display also users/groups without any usage
-u, --user display information about users
-g, --group display information about groups
-P, --project display information about projects
-s, --human-readable[=units] display numbers in human friendly units (MB, GB,
...). Units can be also specified explicitely by
an optional argument in format [kgt],[kgt] where
the first character specifies space units and the
second character specifies inode units
-t, --truncate-names truncate names to 9 characters
-p, --raw-grace print grace time in seconds since epoch
-n, --no-names do not translate uid/gid to name
-i, --no-autofs avoid autofs mountpoints
-c, --cache translate big number of ids at once
-C, --no-cache translate ids one by one
-F, --format=formatname report information for specific format
-O, --output=format format output as xml or csv
29°
ENG
IN
20:39
06-10-2026



vagrant@ig-ubuntu: ~/Experi
vagrant@ig-ubuntu:~$ sudo repquota -c
Bad number of arguments.
repquota: Utility for reporting quotas.
Usage:
repquota [-vugsi] [-c|C] [-t|n] [-F quotaformat] [-O (default | xml | csv)] (-a | mntpoint)
-v, --verbose display also users/groups without any usage
-u, --user display information about users
-g, --group display information about groups
-P, --project display information about projects
-s, --human-readable[=units] display numbers in human friendly units (MB, GB,
...). Units can be also specified explicitely by
an optional argument in format [kgt],[kgt] where
the first character specifies space units and the
second character specifies inode units
-t, --truncate-names truncate names to 9 characters
-p, --raw-grace print grace time in seconds since epoch
-n, --no-names do not translate uid/gid to name
-i, --no-autofs avoid autofs mountpoints
-c, --cache translate big number of ids at once
-C, --no-cache translate ids one by one
-F, --format=formatname report information for specific format
-O, --output=format format output as xml or csv
-a, --all report information for all mount points with
quotas
-h, --help display this help message and exit
-V, --version display version information and exit
Bugs to jack@suse.cz
vagrant@ig-ubuntu:~$ sudo visudo -f /etc/sudoers.d/project-roles
vagrant@ig-ubuntu:~$ command -v systemctl
/usr/bin/systemctl
vagrant@ig-ubuntu:~$ command -v journalctl
/usr/bin/journalctl
vagrant@ig-ubuntu:~$ sudo visudo -c
/etc/sudoers: parsed OK
/etc/sudoers.d/99_vagrant: parsed OK
/etc/sudoers.d/README: parsed OK
/etc/sudoers.d/project-roles: parsed OK
/etc/sudoers.d/vagrant: bad permissions, should be mode 0440
vagrant@ig-ubuntu:~$ sudo -iu arjun
29°
ENG
IN
20:39
06-10-2026



vagrant@ig-ubuntu: ~/Experi
/usr/bin/journalctl
vagrant@ig-ubuntu:~$ sudo visudo -c
/etc/sudoers: parsed OK
/etc/sudoers.d/99_vagrant: parsed OK
/etc/sudoers.d/README: parsed OK
/etc/sudoers.d/project-roles: parsed OK
/etc/sudoers.d/vagrant: bad permissions, should be mode 0440
vagrant@ig-ubuntu:~$ sudo -iu arjun
arjun@ig-ubuntu:~$ sudo -l
[sudo] password for arjun:
sudo: a password is required
arjun@ig-ubuntu:~$ getent group teamA
teamA:x:1001:arjun,surya
arjun@ig-ubuntu:~$ getent group teamB
teamB:x:1002:steven,strange
arjun@ig-ubuntu:~$ getent group teamC
teamC:x:1003:tony,mark
arjun@ig-ubuntu:~$ ls -ld /projects/*
drwxrws---+ 2 root teamA 4096 Oct 6 11:11 /projects/teamA
drwxrws---+ 2 root teamB 4096 Oct 6 10:53 /projects/teamB
drwxrws---+ 2 root teamC 4096 Oct 6 10:53 /projects/teamC
arjun@ig-ubuntu:~$ getfacl /projects/teamA
getfacl: Removing leading '/' from absolute path names
file: projects/teamA
owner: root
group: teamA
flags: -s-
user::rwx
group::rwx
group:teamA:rwx
mask::rwx
other::---
arjun@ig-ubuntu:~$ getfacl /projects/teamB
getfacl: Removing leading '/' from absolute path names
file: projects/teamB
owner: root
group: teamB
flags: -s-
user::rwx
group::rwx
29°
ENG
IN
20:39
06-10-2026



vagrant@ig-ubuntu: ~/Experi
arjun@ig-ubuntu:~$ getfacl /projects/teamC
getfacl: Removing leading '/' from absolute path names
file: projects/teamC
owner: root
group: teamC
flags: -s-
user::rwx
group::rwx
group:teamC:rwx
mask::rwx
other::---
arjun@ig-ubuntu:~$ sudo repquota -a
[sudo] password for arjun:
sudo: a password is required
arjun@ig-ubuntu:~$ sudo visudo -f /etc/sudoers.d/project-roles
[sudo] password for arjun:
sudo: a password is required
arjun@ig-ubuntu:~$ sudo visudo -c
[sudo] password for arjun:
sudo: a password is required
arjun@ig-ubuntu:~$
arjun@ig-ubuntu:~$ exit
logout
vagrant@ig-ubuntu:~$ sudo passwd arjun
New password:
Retype new password:
passwd: password updated successfully
vagrant@ig-ubuntu:~$ sudo passwd surya
New password:
Retype new password:
passwd: password updated successfully
vagrant@ig-ubuntu:~$ sudo passwd steven
New password:
Retype new password:
passwd: password updated successfully
vagrant@ig-ubuntu:~$ sudo passwd strange
New password:
Retype new password:
passwd: password updated successfully
29°
ENG
IN
20:40
06-10-2026


vagrant@ig-ubuntu: ~/Experi
vagrant@ig-ubuntu:~$ sudo passwd steven
New password:
Retype new password:
passwd: password updated successfully
vagrant@ig-ubuntu:~$ sudo passwd strange
New password:
Retype new password:
passwd: password updated successfully
vagrant@ig-ubuntu:~$ sudo passwd tony
New password:
Retype new password:
passwd: password updated successfully
vagrant@ig-ubuntu:~$ sudo passwd mark
New password:
Retype new password:
passwd: password updated successfully
vagrant@ig-ubuntu:~$ sudo -iu arjun
arjun@ig-ubuntu:~$ sudo -l
[sudo] password for arjun:
Matching Defaults entries for arjun on ig-ubuntu:
env_reset, exempt_group=sudo, mail_badpass,
secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin,
use_pty
User arjun may run the following commands on ig-ubuntu:
(root) /usr/bin/systemctl status nginx, /usr/bin/systemctl restart nginx
arjun@ig-ubuntu:~$ sudo -iu steven
Sorry, user arjun is not allowed to execute '/bin/bash' as steven on ig-ubuntu.
arjun@ig-ubuntu:~$ sudo -l
Matching Defaults entries for arjun on ig-ubuntu:
env_reset, exempt_group=sudo, mail_badpass,
secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin,
use_pty
User arjun may run the following commands on ig-ubuntu:
(root) /usr/bin/systemctl status nginx, /usr/bin/systemctl restart nginx
arjun@ig-ubuntu:~$ sudo -iu surya
Sorry, user arjun is not allowed to execute '/bin/bash' as surya on ig-ubuntu.
arjun@ig-ubuntu:~$ sudo -iu strange
Sorry, user arjun is not allowed to execute '/bin/bash' as strange on ig-ubuntu.
arjun@ig-ubuntu:~$ sudo -iu tony
29°
ENG
IN
20:40
06-10-2026


vagrant@ig-ubuntu: ~/Experi
arjun@ig-ubuntu:~$ sudo -iu tony
Sorry, user arjun is not allowed to execute '/bin/bash' as tony on ig-ubuntu.
arjun@ig-ubuntu:~$ sudo -iu mark
Sorry, user arjun is not allowed to execute '/bin/bash' as mark on ig-ubuntu.
arjun@ig-ubuntu:~$ sudo -iu arjun
Sorry, user arjun is not allowed to execute '/bin/bash' as arjun on ig-ubuntu.
arjun@ig-ubuntu:~$ exit
logout
vagrant@ig-ubuntu:~$ sudo -iu steven
steven@ig-ubuntu:~$ sudo -l
[sudo] password for steven:
Matching Defaults entries for steven on ig-ubuntu:
env_reset, exempt_group=sudo, mail_badpass,
secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin,
use_pty
User steven may run the following commands on ig-ubuntu:
(root) /usr/bin/systemctl status nginx
steven@ig-ubuntu:~$ sudo -iu tony
Sorry, user steven is not allowed to execute '/bin/bash' as tony on ig-ubuntu.
steven@ig-ubuntu:~$ exit
logout
vagrant@ig-ubuntu:~$ sudo -iu tony
tony@ig-ubuntu:~$ sudo -l
[sudo] password for tony:
Matching Defaults entries for tony on ig-ubuntu:
env_reset, exempt_group=sudo, mail_badpass,
secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin,
use_pty
User tony may run the following commands on ig-ubuntu:
(root) /usr/bin/journalctl -u nginx
tony@ig-ubuntu:~$ getent group teamA
teamA:x:1001:arjun,surya
tony@ig-ubuntu:~$ exit
logout
vagrant@ig-ubuntu:~$ getent group teamA
teamA:x:1001:arjun,surya
vagrant@ig-ubuntu:~$ getfacl /projects/teamA
getfacl: Removing leading '/' from absolute path names
file: projects/teamA
29°
ENG
IN
20:40
06-10-2026


vagrant@ig-ubuntu: ~/Experi
vagrant@ig-ubuntu:~$ getfacl /projects/teamA
getfacl: Removing leading '/' from absolute path names
file: projects/teamA
owner: root
group: teamA
flags: -s-
user::rwx
group::rwx
group:teamA:rwx
mask::rwx
other::---
vagrant@ig-ubuntu:~$ sudo repquota -a
vagrant@ig-ubuntu:~$ sudo -l -U alice
sudo: unknown user alice
vagrant@ig-ubuntu:~$ getent group teamA
teamA:x:1001:arjun,surya
vagrant@ig-ubuntu:~$ getent group teamB
teamB:x:1002:steven,strange
vagrant@ig-ubuntu:~$ getent group teamC
teamC:x:1003:tony,mark
vagrant@ig-ubuntu:~$ ls -ld /projects/*
drwxrws---+ 2 root teamA 4096 Oct 6 11:11 /projects/teamA
drwxrws---+ 2 root teamB 4096 Oct 6 10:53 /projects/teamB
drwxrws---+ 2 root teamC 4096 Oct 6 10:53 /projects/teamC
vagrant@ig-ubuntu:~$ getfacl /projects/teamA
getfacl: Removing leading '/' from absolute path names
file: projects/teamA
owner: root
group: teamA
flags: -s-
user::rwx
group::rwx
group:teamA:rwx
mask::rwx
other::---
vagrant@ig-ubuntu:~$ getfacl /projects/teamB
getfacl: Removing leading '/' from absolute path names
file: projects/teamB
owner: root
29°
ENG
IN
20:40
06-10-2026


vagrant@ig-ubuntu: ~/Experi
vagrant@ig-ubuntu:~$ getfacl /projects/teamB
getfacl: Removing leading '/' from absolute path names
file: projects/teamB
owner: root
group: teamB
flags: -s-
user::rwx
group::rwx
group:teamB:rwx
mask::rwx
other::---
vagrant@ig-ubuntu:~$ getfacl /projects/teamC
getfacl: Removing leading '/' from absolute path names
file: projects/teamC
owner: root
group: teamC
flags: -s-
user::rwx
group::rwx
group:teamC:rwx
mask::rwx
other::---
vagrant@ig-ubuntu:~$ sudo repquota -a
vagrant@ig-ubuntu:~$ sudo -l -U arjun
Matching Defaults entries for arjun on ig-ubuntu:
env_reset, exempt_group=sudo, mail_badpass,
secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin,
use_pty
User arjun may run the following commands on ig-ubuntu:
(root) /usr/bin/systemctl status nginx, /usr/bin/systemctl restart nginx
vagrant@ig-ubuntu:~$ sudo repquota -b
repquota: invalid option -- 'b'
repquota: Utility for reporting quotas.
Usage:
repquota [-vugsi] [-c|C] [-t|n] [-F quotaformat] [-O (default | xml | csv)] (-a | mntpoint)
-v, --verbose display also users/groups without any usage
-u, --user display information about users
29°
ENG
IN
20:41
06-10-2026


vagrant@ig-ubuntu: ~/Experi
second character specifies inode units
-t, --truncate-names truncate names to 9 characters
-p, --raw-grace print grace time in seconds since epoch
-n, --no-names do not translate uid/gid to name
-i, --no-autofs avoid autofs mountpoints
-c, --cache translate big number of ids at once
-C, --no-cache translate ids one by one
-F, --format=formatname report information for specific format
-O, --output=format format output as xml or csv
-a, --all report information for all mount points with
quotas
-h, --help display this help message and exit
-V, --version display version information and exit
Bugs to jack@suse.cz
vagrant@ig-ubuntu:~$ sudo repquota -a
vagrant@ig-ubuntu:~$ sudo -l -U arjun
Matching Defaults entries for arjun on ig-ubuntu:
env_reset, exempt_group=sudo, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin, use_pty
User arjun may run the following commands on ig-ubuntu:
(root) /usr/bin/systemctl status nginx, /usr/bin/systemctl restart nginx
vagrant@ig-ubuntu:~$ sudo -l -U steven
Matching Defaults entries for steven on ig-ubuntu:
env_reset, exempt_group=sudo, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin, use_pty
User steven may run the following commands on ig-ubuntu:
(root) /usr/bin/systemctl status nginx
vagrant@ig-ubuntu:~$ sudo -l -U steven
Matching Defaults entries for steven on ig-ubuntu:
env_reset, exempt_group=sudo, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin, use_pty
User steven may run the following commands on ig-ubuntu:
(root) /usr/bin/systemctl status nginx
vagrant@ig-ubuntu:~$
vagrant@ig-ubuntu:~$ sudo -l -U tony
Matching Defaults entries for tony on ig-ubuntu:
env_reset, exempt_group=sudo, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin, use_pty
User tony may run the following commands on ig-ubuntu:
(root) /usr/bin/journalctl -u nginx
29°
ENG
IN
20:41
06-10-2026