

Website Security Scan Report

Generated on: 2024-12-11 18:23:17

Crawling Information

Crawled URL
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_4.png
http://pageometry.weebly.com/ch-1-fundamental-elements.html
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html
http://pageometry.weebly.com/section-15-perpendicular-lines.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_8.png
http://pageometry.weebly.com/ch-1-problem-set.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_1.png
http://pageometry.weebly.com/apps/
http://pageometry.weebly.com/section-13-reasoning-and-logic.html
http://pageometry.weebly.com/mr-langs-section.html
http://pageometry.weebly.com/ch-8-area.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_1.png
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1602193947
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_3_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_5_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/parallellineslab.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4_1.png

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_7.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_5_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_7.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_5.png
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_3_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_6-2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_10.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_7.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_3_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/notes_on_ch3_extra_practice.pdf
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_5_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/teacherchecklist.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_3.png

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_8.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/reflectionpartnerself.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_1_1.png
http://pageometry.weebly.com/section-74-arcs-and-chords.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_7.png
http://pageometry.weebly.com/section-65-trigonometry.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_4_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch5_problem_packet.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_8.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_2.png
http://pageometry.weebly.com/section-75-other-angles.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/storyboard.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_13.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_10.png
http://pageometry.weebly.com/section-81-what-is-area.html
http://pageometry.weebly.com/section-71.html

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_5_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_2_3.png
http://pageometry.weebly.com/section-21-sss-and-sas.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/special_right_triangles.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_2.png
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_4_3g.png
http://pageometry.weebly.com/section-54-proportional-lengths.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch7probset.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_2_2.png
http://pageometry.weebly.com/mrs-langs-section.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_6_1.png
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1610654828
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_6.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_1_3.png

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_6.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_5_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m220projectteachernotes.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_1_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m210syllabus.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_4.png
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1733877101
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_5.png
http://pageometry.weebly.com/files/main_style.css?1602354675
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch4_problems_packet.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_2_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_5_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_4.png
http://pageometry.weebly.com/section-11-points-lines-and-planes.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch3_problems_packet.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_3_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch2_prob_packet.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_3_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4_2.png

http://pageometry.weebly.com/cdn-cgi/scripts/5c5dd728/cloudflare-static/email-decode.min.js
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_8.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_6.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/congruent_triangles0_solns.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/math210reviewfinal.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_1.png
http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_6.png
http://pageometry.weebly.com/chapter-7.html
http://pageometry.weebly.com/section-72-tangents-to-circles.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_7.png
http://pageometry.weebly.com/section-24-perpendicularity.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_1_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_1_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_6.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_1_9.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/guidelinesvideoreview.pdf

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_4_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_6-1.png
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch7_problems_packet.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/segment_tool.gif
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_5_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/abctheoremnew.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/mrslangsyllabus.pdf
http://pageometry.weebly.com/mr-langs-section-winter-2014.html
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_1_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_1.png
http://pageometry.weebly.com/section-72.html
http://pageometry.weebly.com/ch-6-problem-set.html
http://pageometry.weebly.com/section-84-regular-polygons.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_5_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_5_3.png
http://pageometry.weebly.com/section-12-segments-and-angles.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_2_2.png

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_9.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/answers.pdf
http://pageometry.weebly.com/ch-3-parallelism.html
http://pageometry.weebly.com/cdn-cgi/styles/cf.errors.css
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_4.png
http://pageometry.weebly.com/section-46-concurrency.html
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_4_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_6_2.png
http://pageometry.weebly.com/section-51-proportions.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_5.png
http://pageometry.weebly.com/figures.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_6_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_2.png
http://pageometry.weebly.com/robots.txt
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_5_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_3.png

http://pageometry.weebly.com/cdn-cgi/styles/cf.errors.ie.css
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_7.png
http://pageometry.weebly.com/ch-6-right-triangles.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_5.png
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1605918293
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_9.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch6_problem_packet.pdf
http://pageometry.weebly.com/sitemap.xml
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch6_problems.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/table_of_trig_ratios.pdf
http://pageometry.weebly.com/ch-3-problem-set.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_4_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_2_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_3.png
http://pageometry.weebly.com/index.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch8_problems_packet.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/isoscelestriangles.pdf

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/chap5probset.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_4_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_4.png
http://pageometry.weebly.com/ch-8-problem-set.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_6.png
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_3_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_1.png
http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_7.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/perpendicularity.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_1_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_1_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_1.png
http://pageometry.weebly.com/ch7exercises.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_6.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/tool_segment_between_two_points.gif
http://pageometry.weebly.com/%22%20+%20windowHref%20+%20%22view=mobile

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_2_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_3_3.png
http://pageometry.weebly.com/ch-7-problem-set.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_5_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_9.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch1_problems_packet.pdf
http://pageometry.weebly.com/section-87-ratio-of-areas.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_6_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_6.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_3.png
http://pageometry.weebly.com/answers.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/math210rvwfinal.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_11.png
http://pageometry.weebly.com/ch-4-problem-set.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/studentfeedbackvideo.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_1_2.png

http://pageometry.weebly.com/section-31-indirect-proof.html
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_3.png
http://pageometry.weebly.com/section-55-other-triangle-similarities.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_5_1.png
http://pageometry.weebly.com/section-35-angles-of-polygons.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_5_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_1_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_3_1.png
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html
http://pageometry.weebly.com/section-52-similar-polygons.html
http://pageometry.weebly.com/cdn-cgi/l/email-protection
http://pageometry.weebly.com/section-41-parallelograms.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_5_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/syllabusgradedhw.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_2_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m210rvw2key.pdf
http://pageometry.weebly.com/ch-2-congruent-triangles.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_2.png

http://pageometry.weebly.com/section-85-circles.html
http://pageometry.weebly.com/ch-5-similarity.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_4_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_6.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_5_3.png
http://pageometry.weebly.com/section-64-special-right-triangles.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/problems8_1and8_2.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/how_to_study_math1.pdf
http://pageometry.weebly.com/section-26-overlapping-triangles.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_1_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3.png
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html
http://pageometry.weebly.com/section-76-tangents-and-secants.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/treehousesun.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_1_10.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_4_2.png
http://pageometry.weebly.com/section-53-similar-triangles.html

http://pageometry.weebly.com/ch-7-circles.html
http://pageometry.weebly.com/section-45-trapezoids.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_5.png
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html
http://pageometry.weebly.com/ch-5-problem-set.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch8problems.pdf
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_3_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_7.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_5_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/solutionschap1reviewall.pdf
http://pageometry.weebly.com/ch-4-parallelograms.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_8.png
http://pageometry.weebly.com/ajax/
http://pageometry.weebly.com/
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_2.png
http://pageometry.weebly.com/section-77-the-power-of-the-point.html
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_3.png
http://pageometry.weebly.com/ch-2-problem-set.html

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_6.png
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_1.png
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_2_5.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_3.png
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_2_3.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_5.png
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_12.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_2.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_4.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_2.png
http://pageometry.weebly.com/section-22-asa-and-aas.html
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_1.png
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m210rvw2.pdf

Scan Information

Target URL	http://pageometry.weebly.com/	
------------	---	--

Attack Type	XSS	
Scan Started At	2024-12-11 18:23:17	
Scan Duration	29.6 seconds	

Vulnerabilities Found

High Severity	0	
Medium Severity	407	
Low Severity	1492	

Vulnerability Details

URL	Risk	Description
http://pageometry.weebly.com/	Informational	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
http://pageometry.weebly.com/sitemap.xml	Informational	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
http://pageometry.weebly.com/robots.txt	Informational	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.

http://pageometry.weebly.com/	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/robots.txt	Informational	Cookies can be scoped by domain or path. This check is only concerned with domain scope. The domain scope applied to a cookie determines which domains can access it. For example, a cookie can be scoped strictly to a subdomain e.g. www.nottrusted.com, or loosely scoped to a parent domain e.g. nottrusted.com. In the latter case, any subdomain of nottrusted.com can access the cookie. Loosely scoped cookies are common in mega-applications like google.com and live.com. Cookies set from a subdomain like app.foo.bar are transmitted only to that domain by the browser. However, cookies scoped to a parent-level domain may be transmitted to the parent, or any subdomain of the parent.
http://pageometry.weebly.com/ch-7-problem-set.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/sitemap.xml	Informational	Cookies can be scoped by domain or path. This check is only concerned with domain scope. The domain scope applied to a cookie determines which domains can access it. For example, a cookie can be scoped strictly to a subdomain e.g. www.nottrusted.com, or loosely scoped to a parent domain e.g. nottrusted.com. In the latter case, any subdomain of nottrusted.com can access the cookie. Loosely scoped cookies are common in mega-applications like google.com and live.com. Cookies set from a subdomain like app.foo.bar are transmitted only to that domain by the browser. However, cookies scoped to a parent-level domain may be transmitted to the parent, or any subdomain of the parent.
http://pageometry.weebly.com/robots.txt	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-7-problem-set.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/sitemap.xml	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/robots.txt	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-7-problem-set.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/sitemap.xml	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/robots.txt	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-7-problem-set.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/sitemap.xml	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-3-problem-set.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.

http://pageometry.weebly.com/	Informational	<p>Cookies can be scoped by domain or path. This check is only concerned with domain scope. The domain scope applied to a cookie determines which domains can access it. For example, a cookie can be scoped strictly to a subdomain e.g. www.nottrusted.com, or loosely scoped to a parent domain e.g. nottrusted.com. In the latter case, any subdomain of nottrusted.com can access the cookie. Loosely scoped cookies are common in mega-applications like google.com and live.com. Cookies set from a subdomain like app.foo.bar are transmitted only to that domain by the browser. However, cookies scoped to a parent-level domain may be transmitted to the parent, or any subdomain of the parent.</p>
http://pageometry.weebly.com/ch-7-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/ch-3-parallelism.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/ch-4-problem-set.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/ch-1-fundamental-elements.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.

http://pageometry.weebly.com/ch-1-problem-set.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-51-proportions.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-72.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-84-regular-polygons.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-15-perpendicular-lines.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-24-perpendicularity.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/ch-7-problem-set.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/ch-3-problem-set.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/ch-7-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-4-problem-set.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-3-parallelism.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Informational	<p>This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.</p>
http://pageometry.weebly.com/ch-1-problem-set.html	Medium	<p>Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.</p>
http://pageometry.weebly.com/section-51-proportions.html	Informational	<p>This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.</p>

http://pageometry.weebly.com/ch-1-fundamental-elements.html	Medium	<p>Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.</p>
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Informational	<p>This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.</p>
http://pageometry.weebly.com/section-84-regular-polygons.html	Informational	<p>This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.</p>

http://pageometry.weebly.com/section-24-perpendicularity.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/ch-3-problem-set.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-15-perpendicular-lines.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/section-22-asa-and-aas.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/ch-3-parallelism.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-4-problem-set.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-84-regular-polygons.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-1-fundamental-elements.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-24-perpendicularity.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/ch-1-problem-set.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-51-proportions.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-72.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.

http://pageometry.weebly.com/section-15-perpendicular-lines.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-3-problem-set.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-7-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-1-fundamental-elements.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/ch-3-parallelism.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/section-72.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-51-proportions.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-1-problem-set.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-4-problem-set.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-24-perpendicularity.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-3-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-7-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/section-24-perpendicularity.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-1-fundamental-elements.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-4-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-51-proportions.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/section-72.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-3-parallelism.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-1-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/ch-3-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/ch-4-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-1-fundamental-elements.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-24-perpendicularity.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-72.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-51-proportions.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-7-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-1-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-3-parallelism.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-3-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-1-fundamental-elements.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-24-perpendicularity.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/ch-4-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-51-proportions.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-1-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-3-parallelism.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-24-perpendicularity.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-7-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-51-proportions.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-3-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-4-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-1-fundamental-elements.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/ch-3-parallelism.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-1-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-3-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-4-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-24-perpendicularity.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-1-fundamental-elements.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-51-proportions.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-3-parallelism.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-1-problem-set.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-24-perpendicularity.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-51-proportions.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-3-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-1-fundamental-elements.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-4-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-3-parallelism.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-1-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-24-perpendicularity.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-51-proportions.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-7-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-24-perpendicularity.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-51-proportions.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-4-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-3-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-1-fundamental-elements.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-3-parallelism.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/ch-1-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-24-perpendicularity.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-51-proportions.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-72.html	Informational	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.

http://pageometry.weebly.com/ch-7-problem-set.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-24-perpendicularity.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-51-proportions.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-3-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-4-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-1-fundamental-elements.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-3-parallelism.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-1-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-72.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-72.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-72.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-24-perpendicularity.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-3-parallelism.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-51-proportions.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-1-problem-set.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-3-problem-set.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-1-fundamental-elements.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-4-problem-set.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-85-circles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/ch-8-problem-set.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/ch-2-congruent-triangles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-72.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-84-regular-polygons.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-61-the-altitude-to-the-hypotenuse-of-a-right-triangle.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-24-perpendicularity.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-26-overlapping-triangles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-congruent-triangles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-8-problem-set.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-85-circles.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.

http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-41-parallelograms.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.

http://pageometry.weebly.com/section-51-proportions.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-15-perpendicular-lines.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-21-sss-and-sas.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-22-asa-and-aas.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/ch-2-congruent-triangles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-8-problem-set.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-85-circles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-45-trapezoids.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/ch-8-area.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/ch-8-problem-set.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/ch-2-congruent-triangles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-85-circles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.

http://pageometry.weebly.com/section-41-parallelograms.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-72.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-8-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-congruent-triangles.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/ch-8-area.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-45-trapezoids.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-85-circles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/section-41-parallelograms.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/ch-8-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-congruent-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-8-area.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/section-45-trapezoids.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-12-segments-and-angles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-41-parallelograms.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-85-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-8-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-congruent-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-45-trapezoids.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-8-area.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-41-parallelograms.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-85-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-72-tangents-to-circles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-12-segments-and-angles.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-45-trapezoids.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/ch-8-area.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-85-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-41-parallelograms.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-12-segments-and-angles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-2-congruent-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-8-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-8-area.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-45-trapezoids.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-41-parallelograms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-12-segments-and-angles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-8-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-congruent-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-8-area.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-45-trapezoids.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-85-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-41-parallelograms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-12-segments-and-angles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-45-trapezoids.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-85-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-12-segments-and-angles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-congruent-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-8-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-8-area.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-85-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-41-parallelograms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-12-segments-and-angles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-45-trapezoids.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-8-area.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-41-parallellograms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-85-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-8-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-12-segments-and-angles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-congruent-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-45-trapezoids.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-41-parallellograms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-8-area.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-45-trapezoids.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-85-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-41-parallelograms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-12-segments-and-angles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-45-trapezoids.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-12-segments-and-angles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-8-area.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-41-parallelograms.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-11-points-lines-and-pla nes.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-85-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-42-proving-a-quadrilat eral-is-a-parallelogram.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-72-tangents-to-circles. html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-12-segments-and-angl es.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-8-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-2-congruent-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-45-trapezoids.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-62-the-pythagorean-th eorem.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-12-segments-and-angl es.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-41-parallelograms.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-13-reasoning-and-logic .html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-23-isosceles-triangle-a nd-auxiliary-lines.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Informational	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
http://pageometry.weebly.com/section-45-trapezoids.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-8-area.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-55-other-triangle-similarities.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-12-segments-and-angles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/ch-8-problem-set.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-2-congruent-triangles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-85-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/ajax/	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-12-segments-and-angles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/mrs-langs-section.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/apps/	Informational	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
http://pageometry.weebly.com/section-41-parallelograms.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-45-trapezoids.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/ch-8-area.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/apps/	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/apps/	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/section-77-the-power-of-the-point.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/apps/	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-85-circles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.

http://pageometry.weebly.com/section-11-points-lines-and-planes.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-4-parallelograms.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-42-proving-a-quadrilateral-is-a-parallelogram.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-12-segments-and-angles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/apps/	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/mrs-langs-section.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-45-trapezoids.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-41-parallelograms.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.

http://pageometry.weebly.com/ch-4-parallelograms.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/apps/	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/mrs-langs-section.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/section-62-the-pythagorean-theorem.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-4-parallelograms.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-23-isosceles-triangle-and-auxiliary-lines.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/apps/	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/mrs-langs-section.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/section-14-justifications-and-first-theorems.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-13-reasoning-and-logic.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-2-problem-set.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.

http://pageometry.weebly.com/ch-4-parallelograms.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/ch-5-similarity.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-72-tangents-to-circles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mrs-langs-section.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-12-segments-and-angles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-5-problem-set.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.

http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-4-parallelograms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.

http://pageometry.weebly.com/ch-2-problem-set.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mrs-langs-section.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/ch-5-similarity.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/ch-4-parallelograms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-5-problem-set.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-2-problem-set.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-31-indirect-proof.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mrs-langs-section.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-5-similarity.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/ch-4-parallelograms.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/ch-5-problem-set.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-2-problem-set.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/mrs-langs-section.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/ch-5-similarity.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/mr-langs-section.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-31-indirect-proof.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/ch-5-problem-set.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mrs-langs-section.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/mr-langs-section.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-5-similarity.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/section-31-indirect-proof.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-4-parallelograms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-5-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mrs-langs-section.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-5-similarity.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-4-parallelograms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-5-problem-set.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-5-similarity.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/ch-5-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mrs-langs-section.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-4-parallelograms.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/ch-2-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mrs-langs-section.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-5-similarity.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/ch-5-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-5-similarity.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-4-parallelograms.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/mrs-langs-section.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-5-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-5-similarity.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-5-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-2-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-5-similarity.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-4-parallelograms.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/mrs-langs-section.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/mr-langs-section.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-5-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/mr-langs-section.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-2-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-5-similarity.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-5-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-4-parallelograms.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/mrs-langs-section.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/mr-langs-section.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.

http://pageometry.weebly.com/section-25-hl-and-abc-theorem.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-5-similarity.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-2-problem-set.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/ch-5-problem-set.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-54-proportional-lengths.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-52-similar-polygons.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-53-similar-triangles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-33-angles-associated-with-parallel-lines.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-43-rhombuses-rectangles-and-squares.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-34-angles-of-a-triangle.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/mr-langs-section.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-35-angles-of-polygons.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/figures.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/section-83-trapezoids-rhombuses-kites-and-other-quadrilaterals.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-32-proving-lines-are-parallel.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-37-inequalities-in-a-single-triangle.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/section-52-similar-polygons.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/index.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/cdn-cgi/l/email-protection	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-54-proportional-lengths.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/ch-6-right-triangles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-52-similar-polygons.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-44-midline-of-a-triangle.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/section-53-similar-triangles.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-54-proportional-lengths.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-31-indirect-proof.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/figures.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/index.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-53-similar-triangles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/figures.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/index.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/ch-6-right-triangles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-53-similar-triangles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/figures.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/index.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/ch-6-right-triangles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-53-similar-triangles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/figures.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/ch-6-right-triangles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/index.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-53-similar-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/figures.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/index.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/ch-6-right-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-53-similar-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/figures.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/index.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-6-right-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-53-similar-triangles.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/figures.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-6-right-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/figures.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/index.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-53-similar-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/figures.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/index.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-6-right-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-53-similar-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-6-right-triangles.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-53-similar-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/index.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/figures.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-53-similar-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/figures.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/index.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-6-right-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/figures.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-53-similar-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-6-right-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-53-similar-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-65-trigonometry.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/answers.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-46-concurrency.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/files/main_style.css?1602354675	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/index.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/figures.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/files/main_style.css?1602354675	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/answers.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.

http://pageometry.weebly.com/section-65-trigonometry.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/ch-6-right-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-76-tangents-and-secants.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-65-trigonometry.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/answers.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/mr-langs-section-winter-2014.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/section-86-sectors-and-segments-of-circles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-46-concurrency.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/answers.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/section-65-trigonometry.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-46-concurrency.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/index.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-53-similar-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-65-trigonometry.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/answers.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-6-problem-set.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-46-concurrency.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/figures.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/answers.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-65-trigonometry.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-6-right-triangles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-7-circles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-46-concurrency.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/answers.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-65-trigonometry.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-81-what-is-area.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/ch-6-problem-set.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-52-similar-polygons.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-46-concurrency.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-7-circles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1602193947	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-65-trigonometry.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-54-proportional-lengths.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-6-problem-set.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-46-concurrency.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/answers.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/ch-7-circles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-74-arcs-and-chords.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-53-similar-triangles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-81-what-is-area.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1602193947	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/ch-6-problem-set.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-46-concurrency.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-73-tangents-with-two-circles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/answers.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-7-circles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/%22%20+%20windowHref%20+%20%22view=mobile	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

http://pageometry.weebly.com/section-81-what-is-area.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-65-trigonometry.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1602193947	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-6-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_2_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/section-74-arcs-and-chords.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/ch-7-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/%22%20+%20windowHref%20+%20%22view=mobile	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-65-trigonometry.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-81-what-is-area.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-71.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/answers.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/ch-6-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-46-concurrency.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-66-applications-of-trigonometry.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_2_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-74-arcs-and-chords.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/ch-7-circles.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/%22%20+%20windowHref%20+%20%22view=mobile	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-65-trigonometry.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-81-what-is-area.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-6-problem-set.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-46-concurrency.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_2_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-7-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_6_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/%22%20+%20windowHref%20+%20%22view=mobile	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-65-trigonometry.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-81-what-is-area.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-71.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/answers.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-46-concurrency.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_6_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_2_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-81-what-is-area.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-71.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/ch-6-problem-set.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-46-concurrency.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-7-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-65-trigonometry.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_6_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_2_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-81-what-is-area.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-6-problem-set.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-71.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-7-circles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_6_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_2_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-71.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-46-concurrency.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-65-trigonometry.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-6-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_6_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/chapter-7.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-81-what-is-area.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/answers.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-71.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-7-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_5_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_6_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-81-what-is-area.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-71.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-46-concurrency.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_5_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-6-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/chapter-7.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-75-other-angles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-81-what-is-area.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-71.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-7-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_5_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/chapter-7.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-81-what-is-area.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-71.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/chapter-7.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/section-75-other-angles.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/files/main_style.css?1602354675	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-71.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/answers.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/section-65-trigonometry.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/chapter-7.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-75-other-angles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-81-what-is-area.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-64-special-right-triangles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-71.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-6-problem-set.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/chapter-7.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-75-other-angles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/section-71.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/ch-7-circles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-46-concurrency.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/chapter-7.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1610654828	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.

http://pageometry.weebly.com/section-75-other-angles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-81-what-is-area.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-64-special-right-triangles.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/chapter-7.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1610654828	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-75-other-angles.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-64-special-right-triangles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/chapter-7.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-76-tangents-and-secants.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-75-other-angles.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-65-trigonometry.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1610654828	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-71.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/chapter-7.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-75-other-angles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_5_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-63-the-converse-of-the-pythagorean-theorem.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch-6-problem-set.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_1_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/section-71.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch-7-circles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-46-concurrency.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_5_3.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/chapter-7.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_1_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-71.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_3_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_1_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-75-other-angles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_5_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_1_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/chapter-7.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_1_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-81-what-is-area.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_3_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_1_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-75-other-angles.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_1_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/mrs-langs-section-winter-2014.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/chapter-7.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_3_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_1_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-75-other-angles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_2.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_1_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_5_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-82-parallelgrams-and-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-75-other-angles.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_6.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_5_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_6.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-71.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_5_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_5_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-81-what-is-area.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-75-other-angles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_5_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/chapter-7.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_6.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_5_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_5_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_5_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_5_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_5_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-74-arcs-and-chords.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_4_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_2_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_5_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_5_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_5_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_5_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-75-other-angles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_5_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_2_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_2_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_5_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_5_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_5_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_5.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_2_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_2_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-71.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/chapter-7.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_6.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_2_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_2_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/section-71-introduction-and-basic-terms.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_7.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_6.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_8.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_1_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_2_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_1_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_5_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_6.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_7.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_8.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_1_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_2_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_1_3.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_1_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-75-other-angles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_5_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_5_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_7.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_5_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_8.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_1_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_1_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_1_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_5_3.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_5_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Informational	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_8.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_5_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_6.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_5.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_7.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_9.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_1_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_5_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_3_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/section-87-ratio-of-areas.html	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_8.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_5_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_6.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_7.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_9.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_3_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_8.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_6.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_3_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_7.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_9.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-75-other-angles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_3_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_2_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_3_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_4_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_4_3g.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_2_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_4.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_3_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_2_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_4_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_5_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_4_3g.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_2_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch4_problems_packet.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_5_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_4_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/storyboard.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_2_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_5_1.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_4_3g.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-64-special-right-triangles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch4_problems_packet.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch3_problems_packet.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch7_problems_packet.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_5_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1733877101	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/storyboard.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_5_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch8_problems_packet.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_5_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch1_problems_packet.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_5_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch3_problems_packet.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch7_problems_packet.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_1_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1733877101	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/storyboard.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_5_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/section-82-parallelograms-and-triangles.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch8_problems_packet.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	The page includes one or more script files from a third-party domain.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch4_problems_packet.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch1_problems_packet.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_5_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_3_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1733877101	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_3_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_5_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch7_problems_packet.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_5_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch3_problems_packet.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_3_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch1_problems_packet.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_3_3.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch8_problems_packet.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_4_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_5_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_3_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_3_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	The page includes one or more script files from a third-party domain.
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/section-87-ratio-of-areas.html	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_10.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/segment_tool.gif	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_6.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_3_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_5_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m220projectteachernotes.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/special_right_triangles.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/how_to_study_math1.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/teachchecklist.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/mrsiangsyllabus.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/guidelinesvideoreview.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/reflectionpartnerself.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_6.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_5_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_10.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_3_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/teachercchecklist.pdf	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/how_to_study_math1.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/segment_tool.gif	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/mrslangsyllabus.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m220projectteachernotes.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/reflectionpartnerself.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/guidelinesvideoreview.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/special_right_triangles.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_6.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_5_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig2_3_10.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_3_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/segment_tool.gif	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/how_to_study_math1.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/teach_erchecklist.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/guidelinesvideoreview.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/reflectionpartnerself.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m220projectteachernotes.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/mrslangsyllabus.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/special_right_triangles.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/studentfeedbackvideo.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/problems8_1and8_2.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/chap5probset.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch6_problems.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/studentfeedbackvideo.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_1_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/problems8_1and8_2.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/chap5probset.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch6_problems.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_2_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/studentfeedbackvideo.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_1_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/problems8_1and8_2.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_6.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_7_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_1_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/chap5probset.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_4_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_1_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch7probset.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_1_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch6_problems.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_4_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch8problems.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_4_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_6.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/math210rvwfinal.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_1_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch2_prob_packet.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_4_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/math210reviewfinal.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch7probset.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_1_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_4_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_7.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_4_3.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch8problems.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_6.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/math210rvwfinal.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch5_problem_packet.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_1_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_4_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch2_prob_packet.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/math210reviewfinal.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig3_1_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_4_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_7.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_4_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch7pr obset.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/math210rvwfinal.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch5_problem_packet.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/math210reviewfinal.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_6.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_7.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_2_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch8problems.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/abctheoremnew.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m210rvw2.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_5.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch2_prob_packet.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_2_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_6.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/syllabusgradedhw.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch5_problem_packet.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_2_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/abctheoremnew.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m210rvw2.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_2_1.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_6.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/syllabusgradedhw.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_4_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_5.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/treehousesun.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_2_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m210rvw2.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_2_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_2_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m210rvw2key.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/abctheoremnew.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_1_10.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/syllabusgradedhw.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/perpendicularity.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_1_9.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/treehousesun.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_2_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_4.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m210rvw2key.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/isosc elestriangles.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig 1_1_10.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/perp endicularity.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_1_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig 1_2_7.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig 1_2_9.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig 1_1_9.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_2_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/treehousesun.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_6_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/isoscelestriangles.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m210rvw2key.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig5_3_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_1_10.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_7.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_1_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/perpendicularity.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_9.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_1_9.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/tool_segment_between_two_points.gif	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_12.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_11.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig1_2_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_13.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_4_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_3_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_7.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_3_1_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_9.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/isosc elestriangles.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_3_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/tool_segment_between_two_points.gif	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_3_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_12.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_4_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_11.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_13.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_4_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_3_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_3_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/tool_segment_between_two_points.gif	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_3_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_4_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_12.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_4_1.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_11.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/exfig1_2_13.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_4_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_3_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_3_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_3_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_4_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_4_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_8.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_7.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_6.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/parall ellineslab.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_6_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_6_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_6.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_4_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_8.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_7.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_1.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_6.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/parallellineslab.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_7.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_6_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_6_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_6.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_8.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_7.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_5_6.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_7.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_6_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig6_6_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_6.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/parallineslab.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_7.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_3_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_6.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_4.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_6.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_4_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_4.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_6.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_6-2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_1_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_6-1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_6-3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_6.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_7.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m210syllabus.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_6-2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_1_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_4.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_6-1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_6-3.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_6.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_7.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m210syllabus.pdf	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_1_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_4_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_6-3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_7_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_6-1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_6.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_6_7.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_4.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_2.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/ch7exercises.pdf	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_1.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/m210syllabus.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_3.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1605918293	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_10.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_7.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_8.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/table_of_trig_ratios.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_5.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_8.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_9.png	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_4.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/ch7exercises.pdf	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_2.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_1.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_3.png	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1605918293	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_10.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_7.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_8.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/table_of_trig_ratios.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch6_problem_packet.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_5.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_8.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_9.png	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_4.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig4_6_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_7_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_1_2.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/ch7exercises.pdf	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_1.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_3.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/gdpr/gdprscript.js?buildTime=1605918293	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_10.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_7.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_8.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_5.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/table_of_trig_ratios.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch6_problem_packet.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig7_5_8.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/fig8_2_9.png	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/notes_on_ch3_extra_practice.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/ch7exercises.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/answers.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/congruent_triangles0_solns.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/notes_on_ch3_extra_practice.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/solutionschap1reviewall.pdf	Medium	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/ch6_problem_packet.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/answers.pdf	Low	A timestamp was disclosed by the application/web server. - Unix

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/notes_on_ch3_extra_practice.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/congruent_triangles0_solns.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/solutionschap1reviewall.pdf	Low	A timestamp was disclosed by the application/web server. - Unix
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/answers.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
http://pageometry.weebly.com/uploads/3/8/7/1/3871472/solutionschap1reviewall.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

http://pageometry.weebly.com/uploads/3/8/7/1/3871472/congruent_triangles0_solns.pdf	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Informational	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Medium	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Informational	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Medium	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Informational	Cookies can be scoped by domain or path. This check is only concerned with domain scope. The domain scope applied to a cookie determines which domains can access it. For example, a cookie can be scoped strictly to a subdomain e.g. www.nottrusted.com, or loosely scoped to a parent domain e.g. nottrusted.com. In the latter case, any subdomain of nottrusted.com can access the cookie. Loosely scoped cookies are common in mega-applications like google.com and live.com. Cookies set from a subdomain like app.foo.bar are transmitted only to that domain by the browser. However, cookies scoped to a parent-level domain may be transmitted to the parent, or any subdomain of the parent.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	A cookie has been set with its SameSite attribute set to "none", which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.

https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	A cookie has been set without the secure flag, which means that the cookie can be accessed via unencrypted connections.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	A cookie has been set without the secure flag, which means that the cookie can be accessed via unencrypted connections.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	The page includes one or more script files from a third-party domain.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	The page includes one or more script files from a third-party domain.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	The page includes one or more script files from a third-party domain.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	The page includes one or more script files from a third-party domain.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	The page includes one or more script files from a third-party domain.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	A timestamp was disclosed by the application/web server. - Unix
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	A timestamp was disclosed by the application/web server. - Unix
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	A timestamp was disclosed by the application/web server. - Unix

https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	A timestamp was disclosed by the application/web server. - Unix
https://pageometry.weebly.com/?input=%3Cscript%3Ealert('XSS')%3C/script%3E	Low	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.